

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12408773
Kind Code	B1
Date of Patent	September 09, 2025
Inventor(s)	Teicher; Mordechai et al.

Kit for non-damaging wall mounting of collage tiles

Abstract

A kit for mounting collage tiles on a wall. The kit includes, for each collage tile, at least one adhesive tile positioning plate to be adhered to the wall for guiding the positioning the tile on the wall. The kit also includes a poster having windows for accommodating the adhesive tile positioning plates and adhering them to the wall through the windows.

Inventors:	Teicher; Mordechai (Hod Hasharon, IL), Mishkal; Ori (Atlit, IL)
Applicant:	Teicher; Mordechai (Hod Hasharon, IL); Mishkal; Ori (Atlit, IL)
Family ID:	96950332
Appl. No.:	19/174956
Filed:	April 10, 2025

Publication Classification

Int. Cl.:	A47G1/17 (20060101)
U.S. Cl.:	
CPC	A47G1/17 (20130101);

Field of Classification Search

CPC:	A47G (1/17)
USPC:	33/562-566

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3239178	12/1965	Pompa	211/1	F16B 47/003
6880259	12/2004	Schultz	33/1G	A47G 1/205
7532771	12/2008	Taylor	N/A	N/A
7689064	12/2009	Miksovsky	N/A	N/A
8397411	12/2012	Russo	N/A	N/A
8976198	12/2014	Borders	N/A	N/A
9275479	12/2015	Borders	N/A	N/A
9361720	12/2015	Tang	N/A	N/A
9424811	12/2015	Moll	N/A	N/A
9668595	12/2016	Floyd	N/A	N/A
9788670	12/2016	Wiseman	N/A	N/A
10628628	12/2019	Borders	N/A	N/A
2003/0025920	12/2002	Yamamoto	358/1.18	B42D 15/0073
2009/0139127	12/2008	Southard	40/761	A47G 1/16
2010/0011602	12/2009	Houssian	33/562	A47G 1/205
2010/0199598	12/2009	Townsend	248/231.91	F16M 13/02
2015/0101226	12/2014	Sarlitt	40/735	A47G 1/065
2023/0114635	12/2022	Rao	248/467	B32B 9/042

Primary Examiner: Davis; Cassandra

Background/Summary

BACKGROUND OF THE INVENTION

Field of the Invention

(1) The present application relates to non-damaging mounting of picture tiles on a wall, and in particular to facilitating accurate and convenient non-damaging mounting of collage tiles.

Description of Related Art

(2) Individuals commonly adorn walls with tiles featuring pictures such as photographs, paintings, graphic art, text, diplomas, and similar items.

(3) A collection of such tiles suspended on a wall constitutes a collage whose visual impact is contingent upon the contents of the pictures, as well as the shapes, relative sizes, and relative positions of the tiles.

(4) The accurate mounting of tiles on a wall can be time-consuming, and may result in disappointment with the final visual outcome, or the discovery of an unsuitable location for the entire collage on the wall, necessitating tedious repositioning of all tiles.

(5) Non-damaging tile mounting typically employs adhesive mounting plates that adhere to the wall without leaving any damage or residue upon removal.

(6) FIG. 1A illustrates an adhesive mounting plate 52 of the background art, which comprises a carrier 58, such as a paper or thin foam carrier, affixed to the back of a tile segment 50 using adhesive tile layer 54T, and ready for removably adhering to a wall using adhesive wall layer 54W. Adhesive mounting plate 52 is often supplied pre-affixed to the top of a tile, so that the user peels a protective liner from adhesive wall layer 54W and presses the tile against the wall to adhere the tile to the wall.

(7) Alternatively, FIG. 1B illustrates an adhesive magnetic mounting plate 72 of the background art that includes a magnetic tile plate 78T affixed by adhesive tile layer 74T to the back of tile segment 50, and an adhesive magnetic wall plate 78W having an adhesive wall layer 74W for removably

adhering to a wall. These two magnetic plates are subsequently fastened to each other by magnetic attraction to effectively mount the tile on the wall. Such magnetic plates have gained popularity for mounting picture tiles on walls due to allowing fine adjustments of a tile's position and orientation, as well the easy non-damaging replacement of tiles. Magnetic plates **78T** and **78W** may be both made from magnetic material, or one of them may be made from magnetic material while the other is a thin metal plate such as an iron plate.

(8) Adhesive magnetic mounting plate **72** is frequently supplied pre-affixed to a tile, so that the user peels a protective liner from the adhesive wall layer **74W** and presses the tile against the wall to adhere it to the wall.

(9) In both FIGS. **1A** and **1B**, tile segment **50** is a rigid portion of a tile. This could be, for example, the middle top of a rigid picture frame that encloses a paper picture or stretches a canvas, or the center of a foam board backing a picture.

SUMMARY OF THE INVENTION

(10) The present specification seeks to provide apparatuses and methods for accurately and conveniently mounting collages on walls.

Definitions

(11) "Picture" is herein a substrate, such as paper, exhibiting visual content such as a photograph, painting, graphic art, text, or diploma. "Picture tile", abbreviated "tile", is herein a physical object showcasing a picture and attached, or devised to be attached to a wall. A tile has a shape, such as a rectangle or a circle, and a size. For practical reasons, tile sizes may be constrained to several standard shapes and sizes that a user may select from. However, some embodiments may support tiles of user-definable shapes and sizes.

(12) "Collage" herein is a collection of tiles attached to a wall, intended to collectively create a pleasing visual impression. "Collage snapshot" is a scaled-down replica of an intended collage, shown on a computer or smartphone screen or printed on a page of paper. "Collage template", also abbreviated "template", is a specification of the intended or actual shapes, sizes and relative positions of the tiles of a collage on a wall, and may be embodied in the form of a displayed or printed "collage layout" or "layout" that shows the collage tiles as line frames shaped and arranged according to the respective template.

(13) "Adhesive tile positioning plate" is a plate related to a tile and adhered, or intended to be adhered to a wall at a designated location for assisting a user in positioning the respective tile on the wall according to the template. Examples of an adhesive tile positioning plate include adhesive magnetic wall plate, adhesive mounting plate, adhesive tile edge marker, and adhesive tile edge block, which will be described in the detailed description below.

BRIEF SUMMARY

(14) The present specification teaches a kit for mounting a collage accurately and conveniently on a wall.

(15) According to embodiments of the present invention, there is provided a kit for assisting a user in mounting multiple tiles of a collage on a wall. The kit includes a plurality of adhesive tile positioning plates, the plurality of tiles including, for each tile of the multiple tiles of the collage, at least one adhesive tile positioning plate operable to be adhered to the wall for positioning the tile on the wall. The kit further includes a poster operable to be attached by a user to the wall for determining the place of the collage on the wall so that it aesthetically integrates with other elements on the wall and in the neighboring space. The poster includes, for each adhesive tile positioning plate of the plurality of adhesive tile positioning plates: a window cut out through the poster and operable to accommodate the adhesive tile positioning plate and guide the adhesive tile positioning plate to adhere to the wall through the window. Subsequently, upon removal of the poster from the wall, each adhesive tile positioning plate adhered to the wall is operable to position a respective tile on the wall. By using the poster windows for accurately adhering the adhesive tile positioning plates to the wall, and then using the accurately adhered adhesive tile positioning plates

to accurately position the tiles on the wall, the collage is ultimately mounted on the wall accurately and conveniently.

(16) The poster may exhibit a full-size layout of the collage. At least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates may be an adhesive magnetic wall plate operable to mate with a magnetic tile plate affixed to the respective tile. At least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates may be an adhesive mounting plate operable to affix to a top edge of the respective tile. At least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates may be an adhesive tile edge marker operable to visually mark on the wall a position of an edge of the respective tile. At least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates may be an adhesive tile edge block operable to protrude from the wall to obstruct an edge of the respective tile. An adhesive tile edge block may be at least 2 mm thick. The poster may be composed of a single sheet. Alternatively, the poster may be composed of multiple sheets. At least one window cut out through the poster may be slanted relative to a side of the poster, for mounting the poster along a staircase. The kit may include the multiple tiles of the collage. The kit may include a mounting guidance page that shows a snapshot of the collage in which each tile of the collage is exhibiting its picture.

(17) Also provided is a kit for assisting a user in mounting multiple tiles of a collage on a wall. The kit includes the multiple tiles of the collage; a plurality of adhesive tile positioning plates that includes, for each tile of the multiple tiles of the collage, at least one adhesive tile positioning plate operable to be adhered to the wall for positioning the tile on the wall, where at least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates is an adhesive magnetic wall plate operable to mate with a magnetic tile plate affixed to the respective tile. Also included is a poster operable to be attached to the wall for placing the collage on the wall, the poster may include: for each adhesive tile positioning plate of the plurality of adhesive tile positioning plates: a window cut out through the poster and operable to accommodate the adhesive tile positioning plate and guide the adhesive tile positioning plate to adhere to the wall through the window, where, upon removal of the poster from the wall, each adhesive tile positioning plate adhered to the wall is operable to position a respective tile on the wall.

(18) Also provided is a kit for assisting a user in mounting multiple tiles of a collage on a wall. The kit includes the multiple tiles of the collage; a plurality of adhesive tile positioning plates that includes, for each tile of the multiple tiles of the collage, at least one adhesive tile positioning plate operable to be adhered to the wall for positioning the tile on the wall, where at least one adhesive tile positioning plate of the plurality of adhesive tile positioning plates is an adhesive tile edge block operable to protrude from the wall to obstruct an edge of the respective tile. Also included is poster operable to be attached to the wall for placing the collage on the wall, the poster may include: for each adhesive tile positioning plate of the plurality of adhesive tile positioning plates: a window cut out through the poster and operable to accommodate the adhesive tile positioning plate and guide the adhesive tile positioning plate to adhere to the wall through the window, where, upon removal of the poster from the wall, each adhesive tile positioning plate adhered to the wall is operable to position a respective tile on the wall.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The present invention will be understood and appreciated more fully from the following detailed description, taken in conjunction with the drawings in which:

(2) FIGS. 1A-1B illustrate adhesive magnetic mounting plates of the background art.

(3) FIGS. 2A-2B illustrate a computer screen used for designing a collage.

- (4) FIG. 2C-2F illustrate example kits for mounting collage tiles on a wall.
- (5) FIGS. 3A-3D illustrate a kit using adhesive tile positioning guides.
- (6) FIG. 3E illustrates two types of adhesive tile positioning guides.
- (7) FIGS. 4A-4B illustrate a poster for mounting a collage along a staircase or slanted ramp.
- (8) FIG. 5 illustrates examples of posters made of one or more sheets.
- (9) FIG. 6 illustrates four examples of adhesive tile positioning plates.

DETAILED DESCRIPTION

(10) Screen for Designing a Collage

(11) Reference is made to FIG. 2A that schematically illustrates a screen **101** that is a computer or smartphone screen for selecting or authoring a collage template **102** and populating the template with pictures such as photographs, paintings, graphic art, text, or diplomas. In some embodiments, collage template **102** may be a standard template selectable from a template catalog. In some other embodiments, collage template **102** may be designed or edited by the user. Collage template **102** is made of frames shown on screen **101**, in the present example frames **102L**, **102M** and **102N**, representative of picture tiles that may be, for example, rectangular, square, round, or oval, and be characterized by shape, size and orientation such as portrait or landscape. A single template may include different frame shapes, sizes and orientations. Collage template **102** also specifies the relative position of all frames within collage template **102**, which also determines tiles' spacings and alignments.

(12) FIG. 2B shows collage design **104** on the screen of FIG. 2A, where frames **102L**, **102M** and **102N** are populated with pictures **108L**, **108M** and **108N** respectively, the pictures selected, and possibly edited, by the user, or, in some embodiments, selecting and/or editing the pictures may be facilitated or even entirely executed and suggested by software such as AI (artificial intelligence) based software.

(13) A Kit Using Magnetic Plates for Mounting Tiles on a Wall

(14) FIG. 2C depicts an example kit **100C** intended to implement collage design **104** of FIG. 2B as a collage of tiles mounted on a wall, and assist a user in mounting the collage tiles on the wall. Kit **100C** of the present example includes poster **110**; three tiles **124L**, **124M** and **124N**; three adhesive magnetic wall plates **120L**, **120M** and **120N** serving as adhesive tile positioning plates; adhesive tape **118**; and collage snapshot page **140**.

(15) Poster **110** is a sheet of paper, or another suitable substrate, that exhibits full-size printed layout **112** exhibiting full-size printed poster frames **110L**, **110M** and **110N** relatively sized and positioned according to collage template **102**. Each poster frame **110L**, **110M** and **110N** has at least one corresponding window **114L**, **114M** and **114N** cut out through the poster for accommodating, guiding the wall the corresponding adhesive magnetic wall plate **120L**, **120M** or **120N**, respectively, to be adhered to the wall through the window. In some embodiments, a printed frame of poster **110** may have more than one window to accommodate more than one adhesive magnetic wall plate for mounting the respective tile on a wall. In some embodiments, each poster frame **110L**, **110M** and **110N** may also exhibit a printed representation of the respective picture, in a form such as a black-and-white line drawing, to provide the user with a full-size preview of the collage.

(16) Tiles **124L**, **124M** and **124N** exhibit full-size pictures **128L**, **128M** and **128N**, respectively on their front sides, while magnetic tile plates **136L**, **136M** and **136N** are affixed to the tiles' back sides **132L**, **132M** and **132N**, respectively. Adhesive magnetic wall plates **120L**, **120M** and **120N** match the sizes of their respective magnetic tile plates **136L**, **136M** and **136N** and are intended for passing through their corresponding poster windows **114L**, **114M** and **114N** toward being adhered to the wall at locations displayed on the poster as full-size printed layout **112**. Adhesive tape **118** is optionally included to be used by a user for temporarily attaching poster **110** to the wall; alternatively, poster **110** may be supplied with peelable removable stickers at its corners for temporarily attaching poster **110** to the wall. Optional collage snapshot page **140** is a printed page, for example of A4 or US Letter size, that shows a snapshot of collage design **104** of FIG. 2B, to

guide the user in selecting and orienting tiles while mounting tiles **124L**, **124M** and **124N** on a wall.

(17) The shapes and sizes of windows **114L**, **114M** and **114N** within poster frames **110L**, **110M** and **110N** respectively, match the shapes and sizes of the corresponding adhesive magnetic wall plates **120L**, **120M** and **120N** so that each magnetic plate passes through while being accurately guided by its corresponding window. The positions of windows **114L**, **114M** and **114N** within poster frames **110L**, **110M** and **110N** respectively, determine the positions of adhesive magnetic wall plates **120L**, **120M** and **120N** on the wall, hence ultimately determine the positioning of the tiles **124L**, **124M** and **124N** on the wall, when the poster is removed from the wall and magnetic tile plates **136L**, **136M** and **136N** affixed to the back sides **132L**, **132M** and **132N** of the respective tiles mate with the respective adhesive magnetic wall plates **120L**, **120M** and **120N** adhered to the wall, ultimately exhibiting on the wall a collage of pictures **128L**, **128M** and **128N** in accordance to collage template **102** of FIG. 2A and collage design **104** of FIG. 2B.

(18) Magnetic plate pairs, such as magnetic tile plate **136L** and adhesive magnetic wall plate **120L**, may be both made of magnetic material, or one of them may be made of magnetic material while the other being a metal plate such as a thin iron plate.

(19) Positions, Shapes and Sizes of Windows within Poster Frames

(20) FIGS. 2D-2E illustrate kits with additional examples of positions, shapes and sizes of windows within poster frames, as well as the corresponding shapes and sizes of magnetic wall plates and the positions of magnetic tile plates on tiles' backs.

(21) FIG. 2D illustrates kit **100D** where windows are positioned at the middle top side of respective poster frames. Windows **154L**, **154M** and **154N** are centered at the top side of poster frames **152L**, **152M** and **152N**, respectively and are shaped and sized to accommodate and guide magnetic wall plates **160L**, **160M** and **160N**, respectively, which match the shapes and sizes of magnetic tile plates **176L**, **176M** and **176N**, respectively, affixed to tile back sides **172L**, **172M** and **172N**, respectively.

(22) FIG. 2E illustrates kit **100E** that combines the arrangements of FIGS. 2C and 2D. Thus poster **162** includes poster frame **110L** with window **114L**; poster frame **152N** with window **154M**; and poster frame **152M** with window **154N** from FIGS. 2C-2D. Kit **100E** also includes adhesive magnetic wall plates **120L**, **160M** and **160N**, and magnetic tile plates **136L**, **136M**, and **136N** from FIGS. 2C-2D.

(23) Generally, centering magnetic tile plates on the back of tiles and correspondingly centering windows within poster frames is suitable for tiles made of foam boards or other solid materials. Positioning magnetic tile plates at the top of tiles' backs and windows at the top of poster frames is suitable for tiles made of rigid frames that enclose a paper picture or stretch a canvas picture, but it can also be used for tiles made of foam boards or other rigid materials.

(24) A Kit Using Adhesive Mounting Plates for Positioning Tiles on a Wall

(25) FIG. 2F illustrates kit **100F** that uses poster **182** for positioning adhesive mounting plates **180L**, **180M** and **180N** toward adhering them to a wall. Adhesive mounting plates **180L**, **180M** and **180N** are similar to adhesive mounting plate **52** of FIG. 1A (background art), and their sizes match the sizes of windows **184L**, **184M** and **184N**, respectively. Windows **184L**, **184M** and **184N** have the widths of and are positioned at the top of frames **182L**, **182M** and **182N** of poster **182**. Tile back sides **192L**, **192M** and **192N** are plain with no magnetic or adhesive fasteners of their own, and are ready for their top edges being aligned by a user with adhesive mounting plates **180L**, **180M** and **180N** that have already been adhered to the wall, and pressed for ultimately affixing the tiles to the wall according to the template represented by poster **182**.

(26) Kits that Use Adhesive Tile Positioning Guides

(27) An adhesive tile positioning guide is a plate for temporarily adhering to a wall adjacent to an intended edge of a tile, to guide positioning the tile by a user toward adhering the tile to the wall.

(28) FIG. 3A illustrates an example kit **200** that comprises a poster, three tiles and four adhesive tile

positioning guides. Poster **210** has three frames **214**, **218** and **222**. Frame **214** has two windows **214T** and **214R**, that are externally touching frame **214**, intended to accommodate and guide positioning of two adhesive tile positioning guides **220**. Each of frame **218** and frame **222** has just a single window **218T** and window **222T**, respectively, intended to accommodate and guide positioning of a single adhesive tile positioning guide **220**. If only a single adhesive tile positioning guide is used for positioning a tile, as is the case with frame **218** and frame **222**, the edge of the respective window is preferably aligned with the corner of the frame, so that the edge of the respective adhesive tile positioning guide **220** identifies the corner of the respective tile, as demonstrated by adhesive tile positioning guide **220C** and tile **228**, and by adhesive tile positioning guide **220D** and tile **232**. Choosing between applying just a single window/adhesive tile positioning guide per frame/tile or two or more windows/tiles is a matter of design preference, and both are demonstrated by kit **200**. The three tiles of kit **200** are preferably supplied to users with adhesive plates **224P**, **228P**, and **232P**, such as adhesive mounting plate **52** of FIG. **1A** or adhesive magnetic mounting plate **72** of FIG. **2A**, pre-affixed to their back sides **224B**, **228B**, and **232B**.

(29) A user selects a wall area **230** of FIG. **3B** for adhering poster **210** of kit **200** of FIG. **3A**, and positions and temporarily attaches poster **210** over wall area **230** according to personal taste. Having the poster in place, the user adheres the four adhesive tile positioning guides **220** to the wall through windows **214T**, **214R**, **218T**, and **222T**, possibly using a collage snapshot page such as collage snapshot page **140** of FIG. **2C** for guidance, and then removes poster **210** to leave the four adhesive tile positioning guides **220A**, **220B**, **220C**, and **220D** on the bare wall area **230** as shown in FIG. **3B**.

(30) FIG. **3C** demonstrates how the four adhesive tile positioning guides **220A**, **220B**, **220C**, and **220D** enable accurate positioning of tiles **224**, **228** and **232** on wall area **230**, each tile then pressed against the wall so that its respective adhesive plate **224P**, **228P**, **232P** adheres to the wall thereby accurately mounting the tile according to the template embodied in poster **210**.

(31) In FIG. **3D** the four adhesive tile positioning guides **220A**, **220B**, **220C**, and **220D** of FIG. **3C** have been removed, ultimately leaving the collage accurately mounted on wall area **230**.

(32) Types of Adhesive Tile Positioning Guides

(33) FIG. **3E** schematically depicts two example types of adhesive tile positioning guides **220** of FIGS. **3A-3C**. Adhesive tile edge marker **300M**, such as an adhesive color stripe, is affixed to wall area **230** as a visual aid for guiding the user in positioning a tile edge or a tile corner on the wall. Adhesive tile edge block **300B** protrudes above the wall surface, to tangibly obstruct the respective tile edge at the intended border of the respective template frame according to poster **210** of FIG. **3A**. As an example, adhesive tile edge block **300B** may be made of cardboard or plastic or foam and have a thickness of at least 2 mm. It will be noted that while adhesive tile edge block **300B** of FIG. **3E** has a rectangular cross section, adhesive tile edge blocks of other cross sections, such as triangular or circular, may also work well.

(34) Mounting a Collage Along a Staircase or Slanted Ramp

(35) In some embodiments, it is desired to mount a collage along a staircase or a slanted ramp. FIG. **4A** schematically illustrates a staircase **410** and a poster **400A** intended for adhering along staircase **410** in parallel to the staircase. The frames and windows included in poster layout **402A**, such as poster frame **404A** and window **408A**, are leveled with the ground.

(36) FIG. **4B** shows poster **400B** as supplied to a user, which is poster **400A** rotated so that its sides are parallel or perpendicular to the ground. The poster's frames and windows **404B** and **408B** are then slanted relative to a side of the poster, and will be leveled with the ground when poster **400B** is attached to the wall in parallel to staircase **410**.

(37) Posters Made of a Number of Sheets

(38) FIG. **5** schematically illustrates several examples of posters made of one or more sheets of paper or another suitable substrate that can be printed, cut and folded similarly to paper. Poster **500A** is composed of a single sheet in landscape orientation. Poster **500B** is composed of a single

sheet in portrait orientation. Poster **500C** is composed of a single sheet in slanted orientation, demonstrating the poster adhered to a wall for mounting a collage next to a staircase as in FIG. **4A**. Poster **500D** and poster **500E** demonstrate two examples of posters composed of multiple sheets that are combined into a single operative poster either by stitching the sheets prior to shipping them to the user, or by the user attaching the separate sheets to the wall side-by-side.

(39) Types of Adhesive Tile Positioning Plates

(40) FIG. **6** summarizes four examples of adhesive tile positioning plates usable for conveniently and accurately adhering collage tiles to a wall. Adhesive magnetic wall plate **600W** has been described above as adhesive magnetic wall plate **120L**, **120M** and **120N** with reference to FIG. **2C**, and as adhesive magnetic wall plate **160L**, **160M** and **160N**, with reference to FIG. **2D**. Such adhesive magnetic wall plates are positioned and adhered to the wall accurately, guided by the respective windows of the respective posters. Having an adhesive magnetic wall plate **600W** adhered to the wall, a respective magnetic tile plate affixed to a tile mates with the adhesive magnetic wall plate to accurately position the tile in place.

(41) A second example is adhesive mounting plate **600P**, which has been described above as adhesive mounting plate **180L**, **180M** and **180N** with reference to FIG. **2F**, using poster windows for accurately positioning double-sided adhesive plates on a wall for mounting a collage of plain picture tiles on the wall.

(42) A third example is adhesive tile edge marker **600M**, which implements adhesive tile edge marker **300M** of FIG. **3E** for the collage mounting scenario depicted with reference to FIGS. **3A-3D** above.

(43) A fourth example is adhesive tile edge block **600B**, which implements adhesive tile edge block **300B** of FIG. **3E** for the collage mounting scenario depicted with reference to FIGS. **3A-3D** above.

(44) While the invention has been described with respect to a limited number of embodiments, it will be appreciated by persons skilled in the art that the present invention is not limited by what has been particularly shown and described herein. Rather the scope of the present invention includes both combinations and sub-combinations of the various features described herein, as well as variations and modifications which would occur to persons skilled in the art upon reading the specification and which are not in the prior art.

Claims

1. A kit for assisting a user in mounting multiple tiles of a collage on a wall, the kit comprising: the multiple tiles; a plurality of adhesive plates for adhering said tiles to the wall; a poster exhibiting a full-size layout of the collage, the layout comprising a plurality of printed frames depicting the multiple tiles, the poster comprising, for each printed frame of the plurality of printed frames, a window that is cut out through the poster and externally touches a peripheral edge of said printed frame; and a plurality of adhesive tile positioning guides, each adhesive tile positioning guide configured for: (i) being removably adhered to the wall through one of said window cut out through the poster, (ii) guiding the user in positioning a tile of the multiple tiles on the wall adjacent to the adhesive tile positioning guide when adhering said tile to the wall using one of the plurality of adhesive plate, and (iii) being removed from the wall while leaving said tile mounted on the wall.
2. The kit of claim 1, wherein each said adhesive tile positioning guide is an adhesive tile edge marker for visually marking on the wall a position of an edge of a tile.
3. The kit of claim 1, wherein the poster is composed of a single sheet.
4. The kit of claim 1, wherein the poster is composed of multiple sheets.
5. The kit of claim 1 for mounting the collage on a wall next to a staircase or slanted ramp, wherein each said window is slanted relative to a side edge of the poster.
6. The kit of claim 1, further comprising a mounting guidance page that shows a snapshot of the collage in which each tile of the collage is exhibiting a picture.

7. A kit for assisting a user in mounting multiple tiles of a collage on a wall, the kit comprising: the multiple tiles; a plurality of adhesive plates for adhering said tiles to the wall; a poster exhibiting a full-size layout of the collage, the layout comprising a plurality of printed frames depicting the multiple tiles, the poster comprising, for each printed frame of the plurality of printed frames, a window that is cut out through the poster and externally touches a peripheral edge of said printed frame; and a plurality of adhesive tile edge block blocks, each adhesive tile edge block configured for: (i) being removably adhered to the wall through one of said window cut out through the poster, (ii) protruding from the wall to guide the user in abutting a tile of the multiple tiles adjacent to the adhesive tile edge block when adhering said tile to the wall using an adhesive plate of the plurality of adhesive plates, and (iv) being removed from the wall while leaving said tile mounted on the wall.

8. The kit of claim 7, wherein each said adhesive tile edge block is at least 2 mm thick.

9. The kit of claim 7 for mounting the collage on a wall next to a staircase or slanted ramp, wherein said window is slanted relative to a side of the poster.

10. The kit of claim 7 for mounting the collage on a wall next to a staircase or slanted ramp, wherein each of said windows are slanted relative to a side edge of the poster.

11. The kit of claim 7, wherein the poster is composed of multiple sheets.

12. A method for mounting multiple tiles of a collage on a wall, the method comprising: obtaining a poster that exhibits a full-size layout of the collage, the layout showing the multiple tiles as frames; attaching the poster to the wall; picking a tile of the multiple tiles; adhering to the wall an adhesive tile positioning guide, through a window that is cut out through the poster and externally touches a frame of the layout that shows said tile; removing the poster from the wall; positioning said tile on the wall adjacent to said adhesive tile positioning guide; adhering said tile to the wall; and removing said adhesive tile positioning guide from the wall while leaving said tile mounted on the wall.
