



US0D1090000S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,000 S**
Wu (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **INSOLE**

(71) Applicant: **Fuzhou Winggood Technology Co., Ltd.**, Fuzhou (CN)

(72) Inventor: **Xiaojie Wu**, Nanping (CN)

(73) Assignee: **Fuzhou Winggood Technology Co., Ltd.**, Fuzhou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/932,294**

(22) Filed: **Mar. 13, 2024**

(51) **LOC (15) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/961**

(58) **Field of Classification Search**

USPC D2/896, 902, 903, 908, 909, 914–916,
D2/919, 923–925, 947, 951–961;
D24/192; 36/88, 91, 92, 93, 96, 43, 44
CPC A43B 1/00; A43B 1/023; A43B 1/025;
A43B 1/028; A43B 1/10; A43B 1/12;
A43B 1/14; A43B 3/00; A43B 3/10;
A43B 3/101; A43B 3/108; A43B 3/12;
A43B 3/128; A43B 7/00; A43B 7/14;
A43B 7/1405; A43B 7/141; A43B
7/1415; A43B 7/142; A43B 7/1425; A43B
7/143; A43B 7/1435; A43B 7/144; A43B
7/1445; A43B 7/145; A43B 7/1455; A43B
7/146; A43B 7/147; A43B 7/1475; A43B
7/1463; A43B 7/1464; A43B 7/1465;
A43B 7/148; A43B 7/1485; A43B 7/149;
A43B 7/1495; A43B 7/16; A43B 7/18;
A43B 7/19; A43B 7/22; A43B 7/223;
A43B 7/26; A43B 7/32; A43B 7/34;
A43B 7/36; A43B 7/38; A43B 9/125;
A43B 13/00; A43B 13/02; A43B 13/026;
A43B 13/04; A43B 13/06; A43B 13/08;
A43B 13/12; A43B 13/122; A43B 13/14;

(Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

D311,269 S * 10/1990 Graham D2/961
D396,138 S * 7/1998 Roy D2/961
(Continued)

FOREIGN PATENT DOCUMENTS

CN 305605468 * 2/2020
CN 308887562 * 10/2024

OTHER PUBLICATIONS

Amazon.com_ WalkHero 220+ lbs Heavy Duty Arch Support
Inserts, available Nov. 13, 2024 (online), retrieved Mar. 27, 2025,
retrieved from internet, <https://www.amazon.com/WalkHero-Heavy-Duty-Support-Inserts/dp/B0DMVFPFH5T?th=1> (Year: 2024).*

(Continued)

Primary Examiner — Holly E Thurman

Assistant Examiner — Sharon H Schwartz

(74) *Attorney, Agent, or Firm* — Jose Cherson Weissbrot

(57)


CLAIM

The ornamental design for an insole as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an insole showing my
new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a bottom perspective view thereof.
The “W” in a stylized font shown in FIGS. 4, 6, and 7 is a
registered trademark owned by Fuzhou Winggood Technol-
ogy Co., Ltd.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC A43B 13/22; A43B 13/37; A43B 13/38;
 A43B 13/383; A43B 13/386; A43B
 13/39; A43B 13/40; A43B 13/42; A43B
 17/00; A43B 17/003; A43B 17/12; A43B
 17/14; A43B 19/00; A43B 19/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D423,202 S * 4/2000 Lubart D2/961
 D429,411 S * 8/2000 Gillespie D2/947
 D543,680 S * 6/2007 Dean D2/961
 D551,835 S * 10/2007 Hung D2/961
 D611,237 S * 3/2010 Torrance D2/961
 D617,086 S * 6/2010 Avent D2/961
 7,832,119 B2 * 11/2010 Gilmore A61F 5/14
 36/180
 D640,047 S * 6/2011 Claassen D2/960
 D663,511 S * 7/2012 Martinez D2/917
 D683,119 S * 5/2013 Shyllon D2/960

D718,025 S * 11/2014 Wert D2/961
 D768,971 S * 10/2016 Bewza D2/961
 D823,587 S * 7/2018 Lin D2/961
 D846,853 S * 4/2019 Loving D2/961
 D878,027 S * 3/2020 Hall D2/961
 D943,899 S * 2/2022 Hoang D2/947
 D955,716 S * 6/2022 Sokol D2/951
 D955,728 S * 6/2022 Nickless D2/951
 D972,826 S * 12/2022 Qin D2/961
 D1,016,453 S * 3/2024 Qin D24/192
 D1,019,097 S * 3/2024 Qin D24/192
 D1,019,100 S * 3/2024 Qin D24/192
 D1,028,467 S * 5/2024 Qin D24/192
 D1,040,501 S * 9/2024 Qin D2/961

OTHER PUBLICATIONS

Move Game Day—Performance and Comfort Insoles, available
 Nov. 27, 2022 (online), retrieved Mar. 27, 2025, retrieved from
 internet, <https://www.amazon.com.au/MOVE-Game-Performance-Comfort-Insoles/dp/B0BN696R2R?th=1> (Year: 2022).*

* cited by examiner



FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8