



US0D1090115S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,115 S**
Yang et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **PILLOW**

(71) Applicants: **Kang Yang**, Guangdong (CN); **Jingang Yang**, Sichuan (CN)

(72) Inventors: **Kang Yang**, Guangdong (CN); **Jingang Yang**, Sichuan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/942,987**

(22) Filed: **May 20, 2024**

(30) **Foreign Application Priority Data**

Feb. 2, 2024 (CN) 202430073184.9

(51) **LOC (15) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D6/601**

(58) **Field of Classification Search**

USPC D6/595-601, 604, 606; D21/803-809;
D24/180, 183, 190

CPC .. A45F 4/06; A47C 17/64; A47C 7/18; A47C
7/021; A47C 20/00; A47C 20/021; A47C
21/06; A47C 27/00; A47C 27/14; A47D
15/001; A47D 15/008; A47G 9/00; A47G
2009/001; A47G 2009/002; A47G
2009/003; A47G 9/10; A47G 9/1009;
A47G 9/1027; A47G 9/1045; A47G
9/1054; A47G 9/1063; A47G 9/1072;
A47G 9/1081; A47G 9/109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D1,026,502 S * 5/2024 Zou D6/601
D1,037,709 S * 8/2024 Zhong D6/601
D1,038,646 S * 8/2024 Zou D6/601

D1,047,514 S * 10/2024 Zou D6/601
D1,047,516 S * 10/2024 Zou D6/601
D1,052,929 S * 12/2024 Yang D6/601
D1,052,930 S * 12/2024 Yang D6/601
D1,054,743 S * 12/2024 Li D6/601
D1,054,746 S * 12/2024 Yang D6/601
D1,054,747 S * 12/2024 Yang D6/601
D1,054,748 S * 12/2024 Yang D6/601
D1,055,570 S * 12/2024 Yang D6/601
D1,055,571 S * 12/2024 Yang D6/601
D1,055,572 S * 12/2024 Yang D6/601
D1,057,938 S * 1/2025 Ding D6/601
D1,058,240 S * 1/2025 Hu D6/601
D1,064,668 S * 3/2025 Yang D6/601
D1,065,869 S * 3/2025 Yang D6/601
D1,066,951 S * 3/2025 Song D6/601
D1,068,331 S * 4/2025 Song D6/601
D1,068,332 S * 4/2025 Yin D6/601
D1,069,460 S * 4/2025 Song D6/601
D1,071,612 S * 4/2025 Wang D6/601
D1,071,614 S * 4/2025 Zhou D6/601
D1,071,615 S * 4/2025 Lu D6/601
D1,071,617 S * 4/2025 Li D30/118

* cited by examiner

Primary Examiner — George J Ulsh

(57) **CLAIM**

The ornamental design for a pillow as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a pillow showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is another perspective view thereof; and,

FIG. 9 is a perspective view in an alternative configuration.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9