



US0D1090225S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,225 S**
Chen (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **FITTING FOR SECURING PLATES TO PIPE**
(71) Applicant: **SOPHIA & WILLIAM BRANDS CO.**
LTD, Nanjing (CN)
(72) Inventor: **Meidi Chen, Nanjing (CN)**
(**) Term: **15 Years**
(21) Appl. No.: **29/933,025**

D488,714 S * 4/2004 Schengrund D8/382
D492,893 S * 7/2004 Oddsen, Jr. D8/373
D576,024 S * 9/2008 Mazzocco D8/382
D621,253 S * 8/2010 Heindl D8/382
9,112,341 B2 * 8/2015 Eshima B60R 16/0215
D762,463 S * 8/2016 Espinosa, Jr. D8/382
D795,048 S * 8/2017 McCoy D8/380
D925,069 S * 7/2021 Wendt D8/382
D991,773 S * 7/2023 Liu D8/354
D1,035,432 S * 7/2024 Haddock D23/265
2008/0246279 A1* 10/2008 van Walraven F16L 3/1016
285/420

(Continued)

(22) Filed: **Mar. 17, 2024**
(51) **LOC (15) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/349; D8/354**
(58) **Field of Classification Search**
USPC D8/349, 354, 380, 382, 395
CPC F16L 3/00; F16L 3/08; F16L 3/10
See application file for complete search history.

OTHER PUBLICATIONS

BPC Engineering, Double Pipe Clamp Stainless Steel 25mm Diameter Ports, 2025, <https://www.britishpipeclamps.co.uk/product/double-pipe-clamp-stainless-steel-25mm-diameter-ports-25mm-x-3mm/> (Year: 2025).*

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Philip Oweimrin

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,939 S * 12/1899 Knepper D8/395
824,544 A * 6/1906 Hossege F16L 3/1025
248/58
978,398 A * 12/1910 Rischard F16L 3/237
242/129
2,708,686 A * 5/1955 Bernard, Jr. F16L 3/00
248/65
D208,105 S * 7/1967 Haber D8/395
4,407,472 A * 10/1983 Beck A62C 33/04
24/339
4,884,528 A * 12/1989 Steudler, Jr. F16L 3/22
248/62
5,024,404 A * 6/1991 Ballard A62C 35/68
248/62
5,097,798 A * 3/1992 Little A01K 39/02
248/58
D339,737 S * 9/1993 Hostetler D8/380
D394,999 S * 6/1998 Phillip D8/380
D396,799 S * 8/1998 Jones D8/349
D486,729 S * 2/2004 Ellery D8/396

(57) **CLAIM**


The ornamental design for a fitting for securing plates to pipe, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a fitting for securing plates to pipe, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines in the drawings illustrate the portions of the fitting for securing plates to pipe, which form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0056591	A1 *	3/2013	Mongiorgi	F16L 55/035 248/68.1
2023/0118241	A1 *	4/2023	Verma	F16L 3/10 248/636

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG.7