



US0D1090232S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,232 S**
Zimmer et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **TAILCAP CABLE CLAMP**

DESCRIPTION

(71) Applicants: **Trent Zimmer**, Youngsville, LA (US);
Benjamin Mahan, Martinsville, IN (US)

(72) Inventors: **Trent Zimmer**, Youngsville, LA (US);
Benjamin Mahan, Martinsville, IN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/935,306**

(22) Filed: **Apr. 1, 2024**

(51) **LOC (15) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**

USPC D8/354, 356, 358, 359; D13/156
CPC .. F16G 15/06; B66C 1/10; B67D 7/40; B65H
75/4471; B65H 75/40; A62C 33/00;
H01R 13/6392; H01R 13/595; H01R
13/52

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D227,742 S * 7/1973 Logsdon D8/367
D233,733 S * 11/1974 Byerly D8/356
D331,189 S * 11/1992 Daigle D8/394

(Continued)

Primary Examiner — Sheryl Lane


(74) *Attorney, Agent, or Firm* — Asgaard Patent Services,
LLC; F. Wayne Thompson, Jr.

(57) **CLAIM**

The ornamental design for a tailcap cable clamp, as shown
and described.

FIG. 1 is an exploded isometric view of a tailcap cable clamp showing our new design, a first half of the tailcap cable clamp is shown positioned above a second half of the tailcap cable clamp;
FIG. 2 is an assembled isometric view of the tailcap cable clamp shown in FIG. 1;
FIG. 3 is an isometric view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 4 is another isometric view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 5 is a front elevational view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 6 is a right side elevational view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 7 is a rear elevational view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 8 is a left side elevational view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 9 is a top plan view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 10 is a bottom plan view of the first half of the tailcap cable clamp shown in FIG. 1;
FIG. 11 is an isometric view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 12 is another isometric view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 13 is a front elevational view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 14 is a right side elevational view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 15 is a rear elevational view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 16 is a left side elevational view of the second half of the tailcap cable clamp shown in FIG. 1;
FIG. 17 is a top plan view of the second half of the tailcap cable clamp shown in FIG. 1; and,
FIG. 18 is a bottom plan view of the second half of the tailcap cable clamp shown in FIG. 1.
The broken lines shown in the Figures are included for the purpose of illustrating portions of the tailcap cable clamp that form no part of the claimed design.

1 Claim, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D422,204	S	*	4/2000	Holloway	D8/356
D428,326	S	*	7/2000	Nakamura	D8/356
D674,679	S	*	1/2013	Hobson	D8/356
D688,118	S	*	8/2013	Hobson	D8/356
D688,119	S	*	8/2013	Hobson	D8/356
D688,121	S	*	8/2013	Hobson	D8/356
D688,548	S	*	8/2013	Hobson	D8/356

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18