



US0D1090297S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,297 S**
Liu (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **LOCATOR**

(71) Applicant: **Shenzhen Vision Future Technology Co., Ltd.**, Shenzhen (CN)

(72) Inventor: **Ping Liu**, Shenzhen (CN)

(73) Assignee: **Shenzhen Vision Future Technology Co., Ltd.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/934,393**

(22) Filed: **Mar. 26, 2024**

(51) **LOC (15) Cl.** **10-04**

(52) **U.S. Cl.** **D10/70**
USPC **D10/70**

(58) **Field of Classification Search**

USPC D10/65, 70, 75, 78, 69, 121, 74;
D14/358

CPC G08B 21/24; G08B 21/0288; G08B 21/02;
H04L 45/74; G01S 5/0027; G01S 19/14;
G01S 19/42; G01S 5/14; G01S 5/0284;
G01S 5/0226; G01S 1/045

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D396,852 S * 8/1998 Chao D14/358
D409,099 S * 5/1999 Swetish D10/70
D417,853 S * 12/1999 Walker D10/121
D537,004 S * 2/2007 Eden D10/70
D555,746 S * 11/2007 Hauskins D21/789
D704,581 S * 5/2014 Ho D10/78
D736,107 S * 8/2015 Lee D10/70
D743,819 S * 11/2015 Golnik D10/70
D768,114 S * 10/2016 Hou D14/218
D785,473 S * 5/2017 Zhao D10/70
D790,373 S * 6/2017 Daoura D10/104.1
D796,355 S * 9/2017 Cho D10/70

D802,589 S * 11/2017 Fisher D14/218
D812,501 S * 3/2018 Kuh D10/74
D817,793 S * 5/2018 Vu D10/128
D818,385 S * 5/2018 Barovic D10/70
D818,853 S * 5/2018 Golnik D10/70
D825,539 S * 8/2018 Lu D14/240
D826,748 S * 8/2018 Kim D10/70
D830,856 S * 10/2018 Golnik D10/70
D883,967 S * 5/2020 Huang D14/240
D913,819 S * 3/2021 Dempsey D12/174
D918,072 S * 5/2021 Umair D10/70
D928,150 S * 8/2021 Maruyama D21/333
D934,295 S * 10/2021 Olsson D14/496

(Continued)

FOREIGN PATENT DOCUMENTS

CN 305102952 * 4/2019
CN 305274252 * 7/2019
CN 306188416 * 11/2020

Primary Examiner — Barbara Fox

Assistant Examiner — Antoinette Martine Suiter

(74) *Attorney, Agent, or Firm* — Ricky Lam

(57) **CLAIM**

The ornamental design for a locator as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right perspective view of a locator showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a rear, bottom perspective view thereof.

The broken lines shown in the drawings represent portions of the locator that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D940,672	S *	1/2022	Unter Ecker		D14/125
D943,438	S *	2/2022	Chen		D24/186
D944,794	S *	3/2022	Su		D14/358
D957,970	S *	7/2022	Lee		D10/74
D958,677	S *	7/2022	Akana		D10/70
D960,729	S *	8/2022	Lee		D10/74
D962,929	S *	9/2022	He		D10/70
D969,655	S *	11/2022	Walker		D10/121
D970,372	S *	11/2022	Aneja		D10/104.1
D982,307	S *	4/2023	Wang		D3/207
D1,020,249	S *	4/2024	Li		D10/104.1
D1,020,501	S *	4/2024	Holihan		D10/70
D1,024,813	S *	4/2024	Xiang		D10/104.1
D1,039,993	S *	8/2024	Akana		D10/70
D1,044,800	S *	10/2024	Chou		D14/358
D1,047,720	S *	10/2024	Wu		D10/104.1
D1,051,745	S *	11/2024	Morelock		D10/78
D1,052,417	S *	11/2024	Huang		D10/65
D1,066,090	S *	3/2025	Xu		D10/104.1
2014/0012174	A1 *	1/2014	Wu		A61F 13/0223 602/53
2014/0216912	A1 *	8/2014	Nakase		H03K 17/965 200/547

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8