



US0D1090494S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,494 S**
Huang (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **REMOTE CONTROL**

(71) Applicant: **Yubiao Huang**, Guangdong (CN)

(72) Inventor: **Yubiao Huang**, Guangdong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/943,967**

(22) Filed: **May 24, 2024**

(51) **LOC (15) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D10/104.1; D14/218**

(58) **Field of Classification Search**
USPC ... D14/218, 137, 138, 155, 259, 247, 238.1,
D14/399, 430, 515; D13/168, 169–172;
D10/199, 104.1, 104, 50, 65, 758;
D30/144, 145, 151, 152, 155, 199
CPC A01K 15/21; A01K 15/22; A01K 15/23;
A01K 15/04; A01K 11/006; A01K
27/001; A01K 27/009; H04N 5/4403;
G06F 3/016; H01H 9/02; H01H 9/0214;
H01H 9/0235; B60R 2225/00; B60R
25/10; B60R 25/44; G07C 9/00944; E05B
19/00; E05B 19/0023; E05B 19/0082;
A44B 15/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,415 S	*	4/1990	Holmer		D14/339
D374,693 S	*	10/1996	Osborne		D13/168
D386,184 S	*	11/1997	Heimbürger		D14/218
D467,239 S	*	12/2002	Griesau		D14/218
D496,002 S	*	9/2004	To		D13/168
D541,227 S	*	4/2007	Lamb		D13/168
D564,977 S	*	3/2008	Youn		D13/168
D607,847 S	*	1/2010	Elliott		D13/168
D641,735 S	*	7/2011	Santa Maria		D14/218
D656,104 S	*	3/2012	Cook		D13/168
D733,666 S	*	7/2015	Zhang		D13/168
D737,004 S	*	8/2015	Russell		D30/199

D793,364 S	*	8/2017	Deyaf		D10/49
D813,473 S	*	3/2018	Ni		D10/104.1
D868,748 S	*	12/2019	Deyaf		D14/218
D950,866 S	*	5/2022	Wen		D10/104.1
D963,967 S	*	9/2022	Jia		D10/104.1

(Continued)

FOREIGN PATENT DOCUMENTS

CN	308912699	*	10/2024
CN	309163381	*	3/2025

(Continued)

OTHER PUBLICATIONS

Pet Control HQ Store, “Shock Collar Replacement Remote . . .”, available at amazon.com, oldest review date Aug. 14, 2018, site visited Jun. 10, 2025, available at URL: <https://a.co/d/091Cgf6> (Year: 2018).*

(Continued)

Primary Examiner — Daniel J Domino

Assistant Examiner — Samina Vieth

(57) **CLAIM**

The ornamental design for a remote control, as shown and described.

DESCRIPTION

FIG. 1 is a front, left and bottom perspective view of a remote control showing my new design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.


FIG. 6 is a top view thereof.

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a rear, right and top perspective view thereof.

Broken lines in the drawings depict portions of the remote control that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D968,418	S	*	11/2022	Bolotin		D14/480.7
D975,385	S	*	1/2023	Wang		D30/199
D980,556	S	*	3/2023	Luo		D10/104.1
D981,661	S	*	3/2023	Song		D10/104.1
D989,421	S	*	6/2023	Tu		D10/104.1
D997,132	S	*	8/2023	Tan		D14/218
D1,006,238	S	*	11/2023	Cao		D14/218
D1,022,353	S	*	4/2024	Ye		D10/104.1
D1,039,515	S	*	8/2024	Zhou		D10/104.1

FOREIGN PATENT DOCUMENTS

CN	309172020	*	3/2025
CN	309172051	*	3/2025

OTHER PUBLICATIONS

Jugbow, "Dock Shock Collar . . . ", available at amazon.com, date first available Jun. 13, 2024, site visited Jun. 10, 2025, available at URL: <https://a.co/d/6BRlaF6> (Year: 2024).*

Gpjynr, "Dog Shock Collar . . . ", available at amazon.com, date first available Jan. 7, 2025, site visited Jun. 10, 2025, available at URL: <https://a.co/d/dj5H8k0> (Year: 2025).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8