



US0D1090859S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,859 S**
Chen (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **ELECTRODE PATCH**

(71) Applicant: **HAIKOU LILI INVESTMENT CO., LTD.**, Haikou (CN)

(72) Inventor: **Junyuan Chen**, Haikou (CN)

(73) Assignee: **HAIKOU LILI INVESTMENT CO., LTD.**, Haikou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/944,743**

(22) Filed: **May 30, 2024**

(30) **Foreign Application Priority Data**

May 27, 2024 (CN) 202430314418.4

(51) **LOC (15) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**

USPC D24/128, 167-169, 187-189, 200, 206,
D24/209; D29/101.3, 101.5; D21/683;
D14/341, 344

CPC .. A61N 1/0492; A61N 1/0456; A61N 1/0551;
A61N 1/0484; A61N 1/3756

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,476	S	*	2/1977	Avery		D24/168
D267,510	S	*	1/1983	Golub		D24/189
D297,461	S	*	8/1988	Inoue		D24/168
D321,761	S	*	11/1991	Shimizu		D24/168
D377,529	S	*	1/1997	Nyqvist-Mayer		D24/189
D567,949	S	*	4/2008	Lash		D24/168
D573,260	S	*	7/2008	Dunshee		D24/189
D584,414	S	*	1/2009	Lash		D24/187
D658,304	S	*	4/2012	Rundle		D24/200
D692,148	S	*	10/2013	Uematsu		D24/189

D831,217	S	*	10/2018	Geissen		D24/168
D898,924	S	*	10/2020	Hinds		D24/189
D918,393	S	*	5/2021	Geissen		D24/168
D946,765	S	*	3/2022	Chen		D24/187
D1,012,294	S	*	1/2024	Long		D24/187
D1,016,307	S	*	2/2024	Samant		D24/168
D1,039,704	S	*	8/2024	Chen		D24/187

(Continued)

FOREIGN PATENT DOCUMENTS

CN	202230228071.2	*	8/2022
GB	1055277	*	6/1989

(Continued)

OTHER PUBLICATIONS

Compex Patch, Online, Published date Nov. 5, 2020, Retrieved on Jun. 30, 2025 from URL: <https://www.youtube.com/watch?v=MXIdKabdOJA> Screenshots at 0:35 and 1:09 (Year: 2020).*

Primary Examiner — Michael C Stout

Assistant Examiner — Eric Eldone Tormanen

(57) **CLAIM**

The ornamental design for an electrode patch as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electrode patch showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;


FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings depict portions of the electrode patch that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,066,702	S	*	3/2025	Raghunathan	D24/200
D1,069,129	S	*	4/2025	Raghunathan	D24/187
D1,080,898	S	*	6/2025	Mariotti	D24/206

FOREIGN PATENT DOCUMENTS

JP	D2017-309	*	1/2018
KR	3020180022081	*	1/2019
TW	112300290	*	9/2023

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8