

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent
Kind Code
Date of Patent
Inventor(s)

12409382
B2
September 09, 2025
Amaitis; Lee et al.

Smart phone with wrapper application that checks whether the smart phone may use a gambling application

Abstract

Techniques for checking whether a smart phone can use a gambling are described. For example, a wrapper application associated with a gambling application determines whether the smart phone is authorized to use a gambling service based on whether the smart phone is running an unapproved/approved process, whether the smart phone has an unapproved/approved application installed, and whether an operating system running on the smart phone is unapproved/approved for use with the gambling service. In response to determining that the smart phone is authorized to use the gambling service, a user of the smart phone is enabled to gamble using the gambling application.

Inventors: Amaitis; Lee (Las Vegas, NV), Williams; Paul (New York, NY), Tara; Sunny (Henderson, NV), Morrisette; Matthew (Las Vegas, NV)

Applicant: INTERACTIVE GAMES LLC (New York, NY)

Family ID: 83285560

Assignee: INTERACTIVE GAMES LLC (New York, NY)

Appl. No.: 18/756918

Filed: June 27, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240350907 A1	Oct. 24, 2024

Related U.S. Application Data

continuation parent-doc US 18198572 20230517 ABANDONED child-doc US 18756918
continuation parent-doc US 17835022 20220608 ABANDONED child-doc US 18198572
continuation parent-doc US 16900494 20200612 ABANDONED child-doc US 17835022
continuation parent-doc US 14640439 20150306 ABANDONED child-doc US 16900494
continuation parent-doc US 13080098 20110405 US 8974302 20150310 child-doc US 14640439
continuation-in-part parent-doc US 13070893 20110324 US 8956231 20150217 child-doc US 13080098
us-provisional-application US 61413098 20101112
us-provisional-application US 61413089 20101112
us-provisional-application US 61405309 20101021
us-provisional-application US 61405439 20101021
us-provisional-application US 61373435 20100813

Publication Classification

Int. Cl.: A63F13/35 (20140101); G07F17/32 (20060101)

U.S. Cl.:

CPC A63F13/35 (20140902); G07F17/3218 (20130101); G07F17/3237 (20130101);

Field of Classification Search

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3580581	12/1970	Raven	N/A	N/A
3838259	12/1973	Kortenhaus	N/A	N/A
3876208	12/1974	Wachtler et al.	N/A	N/A
3929338	12/1974	Busch	N/A	N/A
4101129	12/1977	Cox	N/A	N/A
4120294	12/1977	Wolfe	N/A	N/A
4157829	12/1978	Goldman et al.	N/A	N/A
4206920	12/1979	Weatherford et al.	N/A	N/A
4216965	12/1979	Morrison et al.	N/A	N/A
4238127	12/1979	Lucero et al.	N/A	N/A
4240635	12/1979	Brown	N/A	N/A
4266214	12/1980	Peters, Jr.	N/A	N/A
4335809	12/1981	Wain	N/A	N/A
4448419	12/1983	Telnaes	N/A	N/A
4467424	12/1983	Hedges et al.	N/A	N/A
4492379	12/1984	Okada	N/A	N/A
4515367	12/1984	Howard	N/A	N/A
4527798	12/1984	Siekierski et al.	N/A	N/A
4572509	12/1985	Sitrick	N/A	N/A
4573681	12/1985	Okada	N/A	N/A
4614342	12/1985	Takashima	N/A	N/A
4624459	12/1985	Kaufman	N/A	N/A
4636951	12/1986	Harlick	N/A	N/A
4648600	12/1986	Olliges	N/A	N/A
4652998	12/1986	Koza et al.	N/A	N/A
4692863	12/1986	Moosz	N/A	N/A
4750743	12/1987	Nicoletti	N/A	N/A
4760527	12/1987	Sidley	N/A	N/A
4805907	12/1988	Hagiwara	N/A	N/A
4810868	12/1988	Drexler	N/A	N/A
4817951	12/1988	Crouch et al.	N/A	N/A
4838552	12/1988	Hagiwara	N/A	N/A
4853884	12/1988	Brown et al.	N/A	N/A
4856787	12/1988	Itkis	N/A	N/A
4858932	12/1988	Keane	N/A	N/A
4880237	12/1988	Kishishita	N/A	N/A
4882473	12/1988	Bergeron et al.	N/A	N/A
4909516	12/1989	Kolinsky	N/A	N/A
4926327	12/1989	Sidley	N/A	N/A
4959783	12/1989	Scott et al.	N/A	N/A
4964638	12/1989	Ishida	N/A	N/A
5000453	12/1990	Stevens et al.	N/A	N/A
5001632	12/1990	Hall-Tipping	N/A	N/A
5007087	12/1990	Bernstein et al.	N/A	N/A
5024441	12/1990	Rousseau	N/A	N/A
5048833	12/1990	Lamle	N/A	N/A
5050881	12/1990	Nagao	N/A	N/A
5055662	12/1990	Hasegawa	N/A	N/A
5056141	12/1990	Dyke	N/A	N/A
5074559	12/1990	Okada	N/A	N/A
5083785	12/1991	Okada	N/A	N/A
5096195	12/1991	Gimmon	N/A	N/A
5096202	12/1991	Hesland	N/A	N/A
5102134	12/1991	Smyth	N/A	N/A
5151684	12/1991	Johnsen	N/A	N/A
5192076	12/1992	Komori	N/A	N/A
5229764	12/1992	Matchett et al.	N/A	N/A
5242163	12/1992	Fulton	N/A	N/A
5251165	12/1992	James, III	N/A	N/A
5251898	12/1992	Dickenson et al.	N/A	N/A

5263716	12/1992	Smyth	N/A	N/A
5265874	12/1992	Dickinson et al.	N/A	N/A
5280426	12/1993	Edmonds	N/A	N/A
5280909	12/1993	Tracy	N/A	N/A
5298476	12/1993	Hotta et al.	N/A	N/A
5324035	12/1993	Morris et al.	N/A	N/A
5326104	12/1993	Pease et al.	N/A	N/A
5344199	12/1993	Carstens et al.	N/A	N/A
5351970	12/1993	Fioretti	N/A	N/A
5359183	12/1993	Skodlar	N/A	N/A
5370306	12/1993	Schulze et al.	N/A	N/A
5380007	12/1994	Travis et al.	N/A	N/A
5380008	12/1994	Mathis et al.	N/A	N/A
5393061	12/1994	Manship et al.	N/A	N/A
5398932	12/1994	Eberhardt et al.	N/A	N/A
5415416	12/1994	Scagnelli et al.	N/A	N/A
5421576	12/1994	Yamazaki et al.	N/A	N/A
5429361	12/1994	Raven et al.	N/A	N/A
5471044	12/1994	Hotta et al.	N/A	N/A
5476259	12/1994	Weingardt	N/A	N/A
5505449	12/1995	Eberhardt et al.	N/A	N/A
5507485	12/1995	Fisher	N/A	N/A
5511784	12/1995	Furry et al.	N/A	N/A
5524888	12/1995	Heidel	N/A	N/A
5534685	12/1995	Takemoto et al.	N/A	N/A
5551692	12/1995	Pettit et al.	N/A	N/A
5569083	12/1995	Fioretti	N/A	N/A
5569084	12/1995	Nicastro et al.	N/A	N/A
5580309	12/1995	Piechowiak et al.	N/A	N/A
5586937	12/1995	Menashe	N/A	N/A
5588913	12/1995	Hecht	N/A	N/A
5599231	12/1996	Hibino et al.	N/A	N/A
5605334	12/1996	McCrea, Jr.	N/A	N/A
5613912	12/1996	Slater	N/A	N/A
5618045	12/1996	Kagan et al.	N/A	N/A
5618232	12/1996	Martin	N/A	N/A
5645277	12/1996	Cheng	N/A	N/A
5653634	12/1996	Hodges	N/A	N/A
5654746	12/1996	McMullan, Jr. et al.	N/A	N/A
5655961	12/1996	Acres et al.	N/A	N/A
5675828	12/1996	Stoel et al.	N/A	N/A
5697844	12/1996	Von Kohorn	N/A	N/A
5702302	12/1996	Gauselmann	N/A	N/A
5707286	12/1997	Carlson	N/A	N/A
5722893	12/1997	Hill et al.	N/A	N/A
5738583	12/1997	Comas et al.	N/A	N/A
5745102	12/1997	Bloch et al.	N/A	N/A
5762552	12/1997	Vuong et al.	N/A	N/A
5764789	12/1997	Pare, Jr. et al.	N/A	N/A
5766076	12/1997	Pease et al.	N/A	N/A
5768382	12/1997	Schneier et al.	N/A	N/A
5772508	12/1997	Sugita et al.	N/A	N/A
5779546	12/1997	Meissner et al.	N/A	N/A
5779549	12/1997	Walker et al.	N/A	N/A
5785595	12/1997	Gauselmann	N/A	N/A
5787156	12/1997	Katz	N/A	N/A
5806849	12/1997	Rutkowski	N/A	N/A
5816918	12/1997	Kelly et al.	N/A	N/A
5816920	12/1997	Hanai	N/A	N/A
5833536	12/1997	Davids et al.	N/A	N/A
5835722	12/1997	Bradshaw et al.	N/A	N/A
5836817	12/1997	Acres et al.	N/A	N/A
5851148	12/1997	Brune et al.	N/A	N/A
5857911	12/1998	Fioretti	N/A	N/A
5871398	12/1998	Schneier et al.	N/A	N/A
5878211	12/1998	Delagrange et al.	N/A	N/A
5881366	12/1998	Bodenmann et al.	N/A	N/A

5889474	12/1998	LaDue	N/A	N/A
5902983	12/1998	Crevelt et al.	N/A	N/A
5904619	12/1998	Scagnelli et al.	N/A	N/A
5904620	12/1998	Kujawa	N/A	N/A
5907282	12/1998	Tuorto et al.	N/A	N/A
5910047	12/1998	Scagnelli et al.	N/A	N/A
5920640	12/1998	Salatino et al.	N/A	N/A
5921865	12/1998	Scagnelli et al.	N/A	N/A
5931764	12/1998	Freeman et al.	N/A	N/A
5935005	12/1998	Tsuda et al.	N/A	N/A
5941769	12/1998	Order	N/A	N/A
5951397	12/1998	Dickinson	N/A	N/A
5954583	12/1998	Green	N/A	N/A
5955961	12/1998	Wallerstein	N/A	N/A
5959596	12/1998	McCarten et al.	N/A	N/A
5970143	12/1998	Schneier et al.	N/A	N/A
5977957	12/1998	Miller et al.	N/A	N/A
5987611	12/1998	Freund	N/A	N/A
5991431	12/1998	Borza et al.	N/A	N/A
5995630	12/1998	Borza	N/A	N/A
5999808	12/1998	LaDUE	N/A	N/A
6001015	12/1998	Nishiumi et al.	N/A	N/A
6001016	12/1998	Walker et al.	N/A	N/A
6003013	12/1998	Boushy et al.	N/A	N/A
6011973	12/1999	Valentine et al.	N/A	N/A
6012636	12/1999	Smith	N/A	N/A
6012982	12/1999	Piechowiak et al.	N/A	N/A
6019284	12/1999	Freeman et al.	N/A	N/A
6022274	12/1999	Takeda et al.	N/A	N/A
6022294	12/1999	Saito et al.	N/A	N/A
6027115	12/1999	Griswold et al.	N/A	N/A
6039650	12/1999	Hill	N/A	N/A
6044062	12/1999	Brownrigg et al.	N/A	N/A
6048269	12/1999	Burns et al.	N/A	N/A
6050622	12/1999	Gustafson	N/A	N/A
6065056	12/1999	Bradshaw et al.	N/A	N/A
6080061	12/1999	Watanabe et al.	N/A	N/A
6093103	12/1999	McCrea, Jr.	N/A	N/A
6098985	12/1999	Moody	N/A	N/A
6099408	12/1999	Schneier et al.	N/A	N/A
6100804	12/1999	Brady et al.	N/A	N/A
6104295	12/1999	Gaisser et al.	N/A	N/A
6104815	12/1999	Alcorn et al.	N/A	N/A
6117011	12/1999	Lvov	N/A	N/A
6126166	12/1999	Lorson et al.	N/A	N/A
6135884	12/1999	Hedrick et al.	N/A	N/A
6139431	12/1999	Walker et al.	N/A	N/A
6146270	12/1999	Huard et al.	N/A	N/A
6148094	12/1999	Kinsella	N/A	N/A
6177905	12/2000	Welch	N/A	N/A
6178255	12/2000	Scott et al.	N/A	N/A
6178510	12/2000	O'Connor et al.	N/A	N/A
6183366	12/2000	Goldberg et al.	N/A	N/A
6193153	12/2000	Lambert	N/A	N/A
6196920	12/2000	Spaur et al.	N/A	N/A
6210274	12/2000	Carlson	N/A	N/A
6212392	12/2000	Fitch et al.	N/A	N/A
6217447	12/2000	Lofink et al.	N/A	N/A
6219439	12/2000	Burger	N/A	N/A
6229536	12/2000	Alexander et al.	N/A	N/A
6233448	12/2000	Alperovich et al.	N/A	N/A
6248017	12/2000	Roach	N/A	N/A
6251014	12/2000	Stockdale et al.	N/A	N/A
6251017	12/2000	Leason et al.	N/A	N/A
6264560	12/2000	Goldberg et al.	N/A	N/A
6265973	12/2000	Brammall et al.	N/A	N/A
6272223	12/2000	Carlson	N/A	N/A

6277026	12/2000	Archer	N/A	N/A
6277029	12/2000	Hanley, Jr.	N/A	N/A
6280325	12/2000	Fisk	N/A	N/A
6287202	12/2000	Pascal et al.	N/A	N/A
6290601	12/2000	Yamazaki et al.	N/A	N/A
RE37414	12/2000	Harlick	N/A	N/A
6309307	12/2000	Krause et al.	N/A	N/A
6320495	12/2000	Sporgis	N/A	N/A
6325285	12/2000	Baratelli	N/A	N/A
6325292	12/2000	Sehr	N/A	N/A
6331148	12/2000	Krause et al.	N/A	N/A
6359661	12/2001	Nickum	N/A	N/A
6361044	12/2001	Block et al.	N/A	N/A
6386976	12/2001	Yamazaki et al.	N/A	N/A
6388612	12/2001	Neher	N/A	N/A
6393438	12/2001	Kathrow et al.	N/A	N/A
6409602	12/2001	Wiltshire et al.	N/A	N/A
6424029	12/2001	Giesler	N/A	N/A
6425828	12/2001	Walker et al.	N/A	N/A
6428413	12/2001	Carlson	N/A	N/A
6441752	12/2001	Fomukong	N/A	N/A
6454648	12/2001	Kelly et al.	N/A	N/A
RE37885	12/2001	Acres et al.	N/A	N/A
6460848	12/2001	Soltys et al.	N/A	N/A
6468155	12/2001	Zucker et al.	N/A	N/A
6507279	12/2002	Loof	N/A	N/A
6508709	12/2002	Karmarkar	N/A	N/A
6508710	12/2002	Paravia et al.	N/A	N/A
6509217	12/2002	Reddy	N/A	N/A
6520853	12/2002	Suzuki	N/A	N/A
6524189	12/2002	Rautila	N/A	N/A
6527641	12/2002	Sinclair et al.	N/A	N/A
6542750	12/2002	Hendrey et al.	N/A	N/A
6554705	12/2002	Cumbers	N/A	N/A
6554707	12/2002	Sinclair et al.	N/A	N/A
6556819	12/2002	Irvin	N/A	N/A
6575834	12/2002	Lindo	N/A	N/A
6577733	12/2002	Charrin	N/A	N/A
6579181	12/2002	Soltys et al.	N/A	N/A
6582302	12/2002	Romero	N/A	N/A
6585597	12/2002	Finn	N/A	N/A
6604980	12/2002	Jurmain et al.	N/A	N/A
6612928	12/2002	Bradford et al.	N/A	N/A
6614350	12/2002	Lunsford et al.	N/A	N/A
6618706	12/2002	Rive et al.	N/A	N/A
6622157	12/2002	Heddaya et al.	N/A	N/A
6628939	12/2002	Paulsen	N/A	N/A
6631849	12/2002	Blossom	N/A	N/A
6634942	12/2002	Walker et al.	N/A	N/A
6645077	12/2002	Rowe	N/A	N/A
6652378	12/2002	Cannon et al.	N/A	N/A
6676522	12/2003	Rowe et al.	N/A	N/A
6680675	12/2003	Suzuki	N/A	N/A
6682421	12/2003	Rowe et al.	N/A	N/A
6691032	12/2003	Irish et al.	N/A	N/A
6709333	12/2003	Bradford et al.	N/A	N/A
6719631	12/2003	Tulley et al.	N/A	N/A
6721542	12/2003	Anttila et al.	N/A	N/A
6729956	12/2003	Wolf et al.	N/A	N/A
6743098	12/2003	Urie et al.	N/A	N/A
6745011	12/2003	Hendrickson et al.	N/A	N/A
6749505	12/2003	Kunzle et al.	N/A	N/A
6754210	12/2003	Ofek	N/A	N/A
6755742	12/2003	Hartman et al.	N/A	N/A
6756882	12/2003	Benes et al.	N/A	N/A
6761638	12/2003	Narita	N/A	N/A
6773350	12/2003	Yoshimi et al.	N/A	N/A

6778820	12/2003	Tendler	N/A	N/A
6793580	12/2003	Sinclair et al.	N/A	N/A
6799047	12/2003	Bahl et al.	N/A	N/A
6800029	12/2003	Rowe et al.	N/A	N/A
6800031	12/2003	Di Cesare	N/A	N/A
6801934	12/2003	Eranko	N/A	N/A
6802772	12/2003	Kunzle et al.	N/A	N/A
6806889	12/2003	Malaure et al.	N/A	N/A
6811488	12/2003	Paravia et al.	N/A	N/A
6812824	12/2003	Goldinger et al.	N/A	N/A
6834195	12/2003	Brandenberg et al.	N/A	N/A
6837789	12/2004	Garahi et al.	N/A	N/A
6839560	12/2004	Bahl et al.	N/A	N/A
6843412	12/2004	Sanford	N/A	N/A
6843725	12/2004	Nelson	N/A	N/A
6846238	12/2004	Wells	N/A	N/A
6857959	12/2004	Nguyen	N/A	N/A
6863610	12/2004	Vancraeynest	N/A	N/A
6868396	12/2004	Smith et al.	N/A	N/A
6884162	12/2004	Raverdy et al.	N/A	N/A
6884166	12/2004	Leen et al.	N/A	N/A
6887151	12/2004	Leen et al.	N/A	N/A
6887159	12/2004	Leen et al.	N/A	N/A
6892218	12/2004	Heddaya et al.	N/A	N/A
6892938	12/2004	Solomon	N/A	N/A
6893347	12/2004	Zilliacus et al.	N/A	N/A
6896618	12/2004	Benoy et al.	N/A	N/A
6898299	12/2004	Brooks	N/A	N/A
6899628	12/2004	Leen et al.	N/A	N/A
6904520	12/2004	Rosset et al.	N/A	N/A
6908387	12/2004	Hedrick et al.	N/A	N/A
6908391	12/2004	Gatto et al.	N/A	N/A
6923724	12/2004	Williams	N/A	N/A
6935952	12/2004	Walker et al.	N/A	N/A
6935958	12/2004	Nelson	N/A	N/A
6942574	12/2004	LeMay et al.	N/A	N/A
6945870	12/2004	Gatto et al.	N/A	N/A
RE38812	12/2004	Acres et al.	N/A	N/A
6966832	12/2004	Leen et al.	N/A	N/A
6979264	12/2004	Chatigny et al.	N/A	N/A
6979267	12/2004	Leen et al.	N/A	N/A
6984175	12/2005	Nguyen et al.	N/A	N/A
6986055	12/2005	Carlson	N/A	N/A
6997810	12/2005	Cole	N/A	N/A
7021623	12/2005	Leen et al.	N/A	N/A
7022017	12/2005	Halbritter et al.	N/A	N/A
7027820	12/2005	Spratt	N/A	N/A
7029009	12/2005	Grauzer et al.	N/A	N/A
7029394	12/2005	Leen et al.	N/A	N/A
7033276	12/2005	Walker et al.	N/A	N/A
7034683	12/2005	Ghazarian	N/A	N/A
7035653	12/2005	Simon et al.	N/A	N/A
7040987	12/2005	Walker et al.	N/A	N/A
7042360	12/2005	Light et al.	N/A	N/A
7042391	12/2005	Meunier et al.	N/A	N/A
7043641	12/2005	Martinek et al.	N/A	N/A
7047197	12/2005	Bennett	N/A	N/A
7056217	12/2005	Pelkey et al.	N/A	N/A
7081815	12/2005	Runyon et al.	N/A	N/A
7097562	12/2005	Gagner	N/A	N/A
7102507	12/2005	Lauren	N/A	N/A
7102509	12/2005	Anders et al.	N/A	N/A
7114718	12/2005	Grauzer et al.	N/A	N/A
7124947	12/2005	Storch	N/A	N/A
7125334	12/2005	Yamazaki et al.	N/A	N/A
7128482	12/2005	Meyerhofer et al.	N/A	N/A
7133685	12/2005	Hose et al.	N/A	N/A

7137629	12/2005	Chapman	N/A	N/A
7137630	12/2005	Yurkins	N/A	N/A
7144011	12/2005	Asher et al.	N/A	N/A
7147558	12/2005	Giobbi	N/A	N/A
7158798	12/2006	Lee et al.	N/A	N/A
7164354	12/2006	Panzer	N/A	N/A
7164986	12/2006	Humphries et al.	N/A	N/A
7168626	12/2006	Lerch et al.	N/A	N/A
7185360	12/2006	Anton, Jr. et al.	N/A	N/A
7194273	12/2006	Vaudreuil	N/A	N/A
7207885	12/2006	Longman	N/A	N/A
7228651	12/2006	Saari	N/A	N/A
7229354	12/2006	McNUTT et al.	N/A	N/A
7229385	12/2006	Freeman et al.	N/A	N/A
7233922	12/2006	Asher et al.	N/A	N/A
7248852	12/2006	Cabrera et al.	N/A	N/A
7270605	12/2006	Russell et al.	N/A	N/A
7278923	12/2006	Grauzer et al.	N/A	N/A
7284708	12/2006	Martin	N/A	N/A
7288025	12/2006	Cumbers	N/A	N/A
7288028	12/2006	Rodriquez et al.	N/A	N/A
7290264	12/2006	Powers et al.	N/A	N/A
7297062	12/2006	Gatto et al.	N/A	N/A
7306514	12/2006	Amaitis et al.	N/A	N/A
7311605	12/2006	Moser	N/A	N/A
7311606	12/2006	Amaitis et al.	N/A	N/A
7311608	12/2006	Danieli et al.	N/A	N/A
7316619	12/2007	Nelson	N/A	N/A
7341517	12/2007	Asher et al.	N/A	N/A
7357717	12/2007	Cumbers	N/A	N/A
7367049	12/2007	Robinson et al.	N/A	N/A
7394405	12/2007	Godden	N/A	N/A
7413513	12/2007	Nguyen et al.	N/A	N/A
7429215	12/2007	Rozkin et al.	N/A	N/A
7431650	12/2007	Kessman et al.	N/A	N/A
7435179	12/2007	Ford	N/A	N/A
7437147	12/2007	Luciano, Jr.	N/A	N/A
7442124	12/2007	Asher et al.	N/A	N/A
7452273	12/2007	Amaitis et al.	N/A	N/A
7452274	12/2007	Amaitis et al.	N/A	N/A
7458891	12/2007	Asher et al.	N/A	N/A
7458894	12/2007	Danieli et al.	N/A	N/A
7460863	12/2007	Steelberg et al.	N/A	N/A
7470191	12/2007	Xidos et al.	N/A	N/A
7479065	12/2008	McAllister et al.	N/A	N/A
7493211	12/2008	Breen	N/A	N/A
7506172	12/2008	Bhakta	N/A	N/A
7510474	12/2008	Carter, Sr.	N/A	N/A
7534169	12/2008	Amaitis et al.	N/A	N/A
7546946	12/2008	Hefner et al.	N/A	N/A
7549576	12/2008	Alderucci et al.	N/A	N/A
7549756	12/2008	Willis et al.	N/A	N/A
7562034	12/2008	Asher et al.	N/A	N/A
7566270	12/2008	Amaitis et al.	N/A	N/A
7577847	12/2008	Nguyen et al.	N/A	N/A
7579576	12/2008	Sugiyama et al.	N/A	N/A
7637810	12/2008	Amaitis et al.	N/A	N/A
7665668	12/2009	Phillips	N/A	N/A
7686687	12/2009	Cannon et al.	N/A	N/A
7689459	12/2009	Capurso et al.	N/A	N/A
7736221	12/2009	Black et al.	N/A	N/A
7742972	12/2009	Lange et al.	N/A	N/A
7744002	12/2009	Jones et al.	N/A	N/A
7802724	12/2009	Nohr	N/A	N/A
7819749	12/2009	Fish et al.	N/A	N/A
7828652	12/2009	Nguyen et al.	N/A	N/A
7828654	12/2009	Carter, Sr.	N/A	N/A

7828661	12/2009	Fish et al.	N/A	N/A
7850528	12/2009	Wells	N/A	N/A
7867083	12/2010	Wells et al.	N/A	N/A
7937336	12/2010	Maynard-Zhang et al.	N/A	N/A
7946917	12/2010	Kaminkow et al.	N/A	N/A
7967682	12/2010	Huizinga	N/A	N/A
8016667	12/2010	Benbrahim	N/A	N/A
8047914	12/2010	Morrow	N/A	N/A
8123616	12/2011	Wells et al.	N/A	N/A
8142283	12/2011	Lutnick et al.	N/A	N/A
8162756	12/2011	Amaitis et al.	N/A	N/A
8221225	12/2011	Laut	N/A	N/A
8267789	12/2011	Nelson	N/A	N/A
8282490	12/2011	Arezina et al.	N/A	N/A
8285484	12/2011	Lau et al.	N/A	N/A
8287380	12/2011	Nguyen et al.	N/A	N/A
8292741	12/2011	Burman et al.	N/A	N/A
8298078	12/2011	Sutton et al.	N/A	N/A
8306830	12/2011	Renuart et al.	N/A	N/A
8308568	12/2011	Amaitis et al.	N/A	N/A
8393948	12/2012	Allen et al.	N/A	N/A
8425314	12/2012	Benbrahim	N/A	N/A
8504617	12/2012	Amaitis et al.	N/A	N/A
8506400	12/2012	Amaitis et al.	N/A	N/A
8510567	12/2012	Alderucci et al.	N/A	N/A
8536999	12/2012	Holcman et al.	N/A	N/A
8613658	12/2012	Amaitis et al.	N/A	N/A
8616967	12/2012	Amaitis et al.	N/A	N/A
8645709	12/2013	Alderucci et al.	N/A	N/A
8708805	12/2013	Amaitis et al.	N/A	N/A
8764566	12/2013	Miltenberger et al.	N/A	N/A
8784197	12/2013	Alderucci et al.	N/A	N/A
8858323	12/2013	Nguyen et al.	N/A	N/A
8956231	12/2014	Amaitis et al.	N/A	N/A
8968077	12/2014	Weber et al.	N/A	N/A
8974302	12/2014	Amaitis et al.	N/A	N/A
8977296	12/2014	Briggs et al.	N/A	N/A
8997296	12/2014	Gummow et al.	N/A	N/A
9280648	12/2015	Alderucci et al.	N/A	N/A
9306952	12/2015	Burman et al.	N/A	N/A
9355518	12/2015	Amaitis et al.	N/A	N/A
9363251	12/2015	Morikuni et al.	N/A	N/A
9411944	12/2015	Alderucci et al.	N/A	N/A
9430901	12/2015	Amaitis et al.	N/A	N/A
9430909	12/2015	Shore et al.	N/A	N/A
9489793	12/2015	Williams et al.	N/A	N/A
10406446	12/2018	Amaitis et al.	N/A	N/A
10535221	12/2019	Burman et al.	N/A	N/A
10744416	12/2019	Amaitis et al.	N/A	N/A
11413548	12/2021	Amaitis et al.	N/A	N/A
2001/0018663	12/2000	Dussell et al.	N/A	N/A
2001/0026240	12/2000	Neher	N/A	N/A
2001/0026610	12/2000	Katz	N/A	N/A
2001/0026632	12/2000	Tamai	N/A	N/A
2001/0027130	12/2000	Namba et al.	N/A	N/A
2001/0028308	12/2000	De La Hueraga	N/A	N/A
2001/0031663	12/2000	Johnson	N/A	N/A
2001/0034268	12/2000	Thomas et al.	N/A	N/A
2001/0034327	12/2000	Brunner et al.	N/A	N/A
2001/0036858	12/2000	McNutt et al.	N/A	N/A
2001/0049275	12/2000	Pierry et al.	N/A	N/A
2001/0055991	12/2000	Hightower	N/A	N/A
2002/0002075	12/2001	Rowe	N/A	N/A
2002/0013153	12/2001	Wilcock et al.	N/A	N/A
2002/0013827	12/2001	Edstrom et al.	N/A	N/A
2002/0028674	12/2001	Slettengren et al.	N/A	N/A
2002/0034978	12/2001	Legge et al.	N/A	N/A

2002/0037767	12/2001	Ebin	N/A	N/A
2002/0049909	12/2001	Jackson et al.	N/A	N/A
2002/0052231	12/2001	Fioretti	N/A	N/A
2002/0065097	12/2001	Brockenbrough et al.	N/A	N/A
2002/0068631	12/2001	Raverdy et al.	N/A	N/A
2002/0071557	12/2001	Nguyen	N/A	N/A
2002/0073021	12/2001	Ginsberg et al.	N/A	N/A
2002/0074725	12/2001	Stern	N/A	N/A
2002/0086732	12/2001	Kirmse et al.	N/A	N/A
2002/0087505	12/2001	Smith et al.	N/A	N/A
2002/0095586	12/2001	Doyle et al.	N/A	N/A
2002/0111210	12/2001	Luciano et al.	N/A	N/A
2002/0111213	12/2001	McEntee et al.	N/A	N/A
2002/0119817	12/2001	Behm et al.	N/A	N/A
2002/0123377	12/2001	Shulman	N/A	N/A
2002/0124182	12/2001	Bacso et al.	N/A	N/A
2002/0125886	12/2001	Bates et al.	N/A	N/A
2002/0128057	12/2001	Walker et al.	N/A	N/A
2002/0132663	12/2001	Cumbers	N/A	N/A
2002/0138461	12/2001	Sinclair et al.	N/A	N/A
2002/0142839	12/2001	Wolinsky	N/A	N/A
2002/0142844	12/2001	Kerr	N/A	N/A
2002/0142846	12/2001	Paulsen	N/A	N/A
2002/0143960	12/2001	Goren et al.	N/A	N/A
2002/0143991	12/2001	Chow et al.	N/A	N/A
2002/0147047	12/2001	Letovsky et al.	N/A	N/A
2002/0147049	12/2001	Carter	N/A	N/A
2002/0147762	12/2001	Tree	N/A	N/A
2002/0151344	12/2001	Tanskanen	N/A	N/A
2002/0155884	12/2001	Updike	N/A	N/A
2002/0157090	12/2001	Anton, Jr.	N/A	N/A
2002/0160834	12/2001	Urie et al.	N/A	N/A
2002/0160838	12/2001	Kim	N/A	N/A
2002/0165020	12/2001	Koyama	N/A	N/A
2002/0174336	12/2001	Sakakibara et al.	N/A	N/A
2002/0183105	12/2001	Cannon et al.	N/A	N/A
2002/0184653	12/2001	Pierce et al.	N/A	N/A
2002/0191017	12/2001	Sinclair et al.	N/A	N/A
2002/0198044	12/2001	Walker et al.	N/A	N/A
2002/0198051	12/2001	Lobel et al.	N/A	N/A
2003/0001882	12/2002	Macer et al.	N/A	N/A
2003/0003988	12/2002	Walker et al.	N/A	N/A
2003/0003997	12/2002	Vuong et al.	N/A	N/A
2003/0006931	12/2002	Mages	N/A	N/A
2003/0008662	12/2002	Stern et al.	N/A	N/A
2003/0009603	12/2002	Ruths et al.	N/A	N/A
2003/0013438	12/2002	Darby	N/A	N/A
2003/0013513	12/2002	Rowe	N/A	N/A
2003/0014639	12/2002	Jackson et al.	N/A	N/A
2003/0017871	12/2002	Urie et al.	N/A	N/A
2003/0027631	12/2002	Hedrick et al.	N/A	N/A
2003/0027634	12/2002	Matthews	N/A	N/A
2003/0028567	12/2002	Carlson	N/A	N/A
2003/0031321	12/2002	Mages	N/A	N/A
2003/0032407	12/2002	Mages	N/A	N/A
2003/0032434	12/2002	Willner et al.	N/A	N/A
2003/0032474	12/2002	Kaminkow	N/A	N/A
2003/0036425	12/2002	Kaminkow et al.	N/A	N/A
2003/0036428	12/2002	Aasland	N/A	N/A
2003/0038805	12/2002	Wong et al.	N/A	N/A
2003/0040324	12/2002	Eldering et al.	N/A	N/A
2003/0045269	12/2002	Himmel et al.	N/A	N/A
2003/0045353	12/2002	Paulsen et al.	N/A	N/A
2003/0045354	12/2002	Giobbi	N/A	N/A
2003/0045358	12/2002	Leen et al.	N/A	N/A
2003/0050115	12/2002	Leen et al.	N/A	N/A
2003/0054878	12/2002	Benoy et al.	N/A	N/A

2003/0060286	12/2002	Walker et al.	N/A	N/A
2003/0064712	12/2002	Gaston et al.	N/A	N/A
2003/0064798	12/2002	Grauzer et al.	N/A	N/A
2003/0064805	12/2002	Wells	N/A	N/A
2003/0064807	12/2002	Walker et al.	N/A	N/A
2003/0065805	12/2002	Barnes	N/A	N/A
2003/0069071	12/2002	Britt et al.	N/A	N/A
2003/0069940	12/2002	Kavacheri et al.	N/A	N/A
2003/0078101	12/2002	Schneider et al.	N/A	N/A
2003/0087652	12/2002	Simon et al.	N/A	N/A
2003/0087701	12/2002	Paravia et al.	N/A	N/A
2003/0104851	12/2002	Merari	N/A	N/A
2003/0104860	12/2002	Cannon et al.	N/A	N/A
2003/0104865	12/2002	Itkis et al.	N/A	N/A
2003/0109306	12/2002	Karmarkar	N/A	N/A
2003/0109310	12/2002	Heaton et al.	N/A	N/A
2003/0114218	12/2002	McClintic	N/A	N/A
2003/0125973	12/2002	Mathews et al.	N/A	N/A
2003/0130032	12/2002	Martinek et al.	N/A	N/A
2003/0130039	12/2002	Nelson	N/A	N/A
2003/0139190	12/2002	Steelberg et al.	N/A	N/A
2003/0140131	12/2002	Chandrashekhhar et al.	N/A	N/A
2003/0144047	12/2002	Sprogis	N/A	N/A
2003/0148809	12/2002	Nelson	N/A	N/A
2003/0148812	12/2002	Paulsen et al.	N/A	N/A
2003/0157976	12/2002	Simon et al.	N/A	N/A
2003/0162580	12/2002	Cousineau et al.	N/A	N/A
2003/0162593	12/2002	Griswold	N/A	N/A
2003/0162594	12/2002	Rowe	N/A	N/A
2003/0165293	12/2002	Abeles et al.	N/A	N/A
2003/0173408	12/2002	Mosher et al.	N/A	N/A
2003/0176162	12/2002	Planki et al.	N/A	N/A
2003/0176218	12/2002	LeMay et al.	N/A	N/A
2003/0177187	12/2002	Levine et al.	N/A	N/A
2003/0177347	12/2002	Schneier et al.	N/A	N/A
2003/0190944	12/2002	Manfredi et al.	N/A	N/A
2003/0195037	12/2002	Vuong et al.	N/A	N/A
2003/0195043	12/2002	Shinners et al.	N/A	N/A
2003/0195841	12/2002	Ginsberg et al.	N/A	N/A
2003/0199313	12/2002	Gonen et al.	N/A	N/A
2003/0208684	12/2002	Camacho et al.	N/A	N/A
2003/0212996	12/2002	Wolzien	N/A	N/A
2003/0224855	12/2002	Cunningham	N/A	N/A
2003/0228895	12/2002	Edelson	N/A	N/A
2003/0228898	12/2002	Rowe	N/A	N/A
2003/0228901	12/2002	Walker et al.	N/A	N/A
2003/0228907	12/2002	Gatto et al.	N/A	N/A
2003/0228910	12/2002	Jawaharlal et al.	N/A	N/A
2003/0233650	12/2002	Zaner et al.	N/A	N/A
2003/0236120	12/2002	Reece et al.	N/A	N/A
2004/0002355	12/2003	Spencer	N/A	N/A
2004/0002383	12/2003	Lundy et al.	N/A	N/A
2004/0002386	12/2003	Wolfe et al.	N/A	N/A
2004/0002843	12/2003	Robarts et al.	N/A	N/A
2004/0005919	12/2003	Walker et al.	N/A	N/A
2004/0009812	12/2003	Scott et al.	N/A	N/A
2004/0014522	12/2003	Walker et al.	N/A	N/A
2004/0029635	12/2003	Giobbi	N/A	N/A
2004/0029638	12/2003	Hytcheson et al.	N/A	N/A
2004/0034775	12/2003	Desjardins et al.	N/A	N/A
2004/0038734	12/2003	Adams	N/A	N/A
2004/0043763	12/2003	Minear et al.	N/A	N/A
2004/0044774	12/2003	Mangalik et al.	N/A	N/A
2004/0048613	12/2003	Sayers et al.	N/A	N/A
2004/0053692	12/2003	Chatigny et al.	N/A	N/A
2004/0061646	12/2003	Andrews et al.	N/A	N/A
2004/0063497	12/2003	Gould	N/A	N/A

2004/0066296	12/2003	Atherton	N/A	N/A
2004/0066929	12/2003	Bremer et al.	N/A	N/A
2004/0067760	12/2003	Menjo et al.	N/A	N/A
2004/0068441	12/2003	Werbitt	N/A	N/A
2004/0068532	12/2003	Dewing et al.	N/A	N/A
2004/0082383	12/2003	Muncaster et al.	N/A	N/A
2004/0083394	12/2003	Brebner et al.	N/A	N/A
2004/0092306	12/2003	George et al.	N/A	N/A
2004/0092311	12/2003	Weston et al.	N/A	N/A
2004/0097283	12/2003	Piper et al.	N/A	N/A
2004/0097287	12/2003	Postrel	N/A	N/A
2004/0104274	12/2003	Kotik et al.	N/A	N/A
2004/0104845	12/2003	McCarthy	N/A	N/A
2004/0110565	12/2003	Levesque	N/A	N/A
2004/0111369	12/2003	Lane et al.	N/A	N/A
2004/0111515	12/2003	Manion et al.	N/A	N/A
2004/0118930	12/2003	Berardi et al.	N/A	N/A
2004/0127277	12/2003	Walker et al.	N/A	N/A
2004/0127289	12/2003	Davis et al.	N/A	N/A
2004/0129787	12/2003	Saito et al.	N/A	N/A
2004/0132530	12/2003	Rutanen et al.	N/A	N/A
2004/0137983	12/2003	Kerr et al.	N/A	N/A
2004/0137987	12/2003	Nguyen et al.	N/A	N/A
2004/0142744	12/2003	Atkinson et al.	N/A	N/A
2004/0147323	12/2003	Cliff et al.	N/A	N/A
2004/0152511	12/2003	Nicely et al.	N/A	N/A
2004/0162124	12/2003	Barton	N/A	N/A
2004/0162144	12/2003	Loose et al.	N/A	N/A
2004/0185881	12/2003	Lee et al.	N/A	N/A
2004/0186768	12/2003	Wakim et al.	N/A	N/A
2004/0189470	12/2003	Girvin et al.	N/A	N/A
2004/0192438	12/2003	Wells et al.	N/A	N/A
2004/0192442	12/2003	Wells et al.	N/A	N/A
2004/0193469	12/2003	Amaitis et al.	N/A	N/A
2004/0193531	12/2003	Amaitis et al.	N/A	N/A
2004/0198386	12/2003	Dupray	N/A	N/A
2004/0198396	12/2003	Fransioli	N/A	N/A
2004/0198398	12/2003	Amir et al.	N/A	N/A
2004/0198403	12/2003	Pedersen et al.	N/A	N/A
2004/0198483	12/2003	Amaitis et al.	N/A	N/A
2004/0209660	12/2003	Carlson et al.	N/A	N/A
2004/0209690	12/2003	Bruzzese et al.	N/A	N/A
2004/0219932	12/2003	Verteuil	N/A	N/A
2004/0219961	12/2003	Ellenby et al.	N/A	N/A
2004/0224769	12/2003	Hansen et al.	N/A	N/A
2004/0225565	12/2003	Selman	N/A	N/A
2004/0229685	12/2003	Smith et al.	N/A	N/A
2004/0229699	12/2003	Gentles et al.	N/A	N/A
2004/0242297	12/2003	Walker et al.	N/A	N/A
2004/0242322	12/2003	Montagna et al.	N/A	N/A
2004/0242332	12/2003	Walker et al.	N/A	N/A
2004/0242639	12/2003	Lagu et al.	N/A	N/A
2004/0243504	12/2003	Asher et al.	N/A	N/A
2004/0243941	12/2003	Fish	N/A	N/A
2004/0248637	12/2003	Liebenberg et al.	N/A	N/A
2004/0248653	12/2003	Barros et al.	N/A	N/A
2004/0259626	12/2003	Akram et al.	N/A	N/A
2004/0259631	12/2003	Katz et al.	N/A	N/A
2004/0259642	12/2003	Tanaka et al.	N/A	N/A
2004/0260647	12/2003	Blinn et al.	N/A	N/A
2004/0266533	12/2003	Gentles et al.	N/A	N/A
2005/0001711	12/2004	Doughty et al.	N/A	N/A
2005/0003881	12/2004	Byng	N/A	N/A
2005/0003888	12/2004	Asher et al.	N/A	N/A
2005/0003893	12/2004	Hogwood et al.	N/A	N/A
2005/0009600	12/2004	Rowe et al.	N/A	N/A
2005/0014554	12/2004	Walker et al.	N/A	N/A

2005/0020336	12/2004	Cesare	N/A	N/A
2005/0020340	12/2004	Cannon	N/A	N/A
2005/0022767	12/2004	Baek	N/A	N/A
2005/0026670	12/2004	Lardie	N/A	N/A
2005/0026697	12/2004	Balahura et al.	N/A	N/A
2005/0027643	12/2004	Amaitis et al.	N/A	N/A
2005/0043996	12/2004	Silver	N/A	N/A
2005/0049022	12/2004	Mullen	N/A	N/A
2005/0049731	12/2004	Dell	N/A	N/A
2005/0049949	12/2004	Asher et al.	N/A	N/A
2005/0054439	12/2004	Rowe et al.	N/A	N/A
2005/0059397	12/2004	Zhao	N/A	N/A
2005/0059485	12/2004	Paulsen et al.	N/A	N/A
2005/0064934	12/2004	Amaitis et al.	N/A	N/A
2005/0070359	12/2004	Rodriguez et al.	N/A	N/A
2005/0071481	12/2004	Danieli	N/A	N/A
2005/0073443	12/2004	Sheha et al.	N/A	N/A
2005/0086301	12/2004	Eichler et al.	N/A	N/A
2005/0090294	12/2004	Narasimhan	N/A	N/A
2005/0091529	12/2004	Manion et al.	N/A	N/A
2005/0096109	12/2004	McNutt et al.	N/A	N/A
2005/0096133	12/2004	Hoefelmeyer et al.	N/A	N/A
2005/0101333	12/2004	Raith	N/A	N/A
2005/0101383	12/2004	Wells	N/A	N/A
2005/0107022	12/2004	Wichelmann	N/A	N/A
2005/0107156	12/2004	Potts et al.	N/A	N/A
2005/0108365	12/2004	Becker et al.	N/A	N/A
2005/0113172	12/2004	Gong	N/A	N/A
2005/0116020	12/2004	Smolucha et al.	N/A	N/A
2005/0130677	12/2004	Meunier et al.	N/A	N/A
2005/0130728	12/2004	Nguyen et al.	N/A	N/A
2005/0131815	12/2004	Fung et al.	N/A	N/A
2005/0137014	12/2004	Vetelainen	N/A	N/A
2005/0143169	12/2004	Nguyen et al.	N/A	N/A
2005/0144484	12/2004	Wakayama	N/A	N/A
2005/0159212	12/2004	Romney et al.	N/A	N/A
2005/0170845	12/2004	Moran	N/A	N/A
2005/0170886	12/2004	Miller	N/A	N/A
2005/0170890	12/2004	Rowe et al.	N/A	N/A
2005/0170892	12/2004	Atkinson	N/A	N/A
2005/0181859	12/2004	Lind et al.	N/A	N/A
2005/0181862	12/2004	Asher et al.	N/A	N/A
2005/0181870	12/2004	Nguyen et al.	N/A	N/A
2005/0187000	12/2004	Miller	N/A	N/A
2005/0187020	12/2004	Amaitis et al.	N/A	N/A
2005/0190901	12/2004	Oborn et al.	N/A	N/A
2005/0192077	12/2004	Okuniewicz	N/A	N/A
2005/0193118	12/2004	Le et al.	N/A	N/A
2005/0193209	12/2004	Saunders et al.	N/A	N/A
2005/0193212	12/2004	Yuhara	N/A	N/A
2005/0197189	12/2004	Schultz	N/A	N/A
2005/0197190	12/2004	Amaitis et al.	N/A	N/A
2005/0209002	12/2004	Blythe et al.	N/A	N/A
2005/0215306	12/2004	O'Donnell et al.	N/A	N/A
2005/0234774	12/2004	Dupree	N/A	N/A
2005/0239523	12/2004	Longman et al.	N/A	N/A
2005/0239524	12/2004	Longman et al.	N/A	N/A
2005/0239546	12/2004	Hedrick et al.	N/A	N/A
2005/0243774	12/2004	Choi et al.	N/A	N/A
2005/0245306	12/2004	Asher et al.	N/A	N/A
2005/0245308	12/2004	Amaitis et al.	N/A	N/A
2005/0251440	12/2004	Bednarek	N/A	N/A
2005/0261061	12/2004	Nguyen et al.	N/A	N/A
2005/0273845	12/2004	Urano et al.	N/A	N/A
2005/0276244	12/2004	Gronberg et al.	N/A	N/A
2005/0277471	12/2004	Russell et al.	N/A	N/A
2005/0277472	12/2004	Gillan et al.	N/A	N/A

2005/0282638	12/2004	Rowe	N/A	N/A
2005/0288937	12/2004	Verdiramo	N/A	N/A
2006/0005050	12/2005	Basson et al.	N/A	N/A
2006/0009279	12/2005	Amaitis et al.	N/A	N/A
2006/0016877	12/2005	Bonalle et al.	N/A	N/A
2006/0019745	12/2005	Benbrahim	N/A	N/A
2006/0020558	12/2005	Bonalle et al.	N/A	N/A
2006/0035707	12/2005	Nguyen et al.	N/A	N/A
2006/0036874	12/2005	Cockerille et al.	N/A	N/A
2006/0040717	12/2005	Lind et al.	N/A	N/A
2006/0040741	12/2005	Griswold et al.	N/A	N/A
2006/0052153	12/2005	Vlazny et al.	N/A	N/A
2006/0055512	12/2005	Chew	N/A	N/A
2006/0058102	12/2005	Nguyen et al.	N/A	N/A
2006/0058103	12/2005	Danieli et al.	N/A	N/A
2006/0068917	12/2005	Snoddy et al.	N/A	N/A
2006/0069711	12/2005	Tsunekawa et al.	N/A	N/A
2006/0076404	12/2005	Frerking	N/A	N/A
2006/0076406	12/2005	Ulrich et al.	N/A	N/A
2006/0079244	12/2005	Posner et al.	N/A	N/A
2006/0093142	12/2005	Schneier et al.	N/A	N/A
2006/0095790	12/2005	Nguyen et al.	N/A	N/A
2006/0100019	12/2005	Hornik et al.	N/A	N/A
2006/0105838	12/2005	Mullen	N/A	N/A
2006/0106736	12/2005	Jung	N/A	N/A
2006/0112279	12/2005	Cohen et al.	N/A	N/A
2006/0116198	12/2005	Leen et al.	N/A	N/A
2006/0116199	12/2005	Leen et al.	N/A	N/A
2006/0116200	12/2005	Leen et al.	N/A	N/A
2006/0121970	12/2005	Khal	N/A	N/A
2006/0121987	12/2005	Bortnik et al.	N/A	N/A
2006/0121992	12/2005	Bortnik et al.	N/A	N/A
2006/0128397	12/2005	Choti et al.	N/A	N/A
2006/0129432	12/2005	Choi et al.	N/A	N/A
2006/0131391	12/2005	Penuela	N/A	N/A
2006/0135252	12/2005	Amaitis et al.	N/A	N/A
2006/0135259	12/2005	Nancke-Krogh et al.	N/A	N/A
2006/0136296	12/2005	Amada	N/A	N/A
2006/0136584	12/2005	Decker et al.	N/A	N/A
2006/0148560	12/2005	Arezina et al.	N/A	N/A
2006/0148561	12/2005	Moser	N/A	N/A
2006/0160626	12/2005	Gatto et al.	N/A	N/A
2006/0161750	12/2005	Perkins et al.	N/A	N/A
2006/0163346	12/2005	Lee et al.	N/A	N/A
2006/0165235	12/2005	Carlson	N/A	N/A
2006/0166740	12/2005	Sufuentes	N/A	N/A
2006/0173754	12/2005	Burton et al.	N/A	N/A
2006/0178216	12/2005	Shea et al.	N/A	N/A
2006/0183522	12/2005	Leen et al.	N/A	N/A
2006/0184417	12/2005	Van der Linden et al.	N/A	N/A
2006/0187029	12/2005	Thomas	N/A	N/A
2006/0189382	12/2005	Muir et al.	N/A	N/A
2006/0194589	12/2005	Sankisa	N/A	N/A
2006/0199649	12/2005	Soltys et al.	N/A	N/A
2006/0205489	12/2005	Carpenter et al.	N/A	N/A
2006/0205497	12/2005	Wells et al.	N/A	N/A
2006/0209810	12/2005	Krzyzanowski et al.	N/A	N/A
2006/0224046	12/2005	Ramadas et al.	N/A	N/A
2006/0229520	12/2005	Yamashita et al.	N/A	N/A
2006/0234631	12/2005	Dieguez	N/A	N/A
2006/0234791	12/2005	Nguyen et al.	N/A	N/A
2006/0236395	12/2005	Barker et al.	N/A	N/A
2006/0240856	12/2005	Counts et al.	N/A	N/A
2006/0242234	12/2005	Counts et al.	N/A	N/A
2006/0242237	12/2005	Manion et al.	N/A	N/A
2006/0246990	12/2005	Downes	N/A	N/A
2006/0247026	12/2005	Walker et al.	N/A	N/A

2006/0247039	12/2005	Lerner et al.	N/A	N/A
2006/0247041	12/2005	Walker et al.	N/A	N/A
2006/0247053	12/2005	Mattila	N/A	N/A
2006/0248584	12/2005	Kelly et al.	N/A	N/A
2006/0252501	12/2005	Little et al.	N/A	N/A
2006/0252530	12/2005	Oberberger et al.	N/A	N/A
2006/0258429	12/2005	Manning et al.	N/A	N/A
2006/0277098	12/2005	Chung et al.	N/A	N/A
2006/0277308	12/2005	Morse et al.	N/A	N/A
2006/0277413	12/2005	Drews	N/A	N/A
2006/0281541	12/2005	Nguyen et al.	N/A	N/A
2006/0287092	12/2005	Walker et al.	N/A	N/A
2006/0287098	12/2005	Morrow et al.	N/A	N/A
2006/0293965	12/2005	Burton	N/A	N/A
2007/0001841	12/2006	Anders et al.	N/A	N/A
2007/0003034	12/2006	Schultz et al.	N/A	N/A
2007/0008987	12/2006	Manion et al.	N/A	N/A
2007/0015564	12/2006	Walker et al.	N/A	N/A
2007/0021213	12/2006	Foe et al.	N/A	N/A
2007/0026871	12/2006	Wager	N/A	N/A
2007/0026939	12/2006	Asher et al.	N/A	N/A
2007/0030154	12/2006	Aiki et al.	N/A	N/A
2007/0032301	12/2006	Acres et al.	N/A	N/A
2007/0054734	12/2006	Morrow et al.	N/A	N/A
2007/0054739	12/2006	Amaitis et al.	N/A	N/A
2007/0055440	12/2006	Denker et al.	N/A	N/A
2007/0060305	12/2006	Amaitis et al.	N/A	N/A
2007/0060306	12/2006	Amaitis et al.	N/A	N/A
2007/0060312	12/2006	Dempsey et al.	N/A	N/A
2007/0060326	12/2006	Juds et al.	N/A	N/A
2007/0060355	12/2006	Amaitis et al.	N/A	N/A
2007/0060358	12/2006	Amaitis et al.	N/A	N/A
2007/0066401	12/2006	Amaitis et al.	N/A	N/A
2007/0066402	12/2006	Amaitis et al.	N/A	N/A
2007/0087834	12/2006	Moser et al.	N/A	N/A
2007/0087843	12/2006	Steil et al.	N/A	N/A
2007/0093296	12/2006	Asher et al.	N/A	N/A
2007/0099697	12/2006	Nelson	N/A	N/A
2007/0099703	12/2006	Terebilo	N/A	N/A
2007/0117604	12/2006	Hill	N/A	N/A
2007/0117634	12/2006	Hamilton et al.	N/A	N/A
2007/0130044	12/2006	Rowan	N/A	N/A
2007/0136817	12/2006	Nguyen	N/A	N/A
2007/0155489	12/2006	Beckley et al.	N/A	N/A
2007/0167237	12/2006	Wang et al.	N/A	N/A
2007/0168570	12/2006	Martin et al.	N/A	N/A
2007/0181676	12/2006	Mateen et al.	N/A	N/A
2007/0190494	12/2006	Rosenberg	N/A	N/A
2007/0191719	12/2006	Yamashita et al.	N/A	N/A
2007/0213120	12/2006	Beal et al.	N/A	N/A
2007/0233585	12/2006	Ben Simon et al.	N/A	N/A
2007/0235807	12/2006	White et al.	N/A	N/A
2007/0238443	12/2006	Richardson	N/A	N/A
2007/0238507	12/2006	Sobel et al.	N/A	N/A
2007/0241187	12/2006	Alderucci et al.	N/A	N/A
2007/0243927	12/2006	Soltys	N/A	N/A
2007/0243935	12/2006	Huizinga	N/A	N/A
2007/0249420	12/2006	Randall	N/A	N/A
2007/0257101	12/2006	Alderucci et al.	N/A	N/A
2007/0258507	12/2006	Lee et al.	N/A	N/A
2007/0259717	12/2006	Mattice et al.	N/A	N/A
2007/0270224	12/2006	Abbott	N/A	N/A
2007/0275779	12/2006	Amaitis et al.	N/A	N/A
2007/0281689	12/2006	Altman et al.	N/A	N/A
2007/0281782	12/2006	Amaitis et al.	N/A	N/A
2007/0281785	12/2006	Amaitis et al.	N/A	N/A
2007/0281792	12/2006	Amaitis et al.	N/A	N/A

2007/0282959	12/2006	Stern	N/A	N/A
2008/0004121	12/2007	Gatto et al.	N/A	N/A
2008/0009344	12/2007	Graham et al.	N/A	N/A
2008/0015013	12/2007	Gelman et al.	N/A	N/A
2008/0022089	12/2007	Leedom	N/A	N/A
2008/0026829	12/2007	Martin et al.	N/A	N/A
2008/0026844	12/2007	Wells	N/A	N/A
2008/0032801	12/2007	Brunet de Courssou	N/A	N/A
2008/0039196	12/2007	Walther et al.	N/A	N/A
2008/0051193	12/2007	Kaminkow et al.	N/A	N/A
2008/0055408	12/2007	Wun	N/A	N/A
2008/0066111	12/2007	Ellis et al.	N/A	N/A
2008/0076505	12/2007	Nguyen et al.	N/A	N/A
2008/0076506	12/2007	Nguyen et al.	N/A	N/A
2008/0076572	12/2007	Nguyen et al.	N/A	N/A
2008/0085752	12/2007	Okada	N/A	N/A
2008/0096628	12/2007	Czyzewski et al.	N/A	N/A
2008/0096659	12/2007	Kreloff et al.	N/A	N/A
2008/0102956	12/2007	Burman et al.	N/A	N/A
2008/0102957	12/2007	Burman et al.	N/A	N/A
2008/0104232	12/2007	Engler et al.	N/A	N/A
2008/0108370	12/2007	Aninye	N/A	N/A
2008/0108423	12/2007	Benbrahim et al.	N/A	N/A
2008/0113785	12/2007	Alderucci et al.	N/A	N/A
2008/0113786	12/2007	Alderucci et al.	N/A	N/A
2008/0113787	12/2007	Alderucci et al.	N/A	N/A
2008/0113816	12/2007	Mahaffey et al.	N/A	N/A
2008/0132251	12/2007	Altman et al.	N/A	N/A
2008/0139306	12/2007	Lutnick et al.	N/A	N/A
2008/0146323	12/2007	Hardy et al.	N/A	N/A
2008/0147546	12/2007	Weichselbaumer et al.	N/A	N/A
2008/0150678	12/2007	Giobbi et al.	N/A	N/A
2008/0168564	12/2007	Lerouge et al.	N/A	N/A
2008/0182644	12/2007	Lutnick et al.	N/A	N/A
2008/0195664	12/2007	Maharajh et al.	N/A	N/A
2008/0207302	12/2007	Lind et al.	N/A	N/A
2008/0214261	12/2007	Alderucci	N/A	N/A
2008/0218312	12/2007	Asher et al.	N/A	N/A
2008/0220871	12/2007	Asher et al.	N/A	N/A
2008/0221396	12/2007	Garces et al.	N/A	N/A
2008/0221714	12/2007	Schoettle	N/A	N/A
2008/0224822	12/2007	Gelman et al.	N/A	N/A
2008/0254897	12/2007	Saunders et al.	N/A	N/A
2008/0261688	12/2007	Lewin et al.	N/A	N/A
2008/0305856	12/2007	Walker et al.	N/A	N/A
2008/0305867	12/2007	Guthrie	N/A	N/A
2008/0311994	12/2007	Amaitis et al.	N/A	N/A
2008/0318670	12/2007	Zinder et al.	N/A	N/A
2009/0005061	12/2008	Ward et al.	N/A	N/A
2009/0049542	12/2008	DeYonker et al.	N/A	N/A
2009/0055204	12/2008	Pennington et al.	N/A	N/A
2009/0077645	12/2008	Kottahachchi	N/A	N/A
2009/0088180	12/2008	Lamance et al.	N/A	N/A
2009/0088232	12/2008	Amaitis et al.	N/A	N/A
2009/0098925	12/2008	Gagner et al.	N/A	N/A
2009/0117989	12/2008	Arezina et al.	N/A	N/A
2009/0149233	12/2008	Strause et al.	N/A	N/A
2009/0163272	12/2008	Baker et al.	N/A	N/A
2009/0167554	12/2008	Munje et al.	N/A	N/A
2009/0170519	12/2008	Wilhoite et al.	N/A	N/A
2009/0178118	12/2008	Cedo Perpinya et al.	N/A	N/A
2009/0183208	12/2008	Christensen et al.	N/A	N/A
2009/0197684	12/2008	Arezina et al.	N/A	N/A
2009/0204905	12/2008	Toghia	N/A	N/A
2009/0209233	12/2008	Morrison	N/A	N/A
2009/0247285	12/2008	Gagner	N/A	N/A
2009/0309709	12/2008	Bevacqua et al.	N/A	N/A

2009/0312032	12/2008	Bornstein et al.	N/A	N/A
2009/0312095	12/2008	Durham et al.	N/A	N/A
2009/0325708	12/2008	Kerr	N/A	N/A
2010/0023372	12/2009	Gonzalez	N/A	N/A
2010/0062834	12/2009	Ryan	N/A	N/A
2010/0069144	12/2009	Curtis et al.	N/A	N/A
2010/0069158	12/2009	Kim	N/A	N/A
2010/0075760	12/2009	Shimabukuro et al.	N/A	N/A
2010/0113143	12/2009	Gagner et al.	N/A	N/A
2010/0125673	12/2009	Richardson et al.	N/A	N/A
2010/0127919	12/2009	Curran et al.	N/A	N/A
2010/0153511	12/2009	Lin	N/A	N/A
2010/0205255	12/2009	Alderucci et al.	N/A	N/A
2010/0211431	12/2009	Lutnick et al.	N/A	N/A
2010/0227691	12/2009	Karsten	N/A	N/A
2010/0234110	12/2009	Clarkson	N/A	N/A
2010/0240455	12/2009	Gagner et al.	N/A	N/A
2010/0323715	12/2009	Winters	N/A	N/A
2011/0029359	12/2010	Roeding et al.	N/A	N/A
2011/0034252	12/2010	Morrison et al.	N/A	N/A
2011/0035431	12/2010	Geary et al.	N/A	N/A
2011/0098059	12/2010	Qiu et al.	N/A	N/A
2011/0105213	12/2010	Irwin, Jr. et al.	N/A	N/A
2011/0269520	12/2010	Amaitis et al.	N/A	N/A
2012/0015735	12/2011	Abouchar et al.	N/A	N/A
2012/0046110	12/2011	Amaitis et al.	N/A	N/A
2012/0058826	12/2011	Amaitis et al.	N/A	N/A
2012/0094769	12/2011	Nguyen et al.	N/A	N/A
2012/0115505	12/2011	Miyake et al.	N/A	N/A
2012/0167180	12/2011	Lee et al.	N/A	N/A
2012/0184349	12/2011	Barclay et al.	N/A	N/A
2012/0190452	12/2011	Weston et al.	N/A	N/A
2012/0191407	12/2011	Kim et al.	N/A	N/A
2012/0230486	12/2011	Guerrero	N/A	N/A
2012/0244945	12/2011	Kolo et al.	N/A	N/A
2013/0005486	12/2012	Amaitis et al.	N/A	N/A
2013/0065672	12/2012	Gelman et al.	N/A	N/A
2013/0065679	12/2012	Gelman et al.	N/A	N/A
2013/0072295	12/2012	Alderucci et al.	N/A	N/A
2013/0084933	12/2012	Amaitis et al.	N/A	N/A
2013/0084960	12/2012	Fraday	N/A	N/A
2013/0093627	12/2012	Cosman	N/A	N/A
2013/0141275	12/2012	Abraham	N/A	N/A
2013/0157638	12/2012	Malmbak et al.	N/A	N/A
2013/0165212	12/2012	Amaitis et al.	N/A	N/A
2013/0165213	12/2012	Alderucci et al.	N/A	N/A
2013/0165221	12/2012	Alderucci et al.	N/A	N/A
2013/0178277	12/2012	Burman et al.	N/A	N/A
2013/0210513	12/2012	Nguyen	N/A	N/A
2013/0244742	12/2012	Amaitis et al.	N/A	N/A
2013/0260878	12/2012	Saunders et al.	N/A	N/A
2013/0344932	12/2012	Adams et al.	N/A	N/A
2014/0057724	12/2013	Alderucci et al.	N/A	N/A
2014/0113707	12/2013	Asher et al.	N/A	N/A
2014/0200465	12/2013	McIntyre	N/A	N/A
2014/0201807	12/2013	White et al.	N/A	N/A
2014/0220514	12/2013	Waldron et al.	N/A	N/A
2014/0228127	12/2013	Alderucci et al.	N/A	N/A
2014/0274078	12/2013	Hyde et al.	N/A	N/A
2014/0288401	12/2013	Ouwkerk et al.	N/A	N/A
2014/0300491	12/2013	Chen	N/A	N/A
2015/0080111	12/2014	Amaitis et al.	N/A	N/A
2015/0141131	12/2014	Gelman et al.	N/A	N/A
2015/0157947	12/2014	Amaitis et al.	N/A	N/A
2015/0238857	12/2014	Amaitis et al.	N/A	N/A
2016/0054838	12/2015	Amaitis et al.	N/A	N/A
2016/0321864	12/2015	Burman et al.	N/A	N/A

2017/0039806	12/2016	Alderucci et al.	N/A	N/A
2017/0069162	12/2016	Williams et al.	N/A	N/A
2017/0091435	12/2016	Alderucci et al.	N/A	N/A
2017/0144065	12/2016	Amaitis et al.	N/A	N/A
2019/0358548	12/2018	Amaitis et al.	N/A	N/A
2020/0066092	12/2019	Amaitis et al.	N/A	N/A
2020/0376373	12/2019	Amaitis et al.	N/A	N/A
2021/0023458	12/2020	Amaitis et al.	N/A	N/A
2022/0296999	12/2021	Amaitis et al.	N/A	N/A
2022/0370900	12/2021	Amaitis et al.	N/A	N/A
2022/0387898	12/2021	Amaitis et al.	N/A	N/A
2023/0177126	12/2022	Wieker et al.	N/A	N/A
2023/0285852	12/2022	Amaitis et al.	N/A	N/A
2024/0278115	12/2023	Amaitis et al.	N/A	N/A
2024/0286031	12/2023	Amaitis et al.	N/A	N/A
2024/0293736	12/2023	Amaitis et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2004100722	12/2003	AU	N/A
1346549	12/2001	CN	N/A
3129550	12/1981	DE	N/A
3736770	12/1988	DE	N/A
4316652	12/1993	DE	N/A
19922862	12/1999	DE	N/A
19944140	12/2000	DE	N/A
19952691	12/2000	DE	N/A
19952692	12/2000	DE	N/A
10060079	12/2001	DE	N/A
0506873	12/1991	EP	N/A
0840639	12/1997	EP	N/A
0506873	12/1999	EP	N/A
0840639	12/1999	EP	N/A
1045346	12/1999	EP	N/A
1063622	12/1999	EP	N/A
1066867	12/2000	EP	N/A
1066868	12/2000	EP	N/A
1120757	12/2000	EP	N/A
1202528	12/2001	EP	N/A
1217792	12/2001	EP	N/A
1231577	12/2001	EP	N/A
1259930	12/2001	EP	N/A
1291830	12/2002	EP	N/A
1202528	12/2003	EP	N/A
1475755	12/2003	EP	N/A
1475756	12/2003	EP	N/A
1480102	12/2003	EP	N/A
1531646	12/2004	EP	N/A
1259930	12/2004	EP	N/A
1782640	12/2006	EP	N/A
1860847	12/2006	EP	N/A
1480102	12/2007	EP	N/A
2248404	12/1991	GB	N/A
2256594	12/1991	GB	N/A
2352131	12/2000	GB	N/A
2391432	12/2003	GB	N/A
2391767	12/2003	GB	N/A
2394675	12/2003	GB	N/A
2406291	12/2004	GB	N/A
S54108657	12/1978	JP	N/A
S5986235	12/1983	JP	N/A
H05317485	12/1992	JP	N/A
H07281780	12/1994	JP	N/A
H09182143	12/1996	JP	N/A
H11220766	12/1998	JP	N/A
2000049046	12/1999	JP	N/A
2000069540	12/1999	JP	N/A
2000-137555	12/1999	JP	N/A

2000160016	12/1990	JP	N/A
2001070658	12/2000	JP	N/A
2001160016	12/2000	JP	N/A
2001204971	12/2000	JP	N/A
2001204972	12/2000	JP	N/A
2001-212112	12/2000	JP	N/A
2001212363	12/2000	JP	N/A
2001236458	12/2000	JP	N/A
2001514909	12/2000	JP	N/A
2001340656	12/2000	JP	N/A
2001344400	12/2000	JP	N/A
2001526550	12/2000	JP	N/A
2002018125	12/2001	JP	N/A
2002024979	12/2001	JP	N/A
2002032515	12/2001	JP	N/A
2002049681	12/2001	JP	N/A
2002056270	12/2001	JP	N/A
2002066144	12/2001	JP	N/A
2002107224	12/2001	JP	N/A
2002109376	12/2001	JP	N/A
2002123642	12/2001	JP	N/A
2002-149611	12/2001	JP	N/A
2002133009	12/2001	JP	N/A
2002135468	12/2001	JP	N/A
2002149894	12/2001	JP	N/A
2002175296	12/2001	JP	N/A
2002189831	12/2001	JP	N/A
2002253866	12/2001	JP	N/A
2002263375	12/2001	JP	N/A
2002279157	12/2001	JP	N/A
2002292113	12/2001	JP	N/A
2003026491	12/2002	JP	N/A
2003045435	12/2002	JP	N/A
2003053042	12/2002	JP	N/A
2003062353	12/2002	JP	N/A
2003078591	12/2002	JP	N/A
2003087614	12/2002	JP	N/A
2003126491	12/2002	JP	N/A
2003-169251	12/2002	JP	N/A
2003166050	12/2002	JP	N/A
2003518677	12/2002	JP	N/A
2003210831	12/2002	JP	N/A
2003210852	12/2002	JP	N/A
2003245435	12/2002	JP	N/A
2004038911	12/2003	JP	N/A
2004086441	12/2003	JP	N/A
2004512865	12/2003	JP	N/A
2004136009	12/2003	JP	N/A
2004-258963	12/2003	JP	N/A
2004261202	12/2003	JP	N/A
2004321558	12/2003	JP	N/A
2004329948	12/2003	JP	N/A
2004536638	12/2003	JP	N/A
2005-005936	12/2004	JP	N/A
2005027853	12/2004	JP	N/A
2005073711	12/2004	JP	N/A
2005-248445	12/2004	JP	N/A
2006072468	12/2005	JP	N/A
2006-201839	12/2005	JP	N/A
2007011420	12/2006	JP	N/A
5639328	12/2013	JP	N/A
2190447	12/2001	RU	N/A
2190477	12/2001	RU	N/A
WO-9310508	12/1992	WO	N/A
WO-9410658	12/1993	WO	N/A
WO-9416416	12/1993	WO	N/A
WO-9524689	12/1994	WO	N/A

WO-9530944	12/1994	WO	N/A
WO-9719537	12/1996	WO	N/A
WO-9744750	12/1996	WO	N/A
WO-9904873	12/1998	WO	N/A
WO-9908762	12/1998	WO	N/A
WO-9912135	12/1998	WO	N/A
WO-9919027	12/1998	WO	N/A
WO-9942964	12/1998	WO	N/A
WO-9952077	12/1998	WO	N/A
WO-9955102	12/1998	WO	N/A
WO-0077753	12/1999	WO	N/A
WO-0106799	12/2000	WO	N/A
WO-0117262	12/2000	WO	N/A
WO-0120538	12/2000	WO	N/A
WO-0140978	12/2000	WO	N/A
WO-0148712	12/2000	WO	N/A
WO-0148713	12/2000	WO	N/A
WO-0154091	12/2000	WO	N/A
WO-0167218	12/2000	WO	N/A
WO-0177861	12/2000	WO	N/A
WO-0182176	12/2000	WO	N/A
WO-0184817	12/2000	WO	N/A
WO-0189233	12/2000	WO	N/A
WO-0210931	12/2001	WO	N/A
WO-0215995	12/2001	WO	N/A
WO-0221457	12/2001	WO	N/A
WO-0231739	12/2001	WO	N/A
WO-0237246	12/2001	WO	N/A
WO-0239605	12/2001	WO	N/A
WO-0241199	12/2001	WO	N/A
WO-0189233	12/2001	WO	N/A
WO-0247042	12/2001	WO	N/A
WO-02065750	12/2001	WO	N/A
WO-02071351	12/2001	WO	N/A
WO-02077931	12/2001	WO	N/A
WO-02101486	12/2001	WO	N/A
WO-0241199	12/2002	WO	N/A
WO-03005743	12/2002	WO	N/A
WO-03013678	12/2002	WO	N/A
WO-03015299	12/2002	WO	N/A
WO-03021543	12/2002	WO	N/A
WO-03027970	12/2002	WO	N/A
WO-02101486	12/2002	WO	N/A
WO-03045519	12/2002	WO	N/A
WO-03081447	12/2002	WO	N/A
WO-2004000428	12/2002	WO	N/A
WO-2004003810	12/2003	WO	N/A
WO-2004013820	12/2003	WO	N/A
WO-2004014506	12/2003	WO	N/A
WO-2004023253	12/2003	WO	N/A
WO-2004027689	12/2003	WO	N/A
WO-2004034223	12/2003	WO	N/A
WO-2004073812	12/2003	WO	N/A
WO-2004023253	12/2003	WO	N/A
WO-2004095383	12/2003	WO	N/A
WO-2004104763	12/2003	WO	N/A
WO-2004109321	12/2003	WO	N/A
WO-2004114235	12/2003	WO	N/A
WO-2005001651	12/2004	WO	N/A
WO-2005015458	12/2004	WO	N/A
WO-2005022453	12/2004	WO	N/A
WO-2005025993	12/2004	WO	N/A
WO-2005026870	12/2004	WO	N/A
WO-2005031627	12/2004	WO	N/A
WO-2005031666	12/2004	WO	N/A
WO-2005036425	12/2004	WO	N/A
WO-2005050574	12/2004	WO	N/A

WO-2005/073933	12/2004	WO	N/A
WO-2005082011	12/2004	WO	N/A
WO-2005085980	12/2004	WO	N/A
WO-2005098650	12/2004	WO	N/A
WO-2006023230	12/2005	WO	N/A
WO-2007008601	12/2006	WO	N/A
WO-2007008714	12/2006	WO	N/A
WO-2008005264	12/2007	WO	N/A
WO-2008016610	12/2007	WO	N/A
WO-2008024705	12/2007	WO	N/A
WO-2012021806	12/2011	WO	N/A

OTHER PUBLICATIONS

Alfred Glossbrenner's Master Guide to Compuserve, 1987 (25 pages). cited by applicant

AOL—The Official America Online Tour Guide for Windows 3.1, 1996 Tom Lichty, Jul. 1996 (14 pages). cited by applicant

AU Examination Report for App. No. 2011289295; dated May 1, 2014; 5 pages. cited by applicant

Bahl, P., and Padmanabhan, V.N., “RADAR: An In-Building RF-based User Location and Tracking System,” Proceedings IEEE Infocom 2000. Conference on Computer Communications. Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies pp. 775-784, (Mar. 2000). cited by applicant

Brand Strategy; The National Lottery has announced that UK consumers will be able to purchase tickets using the internet, TV and Mobile phones. (Launches & Rebrands); ISSN 0965-9390; 1 page; Apr. 2003. cited by applicant

Business Wire—Diamond I Opens Online Interactive Demo of its WifiCasino GS Gaming System, Apr. 27, 2005 (3 pages). cited by applicant

Business Wire; EA Announces Next Step Into Mobile Gaming; Digital Bridges Named as Strategic Partner for Distribution of Mobile Interactive Entertainment in Europe, North and South America; 3 pages; Sep. 2, 2004. cited by applicant

Business Wire; GoldPocket Interactive Launches EM Mobile Matrix, Industry's First Fully Synchronous Interactive Television and Massively Multi-Player Gaming Solution; 2 pages; Mar. 17, 2003. cited by applicant

Business Wire; Home Gambling Network Inc., With U.S. Pat. No. 5,800,268—Business/Gambling—HGN and UUNET, a WorldCom/MCI Company, Reach a Mutually Satisfactory Resolution in Patent Suit; 2 pages; Mar. 19, 1999. cited by applicant

Business Wire; InfoSpace's Golf Club 3D Scores Hole-in-One for Exciting and Realistic Game Play; InfoSpace's 3D Golf Captures the Challenge and Realism of the Sport With Real-Time 3D Animation, Weather Effects, and Customizable Characters; 2 pages; Apr. 21, 2005. cited by applicant

Business Wire; July Systems' Play2Win Interactive Game Service Launched on UK's MobileGaming.com; Speedy Customer Deployments Now Possible With July's New UK Mobile Retailing Infrastructure; 2 pages; May 4, 2005. cited by applicant

Business Wire; MobileGamingNow, Inc. Announces the Launch of the First Ever Mobile Phone Interactive, Multi-Player Gaming System for Poker; 2 pages; Apr. 4, 2005. cited by applicant

BYTE Magazine, Mar. 1984, vol. 9, No. 3 (552 pages). cited by applicant

Cantor Fitzgerald Press Release—Cantor Fitzgerald Launches Cantor Casino and Cantor Gaming, Sep. 29, 2005 (2 pages). cited by applicant

Case 2:16-cv-801-RCJ-VCF Document 114, “Transcript of Pretrial Conference” filed Dec. 2, 2016 (54 pages). cited by applicant

Case 2:16 cv 00856 RCJ VCF, Document 19, “Plaintiffs' First Amended Complaint for Patent Infringement”, filed Jul. 11, 2016 (57 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 29, “Plaintiffs' First Amended Complaint for Patent Infringement” filed Jun. 13, 2016 (42 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 37, “Defendant's Motion to Dismiss Plaintiffs' Amended Complaint Under Fed.R. Civ. P. 12(B)(6)” filed Jul. 29, 2016 (38 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 44, “Defendant's Motion for Protective Order Staying Discovery Pending Ruling on Motion to Dismiss” filed Aug. 22, 2016 (12 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 45, “Plaintiffs' Opposition to DraftKings, Inc.'s Motion to Dismiss” filed Aug. 24, 2016 (38 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 50, “Plaintiffs' Opposition to DraftKings, Inc.'s Motion to Stay” filed Sep. 8, 2016 (12 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 57, “Defendant's Reply in Support of it's Motion to Dismiss Plaintiffs' Amended Complaint Under Fed. R. Civ. P. 12(B)(6)” filed Sep. 26, 2016 (19 pages). cited by applicant

Case 2:16-cv-00781-MMD-CWH, Document 59, “Order” filed Sep. 27, 2016 (3 pages). cited by applicant

Case 2:16-cv-00781-RCJ-VCF, Document 64, “Plaintiffs’ Motion to Lift Stay filed Nov. 23, 2016 (6 pages). cited by applicant

Case 2:16-cv-00781-RCJ-VCF, Document 69, “Order” filed Dec. 12, 2016 (11 pages). cited by applicant

Case 2:16-cv-00781-RCJ-VCF, Document 72, “DraftKings' Answer to Plaintiffs' First Amended Complaint and Affirmative Defenses” filed Dec. 27, 2016 (29 pages). cited by applicant

Case 2:16-cv-00781-RFB-CWH, Document 1, “Plaintiffs' Complaint for Patent Infringement” filed Apr. 7, 2016 (33 pages). cited by applicant

Case 2:16-cv-00801-JCM-VCF, Document 1, “Plaintiffs' Complaint for Patent Infringement” filed Apr. 8, 2016 (31 pages). cited by applicant

Case 2:16-cv-00801-RCJ-VCF Document 103, “Fanduel, Inc.'s Reply in Support of Partial Motion to Dismiss” filed Dec. 27, 2016 (7 pages). cited by applicant

Case 2:16-cv-00801-RCJ-VCF Document 113, “Order” filed Jan. 4, 2017 (11 pages). cited by applicant

Case 2:16-cv-00801-RCJ-VCF, Document 31, “Plaintiffs' First Amended Complaint for Patent Infringement” filed Jun. 13, 2016 (48 pages). cited by applicant

Case 2:16-cv-00801-RCJ-VCF, Document 32, “Index of Exhibits to Plaintiffs' First Amended Complaint for Patent Infringement” filed Jun. 13, 2016 (3 pages). cited by applicant

Case 2:16-cv-00801-RCJ-VCF Document 44, “Defendant Fanduel, Inc.'s Motion to Dismiss for Failure to State a Claim Upon Which Relief

Can be Granted” filed Jul. 14, 2016 (18 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 75, “Defendant Fanduel, Inc.’s Motion for Leave to Supplement Briefing Under Lr 7-2(g)” filed Sep. 22, 2016 (3 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 77, “Plaintiffs’ Opposition to Defendant Fanduel, Inc.’s Motion for Leave [ECF No. 75]” filed Oct. 11, 2016 (4 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 81, “Defendant Fanduel Inc.’s Notice of Withdrawal of Motion Seeking Leave to File Supplemental Briefing” filed Oct. 20, 2016 (3 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 86, “Plaintiffs’ Second Amended Complaint For Patent Infringement” filed Nov. 16, 2016 (70 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 87, “Defendant Fanduel’s Answer to Plaintiffs’ Second Amended Complaint and Affirmative Defenses” filed Nov. 30, 2016 (19 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 88, “Defendant’s Partial Motion to Dismiss Cgt’s Second Amended Complaint for Failure to State a Claim Upon Which Relief Can Be Granted” filed Nov. 30, 2016 (14 pages). cited by applicant
Case 2:16-cv-00801-RCJ-VCF Document 94, “Plaintiffs’ Opposition to Fanduel, Inc.’s Partial Motion to Dismiss” filed Dec. 19, 2016 (11 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 1, “Plaintiffs’ Complaint for Patent Infringement” filed Apr. 14, 2016 (39 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 23, “Defendant 888’s Motion to Dismiss Plaintiffs First Amended Complaint Under Fed. R. Civ. P. 12(B)(6)”, filed Aug. 12, 2016 (22 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 26, “Defendant’s Notice of Joinder to Motions to Dismiss in Related Cases”, filed Aug. 12, 2016 (4 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 36, “Plaintiffs’ Opposition to 888 Holdings PLC’s Motion to Dismiss”, filed Sep. 8, 2016 (32 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 37, “Index of Exhibits to Plaintiffs’ Opposition to Defendant’s Motion to Dismiss” filed Sep. 8, 2016 (3 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 45, Defendant 888’s Reply in Support to Dismiss Plaintiffs’ First Amended Complaint Under Fed. R. Civ. P. 12(B)(6), filed Sep. 26, 2016 (19 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 46, Defendant 888’s Reply in Support of Motion to Dismiss Plaintiffs’ First Amended Complaint Under Fed. R. Civ. P. 12(B)(6), filed Sep. 26, 2016 (19 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 54, “Order”, filed Dec. 6, 2016 (8 pages). cited by applicant
Case 2:16-cv-00856-RCJ-VCF, Document 57, “Defendant 888’s Holdings Plc’s Answer to Plaintiffs’ First Amended Complaint”, filed Jan. 18, 2017 (67 pages). cited by applicant
Case 2:16-cv-00857-APG-VCF, Document 1, “Plaintiffs’ Complaint for Patent Infringement” filed Apr. 14, 2016 (29 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 27, “Defendant Big Fish Games, Inc.’s Motion to Dismiss”, filed Jun. 17, 2016 (30 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 32, “[Corrected] Defendant Big Fish Games, Inc.’s Motion to Dismiss”, filed Jul. 8, 2016 (30 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 33, “Plaintiffs’ Opposition to Big Fish Games, Inc.’s Motion to Dismiss”, filed Jul. 25, 2016 (32 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 34, “Reply in Support of Defendant Big Fish Games, Inc.’s Motion to Dismiss”, filed Aug. 4, 2016 (17 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 36, “Order” filed Aug. 29, 2016 (29 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 37, “Plaintiffs’ First Amended Complaint for Patent Infringement”, filed Sep. 28, 2016 (38 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 39, “Defendant Big Fish Games, Inc.’s Motion to Dismiss Plaintiffs’ First Amended Complaint”, filed Oct. 12, 2016 (17 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 45, “Plaintiffs’ Opposition to Big Fish Games, Inc.’s Motion to Dismiss”, filed Oct. 31, 2016 (22 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 49, “Reply in Support of Defendant Big Fish Games, Inc.’s Motion to Dismiss”, filed Nov. 10, 2016 (16 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 59, “Order”, filed Jan. 4, 2017 (9 pages). cited by applicant
Case 2:16-cv-00857-RCJ-VCF, Document 60, “Defendant Big Fish Games, Inc.’s Answer to First Amended Complaint”, filed Jan. 19, 2017 (17 pages). cited by applicant
Case 2:16-cv-00858-MMD-GWF, Document 1, “Plaintiffs’ Complaint for Patent Infringement” filed Apr. 14, 2016 (30 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 19, “Defendant Double Down Interactive Llc’s Motion to Dismiss”, filed Jun. 7, 2016 (32 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 30, “Plaintiffs’ Opposition to Double Down’s Motion to Dismiss”, filed Jul. 8, 2016 (31 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 51, “Reply in Support of Defendant Double Down Interactive LLC’s Motion to Dismiss”, filed Jul. 18, 2016 (14 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 58, “Plaintiffs’ First Amended Complaint for Patent Infringement”, filed Sep. 28, 2016 (38 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 63, “Defendant Double Down Interactive LLC’s Motion to Dismiss Plaintiffs’ First Amended Complaint for Patent Infringement”, Oct. 17, 2016 (31 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 69, “Plaintiffs’ Opposition to Double Down Interactive, Inc.’s Motion to Dismiss”, filed Nov. 3, 2016 (24 pages). cited by applicant
Case 2:16-cv-00858-RCJ-VCF, Document 76, “Defendant Double Down Interactive LLC’s Reply in Support of Motion to Dismiss Plaintiffs’

First Amended Complaint for Patent Infringement”, filed Nov. 14, 2016 (18 pages). cited by applicant

Case 2:16-cv-00858-RCJ-VCF, Document 83, “Defendant Double Down Interactive LLC’s Answer, Defenses, and Counterclaims to Plaintiff’s First Amended Complaint for Patent Infringement”, filed Jan. 18, 2017 (19 pages). cited by applicant

Case 2:16-cv-00858-RCJ-VCF, Document 84, “Plaintiffs’ Answer to Double Down Interactive LLC’s Counterclaims Against CG Technology Development, LLC”, filed Feb. 8, 2017 (4 pages). cited by applicant

Case 2:16-cv-00871-JAD-VCF, Document 1, “Plaintiffs’ Complaint for Patent Infringement” filed Apr. 15, 2016 (39 pages). cited by applicant

Case 2:16-cv-00871-JAD-VCF, Document 23, “Plaintiffs’ First Amended Complaint for Patent Infringement” filed Jul. 11, 2016 (57 pages). cited by applicant

Case 2:16-cv-00871-JAD-VCF, Document 31, “Motion to Dismiss Under 35 U.S.C. §101” filed Aug. 12, 2016 (16 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 35, “Plaintiffs’ Opposition to Defendants’ Motion to Dismiss” filed Sep. 8, 2016 (25 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 40, “Reply in Support of Motion to Dismiss Under 35 U.S.C. §101” filed Sep. 26, 2016 (14 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 42, “Order” filed Oct. 18, 2016 (15 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 46, “Motion for Reconsideration” filed Oct. 31, 2016 (7 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 47, Motion to Dismiss Under Fed. R. Civ. P. 12(B)(6) filed Nov. 1, 2016 (7 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 49, “Plaintiffs’ Opposition to Defendants’ Motion for Reconsideration”, filed Nov. 17, 2016 (11 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 50, “Plaintiffs’ Opposition to Defendants’ Motion to Dismiss”, filed Nov. 17, 2016 (12 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 55, Reply in Support of Defendants’ Motion to Dismiss Under Fed. R. Civ. P. 12(B)(6), filed Nov. 30, 2016 (6 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 56, “Reply in Support of Motion for Reconsideration” filed Nov. 30, 2016 (7 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 63, “Order” filed Jan. 4, 2017 (10 pages). cited by applicant

Case 2:16-cv-00871-RCJ-VCF, Document 64, “Bwin’s Answer to Plaintiffs’ First Amended Complaint” filed Jan. 6, 2017 (15 pages). cited by applicant

Changing Probability to Odds, Math Magic, retrieved from Internet on Jan. 27, 2014
http://www.mathmagic.com/probability/prob_to_odds.htm. cited by applicant

Cheok, AD., et al., “Human Pacman: a Mobile Wide-area Entertainment System Based on Physical, Social, and Ubiquitous Computing,” Personal and Ubiquitous Computing 8(2):71-81, (May 2004). cited by applicant

China Telecom “Win Win Gaming Inc. Announces Agreement to Provide Wireless Lottery and Entertainment Content in Shanghai,” 11(9):1-2 (Sep. 2004). cited by applicant

“Coming to a Nevada Casino Soon: Playing the Slots Wirelessly, by the New York Times in the Arizona Republic Newspaper,” Fox Butterfield, 1 page (Jul. 2005). cited by applicant

CompuServe Information Service Users Guide, Sep. 1986 (42 pages). cited by applicant

Craps From Wikipedia, the free encyclopedia, Wikipedia, retrieved from Internet on Jan. 27, 2014
http://en.wikipedia.org/wiki/Craps#bet_odds_and_summary. cited by applicant

Defendants’ Joint Invalidity Unenforceability and Invalidity Contentions, filed Mar. 21, 2017, 51 pages. cited by applicant

Devices could bring mobile gaming to casinos, Reno Gazette-Journal, Mar. 24, 2006, 2 pages. cited by applicant

Diamond I Opens Online Interactive Demo of its WifiCasino GS Gaming System, Business Wire, Apr. 27, 2005, 3 pages. cited by applicant

Diamond I PRN Wire Diamond I Comments on Future of Hand-held Gambling Devices in Nevada, Jun. 2, 2005, 4 pages. cited by applicant

Diamond I Responds to Inquiries: What is “WifiCasino GS”?, Business Wire, Jan. 27, 2005, 3 pages. cited by applicant

Diamond I Rolls the Dice by Naomi Graychase, Feb. 23, 2005, 3 pages. cited by applicant

Diamond I Technologies—Products, Wayback Machine, Apr. 29, 2005-Aug. 12, 2007, 2 pages. cited by applicant

Diamond I Technologies—Products, Wayback Machine, Apr. 29, 2005-Jan. 6, 2010, 2 pages. cited by applicant

Electronic Gaming Monthly, No. 89, Dec. 1996, 352 pages. cited by applicant

Final Notice to Cantor Index Limited from the Financial Services Authority, Dec. 30, 2004, 13 pages. cited by applicant

Game FAQs: Tokimeki Memorial: Forever With You, Dec. 13, 1996 (17 pages). cited by applicant

Gaming Labs Certified™; Standard Series; GLI-11: Gaming Devices in Casinos; Version: 2.0; 96 pages; Apr. 20, 2007. cited by applicant

Gaming Labs Certified™; Standard Series; GLI-21: Client-Server Systems; Version: 2.1; 85 pages; May 18, 2007. cited by applicant

Gaming Labs Certified™; Standard Series; GLI-26: Wireless Gaming System Standards; Version: 1.1; 28 pages; Jan. 18, 2007. cited by applicant

Guinn gives OK to wireless gaming devices in casinos by Elizabeth White, Las Vegas Sun, Jun. 2, 2005 (8 pages). cited by applicant

Handheld devices can be used for games in Casino public areas by the Associated Press in NBC News, Mar. 24, 2006 (2 pages). cited by applicant

Hand-held devices next wave in gaming, The Times, Aug. 12, 2005 (1 page). cited by applicant

Handheld gambling devices will show up soon in casinos by the Associated Press in the Florida Today Newspaper Aug. 3, 2005 (1 page). cited by applicant

Hiroshi Kakii, Complete illustration for understanding the latest i-mode, Gijutsu-Hyohron Co. Ltd., Sep. 29, 2000. Second Print of the first edition, p. 36-37, 48-49, 62-63, 78-83, 94-95, and 108-111. cited by applicant

How to get the most out of CompuServe, Charles Bowen and David Peyton, 1986 (58 pages). cited by applicant

IBM PC Jr. Advertising Booklet, 1983, 14 pages. cited by applicant

IBM PC Jr. Order Form, Nov. 1983, 2 pages. cited by applicant

IBM Technical Reference, 1st Ed. Revised, Nov. 1983 (572 pages). cited by applicant

ImagiNation—OnLine Games, 1995, 58 pages. cited by applicant

ImagiNation, 1993 ImagiNation Network—A Quick Guide to Using Your Imagination, 16 pages. cited by applicant
 ImagiNation Network [R] General Documentation (INN), 27 pages. cited by applicant
 International Preliminary Report on Patentability for International Application No. PCT/US2011/047588, Jan. 13, 2012, 10 pages. cited by applicant
 IPR Decision for U.S. Pat. No. 9,306,952, Case IPR2017-01333, dated Nov. 13, 2017 (30 pages). cited by applicant
 IPR Decision for U.S. Pat. No. 9,355,518, Case IPR2017-01532, dated Dec. 13, 2017 (29 pages). cited by applicant
 Janna Lindsjö, et al.; GIGANT—an Interactive, Social, Physical and Mobile Game; PDC 2002 Proceedings of the Participatory Design Conference; Malmö, Sweden; 5 pages; Jun. 23-25, 2002. cited by applicant
 Kidnet, Kid's Guide to Surfing through Cyberspace by Brad and Debra Schepp—Nov. 1995 (9 pages). cited by applicant
 Legalized Gambling as a Strategy for Economic Development by Robert Goodman Mar. 1994 (225 pages). cited by applicant
 Leisure Suit Larry in the Land of the Lounge Lizards Manual, Jun. 4, 1987, 13 pages. cited by applicant
 Minutes of the Meeting on the Assembly Committee on Judiciary, Seventy-Third Session, Apr. 8, 2005 (42 pages). cited by applicant
 Naki Wireless Pro Fighter 8 controller (1 page), Dec. 1996. cited by applicant
 Nevada approves new mobile gambling rules, GMA News Online, Mar. 24, 2006 (5 pages). cited by applicant
 Nevada Gaming Commission Mobile Gaming Policies, May 18, 2006 (5 pages). cited by applicant
 Nevada Oks gambling on the go, The Courier Journal, Apr. 2, 2006 (1 page). cited by applicant
 New York Times—Two inventors contend that the V-chip is an idea they've seen before—in their own patent.—by Teresa Riordan Oct. 28, 1996 (4 pages). cited by applicant
 O2 and Cantor Index bring gambling to PDAs by Jo Best of ZDNet, Sep. 3, 2003, 6 pages. cited by applicant
 O2 XDA II Coming November By Fabrizio Pilato of Mobile Mag, Oct. 23, 2003, 6 pages. cited by applicant
 Online Reporter; GTECH Takes Lottery Mobile, Feb. 28, 2004, 1 page. cited by applicant
 Patent Owner's Preliminary Response for U.S. Pat. No. 9,306,952, Case IPR2017-01333, dated Aug. 16, 2017, 49 pages. cited by applicant
 Patent Owner's Preliminary Response for U.S. Pat. No. 9,355,518, Case IPR2017-01532, dated Sep. 19, 2017, 27 pages. cited by applicant
 PC Mag—Wireless Gaming Makes Strides in Nevada, Jun. 9, 2005, 3 pages. cited by applicant
 PCT International Search Report and Written Opinion for International Application No. PCT/US2011/047588; 13 pages; dated Jan. 13, 2012. cited by applicant
 Petition for Inter Partes Review of U.S. Pat. No. 9,306,952, Case IPR2017-01333, dated May 1, 2017, 74 pages. cited by applicant
 Petition for Inter Partes Review of U.S. Pat. No. 9,355,518, Case IPR2017-01532, Jun. 8, 2017, 74 pages. cited by applicant
 PR Newswire; Ideaworks3D appointed by Eidos Interactive to Develop Blockbuster Line-up for Nokia N-Gage Mobile Game Deck; 2 pages; May 23, 2003. cited by applicant
 PR Newswire; M7 Networks Partners With Terraplay to Deliver Real-Time Multiplayer Gaming Functionality to Its Community Services Offerings; 2 pages; Jun. 1, 2004. cited by applicant
 PR Newswire; Nokia N-Gage (TM) Mobile Game Deck—The Revolutionary Gaming Experience; Major Global Games Publishers Excited to Publish on Wireless Multiplayer Platform; 3 pages; Feb. 6, 2003. cited by applicant
 Precision Marketing; vol. 16, No. 11; ISSN 0955-0836; 2 pages; Jan. 9, 2004. cited by applicant
 Probability, Odds, and Random Chance, Problem Gambling Institute of Ontario, retrieved from Internet on Jan. 27, 2014
<http://www.problemgambling.ca/en/resourcesforprofessionals/pages/probabilityoddsandrandomchance.aspx>. cited by applicant
 Regulators approve wireless device by Ryan Randazzo, Reno Gazette Journal, Aug. 25, 2006. cited by applicant
 Rolling the dice, Casinos ready to put their money on wireless gaming devices, The Journal News, Nov. 14, 2005 (2 pages). cited by applicant
 Securities and Exchange Commission—The XDA II from O2 Corners a Third of the Market in First Six Months Jul. 15, 2004 (3 pages). cited by applicant
 Sega Saturn Instruction Manual (24 pages), May 11, 1995. cited by applicant
 Sega Saturn Introduction Manual (10 pages), Jun. 27, 1995. cited by applicant
 Sega Saturn Overview Manual (67 pages), Jun. 27, 1995. cited by applicant
 Sega Saturn Overview Manual unlocked (67 pages), Jun. 27, 1995. cited by applicant
 Sierra 3-D Animated Adventure Game Reference Card for Ms Dos, 1987 (4 pages). cited by applicant
 Singh, et al.; Anywhere, Any-Device Gaming; Human Interface Technology Laboratory; National University of Singapore; 4 pages; 2004. cited by applicant
 Solutions for Restaurants, Hotels & Resorts and Clubs - Guest bridge, Inc. (online). Guestbridge, Inc. Feb. 6, 2007 [retrieved on Aug. 21, 2008]. Retrieved from the Internet: URL: <http://web.archive.org/web/20070206134139/www.guestbridge.com/solutions.html>, entire document especially p. 1. cited by applicant
 Stephan Neuert, et al.; The British Library; Delivering Seamless Mobile Services Over Bluetooth; 11 pages; Oct. 2002. cited by applicant
 Stocking fillers by Ashley Norton of the Guardian, Sep. 20, 2003 (5 pages). cited by applicant
 Telecomworldwire; New mobile lottery service launched by mLotto; 1 page; Oct. 30, 2003. cited by applicant
 The New York Times—Minnesota Cancels Plan to Play Lottery on Nintendo, Oct. 19, 1991 (3 pages). cited by applicant
 The New York Times—Nintendo and Minnesota Set A Living-Room Lottery Test, Sep. 27, 1991, (4 pages). cited by applicant
 The Official Guide to the Prodigy Service, John L. Vierscas, 1998 (77 pages). cited by applicant
 The Times Money, Hand-held devices next wave in gaming, Aug. 12, 2005 (1 page). cited by applicant
 Welcome to Cantor Casino, Wayback machine, Oct. 2005 (1 page). cited by applicant
 Wireless ATM & Ad-Hoc Networks by C-K Toh, Dec. 31, 1996 (23 pages). cited by applicant
 Wireless Gaming Makes Strides in Nevada by Libe Goad, PCMag.com, Jun. 9, 2005 (3 pages). cited by applicant
 Wireless News; Mobile Casinos, Lotteries Good News for Mobile Revenues; 2 pages; Feb. 23, 2005. cited by applicant
 Wireless Pro Fighter 8 Box Cover (1 page), Dec. 1996. cited by applicant
 Wu, M., et al., “Real Tournament—Mobile Context aware Gaming for the Next Generation,” The Electronic Library 22(1):1-10, (Feb. 2004). cited by applicant
 Yampolskiy, RV., and Govindaraju, V., “Use of Behavioral Biometrics in Intrusion Detection and Online Gaming,” Biometric Technology for Human Identification III 6202:62020U-1-10, (2006). cited by applicant

3G TS 23.271 V 2.0.0 (Dec. 2000), <http://www.3gpp.org/tsg sa/TSG SA/TSGS 10/Docs/PDF/SP000596.pdf>(filed as Exhibit 1051 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

3G TS 23.271 V 2.0.0 (Dec. 2000), <ftp://www.3gpp.org/tsgsa/TSG SA/TSGS10/Docs/PDF/SP000596.pdf> (filed as Exhibit 1051 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

3GPP TS 22.071 V5.1.1 (Mar. 2002), <ftp://ftp.3gpp.org/tsg sa/WG3 Security/TSGS3 23 Victoria/Docs/PDF/S3-020303.pdf> (filed as Exhibit 1050 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

3GPP TS 22.071 V5.1.1 (Mar. 2002), <ftp://ftp.3gpp.org/tsg sa/WG3 Security/TSGS3 23 Victoria/Docs/PDF/S3-020303.pdf> (filed as Exhibit 1050 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

3GPP TS 23.271 V6.6.0 (Dec. 2003), <http://www.3gpp.org/ftp/Specs/archive/23 series/23.271/23271-660.zip> (filed as Exhibit 1053 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

3GPP TS 23.271 V6.6.0 (Dec. 2003), <http://www.3gpp.org/ftp/Specs/archive/23 series/23.271/23271-660.zip> (filed as Exhibit 1053 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

A Public Safety Answering Point Managers' Guide to Geographic Information Technology, A National Emergency Number Association White Paper (Oct. 2002), https://cdn.ymaws.com/www.nena.org/resource/collection/2BEE3832-DD9B-4CD6-AB89-979F2CA8F789/57-001A_Gis_Guide.pdf(filed as Exhibit 1025 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Aashish Pahwa, What Is M-Commerce? The Rise of Mobile Commerce, Feedough (Feb. 7, 2018), <https://www.feedough.com/m-commerce-rise-mobile-commerce/> (last visited May 29, 2020) (filed as Exhibit 1034 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Aashish Pahwa, What Is M-Commerce? The Rise of Mobile Commerce, Feedough (Feb. 7, 2018), <https://www.feedough.com/m-commerce-rise-mobile-commerce/> (last visited May 29, 2020) (filed as Exhibit 1034 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

“An experimental comparison of secret-based user authentication technologies”, Irakleous et al.—Information Management & Computer Security, 2002, 1, 2/3 ABI/INFORM Global, pp. 100-108. cited by applicant

AT&T launches AT&T Navigator, Phonearena Team (Apr. 3, 2008), <https://www.phonearena.com/news/AT-T-launches-ATT-Navigator> id2643 (last visited Jun. 10, 2020) (filed as Exhibit 1023 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

AT&T launches AT&T Navigator, Phonearena Team (Apr. 3, 2008), <https://www.phonearena.com/news/AT-T-launches-ATT-Navigator> id2643 (last visited Jun. 10, 2020) (filed as Exhibit 1023 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

AU 1st examination report for AU Application No. 2015203832; dated May 5, 2016; 5 pages. cited by applicant

AU Exam Report for Application No. 2006269416 dated Jun. 10, 2009, 4 pages. cited by applicant

AU Exam Report for Application No. 2011203051 dated May 28, 2012, 4 pages. cited by applicant

AU Exam Report for Application No. 2012258503 dated Feb. 24, 2014, 3 pages. cited by applicant

AU Exam Report for Application No. 2015258347 dated Nov. 11, 2016, 3 pages. cited by applicant

AU Examination Report for App. No. 2014200947; dated Aug. 14, 2014; 2 pages. cited by applicant

AU Examination Report for Application No. 2011202267; 2 pages; dated Nov. 30, 2011. cited by applicant

AU Examination Report for Application No. 2011235990; 2 pages; dated May 23, 2012. cited by applicant

AU Examination Report for Application No. 2011235990; 3 pages; dated Aug. 2, 2012. cited by applicant

AU Examination Report for Application No. 2015203832; dated Apr. 27, 2017; 4 pages. cited by applicant

AU examination report for Application No. 2015213331; dated Aug. 18, 2016; 5 pages. cited by applicant

AU Examination Report for AU Application No. 2006269413; 2 pages; dated Apr. 29, 2009. cited by applicant

AU Examination Report for AU Application No. 2006269418; 2 pages; dated Oct. 27, 2009. cited by applicant

AU Examination Report for AU Application No. 2007319235; dated Apr. 16, 2012; 2 pages. cited by applicant

AU Examination Report for AU Application No. 2007319235; dated Jul. 6, 2010; 2 pages. cited by applicant

AU Examination Report for AU Application No. 2007319235; dated Mar. 13, 2012; 2 pages. cited by applicant

AU Examination Report No. 1 for App. No. 2013201174; dated Feb. 4, 2015; 5 pages. cited by applicant

AU Examination Report No. 1 for Application No. 2012201974; dated Oct. 21, 2013; 3 pages. cited by applicant

AU First Exam Report for Application No. 2017202909 dated Feb. 20, 2018, 3 pages. cited by applicant

AU First Exam Report for Application No. 2017203279 dated May 22, 2018, 1 page. cited by applicant

AU First Examination Report for Application No. 2016253623; dated Dec. 4, 2017; 5 pages. cited by applicant

AU Notice of Acceptance for Application No. 2006269416 dated Mar. 9, 2011, 3 pages. cited by applicant

AU Notice of Acceptance for Application No. 2011203051 dated Aug. 28, 2012, 3 pages. cited by applicant

AU Notice of Acceptance for Application No. 2012201974; dated Apr. 2, 2015; 2 pages. cited by applicant

AU Notice of Acceptance for Application No. 2015213331; dated Jun. 22, 2017; 3 pages. cited by applicant

AU Notice of Acceptance for AU Application No. 2010202517; 2 pages; dated Mar. 18, 2013. cited by applicant

Australian Exam Report for Application No. 2017258830 dated Nov. 20, 2018, 3 pages. cited by applicant

Australian Examination Report for Application No. 2011289295 dated Jan. 6, 2016, 3 pages. cited by applicant

Australian Examination Report for Application No. 2016202914 dated Apr. 10, 2017, 3 pages. cited by applicant

Australian Examination Report for AU Application 2006269418; 2 pages; dated Mar. 12, 2009. cited by applicant

Australian Notice of Acceptance for Application No. 2011289295 dated Jan. 30, 2016, 3 pages. cited by applicant

Australian Notice of Acceptance for Application No. 2016202914 dated Aug. 1, 2017, 3 pages. cited by applicant

Barend Gehrels et al., “Locations From Multiple Sources in Standardized Environments,” [http://gidays.de/archive/2004/downloads/gitage2004/vortraege/gehrels.p df](http://gidays.de/archive/2004/downloads/gitage2004/vortraege/gehrels.pdf)(filed as Exhibit 1032 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Barend Behrels et al., "Locations From Multiple Sources in Standardized Environments," <http://gidays.de/archive/2004/downloads/gitage2004/vortraege/gehrels.pdf> (filed as Exhibit 1032 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Blackberry 7520 Wireless Handheld, Blackberry.com, Internet Archive WayBackMachine (Dec. 16, 2004), <https://web.archive.org/web/20041216010559/http://blackberry.com/products/blackberry7500/blackberry7520.shtml> (last visited Aug. 31, 2021) (filed as Exhibit 1058 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Board Order re Motion to Submit Supplemental Information (filed as Exhibit 2002 on Feb. 19, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

CA Exam Report for Application No. 2613362 dated May 18, 2018; 4 pages. cited by applicant

CA Exam Report for Application No. 2928614 dated Aug. 30, 2017; 4 pages. cited by applicant

CA Exam Report for Application No. 2,928,614 dated Jul. 17, 2018; 8 pages. cited by applicant

CA Exam Report for Application No. 2,988, 180 dated Sep. 27, 2018; 4 pages. cited by applicant

CA Exam Report for Application No. 2,988,189 dated Sep. 27, 2018; 4 pages. cited by applicant

CA Exam Report for Application No. 2,988, 194 dated Sep. 27, 2018; 4 pages. cited by applicant

CA Examination Report for CA Application No. 2613333; dated Aug. 30, 2010; 4 pages. cited by applicant

Ca Examiner's Report for App. No. 2613362; dated Apr. 1, 2015; 4 pages. cited by applicant

CA Examiner's Report for App. No. 2613362; dated May 3, 2016; 6 pages. cited by applicant

CA Examiner's Requisition for App. No. 2,669,836; dated Mar. 13, 2015; 4 pages. cited by applicant

CA Examiner's Requisition for Application No. 2613362; dated Sep. 16, 2013; 3 pages. cited by applicant

CA Examiners Report for App. No. 2,613,335 dated May 29, 2010; 3 pages. cited by applicant

CA Examiners Report for App. No. 2,669,836; dated Feb. 24, 2014; 2 pages. cited by applicant

CA Examiners Report for App. No. 2,669,836; dated Nov. 22, 2011; 6 pages. cited by applicant

CA Examiners Report for App. No. 2,754,756 dated Apr. 26, 2017; 10 pages. cited by applicant

CA Examiners Report for App. No. 2,754,756 dated Dec. 30, 2013; 3 pages. cited by applicant

CA Examiners Report for App. No. 2,754,756 dated May 12, 2015; 6 pages. cited by applicant

CA Examiners Report for App. No. 2,754,756 dated May 24, 2018; 11 pages. cited by applicant

CA Examiners Report for App. No. 2,754,756 dated Sep. 3, 2014; 3 pages. cited by applicant

CA Examiners Report for Application No. 2613362; dated Jun. 15, 2017; 4 pages. cited by applicant

CA Notice of Allowance for App. No. 2,613,335 dated Apr. 4, 2011; 1 page. cited by applicant

CA Notice of Allowance for App. No. 2,669,836; dated Apr. 6, 2016; 1 page. cited by applicant

California Legal Gambling Guide, LetsGambleUSA (2020), <https://www.letsgambleusa.com/california/> (last visited May 29, 2020) (filed as Exhibit 1039 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

California Legal Gambling Guide, LetsGambleUSA (2020), <https://www.letsgambleusa.com/california/> (last visited May 29, 2020) (filed as Exhibit 1039 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Canadian Examination Report for Application No. 2,808,315 dated Mar. 1, 2017, 4 pages. cited by applicant

Canadian Examination Report for CA Application No. 2613338; 4 pages; dated Aug. 16, 2011. cited by applicant

Canadian Examination Report for CA Application No. 2613338; 4 pages; dated Oct. 5, 2009. cited by applicant

Canadian Examination Report for CA Application No. 2613362; 4 pages; dated Oct. 13, 2009. cited by applicant

Canadian Notice of Allowance for Application No. 2,808,315 dated Jan. 10, 2018, 1 page. cited by applicant

Canadian Notice of Allowance for CA Application No. 2613338; 1 page; dated Sep. 18, 2013. cited by applicant

Casinos bet on wireless gaming in the Journal News, Nov. 14, 2005, 1 page. cited by applicant

Certificate of Service of Complaint (filed as Exhibit 1011 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Certificate of Service of Complaint (filed as Exhibit 1011 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Claim Listing (filed as Exhibit 1013 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Claim Listing (filed as Exhibit 1013 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Complaint for Patent Infringement, *Interactive Games LLC v. DraftKings Inc.*, Case No. 1:19-cv-01105-RGA, Dkt. No. 1 (Jun. 14, 2019) (filed as Exhibit 1012 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Complaint for Patent Infringement, *Interactive Games LLC v. DraftKings Inc.*, Case No. 1:19-cv-01105-RGA, Dkt. No. 1 (Jun. 14, 2019) (filed as Exhibit 1012 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Curriculum Vitae of David Hilliard Williams (filed as Exhibit 1015 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Curriculum Vitae of David Hilliard Williams (filed as Exhibit 1015 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

David Williams Deposition Transcript (Sep. 10, 2021) (filed as Exhibit 2006 on Sep. 17, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Decision Denying Institution of Inter Partes Review, filed as Paper 10 on Jan. 6, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant

Decision Denying Petitioner's Request for Rehearing, filed as Paper 12 on Mar. 2, 2021, in *DraftKings Inc., a Delaware Corporation v.*

Interactive Games LLC, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Decision Granting Institution of Inter Partes Review, filed as Paper 10 on Jan. 6, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Declaration of David Hilliard Williams (filed as Exhibit 1003 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Declaration of David Hilliard Williams (filed as Exhibit 1003 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Declaration of Nick Farley in Support of Patent Owner's Response (filed as Exhibit 2005 on May 21, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Declaration of Robert F. Shaffer (filed as Exhibit 2001 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Declaration of Robert F. Shaffer in Support of Motion for Admission Pro Hac Vice (filed as Exhibit 2001 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Defendant DraftKings Inc.'s Opening Brief in Support of Its Motion to Dismiss for Failure to State a Claim Pursuant to Federal Rule of Civil Procedure 12(b)(6), *Interactive Games LLC v. DraftKings Inc.*, Civil Action No. 1:19-cv-01105-RGA (D. Del. Nov. 8, 2019). cited by applicant
Defendant DraftKings Inc.'s Reply Brief In Support of Its Motion to Dismiss for Failure to State a Claim Pursuant to Federal Rule of Civil Procedure 12(b)(6), *Interactive Games LLC v. DraftKings, Inc.*, Civil Action No. 1:19-cv-01105-RGA (D. Del. Jan. 10, 2020). cited by applicant
Dictionary of Computer and Internet Terms (filed as Exhibit 3001 on Jan. 4, 2022, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Digital Chips for an on-line casino, Castell'a-Roca et al., IEEE 2005, 6 pages. cited by applicant
Directions Staff, Location-based Services Technology Platforms & Applications, Directions Magazine (Apr. 2, 2004), <https://www.directionsmag.com/article/3549> (filed as Exhibit 1031 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Directions Staff, Location-based Services Technology Platforms & Applications, Directions Magazine (Apr. 2, 2004), <https://www.directionsmag.com/article/3549> (filed as Exhibit 1031 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Docket Report, *Interactive Games LLC v. DraftKings Inc.*, Case No. 1:19-cv-01105-RGA (D.D.E.), Feb. 8, 2023. cited by applicant
EP Decision to Refuse a European Patent for App. No. 06774541.4; dated Jan. 26, 2015; 15 pages. cited by applicant
EP Decision to Refuse a European Patent for App. No. 07871467.2; dated Mar. 3, 2014; 20 pages. cited by applicant
EP Examination Report for App. No. 06786483.5; dated Jan. 16, 2014; 5 pages. cited by applicant
EP Office Action for Application No. 06774541.4 dated Feb. 15, 2013; 8 pages. cited by applicant
EP Office Action for Application No. 06774541.4 dated Nov. 22, 2011; 6 pages. cited by applicant
EP Office Action for Application No. 06786483.5; 7 pages; dated May 14, 2012. cited by applicant
EP Office Action for Application No. 06786488.4; dated Jan. 27, 2014; 7 pages. cited by applicant
EP Preliminary Opinion of the Examining Division for EP App. No. 06774541.4; 4 pages; dated Nov. 10, 2014. cited by applicant
EP Search Report for App. No. 07871467.2; dated Feb. 22, 2013; 7 pages. cited by applicant
EP Search report for Application No. 06786486.8 dated Jan. 16, 2014; 5 pages. cited by applicant
EP Summons to Attend Oral Hearings for App. No. 06774541.4; Aug. 1, 2014; 6 pages. cited by applicant
EP Summons to Attend Oral Hearings for Application No. 06786486.8 dated Jun. 7, 2017; 9 pages. cited by applicant
Ephraim Schwartz, Geofencing may keep employees in check, but they might not stick around, Infoworld (Oct. 24, 2003) <https://www.infoworld.com/article/2679423/geofencing-may-keep-employees-in-check-but-they-might-not-stick-around.html> (last visited Mar. 27, 2020) (filed as Exhibit 1030 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
European Extended Search Report for Application No. 06786488.4; dated May 14, 2012; 8 pages. cited by applicant
European Extended Search Report for Application No. 11817104.0 dated Sep. 25, 2015, 15 pages. cited by applicant
European Office Action for Application No. 11817104.0 dated Oct. 20, 2016, 8 pages. cited by applicant
European Summons to Attend Oral Hearings for Application No. 11817104.0 dated Feb. 23, 2018, 14 pages. cited by applicant
Examination Report for AU Application No. 2006269420; 2 pages; dated May 27, 2009. cited by applicant
Examination Report for AU Application No. 20100212329; 2 pages; dated May 6, 2011. cited by applicant
Examination Report for AU Application No. 2010202517; 2 pages; dated Aug. 16, 2011. cited by applicant
Examination Report for AU Application No. 2010202517; 2 pages; dated Jun. 23, 2011. cited by applicant
Extended EP Search report for Application No. 06786486.8 dated May 14, 2012; 5 pages. cited by applicant
Extended EP Search report for Application No. 07871467.2; dated Feb. 8, 2012; 8 pages. cited by applicant
Final Fantasy XI phantom of Jirart for Windows playing manual 2005, Square Enix, accepted by the Japan Patent Office dated Mar. 31, 2005, p. 029, 4 pages. cited by applicant
Final Written Decision, filed as Paper 39 on Jan. 4, 2022, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
FortuNet BingoStar, Internet Archive WayBackMachine (Apr. 21, 1999-Oct. 31, 2004), <http://web.archive.org/web/19990421233711/http://www.fortunet.com/bingostar.html> (filed as Exhibit 1045 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
FortuNet BingoStar, Internet Archive WayBackMachine (Apr. 21, 1999-Oct. 31, 2004), <http://web.archive.org/web/19990421233711/http://www.fortunet.com/bingostar.html> (filed as Exhibit 1045 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
FortuNet Products, Internet Archive WayBackMachine (Apr. 22, 1999-Oct. 31, 2004), <http://web.archive.org/web/19990422015740/http://www.fortunet.com/products.html#PORTABLE> (filed as Exhibit 1044 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v.*

Interactive Games LLC, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
FortuNet Products, Internet Archive WayBackMachine (Apr. 22, 1999-Oct. 31, 2004), <http://web.archive.org/web/19990422015740/http://www.fortunet.com/products.html#PORTABLE> (filed as Exhibit 1044 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Front Mission Online playing manual 2005, Square Enix, accepted by the Japanese Patent Office dated May 13, 2005, p. 17, 4 pages. cited by applicant
Galan et al., Analysis of the influence of forest environments on the accuracy of GPS measurements by using genetic algorithms, *Mathematical and Computer Modelling* 54(2011) 1829-1834. cited by applicant
Gambling Law: An Overview, Legal Information Institute, Wex Legal Encyclopedia, <https://www.law.cornell.edu/wex/gambling> (last visited May 29, 2020) (filed as Exhibit 1037 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Gambling Law: An Overview, Legal Information Institute, Wex Legal Encyclopedia, <https://www.law.cornell.edu/wex/gambling> (last visited May 29, 2020) (filed as Exhibit 1037 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Gary Krakow, Two new cellular phones built for abuse, NBC News (Apr. 14, 2004), http://www.nbcnews.com/id/4324939/ns/technology_and_science-tech_and_gadgets/t/two-new-cellular-phones-built-abuse/ (last visited May 27, 2020) (filed as Exhibit 1020 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
GB Office Action for Application No. GB0910202. 1; 4 pages; dated Jul. 11, 2011. cited by applicant
Geographical Information Systems (GIS) <https://www.manage.gov.in/studymaterial/GIS.pdf> (filed as Exhibit 1029 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Geographical Information Systems (GIS) <https://www.manage.gov.in/studymaterial/GIS.pdf> (filed as Exhibit 1029 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Hearing Transcript, filed as Paper 38 on Nov. 2, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
IGT / System can identify machines taken off premises in Reno-Gazette Journal, Aug. 25, 2006, 1 page. cited by applicant
Interactive Games, LLC's Answering Brief in Opposition to Defendant's Motion to Dismiss for Failure to State a Claim Pursuant to Federal Rule of Civil Procedure 12(b)(6), *Interactive Games LLC v. DraftKings, Inc.*, Civil Action No. 1:19-cv-01105-RGA (D. Del. Dec. 20, 2019). cited by applicant
iPhone 4 Technical Specifications, Apple.com, Internet Archive WayBackMachine (Aug. 11, 2010), <https://web.archive.org/web/20100811000011/http://www.apple.com:80/iphone/specs.html> (last visited Sep. 1, 2021) (filed as Exhibit 1061 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Jackson, T.H., "Can Jailbreaking Put You In Jail, Broke?," *Florida Law Review* 68:631-655, (Mar. 2016). cited by applicant
Joint Stipulation to Extend Due Dates 1-2, filed as Paper 19 on May 5, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Joint Stipulation to Extend Due Dates 1-3, filed as Paper 17 on Mar. 18, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
JP Decision of Refusal for App. No. 2015-218973 dated Jun. 19, 2018; 4 pages (w/English translation). cited by applicant
JP Decision on Appeal for Application No. 2008-520393; Sep. 10, 2013; 45 pages (w/English translation). cited by applicant
JP Final Decision for App. No. 2013-165976; dated Jun. 30, 2015; 6 pages (w/English translation). cited by applicant
JP Final Decision for Application No. 2015-214615; dated Aug. 29, 2017; 7 pages (w/English translation). cited by applicant
JP Notice of Allowance for App. No. 2012-225097 dated Dec. 1, 2015, 5 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2008-520391 dated Apr. 10, 2012; 6 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2008-520391 dated Feb. 1, 2011; 7 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2008-520391 dated Jun. 12, 2013; 4 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2012-225097 dated Jul. 7, 2015; 6 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2012-225097 dated Mar. 25, 2014; 12 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2012-225339; dated Jun. 30, 2015; 9 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2012-225339; dated Mar. 25, 2014; 5 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2014-100471; dated Apr. 12, 2016; 4 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2015-214615; dated Dec. 13, 2016; 13 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2015-218973 dated Dec. 6, 2016; 7 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2015-218973 dated Nov. 28, 2017; 8 pages (w/English translation). cited by applicant
JP Office Action for App. No. 2017-207806; dated Sep. 25, 2018; 4 pages w/English translation. cited by applicant
JP Office Action for Application No. 2008-520389; dated Apr. 9, 2013; 5 pages (includes English translation). cited by applicant
JP Office Action for Application No. 2008-520389; dated Jan. 18, 2011; 6 pages total with English translation. cited by applicant
JP Office Action for Application No. 2008-520389; dated Jan. 24, 2012; 5 pages (includes English translation). cited by applicant
JP Office Action for Application No. 2008-520393; dated Aug. 16, 2011; 16 pages total with English translation. cited by applicant
JP Office Action for Application No. 2008-520393; dated Jan. 24, 2011; 8 pages total with English translation. cited by applicant
JP Office Action for Application No. 2008-520393; dated Jul. 3, 2012; 4 pages total with English translation. cited by applicant
JP Office Action for Application No. 2008-520395; dated Apr. 10, 2012; 4 pages (includes English translation). cited by applicant
JP Office Action for Application No. 2008-520395; dated Feb. 1, 2011; 4 pages total with English translation. cited by applicant
JP Office Action for Application No. 2008-520395; dated Jun. 11, 2013; 8 pages with English translation. cited by applicant
JP Office Action for Application No. 2009-537329 dated Feb. 26, 2013; 10 pages with English translation. cited by applicant
JP Office Action for Application No. 2013-165976; dated May 16, 2017; 14 pages with English translation. cited by applicant
JP Office Action for Application No. 2013-165976; dated Sep. 9, 2014; 5 pages with English translation. cited by applicant
JP Office Action for Application No. 2014-100471 dated Aug. 18, 2015; 4 pages with English translation. cited by applicant

JP Office Action for Application No. 2017-075936; dated May 1, 2018; 6 pages (w/English translation). cited by applicant

JP Reconsideration Report for App. No. 2015-218973 dated Nov. 5, 2018; 6 pages (w/English translation). cited by applicant

Lindsay Ryerson, The city of Chicago employs wireless fleet management solution for its snow removal fleet, Radio Resource Mission Critical Communications, Nove. 2004-Dec. 2004 issue (filed as Exhibit 1054 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

“Location apps can't retrieve the correct GPS location data in Windows,” Microsoft support for Windows server 2012 (<https://support.microsoft.com/en-us/topic/location-apps-can-t-retrieve-the-correct-gps-location-data-in-windows-d6f9fea7-2ab1-d188-ce04-07369141a4b28>), 4 pages. cited by applicant

“Slot Performance Metrics,” Gaming & Leisure, Mar. 2015, (<https://mygamingandleisure.com/slot-perfomance-metrics>). cited by applicant

M. Pecen and A. Howell, “Simultaneous voice and data operation for GPRS/EDGE: class A dual transfer mode,” IEEE Personal Communications, vol. 8, No. 2, pp. 14-29 (Apr. 2001) (filed as Exhibit 1062 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Magnitude and Direction of Vectors, Varsity Tutors (2007), https://www.varsitytutors.com/hotmath/hotmath_help/topics/magnitude-and-directionofvectors#:~:text=The%20magnitude%20of%20a%20vector,used%20to%20find%20its%20magnitude. (last visited Jun. 5, 2020) (filed as Exhibit 1052 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Magnitude and Direction of Vectors, Varsity Tutors (2007), https://www.varsitytutors.com/hotmath/hotmath_help/topics/magnitude-and-directionofvectors#:~:text=The%20magnitude%20of%20a%20vector,used%20to%20find%20its%20magnitude. (last visited Jun. 5, 2020) (filed as Exhibit 1052 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Matt Williams, What is the Difference Between Speed and Velocity?, Universe Today (Sep. 3, 2011), <https://www.universetoday.com/89424/what-is-the-differencebetween-speed-and-velocity/> (last visited Jun. 6, 2020) (filed as Exhibit 1038 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Mobile Gaming / Nevada is first state to allow handheld devices in casinos in Reno—Gazette Journal, Mar. 24, 2005, 1 page. cited by applicant

Mobile Location Protocol (MLP), Candidate Version 3.1, Open Mobile Alliance Ltd. (Mar. 16, 2004), <https://www.openmobilealliance.org/release/MLP/OMA-LIFMLP-V3-1-20040316-C.pdf> (last visited May 27, 2020) (filed as Exhibit 1033 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Nahoko Mitsuyama, Operational Management Report, NTT DoComomo: i-Mode Wireless Internet Services (Sep. 3, 2003), <https://www.bus.umich.edu/kresgepublic/journals/gartner/research/96500/96594/96594.html#h3> (last visited May 27, 2020) (filed as Exhibit 1026 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Nevada approves new mobile gaming rules, by the Associated Press in NBC News, Mar. 24, 2006, 2 pages. cited by applicant

Nevada Legal Gambling Guide, LetsGambleUSA (2020), <https://www.letsgambleusa.com/nevada/> (last visited May 29, 2020) (filed as Exhibit 1041 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Nevada Legal Gambling Guide, LetsGambleUSA (2020), <https://www.letsgambleusa.com/nevada/> (last visited May 29, 2020) (filed as Exhibit 1041 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Nicole Lee, Verizon launches Chaperone child-monitoring service, CNET (Jun. 12, 2006), <https://www.cnet.com/news/verizon-launches-chaperone-childmonitoring-service/> (last visited May 27, 2020) (filed as Exhibit 1022 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Notice of Acceptance for AU Application No. 2006269413 dated Feb. 7, 2011; 3 pages. cited by applicant

Notice of Acceptance for AU Application No. 2006269418 dated Apr. 8, 2010; 3 pages. cited by applicant

Notice of Acceptance for AU Application No. 2006269420; 3 pages; dated May 3, 2010. cited by applicant

Notice of Acceptance for AU Application No. 2011202267; 3 pages; dated Mar. 6, 2012. cited by applicant

Notice of Acceptance of AU Application No. 20100212329; 3 pages; dated Jul. 27, 2011. cited by applicant

Notice of Allowance for CA Application No. 2613333; 1 page; dated Jul. 20, 2011. cited by applicant

Notice of Allowance in U.S. Appl. No. 13/080,098, mailed Dec. 9, 2014 (submitted herewith as Exhibit 4). cited by applicant

Notice of Filing Date Accorded to Petition, filed as Paper 5 on Jul. 10, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Notice of Filing Date Accorded to Petition, filed as Paper 5 on Jul. 10, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Notice of Refund, filed as Paper 14 on Jun. 9, 2022, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Notice of Stipulation to Extend Deadlines for Due Dates 2, 3, 5, and 6, filed as Paper 24 on Aug. 25, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority for International Application No. PCT/US06/26348; 9 pages; dated Dec. 28, 2007. cited by applicant

Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority, or the Declaration, for International Application No. PCT/US06/26343, 8 pages, dated Jan. 19, 2007. cited by applicant

Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority, or the Declaration for International Application No. PCT/US06/26350, 8 pages, dated Apr. 27, 2007. cited by applicant

NZ Examination Report and Notice of Acceptance for NZ Application No. 577177; dated Nov. 6, 2012; 2 pages. cited by applicant

NZ Examination Report for App. No. 618654; dated Apr. 9, 2015; 2 pages. cited by applicant

NZ Examination Report for App. No. 618654; dated Dec. 20, 2013; 2 pages. cited by applicant

NZ Examination Report for App. No. 706217; dated Apr. 9, 2015; 2 page. cited by applicant

NZ Examination Report for NZ Application No. 577177; dated Dec. 17, 2010; 2 pages. cited by applicant
NZ Examination Report for NZ Application No. 577177; dated Jun. 29, 2012; 2 pages. cited by applicant
NZ Examination Report for NZ Application No. 577177; dated Oct. 12, 2012; 2 pages. cited by applicant
NZ Examination Report for NZ Application No. 600525; dated Jun. 14, 2012; 2 pages. . cited by applicant
NZ Notice of Acceptance for App. No. 706217; dated Jan. 21, 2016; 1 page. cited by applicant
Order Granting In Part Petitioner's Motions to Submit Supplemental Information under 37 C.F.R. §§ 42.5, 42.64, and 42.123, filed as Paper 1 on Mar. 11, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Order Granting Patent Owner's Motion for Pro Hac Vice Admission of Robert F. Shaffer under 37 C.F.R. § 41.1(c) , filed as Paper 9 on Oct. 22, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Order Granting Patent Owner's Motion for Pro Hac Vice Admission of Robert F. Shaffer under 37 C.F.R. § 41.1(c) , filed as Paper 9 on Oct. 22, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Order Granting Request for Modification of the Schedule, filed as Paper 35 on Oct. 5, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Order Setting Oral Argument, filed as Paper 29 on Sep. 17, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Demonstratives (filed as Exhibit 2007 on Oct. 11, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Patent Owner's Evidentiary Objections, filed as Paper 12 on Jan. 19, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Exhibit List, filed as Paper 7 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Patent Owner's Exhibit List, filed as Paper 8 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Mandatory Notices, filed as Paper 4 on Jul. 8, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Patent Owner's Mandatory Notices, filed as Paper 4 on Jul. 8, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Motion for Pro Hac Vice Admission of Robert F. Shaffer under 37 C.F.R. § 41.1(c) , filed as Paper 8 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Patent Owner's Motion for Pro Hac Vice Admission of Robert F. Shaffer under 37 C.F.R. § 41.1(c), filed as Paper 7 on Oct. 13, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Notice of Appeal, filed as Paper 40 on Mar. 8, 2022, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Notice of Deposition of David Hilliard Williams, filed as Paper 18 on Apr. 9, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Opposition to Motion to File Supplemental Information, filed as Paper 14 on Feb. 19, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Opposition to Petitioner's Motion to Exclude Evidence, filed as Paper 33 on Sep. 29, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Power of Attorney, filed as Paper 3 on Jul. 8, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Patent Owner's Power of Attorney, filed as Paper 3 on Jul. 8, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Preliminary Response, filed as Paper 6 on Oct. 9, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant
Patent Owner's Preliminary Response, filed as Paper 6 on Oct. 9, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Request for Oral Hearing, filed as Paper 26 on Aug. 27, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Response for U.S. Pat. No. 9,306,952, IPR 2017-01333 filed Jan. 29, 2018, 40 pages. cited by applicant
Patent Owner's Response for U.S. Pat. No. 9,355,518, IPR 2017-01532 filed Mar. 9, 2018, 33 pages. cited by applicant
Patent Owner's Response to Petition, filed as Paper 20 on May 21, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Second Notice of Deposition of David Hilliard Williams, filed as Paper 28 on Sep. 9, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Sur-Reply, filed as Paper 30 on Sep. 17, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Updated Exhibit List, filed as Paper 15 on Feb. 19, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Updated Exhibit List, filed as Paper 21 on May 21, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Updated Exhibit List, filed as Paper 31 on Sep. 17, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
Patent Owner's Updated Exhibit List, filed as Paper 37 on Oct. 11, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant
PCT Preliminary Report on Patentability for International Application No. PCT/US2011/047588; 13 pages; Feb. 28, 2013. cited by applicant

Personal authentication through biometric technologies, Podio et al, IEEE 2002, 10 pages. cited by applicant

Petition for Inter Partes Review, filed as Paper 1 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petition for Inter Partes Review of U.S. Pat. No. 8,974,302, filed as Paper 1 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant

Petitioner's Demonstratives for Oral Argument in IPR2020-01107, IPR2020-01109 and IPR2020-01110 (filed as Exhibit 1065 on Oct. 11, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Petitioner's Motion to Exclude Evidence, filed as Paper 32 on Sep. 22, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Motion to Submit Supplemental Information, filed as Paper 13 on Feb. 12, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Notice of Deposition of Nick Farley, filed as Paper 23 on Jul. 22, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Objections to Patent Owner's Evidence, filed as Paper 22 on May 28, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Power of Attorney, filed as Paper 2 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant

Petitioner's Power of Attorney, filed as Paper 2 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Reply to Patent Owner's Opposition to Petitioner's Motion to Exclude Evidence, filed as Paper 34 on Oct. 1, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Reply to Patent Owner's Response, filed as Paper 27 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Request for Oral Argument, filed as Paper 25 on Aug. 27, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Petitioner's Request for Refund, filed as Paper 13 on Jun. 1, 2022, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant

Petitioner's Request for Rehearing, filed as Paper 11 on Feb. 5, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.). cited by applicant

Petitioner's Service Email re Supplemental Evidence (filed as Exhibit 2003 on Feb. 19, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Petitioner's Updated Exhibit List, filed as Paper 36 on Oct. 11, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.). cited by applicant

Press Release, Apple, Apple Introduces the New iPhone 3G (Jun. 9, 2008), <https://www.apple.com/newsroom/2008/06/09Apple-IntroducestheNew-iPhone-3G/> (last visited Sep. 2, 2021) (filed as Exhibit 1063 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Press Release, Motorola, Motorola Proves UMTS Network Capability with Simultaneous Voice, Data Calls on Commercial 3G Handset (Feb. 17, 2003), Internet Archive WayBackMachine (Feb. 5, 2005), <https://web.archive.org/web/20050205231700/http://www.motorola.com/mediacenter/news/detail/0,1958,2355,1927,23,00.html#> (last visited Sep. 2, 2021) (filed as Exhibit 1064 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Prosecution File History for the '231 Patent (filed as Exhibit 1002 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Prosecution File History for the '302 Patent (filed as Exhibit 1002 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Regulation 5, Operation of Gaming Establishments (Rev. 1/20), Nevada Control Board Gaming Commission, <https://gaming.nv.gov/modules/showdocument.aspx?documentid=16509> (filed as Exhibit 1042 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Regulation 5, Operation of Gaming Establishments (Rev. 1/20), Nevada Control Board Gaming Commission, <https://gaming.nv.gov/modules/showdocument.aspx?documentid=16509> (filed as Exhibit 1042 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Remote Gambling: Industry Trends and Federal Policy, Congressional Research Service (Jul. 2, 2014), <https://www.everycrsreport.com/reports/R42820.html> (last visited May 29, 2020) (filed as Exhibit 1040 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Remote Gambling: Industry Trends and Federal Policy, Congressional Research Service (Jul. 2, 2014), <https://www.everycrsreport.com/reports/R42820.html> (last visited May 29, 2020) (filed as Exhibit 1040 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Richard Velotta, Nevada issues first license for online poker within state, Las Vegas Sun (Jun. 21, 2012), <https://lasvegassun.com/news/2012/jun/21/nevada-issues-first-licenses-online-poker-within-s/?ga=2.74459803.808697489.1590766190-294220429.1590766190> (last visited May 29, 2020) (filed as Exhibit 1043 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Richard Velotta, Nevada issues first license for online poker within state, Las Vegas Sun (Jun. 21, 2012), <https://lasvegassun.com/news/2012/jun/21/nevada-issues-firstlicenses-online-poker-withins/?ga=2.74459803.808697489.1590766190-294220429.1590766190> (last visited May 29, 2020) (filed as Exhibit 1043 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant

Ron Poulin, Location Enabling Server, Openwave Location Studio (Dec. 2002), https://web.archive.org/web/20050305230715/http://developer.openwave.com/omdtdocs/location_studio_sdk/pdf/LSt2.0_Whitepaper_v1.2.pdf (filed as Exhibit 1049 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109

(P.T.A.B.)). cited by applicant
Ron Poulin, Location Enabling Server, Openwave Location Studio (Dec. 2002), https://web.archive.org/web/20050305230715/http://developer.openwave.com/omdtdocs/location_studio_sdk/pdf/LSt2.0_Whitepaper_v1.2.pdf (filed as Exhibit 1049 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Scheduling Order, filed as Paper 11 on Jan. 6, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Sprint Family Locator, gpsreview.net (Apr. 13, 2006), <http://www.gpsreview.net/sprint-family-locator/> (last visited May 27, 2020) (filed as Exhibit 1021 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Sprint Family Locator, gpsreview.net (Apr. 13, 2006), <http://www.gpsreview.net/sprint-family-locator/> (last visited May 27, 2020) (filed as Exhibit 1021 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Stephen Lawson, Worker tracking service coming to Nextel phones, IDG News Service (Mar. 4, 2003), <https://www.networkworld.com/article/2340456/workertracking-service-coming-to-nextel-phones.html> (last visited May 27, 2020) (filed as Exhibit 1019 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Stipulation and Order Staying Litigation, *Interactive Games LLC v. DraftKings Inc.*, Case No. 1:19-cv-01105-RGA, Dkt. No. 22 (May 4, 2020) (filed as Exhibit 1016 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
Stipulation and Order Staying Litigation, *Interactive Games LLC v. DraftKings Inc.*, Case No. 1:19-cv-01105-RGA, Dkt. No. 22 (May 4, 2020) (filed as Exhibit 1016 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Supplemental Declaration of David Hilliard Williams (filed as Exhibit 1056 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
The History of Cartography, vol. 6: Cartography in the 20th Century, https://press.uchicago.edu/books/HOC/HOC_V6/HOC_VOLUME6_G.pdf (filed as Exhibit 1024 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01108 (P.T.A.B.)). cited by applicant
The History of Cartography, vol. 6: Cartography in the 20th Century, https://press.uchicago.edu/books/HOC/HOC_V6/HOC_VOLUME6_G.pdf (filed as Exhibit 1024 on Jun. 17, 2020, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Tom Spring, “Wireless Palm VII ships,” CNN.com, May 24, 1999, Internet Archive WayBackMachine (Aug. 22, 2000) <https://web.archive.org/web/20000822103050/http://www.cnn.com/TECH/computing/9905/24/palm7.idg/> (last visited Aug. 30, 2021) (filed as Exhibit 1059 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Transcript of Deposition of Nick Farley on Aug. 6, 2021 (filed as Exhibit 1055 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
Treo 600 smartphone, Palmone.com, Internet Archive WayBackMachine (Mar. 27, 2004), https://web.archive.org/web/20040327005437/http://www.palmone.com/us/products/smartphones/treo600/treo600_gsmdsheet.pdf (last visited Sep. 1, 2021) (filed as Exhibit 1057 on Sep. 3, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant
UK Office Action for Application No. 0910202.1 dated Dec. 21, 2010; 5 pages. cited by applicant
Williams Deposition Transcript (filed as Exhibit 2004 on May 21, 2021, in *DraftKings Inc., a Delaware Corporation v. Interactive Games LLC*, Case No. IPR2020-01109 (P.T.A.B.)). cited by applicant

Primary Examiner: Renwick; Reginald A

Attorney, Agent or Firm: Sterne, Kessler, Goldstein & Fox P.L.L.C.

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of U.S. patent application Ser. No. 18/198,572 filed May 17, 2023, which is a continuation of U.S. patent application Ser. No. 17/835,022 filed Jun. 8, 2022, which is a continuation of U.S. patent application Ser. No. 16/900,494 filed Jun. 12, 2020, which is a continuation of U.S. patent application Ser. No. 14/640,439 filed Mar. 6, 2015, which is a continuation of U.S. patent application Ser. No. 13/080,098 filed Apr. 5, 2011, which is a continuation-in-part of U.S. patent application Ser. No. 13/070,893 filed on Mar. 24, 2011, the disclosures of which are incorporated herein by reference in their entireties. This application claims priority to U.S. Provisional Application No. 61/373,435 filed on Aug. 13, 2010; U.S. Provisional Application No. 61/405,309 filed on Oct. 21, 2010; U.S. Provisional Application No. 61/405,439 filed on Oct. 21, 2010; U.S. Provisional Application No. 61/413,098 filed on Nov. 12, 2010; and U.S. Provisional Application No. 61/413,089 filed on Nov. 12, 2010, which are all hereby incorporated herein by reference in their entireties.

FIELD

(1) Some embodiments may generally relate to gaming and/or mobile devices.

BACKGROUND

- (2) Mobile devices, such as cellular telephones, PDAs, notebook computers, and/or various other devices may be used by individuals.
- (3) Gaming, such as casino gaming, sports wagering, video gaming, and/or various other forms of gaming may be performed.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 shows a block diagram of a hand-reading system of some embodiments.
- (2) FIG. 2 shows apparatus for playing a game in some embodiments.
- (3) FIG. 3 shows an example process that may be used in some embodiments for validation and/or use of a mobile device.
- (4) FIG. 4 an example set of application that may be executed by a mobile device to facilitate access to a mobile gaming service.
- (5) FIG. 5 shows an example of a series of geofences shown on a map of Nevada. The circles/discs in the map represent sample geofences.
- (6) FIG. 6 shows some example processes that may be performed in some embodiments with respect to a geofence.
- (7) FIG. 7 some example processes that may be performed in some embodiments with respect to a geofence.
- (8) FIG. 8 shows an example architecture that may be used in some embodiments for location determination.

DETAILED DESCRIPTION

- (9) The following sections I-X provide a guide to interpreting the present application.
- (10) It will be readily apparent to one of ordinary skill in the art that the various processes described herein may be implemented by, e.g., appropriately programmed general purpose computers, special purpose computers and computing devices. Typically a processor (e.g., one or more microprocessors, one or more microcontrollers, one or more digital signal processors) will receive instructions (e.g., from a memory or like device), and execute those instructions, thereby performing one or more processes defined by those instructions. Instructions may be embodied in, e.g., one or more computer programs, one or more scripts.
- (11) A “processor” means one or more microprocessors, central processing units (CPUs), computing devices, microcontrollers, digital signal processors, or like devices or any combination thereof, regardless of the architecture (e.g., chip-level multiprocessing/multi-core, RISC, CISC, Microprocessor without Interlocked Pipeline Stages, pipelining configuration, simultaneous multithreading).
- (12) Thus a description of a process is likewise a description of an apparatus for performing the process. The apparatus that performs the process can include, e.g., a processor and those input devices and output devices that are appropriate to perform the process.
- (13) Further, programs that implement such methods (as well as other types of data) may be stored and transmitted using a variety of media (e.g., computer readable media) in a number of manners. In some embodiments, hard-wired circuitry or custom hardware may be used in place of, or in combination with, some or all of the software instructions that can implement the processes of various embodiments. Thus, various combinations of hardware and software may be used instead of software only.
- (14) The term “computer-readable medium” refers to any medium, a plurality of the same, or a combination of different media, that participate in providing data (e.g., instructions, data structures) which may be read by a computer, a processor or a like device. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. Non-volatile media include, for example, optical or magnetic disks and other persistent memory. Volatile media include dynamic random access memory (DRAM), which typically constitutes the main memory. Transmission media include coaxial cables, copper wire and fiber optics, including the wires that comprise a system bus coupled to the processor. Transmission media may include or convey acoustic waves, light waves and electromagnetic emissions, such as those generated during radio frequency (RF) and infrared (IR) data communications. Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, hard disk, magnetic tape, any other magnetic medium, a CD-ROM, DVD, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, a RAM, a PROM, an EPROM, a FLASH-EEPROM, any other memory chip or cartridge, a carrier wave as described hereinafter, or any other medium from which a computer can read.
- (15) Various forms of computer readable media may be involved in carrying data (e.g. sequences of instructions) to a processor. For example, data may be (i) delivered from RAM to a processor; (ii) carried over a wireless transmission medium; (iii) formatted and/or transmitted according to numerous formats, standards or protocols, such as Ethernet (or IEEE 802.3), SAP, ATP, Bluetooth, and TCP/IP, TDMA, CDMA, and 3G; and/or (iv) encrypted to ensure privacy or prevent fraud in any of a variety of ways well known in the art.
- (16) Thus a description of a process is likewise a description of a computer-readable medium storing a program for performing the process. The computer-readable medium can store (in any appropriate format) those program elements which are appropriate to perform the method.
- (17) Just as the description of various steps in a process does not indicate that all the described steps are required, embodiments of an apparatus include a computer/computing device operable to perform some (but not necessarily all) of the described process.
- (18) Likewise, just as the description of various steps in a process does not indicate that all the described steps are required, embodiments of a computer-readable medium storing a program or data structure include a computer-readable medium storing a program that, when executed, can cause a processor to perform some (but not necessarily all) of the described process.
- (19) Where databases are described, it will be understood by one of ordinary skill in the art that (i) alternative database structures to those described may be readily employed, and (ii) other memory structures besides databases may be readily employed. Any illustrations or descriptions of any sample databases presented herein are illustrative arrangements for stored representations of information. Any number of other arrangements may be employed besides those suggested by, e.g., tables illustrated in drawings or elsewhere. Similarly, any illustrated entries of the databases represent exemplary information only; one of ordinary skill in the art will understand that the number and content of the entries can be different from those described herein. Further, despite any depiction of the databases as tables, other formats (including relational databases, object-based models and/or distributed databases) could be used to store and manipulate the data types described herein. Likewise, object methods or behaviors of a database can be used to implement various processes, such as the described herein. In addition, the databases may, in a known manner, be stored locally or remotely from a device which accesses data in such a database.
- (20) Various embodiments can be configured to work in a network environment including a computer that is in communication (e.g., via a communications network) with one or more devices. The computer may communicate with the devices directly or indirectly, via

any wired or wireless medium (e.g. the Internet, LAN, WAN or Ethernet, Token Ring, a telephone line, a cable line, a radio channel, an optical communications line, commercial on-line service providers, bulletin board systems, a satellite communications link, a combination of any of the above). Each of the devices may themselves comprise computers or other computing devices, such as those based on the Intel® Pentium® or Centrino™ processor, that are adapted to communicate with the computer. Any number and type of devices may be in communication with the computer.

(21) In an embodiment, a server computer or centralized authority may not be necessary or desirable. For example, the present invention may, in an embodiment, be practiced on one or more devices without a central authority. In such an embodiment, any functions described herein as performed by the server computer or data described as stored on the server computer may instead be performed by or stored on one or more such devices.

(22) Where a process is described, in an embodiment the process may operate without any user intervention. In another embodiment, the process includes some human intervention (e.g., a step is performed by or with the assistance of a human).

(23) Tracking the Action at a Table

(24) U.S. Pat. No. 6,579,181 generally describes, “a system for automatically monitoring playing and wagering of a game. In one illustrated embodiment, the system includes a card deck reader that automatically reads a respective symbol from each card in a deck of cards before a first one of the cards is removed from the deck. The symbol identifies a value of the card in terms of rank and suit, and can take the form of a machine-readable symbol, such as a bar code, area or matrix code or stacked code. In another aspect, the system does not decode the read symbol until the respective card is dealt, to ensure security.

(25) “In another aspect, the system can include a chip tray reader that automatically images the contents of a chip tray. The system periodically determines the number and value of chips in the chip tray from the image and compares the change in contents of the chip tray to the outcome of game play to verify that the proper amounts have been paid out and collected.”

(26) “In a further aspect, the system can include a table monitor that automatically images the activity or events occurring at a gaming table. The system periodically compares images of the gaming table to identify wagering, as well as the appearance, removal and position of cards and/or other objects on the gaming table. The table monitoring system can be unobtrusively located in the chip tray.”

(27) U.S. Pat. No. 6,579,181 generally describes “a drop box that automatically verifies an amount and authenticity of a deposit and reconciles the deposit with a change in the contents of the chip tray. The drop box can image different portions of the deposited item, selecting appropriate lighting and resolutions to examine security features in the deposited item.

(28) “In another aspect, the system can employ some, or all of the components to monitor the gaming habits of players and the performance of employees. The system can detect suspect playing and wagering patterns that may be prohibited. The system can also identify the win/loss percentage of the players and the dealer, as well as a number of other statistically relevant measures. Such measures can provide a casino or other gaming establishment with enhanced automated security, and automated real-time accounting. The measures can additionally provide a basis for automatically allocating complimentary benefits to the players.”

(29) Various embodiments include an apparatus, method and system which utilizes a card dispensing shoe with scanner and its associated software which enable the card dealer when dealing the game from a card dispensing shoe with scanner preferably placed on a game table where the twenty-one game to be evaluated by the software is being played, to use one or more keyboard(s) and/or LCD displays coupled to the shoe to identify for the computer program the number of the active players' seats, or active players, including the dealer's position relative thereto and their active play at the game table during each game round dealt from the shoe. These keyboards and LCD displays are also used to enter other data relevant to each seat's, or player's, betting and/or decision strategies for each hand played. The data is analyzed by a computer software program designed to evaluate the strategy decisions and betting skills of casino twenty-one, or blackjack players playing the game of blackjack during real time. The evaluation software is coupled to a central processing unit (CPU) or host computer that is also coupled to the shoe's keyboard(s) and LCD displays. The dealer using one or more keyboard(s) attached to or carried by the shoe, or a keyboard(s) located near the dealer is able to see and record the exact amount bet by each player for each hand played for the game to be evaluated. The optical scanner coupled to the CPU reads the value of each card dealt to each player's hand(s) and the dealer's hand as each card is dealt to a specific hand, seat or position and converts the game card value of each card dealt from the shoe to the players and the dealer of the game to a card count system value for one or more card count systems programmed into the evaluation software. The CPU also records each players decision(s) to hit a hand, and the dealer's decision to hit or take another card when required by the rules of the game, as the hit card is removed from the shoe. The dealer uses one or more of the keyboards and LCD displays carried by the shoe to record each player's decision(s) to Insure, Surrender, Stand, Double Down, or Split a hand. When the dealer has an Ace or a Ten as an up-card, he/she may use one or more of the keyboards to prompt the computer system's software, since the dealer's second card, or hole-card, which is dealt face down, has been scanned and the game card value thereof has been imported into the computer systems software, to instantly inform the dealer, by means of one or more of the shoe's LCDs, if his/her game cards, or hand total, constitutes a two-card “21” or “Blackjack”.

(30) In various embodiments, a card playing system for playing a card game which includes a card delivery shoe apparatus for use in dealing playing cards to at least one player for the playing of the card game comprises, in combination, housing means having a chute for supporting at least one deck of playing cards for permitting movement of the playing cards one at a time through the chute, the housing means having an outlet opening that permits the playing cards of the deck to be moved one-by-one out of the housing means during the play of a card game, card scanning means located within the housing means for scanning indicia located on each of the playing cards as each of the playing cards are moved out from the chute of the housing means, means for receiving the output of the card scanning means for identifying each of the playing cards received by each player from the shoe, for evaluating information relative to each players received playing cards and their values with information as to playing tactics used by each player relative to the values of the received playing cards, and for combining all of this information for identifying each player's playing strategy, and a playing table coupled to the card delivery shoe apparatus and having at least one keypad means located thereon for permitting at least one player to select various card playing options to wager upon.

(31) In various embodiments, a card playing system for playing a card game which includes a card delivery shoe apparatus for use in dealing playing cards to at least one player for the playing of the card game comprises, in combination, housing means having a chute for supporting at least one deck of playing cards for permitting movement of the playing cards one at a time through the chute, the housing means having an outlet opening that permits the playing cards of the deck to be moved one-by-one out of the housing means

during the play of a card game, card scanning means located within the housing means for scanning indicia located on each of the playing cards as each of the playing cards are moved out from the chute of the housing means, means for receiving the output of the card scanning means for identifying such of the playing cards received by each player from the shoe apparatus, for evaluating information relative to each player's received playing cards and their values with information as to betting tactics used by each player relative to playing cards previously dealt out from the shoe apparatus providing card count information, and for combining all of this information for identifying each player's card count strategy, and a playing table coupled to the card delivery shoe apparatus and having at least one keypad means located thereon for permitting the at least one player to select at least one of various card playing options to wager upon.

(32) In various embodiments, a card playing system for playing a card game which includes a card delivery shoe apparatus for use in dealing playing cards to at least one player for the playing of a card game comprises, in combination, housing means having a chute for supporting at least one deck of playing cards for permitting movement of the playing cards one at a time through the chute, the housing means having an outlet opening that permits the playing cards of the deck to be moved one-by-one out of the housing means during the play of a card game, card scanning means located within the housing means for scanning indicia located on each of the playing cards as each of the playing cards are moved out from the chute of the housing means, means for receiving the output of the card scanning means for identifying each of the playing cards received by each player from the shoe apparatus, for evaluating information relative to each player's received playing cards and their values with information as to playing tactics used by each player relative to the values of the received playing cards, for combining use of all of this information for identifying each player's playing strategy, and for also identifying each player's card count strategy based on each player's betting tactics used by each player relative to playing cards previously dealt out from the shoe apparatus providing card count information, and a playing table coupled to the card delivery shoe apparatus and having at least one keypad means located thereon for permitting the at least one player to select at least one of various card playing options to wager upon.

(33) In various embodiments, a secure game table system, adapted for multiple sites under a central control, allows for the monitoring of hands in a progressive live card game. A live card game has at least one deck, with each deck having a predetermined number of cards. Each game table in the system has a plurality of player positions with or without players at each position and a dealer at a dealer position.

(34) In one embodiment, for providing additional security, a common identity code is located on each of the cards in each deck. Each deck has a different common identity code. A shuffler is used to shuffle the decks together and the shuffler has a circuit for counting of the cards from a previous hand that are inserted into the shuffler for reshuffling. The shuffler circuit counts each card inserted and reads the common identity code located on each card. The shuffler circuit issues a signal corresponding to the count and the common identity code read. The game control (e.g., the computer) located at each table receives this signal from the shuffler circuit and verifies that no cards have been withdrawn from the hand by a player (or the dealer) or that no new cards have been substituted. If the count is not proper or if a game card lacks an identity code or an identity code is mismatched, an alarm signal is generated indicating that a new deck of cards needs to be used and that the possibility of a breach in the security of the game has occurred.

(35) In yet another embodiment of security, a unique code, such as a bar code, is placed on each card and as each card is dealt by the dealer from a shoe, a detector reads the code and issues a signal to the game control containing at least the value and the suit of each card dealt in the hand. The detector may also read a common identity deck code and issue that as a signal to the game control. The shoe may have an optical scanner for generating an image of each card as it is dealt from the shoe by the dealer in a hand. The game control stores this information in a memory so that a history of each card dealt from the shoe in a hand is recorded.

(36) In yet another embodiment of security, an integrated shuffler/shoe obtains an optical image of each card dealt from the shoe for a hand and for each card inserted into the shuffler after a hand. These images are delivered to the game control where the images are counted and compared. When an irregular count or comparison occurs, an alarm is raised. The shuffler and shoe are integrated to provide security between the two units.

(37) In another embodiment of security for a live card game, a game bet sensor is located near each of the plurality of player positions for sensing the presence of a game bet. The game bet sensor issues a signal counting the tokens placed. It is entirely possible that game bet sensors at some player positions do not have bets, and therefore, the game control that is receptive of these signals identifies which player positions have players placing game bets. This information is stored in memory and becomes part of the history of the game.

(38) In another embodiment of security, a progressive bet sensor is located at each of the plurality of player positions and senses the presence of a progressive bet. The progressive bet sensor issues a signal that is received by the game control, which records in memory the progressive bets being placed at the respective player position sensed. If a progressive bet is sensed and a game bet is not, the game control issues an alarm signal indicating improper betting. At this point, the game control knows the identity of each player location having placed a game bet and, of those player positions having game bets placed, which player positions also have a progressive bet. This is stored in memory as part of the history of the hand.

(39) In yet another embodiment of security, a card sensor is located near each player position and the dealer position. The card sensor issues a signal for each card received at the card sensor. The game control receives this issued signal and correlates those player positions having placed a game bet with the received cards. In the event a player position without a game bet receives a card or a player position with a game bet receives a card out of sequence, the game control issues an alarm. This information is added to the history of the game in memory, and the history contains the value and suit of each card delivered to each player position having a game bet.

(40) A progressive jackpot display may be located at each game table and may display one or more jackpot awards for one or more winning combinations of cards. In one embodiment of the present invention, the game control at each table has stored in memory the winning combinations necessary to win the progressive jackpots. Since the game control accurately stores the suit and value of each card received at a particular player position, the game control can automatically detect a winning combination and issue an award signal for that player position. The dealer can then verify that that player at that position indeed has the correct combination of cards. The game control continuously updates the central control interconnected to all other game tables so that the central control can then inform all game tables of this win including, if desirable, the name of the winner and the amount won.

(41) The central control communicates continuously with each game control and its associated progressive jackpot display may

receive over a communication link all or part of the information stored in each game control.

(42) Various embodiments include a card shoe with a device for automatic recognition and tracking of the value of each gaming card drawn out of the card shoe in a covered way (face down).

(43) Various embodiments include a gaming table with a device for automatic recognition of played or not played boxes (hands), whereby it has to realize multiple bets on each hand and the use of insurance lines. Furthermore, the gaming table may include a device to recognize automatically the number of cards placed in front of each player and the dealer.

(44) Various embodiments include the recognition, tracking, and storage of gaming chips.

(45) In various embodiment, an electronic data processing (EDP) program may process the value of all bets on each box and associated insurance line, control the sequence of delivery of the cards, control the distribution of the gaming cards to each player and the dealer, may calculate and compare the total score of each hand and the dealer's, and may evaluate the players' wins.

(46) Gaming data may then be processed by means of the EDP program and shown simultaneously to the actual game at a special monitor or display. Same data may be recalled later on to monitor the total results whenever requested.

(47) Various embodiments include a gaming table and a gaming table cloth arranged on the gaming table, the gaming table cloth provided with betting boxes and areas designated for placement of the gaming chips and other areas designated for placement of the playing cards, a card shoe for storage of one or more decks of playing cards, this card shoe including means for drawing individual ones of the playing cards face down so that a card value imprint on the drawn card is not visible to a player of the game of chance, a card recognition means for recognizing this card value imprint on the drawn card from the card shoe, this card recognition means being located in the card shoe, an occupation detector unit including means for registering a count of gaming chips placed on the designated areas and another count of playing cards placed on the other designated areas on the table cloth, this occupation detector unit being located under the table cloth and consisting of multiple single detectors allocated to each betting box, each area for chips and each other area for playing cards respectively, a gaming bet detector for automatic recognition or manual input of gaming bets, and a computer including means for evaluating the play of the game of chance according to the rules of the game of chance, means for storing results of the play of the game of chance and means for displaying a course of the play of the game of chance and the results from electronic signals input from the gaming bet detector, the occupation detector unit and the card recognition means.

(48) According to various embodiments, the card recognition means comprises an optical window arranged along a movement path of the card image imprint on the playing card drawn from the card shoe; a pulsed light source for illuminating a portion of the drawn playing card located opposite the optical window; a CCD image converter for the portion of the drawn playing card located opposite the optical window; an optical device for deflecting and transmitting a reflected image of the card value imprint from the drawn playing card to the CCD image converter from that portion of the drawn playing card when the drawn card is exactly in a correct drawn position opposite the optical window; and sensor means for detecting movement of the drawn card and for providing a correct timing for operation of the pulsed light source for transmission of the reflected image to the CCD image converter. The optical device for deflecting and transmitting the reflected image can comprise a mirror arranged to deflect the reflected image to the CCD image converter. Alternatively, the optical device for deflecting and transmitting the reflected image comprises a reflecting optical prism having two plane surfaces arranged at right angles to each other, one of which covers the optical window and another of which faces the CCD image converter and comprises a mirror, and the pulsed light source is arranged behind the latter plane surface so as to illuminate the drawn card when the drawn card is positioned over the optical window. Advantageously the sensor means for detecting movement of the drawn card and for providing a correct timing comprises a single sensor, preferably either a pressure sensor or a photoelectric threshold device, for sensing a front edge of the drawn card to determine whether or not the drawn card is being drawn and to activate the CCD image converter and the pulsed light source when a back edge of the drawn card passes the sensor means. Alternatively, the sensor means can include two electro-optical sensors, one of which is located beyond a movement path of the card image imprint on the drawn playing card and another of which is located in a movement path of the card image imprint on a drawn playing card. The latter electro-optical sensor can include means for activating the pulsed light source by sensing a color trigger when the card value imprint passes over the optical window. In preferred embodiments of the card shoe the pulsed light source comprises a Xenon lamp.

(49) In various embodiments of the gaming apparatus the single detectors of the occupation detector unit each comprise a light sensitive sensor for detection of chips or playing cards arranged on the tablecloth over the respective single detector. Each single detector can be an infrared sensitive photodiode, preferably a silicon photodiode. Advantageously the single detectors can be arranged in the occupation detector unit so that the chips or playing cards placed over them on the tablecloth are arranged over at least two single detectors.

(50) The gaming apparatus may include automatic means for discriminating colored markings or regions on the chips and for producing a bet output signal in accordance with the colored markings or regions and the number of chips having identical colored markings or regions.

(51) The gaming bet detector may include automatic means for discriminating between chips of different value in the game of chance and means for producing a bet output signal in accordance with the different values of the chips when the chips are bet by a player. In various embodiments the gaming bet detector includes a radio frequency transmitting and receiving station and the chips are each provided with a transponder responding to the transmitting and receiving station so that the transponder transmits the values of the bet chips back to the transmitting and receiving station.

(52) The connection between the individual units of the gaming apparatus and the computer can be either a wireless connection or a cable connection.

XIV. FOLLOWING THE BETS

(53) Various embodiments include a smart card delivery shoe that reads the suit and rank of each card before it is delivered to the various positions where cards are to be dealt in the play of the casino table card game. The cards are then dealt according to the rules of the game to the required card positions. Different games have diverse card distribution positions, different card numbers, and different delivery sequences that the hand identifying system of some embodiments of the invention may encompass. For example, in the most complex of card distribution games of blackjack, cards are usually dealt one at a time in sequence around a table, one card at a time to each player position and then to the dealer position. The one card at a time delivery sequence is again repeated so that each player position and the dealer position have an initial hand of exactly two cards. Complexity in hand development is introduced

because players have essentially unlimited control over additional cards until point value in a hand exceeds a count of twenty-one. Players may stand with a count of 2 (two aces) or take a hit with a count of 21 if they are so inclined, so the knowledge of the count of a hand is no assurance of what a player will do. The dealer, on the other hand, is required to follow strict house rules on the play of the game according to the value of the dealer's hand. Small variances such as allowing or disallowing a hit on a "soft" seventeen count (e.g., an Ace and a 6) may exist, but the rules are otherwise very precise so that the house or dealer cannot exercise any strategy.

(54) Other cards games may provide equal numbers of cards in batches. Variants of stud poker played against a dealer, for example, would usually provide hands of five cards, five at a time to each player position and if competing against a dealer, to the dealer position. This card hand distribution is quite simple to track as each sequence of five cards removed from the dealer shoe is a hand.

(55) Other games may require cards to be dealt to players and other cards dealt to a flop or common card area. The system may also be programmable to cover this alternative if it is so desired.

(56) Baccarat is closer to blackjack in card sequence of dealing but has more rigid rules as to when hits may be taken by the player and the dealer, and each position may take a maximum of one card as a hit. The hand identification system of some embodiments of the invention may be able to address the needs of identifying hands in each of these types of games and especially may be able to identify hands in a complex situation, the play of blackjack.

(57) In various embodiments, where cameras are used to read cards, the light sensitive system may be any image capture system, digital or analog, that is capable of identifying the suit and rank of a card.

(58) In various embodiments, a first step in the operation is to provide a set of cards to the smart delivery shoe, the cards being those cards that are going to be used in the play of a casino table card game. The set of cards (usually one or more decks) is provided in an already randomized set, being taken out of a shuffler or having been shuffled by hand. A smart delivery shoe is described in U.S. patent application Ser. No. 10/622,321, titled SMART DELIVERY SHOE, which application is incorporated herein in its entirety by reference. Some delivery systems or shoes with reading capability include but are not limited to those disclosed in U.S. Pat. Nos. 4,750,743; 5,779,546; 5,605,334; 6,361,044; 6,217,447; 5,941,769; 6,229,536; 6,460,848; 5,722,893; 6,039,650; and 6,126,166. In various embodiments, the cards are read in the smart card delivery shoe, such as one card at a time in sequence. Reading cards by edge markings and special codes (as in U.S. Pat. No. 6,460,848) may require special encoding and marking of the cards. The entire sequence of cards in the set of cards may thus be determined and stored in memory. Memory may be at least in part in the smart delivery shoe, but communication with a central processor is possible. The sequence would then also or solely be stored in the central computer.

(59) In various embodiments, the cards are then dealt out of the smart delivery shoe, the delivery shoe registering how many cards are removed one-at-a-time. This may be accomplished by the above identified U.S. patent application Ser. No. 10/622,321 where cards are fed to the dealer removal area one at a time, so only one card can be removed by the dealer. As each card is removed, a signal is created indicating that a specific card (of rank and suit) has been dealt. The computer and system know only that a first card has been dealt, and it is presumed to go to the first player. The remaining cards are dealt out to players and dealer. In the play of certain games (e.g., stud variants) where specific numbers of cards are known to be dealt to each position, the shoe may be programmed with the number of players at any time, so hands can be correlated even before they have been dealt. If the shoe is playing a stud variant where each player and the dealer gets three cards (Three Card Poker™ game), the system may know in advance of the deal what each player and the dealer will have as a hand. It is also possible that there be a signal available when the dealer has received either his first card (e.g., when cards are dealt in sequence, one-at-a-time) or has received his entire hand. The signal may be used to automatically determine the number of player positions active on the table at any given time. For example, if in a hand of blackjack the dealer receives the sixth card, the system may immediately know that there are five players at the table. The signal can be given manually (pressing a button at the dealer position or on the smart card delivery shoe) or can be provided automatically (a card presence sensor at the dealer's position, where a card can be placed over the sensor to provide a signal). Where an automatic signal is provided by a sensor, some physical protection of the sensor may be provided, such as a shield that would prevent accidental contact with the sensor or blockage of the sensor. An L-shaped cover may be used so a card could be slid under the arm of the L parallel to the table surface and cover the sensor under that branch of the L. The signal can also be given after all cards for the hand have been delivered, again indicating the number of players. For example, when the dealer's two cards are slid under the L-shaped cover to block or contact the sensor, the system may know the total number of cards dealt on the hand (e.g., 10 cards), know that the dealer has 2 cards, determine that players therefore have 8 cards, and know that each player has 2 cards each, thereby absolutely determining that there are four active player positions at the table ($10-2=8$ and then $8/2=4$ players). This automatic determination may serve as an alternative to having dealers input the number of players each hand at a table or having to manually change the indicated number of players at a table each time the number changes.

(60) Once all active positions have been dealt to, the system may now know what cards are initially present in each player's hand, the dealer's hand, and any flop or common hand. The system operation may now be simple when no more cards are provided to play the casino table game. All hands may then be known, and all outcomes may be predicted. The complication of additional cards will be addressed with respect to the game of blackjack.

(61) After dealing the initial set of two cards per hand, the system may not immediately know where each remaining card will be dealt. The system may know what cards are dealt, however. It is with this knowledge and a subsequent identification of discarded hands that the hands and cards from the smart delivery shoe can be reconciled or verified. Each hand is already identified by the presence of two specifically known cards. Hands are then played according to the rules of the game, and hands are discarded when play of a hand is exhausted. A hand is exhausted when 1) there is a blackjack, the hand is paid, and the cards are cleared; 2) a hand breaks with a count over twenty-one and the cards are cleared; and/or a round of the game is played to a conclusion, the dealer's hand completed, all wagers are settled, and the cards are cleared. As is typically done in a casino to enable reconciling of hands manually, cards are picked up in a precise order from the table. The cards are usually cleared from the dealer's right to the dealer's left, and the cards at each position comprise the cards in the order that they were delivered, first card on the bottom, second card over the first card, third card over the second card, etc. maintaining the order or a close approximation of the order (e.g., the first two cards may be reversed) is important as the first two cards form an anchor, focus, basis, fence, end point or set edge for each hand. For example, if the third player position was known to have received the 10 of hearts (10H) and the 9 of spades (9S) for the first two card, and the

fourth player is known to receive the 8 of diamonds (8D) and the 3 of clubs (3C) for the first two cards, the edges or anchors of the two hands are 9S/10H and 8D/3C. When the hands are swept at the conclusion of the game, the cards are sent to a smart discard rack (e.g., see U.S. patent application Ser. No. 10/622,388, which application is incorporated herein by reference in its entirety) and the hand with the 9S/10H was not already exhausted (e.g., broken or busted) and the swept cards consist of 9S, 10H, 8S, 8D and 3C (as read by the smart discard rack), the software of the processor may automatically know that the final hands in the third and fourth positions were a count of 19 (9S and 10H) for the third hand and 19 (8D and 3C originally plus the 8S hit) for the fourth hand. The analysis by the software specifically identifies the fourth hand as a count of 19 with the specific cards read by the smart discard shoe. The information from reading that now exhausted hand is compared with the original information collected from the smart delivery shoe. The smart delivery shoe information when combined with the smart discard rack information shall confirm the hands in each position, even though cards were not uniformly distributed (e.g., player one takes two hits for a total of four cards, player two takes three hits for a total of five cards, player three takes no hit for a total of two cards, player four takes one hit for a total of three cards, and the dealer takes two hits for a total of four cards).

(62) The dealer's cards may be equally susceptible to analysis in a number of different formats. After the last card has been dealt to the last player, a signal may be easily and imperceptibly generated that the dealer's hand will now become active with possible hits. For example, with the sensor described above for sensing the presence of the first dealer card or the completion of the dealer's hand, the cards would be removed from beneath the L-shaped protective bridge. This type of movement is ordinarily done in blackjack where the dealer has at most a single card exposed, and one card buried face down. In this case, the removal of the cards from over the sensor underneath the L-cover to display the hole card is a natural movement and then exposes the sensor. This can provide a signal to the central processor that the dealer's hand will be receiving all additional cards in that round of the game. The system at this point knows the two initial cards in the dealer's hand, knows the values of the next sequence of cards, and knows the rules by which a dealer may play. The system knows what cards the dealer will receive and what the final total of the dealer's hand will be because the dealer has no freedom of decision or movement in the play of the dealer's hand. When the dealer's hand is placed into the smart discard rack, the discard rack already knows the specifics of the dealer's hand even without having to use the first two cards as an anchor or basis for the dealer's hand. The cards may be treated in this manner in some embodiments.

(63) When the hands are swept from the table, dealer's hand then players' hands from right to left (from the dealer's position or vice-versa if that is the manner of house play), the smart discard rack reads the shoes, identifies the anchors for each hand, knows that no hands swept at the conclusion can exceed a count of twenty-one, and the computer identifies the individual hands and reconciles them with the original data from the smart delivery shoe. The system thereby can identify each hand played and provide system assurance that the hand was played fairly and accurately.

(64) If a lack of reconciling by the system occurs, a number of events can occur. A signal can be given directly to the dealer position, to the pit area, or to a security zone and the cards examined to determine the nature and cause of the error and inspect individual cards if necessary. When the hand and card data is being used for various statistical purposes, such as evaluating dealer efficiency, dealer win/loss events, player efficiency, player win/loss events, statistical habits of players, unusual play tactics or meaningful play tactics (e.g., indicative of card counting), and the like, the system may file the particular hand in a 'dump' file so that hand is not used in the statistical analysis, this is to assure that maximum benefits of the analysis are not tilted by erroneous or anomalous data.

(65) Various embodiments may include date stamping of each card dealt (actual time and date defining sequence, with concept of specific identification of sequence identifier possibly being unique). The date stamping may also be replaced by specific sequence stamping or marking, such as a specific hand number, at a specific table, at a specific casino, with a specific number of players, etc. The records could indicate variations of indicators in the stored memory of the central computer of Lucky 777 Casino, Aug. 19, 1995, 8:12:17 a.m., Table 3, position 3, hand 7S/4D/9S, or simply identify something similar by alphanumeric code as L7C-819-95-3-3-073-7S/4D/9S (073 being the 73.sup.rd hand dealt). This date stamping of hands or even cards in memory can be used as an analytical search tool for security and to enhance hand identification.

(66) FIG. 1 shows a block diagram of the minimum components for the hand-reading system on a table 4 of some embodiments, a smart card-reading delivery shoe 8 with output 14 and a smart card-reading discard rack 12 with output 18. Player positions 6 are shown, as is a dealer's hand position sensor 10 without output port 16.

(67) The use of the discard rack acting to reconcile hands returned to the discard rack out-of-order (e.g., blackjack or bust) automatically may be advantageous, in some embodiments. The software as described above can be programmed to recognize hands removed out-of-dealing order on the basis of knowledge of the anchor cards (the first two cards) known to have been dealt to a specific hand. For example, the software will identify that when a blackjack was dealt to position three, that hand will be removed, the feed of the third hand into the smart card discard tray confirms this, and position three will essentially be ignored in future hand resolution. More importantly, when the anchor cards were, for example, 9S/5C in the second player position and an exhausted hand of 8D/9S/5C is placed into the smart discard rack, that hand will be identified as the hand from the second player position. If two identical hands happen to be dealt in the same round of play, the software will merely be alerted (it knows all of the hands) to specifically check the final order of cards placed into the smart discard rack to more carefully position the location of that exhausted hand. This is merely recognition software implementation once the concept is understood.

(68) That the step of removal of cards from the dealer's sensor or other initiated signal identifies that all further cards are going to the dealer may be useful in defining the edges of play between rounds and in identifying the dealer's hand and the end of a round of play. When the dealer's cards are deposited and read in the smart discard rack, the central computer knows that another round of play is to occur, and a mark or note may be established that the following sequence will be a new round and the analytical cycle may begin all over again.

(69) The discard rack indicates that a complete hand has been delivered by absence of additional cards in the Discard Rack in-feed tray. When cards are swept from an early exhausted hand (blackjack or a break), they are swept one at a time and inserted into the smart discard rack one at a time. When the smart discard rack in-feed tray is empty, the system understands that a complete hand has been identified, and the system can reconcile that specific hand with the information from the smart delivery shoe. The system can be hooked-up to feed strategy analysis software programs such as the SMI licensed proprietary Bloodhound™ analysis program.

(70) Various embodiments include a casino or cardroom game modified to include a progressive jackpot component. During the play of a Twenty-One game, for example, in addition to this normal wager, a player will have the option of making an additional wager

that becomes part of, and makes the player eligible to win, the progressive jackpot. If the player's Twenty-One hand comprises a particular, predetermined arrangement of cards, the player will win all, or part of, the amount showing on the progressive jackpot. This progressive jackpot feature is also adaptable to any other casino or cardroom game such as Draw Poker, Stud Poker, Lo-Ball Poker or Caribbean Stud™ Poker. Various embodiments include a gaming table, such as those used for Twenty-One or poker, modified with the addition of a coin acceptor that is electronically connected to a progressive jackpot meter. When player drops a coin into the coin acceptor, a light is activated at the player's location indicating that he is participating in the progressive jackpot component of the game during that hand. At the same time, a signal from the coin acceptor is sent to the progressive meter to increment the amount shown on the progressive meter. At the conclusion of the play of each hand, the coin acceptor is reset for the next hand. When a player wins all or part of the progressive jackpot, the amount showing on the progressive jackpot meter is reduced by the amount won by the player. Any number of gaming tables can be connected to a single progressive jackpot meter.

XV. CARD SHUFFLERS

(71) Various embodiments include an automatic card shuffler, including a card mixer for receiving cards to be shuffled in first and second trays. Sensors detect the presence of cards in these trays to automatically initiate a shuffling operation, in which the cards are conveyed from the trays to a card mixer, which randomly interleaves the cards delivered to the mixing mechanism and deposits the interleaved cards in a vertically aligned card compartment.

(72) A carriage supporting an ejector is reciprocated back and forth in a vertical direction by a reversible linear drive while the cards are being mixed, to constantly move the card ejector along the card receiving compartment. The reversible linear drive is preferably activated upon activation of the mixing means and operates simultaneously with, but independently of, the mixing means. When the shuffling operation is terminated, the linear drive is deactivated thereby randomly positioning the card ejector at a vertical location along the card receiving compartment.

(73) A sensor arranged within the card receiving compartment determines if the stack of cards has reached at least a predetermined vertical height. After the card ejector has stopped and, if the sensor in the compartment determines that the stack of cards has reached at least the aforesaid predetermined height, a mechanism including a motor drive, is activated to move the wedge-shaped card ejector into the card receiving compartment for ejecting a group of the cards in the stack, the group selected being determined by the vertical position attained by the wedge-shaped card ejector.

(74) In various embodiments, the card ejector pushes the group of cards engaged by the ejector outwardly through the forward open end of the compartment, said group of cards being displaced from the remaining cards of the stack, but not being completely or fully ejected from the stack.

(75) The card ejector, upon reaching the end of its ejection stroke, detected by a microswitch, is withdrawn from the card compartment and returned to its initial position in readiness for a subsequent shuffling and card selecting operation.

(76) In various embodiments, a technique for randomly selecting the group of cards to be ejected from the card compartment utilizes solid state electronic circuit means, which may comprise either a group of discrete solid state circuits or a microprocessor, either of which techniques preferably employ a high frequency generator for stepping a N-stage counter during the shuffling operation. When the shuffling operation is completed, the stepping of the counter is terminated. The output of the counter is converted to a DC signal, which is compared against another DC signal representative of the vertical location of the card ejector along the card compartment.

(77) In various embodiments, a random selection is made by incrementing the N-stage counter with a high frequency generator. The high frequency generator is disconnected from the N-stage counter upon termination of the shuffling operation. The N-stage counter is then incremented by a very low frequency generator until it reaches its capacity count and resets. The reciprocating movement of the card ejector is terminated after completion of a time interval of random length and extending from the time the high frequency generator is disconnected from the N-stage counter to the time that the counter is advanced to its capacity count and reset by the low frequency generator, triggering the energization of the reciprocating drive, at which time the card ejector carriage coasts to a stop.

(78) In various embodiments, the card ejector partially ejects a group of cards from the stack in the compartment. The partially displaced group of cards is then manually removed from the compartment. In another preferred embodiment, the ejector fully ejects the group of cards from the compartment, the ejected cards being dropped into a chute, which delivers the cards directly to a dealing shoe. The pressure plate of the dealing shoe is initially withdrawn to a position enabling the cards passing through the delivery shoe to enter directly into the dealing shoe and is thereafter returned to its original position at which it urges the cards towards the output end of the dealing shoe.

(79) Various embodiments include a method and apparatus for automatically shuffling and cutting playing cards and delivering shuffled and cut playing cards to the dispensing shoe without any human intervention whatsoever once the playing cards are delivered to the shuffling apparatus. In addition, the shuffling operation may be performed as soon as the play of each game is completed, if desired, and simultaneously with the start of a new game, thus totally eliminating the need to shuffle all of the playing cards (which may include six or eight decks, for example) at one time. Preferably, the cards played are collected in a "dead box" and are drawn from the dead box when an adequate number of cards have been accumulated for shuffling and cutting using the method of the present invention.

(80) Various embodiments include a computer controlled shuffling and cutting system provided with a housing having at least one transparent wall making the shuffling and card delivery mechanism easily visible to all players and floor management in casino applications. The housing is provided with a reciprocally slidable playing card pusher which, in the first position, is located outside of said housing. A motor-operated transparent door selectively seals and uncovers an opening in the transparent wall to permit the slidably mounted card pusher to be moved from its aforementioned first position to a second position inside the housing whereupon the slidably mounted card pusher is then withdrawn to the first position, whereupon the playing cards have been deposited upon a motorized platform which moves vertically and selectively in the upward and downward directions.

(81) The motor driven transparent door is lifted to the uncovered position responsive to the proper location of the motor driven platform, detected by suitable sensor means, as well as depression of a foot or hand-operated button accessible to the dealer.

(82) The motor driven platform (or "elevator") lifts the stack of playing cards deposited therein upwardly toward a shuffling mechanism responsive to removal of the slidably mounted card pusher and closure of the transparent door whereupon the playing cards are driven by the shuffling mechanism in opposing directions and away from the stack to first and second card holding magazines positioned on opposing sides of the elevator, said shuffling mechanism comprising motor driven rollers rotatable upon a

reciprocating mounting device, the reciprocating speed and roller rotating speed being adjustable. Alternatively, however, the reciprocating and rotating speeds may be fixed; if desired, employing motors having fixed output speeds, in place of the stepper motors employed in one preferred embodiment.

(83) Upon completion of a shuffling operation, the platform is lowered and the stacks of cards in each of the aforementioned receiving compartments are sequentially pushed back onto the moving elevator by suitable motor-driven pushing mechanisms. The order of operation of the pushing mechanisms is made random by use of a random numbers generator employed in the operating computer for controlling the system. These operations can be repeated, if desired. Typically, new cards undergo these operations from two to four times.

(84) Guide assemblies guide the movement of cards onto the platform, prevent shuffled cards from being prematurely returned to the elevator platform and align the cards as they fall into the card receiving regions as well as when they are pushed back onto the elevator platform by the motor-driven pushing mechanism.

(85) Upon completion of the plurality of shuffling and cutting operations, the platform is again lowered, causing the shuffled and cut cards to be moved downwardly toward a movable guide plate having an inclined guide surface.

(86) As the motor driven elevator moves downwardly between the guide plates, the stack of cards engages the inclined guide surface of a substantially U-shaped secondary block member causing the stack to be shifted from a horizontal orientation to a diagonal orientation. Substantially simultaneously therewith, a "drawbridge-like" assembly comprised of a pair of swingable arms pivotally mounted at their lower ends, are swung downwardly about their pivot pin from a vertical orientation to a diagonal orientation and serve as a diagonally aligned guide path. The diagonally aligned stack of cards slides downwardly along the inclined guide surfaces and onto the draw bridge-like arms and are moved downwardly therealong by the U-shaped secondary block member, under control of a stepper motor, to move cards toward and ultimately into the dealing shoe.

(87) A primary block, with a paddle, then moves between the cut-away portion of the U-shaped secondary block, thus applying forward pressure to the stack of cards. The secondary block then retracts to the home position. The paddle is substantially rectangular-shaped and is aligned in a diagonal orientation. Upon initial set-up of the system the paddle is positioned above the path of movement of cards into the dealing shoe. The secondary block moves the cut and shuffled cards into the dealing shoe and the paddle is lowered to the path of movement of cards toward the dealing shoe and is moved against the rearwardmost card in the stack of cards delivered to the dealing shoe. When shuffling and cutting operations are performed subsequent to the initial set-up, the paddle rests against the rearwardmost card previously delivered to the dealing shoe. The shuffled and cut cards sliding along the guide surfaces of the diagonally aligned arms of the draw bridge-like mechanism come to rest upon the opposite surface of the paddle which serves to isolate the playing cards previously delivered to the dispensing shoe, as well as providing a slight pushing force urging the cards toward the outlet slot of the dispensing shoe thereby enabling the shuffling and delivering operations to be performed simultaneously with the dispensing of playing cards from the dispensing shoe.

(88) After all of the newly shuffled playing cards have been delivered to the rear end of the dispensing shoe, by means of the U-shaped secondary block the paddle, which is sandwiched between two groups of playing cards, is lifted to a position above and displaced from the playing cards. A movable paddle mounting assembly is then moved rearwardly by a motor to place the paddle to the rear of the rearmost playing card just delivered to the dispensing shoe; and the paddle is lowered to its home position, whereupon the motor controlling movement of the paddle assembly is then deenergized enabling the rollingly-mounted assembly supporting the paddle to move diagonally downwardly as playing cards are dispensed from the dispensing shoe to provide a force which is sufficient to urge the playing cards forwardly toward the playing card dispensing slot of the dealing shoe. The force acting upon the paddle assembly is the combination of gravity and a force exerted upon the paddle assembly by a constant tension spring assembly. Jogging (i.e., "dither") means cause the paddle to be jogged or reciprocated in opposing forward and rearward directions at periodic intervals to assure appropriate alignment, stacking and sliding movement of the stack of playing cards toward the card dispensing slot of the dealing shoe.

(89) Upon completion of a game, the cards used in the completed game are typically collected by the dealer and placed in a dead box on the table. The collected cards are later placed within the reciprocally movable card pusher. The dealer has the option of inserting the cards within the reciprocally slidable card pusher into the shuffling mechanism or, alternatively, and preferably, may postpone a shuffling operation until a greater number of cards have been collected upon the reciprocally slidable card pusher. The shuffling and delivery operations may be performed as often or as infrequently as the dealer or casino management may choose. The shuffling and playing card delivery operations are fully automatic and are performed without human intervention as soon as cards are inserted within the machine on the elevator platform. The cards are always within the unobstructed view of the players to enable the players, as well as the dealer, to observe and thereby be assured that the shuffling, cutting and card delivery operations are being performed properly and without jamming and that the equipment is working properly as well. The shuffling and card delivery operations do not conflict or interfere with the dispensing of cards from the dispensing shoe, thereby permitting these operations to be performed substantially simultaneously, thus significantly reducing the amount of time devoted to shuffling and thereby greatly increasing the playing time, as well as providing a highly efficient random shuffling and cutting mechanism.

(90) The system may be controlled by a microcomputer programmed to control the operations of the card shuffling and cutting system. The computer controls stepper motors through motor drive circuits, intelligent controllers and an opto-isolator linking the intelligent controllers to the computer. The computer also monitors a plurality of sensors to assure proper operation of each of the mechanisms of the system.

XVI. CASINO COUNTERMEASURES

(91) Some methods of thwarting card counters include using a large number of decks. Shoes containing 6 or 8 decks are common. The more cards there are, the less variation there is in the proportions of the remaining cards and the harder it is to count them. The player's advantage can also be reduced by shuffling the cards more frequently, but this reduces the amount of time that can be devoting to actual play and therefore reduces the casino profits. Some casinos now use shuffling machines, some of which shuffle one set of cards while another is in play, while others continuously shuffle the cards. The distractions of the gaming floor environment and complimentary alcoholic beverages also act to thwart card counters. Some methods of thwarting card counters include using varied payoff structures, such Blackjack payoff of 6:5, which is more disadvantageous to the player than the standard 3:2 Blackjack payoff.

XVII. VIDEO WAGERING GAMES

(92) Video wagering games are set up to mimic a table game using adaptations of table games rules and cards.

(93) In one version of video poker the player is allowed to inspect five cards randomly chosen by the computer. These cards are displayed on the video screen and the player chooses which cards, if any, that he or she wishes to hold. If the player wishes to hold all of the cards, i.e., stand, he or she presses a STAND button. If the player wishes to hold only some of the cards, he or she chooses the cards to be held by pressing HOLD keys located directly under each card displayed on the video screen. Pushing a DEAL button after choosing the HOLD cards automatically and simultaneously replaces the unchosen cards with additional cards which are randomly selected from the remainder of the deck. After the STAND button is pushed, or the cards are replaced, the final holding is evaluated by the game machine's computer and the player is awarded either play credits or a coin payout as determined from a payoff table. This payoff table is stored in the machine's computer memory and is also displayed on the machine's screen. Hands with higher poker values are awarded more credits or coins. Very rare poker hands are awarded payoffs of 800-to-1 or higher.

XVIII. APPARATUS FOR PLAYING OVER A COMMUNICATIONS SYSTEM

(94) FIG. 2 shows apparatus for playing the game. There is a plurality of player units **40-1** to **40-n** which are coupled via a communication system **41**, such as the Internet, with a game playing system comprising an administration unit **42**, a player register **43**, and a game unit **45**. Each unit **40** is typically a personal computer with a display unit and control means (a keyboard and a mouse).

(95) When a player logs on to the game playing system, their unit **40** identifies itself to the administration unit. The system holds the details of the players in the register **43**, which contains separate player register units **44-1** to **44-n** for all the potential players, i.e., for all the members of the system.

(96) Once the player has been identified, the player is assigned to a game unit **45**. The game unit contains a set of player data units **46-1** to **46-6**, a dealer unit **47**, a control unit **48**, and a random dealing unit **49**.

(97) Up to seven players can be assigned to the game unit **45**. There can be several such units, as indicated, so that several games can be played at the same time if there are more than seven members of the system logged on at the same time. The assignment of a player unit **40** to a player data unit **46** may be arbitrary or random, depending on which player data units **46** and game units **45** are free. Each player data unit **46** is loaded from the corresponding player register unit **44** and also contains essentially the same details as the corresponding player unit **40** and is in communication with the player unit **40** to keep the contents of the player unit and player data unit updated with each other. In addition, the appropriate parts of the contents of the other player data units **46** and the dealer unit **47** are passed to the player unit **40** for display.

(98) The logic unit **48** of the game unit **45** steps the game unit through the various stages of the play, initiating the dealer actions and awaiting the appropriate responses from the player units **40**. The random dealing unit **49** deals cards essentially randomly to the dealer unit **47** and the player data units **46**. At the end of the hand, the logic unit passes the results of the hand, i.e., the wins and/or losses, to the player data units **46** to inform the players of their results. The administrative unit **42** also takes those results and updates the player register units **44** accordingly.

(99) The player units **40** are arranged to show a display. To identify the player, the player's position is highlighted. As play proceeds, so the player selects the various boxes, enters bets in them, and so on, and the results of those actions are displayed. As the cards are dealt, a series of overlapping card symbols is shown in the Bonus box. At the option of the player, the cards can be shown in a line below the box, and similarly for the card dealt to the dealer. At the end of the hand, a message is displayed informing the player of the results of their bets, i.e., the amounts won or lost.

XIX. ALTERNATIVE TECHNOLOGIES

(100) It will be understood that the technologies described herein for making, using, or practicing various embodiments are but a subset of the possible technologies that may be used for the same or similar purposes. The particular technologies described herein are not to be construed as limiting. Rather, various embodiments contemplate alternate technologies for making, using, or practicing various embodiments.

XX. REFERENCES

(101) The following patents and patent applications are hereby incorporated by reference herein for all purposes: U.S. Pat. Nos. 6,579,181, 6,299,536, 6,093,103, 5,941,769, 7,114,718, U.S. patent application Ser. No. 10/622,321, U.S. Pat. Nos. 4,515,367, 5,000,453, 7,137,630, 7,137,629, U.S. patent application Ser. No. 11/063,311.

XXI. EXAMPLE EMBODIMENTS

(102) Some embodiments may facilitate gaming on one of more mobile devices. Some embodiments may allow such gaming when a mobile device and/or customer is in a jurisdiction and/or area in which gaming (e.g., gambling) is legal. Some embodiments may allow such gaming when a mobile device and/or customer is properly authorized and/or controlled. In some embodiments, various procedures and/or apparatus may be used to ensure security, authenticity, and/or locations of a customer and/or device. Gaming may be facilitated, in some embodiments, over a cellular network, a wireless communication network, and/or any desired communication network. In some embodiments, when in location where such gaming is allowed, when a device is properly authorized and/or controlled, a customer may operate a mobile device to place one or more wagers from a wagering or other account over the communication network.

(103) In some embodiments, gaming may include, for example, sports betting, casino betting, proposition betting, and/or other betting. In some embodiments, gaming may include gaming from a wagering account, a credit card, using cash, on credit, and so on. In some embodiments, jurisdictions and/or areas in which gaming may be allowed may include, for example, casino floors, the state of Nevada, outside of hotel rooms, outside of residences, the city of Atlantic City, and so on. It should be recognized that while some embodiments are described in terms of sports wagering, cellular networks, and/or particular areas, that these embodiments are given as examples only and that other embodiments may include any desired types of wagering, any desired types of communication networks, and/or any desired area(s).

(104) Some embodiments may include technology configured to facilitate a customer placing a bet over a communication network using a mobile device if the customer is in a location where placing the bet is legal and/or otherwise allowed (e.g., the state of Nevada). Some embodiments may include technology configured to prevent a customer from placing a bet over a communication network using a mobile device if the customer is not in a location where placing the bet is legal and/or otherwise allowed (e.g., may

be prevented from wagering, may be prevented from logging into an account, may be logged out of an account when outside of a legal gaming area, and so on). In some embodiments, gaming related services may be provided and/or prevented outside of legal gaming areas as desired and/or as allowed in respective areas. Such gaming related services may include providing betting lines, score updates, account information, and so on. In some embodiments, a location of a mobile device may be used as a proxy for a location of a customer. References to a location may be understood as a location of a mobile device (e.g., a determined location, an approximate location).

(105) Some embodiments may include one or more technologies that may be used to determine a location of a customer and/or mobile device. One example technology may include a geofencing technology. For example, a gaming operator may determine that the customer is playing in Nevada by using geofence capability (e.g., Sprint geofencing services). In some embodiments, to implement a geofencing technology, a gaming operator may work with Sprint, another geofencing provider, and/or a third party provider to ensure that desired locations are geofenced (e.g., the city of Las Vegas, Reno, Tahoe and/or other gaming locations within the state of Nevada and/or elsewhere). Customers may be allowed to engage in mobile gaming if they (e.g., a device they are using) are physically inside the approved boundaries. Customers may be prevented from engaging in mobile gaming if they are not physically inside the approved boundaries. The service may be offered to Sprint customers and/or customers of any desired cellular and/or other network service provider.

Authentication Examples

(106) Some embodiments may include an authentication method. Such an authentication method may be designed to provide a desired level of confidence that a mobile device is not being accessed remotely, a mobile device has not been hacked, and/or a mobile device is at a location where gaming is allowed. Such a method may be used to provide a level of confidence that a user is actually present at a mobile device, that the user is actually using the mobile device, and/or that the user is located at the location.

(107) Although many different methods may be used, one example method may include two example processes, for example: an initial sign up and/or device authorization (e.g., establish a link between a device and a player, and/or establish a wagering account), and an application security handshake and/or continuous validation (e.g., occasionally verify that software is unaltered and/or that a person associated with an account is still using a device). Such processes may be independent, dependent, a same process, different processes, arranged in any manner and/or performed by any desired apparatus and/or people.

Sign Up and/or Authorization Examples

(108) Some embodiments may include an initial sign up and/or device authorization process. Such a process may include establishing a link between a device and a player (e.g., an entry in a database that identifies that a particular player is associated with particular device). Such a process may include establishing a wagering account for a player (e.g., establishing an account into which a player may place money and/or from which a player may place wagers). Such a process may allow a customer to sign up for a gaming service. After such a process is performed, a player and/or a device may be authorized to place wagers (e.g., over a communication network, with a particular gaming operator that performs at least a part of the process, and so on).

(109) Some embodiments may include a customer signing up for a mobile gaming service with a gaming operator. Such a signup process may be performed, at least in part, at a casino (e.g., by a casino employee, at a kiosk, in person, etc.), through a website (e.g., accessed by the mobile device, accessed by another device), in person (e.g., at a kiosk, at a casino), remotely (e.g., through a website, at a kiosk in a store).

(110) In some embodiments, signing up for a mobile gaming service may include opening a wagering account, and/or associating an account with an ability to wager. For example, a new account may be established that a user may place money into and from which a user may access money to place wagers. In some embodiments, such an account may include a bank account, a credit account, and/or any account that may be created or have already existed that may be associated with a gaming service.

(111) In some embodiments, signing up for a mobile gaming service may include identifying a user and/or a mobile device that may access a gaming service. For example, a user may be authorized to access the gaming service using the device. A user may establish name, age, and/or other information. A device may be established as meeting criteria, being reliable, and/or having other traits.

(112) In some embodiments, a sign up process may include determining customer information. Such customer information may be entered into a computing device by a customer, by an agent of a gaming service, and so on. Such information may include a name, an age, a social security number, a driver's license number, a bank account number, an amount of money, and/or any information that may be desired and/or need to establish an account and/or allow wagering in a desired area. Such a computing device may include a device authenticator service providing device, which may be referred to herein as a DAS.

(113) In some embodiments, at least a part of a sign up process may be required to be completed in person at a location of a gaming operator and/or agent of a gaming operator. For example, in some embodiments, an entire sign up process may be required to be performed in person. As another example, a sign up of a person to verify eligibility to wager (e.g., verify age) may be required to be performed in person. In some embodiments, an application to use a mobile gaming service may be required to be made in person and a customer may be required to provide a valid proof of identification, proof of residence, social security number, and/or any other desired proof of information to sign up for a service. In some embodiments, a customer may be denied an application to sign up for a mobile gaming service if they are under 21 years of age, do not meet a residency requirement, do not provide proper proof of identification, do not meet a sobriety requirement, and/or do not meet any other desired requirement.

(114) In some embodiments, a sign up process may include establishing an ability for a user to access an account in the future. For example, a username and password may be established. In some embodiments, a username and mac address or phone number of a particular device may be used. In some embodiments, mac address or phone number of a device and password may be used. In some embodiments, a database may be established that includes entries for a user information, a device information, and/or any combination of user and/or device information that may be used to determine future access to a gaming service.

(115) Some embodiments may include a minimum initial balance and/or deposit into a wagering account to sign up for a gaming service. In some embodiments, for example, a customer may be required to provide a minimum of \$100.00 in cash to be placed in a new account established with the gaming operator in order to sign up for a mobile gaming service. It should be recognized that \$100.00 is given as a non-limiting example and that other embodiments may include any minimum as desired (e.g., 1 cent, 10 dollars, 1 million dollars). It should be recognized that cash is given as a non-limiting example and that other embodiments may allow transactions to and/or from an account in a form of cash, personal checks, cashier's checks, wire transfers, money orders, debit cards,

credit cards, electronic transfers of money at a casino cage, and/or any desired method. In some embodiments transfers to and/or from an account including initial and/or subsequent transfers may be made at a same location as a sign up process, through an agent of a gaming operator, on a website, and so on as desired.

(116) Some embodiments may restrict a sign up process to being performed by a customer. For example, in some embodiments, no agents of a customer may be allowed to sign a customer up for a gaming service. In some embodiments, a sign up may be restricted to normal business hours of a sports book and/or other place of business of a gaming operator. In some embodiments, an agent of a customer may sign the customer up and/or a sign up may be performed at any time.

(117) Some embodiments may include verifying a mobile device for use with a gaming service. Such verification may include, for example, determining an authenticity of software, determining an operating system version, determining a communication network, and/or any other actions as desired. Such verification may be performed in person by an agent of a gaming operator, remotely by software (e.g., software on the mobile device, software on a kiosk such as a kiosk to which a mobile device may be attached through a USB port and/or other wired and/or wireless communication method).

(118) In some embodiments, a customer may physically provide a mobile device to an agent of a gaming operator for verification. In some embodiments, software on the gaming device may be executed to perform verification. In some embodiments, a third party and/or second machine may perform verification.

(119) An entity performing verification may determine that a device is running an approved operating system. One example of an operating system that may be approved may include Android OS 2.2. Such a determination may be made by reading a memory location, comparing files, comparing an operating system with a listing of approved operating systems, and so on.

(120) An entity performing verification may determine that a device is running on an approved communication network. One example communication network that may be approved may include a Sprint network. Such a determination may be performed by reading a memory location, contacting Sprint to compare a device identifier, comparing a communication network with a listing of approved communication networks, and so on.

(121) An entity performing the verification may determine that an operating system running on the device is approved operating system for the communication network that the device is running on. For example, such a determination may include a determination that the device has not been rooted. Such a determination may include comparing a running operating system with a listing of approved operating systems for the communication network and device.

(122) An entity performing verification may determine that a device is running and/or storing any desired programs and/or is not running and/or storing any undesired programs. For example, the entity may determine that the device is running an approved antivirus program. As another example, the entity may determine that the device is not running any undesired malware, and/or remote access technologies. Various examples of determining whether a device is remotely controlled are given elsewhere herein. Such a determination may include a search of a memory, a comparison of running and/or stored programs with a listing of approved and/or unapproved programs, and so on.

(123) Some embodiments may include installing and/or enabling one or more services on a mobile device. Such installation and/or enabling may be performed in response to a verification of a device and/or a signing up of a user for a service. Such installing and/or enabling may be performed by an agent of a gaming operator, by a kiosk, by a gaming operator computing device, by a customer, by software running on the mobile device, and so on.

(124) In some embodiments, an Android wrapper application and/or an AIR mobile gaming client may be installed on a mobile device. It should be recognized that such example programs are given as non-limiting examples only and that other embodiments may include any desired programs and/or no programs at all. For example, in some embodiments, rather than an Android wrapper application, a Win32 wrapper application may be installed, an Apple application may be installed, and so on. In some embodiments, a customer may be provided with information on how to reinstall any desired software if a problem arises.

(125) Some embodiments may include verifying proper authentication and/or sign up. Such verification may be performed by any entity desired (e.g., a customer, a program, an agent of a gaming operator, a kiosk). Such verification may include comparing checksums and/or MD5 and/or SHA-2 hashes of files, program names, and so on. Such verification may include a verification by signing into an account and/or gaming service using the mobile device and/or performing any desired actions with the mobile device.

(126) In some embodiments, after such a process (e.g., in response to successfully completing one or more actions of such a process), a customer may be and/or a device may be approved for gaming. A customer, for example, may be able to access a wagering account and/or place wagers through a gaming service using an approved device (e.g., the device and/or any approved device).

(127) In some embodiments, a customer may be associated with a device for use with a gaming service. For example, if a customer signs up with a device and the device is verified, the verified device, and the customer may be linked so that the customer may use the device with the gaming service. For example, a database entry identifying such a link may be made (e.g., a username of the customer and/or mac address/phone number of the device may be identified as linked). In some embodiments, the customer may be prevented from using other devices with the service (e.g., unless the customer signs those devices up and becomes associated therewith as well). In some embodiments other customers may be prevented from using the device with the gaming service (e.g., unless the other customers become associated with the device).

(128) In some embodiments, a player may be able to access an account and/or wager through a wagering service using any device that has been activated. For example, a user may sign on to a wagering service using an established username and/or password using any device that has been verified for use with a game service by the user and/or any other user. In some embodiments, separate databases of approved devices and approved users may be kept, and any combination may be allowed to use a wagering service.

(129) It should be recognized that such a process is given as a non-limiting example only and that other embodiments may include different, same, more, fewer, none, and so on such processes. Such processes may include same, different, alternative, fewer, more, differently ordered, and so on actions.

Security Handshake and/or Continuous Validation Examples

(130) In some embodiments, an application security handshake may include a multisystem secure authentication protocol that may facilitate compliance with one or more regulatory requirements. For example, one or more actions and/or devices may provide reasonable assurances that a mobile device accessing a gaming service is at an approved gaming location at a time of a wager by utilizing a location service to retrieve the device's location (e.g., on a regular basis), validating a location of a device in response to

one or more requests to a gaming service (e.g., every request). As another example, one or more actions and/or devices may provide reasonable assurances that a mobile device is being used in person and not being remotely controlled by, for example, validating on a polled interval that some (e.g., all except one) external interfaces to the device are disabled before allowing access to a gaming service. As another example, one or more actions and/or devices may provide reasonable assurances that a gaming application executed by a mobile device includes an authentic application by using a multistage hashing protocol to send application and OS signatures to the device authenticator service before allowing betting. As another example, one or more actions and/or devices may provide reasonable assurances that approved client versions are authorized to be used to place wagers by storing approved application hashing values on an internal database which is not accessible outside a firewall. As another example, one or more actions and/or devices may provide reasonable assurances that follow best practices regarding failed login attempts, session timeouts, etc. by defining session timeouts for each system connection the device is. As yet another example, communications may be secure by using SSL HTTPS protocol for communications that go over the Internet, and/or using application signature validation between processes on a device.

(131) Some embodiments may include one or more actions that may be designed to provide some level of confidence regarding location, security, authenticity and/or any desired characteristics at a beginning of a gaming session, throughout a gaming session, and/or at points during a gaming session. In some embodiments, such actions may include a security handshake and/or a continuous validation process. A continuous validation process may include a process that periodically validates something, that occasionally validates something, that continuously validates something, that validates something at least one time after a handshake, that validates something upon an action, and so on.

Initial Validity with Service Provider Examples

(132) Some embodiments may include an initial security process. Such an initial security process may be referred to as a handshake herein. In some embodiments, a handshake may include a multisystem secure authentication protocol. Such a process may provide reasonable assurances that the mobile device is in a location where gaming is permitted at and/or near the time of gaming. Such a process may provide reasonable assurances that the mobile device is being used in person and not being remotely controlled at and/or near a time of gaming. Such a process may provide reasonable assurances that software running on a mobile device includes an authentic application of a gaming operator. Such a process may provide reasonable assurances that that only approved client versions are authorized to be used to make wagers through a gaming service. Such a process may provide reasonable assurances that some and/or all external interfaces (e.g., Bluetooth, non-gaming operator provided Wi-Fi, USB/DOCK) on the devices may be disabled to prevent remote connections. Such a process may use multilayer authentication. Such a process may include use of a soft tag and/or other location determination to locate the device. Such a process may be performed at a start of an application on a device, periodically by a device, upon installing of an application, in response to a bet being requested and/or placed, occasionally, continually, when a connection to a gaming operator is established, before a bet is placed, and/or whenever desired. For example, in some embodiments, an application may be programmed to perform at least a part of such a process when the application is started (e.g., selected to be executed on a mobile device). Examples of such processes given herein are non-limiting examples. Other embodiments may include no such process, a process with more, fewer, different, same, and/or differently ordered actions. One or more actions of such a process may be performed by a wrapper application, a main application, and/or any other component.

(133) Some embodiments may include determining whether a device is approved for use with a gaming service. In some embodiments, determining that a device has been approved for use with a gaming service may include comparing information about the device with a listing of devices that have been approved (e.g., a database of approved phone numbers, mac addresses, etc.). In some embodiments, information identifying the device may be transmitted to a gaming service so that the gaming service may make such a comparison and/or determine in any desired way whether the device is approved. A gaming service may receive such identifying information and in response to such receipt, determine if the device is approved (e.g., if the device was previously registered, if the device information is in a database that identifies approved devices, etc.). In some embodiments, in response to a start of a gaming application, the gaming application may transmit a request to a gaming operator to verify that the device was previously approved for using the gaming service. In some embodiments, a wrapper application (e.g., an android wrapper application, a win32 wrapper application, a wrapper application that a main application communicates with, and so on) may transmit the request to a component of a gaming service (e.g., a device authenticator service). In some embodiments, the request may include a phone number, mac address and/or any other desired identifying information. In some embodiments, the component of the gaming service may receive the request, and in response to receiving the request verify that the device has been previously approved for gaming. In some embodiments, the component may transmit an indication of such verification to the mobile device. In some embodiments, a request from the mobile device may not be transmitted, but rather a communication from the mobile device may be interpreted as a request (e.g., an initial communication of a gaming session).

(134) Some embodiments may include determining whether a device is/was located at a location where gaming is allowed. In some embodiments, determining that a device is/was located at a location where gaming is allowed may include comparing information about where a device is/was located to a list of approved gaming locations. Some embodiments may include transmitting a request from a mobile device to a gaming service to verify that a location is approved. Such a request may include the request transmitted to verify that the device is approved for gaming. In some embodiments, a separate request may not be transmitted, but rather, a request for authentication may be interpreted as a request for location and/or a location may be verified without any request at all. In response to receiving such a request and/or determining that a location should be verified, a component of a gaming service may facilitate a determination of whether the location is approved. For example, a DAS may send a request to a mobile location service to track a device location. Examples of such device tracking and/or location determination are described elsewhere. Some embodiments may include determining that a device is/was an approved location. Such a determination may be sent back to the mobile device in some embodiments. Such a determination of a location may be made in response to receiving the determination that the device is authenticated.

(135) Some embodiments may include determining that a user is approved to use a gaming service. In some embodiments, determining that a user is approved to use a gaming service may include requesting user information from the user and/or requesting verification of such user information. For example, a user may be prompted for a username and password. Such username and password may be authenticated by a gaming service. Such a determination may include determining that the user is approved to use a

particular mobile device and/or the gaming service at large. Such a determination may be made in response to a user entering identification information, a determination that a device is approved, a determination that a device is in an approved location, and/or in response to any desired event.

(136) Some embodiments may include determining that application software executed by a mobile device is approved for use with a gaming service. In some embodiments, determining that application software is approved for use with a gaming service may include verifying the application software verifying a version of the software, and/or verifying that the software is unmodified from an approved version.

(137) One example method of determining that application software is approved may include a comparison of hashes and/or other characteristics of application software. For example, in some embodiments a wrapper application and/or other software component may determine an application signature hash (e.g., a hash of one or more application files and/or other files). In some embodiments, such a wrapper application and/or other software component may generate a random number. In some embodiments, such a wrapper application and/or other software component may determine a timestamp (e.g., the current time, a relatively recent time). In some embodiments, such a wrapper application may determine a hash, which may be referred to as the App Hash herein, of the timestamp, the random number, and the application signature hash.

(138) Some embodiments may include transmitting (e.g., by the wrapper and/or other software component) the timestamp, random number, and the App Hash to the gaming service (e.g., to a device authenticator service) from the mobile device. In some embodiments, a component of the gaming service (e.g., a device authenticator service) may validate that the timestamp is in a predetermined threshold of time (e.g., 5 minutes, 30 seconds, 1 hour) from another time (e.g., a current time, a time when information about the App Hash is received, a recent server time, and so on). In some embodiments, the gaming service component may validate the App Hash. Such validation may include creating a comparison hash of the received timestamp, the received random number, and an approved application signature hash. Multiple comparison hashes may be created for multiple approved applications. Such a validation may include comparing the App Hash with the comparison hash or hashes. If a comparison hash and the App Hash are equal, then the App Hash may be determined to be valid. If they are not equal, then the App Hash may be determined to be invalid. In some embodiments, a determination that the App Hash is valid may be a determination that the application software is approved for use with the gaming service. A determination that the App Hash is invalid may include a determination that the application software is not approved for use with the gaming service.

(139) It should be recognized that such an example of hash comparison is given as a non-limiting example only. Other embodiments may include any desired method or no method of such validation. For example, checksums may be used, random numbers may not be used, time stamps may not be used, additional information may be used, and so on.

(140) In some embodiments, in response to determining that the application software is approved for use with the gaming service, an indication of such approval may be transmitted to and/or received by the mobile device. In some embodiments, a gaming service component (e.g., device authenticator service) may determine a client key (e.g., a unique client key, a random number). Such a client key may be used for one or more future transactions. Such a client key may uniquely identify the mobile device and/or that the mobile device has passed one or more authentication steps. Such a client key may be transmitted to the mobile device in response to a determination that the application software is approved for use with the gaming service. Such a key may be stored in a database (e.g., a database that associated it with the mobile device).

(141) Some embodiments may include determining that an operating system is approved for use with a gaming service. In some embodiments, determining that an operating system is approved for use with a gaming service may include verifying a version of an operating system, verifying that an operating system is unmodified, and/or any desired actions.

(142) One example method of determining that the operating system is approved may include a comparison of hashes. For example, in some embodiments a wrapper application and/or other software component may determine a hash of one or more operating system files and/or components and the client key. The wrapper application and/or software component may transmit the hash, the previously determined timestamp, the previously determined random number, the client key, and device identifying information (e.g., a phone number, mac address) to a component of the gaming service (e.g., a device authenticator service). In some embodiments, a component of the gaming service (e.g., a device authenticator service) may validate that the timestamp is in a predetermined threshold of time (e.g., 5 minutes, 30 seconds, 1 hour) from another time (e.g., a current time, a time when information about the App Hash is received, a recent server time, and so on). In some embodiments, a component of the gaming service (e.g., a device authenticator service) may validate that the client key is the most recent one sent to the mobile device identified by the identifying information (e.g., by comparing the client key with a client key stored in a database keyed by the identifying information). In some embodiments, a component of the gaming service (e.g., a device authenticator service) may validate that the received hash. Such validation may include creating a comparison hash of the client key and approved operating system files and/or components. Multiple comparison hashes may be created for multiple approved operating systems. Such a validation may include comparing the received hash with the comparison hash or hashes. If a comparison hash and the received hash are equal, then the comparison hash may be determined to be valid. If they are not equal, then the comparison hash may be determined to be invalid. In some embodiments, a determination that the received hash is valid may be a determination that the operating system is approved for use with the gaming service. A determination that the received hash is invalid may be a determination that the operating system is not approved for use with the gaming service.

(143) It should be recognized that such an example of hash comparison is given as a non-limiting example only. Other embodiments may include any desired method or no method of such validation. For example, checksums may be used, random numbers may not be used, time stamps may not be used, device information may not be used, client keys may not be used, device information may be obtained from another source, additional information may be used, and so on.

(144) One further example of a determination that an operating system is approved for use with a gaming service may include another method of comparing one or more hashes. For example, in some embodiments, an application (e.g., a wrapper application) may generate a hash of one or more portions of one or more operating system files. Such a portion may include less than an entirety of a section. In some embodiments, generating such a hash may include generating a hash of the one or more portions along with a length of the one or more operating system files. For example, a hash of a beginning and end of a section (e.g., a file) of an operating system that manages control of communication interfaces along with a length of the section may be created. The beginning and end may

include 128 bytes and/or any other desired size of a portion. In some embodiments, such a hash may be transmitted to a gaming service for comparison with one or more approved hashes. It should be recognized that any portion or portions of a section may be used in various embodiments, in addition to and/or as an alternative to a beginning and/or end.

(145) In some embodiments, such hashing of portions and lengths rather than an entire file may provide reasonable assurances of an unaltered file. Such assurance may be provided because it may be unlikely that a file may be altered and yet result in a same hash result when a beginning, end and length are hashed. Such a method may allow for faster verification than a method that includes a hash of an entire section. It should be recognized that while hashing is given as an example, that other embodiments may include any desired transformation and/or no transformation at all (e.g., a comparison of actual files).

(146) In some embodiments, a gaming service may be updated to include newly approved comparison hashes as a gaming service determines that new operating systems and/or modified operating systems should be approved for use with the gaming service.

(147) Some embodiments may include transmitting information from a component of a gaming service to a mobile device in response to a completion of such a process, to complete such a process, as part of such a process, in response to verifying the operating system, in response to another action of such a process, and so on. Some embodiments may include storing information identifying that such a process has succeeded. For example, some embodiments may include determining a device session identifier. Such an identifier may include a unique identifier that may be used to identify a gaming session between the gaming service and the mobile device. Such a device session identifier may be associated with the mobile device (e.g., stored in a database). Such a device session identifier may be time stamped (e.g., with the previously determined time stamp, with a time relative to the determination of the device session identifier, and so on). Such a device session identifier may include a random number. Such a device session identifier may be transmitted to a mobile device and/or stored in a location to identify a success of such a process. Such a device session identifier may be received by a wrapper application and/or other software component. Such a device session identifier may be stored by the mobile device (e.g., in an encrypted form, in local storage, in memory, in a location reserved for the mobile gaming application and/or a component thereof, in a location reserved for the wrapper application and/or other software component, in allocation only accessible by a desired application, and so on). Such a device session identifier may be transmitted with future requests from the device to identify that a process has completed successfully. When a future request is received by a component of a gaming service, a comparison of a received device session identifier may be made to ensure that a valid device session identifier is received with the request. Accordingly, such a check may ensure that only devices that have completed such a process can access a gaming service.

(148) In some embodiments, if a part of this process fails, the phone may be considered unauthorized by the server and requests (e.g., gaming related communications) may be refused. It should be recognized that such an example process is given as a non-limiting example only. Other embodiments may include differently ordered actions, different components, no actions, more actions, fewer actions, and so on. Any action may be taken in response to any other action being successful (e.g., a determination of application software being valid may cause a determination as to whether or not operating system software is valid to occur).

(149) Device and/or User Security

(150) In some embodiments, at least a part of such an initial validity and/or handshake may be performed by a wrapper application. If such an initial process is completed successfully, a main application may be executed (e.g., by the wrapper application). Such a main application may perform a device and/or user security process. In other embodiments, a wrapper application may perform any desired other actions (e.g., a below process), a single application may be used, any arrangement of programs may be used, and so on.

(151) Some embodiments may include a process for providing a level of assurance as to a device and/or user security. In some embodiments, such a process may be performed at a start of a gaming application, throughout an execution of a gaming application, in response to a logging into a gaming service, in response to a completion of an initial handshake and/or other initial process, parallel to an initial handshake and/or initial process, before an initial handshake and/or initial process, as part of an initial handshake and/or initial process, and/or as otherwise desired. Such a device security process may include determining that a device is locally used and/or preventing a device from being remotely accessed.

(152) Some embodiments may include establishing a connection between a main gaming application and a wrapper application. Such a connection may include a socket. Such a connection may include a shared memory space. Some embodiments may include a wrapper application opening a socket. Such a socket may only be accessible by software executed on the mobile device. In some embodiments, a main application may connect to the socket and/or memory space. The socket and/or memory space may be used for communication between the applications.

(153) Some embodiments may include verifying that a connection between applications and/or shared identifiers are valid. For example, in an Android environment, a lock file may be written to a data store of a first application (e.g., a wrapper application). An Android operating system may prevent a second application (e.g., a main application) running on the mobile device from accessing the first application unless the application has been signed by a same application signature. A second application may attempt to delete the lock file from the first application's data store. In some embodiments, if the applications properly share the same signature, the deletion may occur. The first application may verify that the deletion has occurred. If the deletion has occurred, the first application may be confident that the second application shares a valid signature with the first application. As another example, some embodiments may verify that the only two applications running under a particular user identifier are the two applications and/or other gaming applications that are approved. In some embodiments a verification that the two and/or more applications are running under a same user identifier. The first application may share a device session identifier with the second application in response to one or more such determinations.

(154) Some embodiments may include determining that a user is authorized to use a gaming service. For example, some embodiments may include soliciting user information. Such a solicitation may be performed by a gaming application (e.g., a wrapper application, a main application, etc.) running on a mobile device. For example, a user may be solicited for a username and password. A username and password may be received by a gaming application in response to a user entering such information into a mobile device. Some embodiments may include transmitting such information from a gaming application to a component of a gaming service. For example, in some embodiments, such information may be transmitted to a gateway device. In some embodiments, an account information (e.g., account number, username, password, pin, etc.) may be transmitted to such a gateway and/or other device. In some embodiments, such a transmission may include a transmission of a device session identifier and/or any other information that may be used to identify a device, a session, a previously authentication of information, and/or track any desired information. Various

actions may be performed by a gaming application (e.g., a wrapper application, a main application, etc.) running on a mobile device. (155) In some embodiments, a gateway and/or other component of a gaming service (e.g., middleware, servers, etc.) may enable a communication session (e.g., HTTP session, HTIP session) for a mobile device. The gateway and/or other component may associate a device identifier with a communication session. For example, such a communication session may only be usable when it is accessed using the device identifier unless a different or other identifier is associated with the session. In some embodiments, a communication session may be defined by one or more variables (e.g., a port number, an id number). Such variables may be shared with a mobile device and future communications may include such variables.

(156) Some embodiments may include determining that a mobile device is/was at a location that is approved for gaming. Such a determination may be made in response to receiving account information from a mobile device by a gaming service. In some embodiments, a device session identifier may be transmitted from a gateway and/or other component to a different component for verification (e.g., to a device authenticator service). Such a device authenticator service may verify the device session identifier and determine if the device session identifier is associated with an approved location. If the device session identifier is associated with an approved location, the device authenticator service may transit an indication of approval to the gateway. In some embodiments, a single device may perform such approval actions. It should be recognized that such a process of determining whether a device is/was at an approved location is given as an example only. For example, in some embodiments a device itself may determine whether it is in an approved location, a gateway and/or other component may determine whether the device is in an approved location, any device may determine whether the device is in an approved location, a current location may be determined, an old location may be used, and so on. Various examples of determining locations and/or storing location information are given herein. None of such examples are limiting.

(157) In some embodiments, a gaming service may validate user information. Such a validation may occur in response to receiving the user information, in response to determining that the device is/was in an approved location, in response to another event, and so on. For example, in some embodiments, a gateway and/or other component may transmit user account information to another component of a gaming service (e.g., device authenticator service, mobile gaming service, etc.). Such another component may validate the account information (e.g., determine that username and password are accurate, compare information to information in a database, etc.).

(158) In some embodiments, if the information is validated, such a component may transmit an indication of such validation to a gateway and/or other component. Such an indication may include a wagering session identifier. A wagering session identifier may be determined in response to a determination that the information is valid. Such a wagering session identifier may include a unique identifier. Such a wagering session identifier may include a random number. A gateway and/or another component may receive such an identifier. Such a gateway and/or other component may associate such an identifier with a communication session for the mobile device (e.g., further communication may require such an identifier unless it is changed). In some embodiments, a mobile device (e.g., a main application and/or wrapper application) may be notified of such an identifier and/or a success of an authentication of a user. Such a mobile device application may store such an identifier for use in future communication. Future requests from a mobile device may include such an identifier.

(159) In some embodiments, such validation may occur only if the device is/was at an approved location. If the device does not pass a location check, the device may be prevented from gaming and such a login may not be performed. In other embodiments, such a login may continue regardless of the location of the device. In some embodiments some features of a gaming service may be disabled if the location check does not pass.

(160) It should be recognized that while some embodiments have been described as having separate processes (e.g., an initial handshake and/or a user/device security process) and/or separate applications (e.g., a wrapper application and a main application) that various embodiments may include a single process and/or a single applications, multiple processes, and/or applications, differently ordered and/or interacting applications and/or processes, and so on.

(161) In some embodiments, after such an initial handshake process and/or a device and/or user security process, one or more variables may be defined. For example in the example methods, a wagering session identifier and/or communication session may be defined by the user and/or device security process, and/or a device session identifier may be defined by an initial handshake process. Such variables may be checked, updated, changed, tracked, and so on. Such variables may be required for further communication from the mobile device to be allowed to access gaming services. For example, if communication is received by the gaming service without such variables being valid, the communication may be ignored and/or not allowed to form a wager. Such variables are given as non-limiting examples only. Other embodiments may include different variables, additional variables, no variables, different applications, and so on as desired.

(162) It should be recognized that various security processes and/or applications are given as non-limiting examples only. Other embodiments may include any and/or no processes in any order, with any actions, and so on. Such processes may include additional, fewer, different, same, differently ordered, and so on actions.

On Going Validity Examples

(163) Some embodiments may include one or more actions related to maintaining security, maintaining location information, and/or creating some level of assurances that some requirements are met. For example, some embodiments may include continuous, periodic, occasional, randomly, on demand, in response to action, and/or other actions. Such actions may include location checks, device checks, user checks, and so on.

Variable Maintenance Examples

(164) In some embodiments, such actions may include maintaining one or more variables, expiring one or more variables, redefining one or more variables, and so on. Some embodiments may include actions related to variables defined in other security processes, such as those discussed above. For example, a device session identifier, a gaming session identifier, and a communication session may be used in some embodiments. Such variables may have limited valid lifetimes, may be redefined periodically, may expire after some time, may be required to occasionally redefined, and so on. For example, in some embodiments, a device session identifier may be valid for about 30 seconds, about 3 minutes, about 5 minutes, about 10 minutes, about 1 hour, and/or any desired time. As another example, a gaming session identifier may be valid for about 30 seconds, about 3 minutes, about 5 minutes, about 10 minutes, about 1 hour, and/or any desired time. As yet another example, a communication session may be valid for about 30 seconds, about 3 minutes,

about 5 minutes, about 10 minutes, about 1 hour, and/or any desired time. New variables may be defined in a similar fashion to their original definitions (e.g., by a device authenticator service, by a mobile gaming service, by a gateway, by a server, by another component, using hash values, using checksums, using random numbers, using timestamps, and so on).

(165) Various examples of defining such variables are given elsewhere, but it should be recognized that such examples are non-limiting and that similar, different, same, alternative, and so on methods may be used to redefine and/or define any same and/or different variables as desired. It should be recognized that variables, and time frame for validity are given as non-limiting examples only and that other methods may include no, other, same, different, and so on variables; no, different, same, and so on methods of maintaining security and/or other characteristics, may use different time frames, may use random time frames, may randomly require redefinition, may require definition upon and event (e.g., a wager request), and so on.

Characteristic Examples

(166) In some embodiments, one or more actions may be related to validating one or more characteristics of a device and/or user of a device. Some embodiments may include actions related to such characteristics (e.g., location, user identity, lack of external control of device, etc.). For example, in some embodiments, a disabling of external access to a mobile device may be validated, a location of a device at an approved gaming location may be validated, a user identify information may be validated, one or more variables being valid may be determined, and so on. In some embodiments, such validation may occur periodically, randomly, on demand, in response to an action, as desired, and so on.

(167) For example, some embodiments may include validating that some and/or all external communication (e.g., except communication used to access a gaming service such as a mobile phone network) are disabled. Some embodiments may include a gaming application executed by a mobile device querying an operating system of a mobile device. For example, a main application may transmit a query to a wrapper application. The wrapper application may query the operating system. In some embodiments, in response to such a query, the operating system may determine if any invalid interfaces are enabled and return such information to the wrapper application and/or main application. In response to such information the validation may fail (e.g., if unapproved interfaces are enabled) and/or succeed (e.g., if no unapproved interfaces are enabled). Some examples of interfaces that may not be approved may include Bluetooth, Wi-Fi, docking port, and/or other interfaces. Such a validating may occur continuously, periodically (e.g., every 5 seconds, every 15 seconds, every minute, every 5 minutes, every hour, etc.), randomly, on demand, and so on.

(168) As another example, some embodiments may include validating that a mobile device is/was at a location that is associated with allowed gaming. Some embodiments may include a component of a gaming system making such a check independent of actions on the mobile device. Some embodiments may include the mobile device checking such a status (e.g., by querying a gaming system and/or other location system). In some embodiments, a component of a gaming system (e.g., a device authenticator service) may run checks on the location of the mobile device. Such a component may update a database with the check results, may enable or disable communication with a mobile device, features of a gaming service in response to such results, may notify a mobile device (e.g., to disable a feature of the device and/or display in indicator) and/or user in response to such results. Such a check may be performed continuously, periodically (e.g., every 30 seconds, every 5 minutes, every 10 minutes, every 15 minutes, every hour, etc.), on demand, in response to an event, and so on. In some embodiments, such location checks may be made more frequent when a mobile device is near an edge of an approved area than when the device is far from an edge of an approved area. For example, in some embodiments, a check may be performed every 5 minutes if a device in a previous check was near a border of a state, every 10 minutes if a device was near an edge of an approved area but far from an edge of a state, and every 15 minutes if a device was not near a border of a state or a border of an approved area. Various examples of location determination are given elsewhere herein. It should be recognized that examples of location checking are given as non-limiting examples only and that other embodiments may include no, different, same, and so on methods.

(169) As yet another example, some embodiments may include determining whether user information is valid and/or whether a session or another variable is valid. For example, some embodiments may include transmitting a request from a mobile device to a component of a gaming service (e.g., a gateway). Such a request may include user information for validation, and or a request to verify that some variable is valid. For example, a request may request that the gateway verify that a device authorization session is valid. Such request may be processed (e.g., by a device authenticator service) and a response may be transmitted to the mobile device. Such a check may be performed continuously, periodically (e.g., every 30 seconds, every 5 minutes, every 10 minutes, every 15 minutes, every hour, etc.), on demand, in response to an event, and so on.

(170) Various examples of characteristics and methods validation should be recognized as non-limiting. Other embodiments may include no, similar, different, same, alternative, and so on methods and/or characteristics.

Event Examples

(171) In some embodiments, one or more actions may be related to validating one or more characteristics of a device, user, and/or variable in response to an event. For example, in some embodiments, when a communication is received from a mobile device, a gaming service may perform such one or more actions. In some embodiments, such communication may include a request to place a wager, a request to view available wagers, a request to view an account, and so on. For example, in some embodiments, in response to a request being made to and/or through a gateway and/or other component of a gaming service (e.g., after initial login) one or more actions may be taken.

(172) Some embodiments may include transmitting a request from a mobile device to a gaming service. For example, a wrapper application and/or main application may transmit a request to a gateway, and/or other component of a gaming service. Such a request may identify any desired variables (e.g., a communication session, a device session identifier, a gaming session identifier, a client key, and so on). Such a request may include a request to take a gaming related action, such a request may include a polling of a gaming service to determine current information (e.g., current games, current scores, account history, current account values, etc.). Some embodiments may include periodic, random, constant, etc. polling. In some embodiments, such polling may not initiate such validation actions.

(173) Some embodiments may include receiving such a request by a component of a gaming service. For example, such a request may be received by a gateway and/or other component of a gaming service. In some embodiments a determination may be made that such a request triggers one or more validation actions (e.g., all request may trigger such actions, every X request may trigger such actions, randomly some requests may triggers such actions, certain types of requests may triggers such actions, a determination may

be made the request is not a polling request, a determination may be made that the request is a request to place a wager, a request every Y minutes may trigger such actions, etc.).

(174) A gateway or other device may perform any desired actions in response to receiving such a request and/or determining that such actions should be performed. For example, in some embodiments, a gateway or other component may determine that a communication session identified by a request is properly associated with the device from which it is received (e.g., by querying a database).

(175) As another example, in some embodiments (e.g., if the communication session check passes) a gateway and/or other component may validate a device session and/or location information. For example, in some embodiments, a gateway and/or other component may transmit a request for validation of a device session and/or location to a device authenticator service. A database of information may be queried to determine if one or more variables are valid (e.g., if a device session identifier associated with the device is valid, have not expired). A database of information may be queried to determine if a mobile device was last determined to be at a location where gaming is allowed. In some embodiments, a new location of the device may be determined. If such checks pass, a timestamp of a last valid check may be updated. Such information may be returned to a gateway and/or other component. It should be recognized that such examples of validation are given as examples only and that other methods may include different components, characteristics, and/or actions.

(176) As yet another example, in some embodiments, if a validation is made of one or more characteristics from a device authenticator, a gateway and/or other component may validate any desired characteristic and/or variable with any components. For example, a gaming session identifier may be validated with a component of a gaming service. Such a component (e.g., server, account based wagering service) may query a database to determine if a gaming session identifier is valid (e.g., correct, not expired). A timestamp of a last check may be updated, and a gateway and/or other component may be notified of a success or failure to validate the information.

(177) In some embodiments, in response to a validation action taken in response to a received request, a request may be processed and/or information may be updated. For example, one or more timestamps of last actions may be updated, one or more wagers may be placed, one or more account transactions may be performed, requested information may be obtained, actions in a game may be taken (e.g., a hit in a blackjack game), and so on. Some embodiments may include returning a result to a mobile device (e.g., transmitting). Some embodiments may include presenting such a result to a user.

(178) Various examples of characteristics and methods validation should be recognized as non-limiting. Other embodiments may include no, similar, different, same, alternative, and so on methods and/or characteristics.

(179) In some embodiments, if one or more validation actions of any described method or other methods fails (e.g., if a variable is determined to be incorrect or expired, if a device is determined to be allowing external control, if a password is incorrect, if a location is not proper, etc.), one or more actions may be prevented and/or taken. For example, in some embodiments, a communication with a device may be prevented, wagering actions may be prevented, access to a gaming service may be halted, a user may be notified of an error, and so on.

(180) FIG. 3 illustrates an example process that may be used in some embodiments for validation and/or use of a mobile device. Such a process may include actions performed by a mobile device, actions performed by a gaming application (e.g., a main application, a wrapper application, and so on), actions performed by a component of a gaming service and/or agent of a gaming service (e.g., a device authenticator service, a communication provider, a location service, and so on) and/or actions performed as desired by any entity. For example, some embodiments may include requesting an initiation of a location tracking of a mobile device, tracking a mobile device, providing location information about a mobile device, determining if a customer has tampered with a client and/or operating system, determining whether one or more communication interfaces are enabled and/or active, and so on. It should be recognized that such actions are given as non-limiting examples and that other embodiments may include performing any actions in any order as desired.

(181) FIG. 4 illustrates an example set of application that may be executed by a mobile device to facilitate access to a mobile gaming service. Such applications may include a wrapper application and a main application. A wrapper application may initiate execution of a main application and perform one or more security checks. A main application may perform wagering actions in connection with a gaming service. It should be recognized that this example process and applications are given as non-limiting examples only. Other embodiments may include different, same, additional, alternative, differently orders, and so on acts performed by same and/or different entities and/or devices as desired.

Location Examples

(182) Some embodiments may include one or more location determination features and/or features that may be affected by a location of a mobile device. Such features may include determining an actual location, determining a relative location, determining whether a location is a valid location, disabling a feature based on a location, enabling a feature based on a location, adjusting a feature based on a location, and so on.

Geofencing Examples

(183) One example location feature may include a geofencing service. Geofencing capability may be used to help ensure that a customer is/was at an approved area (e.g., when a location check is performed, when a wager request is received by a gateway, etc.). One example of a geofencing technology provider includes Sprint. In some embodiments, such geofencing technology may be used to determine whether a customer is/was at the city of Las Vegas, Reno, Tahoe and/or other gaming locations in the state of Nevada that are geofenced. In some embodiments, customers may place sports and/or casino wagers if they (e.g., the device they are using) are/were physically in the boundaries of an approved geofence. In some embodiments customers may not place sports wagers if they are/were not in the boundaries.

(184) A geofence may include a virtual perimeter of a real-world geographic area. Some examples of parameters that may define a geofence around a major city like Las Vegas, Reno, etc. may include: latitude 89.2 deg., longitude 33.4 deg., radius 20 miles; and latitude 50.5 deg., longitude 76.9 deg., radius 22 miles.

(185) It should be recognized that any number of geofences in any location with any parameters may be used as desired. Geofences may be added and/or removed at any time desired to increase, decrease, and/or change an area in which wagering is allow and/or not allow. For example, another set of example geofences may include: longitude 36° 05' 58.37"N, latitude 115° 12' 04.90"W, radius 20

miles; longitude 39° 38' 58.8"N, latitude 119° 34' 40.66"W, radius 20 miles; and longitude 39° 05' 08.69"N, latitude 119° 34' 10.61"W, radius 20 miles.

(186) FIG. 5 illustrates an example of a series of geofences shown on a map of Nevada. The circles/discs in the map represent sample geofences. A gaming service may provide reasonable assurances that the customer is wagering in an approved area by using the capabilities that these geofences provide. In some embodiments, customers may be able to place sports wagers if and only if they are physically inside a geofence, if and only if a last updated location (e.g., by a device authenticator service) shows that the device was last at an approved location, and so on. In some embodiments, customers cannot place sports wagers if they are physically outside a geofence and/or were last determined to physically be outside of a geofence. It should be recognized that while examples are given in terms of circles that any desired geofence shape may be used (e.g., a geofence around a casino).

(187) Some embodiments may include determining whether a device is in or out of one or more geofences. Such determination may include, for example, a determination by a geofencing provider (e.g., based on gps coordinates of the device and the geofence(s), based on triangulation through communication devices (e.g., cell towers), and so on). In some embodiments, such a determination may include a determination by a component of a gaming service (e.g., by querying a location service provider, by calculating a location, by receiving an indication, and so on). Geofencing may include Telematics hardware and/or software.

(188) In some embodiments, when a device (e.g., a mobile device using a gaming service, a location aware device, a device of a location-based service, etc.) enters or exits a geofence, the device and/or a component of a gaming service (e.g., a device authenticator service) may receive a generated notification (e.g., a provider of location services may transmit a notice to a device indicating such a change in location). This notification might contain information about the location of the device (e.g., a current gps coordinates, a name of a geofence, a city, an indication that the device is in or out of a geofence, etc.). Such a notification may be transmitted to a mobile device over a communication network, to a component of a gaming service over a communication network, to an email account, as a text message (e.g., SMS), and so on.

(189) Some embodiments may include taking any desired action in response to a crossing and/or near crossing of a geofence border. For example, in response to a leaving and/or near leaving of a geofenced area, a vehicle may be stopped, a third party may be notified, a gaming service may be notified, a game may be stopped, a mobile device may be affected (e.g., shut down, an application may be halted, and so on), and so on. Such actions may be facilitated by a gaming service provider in response to determining such a change to a location and/or a location service provider.

(190) As yet another example of a working of a location service, some embodiments may include a location service that may be queried as desired to determine a location. For example, a communication service provider (e.g., Sprint) may track a current location of a mobile device using a communication service (e.g., through gps coordinates, through cell towers or other communication access points being accessed, etc.). Such tracking may be performed continually and/or in response to a request.

(191) In some embodiments, a gaming service may transmit a query to verify a location as desired. For example, a gaming service may transmit a query to a location service whenever a variable has expired, periodically, in response to a query, etc. In some embodiments, such a query may ask the location service if a mobile device is in a boundary of one or more geofences. In some embodiments, such a query may ask the location service for allocation of a mobile device and a gaming service may determine if the mobile device is in the one or more geofences by comparing the location to the geofences.

(192) In some embodiments, a gaming service may desire to minimize determinations and/or queries regarding locations. For example, such determinations may require processing time that is desired for other processes, and/or a location service may charge a fee for responding to such queries. Some embodiments may include a variable frequency and/or need for such queries and/or determinations. Some embodiments may include determining when to make a determination of a location based on a distance from boundary (e.g., a boundary of a geofence, a boundary of an allowed gaming area) of a prior location determination.

(193) For example, in some embodiments, a time between determinations (e.g., periodic determinations, random determinations, occasional determinations, and so on) of a location (e.g., a frequency of a query) may be greater if a device is farther from a boundary of a geofence than if the device is closer to a boundary of the geofence. For example, a location variable may remain valid for longer if it is based on the location that is farther from the boundary. In some embodiments, a response to a query may indicate when a next query should be made based on such a distance. In some embodiments, a response to a query may indicate a distance from a boundary (e.g., an actual distance, a category of distance, and so on). A gaming service may determine when to make a next query based on such received information. Such querying may include for example, querying every 5 seconds for close to a boundary, every 15 second for far from a boundary, a sliding scale, and so on. In some embodiments, a query may be made for every transaction when close to a boundary, every other transaction when far from the boundary, and so on. A determination may be made that a request from a mobile device does not require a location determination based on a distance from a boundary.

(194) Some embodiments may include concentric geofences that may be used to determine when a query of a location is to be made. For example, an inner geofence may correspond to a location far from an allowed boundary and may correspond to a longer time frame. An outer geofence may correspond to an actual and/or closer boundary of an approved area and may include a more frequent determination. Some embodiments may include determining whether a determination of a location of a mobile device should be made based on the mobile device being outside of at least one geofence and inside of at least one other geofence.

(195) It should be recognized that such examples of a determination rate being related to a distance form an edge of an approved area are given as non-limiting and that other embodiments may include any methods and/or apparatus that may in any way relate determinations to distance may be used as desired.

(196) Some embodiments may include determining such a determination rate based on a speed of a mobile device. For example, in some embodiments, a speed of a mobile device may be determined based on a current and prior location (e.g., the distance traveled between determinations divided by the time between determinations). In some embodiments, a faster traveling device may be associated with a faster rate and a slower speed may be associated with a slower rate.

(197) In some embodiments, a speed and distance may be used to determine such a determination rate. For example, determination rate may be determined such that at a determined speed, a device is unable to travel a distance to a boundary in a determined time, is unable to travel half a distance to the boundary, is unable to travel any threshold percentage of a distance to a boundary, and so on.

(198) In some embodiments, a direction may be used to determine such a determination rate. For example, a direction may be determined based on prior two locations (e.g., traveling in the direction of the second location from the first location). In some

embodiments, a distance to the boundary that may be used in determining a time period may be based on a distance to the boundary in the direction of travel, a shortest distance to the boundary in a range around the direction of travel (e.g., 20 degrees in either direction from the direction of travel, 90 degrees in either direction from the direction of travel, and so on).

(199) In some embodiments, a maximum time period may not be exceeded (e.g., 1 minute, 5 seconds, 1 hour, 10 minutes, etc.).

(200) It should be recognized that any actions, processes, information, and so on may be used to determine a determination period as desired in any combination with any desired restrains.

(201) Various other service may be offered by a location providing service. For example, Geofencing may be used with child location services to notify parents when a child leaves a designated area. A location-based service may include an information and/or entertainment service, such as a mobile gaming service that may be accessible with mobile devices through a mobile network. Such a service may make use of the geographical position of a mobile device. LBS services can be used in a variety of contexts, such as health, work, personal life, etc. LBS services may include services to identify a location of a person or object, such as discovering the nearest banking cash machine or the whereabouts of a friend or employee. LBS services may include parcel tracking and vehicle tracking services. LBS can include mobile commerce when taking the form of coupons or advertising directed at customers based on their current location. They may include personalized weather services and even location-based games.

(202) In some embodiments, technology may allow the creation of standalone and/or overlapping geofences. Technology may allow creation of a geofence/circle of any given radius and/or shape. In some embodiments, this technology may prevent anyone outside of a fence from placing wagers. Geofencing may allow users of a system to draw zones around places of work, customer's sites and/or secure areas.

(203) As an example, some embodiments may use a sandbox service for geofencing provided by Sprint. Such a service is given as a non-limiting example only. This service may include one or more geographical locations where each single position can be plotted with a geographic coordinate. A user may be able to build a perimeter around this location—a fence, based on those coordinates. Users of such a system may have the ability to build fences, add devices related to those fences and be notified when a device is entering or leaving (or both). In some embodiments, to alleviate privacy concerns, only devices having explicitly granted access to an application may be able to interact with a geofence.

(204) In some embodiments, one or more services may be available as part of a geofencing API to facilitate generating, eliminating, maintaining, querying, connecting, and so on regarding geofences. One or more of the following examples of services may be available and/or used to provide wagering services:

(205) TABLE-US-00001 List- This service is used to return geofences associated with a user. list.{format}

[{format}?{params}](http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/list) Authentication This method requires a generated MD5 signature. Arguments key - Your API Key. timestamp - The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). sig - The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response fenceId - ID of the fence associated with the user. status - Whether or not the fence is currently active (monitoring) or inactive (not monitoring). startEndTime - The times between which the fence monitors (if active), i.e. 915-1430, times are military. days - Days the fence monitors (if active), note: H=Thurs, A=Sat. lastMonitor - Date/Time of the last check on this fence. Latitude - Center latitude on which the fence is based. longitude - Center longitude on which the fence is based. dimensions - Dimensions of the fence (currently “radius” is v1 of geofence). Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/list?key=123abc&key×amp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response 110(Inactive, 900-1700, MTWHF, NEVER, 38.9178, -94.6598, 50), 427(Active, 930-1115, SA, NEVER, 38.9178, -94.6598, 500) Add- This service is used to add a fence. add.{format} [{format}?{params}](http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/add) Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. Name- The name of the fence. strTime- Earliest time to start monitoring the fence, format [HH][MM] note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). endTime- Latest time to monitor the fence, format [HH][MM] note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Lat- Center latitude on which to base the fence. Long- Center longitude on which to base the fence. Dim- Dimensions of the fence (for v1 of geofence, this is the radius). Interval- The interval at which the fence should be checked; note: only increments of 5 min may be allowed; i.e. 5, 15, 25, etc. days- Days on which the fence should be monitored, as a String with a single representing each day note: H=Thurs, A=Sat; i.e. SMTWHFA. notifyEvent- Whether the fence should notify on “in”, “out” or “both” (excluding this param will default to “both”). Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response: message Success message if recipient was added or an error message. Example Request: Get

<http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/add?key=123abc&key&name=My%20Fence&strTime=900&endTime=1700&lat=38.917806&long=94.659787&dim=50&interval=15&days=MTWHF×amp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response FENCE_ADDED

Activate- This service is used to activate an existing fence. activate.{format} [{format}?{params}](http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/activate)

Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence to activate. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message: Success message if fence was activated or an error message. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/activate?key=123abc&key&fenceId=110×amp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response FENCE_ACTIVATED Deactivate - This service is used to deactivate an existing fence. deactivate.{format}

[{format}?{params}](http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deactivate) Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence to activate. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded

hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message Success message if fence was deactivated or an error message. Example Request Get: <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deactivate?key=123abckey&fenceId=110&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response FENCE_DEACTIVATED Some services may be used to maintain devices being tracked in relation to a specific geofence. For example, the following services may be used and/or offered for such purposes in some embodiments:

(206) TABLE-US-00002 List - This service is used to return all devices associated with a geofence. listDevices.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/listDevices.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence whose recipients you want listed. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response deviceId ID of the device associated with the fence. mdn MDN of the fence device. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/listDevices?key=123abckey&fenceId=110&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response 1(8165551111), 14(9135552121) Add - This service is used to add a device to a fence. addDevice.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/addDevice.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence to add the device to. Mdn- MDN of the device. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message Success message if device was added or an error message. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/addDevice?key=123abckey&fenceId=110&mdn=9135552121&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response DEVICE_ADDED Delete - This service is used to delete an existing fence device. deleteDevice.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deleteDevice.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. deviceId- The ID of the device to delete. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message Success message if device was deleted or an error message. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deleteDevice?key=123abckey&deviceId=217&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response DEVICE_DELETED Some services may be used with respect to managing, and/or receiving notifications for one or more geofences. For example, the following services may be used and/or offered for such purposes in some embodiments:

(207) TABLE-US-00003 List - This service is used to return all recipients associated with a geofence. listRecipients.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/listRecipients.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence whose recipients you want listed. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response recipientId: ID of the recipient associated with the fence. mdnURL: MDN or URL of the notification recipient. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/listRecipients?key=123abckey&fenceId=110&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response 112(8165551111), 146(9135552121), 327(<http://www.notifymyapp.com>) Add - This service is used to add a recipient (may be either an MDN or URL) to a fence. addRecipient.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/addRecipient.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. fenceId- The ID of the fence to add the recipient to. mdnURL- MDN or URL for the notification recipient. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message Success message if recipient was added or an error message. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/addRecipient?key=123abckey&fenceId=110&mdnURL=9135552121&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response RECIPIENT_ADDED Delete - This service is used to delete an existing fence notification recipient. deleteRecipient.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deleteRecipient.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Key- Your API Key, click here to view. recipientId- The ID of the recipient to delete. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response message Success message if recipient was deleted or an error message. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/deleteRecipient?key=123abckey&recipientId=217&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response RECIPIENT_DELETED Perimeter Check - This service is used to determine if a device is inside a defined area, or "fence." checkPerimeter.{format} <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/checkPerimeter.{format}?{params}> Authentication This method requires a generated MD5 signature. Arguments Mdn- The MDN of the device to be located. Key- Your API Key, click here to view. Lat- The latitude of the center of the geofence. Long- The longitude of the center of the geofence. Rad- The size of the fence in meters. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] Note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response Mdn- The mdn of the device that was located. latReq- The requested latitude for the center of the fence. lonReq- The requested longitude for the center of the fence. radReq- The requested radius of the fence, in meters. latRes- The actual latitude of the requested device. lonRes- The

actual longitude of the requested device. Accuracy- The accuracy of the location fix for the device. Status- The status of the request, meaning that if device is inside or outside of the fence. Comment- Additional information pertaining to the fence, this is only displayed if there is an issue with one of your parameters, e.g. your radius is smaller than your accuracy. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/checkPerimeter?key=123abckey&mdn=9135555151&lat=38.917806&long=-94.659787&rad=5&tamp=2010-0305T10:12:00CST&sig=123abcdef456> Example Response 9135555151,38.917806,-94.659787,5.0,38.914948, -94.65723,0.0,OUTSIDE

Some embodiments may include one or more errors occurring with respect to a geofence. Some example errors that may occur include:

(208) TABLE-US-00004 INVALID_LAT_LONG Latitude\Longitude is invalid. INVALID_COORDINATES Coordinates are invalid. INVALID_ACTION Action (i.e. checkPerimeter, add, addRecipient, etc) is invalid. INVALID_KEY Key is invalid. INVALID_FENCE Fence referenced is invalid. INVALID_FENCE_ID Fence ID is invalid. INVALID_RECIPIENT Recipient referenced isn't valid. INVALID_TIME Time entered for fence isn't valid. INVALID_LATITUDE Latitude is not valid. INVALID_LONGITUDE Longitude is not valid. INVALID_RADIUS Radius isn't valid. EXPIRED_KEY The API key has expired. INVALID_MDN Not a valid 10 digit number. LOCATION_ERROR A service exception occurred on the server side.

EXHAUSTED_DIPS You have exceeded your transaction limit. GENERAL_FAILURE An unidentified error may have occurred. Some embodiments may include one or more services, functions, processes, APIs and so on performed, used, and/or offered by a device, and/or system that may interface and/or otherwise use a geofencing technology. Some example functions may include:

(209) TABLE-US-00005 Perimeter Check API - This service is used to determine if a device is inside a defined area, or "fence." checkPerimeter.{format} [{format}">http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/checkPerimeter.{format}](http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/checkPerimeter)? {params} Authentication This method requires a generated MD5 signature. Arguments Mdn- The MDN of the device to be located. Key- Your API Key, click here to view. Lat- The latitude of the center of the geofence. Long- The longitude of the center of the geofence. Rad- The size of the fence in meters. Timestamp- The current time of the request: [YYYY]-[MM]-[DD]T[HH]:[MM]:[SS][ZZZ] Note: [HH] refers to a zero-padded hour between 00 and 23 (where 00 is used to notate midnight at the start of a calendar day). Sig- The MD5 Digest value of the parameters of the geofence service and your secret. Http Method Get Response Mdn- The mdn of the device that was located. latReq- The requested latitude for the center of the fence. lonReq- The requested longitude for the center of the fence. radReq- The requested radius of the fence, in meters. latRes- The actual latitude of the requested device. lonRes- The actual longitude of the requested device. Accuracy- The accuracy of the location fix for the device. Status- The status of the request, meaning that if device is inside or outside of the fence. Comment- Additional information pertaining to the fence, this is only displayed if there is an issue with one of your parameters, e.g. your radius is smaller than your accuracy. Example Request Get <http://sprintdevelopersandbox.com/developerSandbox/resources/v1/geofence/checkPerimeter?key=123abckey&mdn=9135555151&lat=38.917806&long=-94.659787&rad=5&tamp=2010-03-05T10:12:00CST&sig=123abcdef456> Example Response 9135555151,38.917806,-94.659787,5.0,38.914948, -94.65723,0.0,OUTSIDE

(210) FIG. 6 illustrates some example processes that may be performed in some embodiments with respect to a geofence. It should be recognized that this is given as an example only and that other embodiments may include other processes, other actions in any order performed by any device as desired. It should be recognized that various examples of services and/or functions are given as non-limiting examples only. Some such example processes may include creating a geofence, adding a device to be tracked by the geofence, subtracting a device, eliminating a geofence, changing a geofence, querying regarding a device and/or geofence, listing active and/or inactive geofences, activating a geofence, deactivating a geofence, and so on. Other embodiments may include other such features with different parameters, authentication requirements, arguments, responses, names, and so on.

(211) FIG. 7 illustrates an example architecture that may be used in some embodiments for location determination. As illustrated, one or more mobile device may communicate with a gateway. Such a gateway may communicate with a location determination service. In some embodiments, the gateway may determine whether a location determination is desired (e.g., in response to a wager, periodically, in response to a variable becoming invalid, etc.). The gateway may query the location service in response to determining that the location determination should take place. The location service may determine a location (e.g., a gps coordinate, a physical location, whether a device is in or out of a geofence, a distance to an edge of a boundary, etc.). The location service may transmit such location information to a gateway. The gateway may enable and/or disable a service as desired, store information about the location, and/or perform any desired actions in response to receiving the location information. It should be recognized that such an architecture and process are given as non-limiting examples only and that other embodiments may include any desired components of a gaming service, location service, communication service, and so on as desired in any combination performing any functions.

(212) It should be recognized that examples of determining whether a device is in or out of a geofence are given as non-limiting examples only. Some embodiments may include any number of services to provide such features. For example, a third party may provide location services, a communication service provider may provide location services, a gaming service may provide location services, any aspect of a location determination may be performed in part or in whole by any entity desired.

Soft Tag Examples

(213) In some embodiments, in addition to and/or as an alternative to geofencing, a softtag system may be used. Such a system may be used to determine whether a device is in an approved and/or an unapproved location for gaming. In some embodiments, such a system may be provided by Ekahau to determine approved and/or unapproved (e.g., red/green) zones.

(214) In some embodiments, such a softtag may include a gaming positioning client software. Such software may be used, e.g., by a server, workstation, network, mobile device and/or processor, to facilitate determining information about a location or position of a mobile device. In some embodiments, such software may be used to identify a location of a user of a mobile and/or handheld device (e.g., a moveable processor, such as a handheld computer, mobile phone or smartphone, laptop, other portable electronic device, etc.). For example, software running on a mobile device may cause the device to transmit or otherwise provide information (e.g., to a server or other processor, a unique identifier, a set of signal strengths, etc.) that can be used to determine the position of the client mobile device.

(215) In some embodiments, a gaming application (e.g., a main application, a wrapper application, a softtag application, etc.) may

perform one or more actions to facilitate such features. For example, such an application may be assigned a unique identifier (e.g., as part of a sign up process). As another example, such an application may be provided with a list of allowed access points and/or a reference to where such a list may be obtained (e.g., from a gaming service). In some embodiments, such a gaming application may determine one or more signal strengths from one or more wireless access points and/or one or more access point identifiers that may be accessed from a current location). In some embodiments, an application may determine a network to which the mobile device is accessing a gaming service (e.g., a wifi network at a casino, a wifi network at a Starbucks in Las Vegas, and so on).

(216) In some embodiments, one or more identifiers and/or signal strengths may be transmitted to a gaming service and/or other location (e.g., with a request to gamble). In some embodiments, an identifier of such a network may be used to determine that the network is approved. For example, the network identifier may be compared with a listing of allowed networks (e.g., by a gaming service, by a mobile device, by the application). If the network is in the list, then the network may be in an approved location and gaming may be allowed. In some embodiments, a request to a gaming service may include an identification of the network so that such a determination may be made by the gaming service. In some embodiments, a set of signal strengths and/or access point identifiers may be used to determine if a location is approved. For example, a set of signal strengths and/or access points may be compared to a set of approved signal strengths and/or access points. Some example embodiments of such comparisons are described in U.S. patent application Ser. No. 12/197,809, which is hereby incorporated herein by reference.

(217) Some embodiments may include determining that a network is in an allowed location and/or identifying allowed signal strengths and/or access points. For example, some embodiments may include an agent identifying that a network, access points, and/or signal strengths are in a allowed location to a gaming service (e.g., an agent may observe a boundary of a network and determine that the network is within a boundary of an allowed location, the agent may send a message to a gaming service identifying that communication network and that it is in an allowed location, the agent may determine that signal strengths and/or access points at various locations are valid and/or invalid based on the location compared to legal requirements). In response to receiving such information, a gaming service may associate the communication network, signal strengths, and/or access points with being in an allowed location.

(218) Such an application may run on any supported operating system or systems. Such operating systems may include any operating systems for computers, servers, handheld devices, and/or other devices. Such supported operating systems may include Windows operating systems such as Mobile 5 PocketPC, Windows Mobile 6 Classic, Windows Mobile 6 Professional, and other operating systems, Mac operating systems, Linux, and other systems.

(219) In some embodiments, the software may be capable of accomplishing various functions and have various features, including (but not limited to) one or more (or all) of the following, e.g., in some embodiments: support client maintenance, e.g., from a Positioning Engine (e.g., a position engine provided by the company Ekahau); adjust scan settings, e.g., for multiple devices, e.g., at the same time (or at multiple different times); display battery level status (e.g., from Ekahau Engine); does not require Ekahau Client Connector; Supports Ekahau RTLS 4.x Location and Maintenance Protocols (ELP, EMP); includes a new user interface in the PPC Client: PPC Client settings are maintained using Ekahau Positioning Engine; Laptop Client may not have a UI: settings are set in the installer or settings are maintained using Ekahau Positioning Engine; and/or may or may not affect association/authentication.

(220) Various examples of determining a time period for rechecking a location are given elsewhere with respect to a geofencing embodiment. Such feature may apply to a softtagging or other embodiment. For example, particular networks, access point and/or signal strength sets may be associated with different time periods between location checks based on a distance from an edge of a boundary of an approved area, a state, a reliability, and so on. Similarly, speed of movement may be used to determine such time periods in some embodiments.

(221) It should be recognized that various examples of softtagging are given as non-limiting examples only and that other methods and/or apparatus may be used as desired. Any desired location services may be used in combination and/or exclusively. For examiner, some embodiments may include determining that a device is both using an approved network and in a geofence.

Location Affinity Examples

(222) Some embodiments may include associating a particular location with one or more advertising elements, available games, user interfaces, skins, user accounts, and so on. For example, in some embodiments, a user that is in the M Resort may be allowed to play games (e.g., sports wagers, and/or casino games) that may be allowed by the M Resort. For example, the user may be limited to only games that are offered by the M, approved by the M, have an M skin, and/or are otherwise limited and/or customized based on being located within the M Resort. In some embodiments, a user may be limited to using an account at the M Resort when located in the M Resort. In some embodiments, a user may be limited to selecting an M Resort account from a list of accounts from which to place wagers, an M Resort App, an M Resort menu item from a menu of gaming items, and/or other elements related to the M Resort when in the M Resort. In some embodiments such restriction may apply to a particular type of gaming such as casino gaming but may not to another type of gaming, such as sports gaming.

(223) For example, in some embodiments, if a user is in a geofence that is around the M Resort, the user may be determined to be in the M Resort. For example, one of the geofences described above may be around the M Resort and a query result from a location service may indicate whether the user is in or out of that particular geofence to be used by a gaming service to determine whether the user is in or out of the M Resort. In some embodiments, if a user is accessing a M Resort communication network for gaming (e.g., an M Resort wifi network), the user may be determined to be in the M Resort. In response to being determined to be in the M Resort, features may be enabled and/or disabled as desired (e.g., a user may be prevented from logging into a non-M Resort account).

(224) In some embodiments, determining a location may be performed using geofencing such that a first geofence around a casino and a second geofence around a city may be used. For example, such a concentric geofencing may allow for a user in a casino to be limited to things approved by the casino, but a user outside of the casino to be allowed to use things approved outside the casino, which may include more, fewer, same, and/or different things than those approved in the casino. For example, more than one type of gaming may be allowed outside the casino, such as sports wagers from multiple books not just the M Resort and/or casino games using money from accounts not located at the M Resort.

(225) In some embodiments, as an alternative and/or addition to determining location based on geofencing a determination of allocation may be based on available communication networks. For example, one or more determinations may be made by a software application of a device as to whether one or more wireless networks or other communication networks from a set of pre-approved

networks are available. Each such pre-approved communication may be associated with a particular location. If a wireless network of the set of wireless networks is available, then the device may be required to establish a connection to that network in order to play a game. Access to gaming through any other network such as a cellular network that may also be available may be prohibited when one or more of the pre-approved networks are available. Accordingly, in some embodiments when inside of a casino such as the M Resort that may offer a wireless connection to an M Resort network that is associated with being in the M Resort, a device may determine that the pre-approved M Resort network is available. The device may stop access to a cellular network for gaming purposes in response to determining that the pre-approved network is available. The device may connect to the M Resort network in response to determining that the M Resort network is available. Limitations, abilities, restrictions and so on associated with being in the M Resort may be associated with gaming using the M Resort network, and therefore, the device. Such limitations may be imposed upon the device by the device, by a server to which the device connects, by a gateway through which the device connects, and/or in any other way. For example, in some embodiments, based on an SSID on the network, a gateway server may limit available accounts that may be signed into, based on the account signed into, a central server may limit available gaming options, based on the SSID of the network, a device may apply a skin and/or restrictions, based on an SSID a central server may apply limitations, and so on.

(226) Such information about networks and/or locations may be used to distribute winnings, direct advertising, prevent users from becoming angry or feel cheated by a casino in which they are located even though they are playing games that may be offered through another casino, and so on.

(227) In some embodiments, to accomplish such network limited functionality, a device may be configured to check for an availability of one or more pre-approved communication networks, such as a Wi-Fi connection (e.g., by a gaming application, a wrapper application, etc.). Such checking may take place periodically, continually, randomly, on demand, and so on. When any one of those pre-approved communication networks is available, the device may connect to that instead of any other network s. If multiples are available, then a strongest signal or otherwise preferred network may be used.

(228) In some embodiments, to continue ensuring that no remote control is used through a Wi-Fi_33 connection so that a player is physically present, when gaming through a cellular network, the Wi-Fi_33 may be disabled for actual data receipt and/or connection unless and/or until such a pre-approved network is detect, a Wi-Fi_33 connection may be turned on for mini boosts only to check if the network is available (in some embodiments, during which time the other gaming may be suspended), a Wi-Fi_33 device may be on but unable to connect to any network accept the preapproved networks, a Wi-Fi_33 device may be controlled by a proprietary software that limits access to any networks other than the preapproved networks, and so on.

(229) When a pre-approved network is detected, a cellular network may be no longer available for gambling through a gaming application (e.g., the application may be notified of the availability and disconnect from or otherwise limit access to a gaming server through the cellular network, a gaming server may be notified and limit access to games, and so on). The user may be prompted to login through the Wi-Fi_33 network and/or may automatically be logged in through such a network instead. Similarly when the Wi-Fi_33 network is no longer available, if the cellular network is available, the user may be prompted to login there and/or may be automatically logged in there instead.

(230) A start up process that may be performed before gaming is allowed on a mobile device in such an embodiment may require that Wi-Fi_33 be enabled throughout the use of the device, may require that a Wi-Fi_33 diagnostic be passed, may require that an approved application has control over a Wi-Fi_33 device, and so on. If no approved Wi-Fi_33 network is available, the cellular network may be used to gamble such as described elsewhere herein, for example.

(231) It should be recognized that various examples of location service and/or location affinity are given as non-limiting examples only.

Limiting Remote Control of Mobile Device Examples

(232) In some embodiments, an ability to remotely access a cell phone may be controlled. Such an ability may be restricted, prevented, and/or not available, for example. In some embodiments, one or more methods and/or devices may be used to prevent remote connections to a mobile device while a customer is performing wagering related activities using the mobile device and/or if the mobile device is authorized to perform wagering activities.

(233) Some example mobile devices may include any number of communication interfaces (e.g., 4) that may be controlled to prevent remove access of the mobile device. It should be recognized that some embodiment may include more, fewer, different such interfaces and that the example interfaces are given as non-limiting examples only. Such example interfaces may include 1. Wi-Fi, 2. Dock/USB, 3. Blue tooth, 4. Cellular Network (may not support incoming connections).

(234) In some embodiments, incoming remote connections to a mobile device may be disabled, may not be possible and/or my otherwise may be prevented over a cellular network connection. In some embodiments, one or more communication interfaces may be disabled at a time relative to when a player performs wagering related activities (e.g. places a wager). In some embodiments, such disabling may include preventing a customer from remotely controlling a phone so that the customer may be at the location of the phone when the wagering activity takes place. In some embodiments, if while in the sports betting application, the customer enables a disabled communication interface, and/or a remote connection is made through such an interface, in response to determining that such an enabling occurs and/or such a connection being made, a customer's sports betting session may be terminated and/or disabled (e.g., with a warning message, without a warning message, a sports wagering application may be terminated, a communication session may be terminated, a gaming service may be notified, and so on).

(235) In some embodiments, a mobile gaming application may make check to determine whether a communication interface is enabled and/or whether a communication session through such an interface is active. For example, an application may occasionally, in response to an action, periodically, and so on check if a communication interface is enabled and/or if a communication session is active. Such a checking may be made by calling one or more APIs. For example, an Android OS API may be used. Some examples of such APIS may include:

(236) TABLE-US-00006 Class: UiModeManager public int getCurrentModeType () Since: API Level 8 Return the current running mode type. May be Configuration.UI_MODE_TYPE_NORMAL, Configuration.UI_MODE_TYPE_DESK, and/or

Configuration.UI_MODE_TYPE_CAR May check if device is docked or connected to USB Class: WifiManager public boolean isWifiEnabled () Since: API Level 1 Return whether Wi-Fi is enabled or disabled. Returns true if Wi-Fi is enabled See Also

getWifiState() May check if WIFI is enabled Class: BluetoothAdapter public boolean isEnabled () Since: API Level 5 Return true if

Bluetooth is currently enabled and ready for use. Equivalent to: `getBluetoothState() == STATE_ON` Requires BLUETOOTH Returns true if the local adapter is turned on

(237) In some embodiments, a wagering application on a client device may include one or more programs. A first application may include, for example, an AIR 2.5 application built on Android 2.2 platform using Flash AS3. A second application may include, for example an Android wrapper application that launches and monitors the current device status. In some embodiments, a customer facing application may include a launcher that may launch the AIR 2.5 application after checking the status of remote connection access points such as Wi-Fi, Bluetooth and dock. The application may be launched if all external connection methods are disabled. Once successfully launched, if the customer enables one or more of these access points, the application may terminate. If the compliance validator service terminates and cannot provide status to the application, the application may terminate.

(238) Some embodiments may prevent a user from making and/or accepting phone calls. For example, an application may be closed if a phone call is made and/or received during a gaming session and/or while a gaming application is being executed. In some embodiments, a user may be prevented from changing a focus, running multiple applications, running other applications, and so on while a gaming application is executed. It should be recognized that any desired set of actions may be made to prevent remote access as desired.

(239) It should be recognized that various examples of application are non-limiting and that other embodiments may include a single application, any number of applications, no applications, any language, any technology, any devices, any operating systems, and so on.

Example Components

(240) Some embodiments may include one or more actors, programs, devices, servers, components, entities, architectures, and so on. Some examples may include:

(241) A customer and/or mobile device user, a customer service agent associated with a gaming operator that may be located at a gaming related property, a customer service help desk that may be accessible via a toll-free number for assistance to mobile customers (e.g., help desk information may be displayed to customer whenever any validation fails), an Android Wrapper Application (e.g., an application written in the Android OS language and/or other language used to authenticate device and monitor phone status), an AIR Mobile gaming Client (e.g., a NGCB approved Adobe Flash application installed on the phone that may be the current user interface to allow customers to sign-in, play mobile gaming, and view account history), a Device Authenticator Service (e.g., an SSL secured service that provides the mechanism for the Android Wrapper application to authorize the phone, a provider of an internal (i.e. only accessible inside the firewall) interface to validate requests made to systems from approved devices), a gateway (e.g., an SSL secured NGCB approved middleware communication service that proxies requests to DAS and the account based mobile gaming system), a Win32 Wrapper Application (e.g., an Application written in the Win32 language used to authenticate device and monitor PC status). It should be recognized that Win32 language and PCs are given as non-limiting examples only and that any technology may be used as desired. In some embodiments, a mobile device may include a data adapter, a mobile phone, a smart phone, a laptop, a pda, and so on.

(242) FIG. 8 illustrate example architectures that may be used in some embodiments. Some embodiments may include a mobile device as indicated. Such a device may communicate with a gaming service (e.g., a gateway). Such a device may be used by a customer to enter wagers, select games to play, choose decisions in a game, log into an account, and so on. Some embodiments may include such a gateway and/or any desired components of a gaming service and/or third party services that may be in communication with a mobile device. Such a component may perform any desired actions (e.g., authentication, location, and so on). Some embodiments may include a location service. Such a location service may provide any desired actions related to determining if a mobile device is in an approved location. Such a location service may communicate with a mobile device and/or gaming service. Such a location service may include a communication provider for the mobile device, a gaming service itself, a third party, and so on. Some embodiments may include a gaming component. Such a gaming component may be used to place bets, determine wager results, track accounts, and so on. Such a wager component may be part of a gaming service provider. Such a gaming component may receive wagers, determine wager results, receive actions to take in a game, facilitate play of a game, transmit indications of a result of an action, facilitate adjustments to an account in response to such results, and so on.

(243) The figures illustrate that some actions may be performed by some devices. It should be recognized that any desired actions may be performed by any devices in other embodiments. It should be recognized that any desired computing devices in any combination may be used in other embodiments.

(244) Some embodiments may use MD5 hashing and/or any desired encoding scheme to encode information, such as system parameters. Information about MD5 hashing may be found at <http://en.wikipedia.org/wiki/MD5>. MD5 may include a message digest algorithm for encoding data. MD5 may help to ensure that 1) Once encoded, the data cannot be retrieved via forms of decoding (i.e. the original data is lost) 2) MD5 Hashing two different pieces of data (even if they're quite similar) produces different results and/or 3) MD5 Hashing identical data will produce the same result.

(245) Some embodiments may use an SSL HTTPS protocol to facilitate secure communication between entities. In some embodiments, communication between client devices and DAS, gateway, and/or a component of a gaming service may be performed using via the SSL HTTPS protocol. This may ensure data integrity and/or security. Information about the HTTPS protocol may be found at <http://en.wikipedia.org/wiki/Https>.

(246) Some embodiments, such as those that may use an Android OS, may use private key signing to secure applications. For example, the OS may ensure: 1) two applications signed with different private keys cannot write to the data store of the other and/or 2) two applications signed with the same private key can write to the data store of the other. Information about such security may be found at <http://developer.android.com/guide/topics/security/security.html>.

(247) Some embodiments, such as those that us Win32, may use process ids to secure applications. For example, a Win32 wrapper application may ensure: 1) two applications are running under the same user id and/or 2) Two applications are the only two processes running under the same user id.

(248) Such examples are given as non-limiting only. It should be recognized that various embodiments may include any desired actors, programs, devices, servers, components, entities, architectures, and so on in any desired combination.

Examples of Gaming Rules

(249) Some embodiments may operate in compliance with one or more rules. It should be recognized that any rules and/or no rules may be used as desired. Any number of mechanisms, punishments, validations, and so on may be used to ensure that any one or more of the rules are followed. Some examples rules may include: 1. Wagers are accepted within the approved geofences within the state of Nevada per Regulation 22.140 and Regulation 266.160. Nevada law prohibits wagers originating from outside the State of Nevada so such wagers may not be permitted. Accountholders may understand that it is illegal to place a wager originating outside the State of Nevada. 2. Applications for wagering may be made in person at a race and/or sports book. Applicants may complete the approved account based wagering application and provide acceptable valid proof of identification, and/or social security number, per Regulation 22 and 26c. 3. Account applicants may be twenty-one (21) years or older. 4. Account transactions may be made by the account holder. Accounts may be limited to the use of the individual named on the application. Account deposits and withdrawals may be made in person. Agents or other representatives may not be permitted. 5. A minimum \$100.00 deposit may be made to open an account. Deposits to the accounts may be made in cash. Wire transfers may be made to a patron's account in accordance with Nevada Gaming regulations. 6. Account deposits and withdrawals may be signed and authorized by the guest at the race and sports book during normal business hours. No agents or representatives may be allowed. 7. Account withdrawals and subsequent deposits may be made at the location where the funds were initially placed on deposit. 8. Account patrons may be required to provide their account number and acceptable valid identification when conducting account transactions in person. 9. Wagers may not be accepted if they exceed the account balance. 10. Wagers may be subject to established wagering limits. 11. Rules, upon regulatory review, may be subject to change at any time. 12. Minimum deposit may include \$100, and minimum wager may include \$5. 13. Any desired house rules and/or regulations may apply to wagering accounts. 14. Patrons may be provided, within a reasonable amount of time, a statement of their account showing wagering account deposits, wagering account withdrawals, credits to a wagering account, and/or debits to the wagering account made during the time period reported by the account statement. The request for such information may be done in writing and be signed by the patron whose signature on the request will be verified. Within the request, the patron may furnish details on the dispensing of the requested information. All postal mailing may be done via regular mail to the address requested by the patron. If the request by the patron is to personally receive the information, the information may be given to the patron, who may provide valid identification when receiving the information. The information may not be personally released to anyone but the patron who holds the account unless required by law or court order. 15. Patrons may dispute any transaction according to Nevada Gaming Commission Regulation 7A. 16. Casinos may make a print, electronic or other approved record of each sports transaction and may not accept any such wager or transaction if the recording system is inoperable. Recorded wagering transactions may be maintained for 60 days, per Regulation 22 and 26c. The record of the patron's confirmation of all wagering information may be deemed to be the transaction of record, regardless of what was recorded by the computerized bookmaking or pari-mutuel system. The records may be made available to the Nevada Gaming Control Board upon request. 17. Guests may acknowledge that a wager placed using the system is binding on both parties only when the BET IS APPROVED on the system or the message "BET HAS BEEN ACCEPTED" is displayed.

OTHER EMBODIMENTS

(250) It will be understood that the technologies described herein for making, using, or practicing various embodiments are but a subset of the possible technologies that may be used for the same or similar purposes. The particular technologies described herein are not to be construed as limiting. Rather, various embodiments contemplate alternate technologies for making, using, or practicing various embodiments.

(251) Modifications, additions, or omissions may be made to the method without departing from the scope of the invention. The method may include more, fewer, or other steps. Additionally, steps may be performed in any suitable order without departing from the scope of the invention.

(252) While this disclosure has been described in terms of certain embodiments and generally associated methods, alterations and permutations of the embodiments and methods will be apparent to those skilled in the art. Accordingly, the above description of example embodiments does not constrain this disclosure. Other changes, substitutions, and alterations are also possible without departing from the spirit and scope of this disclosure, as defined by the claims herein.

Claims

1. A smart phone, comprising: a memory having instructions stored thereon that, when executed by at least one processor, cause the at least one processor to execute a wrapper application and a gambling application associated with the wrapper application, wherein the gambling application is configured to perform wagering actions in connection with a gambling service; and wherein the wrapper application is configured to: determine that the smart phone is authorized to use the gambling service by: determining that the smart phone is not running an unapproved process; determining that the smart phone does not have an unapproved application installed; and determining that an operating system running on the smart phone is approved for use with the gambling service; and in response to determining that the smart phone is authorized to use the gambling service, enable a user of the smart phone to gamble using the gambling application.

2. The smart phone of claim 1, wherein to determine that the smart phone is not running an unapproved process, the wrapper application is configured to: obtain a list of processes running on the smart phone; and identify whether the list of processes running on the smart phone includes an unapproved process by comparing the list of processes running on the smart phone with a list of unapproved processes.

3. The smart phone of claim 2, wherein the list of unapproved processes includes a process associated with malware, a process associated with remote access technology, or a process associated with obtaining root access.

4. The smart phone of claim 1, wherein to determine that the smart phone does not have an unapproved application installed, the wrapper application is configured to: obtain a list of applications installed on the smart phone; and identify whether the list of applications installed on the smart phone includes an unapproved application by comparing the list of applications installed on the smart phone with a list of unapproved applications.

5. The smart phone of claim 1, wherein to determine that the smart phone does not have an unapproved application installed, the wrapper application is configured to: determine a signature of the gambling application and a timestamp corresponding to when the

signature was created; determine whether the gambling application is unmodified from an approved version by comparing the signature of the gambling application to an approved application signature; and determine whether the timestamp is within a predetermined threshold of time.

6. The smart phone of claim 1, wherein to determine that the operating system running on the smart phone is approved for use with the gambling service, the wrapper application is configured to: compare the operating system with a list of approved operating systems.

7. The smart phone of claim 1, wherein to determine that the operating system running on the smart phone is approved for use with the gambling service, the wrapper application is configured to: obtain information identifying one or more system files; and compare the information identifying the one or more system files to information identifying approved system files.

8. The smart phone of claim 1, wherein to determine that the operating system running on the smart phone is approved for use with the gambling service, the wrapper application is configured to: obtain information identifying one or more system files; and compare the information identifying the one or more system files to information identifying unapproved system files.

9. The smart phone of claim 1, wherein the wrapper application is further configured to determine that the smart phone is authorized to use the gambling service by: determining that one or more communication interfaces of the smart phone are disabled.

10. The smart phone of claim 9, wherein the one or more communication interfaces of the smart phone include a USB port or a docking interface.

11. The smart phone of claim 1, wherein the wrapper application is further configured to determine that the smart phone is authorized to use the gambling service by: determining that one or more communication interfaces of the smart phone are inactive.

12. The smart phone of claim 11, wherein the one or more communication interfaces of the smart phone include a USB port or a docking interface.

13. The smart phone of claim 1, wherein the wrapper application is further configured to execute, at least in part, the gambling application.

14. A computer-implemented method, comprising: providing a gambling application on a smart phone, the gambling application configured to perform wagering actions in connection with a gambling service; determining, by a wrapper application associated with the gambling application, that the smart phone is authorized to use the gambling service by: determining that the smart phone is not running an unapproved process; determining that the smart phone does not have an unapproved application installed; and determining that an operating system running on the smart phone is approved for use with the gambling service; and in response to determining that the smart phone is authorized to use the gambling service, enabling, by the wrapper application, a user of the smart phone to gamble using the gambling application.

15. The computer-implemented method of claim 14, wherein determining that the smart phone is not running an unapproved process includes: obtaining a list of processes running on the smart phone; and identifying whether the list of processes running on the smart phone includes an unapproved process by comparing the list of processes running on the smart phone with a list of unapproved processes.

16. The computer-implemented method of claim 15, wherein the list of unapproved processes includes a process associated with malware, a process associated with remote access technology, or a process associated with obtaining root access.

17. The computer-implemented method of claim 14, wherein determining that the smart phone does not have an unapproved application installed includes: obtaining a list of applications installed on the smart phone; and identifying whether the list of applications installed on the smart phone includes an unapproved application by comparing the list of applications installed on the smart phone with a list of unapproved applications.

18. The computer-implemented method of claim 14, wherein determining that the smart phone does not have an unapproved application installed includes: determining a signature of the gambling application and a timestamp corresponding to when the signature was created; determining whether the gambling application is unmodified from an approved version by comparing the signature of the gambling application to an approved application signature; and determining whether the timestamp is within a predetermined threshold of time.

19. The computer-implemented method of claim 14, wherein determining that the operating system running on the smart phone is approved for use with the gambling service includes: comparing the operating system with a list of approved operating systems.

20. The computer-implemented method of claim 14, wherein determining that the operating system running on the smart phone is approved for use with the gambling service includes: obtaining information identifying one or more system files; and comparing the information identifying the one or more system files to information identifying approved system files.

21. The computer-implemented method of claim 14, wherein determining that the operating system running on the smart phone is approved for use with the gambling service includes: obtaining information identifying one or more system files; and comparing the information identifying the one or more system files to information identifying unapproved system files.

22. The computer-implemented method of claim 14, wherein determining that the smart phone is authorized to use the gambling service further includes: determining that one or more communication interfaces of the smart phone are disabled.

23. The computer-implemented method of claim 22, wherein the one or more communication interfaces of the smart phone include a USB port or a docking interface.

24. The computer-implemented method of claim 14, wherein determining that the smart phone is authorized to use the gambling service further includes: determining that one or more communication interfaces of the smart phone are inactive.

25. The computer-implemented method of claim 24, wherein the one or more communication interfaces of the smart phone include a USB port or a docking interface.

26. A system, comprising: a smart phone configured to perform wagering actions in connection with a gambling service; means for determining that the smart phone is authorized to use the gambling service by: determining that the smart phone is not running an unapproved process; determining that the smart phone does not have an unapproved application installed; determining that an operating system running on the smart phone is approved for use with the gambling service; and determining that one or more communication interfaces of the smart phone are disabled or inactive; and means for, in response to determining that the smart phone is authorized to use the gambling service, enabling a user of the smart phone to gamble using a gambling application on the smart phone.

27. A system, comprising: a smart phone configured to perform wagering actions in connection with a gambling service; and one or more server computers, associated with the gambling service, configured to: determine that the smart phone is authorized to use the gambling service by: determining that the smart phone is not running an unapproved process; determining that the smart phone does not have an unapproved application installed; and determining that an operating system running on the smart phone is approved for use with the gambling service; and transmit, to the smart phone, the determination that the smart phone is authorized to use the gambling service, wherein the smart phone is further configured to, in response to receiving the determination that the smart phone is authorized to use the gambling service, enable a user of the smart phone to gamble using a gambling application.

28. The system of claim 27, wherein to determine that the smart phone is not running an unapproved process, the one or more server computers are collectively configured to: obtain a list of processes running on the smart phone; and identify whether the list of processes running on the smart phone includes an unapproved process by comparing the list of processes running on the smart phone with a list of unapproved processes.

29. The system of claim 28, wherein the list of unapproved processes includes a process associated with malware, a process associated with remote access technology, or a process associated with obtaining root access.

30. The system of claim 27, wherein to determine that the smart phone does not have an unapproved application installed, the one or more server computers are collectively configured to: obtain a list of applications installed on the smart phone; and identify whether the list of applications installed on the smart phone includes an unapproved application by comparing the list of applications installed on the smart phone with a list of unapproved applications.
