



US012412647B2

(12) **United States Patent**  
**Madan et al.**

(10) **Patent No.:** **US 12,412,647 B2**

(45) **Date of Patent:** **Sep. 9, 2025**

(54) **AI PLATFORM FOR PROCESSING SPEECH AND VIDEO INFORMATION COLLECTED DURING A MEDICAL PROCEDURE**

(58) **Field of Classification Search**

CPC ..... G16H 15/00; G16H 10/60  
See application file for complete search history.

(71) Applicant: **UTECH PRODUCTS, INC.**,  
Schenectady, NY (US)

(56)

**References Cited**

**U.S. PATENT DOCUMENTS**

(72) Inventors: **Rakesh Madan**, Schenectady, NY (US); **Zohair Hussain**, Schenectady, NY (US); **Manish K. Madan**, Pittsford, NY (US)

10,839,164 B1 \* 11/2020 Shorter ..... G06F 40/253  
11,315,668 B2 \* 4/2022 Castine ..... G16H 50/30

(Continued)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **UTECH PRODUCTS, INC.**,  
Schenectady, NY (US)

CN 111048170 B 5/2021  
JP 3911182 B2 \* 5/2007

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 36 days.

**OTHER PUBLICATIONS**

Venkatesh, Vignesh; "Accelerating Information Retrieval using Natural Language Processing"; International Journal of Computer Science Trends and Technology; vol. 6; No. 3; Jun. 1, 2018; pp. 117-132; <<http://www.ijcstjournal.org/volume-6/issue-3/IJCST-V6I3P19.pdf>>.

(Continued)

*Primary Examiner* — Jay M. Patel

(74) *Attorney, Agent, or Firm* — Hoffman Warnick LLC

(57)

**ABSTRACT**

An AI based platform for processing information collected during a medical procedure. A method includes capturing images and speech during a medical procedure; processing the images using a trained classifier to identify image-based quality-of-care indicators (QIs); converting the speech into text; parsing the text into sentences; performing a search and replace on predefined text patterns in the sentences; identifying text-based QIs in the sentences; classifying sentences into sentence types using a trained model; updating sentences by integrating the image-based QIs with text-based QIs; and outputting structured data that includes sentences organized by sentence type.

**20 Claims, 18 Drawing Sheets**

**Prior Publication Data**

US 2024/0112775 A1 Apr. 4, 2024

**Related U.S. Application Data**

(63) Continuation of application No. 17/867,778, filed on Jul. 19, 2022, now Pat. No. 11,923,054.

(Continued)

(51) **Int. Cl.**


**G16H 15/00** (2018.01)

**G16H 10/60** (2018.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **G16H 15/00** (2018.01); **G16H 10/60** (2018.01); **G16H 30/20** (2018.01); **G16H 30/40** (2018.01); **G16H 50/20** (2018.01)



**Related U.S. Application Data**

(60) Provisional application No. 63/224,001, filed on Jul. 21, 2021.

(51) **Int. Cl.**

*G16H 30/20* (2018.01)

*G16H 30/40* (2018.01)

*G16H 50/20* (2018.01)

2019/0114304 A1\* 4/2019 Oliveira ..... G06F 16/285  
 2020/0237452 A1\* 7/2020 Wolf ..... G06F 3/048  
 2020/0321101 A1\* 10/2020 Karargyris ..... G06N 3/045  
 2020/0334416 A1\* 10/2020 Vianu ..... G06V 10/764  
 2020/0411150 A1\* 12/2020 Saalbach ..... G06N 20/00  
 2021/0216822 A1\* 7/2021 Paik ..... G06F 3/167  
 2022/0148691 A1\* 5/2022 Katouzian ..... G16H 70/60

**OTHER PUBLICATIONS**

(56)


**References Cited**

**U.S. PATENT DOCUMENTS**

2003/0105638 A1\* 6/2003 Taira ..... G06F 40/56  
 704/275  
 2018/0279943 A1 10/2018 Budman et al.  
 2019/0057760 A1 2/2019 Schwartz et al.

International Search Report and Written Opinion mailed Oct. 19, 2022 for PCT/US2022/037562 filed Jul. 19, 2022; pp. 12.  
 International Preliminary Report on Patentability Issued Jan. 18, 2024 for PCT/US2022/037562 filed Jul. 19, 2022.  
 Examination Report dated Jul. 25, 2025 for India Application No. 202447010006; pp. 7.

\* cited by examiner






Figure 2




Figure 3

50

52

54

56

Replace List Editor

| Active                              | Order | Replace                             | Search Pattern                     | Replace Pattern |
|-------------------------------------|-------|-------------------------------------|------------------------------------|-----------------|
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | {[0-9]}\{[0-9]}                    | \1^2            |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | {Dr}\{[A-z]}                       | \1^2            |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | {Or}\{[A-z]}                       | \1^2            |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | {etc}\{}                           | \1^2            |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | {H}\{.*\}(pilot)                   | \1^2\3          |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | *                                  |                 |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | e.g\{}                             | e^g^1           |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | il.e\{}                            | il^e^1          |
| <input checked="" type="checkbox"/> |       | <input type="checkbox"/>            | vs\{}                              | vs^1            |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}astrology\{W\}            | \1history\3     |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}calculation\{W\}          | \1coagulation\3 |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}pilot\pallet\{W\}         | \1polyp\3       |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}retreat\{W\}              | \1retrieved\3   |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}seaside\{W\}              | \1seaside\3     |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}five\{.*\}polyp\polyp...  | \15\2\3\4       |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}four\{.*\}polyp\polyp...  | \14\2\3\4       |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}one\{.*\}polyp\polyp...   | \11\2\3\4       |
| <input checked="" type="checkbox"/> |       | <input checked="" type="checkbox"/> | {W}\{.*\}three\{.*\}polyp\polyp... | \13\2\3\4       |

Pattern Type

☒ End of Sentence Skip

☐ Replace Patterns

Search Pattern

Replace Pattern

\1^2

Active

Active

Order Number

1

Match case

Figure 4

60

62

64

66

Expression Replacement Manager

| Active                              | Order Number | Replacement                         | Search Pattern                            | Replace Pattern                               |
|-------------------------------------|--------------|-------------------------------------|-------------------------------------------|-----------------------------------------------|
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | {Wf}~(polyps retrieved);(The polyp was... | Polyp retrieved, histology pending            |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | biopsy forceps                            | Polypectomy performed with biopsy forceps     |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | biopsy obtained                           | Biopsy obtained, results pending              |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | cold snare used                           | Polypectomy performed with cold snare         |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | Findings:                                 |                                               |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | hot biopsy forceps                        | Polypectomy performed with hot biopsy forceps |
| <input checked="" type="checkbox"/> | 2            | <input checked="" type="checkbox"/> | cold snare                                | Polypectomy performed with cold snare         |
| <input checked="" type="checkbox"/> | 3            | <input checked="" type="checkbox"/> | snare                                     | Polypectomy performed with snare              |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {[0-9]}{[0-9]}                            | 1^1^2                                         |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {tr}~([4-2])                              | 1^1^2                                         |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {tr}~([A-Z])                              | 1^1^2                                         |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {ec}~(.)                                  | 1^1^2                                         |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {tr}~(.*)(yart)                           | 1^1^2^3                                       |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | .                                         |                                               |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | e^g^1                                     | e^g^1^1                                       |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | A.e^1                                     | e^g^1^1                                       |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | vs^1                                      | vs^1^1                                        |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(histology){Wf\$}                    | 1^1^1^1^1^3                                   |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(calculation){Wf\$}                  | 1^1^1^1^1^3                                   |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(plot:patient){Wf\$}                 | 1^1^1^1^1^3                                   |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(reheat){Wf\$}                       | 1^1^1^1^1^3                                   |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(seaside/sizzle/Ce/Cile/suicide){... | 1^1^1^1^1^3                                   |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(fuel;+){polyp:polyps}{w+}           | 1^1^1^1^1^3^4                                 |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(fuel;+){polyp:polyps}{w+}           | 1^1^1^1^1^3^4                                 |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(fuel;+){polyp:polyps}{w+}           | 1^1^1^1^1^3^4                                 |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(fuel;+){polyp:polyps}{w+}           | 1^1^1^1^1^3^4                                 |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | {Wf}~(fuel;+){polyp:polyps}{w+}           | 1^1^1^1^1^3^4                                 |
| <input checked="" type="checkbox"/> |              | <input checked="" type="checkbox"/> | diathermy snare (used:using{+}) at {d...  | polypectomy performed with Diathermy snare    |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | {[0-9]}+~{[0-9]}+                         | 6                                             |
| <input checked="" type="checkbox"/> | 1            | <input checked="" type="checkbox"/> | biopsy forceps used                       | Polypectomy performed with biopsy forceps     |
| <input checked="" type="checkbox"/> | 10           | <input checked="" type="checkbox"/> | {[0-9]}+                                  | E                                             |

66

Not Present in Report (regex pattern)  
Polypectomy performed with cold snare

Present in Report (regex pattern)  
Polypectomy performed with cold snare

Figure 5

70

72

74

76

| Text Components           |         |                                                                 |
|---------------------------|---------|-----------------------------------------------------------------|
| text                      | type    | used pattern                                                    |
| Colonoscopy through...    | -FIN... | (\W ^)(stoma)(\W \$)                                            |
| Midazolam 2.5 mg I...     | -ME...  | (\W ^)(medication) (?^VALUE'(.+) )(\W \$)                       |
| Midazolam 6 mg            | -ME...  | (\W ^)(medication) (?^VALUE'(.+) )(\W \$)                       |
| Tortous sigmoid, Re...    | -FIN... | (\W ^)(sigmoid)(\W \$)                                          |
| Ileocecal valve           | -EXT... | (\W ^)(reached) (?^VALUE'(.+) )(\W \$)                          |
| How is the weather...     | ?       |                                                                 |
| What are you doing...     | ?       |                                                                 |
| The colon appeared...     | -FIN... | (\W ^)(colon)(\W \$)                                            |
| Internal hemorrhoids      | -FIN... | (\W ^)(hemorrhoid(s))(\W \$)                                    |
| Remainder unremar...      | -FIN... | ((from) )(to)))(.+) (cecum)                                     |
| Diverticulosis in sigm... | -FIN... | (\W ^)(diverticulosis diverticulitis diverticular diverticul... |
| 3 polyps found in an...   | -FIN... | ^((?=.*( in )))(?=. *((\W ^)polyp(s))(\W \$))))                 |
| Partially removed         | -FIN... | (\W ^)(removed retrieved)(\W \$)                                |
| Biopsy obtained, res...   | -FIN... | (\W ^)(biops)(.+) ( (obtain)) (taken))                          |

Figure 6

80

Quality of Care Indicators Manager

Polyps found

Polyps not found

Polyp reference

Polyp location

Polypectomy performed

Polyp Partially Removed

Polyp Removed

Polyp Site Tattooed

Biopsy Obtained

Specimen Collected

Hemostasis achieved

Bowel Prep - Right Colon

Bowel Prep - Left Colon

Bowel Prep - Transverse Colon

Landmark Identifier

Act...

Order N...

Type

Pos...

Search Text 1 (regex pattern)

Pos

Search

Add

Edit

Delete

| Act...                              | Order N... | Type         | Pos...                              | Search Text 1 (regex pattern) | Pos                                 | Search  |  |
|-------------------------------------|------------|--------------|-------------------------------------|-------------------------------|-------------------------------------|---------|--|
| <input checked="" type="checkbox"/> | 1          | Polyps found | <input checked="" type="checkbox"/> | {W}~X{VALUE`d+X.1}X{W+1...    | <input checked="" type="checkbox"/> | {W}X{cc |  |
| <input checked="" type="checkbox"/> | 2          | Polyps found | <input checked="" type="checkbox"/> | {W}~X{VALUE`d+X.1}X{+1}X...   | <input type="checkbox"/>            | {W+1}X  |  |
| <input checked="" type="checkbox"/> | 3          | Polyps found | <input checked="" type="checkbox"/> | {W}~X{polyp{W}}{polyps^}...   | <input checked="" type="checkbox"/> | {W}X{cc |  |

Polyps found

Active

Active

Search Text 1 (regex pattern)

{W}~X{VALUE`d+X.1}X{W+1}X...

Yes ☒ No ☐

Search Text 2 (regex pattern)

{W}~X{polyp{W}}{polyps^}X{cc}

Yes ☒ No ☐

Search Text 3 (regex pattern)

{W}~X{polyps^}X{cc}

Yes ☐ No ☒

Search Text 4 (regex pattern)

Yes ☒ No ☐

Order Number

1

82

Figure 7

80



Quality of Care Indicators Manager

|                               | Act...                              | Order N... | Type                  | Pos...                              | Search Test 1 (regex pattern) | Pos...                   | Search   | Act...                              | Edit | Save |
|-------------------------------|-------------------------------------|------------|-----------------------|-------------------------------------|-------------------------------|--------------------------|----------|-------------------------------------|------|------|
| Polyps found                  | <input checked="" type="checkbox"/> | 1          | Polypectomy performed | <input checked="" type="checkbox"/> | {(W ~){polypectomy(W X)+}     | <input type="checkbox"/> | {(W ~)*} | <input checked="" type="checkbox"/> |      |      |
| Polyps not found              | <input checked="" type="checkbox"/> | 2          | Polypectomy performed | <input checked="" type="checkbox"/> | {(W ~){bops(W X)+}            | <input type="checkbox"/> | {(W ~)*} | <input checked="" type="checkbox"/> |      |      |
| Polyp reference               | <input checked="" type="checkbox"/> | 3          | Polypectomy performed | <input checked="" type="checkbox"/> | {(W ~){removed(W X)}          | <input type="checkbox"/> | {(W ~)*} | <input checked="" type="checkbox"/> |      |      |
| Polyp location                |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Polypectomy performed         |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Polyp Partially Removed       |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Polyp Retrieved               |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Polyp Site Tattooed           |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Biopsy Obtained               |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Specimen Collected            |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Hemostasis achieved           |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Bowel Prep - Right Colon      |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Bowel Prep - Left Colon       |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Bowel Prep - Transverse Colon |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |
| Landmark Identifier           |                                     |            |                       |                                     |                               |                          |          |                                     |      |      |

Search Test 1 (regex pattern)  
{(W|~){polypectomy(W|X)+}

Search Test 2 (regex pattern)  
{(W|~){bops(W|X)+}

Search Test 3 (regex pattern)  
{(W|~){removed(W|X)}

Search Test 4 (regex pattern)  
{(W|~)\*}

Order Number  
1

Match case

86

Figure 8

80



Quality of Care Indicators Manager

Act

Order #

Type

Pos

Search

✓

1

Bowel Prep - Right Colon

☒

Bowel Prep (.+) (regex pattern)

1/1

2

Bowel Prep - Right Colon

☒

Right colon(.+){?VALUE?}exc...

Add

Test

Polyps found

Polyps not found

Polyp reference

Polyp location

Polypectomy performed

Polyp Partially Removed

Polyp Retrieved

Polyp Site Tattooed

Biopsy Obtained

Specimen Collected

Hemostasis achieved

Bowel Prep - Right Colon

Bowel Prep - Left Colon

Bowel Prep - Transverse Colon

Landmark Identifier

Active

Active

Search Text 1 (regex pattern)

Bowel Prep (.+) (regex pattern)

Search Text 2 (regex pattern)

Search Text 3 (regex pattern)

Search Text 4 (regex pattern)

Order Number

1

88

Figure 9

90



Intervention / CPT Code Manager

| CPT Code | Interventions                                                 | Procedure Name Relation (regex pattern) |
|----------|---------------------------------------------------------------|-----------------------------------------|
| 45381    | Intubation                                                    | {W:~}{colon}{:}                         |
| 91110    | Gastrointestinal tract imaging, Esophagus through ileum ...   | {Capsule Endoscopy}                     |
| 91111    | Gastrointestinal tract imaging, Esophagus with interrefa...   | {Capsule Endoscopy}                     |
| 44388    | through stoma                                                 | {W:~}{colon}{:}                         |
| 44389    | stoma, biopsy                                                 | {W:~}{colon}{:}                         |
| 44390    | stoma with foreign body removal                               | {W:~}{colon}{:}                         |
| 44391    | stoma continuous bleeding                                     | {W:~}{colon}{:}                         |
| 44392    | through stoma, hot biopsy                                     | {W:~}{colon}{:}                         |
| 44394    | through stoma, snare                                          | {W:~}{colon}{:}                         |
| 45378    | diagnostic                                                    | {W:~}{colon}{:}                         |
| 45379    | foreign body removal                                          | {W:~}{colon}{:}                         |
| 45380    | cold biopsy                                                   | {W:~}{colon}{:}                         |
| 45381    | submucosal injection                                          | {W:~}{colon}{:}                         |
| 45382    | control bleeding                                              | {W:~}{colon}{:}                         |
| 45384    | hot biopsy                                                    | {W:~}{colon}{:}                         |
| 45385    | snare                                                         | {W:~}{colon}{:}                         |
| 45386    | dilation stricture                                            | {W:~}{colon}{:}                         |
| G0105    | screening, high risk                                          | {W:~}{colon}{:}                         |
| G0121    | screening, average risk                                       | {W:~}{colon}{:}                         |
| 43211    | esophagoscopy, flexible, transoral, with endoscopic mucosa... | {EGD}{Esophagogastroduodenoscopy}       |


Buttons: Add, Edit, Delete, Cancel, Close

CPT Code: 45381

Interventions: Intubation

Procedure Name Relation (regex pattern): {W:~}{colon}{:}

Figure 10



Transition diagram for the above sample data using Markov mode

Figure 11




Figure 12





Figure 13






Figure 15




Figure 16





Figure 17



1

# AI PLATFORM FOR PROCESSING SPEECH AND VIDEO INFORMATION COLLECTED DURING A MEDICAL PROCEDURE

## PRIORITY CLAIM

This continuation application claims priority to co-pending application Ser. No. 17/867,778, filed on Jul. 19, 2022, entitled AI PLATFORM FOR PROCESSING SPEECH AND VIDEO INFORMATION COLLECTED DURING A MEDICAL PROCEDURE, the contents of which are hereby incorporated by reference.

## TECHNICAL FIELD

The subject matter of this invention relates to extracting and processing clinical information from unstructured data and image data collected during a procedure.

## BACKGROUND

Doctors and other medical professionals (i.e., clinicians) spend large amounts of time documenting information obtained from medical procedures. This process includes dictating information, reviewing dictation, editing reports and letters, entering information into software applications, etc. The end result is that medical professionals have less time to spend on patient care.

## SUMMARY

Aspects of the disclosure provide an artificial intelligence (AI) platform for extracting clinical information from speech and image data collected during a procedure and generating structured information. The resulting information may for example be utilized to generate a report, populate an electronic medical records (EMR) database, provide quality-of-care indicators, etc. The AI platform utilizes a text classifier with natural language processing, pattern recognition, next word prediction and image classification to integrate and generate structured data.

In one aspect, an AI platform for processing information collected during a medical procedure is provided, comprising: an image processing system that processes images captured during the procedure using a trained classifier to identify image-based quality-of-care indicators (QIs); a natural language (NL) processing system that processes captured speech uttered during the procedure and includes: converting the speech into text; parsing the text into sentences; performing a search and replace on predefined text patterns; identifying text-based QIs in the sentences; classifying sentences into sentence types based on a trained model; and updating sentences by integrating the image-based QIs with text-based QIs; and an output module configured to output structured data that includes sentences organized by sentence type and images organized by image-based QIs.

In another aspect, a method for processing information collected during a medical procedure is provided, comprising: capturing images and speech during a medical procedure; processing the images using a trained classifier to identify image-based quality-of-care indicators (QIs); converting the speech into text; parsing the text into sentences; performing a search and replace on predefined text patterns in the sentences; identifying text-based QIs in the sentences; classifying sentences into sentence types using a trained model; updating sentences by integrating the image-based

2

QIs with text-based QIs; and outputting structured data that includes sentences organized by sentence type.

In a further aspect, a system is provided comprising: a camera for collecting image data during a medical procedure; a microphone for collecting speech during the medical procedure; an image processing system that processes image data using a trained classifier to identify image-based quality-of-care indicators (QIs); a natural language (NL) processing system that processes captured speech uttered during the procedure and is configured to: convert the speech into text; parse the text into sentences; perform a search and replace on predefined text patterns; identify text-based QIs in the sentences; classify sentences into sentence types based on a trained model; and update sentences by integrating the image-based QIs with text-based QIs; and an output module configured to output structured data that includes sentences organized by sentence type and images organized by image-based QIs.

Other aspects may include one or more of the following. The system or methods wherein the procedure includes a colonoscopy and the image-based QIs include landmarks involving at least one of: a cecum, a rectum, an ascending colon, a descending colon, and a hemorrhoid; wherein the image-based QIs further include at least one of: polyps detected, polyp size, and histology; wherein performing a search and replace on predefined text patterns includes using regular expressions (regex) to identify patterns; wherein the procedure involves detecting and/or analyzing lesions; wherein identified patterns are replaced with standardized medical expressions; wherein the NL processing system further includes filtering out irrelevant sentences; wherein the NL processing system further includes providing an editor for displaying and editing sentences, wherein the editor includes a next word prediction system; wherein the next word prediction system uses Markov Chain Algorithm and model trained on a database of medical records; wherein the output module is configurable to output a medical report, an Electronic Medical Record (EMR), or a QI registry entry; and/or wherein the output module is configurable to output a medical report with sections organized by sentence type.

Still other aspects may include an artificial intelligence (AI) platform for processing information, comprising: (a) an image processing system configured to: process images captured with a scope during a procedure using a trained image classifier to detect landmarks, wherein each landmark is assigned a timestamp indicating a time an associated landmark is detected; and determine image-based indicators from detected landmarks, wherein at least one image-based indicator comprises a time value determined as a difference between timestamps of different landmarks; (b) a natural language (NL) processing system configured to: generate sentences from unstructured NL uttered during the procedure; generate at least one sentence that incorporates the time value; and classify sentences into categories using a trained AI model; and (c) an output module configured to generate an output that includes landmark images and sentences arranged based on categories.

Further aspects may include artificial intelligence (AI) platform for processing information, comprising: (a) an image processing system configured to: process images captured with a scope during the medical procedure using a trained image classifier to detect landmarks; and determine image-based quality-of-care indicators (QIs) from detected landmarks; (b) a data processing system configured to: generate sentences from unstructured natural (NL) captured by a microphone during the medical procedure; identify text-based QIs in the sentences using a QI manager, wherein

the QI manager includes regex patterns that match sentences to QI types and associated QI values; update at least one QI value in an associated sentence by integrating information from a related image-based QI; and classify sentences into categories; and (c) an output module configured to generate an output that includes landmark images and sentences arranged based on categories.

Other aspects may comprise: a camera for collecting image data during a medical procedure; a microphone for collecting speech during the medical procedure; an image processing system that processes image data using an image classifier to identify image-based quality-of-care indicators (QIs); a natural language (NL) processing system that processes unstructured NL captured from speech uttered during the procedure and is configured to: create structured sentences from the unstructured NL, wherein creating includes replacing informal medical expressions with standardized medical expressions; identify text-based QIs in the structured sentences; classify structured sentences into sentence types based on a trained model; and update structured sentences by integrating the image-based QIs with text-based QIs; an editor for displaying and editing structured sentences, wherein the editor includes a next word prediction system that utilizes a predictive model, wherein training of the predictive model includes: providing a training set having word groups, and building a word hierarchy based on frequency of word usage in the training set; and an output module configured to output structured sentences organized by sentence type and images organized by image-based QIs.

#### BRIEF DESCRIPTION OF THE DRAWINGS

These and other features of this invention will be more readily understood from the following detailed description of the various aspects of the invention taken in conjunction with the accompanying drawings in which:

FIG. 1 shows an artificial intelligence (AI) platform according to embodiments.

FIG. 2 shows a process performed by the AI platform according to embodiments.

FIG. 3 shows an illustrative interface of an AI data integration tool according to embodiments.

FIG. 4 shows an illustrative replace list editor of the AI data integration tool according to embodiments.

FIG. 5 shows an illustrative expression replacement manager according to embodiments.

FIG. 6 shows a classification interface according to embodiments.

FIGS. 7-9 show a quality-of-care indicators manager interface according to embodiments.

FIG. 10 shows an intervention/CPT code manager interface according to embodiments.

FIG. 11 shows a hierarchy for performing next word prediction according to embodiments.

FIG. 12 depicts landmark images according to embodiments.

FIG. 13 depicts a process for capturing landmark images and timestamps according to embodiments.

FIGS. 14-15 depict illustrative reports generated by the AI platform according to embodiments.

FIG. 16 depicts a summary view of the AI data integration tool according to embodiments.

FIG. 17 depicts an illustrative network according to embodiments.

FIG. 18 depicts an illustrative computing system according to embodiments.

The drawings are not necessarily to scale. The drawings are merely schematic representations, not intended to portray specific parameters of the invention. The drawings are intended to depict only typical embodiments of the invention, and therefore should not be considered as limiting the scope of the invention. In the drawings, like numbering represents like elements.

#### DETAILED DESCRIPTION

Embodiments of the present disclosure describe a platform for collecting and processing information generated during a medical procedure, such as a gastroenterology procedure. Although illustrative embodiments include a colonoscopy procedure, it is understood that the solution could be applied to any clinical procedure, including those that analyze and detect lesions. The platform provides a technical solution to address the time-consuming process of manually managing, analyzing, integrating and reporting information resulting from procedures. In certain aspects, an AI platform is provided that will automate and streamline information processing of mixed media clinical data collected during a procedure, including audio (e.g., natural language “NL” speech uttered by a doctor during a procedure) and video (e.g., streamed images captured by a camera during a procedure). The platform outputs relevant clinical data in a structured format and eliminates manual actions, such as point and click workflows from clinical application settings. The platform uses various techniques to identify relevant information and remove unnecessary data, e.g., unwanted sentences uttered during a procedure. The resulting structured clinical data can for example be used for clinical report generation, statistical analysis, registry reporting, etc.

FIG. 1 depicts an illustrative AI platform that generally includes two components, a data collection system 12 and a data integration tool 20. Data collection system 12 is configured to collect data during a clinical procedure, including audio collected from a microphone and video collected from a camera (e.g., on a scope). Audio data generally includes natural language (NL) spoken by one or more of the clinicians or doctors performing the procedure and is stored in an unstructured NL datastore 14 (either as an audio recording or converted text). In one embodiment, image data is collected and processed in real time by image processing system 15, which may for example utilize AI to analyze images to generate information such as landmarks, polyp size, lesion characteristics, location or count information, etc., from images captured or streamed during a procedure such as a colonoscopy. The generated information may include what is generally referred to herein as quality-of-care indicators (QIs). The resulting image data and QIs are stored in an image/QI datastore 16.

After the procedure is completed, the clinician is able to interact with the data integration tool 20 via a user interface 22. Data integration tool 20 includes an NL processing system 24 configured to process NL stored in the unstructured NL datastore 14 and generate structured clinical data. Illustrative processes, which are described in further detail herein, include error/misspelling replacement, punctuation evaluation, sentence generation, keyword/expression replacement, noise filtering, sentence post processing, and user editing.

Data integration tool 20 also includes a QI processing/data integrator 26 that integrates image-based QI data with text-based QI data to provide structured clinical data. In one illustrative embodiment, the structure clinical data includes

various classifications or types, such as: Procedure Performed, Extent of Exam, Medications, Findings, Diagnosis, Limitations of Exam, ICD, CPT codes, QIs and data element for the registries (e.g., GIQuIC). A sentence classifier **28** is provided to classify sentences that make up the structured clinical data into appropriate categories or sentence types, e.g., procedure performed, findings, diagnosis, recommendations, etc. Report/Output module **30** is configured to generate a report **36** or otherwise output information in a structured format for another system, such as an electronic medical record (EMR) system **32**, a QI registry **34**, etc.

FIG. 2 depicts a flow chart of an illustrative process using the platform of FIG. 1. As shown, the flow includes two paths, collect audio at **S1** and collect video at **S11**. In the collect audio path **S1**, speech is converted to text and the NL is stored in the NL datastore **14** at **S2**. The conversion may be implemented by the data collection system **12**, the NL processing system **24**, or some other system. In the case where the conversion is done by the data collection system **12**, the text is loaded into the data integration tool **20** and NL processing begins. FIG. 3 depicts an illustrative interface view **40** of tool **20**. In this example, the NL appears in a window **42**, and the user begins the process by selecting the analyze text button **44**. Once the analysis is launched, unstructured NL text (i.e., speech) is processed by a system that provides replacement list processing and sentence generation.

In one illustrative embodiment, the text is processed using regular expression (regex) techniques. Regular expressions are a series or sequence of characters that can replace a set of patterns in a text dataset. Regular expressions can be used for string related functions such as searching a string or replacing a string. Types of regular expressions may for example include: digits (e.g., 1/2/100); alphabets (e.g., a/v/t); any character (e.g., +/?/<); and set of digits. Illustrative regex functions include: search to find a specific pattern in a string; match to find the very first occurrence of a pattern in a string; find all to find all the patterns in a given string; split to split the text into the given regular expression; and sub to search and replace in string.

Returning to **S4** in FIG. 2, a first step of processing text includes correcting text errors and processing punctuation. Namely, the unstructured dictated text is searched with a replacement list that will replace identified strings with replacement strings. The replacement process performs this according to pre-defined rules defined in a replacement table. In step **S4**, there are two illustrative types of records in the replacement table: "End of Sentence Skip" and "Replace Pattern". Processing punctuation is handled by "End of Sentence Skip" replacement to identify punctuation (e.g., periods) that is not indicative of an end of sentence. This replacement type is used to prevent the sentence generation mechanism from inadvertently forming sentences when a period is located, e.g., periods in words such as "Dr.", "H. pylori", "vs.", etc., will have the periods temporarily removed. "End of Sentence Skip" changes are temporarily made, and the periods are returned into the text after all text processing is completed. "Replace Pattern" is used to correct text errors such as incorrectly entered text or misspelled words (e.g., "seaside polyp" will replace to the "sessile polyp").

FIG. 4 depicts an example replacement list editor **50** that specifies search and replace patterns using regex. Replacement list editor **50** may for example be populated ahead of time manually by an expert or by an automated learning process. As shown, editor **50** includes a search pattern

column **52** and a replace pattern column **54**. For example, as shown on row **56**, the words "pilot" and "pallet" are replaced with "polyp".

Next, at **S5** in FIG. 2, sentences are generated by splitting dictated text into parts (generally referred to herein as "sentences." In one illustrative embodiment, sentences are created based on sentence separators, such as ".", End of line, "!", "?", etc.

Once the sentences are generated, keywords are identified and replaced with standardized expressions. For example, less formal terms uttered by the doctor to describe something in the unstructured text are replaced with standardized expressions from a medical dictionary. FIG. 5 depicts an illustrative expression replacement manager **60** for handling the process. This replacement process is likewise based on regex patterns in which keywords and phrases in processed sentences are replaced with replace patterns **64**. For example, each sentence is searched for a search pattern **62**, e.g., based on a complete match. For example, if a user says, "Polypectomy performed" during the dictation, in the final parsed data, it will show as "Polypectomy performed, Histology Pending."

In certain embodiments, if a record is found in the search pattern list **62**, the replacement process will further check for other conditions, such as Not Present and Present in Report conditions **66**, before performing a replacement. For instance, if the two associated boxes **66** are populated for an identified search pattern **62**, two additional conditions must be met to have the identified search pattern replaced with a replace pattern **64**. In a first condition, the contents of the first box "Not Present in Report" must not be present anywhere in the text. For example, "Polypectomy performed" must not be present in order for the located text "cold snare used" to be replaced with "Polypectomy performed with a cold snare". In a second condition, if the second box "Present in Report" contains a value, that value must be present in the text. For instance, if the second box included the term "colonoscopy", the second condition will be met if "colonoscopy" is present anywhere in the text. In this embodiment, if both conditions are not met, replacement will not happen. These additional conditions allow the users to customize replacement strategies.

Next, at step **S7** in FIG. 2, irrelevant sentences (i.e., noise) are filtered out. Filtering may likewise use regex patterns to identify words indicative of irrelevant sentences, e.g., "weather", "kids", "baseball", etc.

At **S8**, sentences are classified by a model to determine a sentence type, e.g., which part of the report does it belong to. For example, FIG. 6 shows a table in which sentences **70** are classified as a type **72** based on regex patterns **74** detected in the sentence. Illustrative types include, e.g., FIN (Findings), ME (Medications), EXT (Extent of Exam), etc. Note that the table also shows sentences **76** that were filtered out in the previous step **S7**. The model (i.e., regex patterns and types) may for example be based on the contents of historical data used to train an AI model.

The sentence can be further evaluated based on the classification, and unwanted words can be removed using regex patterns. For example, for sentences classified in "Extent of Exam," the located text "reached cecum" can be replaced with "cecum" using the expression "(\\Wl')(reached)(?\\'VALUE'(.+)(\\Wl\$))"="cecum".

Returning again to the collect video step **S11** in FIG. 2, video is processed using AI techniques at **S12** to determine and store **S13** quality-of-care indicator data (QIs). Video image data **S14** is likewise stored. Image processing can utilize any technique that analyzes images and outputs

7

image-based QIs, e.g., polyps detected, size, histology, etc. An illustrative technique for sizing and detecting lesions and polyps is described in U.S. Pat. No. 10,957,043, issued on Mar. 23, 2021, which is hereby incorporated by reference.

U.S. Pat. No. 10,957,043 for example discloses a classifier using training images with a deep learning system. Training images may for example be obtained from frames in captured videos. Images used for training include random objects along with the desired objects, e.g., polyps and have a variety of backgrounds and lighting conditions. Additionally, in some training images the desired object is partially obscured, overlapped with something else, only halfway in the picture, etc. Once a set of training images have been gathered, they are tagged with labels to reference the desired objects in every picture. The desired object can be a polyp or any other lesions, or some other object that could appear in a video feed, such as a finger, noise, shadows, etc. Any labeling system may be employed, such as Labelling which is available as an open source on GitHub. An illustrative labeling tool places a bounding box around a lesion in a displayed training image and selects a label for the type of lesion shown, e.g., a Pedunculated polyp, a Sessile polyp, a Flat polyp, etc. In an illustrative embodiment, approximately 3000 training images are used, in which each has a resolution of 1280x1024 pixels.

Once all of the training images are labeled, a training system can be employed to train the detection classifier. Detection classifier may for example comprise a neural network model into which the pixel data from each training image is processed. In one illustrative approach, an application programming interface (API) by TensorFlow™ can be used to construct the neural network model representative of a graph that includes nodes and edges. In this case, the model is mapped to underlying machine hardware. Nodes in the graph represent operations (e.g., machine learning functions, mathematical operations, etc.), and the edges represent the multidimensional data arrays also known as tensors communicated between the nodes. The unique edges, called control dependencies, can exist in the graph and denote that the source node must finish executing before the destination node starts executing. (TensorFlow provides a platform in which the designer's design algorithm flow and computation architecture is automatically optimized.) Nodes are assigned to computational devices and execute asynchronously, and in parallel once all the tensors on their incoming edges become available.

The video processing required in the AI platform can be very expensive in terms of CPU power. Accordingly, certain computer-vision sub-tasks are allocated to special-purpose hardware architectures, such as a GPU (graphics processing unit), while others are allocated to the CPU. The GPU, for example, is an accelerator that is available not only on desktop computers but also on mobile devices such as smartphones and tablets. Accordingly, the model used herein has the built-in ability to configure GPU usage along with CPU usage to utilize machine resources most efficiently.

The AI platform may for example utilize a NVIDIA CUDA® Deep Neural Network library (cuDNN), which is a GPU-accelerated library of primitives for deep neural networks. cuDNN provides a highly tuned implementation of standard routines such as forward and backward convolution, pooling normalization, and activation layers. cuDNN provides high-performance GPU acceleration that automates low-level GPU performance tuning. AI platform may also for example utilize a NVIDIA Quadro P5000 16 GB-2560 CUDA CORES graphics card for development and testing.

8

Anything above the NVIDIA GEFORCE GTX 1080-2560 CUDA CORES could likewise be utilized.

In the present case, the model is trained until the computed "loss" falls consistently below a threshold (e.g., 0.005 in the case of TensorFlow). Once training is completed, an inference graph representing the classification model is generated, which can then be deployed into a real-time video analysis system. Once deployed, images from a video feed (e.g., generated during a procedure) can be analyzed by a real-time video analysis system to provide polyp detection and reference object detection (to determine polyp sizing).

As QI data can be obtained from both the speech data as well as the image data, the QI data from both is processed and integrated at S9. For example, an image-based QI, "One polyp found in sigmoid colon" could be output by a lesion detection AI module during image processing. A physician might also dictate the text-based QI "Two polyps found in ascending colon," which would be presented in a sentence. Accordingly, the information from both can be integrated together so a final integrated QI finding would be: "Number of polyps=3", and the associated sentence can be updated, e.g., "Three total polyps found—two polyps found in ascending colon, and one in the sigmoid colon."

FIGS. 7-9 depicts different views of a quality-of-care indicators (QI) manager 80 for extracting QI information from generated sentences. As shown in FIG. 7, the left-hand column in QI manager 80 provides a list of selectable QI types 82, e.g., Polyps found, Polyps not found, etc. For each QI type 82, there are a set of regex patterns 84 that map to a QI value, e.g., yes/no, a number or count, a location, a value, etc. For example, based on a search for the regex patterns 84 in FIG. 7, a yes or no value is returned indicating whether a polyp was found. Similarly, based on a search for the regex patterns 86 in FIG. 8, a yes or no value is returned indicating whether a polypectomy was performed. In FIG. 9, based on a search for the regex patterns 86, a bowel prep location and value are obtained. Each of the listed QI types in the manager 80 are evaluated as part of the QI data processing in step S9 (FIG. 2) to create a set of structured QI findings.

After the QI values are determined from the QI manager 80, they can be further integrated and updated based on the image-based QI data S13 generated from the image data processing step or based on previously stored data. For example, polyps found value may change from yes to no or no to yes, the number of polyps found value may be increased, if a polypectomy was performed, the total number of polypectomies might be recalculated. The generated sentences can be updated based on the integration process.

FIG. 10 depicts an Intervention/CPT Code Manager 90, which compares each sentence in the text to all CPT code descriptions in the CPTCODES table. Only CPT codes related to the current procedure name are selected. To establish a relationship between CPT codes and procedure names, the INTERVENTIONS table is used. The selected CPT codes may be sorted by relevance rank, and, e.g., the top five CPT codes are presented to the user. The relevance rank may be provided by the SQL server. The top three interventions related to the selected CPT codes are used as procedure performed text.

Once a structured set of sentences are generated, an editor may be utilized at S10 by the user to refine the output. In some embodiments, the editor includes language modeling, i.e., next word prediction which, for a given character, or a sequence of characters, automatically generates the most probable next character or sequence of characters (e.g., words, phrases, etc.). This feature accordingly further

reduces the time a clinician is required to interact with the data to complete a report or the like.

Language modeling may utilize a trained model to allow word searching using NLP and deep learning AI. In this case, the input to the model is a sequence of characters, and the model is trained to predict the output using historical information. For example, to predict the next word in the sentence "Polypectomy performed with \_\_\_\_\_", (1) a recurrent neural network (RNN) neuron receives a command that indicates the start of a sentence, (2) the neuron receives the word "Polypectomy" and then outputs a vector of numbers that feeds back into the neuron to help it "remember" that it received "Polypectomy" (and that it received its first). The same process occurs when it receives "performed" and "with," with the state of the neuron updating upon receiving each word; (3) after receiving "with," the neuron assigns a probability to every word in the clinical findings data vocabulary which is created to complete the sentence. The RNN might assign the word "cold snare" one of the highest probabilities and will choose it to complete the sentence.

Examples of predicting text associated with clinical findings are shown in bold below, e.g., based on highest percentage:

2 mm Flat polyp in the cecum. Polypectomy performed with cold snare. Polyps retrieved. Histology pending. 3 mm sessile polyp in the mid ascending colon. Polypectomy performed with cold snare. Polyp retrieved. Histology pending. 3 mm sessile polyp in the splenic flexure, 50 cm from the anorectal verge. Polypectomy performed with hot biopsy forceps. Polyp retrieved. Histology pending. Internal hemorrhoids.

In a further embodiment, predictive typing may utilize a Markov Chain Algorithm. Examples of predicting text associated with clinical findings are shown in bold below and an associated hierarchy is shown in FIG. 11.

Flat Polyp was found in the proximal ascending colon.

Flat Polyp was found in the Sigmoid colon.

Flat Polyp, measuring ### mm was found in the proximal ascending colon

All the unique phrases from above sentences, i.e., "Flat Polyp", "was found in the", "proximal ascending colon", "measuring ### mm was found in the", "Sigmoid colon", and "Descending colon" could form the different states. Representing the above work mathematically as conditional probabilities:

$P(\text{was found in the}|\text{Flat Polyp})=0.67$

$P(\text{Measuring ### mm found in the}|\text{Flat Polyp})=0.33$

$P(\text{Proximal ascending colon}|\text{was found in the})=P(\text{Sigmoid colon}|\text{was found in the})=0.5$

$P(\text{Descending colon}|\text{Measuring ### mm found in the})=1$

The same conditional probabilities can be implemented to single word instead of the phrases.

Sections from an EMR database of procedure records, e.g., Findings, Diagnosis, Indications, Recommendations, etc., may be used to train a predictive model. In this case, text in procedure reports is split into sentences. Duplicate sentences are removed and sentences with uncommon words, e.g., the ones found less than four times in all sentences intended for training are removed to eliminate irrelevant words. In one example, 946,198 unique sentences and 15,942 unique words were collected for training

Different techniques may be used for word prediction and sentence prediction training. Word prediction training includes building a word hierarchy based on frequency of word usage in the training set. The output may show suggested word options according to that hierarchy. Sentence prediction training includes the following steps:

1. Tokenization

2. Building the state pairs

3. Determining the probability distribution

At first, tokenization is performed that breaks down a sentence into words. The second stage consists of forming previous and current state pairs. If a 5th-order Markov model is used, the previous state will consist of one to five words. The words in each sentence are grouped by the number of words with a maximum number of words of 5: one-word groups, two, three, four, and five-word groups. For example, in the sentence "Serrated polyp found in the descending colon," one-word groups include: serrated, polyp, found, in, the, descending, and colon. Two-word groups include: serrated polyp, polyp found, found in, in the, the descending, descending colon, etc. The groups with the same number of words from all sentences are combined into large groups, so, five final word groups are created. Duplicate word groups are removed.

All sentences in the training set (946,198) are analyzed for each word group to identify the next possible word and probability of its appearance. Then a hierarchy of possible words are built for each word group. For a sample sentence above, the "found" is the next possible word for a two-word group "serrated polyp". As a result of training, when a user types in "serrated polyp", the system immediately cycles through the options: "serrated polyp-found-in-the-descending-colon" and comes up with the whole sentence in the suggested options. An illustrative hierarchy is shown in FIG. 11.

Referring again to the image processing at S12 in FIG. 2, an image classifier may be deployed as follows. Landmark identification in an endoscopy procedure is vital and one of the essential quality-of-care indicators. FIG. 12 shows examples of various landmarks. The image classifier is trained using deep learning with pictures of all the landmarks. The AI identifies each landmark and timestamps it, which can for example be sent to an EMR system as a quality-of-care indicator. The classifier, e.g., identifies the cecum, rectum, etc., with a timestamp and calculates the cecal intubation time and withdrawal time, important QI measures. The image processing can be used to analyze digitized image frames captured during colonoscopy procedure. Information like insertion time, withdrawal time, images at the time of maximal intubation, Cecal intubation time, landmark identified, quality of bowel prep, etc., can be automatically measured. As these QI metrics can be obtained automatically, it will help to quantify health-care processes and can aid in providing high-quality health care.

FIG. 13 depicts a flow diagram of an illustrative process of collecting landmarks. In this example, the procedure begins at S20 and a scope (i.e., camera) is inserted. Frames are captured and processed, and a timestamp is recorded at S22. At S23, the cecum location is detected, and withdrawal begins. At S24, frames are captured and processed, and a second timestamp is recorded at S25. Next at S26, the rectum location is detected, and withdrawal begins. At S27, frames are captured and processed, and a third timestamp is recorded at S28. The procedure ends at S29 and the scope is withdrawn.

In this example, a QI for the Total Intubation time for the procedure would be calculated as:

$$\text{Total Intubation time} = \text{Rectum Time (C)} - \text{Scope Insert Time (A)}$$

## 11

And the Withdrawal Time of the Procedure would be calculated as:

$$\text{Withdrawal Time} = \text{Rectum Time (C)} - \text{Cecum Time (B)}$$

FIGS. 14 and 15 depict illustrative reports that can be automatically generated by the platform. FIG. 14 shows a procedure report 100 that includes landmark images taken during the procedure and structured text sentences 102 arranged in categories, e.g., Indication for Examination, Tissue Submitted, Findings, etc. FIG. 15 depicts a pathology request 104 that likewise includes images taken during the procedure and structured text sentences 106 arranged in categories, e.g., Indication for Examination, Tissue Submitted, Findings, etc. Other reports can similarly be generated with automatically structured sentences including, e.g., letters to physicians, initial consultation forms, follow-up notes, etc.

FIG. 16 depicts a summary view of an illustrative user interface. The view includes unstructured text 110 captured during the procedure, structured sentences 112 by the platform, sentence classifications (i.e., types) 114, and regex patterns used 116 to classify each sentence.

Aspects of the disclosure accordingly provide embodiments to recognize patterns in unstructured text by using NLP with Regular Expressions (regex) and deep learning, and image processing using AI to identify QI findings. Classification of data is based on knowledge previously gained or information extracted from patterns and/or their representation. In some embodiments, clinical information is extracted from an unstructured text dataset using a text classifier (NLP) and pattern recognition (regex), after which the user is given an option to use predictive text typing with deep learning to refine the output. Extracted relevant clinical data can be used in clinical report generation, statistical analysis and the discrete data element can be sent to registries. All the unwanted sentences (i.e., noise) in the unstructured text are automatically filtered. In one illustrative embodiment, extracted structured information may include, e.g., Procedure Performed, Extent of Exam, Medications, Findings, Diagnosis, Limitations of Exam, ICD, CPT codes, QIs and data element for registries (e.g., GIQuIC).

During a procedure, two paths collect data. The first path collects speech (i.e., uttered conversation) from the procedure room. The second path collects and classifies live images, e.g., to detect landmarks. In one embodiment involving speech collected from the procedure room, a resulting report is automatically generated. In a second embodiment, speech can be collected during a consultation, and an initial consultation report and progress/follow-up report are automatically generated. In this second embodiment, image data may or may not be included in the reports (i.e., only the first path is utilized).

It is understood that the described platform can be implemented using any computing technique, e.g., as a stand-alone system, a distributed system, within a network environment, etc. Referring to FIG. 17, a non-limiting network environment 101 in which various aspects of the disclosure may be implemented includes one or more client machines 102A-102N, one or more remote machines 106A-106N, one or more networks 104, 104', and one or more appliances 108 installed within the computing environment 101. The client machines 102A-102N communicate with the remote machines 106A-106N via the networks 104, 104'.

In some embodiments, the client machines 102A-102N communicate with the remote machines 106A-106N via an intermediary appliance 108. The illustrated appliance 108 is

## 12

positioned between the networks 104, 104' and may also be referred to as a network interface or gateway. In some embodiments, the appliance 108 may operate as an application delivery controller (ADC) to provide clients with access to business applications and other data deployed in a datacenter, the cloud, or delivered as Software as a Service (SaaS) across a range of client devices, and/or provide other functionality such as load balancing, etc. In some embodiments, multiple appliances 108 may be used, and the appliance(s) 108 may be deployed as part of the network 104 and/or 104'.

The client machines 102A-102N may be generally referred to as client machines 102, local machines 102, clients 102, client nodes 102, client computers 102, client devices 102, computing devices 102, endpoints 102, or endpoint nodes 102. The remote machines 106A-106N may be generally referred to as servers 106 or a server farm 106. In some embodiments, a client device 102 may have the capacity to function as both a client node seeking access to resources provided by a server 106 and as a server 106 providing access to hosted resources for other client devices 102A-102N. The networks 104, 104' may be generally referred to as a network 104. The networks 104 may be configured in any combination of wired and wireless networks.

A server 106 may be any server type such as, for example: a file server; an application server; a web server; a proxy server; an appliance; a network appliance; a gateway; an application gateway; a gateway server; a virtualization server; a deployment server; a Secure Sockets Layer Virtual Private Network (SSL VPN) server; a firewall; a web server; a server executing an active directory; a cloud server; or a server executing an application acceleration program that provides firewall functionality, application functionality, or load balancing functionality.

A server 106 may execute, operate or otherwise provide an application that may be any one of the following: software; a program; executable instructions; a virtual machine; a hypervisor; a web browser; a web-based client; a client-server application; a thin-client computing client; an ActiveX control; a Java applet; software related to voice over internet protocol (VoIP) communications like a soft IP telephone; an application for streaming video and/or audio; an application for facilitating real-time-data communications; a HTTP client; a FTP client; an Oscar client; a Telnet client; or any other set of executable instructions.

In some embodiments, a server 106 may execute a remote presentation services program or other program that uses a thin-client or a remote-display protocol to capture display output generated by an application executing on a server 106 and transmit the application display output to a client device 102.

In yet other embodiments, a server 106 may execute a virtual machine providing, to a user of a client device 102, access to a computing environment. The client device 102 may be a virtual machine. The virtual machine may be managed by, for example, a hypervisor, a virtual machine manager (VMM), or any other hardware virtualization technique within the server 106.

In some embodiments, the network 104 may be: a local-area network (LAN); a metropolitan area network (MAN); a wide area network (WAN); a primary public network 104; and a primary private network 104. Additional embodiments may include a network 104 of mobile telephone networks that use various protocols to communicate among mobile devices. For short range communications within a wireless

local-area network (WLAN), the protocols may include 802.11, Bluetooth, and Near Field Communication (NFC).

Elements of the described solution may be embodied in a computing system, such as that shown in FIG. 18 in which a computing device **300** may include one or more processors **302**, volatile memory **304** (e.g., RAM), non-volatile memory **308** (e.g., one or more hard disk drives (HDDs) or other magnetic or optical storage media, one or more solid state drives (SSDs) such as a flash drive or other solid state storage media, one or more hybrid magnetic and solid state drives, and/or one or more virtual storage volumes, such as a cloud storage, or a combination of such physical storage volumes and virtual storage volumes or arrays thereof), user interface (UI) **310**, one or more communications interfaces **306**, and communication bus **312**. User interface **310** may include graphical user interface (GUI) **320** (e.g., a touchscreen, a display, etc.) and one or more input/output (I/O) devices **322** (e.g., a mouse, a keyboard, etc.). Non-volatile memory **308** stores operating system **314**, one or more applications **316**, and data **318** such that, for example, computer instructions of operating system **314** and/or applications **316** are executed by processor(s) **302** out of volatile memory **304**. Data may be entered using an input device of GUI **320** or received from I/O device(s) **322**. Various elements of computer **300** may communicate via communication bus **312**. Computer **300** as shown in FIG. 6 is shown merely as an example, as clients, servers and/or appliances and may be implemented by any computing or processing environment and with any type of machine or set of machines that may have suitable hardware and/or software capable of operating as described herein.

Processor(s) **302** may be implemented by one or more programmable processors executing one or more computer programs to perform the functions of the system. As used herein, the term “processor” describes an electronic circuit that performs a function, an operation, or a sequence of operations. The function, operation, or sequence of operations may be hard coded into the electronic circuit or soft coded by way of instructions held in a memory device. A “processor” may perform the function, operation, or sequence of operations using digital values or using analog signals. In some embodiments, the “processor” can be embodied in one or more application specific integrated circuits (ASICs), microprocessors, digital signal processors, microcontrollers, field programmable gate arrays (FPGAs), programmable logic arrays (PLAs), multi-core processors, or general-purpose computers with associated memory. The “processor” may be analog, digital or mixed-signal. In some embodiments, the “processor” may be one or more physical processors or one or more “virtual” (e.g., remotely located or “cloud”) processors.

Communications interfaces **306** may include one or more interfaces to enable computer **300** to access a computer network such as a LAN, a WAN, or the Internet through a variety of wired and/or wireless or cellular connections.

In described embodiments, a first computing device **300** may execute an application on behalf of a user of a client computing device (e.g., a client), may execute a virtual machine, which provides an execution session within which applications execute on behalf of a user or a client computing device (e.g., a client), such as a hosted desktop session, may execute a terminal services session to provide a hosted desktop environment, or may provide access to a computing environment including one or more of: one or more applications, one or more desktop applications, and one or more desktop sessions in which one or more applications may execute.

As will be appreciated by one of skill in the art upon reading the following disclosure, various aspects described herein may be embodied as a system, a device, a method or a computer program product (e.g., a non-transitory computer-readable medium having computer executable instruction for performing the noted operations or steps). Accordingly, those aspects may take the form of an entirely hardware embodiment, an entirely software embodiment, or an embodiment combining software and hardware aspects. Furthermore, such aspects may take the form of a computer program product stored by one or more computer-readable storage media having computer-readable program code, or instructions, embodied in or on the storage media. Any suitable computer readable storage media may be utilized, including hard disks, CD-ROMs, optical storage devices, magnetic storage devices, and/or any combination thereof.

The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting of the disclosure. As used herein, the singular forms “a”, “an” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will be further understood that the terms “comprises” and/or “comprising,” when used in this specification, specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof. “Optional” or “optionally” means that the subsequently described event or circumstance may or may not occur, and that the description includes instances where the event occurs and instances where it does not.

Approximating language, as used herein throughout the specification and claims, may be applied to modify any quantitative representation that could permissibly vary without resulting in a change in the basic function to which it is related. Accordingly, a value modified by a term or terms, such as “about,” “approximately” and “substantially,” are not to be limited to the precise value specified. In at least some instances, the approximating language may correspond to the precision of an instrument for measuring the value. Here and throughout the specification and claims, range limitations may be combined and/or interchanged, such ranges are identified and include all the sub-ranges contained therein unless context or language indicates otherwise. “Approximately” as applied to a particular value of a range applies to both values, and unless otherwise dependent on the precision of the instrument measuring the value, may indicate  $\pm 10\%$  of the stated value(s).

The corresponding structures, materials, acts, and equivalents of all means or step plus function elements in the claims below are intended to include any structure, material, or act for performing the function in combination with other claimed elements as specifically claimed. The description of the present disclosure has been presented for purposes of illustration and description, but is not intended to be exhaustive or limited to the disclosure in the form disclosed. Many modifications and variations will be apparent to those of ordinary skill in the art without departing from the scope and spirit of the disclosure. The embodiment was chosen and described in order to best explain the principles of the disclosure and the practical application, and to enable others of ordinary skill in the art to understand the disclosure for various embodiments with various modifications as are suited to the particular use contemplated.

The foregoing drawings show some of the processing associated according to several embodiments of this disclosure. In this regard, each drawing or block within a flow

15

diagram of the drawings represents a process associated with embodiments of the method described. It should also be noted that in some alternative implementations, the acts noted in the drawings or blocks may occur out of the order noted in the figure or, for example, may in fact be executed substantially concurrently or in the reverse order, depending upon the act involved. Also, one of ordinary skill in the art will recognize that additional blocks that describe the processing may be added.

What is claimed is:

1. An artificial intelligence (AI) platform, comprising:  
a memory; and  
a processor coupled to the memory, the processor configured to:  
deploy a trained image classifier for classifying images associated with a gastrointestinal (GI) procedure, wherein the trained image classifier is implemented according to a process that includes:  
providing a set of training images that include GI landmarks, lesions, and random objects;  
placing bounding boxes in the training images and labeling the training images;  
training the image classifier to detect landmarks and lesions, wherein the image classifier includes a neural network model; and  
deploying the trained image classifier such that the neural network model is mapped to machine hardware in a graphics processing unit (GPU) in which nodes in the neural network model are mapped to computational devices and execute asynchronously;  
process images captured with a scope during the GI procedure using the trained image classifier to detect landmarks, wherein each landmark is automatically assigned a timestamp indicating a time an associated landmark is detected;  
determine image-based indicators from detected landmarks, wherein at least one image-based indicator comprises a time value determined as a difference between timestamps of different landmarks;  
generate sentences from unstructured natural language NL uttered during the procedure;  
generate at least one sentence that incorporates the time value; and  
classify sentences into GI procedure categories using a trained AI model; and  
process at least one sentence with a language model that predicts a next word, wherein the language model is trained with a data vocabulary for an associated GI procedure category and predicts the next word in response to a current word by assigning a probability to each word in the data vocabulary for the associated GI procedure category;  
generate an output that includes landmark images and sentences arranged based on categories.
2. The AI system of claim 1, wherein the language model comprises one of a recurrent neural network (RNN) or a Markov Model.
3. The AI system of claim 2, wherein the image-based indicators include a number of polyps detected and a polyp size.
4. The AI system of claim 2, wherein the time value represents one of a total intubation time or a withdrawal time of the scope.

16

5. The AI system of claim 1, further comprising an editor for displaying and editing sentences, wherein the editor includes a next word prediction system that utilizes a predictive model trained by:

- inputting a training set including word groups,
- analyzing each word group to identify a next possible word and probability of the next possible word's appearance, and
- building a word hierarchy based on frequency of word usage in the training set.

6. The AI platform of claim 1:

wherein the GI procedure includes at least one of: a colonoscopy procedure, a gastroscopy procedure or a clinical procedure; and

wherein the image-based indicators include landmarks involving at least one of: a cecum, a rectum, an ascending colon, or a descending colon.

7. The AI platform of claim 1, wherein an NL processing system performs a search and replace on predefined text patterns includes using regular expressions (regex) to identify patterns.

8. The AI platform of claim 1, wherein an NL processing system performs a search and replace to locate informal medical expressions in the sentences and replaces informal medical expressions with standardized expressions from a medical dictionary, wherein the informal medical expressions are located using predefined text patterns determined with an automated learning process.

9. The AI platform of claim 1, wherein an NL processing system further includes filtering out irrelevant sentences.

10. The AI platform of claim 1, wherein the indicators comprise quality-of-care indicators (QIs).

11. An artificial intelligence (AI) platform, comprising:  
a memory; and

a processor coupled to the memory, the processor configured to:

deploy a trained image classifier for classifying images associated with a gastrointestinal (GI) procedure, wherein the trained image classifier is implemented according to a process that includes:

- providing a set of training images that include GI landmarks, lesions, and random objects;
- labeling the training images;
- training the image classifier with the training images to detect landmarks and lesions using the training images, wherein the image classifier includes a neural network model; and

deploying the trained image classifier such that the neural network model is mapped to machine hardware in a graphics processing unit (GPU) in which nodes in the neural network model are mapped to computational devices and execute asynchronously;

process images captured with a scope during the medical procedure using the trained image classifier to detect landmarks;

determine image-based quality-of-care indicators (QIs) from detected landmarks;

generate sentences from unstructured natural (NL) captured by a microphone during the medical procedure; identify text-based QIs in the sentences using a QI manager, wherein the QI manager includes regex patterns that match sentences to QI types and associated QI values;

update at least one QI value in an associated sentence by integrating information from a related image-based QI;

17

classify sentences into GI procedure categories;  
 process at least one sentence with a language model  
 that predicts a next word, wherein the language  
 model is trained with a data vocabulary for an  
 associated GI procedure category and predicts the  
 next word in response to a current word by assigning  
 a probability to each word in the data vocabulary for  
 the associated GI procedure category; and  
 generate an output that includes landmark images and  
 sentences arranged based on categories.

12. The AI system of claim 11, wherein the language  
 model comprises one of a recurrent neural network (RNN)  
 or a Markov Model.

13. The AI system of claim 12, wherein the image-based  
 QIs include a number of polyps detected and a polyp size.

14. The AI system of claim 11, wherein at least one  
 image-based QI includes a total intubation time or a with-  
 drawal time of the scope calculated using a time difference  
 between detection of two landmarks.

15. The AI system of claim 11, further comprising an  
 editor for displaying and editing sentences, wherein the  
 editor includes a next word prediction system that utilizes a  
 predictive model trained by:

inputting a training set including word groups,  
 analyzing each word group to identify a next possible  
 word and probability of the next possible word's  
 appearance, and

building a word hierarchy based on frequency of word  
 usage in the training set.

16. The AI platform of claim 11:

wherein the GI procedure includes at least one of: a  
 colonoscopy procedure, a gastronomy procedure or a  
 clinical procedure; and

wherein the image-based QIs include landmarks involv-  
 ing at least one of: a cecum, a rectum, an ascending  
 colon, or a descending colon.

17. The AI platform of claim 11, wherein a data process-  
 ing system performs a search and replace to locate informal  
 medical expressions in the sentences and replaces informal  
 medical expressions with standardized expressions from a  
 medical dictionary, wherein the informal medical expres-  
 sions are located using predefined text patterns determined  
 with an automated learning process.

18. The AI platform of claim 11, wherein a data process-  
 ing system further includes filtering out irrelevant sentences.

19. A system, comprising:

a camera for collecting image data during a medical  
 procedure;

18

a microphone for collecting speech during the medical  
 procedure;

a memory; and

a processor coupled to the memory that:

deploys a trained image classifier for classifying  
 images associated with a gastrointestinal (GI) pro-  
 cedure, wherein the trained image classifier is imple-  
 mented according to a process that includes:

providing a set of training images that include GI  
 landmarks, lesions, and random objects;

labeling the training images;

training the image classifier to detect landmarks and  
 lesions using the training images, wherein the  
 image classifier includes a neural network model;  
 and

deploying the trained image classifier such that the  
 neural network model is mapped to machine hard-  
 ware in a graphics processing unit (GPU) in which  
 nodes in the neural network model are mapped to  
 computational devices and execute asynchro-  
 nously;

processes image data using an image classifier to identify  
 image-based quality-of-care indicators (QIs);

processes unstructured NL captured from speech uttered  
 during the procedure and is configured to:

create structured sentences from the unstructured NL,  
 wherein creating includes replacing informal medi-  
 cal expressions with standardized medical expres-  
 sions;

identify text-based QIs in the structured sentences;

classify structured sentences into sentence types based  
 on a trained model;

update structured sentences by integrating the image-  
 based QIs with text-based QIs;

deploys an editor for displaying and editing structured  
 sentences, wherein the editor includes a next word  
 prediction system that utilizes a predictive model for  
 predicting a next word based on a GI procedure cat-  
 egory a current sentence is classified into, wherein  
 training of the predictive model includes: providing a  
 training set having word groups, and building a word  
 hierarchy based on frequency of word usage in the  
 training set for different GI procedure categories; and  
 outputs structured sentences organized by sentence type  
 and images organized by image-based QIs.

20. The system of claim 19, wherein the text-based QIs  
 include a QI type and a QI value, and wherein the QI value  
 is updated using a related image-based QI.

\* \* \* \* \*