



(12) **United States Patent**
Mukundan et al.

(10) **Patent No.:** **US 12,401,544 B2**
(45) **Date of Patent:** ***Aug. 26, 2025**

(54) **CONNECTIVITY IN AN EDGE-GATEWAY
MULTIPATH SYSTEM**

(71) Applicant: **VMware LLC**, Palo Alto, CA (US)

(72) Inventors: **Sunil Mukundan**, Chennai (IN);
Stephen Craig Connors, San Jose, CA
(US); **Steven Michael Woo**, Los Altos,
CA (US); **Ajit Ramachandra Mayya**,
Saratoga, CA (US); **Thomas Harold
Speeter**, San Martin, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 141 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **17/562,890**

(22) Filed: **Dec. 27, 2021**

(65) **Prior Publication Data**

US 2022/0123961 A1 Apr. 21, 2022

Related U.S. Application Data

(63) Continuation of application No. 16/945,700, filed on
Jul. 31, 2020, now Pat. No. 11,212,140, which is a
(Continued)

(51) **Int. Cl.**
H04L 12/66 (2006.01)
H04L 1/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04L 12/66** (2013.01); **H04L 1/00**
(2013.01); **H04L 1/004** (2013.01); **H04L 1/18**
(2013.01);
(Continued)

(58) **Field of Classification Search**
CPC . H04L 12/66; H04L 1/00; H04L 1/004; H04L
1/18; H04L 43/028; H04L 45/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,652,751 A 7/1997 Sharony
5,909,553 A 6/1999 Campbell et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1483270 A 3/2004
CN 1926809 A 3/2007
(Continued)

OTHER PUBLICATIONS

Alsaeedi, Mohammed, et al., "Toward Adaptive and Scalable OpenFlow-
SDN Flow Control: A Survey," IEEE Access, Aug. 1, 2019, 34
pages, vol. 7, IEEE, retrieved from [https://ieeexplore.ieee.org/
document/8784036](https://ieeexplore.ieee.org/document/8784036).

(Continued)


Primary Examiner — Mohammad S Anwar

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **ABSTRACT**

In one exemplary aspect, an edge-gateway multipath method
includes the step of providing an edge device in a local
network communicatively coupled with a cloud-computing
service in a cloud-computing network. A set of wide area
network (WAN) links connected to the edge device are
automatically detected. The WAN links are automatically
measured without the need for an external router. The edge
device is communicatively coupled with a central configu-
ration point in the cloud-computing network. The method
further includes the step of downloading, from the central
configuration point, an enterprise-specific configuration data
into the edge device. The enterprise-specific configuration
data includes the gateway information. The edge device is
communicatively coupled with a gateway in the cloud-
computing network. The communicatively coupling of the
edge device with the gateway includes a multipath (MP)
protocol.

20 Claims, 7 Drawing Sheets



Related U.S. Application Data

continuation of application No. 15/221,608, filed on Jul. 28, 2016, now Pat. No. 10,749,711, which is a continuation-in-part of application No. 14/321,818, filed on Jul. 2, 2014, now Pat. No. 9,722,815.

- (60) Provisional application No. 61/844,822, filed on Jul. 10, 2013.

(51) **Int. Cl.**

H04L 1/1607 (2023.01)

H04L 1/18 (2023.01)

H04L 43/028 (2022.01)

H04L 43/0894 (2022.01)

H04L 45/24 (2022.01)

H04L 47/125 (2022.01)

H04L 47/2408 (2022.01)

H04L 47/41 (2022.01)

H04L 67/02 (2022.01)

(52) **U.S. Cl.**

CPC **H04L 43/028** (2013.01); **H04L 45/24** (2013.01); **H04L 47/125** (2013.01); **H04L 47/2408** (2013.01); **H04L 47/41** (2013.01); **H04L 67/02** (2013.01); **H04L 1/1671** (2013.01); **H04L 43/0894** (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,154,465 A 11/2000 Pickett
6,157,648 A 12/2000 Voit et al.
6,201,810 B1 3/2001 Masuda et al.
6,363,378 B1 3/2002 Conklin et al.
6,445,682 B1 9/2002 Weitz
6,744,775 B1 6/2004 Beshai et al.
6,976,087 B1 12/2005 Westfall et al.
7,003,481 B2 2/2006 Banka et al.
7,280,476 B2 10/2007 Anderson
7,313,629 B1 12/2007 Nucci et al.
7,320,017 B1 1/2008 Kurapati et al.
7,373,660 B1 5/2008 Guichard et al.
7,581,022 B1 8/2009 Griffin et al.
7,680,925 B2 3/2010 Sathyanarayana et al.
7,681,236 B2 3/2010 Tamura et al.
7,751,409 B1 7/2010 Carolan
7,962,458 B2 6/2011 Holenstein et al.
8,051,185 B2 11/2011 Lee et al.
8,094,575 B1 1/2012 Vadlakonda et al.
8,094,659 B1 1/2012 Arad
8,111,692 B2 2/2012 Ray
8,141,156 B1 3/2012 Mao et al.
8,224,971 B1 7/2012 Miller et al.
8,228,928 B2 7/2012 Parandekar et al.
8,243,589 B1 8/2012 Trost et al.
8,259,566 B2 9/2012 Chen et al.
8,274,891 B2 9/2012 Averi et al.
8,301,749 B1 10/2012 Finklestein et al.
8,385,227 B1 2/2013 Downey
8,516,129 B1 8/2013 Skene
8,566,452 B1 10/2013 Goodwin et al.
8,588,066 B2 11/2013 Goel et al.
8,630,291 B2 1/2014 Shaffer et al.
8,661,295 B1 2/2014 Khanna et al.
8,724,456 B1 5/2014 Hong et al.
8,724,503 B2 5/2014 Johnsson et al.
8,745,177 B1 6/2014 Kazerani et al.
8,769,129 B2 7/2014 Watsen et al.
8,797,874 B2 8/2014 Yu et al.
8,799,504 B2 8/2014 Capone et al.
8,804,745 B1 8/2014 Sinn
8,806,482 B1 8/2014 Nagargadde et al.
8,855,071 B1 10/2014 Sankaran et al.

8,856,339 B2 10/2014 Mestery et al.
8,964,548 B1 2/2015 Keralapura et al.
8,989,199 B1 3/2015 Sella et al.
9,009,217 B1 4/2015 Nagargadde et al.
9,015,299 B1 4/2015 Shah
9,019,837 B2 4/2015 Lue et al.
9,055,000 B1 6/2015 Ghosh et al.
9,060,025 B2 6/2015 Xu
9,071,607 B2 6/2015 Twitchell, Jr.
9,075,771 B1 7/2015 Gawali et al.
9,100,329 B1 8/2015 Jiang et al.
9,135,037 B1 9/2015 Petrescu-Prahova et al.
9,137,334 B2 9/2015 Zhou
9,154,327 B1 10/2015 Marino et al.
9,203,764 B2 12/2015 Shirazipour et al.
9,225,591 B2 12/2015 Beheshti-Zavareh et al.
9,258,212 B2 2/2016 Pfeifer et al.
9,306,949 B1 4/2016 Richard et al.
9,323,561 B2 4/2016 Ayala et al.
9,336,040 B2 5/2016 Dong et al.
9,354,983 B1 5/2016 Yenamandra et al.
9,356,943 B1 5/2016 Lopilato et al.
9,379,981 B1 6/2016 Zhou et al.
9,413,724 B2 8/2016 Xu
9,419,878 B2 8/2016 Hsiao et al.
9,432,245 B1 8/2016 Sorenson et al.
9,438,566 B2 9/2016 Zhang et al.
9,450,817 B1 9/2016 Bahadur et al.
9,450,852 B1 9/2016 Chen et al.
9,462,010 B1 10/2016 Stevenson
9,467,478 B1 10/2016 Khan et al.
9,485,163 B1 11/2016 Fries et al.
9,521,067 B2 12/2016 Michael et al.
9,525,564 B2 12/2016 Lee
9,542,219 B1 1/2017 Bryant et al.
9,559,951 B1 1/2017 Sajassi et al.
9,563,423 B1 2/2017 Pittman
9,602,389 B1 3/2017 Maveli et al.
9,608,917 B1 3/2017 Anderson et al.
9,608,962 B1 3/2017 Chang
9,614,748 B1 4/2017 Battersby et al.
9,621,460 B2 4/2017 Mehta et al.
9,641,551 B1 5/2017 Kariyanahalli
9,648,547 B1 5/2017 Hart et al.
9,665,432 B2 5/2017 Kruse et al.
9,686,127 B2 6/2017 Ramachandran et al.
9,692,714 B1 6/2017 Nair et al.
9,715,401 B2 7/2017 Devine et al.
9,717,021 B2 7/2017 Hughes et al.
9,722,815 B2 8/2017 Mukundan et al.
9,747,249 B2 8/2017 Cherian et al.
9,755,965 B1 9/2017 Yadav et al.
9,787,559 B1 10/2017 Schroeder
9,807,004 B2 10/2017 Koley et al.
9,819,540 B1 11/2017 Bahadur et al.
9,819,565 B2 11/2017 Djukic et al.
9,825,822 B1 11/2017 Holland
9,825,911 B1 11/2017 Brandwine
9,825,992 B2 11/2017 Ku
9,832,128 B1 11/2017 Ashner et al.
9,832,205 B2 11/2017 Santhi et al.
9,875,355 B1 1/2018 Williams
9,906,401 B1 2/2018 Rao
9,923,826 B2 3/2018 Murgia
9,930,011 B1 3/2018 Clemons, Jr. et al.
9,935,829 B1 4/2018 Miller et al.
9,942,787 B1 4/2018 Tillotson
9,996,370 B1 6/2018 Khafizov et al.
10,038,601 B1 7/2018 Becker et al.
10,057,183 B2 8/2018 Salle et al.
10,057,294 B2 8/2018 Xu
10,116,593 B1 10/2018 Sinn et al.
10,135,789 B2 11/2018 Mayya et al.
10,142,226 B1 11/2018 Wu et al.
10,178,032 B1 1/2019 Freitas
10,178,037 B2 1/2019 Appleby et al.
10,187,289 B1 1/2019 Chen et al.
10,200,264 B2 2/2019 Menon et al.
10,229,017 B1 3/2019 Zou et al.

US 12,401,544 B2

Page 3

(56)

References Cited

U.S. PATENT DOCUMENTS

10,237,123 B2	3/2019	Dubey et al.	11,212,140 B2 *	12/2021	Mukundan H04L 47/2408
10,250,498 B1	4/2019	Bales et al.	11,212,238 B2	12/2021	Cidon et al.
10,263,832 B1	4/2019	Ghosh	11,223,514 B2	1/2022	Mayya et al.
10,320,664 B2	6/2019	Nainar et al.	11,245,641 B2	2/2022	Ramaswamy et al.
10,320,691 B1	6/2019	Matthews et al.	11,252,079 B2	2/2022	Michael et al.
10,326,830 B1	6/2019	Singh	11,252,105 B2	2/2022	Cidon et al.
10,348,767 B1	7/2019	Lee et al.	11,252,106 B2	2/2022	Cidon et al.
10,355,989 B1	7/2019	Panchal et al.	11,258,728 B2	2/2022	Cidon et al.
10,425,382 B2	9/2019	Mayya et al.	11,310,170 B2	4/2022	Cidon et al.
10,454,708 B2	10/2019	Mibu	11,323,307 B2	5/2022	Mayya et al.
10,454,714 B2	10/2019	Mayya et al.	11,349,722 B2	5/2022	Mayya et al.
10,461,993 B2	10/2019	Turabi et al.	11,363,124 B2	6/2022	Markuze et al.
10,498,652 B2	12/2019	Mayya et al.	11,374,904 B2	6/2022	Mayya et al.
10,511,546 B2	12/2019	Singarayan et al.	11,375,005 B1	6/2022	Rolando et al.
10,523,539 B2	12/2019	Mayya et al.	11,381,474 B1	7/2022	Kumar et al.
10,550,093 B2	2/2020	Ojima et al.	11,381,499 B1	7/2022	Ramaswamy et al.
10,554,538 B2	2/2020	Spohn et al.	11,388,086 B1	7/2022	Ramaswamy et al.
10,560,431 B1	2/2020	Chen et al.	11,394,640 B2	7/2022	Ramaswamy et al.
10,565,464 B2	2/2020	Han et al.	11,418,997 B2	8/2022	Devadoss et al.
10,567,519 B1	2/2020	Mukhopadhyaya et al.	11,438,789 B2	9/2022	Devadoss et al.
10,574,482 B2	2/2020	Oré et al.	11,444,865 B2	9/2022	Ramaswamy et al.
10,574,528 B2	2/2020	Mayya et al.	11,444,872 B2	9/2022	Mayya et al.
10,594,516 B2	3/2020	Cidon et al.	11,477,127 B2	10/2022	Ramaswamy et al.
10,594,591 B2	3/2020	Houjyo et al.	11,489,720 B1	11/2022	Kempanna et al.
10,594,659 B2	3/2020	El-Moussa et al.	11,489,783 B2	11/2022	Ramaswamy et al.
10,608,844 B2	3/2020	Cidon et al.	11,509,571 B1	11/2022	Ramaswamy et al.
10,630,505 B2	4/2020	Rubenstein et al.	11,516,049 B2	11/2022	Cidon et al.
10,637,889 B2	4/2020	Ermagan et al.	11,522,780 B1	12/2022	Wallace et al.
10,666,460 B2	5/2020	Cidon et al.	11,526,434 B1	12/2022	Brooker et al.
10,666,497 B2	5/2020	Tahhan et al.	11,533,248 B2	12/2022	Mayya et al.
10,686,625 B2	6/2020	Cidon et al.	11,552,874 B1	1/2023	Pragada et al.
10,693,739 B1	6/2020	Naseri et al.	11,575,591 B2	2/2023	Ramaswamy et al.
10,715,382 B2	7/2020	Guan et al.	11,575,600 B2	2/2023	Markuze et al.
10,715,427 B2	7/2020	Raj et al.	11,582,144 B2	2/2023	Ramaswamy et al.
10,749,711 B2	8/2020	Mukundan et al.	11,582,298 B2	2/2023	Hood et al.
10,778,466 B2	9/2020	Cidon et al.	11,601,356 B2	3/2023	Gandhi et al.
10,778,528 B2	9/2020	Mayya et al.	11,606,225 B2	3/2023	Cidon et al.
10,778,557 B2	9/2020	Ganichev et al.	11,606,286 B2	3/2023	Michael et al.
10,805,114 B2	10/2020	Cidon et al.	11,606,314 B2	3/2023	Cidon et al.
10,805,272 B2	10/2020	Mayya et al.	11,606,712 B2	3/2023	Devadoss et al.
10,819,564 B2	10/2020	Turabi et al.	11,611,507 B2	3/2023	Ramaswamy et al.
10,826,775 B1	11/2020	Moreno et al.	2002/0049687 A1	4/2002	Helsper et al.
10,841,131 B2	11/2020	Cidon et al.	2002/0075542 A1 *	6/2002	Kumar H04L 12/6402 398/52
10,911,374 B1	2/2021	Kumar et al.	2002/0085488 A1	7/2002	Kobayashi
10,924,388 B1	2/2021	Burns et al.	2002/0087716 A1	7/2002	Mustafa
10,938,693 B2	3/2021	Mayya et al.	2002/0152306 A1	10/2002	Tuck
10,951,529 B2	3/2021	Puan et al.	2002/0186682 A1	12/2002	Kawano et al.
10,958,479 B2	3/2021	Cidon et al.	2002/0198840 A1	12/2002	Banka et al.
10,959,098 B2	3/2021	Cidon et al.	2003/0050061 A1	3/2003	Wu et al.
10,992,558 B1	4/2021	Silva et al.	2003/0061269 A1	3/2003	Hathaway et al.
10,992,568 B2	4/2021	Michael et al.	2003/0088697 A1	5/2003	Matsuhira
10,999,100 B2	5/2021	Cidon et al.	2003/0112766 A1	6/2003	Riedel et al.
10,999,137 B2	5/2021	Cidon et al.	2003/0112808 A1	6/2003	Solomon
10,999,165 B2	5/2021	Cidon et al.	2003/0126468 A1	7/2003	Markham
10,999,197 B2	5/2021	Hooda et al.	2003/0161313 A1	8/2003	Jinmei et al.
11,005,684 B2	5/2021	Cidon	2003/0161321 A1	8/2003	Karam et al.
11,018,995 B2	5/2021	Cidon et al.	2003/0189919 A1	10/2003	Gupta et al.
11,044,190 B2	6/2021	Ramaswamy et al.	2003/0202506 A1	10/2003	Perkins et al.
11,050,588 B2	6/2021	Mayya et al.	2003/0219030 A1	11/2003	Gubbi
11,050,644 B2	6/2021	Hegde et al.	2004/0059831 A1	3/2004	Chu et al.
11,071,005 B2	7/2021	Shen et al.	2004/0068668 A1	4/2004	Lor et al.
11,089,111 B2	8/2021	Markuze et al.	2004/0165601 A1	8/2004	Liu et al.
11,095,612 B1	8/2021	Oswal et al.	2004/0224771 A1	11/2004	Chen et al.
11,102,032 B2	8/2021	Cidon et al.	2005/0078690 A1	4/2005	DeLangis
11,108,595 B2	8/2021	Knutsen et al.	2005/0149604 A1	7/2005	Navada
11,108,851 B1	8/2021	Kurmala et al.	2005/0154790 A1	7/2005	Nagata et al.
11,115,347 B2	9/2021	Gupta et al.	2005/0172161 A1	8/2005	Cruz et al.
11,115,426 B1	9/2021	Pazhyannur et al.	2005/0195754 A1	9/2005	Nosella
11,115,480 B2	9/2021	Markuze et al.	2005/0210479 A1	9/2005	Andjelic
11,121,962 B2	9/2021	Michael et al.	2005/0265255 A1	12/2005	Kodialam et al.
11,121,985 B2	9/2021	Cidon et al.	2006/0002291 A1	1/2006	Alicherry et al.
11,128,492 B2	9/2021	Sethi et al.	2006/0034335 A1 *	2/2006	Karaoguz H04L 65/1101 370/477
11,146,632 B2	10/2021	Rubenstein	2006/0114838 A1	6/2006	Mandavilli et al.
11,153,230 B2	10/2021	Cidon et al.	2006/0171365 A1	8/2006	Borella
11,171,885 B2	11/2021	Cidon et al.	2006/0182034 A1	8/2006	Klinker et al.
			2006/0182035 A1	8/2006	Vasseur
			2006/0193247 A1	8/2006	Naseh et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0193252 A1	8/2006	Naseh et al.	2011/0141877 A1	6/2011	Xu et al.
2006/0195605 A1	8/2006	Sundarrajan et al.	2011/0142041 A1	6/2011	Mai
2006/0245414 A1	11/2006	Susai et al.	2011/0153909 A1	6/2011	Dong
2007/0050594 A1	3/2007	Augsburg et al.	2011/0235509 A1	9/2011	Szymanski
2007/0064604 A1	3/2007	Chen et al.	2011/0255397 A1	10/2011	Kadakia et al.
2007/0064702 A1	3/2007	Bates et al.	2011/0302663 A1	12/2011	Prodan et al.
2007/0083727 A1	4/2007	Johnston et al.	2012/0008630 A1	1/2012	Ould-Brahim
2007/0091794 A1	4/2007	Filsfils et al.	2012/0027013 A1	2/2012	Napierala
2007/0103548 A1	5/2007	Carter	2012/0039309 A1	2/2012	Evans et al.
2007/0115812 A1	5/2007	Hughes	2012/0099601 A1*	4/2012	Haddad H04L 61/2528 370/401
2007/0121486 A1	5/2007	Guichard et al.	2012/0136697 A1	5/2012	Peles et al.
2007/0130325 A1	6/2007	Lesser	2012/0140935 A1	6/2012	Kruglick
2007/0162619 A1	7/2007	Aloni et al.	2012/0157068 A1	6/2012	Eichen et al.
2007/0162639 A1	7/2007	Chu et al.	2012/0173694 A1	7/2012	Yan et al.
2007/0177511 A1	8/2007	Das et al.	2012/0173919 A1	7/2012	Patel et al.
2007/0195797 A1	8/2007	Patel et al.	2012/0182940 A1	7/2012	Taleb et al.
2007/0237081 A1	10/2007	Kodialam et al.	2012/0221955 A1	8/2012	Raleigh et al.
2007/0260746 A1	11/2007	Mirtorabi et al.	2012/0227093 A1	9/2012	Shatzkamer et al.
2007/0268882 A1	11/2007	Breslau et al.	2012/0240185 A1	9/2012	Kapoor et al.
2008/0002670 A1	1/2008	Bugenhagen et al.	2012/0250682 A1	10/2012	Vincent et al.
2008/0049621 A1	2/2008	McGuire et al.	2012/0250686 A1	10/2012	Vincent et al.
2008/0055241 A1	3/2008	Goldenberg et al.	2012/0266026 A1	10/2012	Chikkalingaiah et al.
2008/0080509 A1	4/2008	Khanna et al.	2012/0281706 A1	11/2012	Agarwal et al.
2008/0095187 A1	4/2008	Jung et al.	2012/0287818 A1	11/2012	Corti et al.
2008/0117930 A1	5/2008	Chakareski et al.	2012/0300615 A1	11/2012	Kempf et al.
2008/0144532 A1	6/2008	Chamarajanagar et al.	2012/0307659 A1	12/2012	Yamada
2008/0168086 A1	7/2008	Miller et al.	2012/0317270 A1	12/2012	Vrbaski et al.
2008/0175150 A1	7/2008	Bolt et al.	2012/0317291 A1	12/2012	Wolfe
2008/0181116 A1	7/2008	Kavanaugh et al.	2013/0007505 A1	1/2013	Spear
2008/0219276 A1	9/2008	Shah	2013/0019005 A1	1/2013	Hui et al.
2008/0240121 A1	10/2008	Xiong et al.	2013/0021968 A1	1/2013	Reznik et al.
2008/0263218 A1	10/2008	Beerends et al.	2013/0044764 A1	2/2013	Casado et al.
2009/0013210 A1	1/2009	McIntosh et al.	2013/0051237 A1	2/2013	Ong
2009/0028092 A1	1/2009	Rothschild	2013/0051399 A1	2/2013	Zhang et al.
2009/0125617 A1	5/2009	Klessig et al.	2013/0054763 A1	2/2013	Merwe et al.
2009/0141642 A1	6/2009	Sun	2013/0086267 A1	4/2013	Gelenbe et al.
2009/0154463 A1	6/2009	Hines et al.	2013/0097304 A1	4/2013	Asthana et al.
2009/0182874 A1	7/2009	Morford et al.	2013/0103729 A1	4/2013	Cooney et al.
2009/0247204 A1	10/2009	Sennett et al.	2013/0103834 A1	4/2013	Dzerve et al.
2009/0268605 A1	10/2009	Campbell et al.	2013/0117530 A1	5/2013	Kim et al.
2009/0274045 A1	11/2009	Meier et al.	2013/0124718 A1	5/2013	Griffith et al.
2009/0276657 A1	11/2009	Wetmore et al.	2013/0124911 A1	5/2013	Griffith et al.
2009/0303880 A1	12/2009	Maltz et al.	2013/0124912 A1	5/2013	Griffith et al.
2010/0008361 A1	1/2010	Guichard et al.	2013/0128757 A1	5/2013	Chowdhary et al.
2010/0017802 A1	1/2010	Lojewski	2013/0128889 A1	5/2013	Mathur et al.
2010/0046532 A1	2/2010	Okita	2013/0142201 A1	6/2013	Kim et al.
2010/0061379 A1	3/2010	Parandekar et al.	2013/0170354 A1	7/2013	Takashima et al.
2010/0080129 A1	4/2010	Strahan et al.	2013/0173768 A1	7/2013	Kundu et al.
2010/0088440 A1	4/2010	Banks et al.	2013/0173788 A1	7/2013	Song
2010/0091782 A1	4/2010	Hiscock	2013/0182712 A1	7/2013	Aguayo et al.
2010/0091823 A1	4/2010	Retana et al.	2013/0185446 A1	7/2013	Zeng et al.
2010/0098092 A1	4/2010	Luo et al.	2013/0185729 A1	7/2013	Vasic et al.
2010/0100768 A1	4/2010	Yamamoto et al.	2013/0191688 A1	7/2013	Agarwal et al.
2010/0107162 A1	4/2010	Edwards et al.	2013/0223226 A1*	8/2013	Narayanan H04L 45/64 370/236
2010/0118727 A1	5/2010	Draves et al.	2013/0223454 A1	8/2013	Dunbar et al.
2010/0118886 A1	5/2010	Saavedra	2013/0235870 A1	9/2013	Tripathi et al.
2010/0128600 A1	5/2010	Srinivasamurthy et al.	2013/0238782 A1	9/2013	Zhao et al.
2010/0165985 A1	7/2010	Sharma et al.	2013/0242718 A1	9/2013	Zhang
2010/0191884 A1	7/2010	Holenstein et al.	2013/0254599 A1	9/2013	Katkar et al.
2010/0223621 A1	9/2010	Joshi et al.	2013/0258839 A1	10/2013	Wang et al.
2010/0226246 A1	9/2010	Proulx	2013/0258847 A1	10/2013	Zhang et al.
2010/0290422 A1	11/2010	Haigh et al.	2013/0258939 A1	10/2013	Wang
2010/0309841 A1	12/2010	Conte	2013/0266015 A1	10/2013	Qu et al.
2010/0309912 A1	12/2010	Mehta et al.	2013/0266019 A1	10/2013	Qu et al.
2010/0322255 A1	12/2010	Hao et al.	2013/0283364 A1	10/2013	Chang et al.
2010/0332657 A1	12/2010	Elyashev et al.	2013/0286846 A1	10/2013	Atlas et al.
2011/0001604 A1	1/2011	Ludlow et al.	2013/0297611 A1	11/2013	Moritz et al.
2011/0007752 A1	1/2011	Silva et al.	2013/0297770 A1	11/2013	Zhang
2011/0032939 A1	2/2011	Nozaki et al.	2013/0301469 A1	11/2013	Suga
2011/0035187 A1	2/2011	DeJori et al.	2013/0301642 A1	11/2013	Radhakrishnan et al.
2011/0040814 A1	2/2011	Higgins	2013/0308444 A1	11/2013	Sem-Jacobsen et al.
2011/0075674 A1	3/2011	Li et al.	2013/0315242 A1	11/2013	Wang et al.
2011/0078783 A1	3/2011	Duan et al.	2013/0315243 A1	11/2013	Huang et al.
2011/0107139 A1	5/2011	Middlecamp et al.	2013/0329548 A1	12/2013	Nakil et al.
2011/0110370 A1	5/2011	Moreno et al.	2013/0329601 A1	12/2013	Yin et al.
			2013/0329734 A1	12/2013	Chesla et al.
			2013/0346470 A1	12/2013	Obstfeld et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0016464	A1	1/2014	Shirazipour et al.	2015/0236945	A1	8/2015	Michael et al.
2014/0019604	A1	1/2014	Twitchell, Jr.	2015/0236962	A1	8/2015	Veres et al.
2014/0019750	A1	1/2014	Dodgson et al.	2015/0244617	A1	8/2015	Nakil et al.
2014/0040975	A1	2/2014	Raleigh et al.	2015/0249644	A1	9/2015	Xu
2014/0064283	A1	3/2014	Balus et al.	2015/0257081	A1	9/2015	Ramanujan et al.
2014/0071832	A1	3/2014	Johnsson et al.	2015/0264055	A1	9/2015	Budhani et al.
2014/0092907	A1	4/2014	Sridhar et al.	2015/0271056	A1	9/2015	Chunduri et al.
2014/0108665	A1	4/2014	Arora et al.	2015/0271104	A1	9/2015	Chikkamath et al.
2014/0112171	A1	4/2014	Pasdar	2015/0271303	A1	9/2015	Neginhal et al.
2014/0115584	A1	4/2014	Mudigonda et al.	2015/0281004	A1	10/2015	Kakadia et al.
2014/0122559	A1	5/2014	Branson et al.	2015/0312142	A1	10/2015	Barabash et al.
2014/0123135	A1	5/2014	Huang et al.	2015/0312760	A1	10/2015	O'Toole
2014/0126418	A1	5/2014	Brendel et al.	2015/0317169	A1	11/2015	Sinha et al.
2014/0156818	A1	6/2014	Hunt	2015/0326426	A1	11/2015	Luo et al.
2014/0156823	A1	6/2014	Liu et al.	2015/0334025	A1	11/2015	Rader
2014/0157363	A1	6/2014	Banerjee	2015/0334696	A1	11/2015	Gu et al.
2014/0160935	A1	6/2014	Zecharia et al.	2015/0341271	A1	11/2015	Gomez
2014/0164560	A1	6/2014	Ko et al.	2015/0349978	A1	12/2015	Wu et al.
2014/0164617	A1	6/2014	Jalan et al.	2015/0350907	A1	12/2015	Timariu et al.
2014/0164718	A1	6/2014	Schaik et al.	2015/0358232	A1	12/2015	Chen et al.
2014/0173113	A1	6/2014	Vemuri et al.	2015/0358236	A1	12/2015	Roach et al.
2014/0173331	A1	6/2014	Martin et al.	2015/0363221	A1	12/2015	Terayama et al.
2014/0181824	A1	6/2014	Saund et al.	2015/0363733	A1	12/2015	Brown
2014/0189074	A1	7/2014	Parker	2015/0365323	A1	12/2015	Duminuco et al.
2014/0201642	A1	7/2014	Vicat-Blanc	2015/0372943	A1	12/2015	Hasan et al.
2014/0208317	A1	7/2014	Nakagawa	2015/0372982	A1	12/2015	Herle et al.
2014/0219135	A1	8/2014	Li et al.	2015/0381407	A1	12/2015	Wang et al.
2014/0223507	A1	8/2014	Xu	2015/0381462	A1	12/2015	Choi et al.
2014/0226664	A1	8/2014	Chen et al.	2015/0381493	A1	12/2015	Bansal et al.
2014/0229210	A1	8/2014	Sharifian et al.	2016/0019317	A1	1/2016	Pawar et al.
2014/0233564	A1	8/2014	Lue et al.	2016/0020844	A1	1/2016	Hart et al.
2014/0244851	A1	8/2014	Lee	2016/0021597	A1	1/2016	Hart et al.
2014/0258535	A1	9/2014	Zhang	2016/0035183	A1	2/2016	Buchholz et al.
2014/0269690	A1	9/2014	Tu	2016/0036924	A1	2/2016	Koppolu et al.
2014/0279862	A1	9/2014	Dietz et al.	2016/0036938	A1	2/2016	Aviles et al.
2014/0280499	A1	9/2014	Basavaiah et al.	2016/0037434	A1	2/2016	Gopal et al.
2014/0310282	A1	10/2014	Sprague et al.	2016/0072669	A1	3/2016	Saavedra
2014/0317440	A1	10/2014	Biermayr et al.	2016/0072684	A1	3/2016	Manuguri et al.
2014/0321277	A1	10/2014	Lynn, Jr. et al.	2016/0080268	A1	3/2016	Anand et al.
2014/0337500	A1	11/2014	Lee	2016/0080502	A1	3/2016	Yadav et al.
2014/0337674	A1	11/2014	Ivancic et al.	2016/0105353	A1	4/2016	Cociglio
2014/0341109	A1	11/2014	Cartmell et al.	2016/0105392	A1	4/2016	Thakkar et al.
2014/0351394	A1	11/2014	Elisha	2016/0105471	A1	4/2016	Nunes et al.
2014/0355441	A1	12/2014	Jain	2016/0105488	A1	4/2016	Thakkar et al.
2014/0365834	A1	12/2014	Stone et al.	2016/0117185	A1	4/2016	Fang et al.
2014/0372582	A1	12/2014	Ghanwani et al.	2016/0134461	A1	5/2016	Sampath et al.
2015/0003240	A1	1/2015	Drwiega et al.	2016/0134527	A1	5/2016	Kwak et al.
2015/0016249	A1	1/2015	Mukundan et al.	2016/0134528	A1	5/2016	Lin et al.
2015/0029864	A1	1/2015	Raileanu et al.	2016/0134591	A1	5/2016	Liao et al.
2015/0039744	A1	2/2015	Niazi et al.	2016/0142373	A1	5/2016	Ossipov
2015/0046572	A1	2/2015	Cheng et al.	2016/0147607	A1	5/2016	Dornemann et al.
2015/0052247	A1	2/2015	Threefoot et al.	2016/0150055	A1	5/2016	Choi
2015/0052517	A1	2/2015	Raghu et al.	2016/0164832	A1	6/2016	Bellagamba et al.
2015/0056960	A1	2/2015	Egner et al.	2016/0164914	A1	6/2016	Madhav et al.
2015/0058917	A1	2/2015	Xu	2016/0173338	A1	6/2016	Wolting
2015/0088942	A1	3/2015	Shah	2016/0191363	A1	6/2016	Haraszi et al.
2015/0089628	A1	3/2015	Lang	2016/0191374	A1	6/2016	Singh et al.
2015/0092603	A1	4/2015	Aguayo et al.	2016/0192403	A1	6/2016	Gupta et al.
2015/0096011	A1	4/2015	Watt	2016/0197834	A1	7/2016	Luft
2015/0100958	A1	4/2015	Banavalikar et al.	2016/0197835	A1	7/2016	Luft
2015/0106809	A1	4/2015	Reddy et al.	2016/0198003	A1	7/2016	Luft
2015/0124603	A1	5/2015	Ketheesan et al.	2016/0205071	A1	7/2016	Cooper et al.
2015/0134777	A1	5/2015	Onoue	2016/0210209	A1	7/2016	Verkaik et al.
2015/0139238	A1	5/2015	Pourzandi et al.	2016/0212773	A1	7/2016	Kanderholm et al.
2015/0146539	A1	5/2015	Mehta et al.	2016/0218947	A1	7/2016	Hughes et al.
2015/0163152	A1	6/2015	Li	2016/0218951	A1	7/2016	Vasseur et al.
2015/0169340	A1	6/2015	Haddad et al.	2016/0234099	A1	8/2016	Jiao
2015/0172121	A1	6/2015	Farkas et al.	2016/0234161	A1	8/2016	Banerjee et al.
2015/0172169	A1	6/2015	DeCusatis et al.	2016/0255169	A1	9/2016	Kovvuri et al.
2015/0188823	A1	7/2015	Williams et al.	2016/0255542	A1	9/2016	Hughes et al.
2015/0189009	A1	7/2015	Bemmel	2016/0261493	A1	9/2016	Li
2015/0195178	A1	7/2015	Bhattacharya et al.	2016/0261495	A1	9/2016	Xia et al.
2015/0201036	A1	7/2015	Nishiki et al.	2016/0261506	A1	9/2016	Hegde et al.
2015/0222543	A1	8/2015	Song	2016/0261639	A1	9/2016	Xu
2015/0222638	A1	8/2015	Morley	2016/0269298	A1	9/2016	Li et al.
				2016/0269926	A1	9/2016	Sundaram
				2016/0285736	A1	9/2016	Gu
				2016/0299775	A1	10/2016	Madapurath et al.
				2016/0301471	A1	10/2016	Kunz et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0308762	A1	10/2016	Teng et al.	2017/0280474	A1	9/2017	Vesterinen et al.
2016/0315912	A1	10/2016	Mayya et al.	2017/0288987	A1	10/2017	Pasupathy et al.
2016/0323377	A1	11/2016	Einkauf et al.	2017/0289002	A1	10/2017	Ganguli et al.
2016/0328159	A1	11/2016	Coddington et al.	2017/0289027	A1	10/2017	Ratnasingham
2016/0330111	A1	11/2016	Manghirmalani et al.	2017/0295264	A1	10/2017	Touitou et al.
2016/0337202	A1	11/2016	Ben-Itzhak et al.	2017/0302501	A1	10/2017	Shi et al.
2016/0352588	A1	12/2016	Subbarayan et al.	2017/0302565	A1	10/2017	Ghobadi et al.
2016/0353268	A1	12/2016	Senarath et al.	2017/0310641	A1	10/2017	Jiang et al.
2016/0359738	A1	12/2016	Sullenberger et al.	2017/0310691	A1	10/2017	Vasseur et al.
2016/0366187	A1	12/2016	Kamble	2017/0317945	A1	11/2017	Guo et al.
2016/0371153	A1	12/2016	Dornemann	2017/0317954	A1	11/2017	Masurekar et al.
2016/0378527	A1	12/2016	Zamir	2017/0317969	A1	11/2017	Masurekar et al.
2016/0380886	A1	12/2016	Blair et al.	2017/0317974	A1	11/2017	Masurekar et al.
2016/0380906	A1	12/2016	Hodique et al.	2017/0324628	A1	11/2017	Dhanabalan
2017/0005986	A1	1/2017	Bansal et al.	2017/0337086	A1	11/2017	Zhu et al.
2017/0006499	A1	1/2017	Hampel et al.	2017/0339022	A1	11/2017	Hegde et al.
2017/0012870	A1	1/2017	Blair et al.	2017/0339054	A1	11/2017	Yadav et al.
2017/0019428	A1	1/2017	Cohn	2017/0339070	A1	11/2017	Chang et al.
2017/0024260	A1	1/2017	Chandrasekaran et al.	2017/0346722	A1	11/2017	Smith et al.
2017/0026273	A1	1/2017	Yao et al.	2017/0364419	A1	12/2017	Lo
2017/0026283	A1	1/2017	Williams et al.	2017/0366445	A1	12/2017	Nemirovsky et al.
2017/0026355	A1	1/2017	Mathaiyan et al.	2017/0366467	A1	12/2017	Martin et al.
2017/0034046	A1	2/2017	Cai et al.	2017/0373950	A1	12/2017	Szilagyi et al.
2017/0034052	A1	2/2017	Chanda et al.	2017/0374174	A1	12/2017	Evens et al.
2017/0034129	A1	2/2017	Sawant et al.	2018/0006995	A1	1/2018	Bickhart et al.
2017/0048296	A1	2/2017	Ramvalho et al.	2018/0007005	A1	1/2018	Chanda et al.
2017/0053258	A1	2/2017	Carney et al.	2018/0007123	A1	1/2018	Cheng et al.
2017/0055131	A1	2/2017	Kong et al.	2018/0013636	A1	1/2018	Seetharamaiah et al.
2017/0063674	A1	3/2017	Maskalik et al.	2018/0014051	A1	1/2018	Phillips et al.
2017/0063782	A1	3/2017	Jain et al.	2018/0020035	A1	1/2018	Boggia et al.
2017/0063783	A1	3/2017	Yong et al.	2018/0034668	A1	2/2018	Mayya et al.
2017/0063794	A1	3/2017	Jain et al.	2018/0041425	A1	2/2018	Zhang
2017/0064005	A1	3/2017	Lee	2018/0041470	A1	2/2018	Schultz et al.
2017/0075710	A1	3/2017	Prasad et al.	2018/0062875	A1	3/2018	Tumuluru
2017/0093625	A1	3/2017	Pera et al.	2018/0062914	A1	3/2018	Boutros et al.
2017/0097841	A1	4/2017	Chang et al.	2018/0062917	A1	3/2018	Chandrashekhar et al.
2017/0104653	A1	4/2017	Badea et al.	2018/0063036	A1	3/2018	Chandrashekhar et al.
2017/0104755	A1	4/2017	Arregoces et al.	2018/0063193	A1	3/2018	Chandrashekhar et al.
2017/0109212	A1	4/2017	Gaurav et al.	2018/0063233	A1	3/2018	Park
2017/0118067	A1	4/2017	Vedula	2018/0063743	A1	3/2018	Tumuluru et al.
2017/0118173	A1	4/2017	Arramreddy et al.	2018/0069924	A1	3/2018	Tumuluru et al.
2017/0123939	A1	5/2017	Maheshwari et al.	2018/0074909	A1	3/2018	Bishop et al.
2017/0126475	A1	5/2017	Mahkonen et al.	2018/0077081	A1	3/2018	Lauer et al.
2017/0126516	A1	5/2017	Tiagi et al.	2018/0077202	A1	3/2018	Xu
2017/0126564	A1	5/2017	Mayya et al.	2018/0084081	A1	3/2018	Kuchibhotla et al.
2017/0134186	A1	5/2017	Mukundan et al.	2018/0091370	A1	3/2018	Arai
2017/0134520	A1	5/2017	Abbasi et al.	2018/0097725	A1	4/2018	Wood et al.
2017/0139789	A1	5/2017	Fries et al.	2018/0114569	A1	4/2018	Strachan et al.
2017/0142000	A1	5/2017	Cai et al.	2018/0123910	A1	5/2018	Fitzgibbon
2017/0149637	A1	5/2017	Banikazemi et al.	2018/0123946	A1	5/2018	Ramachandran et al.
2017/0155557	A1	6/2017	Desai et al.	2018/0131608	A1	5/2018	Jiang et al.
2017/0155566	A1	6/2017	Martinsen et al.	2018/0131615	A1	5/2018	Zhang
2017/0155590	A1	6/2017	Dillon et al.	2018/0131720	A1	5/2018	Hobson et al.
2017/0163473	A1	6/2017	Sadana et al.	2018/0145899	A1	5/2018	Rao
2017/0171024	A1	6/2017	Anerousis et al.	2018/0159796	A1	6/2018	Wang et al.
2017/0171310	A1	6/2017	Gardner	2018/0159856	A1	6/2018	Gujarathi
2017/0180220	A1	6/2017	Leckey et al.	2018/0167378	A1	6/2018	Kostyukov et al.
2017/0181210	A1	6/2017	Nadella et al.	2018/0176073	A1	6/2018	Dubey et al.
2017/0195161	A1	7/2017	Ruel et al.	2018/0176082	A1	6/2018	Katz et al.
2017/0195169	A1	7/2017	Mills et al.	2018/0176130	A1	6/2018	Banerjee et al.
2017/0201568	A1	7/2017	Hussam et al.	2018/0176252	A1	6/2018	Nimmagadda et al.
2017/0201585	A1	7/2017	Doraiswamy et al.	2018/0181423	A1	6/2018	Gunda et al.
2017/0207976	A1	7/2017	Rovner et al.	2018/0205746	A1	7/2018	Boutnaru et al.
2017/0214545	A1	7/2017	Cheng et al.	2018/0213472	A1	7/2018	Ishii et al.
2017/0214701	A1	7/2017	Hasan	2018/0219765	A1	8/2018	Michael et al.
2017/0223117	A1	8/2017	Messerli et al.	2018/0219766	A1	8/2018	Michael et al.
2017/0236060	A1	8/2017	Ignatyev	2018/0234300	A1	8/2018	Mayya et al.
2017/0237710	A1	8/2017	Mayya et al.	2018/0248790	A1	8/2018	Tan et al.
2017/0242784	A1	8/2017	Heorhiadi et al.	2018/0260125	A1	9/2018	Botes et al.
2017/0257260	A1	9/2017	Govindan et al.	2018/0261085	A1	9/2018	Liu et al.
2017/0257309	A1	9/2017	Appanna	2018/0262468	A1	9/2018	Kumar et al.
2017/0264496	A1	9/2017	Ao et al.	2018/0270104	A1	9/2018	Zheng et al.
2017/0279717	A1	9/2017	Bethers et al.	2018/0278541	A1	9/2018	Wu et al.
2017/0279741	A1	9/2017	Elias et al.	2018/0287907	A1	10/2018	Kulshreshtha et al.
2017/0279803	A1	9/2017	Desai et al.	2018/0295101	A1	10/2018	Gehrmann
				2018/0295529	A1	10/2018	Jen et al.
				2018/0302286	A1	10/2018	Mayya et al.
				2018/0302321	A1	10/2018	Manthiramoorthy et al.
				2018/0307851	A1	10/2018	Lewis

(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0316606	A1	11/2018	Sung et al.	2019/0327109	A1	10/2019	Guichard et al.
2018/0351855	A1	12/2018	Sood et al.	2019/0334786	A1	10/2019	Dutta et al.
2018/0351862	A1	12/2018	Jeganathan et al.	2019/0334813	A1	10/2019	Raj et al.
2018/0351863	A1	12/2018	Vairavakkalai et al.	2019/0334820	A1	10/2019	Zhao
2018/0351882	A1	12/2018	Jeganathan et al.	2019/0342201	A1	11/2019	Singh
2018/0359323	A1	12/2018	Madden	2019/0342219	A1	11/2019	Liu et al.
2018/0367445	A1	12/2018	Bajaj	2019/0356736	A1	11/2019	Narayanaswamy et al.
2018/0373558	A1	12/2018	Chang et al.	2019/0364099	A1	11/2019	Thakkar et al.
2018/0375744	A1	12/2018	Mayya et al.	2019/0364456	A1	11/2019	Yu
2018/0375824	A1	12/2018	Mayya et al.	2019/0372888	A1	12/2019	Michael et al.
2018/0375967	A1	12/2018	Pithawala et al.	2019/0372889	A1	12/2019	Michael et al.
2019/0013883	A1	1/2019	Vargas et al.	2019/0372890	A1	12/2019	Michael et al.
2019/0014038	A1	1/2019	Ritchie	2019/0394081	A1	12/2019	Tahhan et al.
2019/0020588	A1	1/2019	Twitchell, Jr.	2020/0014609	A1	1/2020	Hockett et al.
2019/0020627	A1	1/2019	Yuan	2020/0014615	A1	1/2020	Michael et al.
2019/0021085	A1	1/2019	Mochizuki et al.	2020/0014616	A1	1/2020	Michael et al.
2019/0028378	A1	1/2019	Houjyo et al.	2020/0014661	A1	1/2020	Mayya et al.
2019/0028552	A1	1/2019	Johnson et al.	2020/0014663	A1	1/2020	Chen et al.
2019/0036808	A1	1/2019	Shenoy et al.	2020/0021514	A1	1/2020	Michael et al.
2019/0036810	A1	1/2019	Michael et al.	2020/0021515	A1	1/2020	Michael et al.
2019/0036813	A1	1/2019	Shenoy et al.	2020/0036624	A1	1/2020	Michael et al.
2019/0046056	A1	2/2019	Khachaturian et al.	2020/0044943	A1	2/2020	Bor-Yaliniz et al.
2019/0058657	A1	2/2019	Chunduri et al.	2020/0044969	A1	2/2020	Hao et al.
2019/0058709	A1	2/2019	Kempf et al.	2020/0059420	A1	2/2020	Abraham
2019/0068470	A1	2/2019	Mirsky	2020/0059457	A1	2/2020	Raza et al.
2019/0068493	A1	2/2019	Ram et al.	2020/0059459	A1	2/2020	Abraham et al.
2019/0068500	A1	2/2019	Hira	2020/0067831	A1	2/2020	Spraggins et al.
2019/0075083	A1	3/2019	Mayya et al.	2020/0092207	A1	3/2020	Sipra et al.
2019/0081894	A1	3/2019	Yousaf et al.	2020/0097327	A1	3/2020	Beyer et al.
2019/0103990	A1	4/2019	Cidon et al.	2020/0099625	A1	3/2020	Yigit et al.
2019/0103991	A1	4/2019	Cidon et al.	2020/0099659	A1	3/2020	Cometto et al.
2019/0103992	A1	4/2019	Cidon et al.	2020/0106696	A1	4/2020	Michael et al.
2019/0103993	A1	4/2019	Cidon et al.	2020/0106706	A1	4/2020	Mayya et al.
2019/0104035	A1	4/2019	Cidon et al.	2020/0119952	A1	4/2020	Mayya et al.
2019/0104049	A1	4/2019	Cidon et al.	2020/0127905	A1	4/2020	Mayya et al.
2019/0104050	A1	4/2019	Cidon et al.	2020/0127911	A1	4/2020	Gilson et al.
2019/0104051	A1	4/2019	Cidon et al.	2020/0153701	A1	5/2020	Mohan et al.
2019/0104052	A1	4/2019	Cidon et al.	2020/0153736	A1	5/2020	Liebherr et al.
2019/0104053	A1	4/2019	Cidon et al.	2020/0159661	A1	5/2020	Keymolen et al.
2019/0104063	A1	4/2019	Cidon et al.	2020/0162407	A1	5/2020	Tillotson
2019/0104064	A1	4/2019	Cidon et al.	2020/0169473	A1	5/2020	Rimar et al.
2019/0104109	A1	4/2019	Cidon et al.	2020/0177503	A1	6/2020	Hooda et al.
2019/0104111	A1	4/2019	Cidon et al.	2020/0177550	A1	6/2020	Valluri et al.
2019/0104413	A1	4/2019	Cidon et al.	2020/0177629	A1	6/2020	Hooda et al.
2019/0109769	A1	4/2019	Jain et al.	2020/0186471	A1	6/2020	Shen et al.
2019/0132221	A1	5/2019	Boutros et al.	2020/0195557	A1	6/2020	Duan et al.
2019/0132234	A1	5/2019	Dong et al.	2020/0204460	A1	6/2020	Schneider et al.
2019/0132322	A1	5/2019	Song et al.	2020/0213212	A1	7/2020	Dillon et al.
2019/0140889	A1	5/2019	Mayya et al.	2020/0213224	A1	7/2020	Cheng et al.
2019/0140890	A1	5/2019	Mayya et al.	2020/0218558	A1	7/2020	Sreenath et al.
2019/0149525	A1	5/2019	Gunda et al.	2020/0235990	A1	7/2020	Janakiraman et al.
2019/0158371	A1	5/2019	Dillon et al.	2020/0235999	A1	7/2020	Mayya et al.
2019/0158605	A1	5/2019	Markuze et al.	2020/0236046	A1	7/2020	Jain et al.
2019/0199539	A1	6/2019	Deng et al.	2020/0241927	A1	7/2020	Yang et al.
2019/0220703	A1	7/2019	Prakash et al.	2020/0244721	A1	7/2020	S et al.
2019/0222499	A1	7/2019	Chen et al.	2020/0252234	A1	8/2020	Ramamoorthi et al.
2019/0238364	A1	8/2019	Boutros et al.	2020/0259700	A1	8/2020	Bhalla et al.
2019/0238446	A1	8/2019	Barzik et al.	2020/0267184	A1	8/2020	Vera-Schockner
2019/0238449	A1	8/2019	Michael et al.	2020/0267203	A1	8/2020	Jindal et al.
2019/0238450	A1	8/2019	Michael et al.	2020/0280587	A1	9/2020	Janakiraman et al.
2019/0238483	A1	8/2019	Marichetty et al.	2020/0287819	A1	9/2020	Theogaraj et al.
2019/0238497	A1	8/2019	Tourrilhes et al.	2020/0287976	A1	9/2020	Theogaraj et al.
2019/0268421	A1	8/2019	Markuze et al.	2020/0296011	A1	9/2020	Jain et al.
2019/0268973	A1	8/2019	Bull et al.	2020/0296026	A1	9/2020	Michael et al.
2019/0278631	A1	9/2019	Bernat et al.	2020/0301764	A1	9/2020	Thoresen et al.
2019/0280962	A1	9/2019	Michael et al.	2020/0314006	A1	10/2020	Mackie et al.
2019/0280963	A1	9/2019	Michael et al.	2020/0314614	A1	10/2020	Moustafa et al.
2019/0280964	A1	9/2019	Michael et al.	2020/0322230	A1	10/2020	Natal et al.
2019/0288875	A1	9/2019	Shen et al.	2020/0322287	A1	10/2020	Connor et al.
2019/0306197	A1	10/2019	Degioanni	2020/0336336	A1	10/2020	Sethi et al.
2019/0306282	A1	10/2019	Masputra et al.	2020/0344089	A1	10/2020	Motwani et al.
2019/0313278	A1	10/2019	Liu	2020/0344143	A1	10/2020	Faseela et al.
2019/0313907	A1	10/2019	Khachaturian et al.	2020/0344163	A1	10/2020	Gupta et al.
2019/0319847	A1	10/2019	Nahar et al.	2020/0351188	A1	11/2020	Arora et al.
2019/0319881	A1	10/2019	Maskara et al.	2020/0358878	A1	11/2020	Bansal et al.
				2020/0366530	A1	11/2020	Mukundan et al.
				2020/0366562	A1	11/2020	Mayya et al.
				2020/0382345	A1	12/2020	Zhao et al.
				2020/0382387	A1	12/2020	Pasupathy et al.

(56)

References Cited**U.S. PATENT DOCUMENTS**

2020/0403821 A1 12/2020 Dev et al.
 2020/0412483 A1 12/2020 Tan et al.
 2020/0412576 A1 12/2020 Kondapavuluru et al.
 2020/0413283 A1 12/2020 Shen et al.
 2021/0006482 A1 1/2021 Hwang et al.
 2021/0006490 A1 1/2021 Michael et al.
 2021/0021538 A1 1/2021 Meck et al.
 2021/0029019 A1 1/2021 Kottapalli
 2021/0029088 A1 1/2021 Mayya et al.
 2021/0036888 A1 2/2021 Makkalla et al.
 2021/0036987 A1 2/2021 Mishra et al.
 2021/0037159 A1 2/2021 Shimokawa
 2021/0049191 A1 2/2021 Masson et al.
 2021/0067372 A1 3/2021 Cidon et al.
 2021/0067373 A1 3/2021 Cidon et al.
 2021/0067374 A1 3/2021 Cidon et al.
 2021/0067375 A1 3/2021 Cidon et al.
 2021/0067407 A1 3/2021 Cidon et al.
 2021/0067427 A1 3/2021 Cidon et al.
 2021/0067442 A1 3/2021 Sundararajan et al.
 2021/0067461 A1 3/2021 Cidon et al.
 2021/0067464 A1 3/2021 Cidon et al.
 2021/0067467 A1 3/2021 Cidon et al.
 2021/0067468 A1 3/2021 Cidon et al.
 2021/0073001 A1 3/2021 Rogers et al.
 2021/0092062 A1 3/2021 Dhanabalan et al.
 2021/0099360 A1 4/2021 Parsons et al.
 2021/0105199 A1 4/2021 H et al.
 2021/0111998 A1 4/2021 Saavedra
 2021/0112034 A1 4/2021 Sundararajan et al.
 2021/0126830 A1 4/2021 R. et al.
 2021/0126853 A1 4/2021 Ramaswamy et al.
 2021/0126854 A1 4/2021 Guo et al.
 2021/0126860 A1 4/2021 Ramaswamy et al.
 2021/0144091 A1 5/2021 H et al.
 2021/0160169 A1 5/2021 Shen et al.
 2021/0160813 A1 5/2021 Gupta et al.
 2021/0176255 A1 6/2021 Hill et al.
 2021/0184952 A1 6/2021 Mayya et al.
 2021/0184966 A1 6/2021 Ramaswamy et al.
 2021/0184983 A1 6/2021 Ramaswamy et al.
 2021/0194814 A1 6/2021 Roux et al.
 2021/0226880 A1 7/2021 Ramamoorthy et al.
 2021/0234728 A1 7/2021 Cidon et al.
 2021/0234775 A1 7/2021 Devadoss et al.
 2021/0234786 A1 7/2021 Devadoss et al.
 2021/0234804 A1 7/2021 Devadoss et al.
 2021/0234805 A1 7/2021 Devadoss et al.
 2021/0235312 A1 7/2021 Devadoss et al.
 2021/0235313 A1 7/2021 Devadoss et al.
 2021/0266262 A1 8/2021 Subramanian et al.
 2021/0279069 A1 9/2021 Salgaonkar et al.
 2021/0314289 A1 10/2021 Chandrashekar et al.
 2021/0314385 A1 10/2021 Pande et al.
 2021/0328835 A1 10/2021 Mayya et al.
 2021/0336880 A1 10/2021 Gupta et al.
 2021/0377109 A1 12/2021 Shrivastava et al.
 2021/0377156 A1 12/2021 Michael et al.
 2021/0392060 A1 12/2021 Silva et al.
 2021/0392070 A1 12/2021 Tootaghaj et al.
 2021/0392171 A1 12/2021 Srinivas et al.
 2021/0399920 A1 12/2021 Sundararajan et al.
 2021/0399978 A9 12/2021 Michael et al.
 2021/0400113 A1 12/2021 Markuze et al.
 2021/0400512 A1 12/2021 Agarwal et al.
 2021/0409277 A1 12/2021 Jeuk et al.
 2022/0006726 A1 1/2022 Michael et al.
 2022/0006751 A1 1/2022 Ramaswamy et al.
 2022/0006756 A1 1/2022 Ramaswamy et al.
 2022/0029902 A1 1/2022 Shemer et al.
 2022/0035673 A1 2/2022 Markuze et al.
 2022/0038370 A1 2/2022 Vasseur et al.
 2022/0038557 A1 2/2022 Markuze et al.
 2022/0045927 A1 2/2022 Liu et al.
 2022/0052928 A1 2/2022 Sundararajan et al.

2022/0061059 A1 2/2022 Dunsmore et al.
 2022/0086035 A1 3/2022 Devaraj et al.
 2022/0094644 A1 3/2022 Cidon et al.
 2022/0131740 A1 4/2022 Mayya et al.
 2022/0131807 A1 4/2022 Srinivas et al.
 2022/0141184 A1 5/2022 Oswal et al.
 2022/0158923 A1 5/2022 Ramaswamy et al.
 2022/0158924 A1 5/2022 Ramaswamy et al.
 2022/0158926 A1 5/2022 Wennerstrom et al.
 2022/0166713 A1 5/2022 Markuze et al.
 2022/0191719 A1 6/2022 Roy
 2022/0198229 A1 6/2022 López et al.
 2022/0210035 A1 6/2022 Hendrickson et al.
 2022/0210041 A1 6/2022 Gandhi et al.
 2022/0210042 A1 6/2022 Gandhi et al.
 2022/0210122 A1 6/2022 Levin et al.
 2022/0217015 A1 7/2022 Vuggrala et al.
 2022/0231949 A1 7/2022 Ramaswamy et al.
 2022/0231950 A1 7/2022 Ramaswamy et al.
 2022/0232411 A1 7/2022 Vijayakumar et al.
 2022/0239596 A1 7/2022 Kumar et al.
 2022/0294701 A1 9/2022 Mayya et al.
 2022/0335027 A1 10/2022 Seshadri et al.
 2022/0337553 A1 10/2022 Mayya et al.
 2022/0353152 A1 11/2022 Ramaswamy
 2022/0353171 A1 11/2022 Ramaswamy et al.
 2022/0353175 A1 11/2022 Ramaswamy et al.
 2022/0353182 A1 11/2022 Ramaswamy et al.
 2022/0353190 A1 11/2022 Ramaswamy et al.
 2022/0360500 A1 11/2022 Ramaswamy et al.
 2022/0407773 A1 12/2022 Kempanna et al.
 2022/0407774 A1 12/2022 Kempanna et al.
 2022/0407790 A1 12/2022 Kempanna et al.
 2022/0407820 A1 12/2022 Kempanna et al.
 2022/0407915 A1 12/2022 Kempanna et al.
 2023/0006929 A1 1/2023 Mayya et al.
 2023/0025586 A1 1/2023 Rolando et al.
 2023/0026330 A1 1/2023 Rolando et al.
 2023/0026865 A1 1/2023 Rolando et al.
 2023/0028872 A1 1/2023 Ramaswamy
 2023/0039869 A1 2/2023 Ramaswamy et al.
 2023/0041916 A1 2/2023 Zhang et al.
 2023/0054961 A1 2/2023 Ramaswamy et al.
 2023/0164158 A1 5/2023 Fellows et al.

FOREIGN PATENT DOCUMENTS

CN 102577270 A 7/2012
 CN 102811165 A 12/2012
 CN 104956329 A 9/2015
 CN 106230650 A 12/2016
 CN 106656847 A 5/2017
 CN 110447209 A 11/2019
 CN 111198764 A 5/2020
 EP 1031224 B1 3/2005
 EP 1912381 A1 4/2008
 EP 2538637 A2 * 12/2012 H04L 29/08585
 EP 2763362 A1 * 8/2014 H04L 45/24
 EP 3041178 A1 7/2016
 EP 3297211 A1 3/2018
 EP 3509256 A1 7/2019
 EP 3346650 B1 11/2019
 JP 2002368792 A 12/2002
 JP 2010233126 A 10/2010
 JP 2014200010 A 10/2014
 JP 2017059991 A 3/2017
 JP 2017524290 A 8/2017
 KR 20170058201 A 5/2017
 RU 2574350 C2 2/2016
 WO 2000078004 A2 12/2000
 WO 03073701 A1 9/2003
 WO 2005071861 A1 8/2005
 WO 2007016834 A1 2/2007
 WO 2012167184 A2 12/2012
 WO 2015092565 A1 6/2015
 WO 2016061546 A1 4/2016
 WO 2016123314 A1 8/2016
 WO 2017083975 A1 5/2017
 WO 2019070611 A1 4/2019

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2019094522	A1	5/2019
WO	2020012491	A1	1/2020
WO	2020018704	A1	1/2020
WO	2020091777	A1	5/2020
WO	2020101922	A1	5/2020
WO	2020112345	A1	6/2020
WO	2020214173	A1	10/2020
WO	2021040934	A1	3/2021
WO	2021118717	A1	6/2021
WO	2021150465	A1	7/2021
WO	2021211906	A1	10/2021
WO	2022005607	A1	1/2022
WO	2022082680	A1	4/2022
WO	2022154850	A1	7/2022
WO	2022159156	A1	7/2022
WO	2022231668	A1	11/2022
WO	2022235303	A1	11/2022
WO	2022265681	A1	12/2022
WO	2023009159	A1	2/2023

OTHER PUBLICATIONS

Long, Feng, "Research and Application of Cloud Storage Technology in University Information Service," Chinese Excellent Masters' Theses Full-text Database, Mar. 2013, 72 pages, China Academic Journals Electronic Publishing House, China.

Noormohammadpour, Mohammad, et al., "DCRoute: Speeding up Inter-Datacenter Traffic Allocation while Guaranteeing Deadlines," 2016 IEEE 23rd International Conference on High Performance Computing (HiPC), Dec. 19-22, 2016, 9 pages, IEEE, Hyderabad, India.

Del Piccolo, Valentin, et al., "A Survey of Network Isolation Solutions for Multi-Tenant Data Centers," IEEE Communications Society, Apr. 20, 2016, vol. 18, No. 4, 37 pages, IEEE.

Fortz, Bernard, et al., "Internet Traffic Engineering by Optimizing OSPF Weights," Proceedings IEEE Infocom 2000, Conference on Computer Communications, Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies, Mar. 26-30, 2000, 11 pages, IEEE, Tel Aviv, Israel, Israel.

Francois, Frederic, et al., "Optimizing Secure SDN-enabled Inter-Data Centre Overlay Networks through Cognitive Routing," 2016 IEEE 24th International Symposium on Modeling, Analysis and Simulation of Computer and Telecommunication Systems (MAS-COTS), Sep. 19-21, 2016, 10 pages, IEEE, London, UK.

Guo, Xiangyi, et al., (U.S. Appl. No. 62/925,193), filed Oct. 23, 2019, 26 pages.

Huang, Cancan, et al., "Modification of Q.SD-WAN," Rapporteur Group Meeting—Doc, Study Period 2017-2020, Q4/11-DOC1 (190410), Study Group 11, Apr. 10, 2019, 19 pages, International Telecommunication Union, Geneva, Switzerland.

Lasserre, Marc, et al., "Framework for Data Center (DC) Network Virtualization," RFC 7365, Oct. 2014, 26 pages, IETF.

Lin, Weidong, et al., "Using Path Label Routing in Wide Area Software-Defined Networks with Open Flow," 2016 International Conference on Networking and Network Applications, Jul. 2016, 6 pages, IEEE.

Michael, Nithin, et al., "HALO: Hop-by-Hop Adaptive Link-State Optimal Routing," IEEE/ACM Transactions on Networking, Dec. 2015, 14 pages, vol. 23, No. 6, IEEE.

Mishra, Mayank, et al., "Managing Network Reservation for Tenants in Oversubscribed Clouds," 2013 IEEE 21st International Symposium on Modelling, Analysis and Simulation of Computer and Telecommunication Systems, Aug. 14-16, 2013, 10 pages, IEEE, San Francisco, CA, USA.

Mudigonda, Jayaram, et al., "NetLord: A Scalable Multi-Tenant Network Architecture for Virtualized Datacenters," Proceedings of the ACM SIGCOMM 2011 Conference, Aug. 15-19, 2011, 12 pages, ACM, Toronto, Canada.

Petition for Post-Grant Review of U.S. Pat. No. 9,722,815, filed May 1, 2018, 106 pages.

Ray, Saikat, et al., "Always Acyclic Distributed Path Computation," University of Pennsylvania Department of Electrical and Systems Engineering Technical Report, May 2008, 16 pages, University of Pennsylvania ScholarlyCommons.

Sarhan, Soliman Abd Elmonsef, et al., "Data Inspection in SDN Network," 2018 13th International Conference on Computer Engineering and Systems (ICCES), Dec. 18-19, 2018, 6 pages, IEEE, Cairo, Egypt.

Webb, Kevin C., et al., "Blender: Upgrading Tenant-Based Data Center Networking," 2014 ACM/IEEE Symposium on Architectures for Networking and Communications Systems (ANCS), Oct. 20-21, 2014, 11 pages, IEEE, Marina del Rey, CA, USA.

Xie, Junfeng, et al., A Survey of Machine Learning Techniques Applied to Software Defined Networking (SDN): Research Issues and Challenges, IEEE Communications Surveys & Tutorials, Aug. 23, 2018, 38 pages, vol. 21, Issue 1, IEEE.

Yap, Kok-Kiong, et al., "Taking the Edge off with Espresso: Scale, Reliability and Programmability for Global Internet Peering," SIGCOMM '17: Proceedings of the Conference of the ACM Special Interest Group on Data Communication, Aug. 21-25, 2017, 14 pages, Los Angeles, CA.

Taleb, Tarik, "D4.1 Mobile Network Cloud Component Design," Mobile Cloud Networking, Nov. 8, 2013, 210 pages, MobileCloud Networking Consortium, retrieved from <http://www.mobile-cloud-networking.eu/site/index.php?process=download&id=127&code=89d30565cd2ce087d3f8e95f9ad683066510a61f>.

Valtulina, Luca, "Seamless Distributed Mobility Management (DMM) Solution in Cloud Based LTE Systems," Master Thesis, Nov. 2013, 168 pages, University of Twente, retrieved from http://essay.utwente.nl/64411/1/Luca_Valtulina_MSc_Report_final.pdf.

Zakurdaev, Gieorgi, et al., "Dynamic On-Demand Virtual Extensible LAN Tunnels via Software-Defined Wide Area Networks," 2022 IEEE 12th Annual Computing and Communication Workshop and Conference, Jan. 26-29, 2022, 6 pages, IEEE, Las Vegas, NV, USA.

Alvizu, Rodolfo, et al., "SDN-Based Network Orchestration for New Dynamic Enterprise Networking Services," 2017 19th International Conference on Transparent Optical Networks, Jul. 2-6, 2017, 4 pages, IEEE, Girona, Spain.

Barozet, Jean-Marc, "Cisco SD-WAN as a Managed Service," BRKRST-2558, Jan. 27-31, 2020, 98 pages, Cisco, Barcelona, Spain, retrieved from <https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2020/pdf/BRKRST-2558.pdf>.

Barozet, Jean-Marc, "Cisco SDWAN," Deep Dive, Dec. 2017, 185 pages, Cisco, Retrieved from <https://www.coursehero.com/file/71671376/Cisco-SDWAN-Deep-Divepdf/>.

Bertaux, Lionel, et al., "Software Defined Networking and Virtualization for Broadband Satellite Networks," IEEE Communications Magazine, Mar. 18, 2015, 7 pages, vol. 53, IEEE, retrieved from <https://ieeexplore.ieee.org/document/7060482>.

Cox, Jacob H., et al., "Advancing Software-Defined Networks: A Survey," IEEE Access, Oct. 12, 2017, 40 pages, vol. 5, IEEE, retrieved from <https://ieeexplore.ieee.org/document/8066287>.

Duan, Zhenhai, et al., "Service Overlay Networks: SLAs, QoS, and Bandwidth Provisioning," IEEE/ACM Transactions on Networking, Dec. 2003, 14 pages, vol. 11, IEEE, New York, NY, USA.

Jivorasetkul, Supalerk, et al., "End-to-End Header Compression over Software-Defined Networks: a Low Latency Network Architecture," 2012 Fourth International Conference on Intelligent Networking and Collaborative Systems, Sep. 19-21, 2012, 2 pages, IEEE, Bucharest, Romania.

Li, Shengru, et al., "Source Routing with Protocol-oblivious Forwarding (POF) to Enable Efficient e-Health Data Transfers," 2016 IEEE International Conference on Communications (ICC), May 22-27, 2016, 6 pages, IEEE, Kuala Lumpur, Malaysia.

Ming, Gao, et al., "A Design of SD-WAN-Oriented Wide Area Network Access," 2020 International Conference on Computer Communication and Network Security (CCNS), Aug. 21-23, 2020, 4 pages, IEEE, Xi'an, China.

Tootaghaj, Diman Zad, et al., "Homa: An Efficient Topology and Route Management Approach in SD-WAN Overlays," IEEE INFOCOM 2020—IEEE Conference on Computer Communications, Jul. 6-9, 2020, 10 pages, IEEE, Toronto, ON, Canada.

(56)

References Cited

OTHER PUBLICATIONS

Author Unknown, "VeloCloud Administration Guide: VMware SD-WAN by VeloCloud 3.3," Month Unknown 2019, 366 pages, VMware, Inc., Palo Alto, CA, USA.

Funabiki, Nobuo, et al., "A Frame Aggregation Extension of Routing Algorithm for Wireless Mesh Networks," 2014 Second International Symposium on Computing and Networking, Dec. 10-12, 2014, 5 pages, IEEE, Shizuoka, Japan.

* cited by examiner




FIGURE 1




FIGURE 2





FIGURE 3



400

FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

1

CONNECTIVITY IN AN EDGE-GATEWAY MULTIPATH SYSTEM

CLAIM OF BENEFIT TO PRIOR APPLICATIONS

This application is a continuation application of U.S. patent application Ser. No. 16/945,700, filed Jul. 31, 2020, now published as U.S. Patent Publication 2020/0366530. U.S. patent application Ser. No. 16/945,700 is a continuation application of U.S. patent application Ser. No. 15/221,608, filed Jul. 28, 2016, now issued as U.S. Pat. No. 10,749,711. U.S. patent application Ser. No. 15/221,608 is a continuation-in-part of U.S. patent application Ser. No. 14/321,818, filed on Jul. 2, 2014, now issued as U.S. Pat. No. 9,722,815. U.S. patent application Ser. No. 14/321,818 claims priority to U.S. Provisional Patent Application 61/844,822, filed on Jul. 10, 2013. U.S. Patent Publication 2020/0366530, U.S. Pat. Nos. 10,749,711 and 9,722,815, and U.S. Provisional Patent Application 61/844,822 are hereby incorporated by reference in their entirety.

BACKGROUND

Several trends, are altering the use of enterprise applications. For example, enterprises are moving to hosting applications in private and public clouds as opposed to enterprise data centers. Enterprises are also increasingly using applications provided by other companies, which are generically grouped under SaaS (Software-as-a-Service) and are not hosted in an enterprise-data center. In another example, enterprises are migrating from large Information Technology (IT) supported branches to smaller branches. These smaller branches can utilize remote IT management strategies.

These trends have combined to alter application's network paths and/or the quality of service (QoS) of these paths. With enterprise data-center applications, the large IT branches can lease multiprotocol label switching (MPLS) lines. MPLS can be mechanism in communications networks that directs data from one network node to the next node based on short path labels rather than long network addresses, thus avoiding complex lookups in a routing table. MPLS lines can be associated with a known level of QoS that provides a deterministic application access experience and/or application availability. Applications are moving to the cloud where they are deployed either in the public and/or hybrid cloud. Enterprise branches access these applications via the public Internet. Access to these applications in such cases may be hampered by the 'best effort' nature of access as opposed to having a known QoS level. Additionally, a smaller branch may also utilize computing devices that are relatively easy to deploy and/or remotely manage in the event no on-site IT staff is available.

BRIEF SUMMARY OF THE INVENTION

In one aspect, a network-link method useful for a last-mile connectivity in an edge-gateway multipath includes the step of identifying a network-traffic flow of a computer network using deep-packet inspection to determine an identity of an application type associated with the network-traffic flow. The network-link method includes the step of aggregating a bandwidth from a specified set of network links. The network-link method includes the step of intelligently load-balancing a traffic on the set of network links by sending successive packets belonging to a same traffic flow on a set

2

of specified multiple-network links. The set of specified multiple-network links is selected based on the identity of an application type associated with the network-traffic flow. The network-link method includes the step of identifying a set of active-network links in the set of specified multiple-network links. The network-link method includes the step of providing an in-order data delivery with an application persistence by sending data packets belonging to a same data-packet flow on the set of active links. The network-link method includes the step of correcting an error on a lossy network link using an error-control mechanism for data transmission selectively based on the identified network-traffic flow and a current measured condition in the computer network.

BRIEF DESCRIPTION OF THE DRAWINGS

The present application can be best understood by reference to the following description taken in conjunction with the accompanying figures, in which like parts may be referred to by like numerals.

FIG. 1 illustrates an example a programmable, multi-tenant overlay network, according to some embodiments.

FIG. 2 depicts a process of a network link used to replace 'last mile' connectivity, according to some embodiments.

FIG. 3 depicts a process of removing the requirement for an IT administrator to configure each individual device in an enterprise computing network, according to some embodiments.

FIG. 4 illustrates an example flow sequence diagram for an MP packet flow, according to some embodiments.

FIG. 5 illustrates an example MP process for bandwidth aggregation and data ordering, according to some embodiments.

FIG. 6 illustrates an example of metadata in an MP header, according to some embodiments.

FIG. 7 depicts an exemplary computing system that can be configured to perform any one of the processes provided herein.

The Figures described above are a representative set, and are not an exhaustive with respect to embodying the invention.

DETAILED DESCRIPTION

Disclosed are a network-link method and system useful for a last-mile connectivity in an edge-gateway multipath. Although the present embodiments have been described with reference to specific example embodiments, it can be evident that various modifications and changes may be made to these embodiments without departing from the broader spirit and scope of the particular example embodiment.

Reference throughout this specification to "one embodiment," "an embodiment," or similar language means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the present invention. Thus, appearances of the phrases "in one embodiment," "in an embodiment," and similar language throughout this specification may, but do not necessarily, all refer to the same embodiment.

Furthermore, the described features, structures, or characteristics of the invention may be combined in any suitable manner in one or more embodiments. In the following description, numerous specific details are provided, such as examples of programming, software modules, attendee selections, network transactions, database queries, database structures, hardware modules, hardware circuits, hardware

chips, etc., to provide a thorough understanding of embodiments of the invention. One skilled in the relevant art can recognize, however, that the invention may be practiced without one or more of the specific details, or with other methods, components, materials, and so forth. In other instances, well-known structures, materials, or operations are not shown or described in detail to avoid obscuring aspects of the invention.

The schematic flow chart diagrams included herein are generally set forth as logical flow chart diagrams. As such, the depicted order and labelled steps are indicative of one embodiment of the presented method. Other steps and methods may be conceived that are equivalent in function, logic, or effect to one or more steps, or portions thereof, of the illustrated method. Additionally, the format and symbols employed are provided to explain the logical steps of the method and are understood not to limit the scope of the method. Although various arrow types and line types may be employed in the flow chart diagrams, they are understood not to limit the scope of the corresponding method. Indeed, some arrows or other connectors may be used to indicate only the logical flow of the method. For instance, an arrow may indicate a waiting or monitoring period of unspecified duration between enumerated steps of the depicted method. Additionally, the order in which a particular method occurs may or may not strictly adhere to the order of the corresponding steps shown.

Example Definitions

Automatic Repeat reQuest (ARQ) can be an error-control method for data transmission that uses acknowledgements (e.g. messages sent by the receiver indicating that it has correctly received a data frame or packet) and timeouts (e.g. specified periods of time allowed to elapse before an acknowledgment is to be received) to achieve reliable data transmission over an unreliable service. If the sender does not receive an acknowledgment before the timeout, it retransmits the frame/packet until the sender receives an acknowledgment or exceeds a predefined number of re-transmissions

Deep-packet inspection (DPI) can include a form of computer network packet filtering that examines the data part (and also the header in some embodiments) of a packet as it passes an inspection point.

Forward error correction (FEC) can be used for controlling errors in data transmission over unreliable or noisy communication channels. A sender can encode a message in a redundant way by using an error-correcting code (ECC). FEC codes can include block codes, convolutional codes, etc.

Last-mile connectivity can refer to the final leg, of the telecommunications networks delivery components and mechanisms.

Lossy can refer to data compression in which unnecessary information is discarded.

Multiprotocol Label Switching (MPLS) can be a type of data-carrying technique for high-performance telecommunications networks that directs data from one network node to the next based on short path labels rather than long network addresses, avoiding complex lookups in a routing table. The labels can identify virtual links between distant nodes rather than endpoints. MPLS can encapsulate packets of various network protocols. MPLS can support a range of access technologies, including, inter alia: T-carrier (e.g. T1)/E-carrier (E1), Asynchronous Transfer Mode (ATM), Frame Relay, and Digital subscriber line (DSL).

Quality of service (QoS) can refer to the overall performance of a telephony or computer network, particularly the performance seen by the users of the network.

Software as a Service (SaaS) can be a software licensing and delivery model in which software is licensed on a subscription basis and is centrally hosted.

Virtual Machine (VM) can be an emulation particular computer system.

Link Characterization can refer to measuring the quality of a link which will include the latency (e.g. one-way packet delay), jitter (e.g. packet delay variation), loss (e.g. what percentage of packets are actually delivered at the receiving end) and available bandwidth.

Measured Condition in a computer network can refer to the characterization of one or more links that are connected to an edge device.

Error Control Mechanism can refer to the remedial action taken by an edge device or a gateway device to overcome the side effects of a non-perfect link. These mechanisms can be used to overcome jitter and loss experienced in any one link and include forward error correction (FEC), duplication of packets (e.g. if multiple links are available). This can also include an implementation of a jitter buffer which can minimize the effects of the packet delay variation.

Example Methods And Systems

FIG. 1 illustrates an example of a programmable, multi-tenant overlay network **100**, according to some embodiments. An overlay network can be a computer network built on the top of another network. Overlay network **100** can include a distributed system such as a cloud-computing network (e.g. public cloud **102**). Public cloud **102** can include a cloud-computing network. In some embodiments, public cloud **102** can be implemented, in whole or in part, as private cloud-computing network (e.g. a proprietary network or datacenter that uses cloud computing technologies). In other embodiments, the public cloud **102** can include SaaS companies **109** which provide applications to enterprises and end-consumers. As used herein, a cloud-computing network can include a computer network(s) that utilizes a variety of different computing concepts that involve a large number of computers connected through a real-time communication network (e.g. the Internet). A public cloud can include a set of computers and computer network resources based on the standard cloud-computing model, in which a service provider makes resources, such as applications and storage, available to the general public over the Internet. Applications, storage, and other resources can be made available by a service provider.

Public cloud **102** can include orchestrator **104** (e.g. a Velocloud® orchestrator). Orchestrator **104** can enable configuration and monitoring of the network from any location with Internet access. Orchestrator **104** can be a central controller for configuring and monitoring a multi-tenant instance of the overlay network described by a unique 'network ID'. Each such instance can have a set of tenant(s) that have tenant specific policies for sharing resources, access control and configuration. A tenant can then have a 'tenant-id' which is used to identify tenants in the network. Multiple independent instances of networks can exist so as to enable self-operated overlay networks similar to the public network.

In this context, an orchestrator **104** can perform various functions such as configuration and monitoring. Orchestrator **104** can enable role based configuration and management. The following can be examples of roles. An 'end-user' (e.g. maps to an access device like laptop or mobile device) that connects to an edge device **108** that can be enabled to

configure and/or monitor resources and policies that are specific to a user. A ‘tenant administrator’ can be a tenant administrator. A tenant administrator can configure tenant-wide policy and by extension policies for all the users in the tenancy. An ‘operator’ that can operate the overlay network by provisioning gateway(s) **106**, edge device(s) **108** and/or other resources for the network (e.g. may not be able to view or modify tenant policies) can be provided.

In addition to this, the orchestrator **104** can also enable ‘authenticated partners’ to modify the behavior of the network (e.g. application service providers who want to reserve extra bandwidth for some applications sessions etc.) via published application program interface (APIs).

Public cloud **102** can include gateway(s) **106**. A gateway can be a network node equipped for interfacing with another network utilizing different communication protocols. Gateway(s) **106** can be deployed in a public cloud (e.g. as shown in FIG. 1), a private cloud, Internet service provider (ISP) peering points and/or application service peering points that serve as aggregation points for multiple edges. Gateway(s) **106** can be located at peering points in public cloud **102**.

Edge device **108** can provide entry points into enterprise and/or service-provider core networks. Example edge devices can include routers, routing switches, integrated access devices (IADs), multiplexers, and a variety of metropolitan area network (MAN) and wide area network (WAN) access devices. Edge device **108** can be deployed inline in one of several modes. In one example, edge device **108** can be deployed as a customer premises equipment (CPE) device in a branch that is capable of serving as a router. In one example, edge device **108** can be deployed as a powered mobile device that can be attached to end-user devices (e.g. laptops, desktops, wearable computers, tablet computers and the like via universal serial bus (USB)). In some examples, edge device **108** can include device software that directly interacts with a host-device operating system. In one example, the edge device **108** may be a virtual machine. A virtual machine can be a software-based emulation of a computer. In some examples, edge device **108** and the gateway(s) **106** can straddle the ‘bottleneck’ section of a communication network (e.g. the ‘last-mile’—a final leg of a communication networks delivering communications connectivity to a network host such as an enterprise computing system). In some embodiments, edge device **108** can be characterized as ‘zero touch’ (e.g. no configuration explicitly required at client side). Accordingly, edge device can automatically detect an available wide area network (WAN) and locate orchestrator **104**.

The edge device **108** sends network packets. Network packets may be control packets, data packets or management packets. Control packets or control traffic is used to sense the quality of the path, link characteristics, clock synchronization etc. This is also known as the control plane. Data packets or data traffic are packets can be sent from the client and/or source computer to the application server running in the enterprise data center or private or public cloud **102**. This is also known as the data plane. Management packets or management traffic are packets can be sent from the edge **108** or gateway **106** to the orchestrator **104** and includes heartbeat messages or flow statistics etc. This is also known as the management plane. In one example, both the control plane and the data plane can pass through the gateway **106**. In some examples, only the control traffic may be sent to the gateway **106** and the data plane may bypass the gateway **106** and go directly from the edge **108** to the application server.

FIG. 2 depicts a process **200** of a network link used to replace a ‘last mile’ connectivity (e.g. last MPLS, T1 etc.),

according to some embodiments. The network links can be multiple consumer grade broadband links, private links (MPLS, etc.), WiFi networks or 3g/4g mobile links with the ability to perform process **200**. In step **202** of process **200**, network traffic can be identified using deep-packet inspection to determine the application and/or application type of the traffic. Appropriate measures can be applied to ensure the QoS of the specific traffic based on the application, application type (e.g. real-time, transactional, bulk) and/or business priority of the traffic. For example, if the network traffic is identified as voice traffic which is a high business priority, then forward-error correction can be performed to reduce or eliminate packet loss. In another example, the network traffic can be identified as a bulk-file transfer. In this example, the file-transfer network traffic can be set as the lowest-priority traffic and can use a small portion of bandwidth under contention or more bandwidth if no other traffic is in the network. Traffic identified as ‘regular web browsing’ (such as Facebook® and YouTube®) can be dropped out of the network altogether and sent over the regular Internet as it is not business critical. In step **204**, bandwidth can be aggregated from all the links (e.g. a link can be a communications channel that connects two or more communicating devices). For example, bandwidth can be aggregated with a multipath transport layer protocol capable of ‘striping’ a traffic flow (e.g. flow of data packets from a source to a destination) across multiple paths between two peers (e.g. edge **108** and/or gateway **106**). Traffic flow can be ‘striped’ across the multiple paths in one peer and ‘gathered’ at the other peer. In step **206**, traffic on the links can be intelligently load balanced by sending successive packets belonging to the same flow (e.g. a traffic flow) on multiple links selected by an application aware intelligent link characterization and/or link selection it is noted that the selected QoS based on the application can inform the selected links (e.g. whether to bind traffic to the best link, load balance or replicate traffic, etc.). The selected QoS can also determine whether the application is sensitive to loss and/or jitter. Based on the levels of loss and jitter in the network and the sensitivity of the traffic to them, a mitigation mechanism is put into play. In step **208**, outages can be prevented using reliable, self-correcting data transfer to ensure in-order data delivery with the ability to maintain application persistence, as long as there is at least one active link, by sending packets belonging to the same flow on the active link(s). In step **210** errors on lossy links can be corrected using an error control mechanism for data transmission (e.g. Automatic Repeat-Request (ARQ) and/or forward error correction (FEC)) selectively based on the traffic identified and the current measured, conditions in the network.

FIG. 3 depicts a process **300** of removing the requirement for an IT administrator to configure each individual device in an enterprise computing network, according to some embodiments. In step **302**, WAN links that are connected directly to the edge device can be detected and measured without the need for an external router. In step **304**, a central configuration point in the cloud can be connected to. Enterprise-specific configuration data, including available gateways, can be downloaded. In step **306**, the available gateway(s) can be connected to by the entity in the cloud with the enterprise-specific configuration data. In step **308**, an available bandwidth on each path can be measured.

A multipath (MP) protocol can implemented by combining multiple network paths into a composite connection that multiplexes packets from MP packet flows and control information (path quality, link characteristics, clock synchronization, etc.). An MP packet flow can map to a pair of

internet protocol (IP) flows (e.g. one flow in each direction such as forward and reverse and between two endpoints). The MP packet flow can be identified by a set of parameters that describe a pair of IP flows (e.g. five (5)-tuple (the reverse path is described with source and destination swapped), namely: source IP address, destination IP address, source port, destination port, and the network layer three (3) protocol identifier. In some examples, a multipath routing can include a routing technique of using multiple alternative paths through a network.

In effect every network layer four (4) flow (e.g. a pair of layer three 3) flows) (e.g. an application flow) can have a one-to-one mapping with the MP packet flow. In some embodiments, an application flow and MP packet flow refer to the same notion. Each MP packet flow can be assigned an MP packet-flow identifier. The MP packet-flow identifier can be unique to the set of MP peers (e.g. peer one (1) and/or peer two (2) of FIG. 4). An MP node can aggregate connections from multiple MP peers that are sending MP packet flows to it (e.g. gateway(s) 106). The MP node can aggregate flow identifiers generated by the non-aggregation peer (e.g. edge device 108) that may not be unique.

In one example, at the time of first connection between two MP stacks, an MP_INITIATE message can be passed which assigns a unique identifier that is used by the non-aggregation peer to ensure the flow identifier is unique at the aggregation point (see FIG. 4). In one example, this operation can be implemented to an identifier specific to the particular network of the non-aggregation peer.

FIG. 4 illustrates an example flow sequence 400 diagram for an MP packet flow, according to some embodiments. In one embodiment, peer one (1) can be a client-side edge device and peer two (2) can be a cloud-based gateway device. Peer one (1) can transmit an MP_INITIATE 402 to peer two (2). MP_CONTROL 408 (e.g. control information such as QoS parameters, treatment of data traffic flow parameters, etc.) can be exchanged between peer one (1) and peer two (2). Data packets can then be exchanged (e.g. MP_DATA 404 and MP_DATA 412). Data packets can include any user data. These data packets can be sequenced, numbered and/or sent across multiple links. When sent across multiple links, redundant copies of the packets can be purged on receipt. Data packets can be acknowledged on return. Additional control data (e.g. MP_CONTROL) can be exchanged. MP_FIN 406 can initiate closing the MP packet flow session by peer one (1). Peer two (2) can provide MP_FIN+ACK 412 to acknowledge MP_FIN 406 can terminate session.

FIG. 5 illustrates an example MP process 500 for bandwidth aggregation and data ordering, according to some embodiments. Process 500 can be used for intersession load balancing. In some embodiments, the MP stack can achieve bandwidth aggregation by sending successive packets belonging to the same MP packet flow on the different paths, to a peer MP stack. In some examples, different paths can be established on different links (though this is not a limiting condition). For example, data packets 502 can be an application flow. Data packets 502 can be striped with a MP stripe 504 in one device (e.g. edge device 108).

The endpoints (e.g. client and the application server) can infer this as an aggregated throughput as more packets are delivered to the endpoints in a given time window when compared to non-multipath case. MP process 500 can deliver ordered data 505 and 508 between two MP peers even if the data is sent on different paths between the peers. For example, successive data packets belonging to the same flow can be sent on different links with additional metadata.

The metadata can identify data packet absolute offsets in the original flow. This metadata can be used to re-arrange the data back in order when the underlying application requires in-order data. In some applications (e.g. real-time collaboration applications) this re-ordering may introduce latencies that may be unacceptable. In these instances, data packets can be delivered in the same order of arrival. The application can handle ordering of data packets. This application awareness can be in the transport layer. This presence can be implemented on both sides of the network and enable interpretation of metadata and reassemble the data. This functionality can be selectively turned on/off based on detecting an application's particular requirements on receiving the ordered data 506 and 508. Additional headers, shown below, marked with MP headers 510 and 514 (e.g. "Vn") can be added. MP headers 510 and 514 can describe the data ordering along with other metadata (e.g. such as MP packet flow identifier, timestamps).

FIG. 6 illustrates an example of metadata in an MP header, according to some embodiments. This metadata can enable the peer MP stack to receive the MP packet flows 506 and 508 (including striped data packets 512 and 515) from different paths in their order of arrival and re-arrange them in order to re-create the original flow of data packets 502 as data packets 520.

In one example, a Global Data Sequence Number (GDSN) can be the byte offset of the data with respect to the original application flow (e.g. data packets 502). GDSN can be used to reorder the data. Each MP packet can have the GDSN which is used by the peer MP stack to re-order the MP packet flow in an original order. Additionally, each peer can transmit the last seen GDSN on its stack for a given MP packet flow 'piggybacked' on an MP data packet. This last seen GDSN can be used to purge queues and re-transmit a missing GDSN. In the case the data transfer is half-duplex, then a MP_ACK message can be explicitly used to transmit the last seen GDSN to the other peer.

In the context of FIG. 4, during the closing of the MP packet flow 400, the MP_FIN 406 can be set by the peer that initiates the closing of the MP packet flow 400. The GDSN in this packet can be used by the other peer to acknowledge teardown via the MP_FIN+ACK 414 with a GDSN of zero (0).

An example method of traffic identification is now provided. An MP system can utilize an external deep-packet inspection engine (and/or form of computer network packet filtering) to identify the application and application type of a given flow. This information can be used to determine the optimal MP packet flow settings to ensure the MP packet flow's QoS parameter. In cases where the application cannot be identified, an MP system can monitor the behavior of MP packet flows over time and attempt to derive the optimal settings for QoS. Future flows can be mapped to these new settings using IP address, port number, protocol, TOS/DSCP tag and/or destination hostname as the MP system learns optimal MP traffic parameters. Additionally, these settings which were obtained through this slow learning method (e.g. can include machine-learning methodologies such as neural networks, supervised learning, unsupervised learning, clustering, structured prediction, decision tree learning, reinforcement learning and the like) can be shared to all other edges in the network via the orchestrator 104 which can allow learning to, be spread across an enterprise or the entire network of connected edges.

Deep-packet inspection (DPI) can include examining, the data part (and/or also the packet header, etc.) of a packet as it passes an inspection point, searching for protocol non-

compliance, viruses, spam, intrusions, or defined criteria to decide whether the packet may pass or if it needs to be routed to a different destination, or, for the purpose of collecting statistical information. DPI can be performed with a DPI engine (e.g. Qosmos®, DPI engine, Dell™ SonicWALL™ Reassembly-Free Deep-Packet Inspection™ (RFDPI) engine, etc.) and/or other packet analyser.

An example of path characterization and selection is now provided. An MP protocol can implicitly implement communicating an MP packet flow on multiple paths (e.g. on a set of underlying links). Consequently, an active path characterization that periodically measures the health of a path can be implemented. A cost function that computes a cost for each path based on the parameters measured in the health check can be implemented. A selection algorithm can be implemented that applies a set of constraints and chooses the path based on the path cost and the transmit algorithm determined.

An example of active path characterization is now provided. As a part of link characterization, the latency (e.g. one-way packet delay), jitter (e.g. packet delay variation), loss and available bandwidth on the path can be measured. To measure latency between two MP peers on a given path, a clock synchronization operation can be implemented in the MP peers. An example time synchronization protocol is now provided. Timestamp measurements can be sent continuously to whichever device is performing the role of master clock. The lowest difference in timestamps from a set of measurements can be used as a measure of the offset between the clocks. Backward time shifts which could influence measurements and computation can be avoided. The drift rate can be measured by observing the change in offset over time. Based on this drift rate, the interval between continuous measurements can be calculated to ensure that clocks will remain synchronized over time. Once the clocks are synchronized, the one-way receive latency and jitter can then be measured by sending a timestamped packet train.

In one example, multipath transport can handle and/or prevent congestion issues when the network paths are sufficiently diverse from a network topology standpoint. In these cases, the overall load on the individual paths can be reduced. On the other hand, diverse network paths can have diverse characteristics in terms of latency, throughput, loss and/or jitter. The load-balancing algorithm can send packets are, on a 'best possible' link until the point the link is oversubscribed and/or there is loss on the link before switching to another path. When the network includes a wireline backbone (cable, DSL, etc.), alternate paths can be utilized when available. On the other hand, with respect to networks with a wireless backbone (e.g. mobile, WiFi, WiMax, etc.), a packet drop may be an 'ephemeral' event that is short lived with relatively quicker recovery. In such a case, it may not be prudent to switch to alternate paths or clamp down the rate for this event without consideration of various other metrics. Thus, other metrics in addition to a loss value can be utilized. For example, a combination of parameters can be utilized, including, inter alia: the ECN flag (e.g. explicit congestion notification) set by an upstream router in an IP layer, a rate of acknowledgements received, a rate of loss in an interval of time to estimate the lossy value of a link, etc.

In one example, the cost of a MP path can be computed as the ϵ taken for a data packet to reach from one peer to another peer inclusive of such factors as scheduling and/or MP processing overheads. It can be computed as the sum of the jitter, latency and processing delays. The path with the least cost with respect to, a given a set of constraints (e.g.

link level policies, application specific path usage policies etc.) can be, selected accordingly.

An example MP path selection method is now provided. Based on the application and/or the current measured network conditions, the MP path(s) can be treated in various ways. In one example, the MP path can be load balanced such that each data packet selects the path with the lowest path cost and is transmitted on that path. In another example, the MP path can be fixed such that the first packet selects the best path available. This path can be used as long it is available. If an active path characterization operation determines that the path is no longer available, a path selection operation can be performed again and the MP packet flow can migrate to a next best path. In yet another example, the MP path can be replicated across n-number paths based on such parameters as, inter alia: the importance of the application, bandwidth required and/or expected potential for packet loss in the network.

In one example, QoS can be ensured for an application by utilizing a combination of path selection methods such as those provided supra, as well as, network scheduling, packet reordering and/or error correction. For example, when an MP packet flow is initiated, an edge device (e.g. edge device 108) can identify the application and determine the proper QoS methods to be applied for this type of flow. The methods may or may not be symmetric (e.g. the same for the sender and receiver). Once the edge device determines the methods to be used, a control message can be sent to the gateway to ensure that the gateway (e.g. gateway(s) 106) in turn has information as to how to treat the MP packet flow (e.g. without having to do its own application identification). In the event the MP system (e.g. based on network conditions) and/or an administrator indicates that the methods should be changed, the edge device can again signal the gateway with a control message. The methods can be updated without interruption to the service or traffic. For example, upon receipt of the control message from the edge, the gateway can update the QoS methods of the flow without deleting the existing flow. As a result, the next packet to be sent can, use the updated scheduling policies and link, selection methods that were transmitted without interruption. For example, a MP packet flow that is being load, balanced and is changed to replication as loss increases in the network can load balance packets 1-n until the control message is received. Packet flow can be a sequence of packets from a source computer to a destination, which may be another host, a multicast group, or a broadcast domain. Accordingly, packets beginning with n+1 can begin to be replicated.

The gateway can be a multi-tenant gateway wherein multiple customers with edge devices can connect to the same gateway without actually exposing any of their data to each other. The multi-tenant gateway can implement a two-level hierarchical scheduler. In this case, a total egress bandwidth to the edge can be equally shared (e.g. in a work conserving manner) between all the connected edges at the top level (e.g. root level). The second level (e.g. a leaf) can schedule the MP packet flows belonging to a particular edge device rather than have resource limits defined for that edge device by the top level. To ensure that the scheduler does not hit processing limits for scheduling flows, the leaf level scheduler may not have per flow queues. Instead, a multiplexing algorithm can be utilized. The multiplexing algorithm can map a set of flows characterized by a set of parameters to a set of queues such that there is a many to one mapping between flows and queues.

11

In one example, SaaS applications may also directly interact with the software in the edge device (e.g. edge device **108** in FIG. **1**) or gateway(s) (e.g. gateway **106** in FIG. **1**). This can be done, for example, to query the health of the last-mile and to provision network bandwidth and characteristics in the last-mile to ensure QoS for the application. The edge device and/or the gateway(s) regardless of their embodiments provide APIs (application programming interfaces) that a SaaS application, with suitable permissions, can use to determine how the last-mile from the edge device to the gateway (e.g. in both directions) is performing. With this information the SaaS application may throttle back bandwidth so that the application continues to operate without congesting the network further and yet function reasonably well. By default, when an end-user accesses an application (which may run anywhere in the public cloud), the edge device identifies the application and determines the proper QoS methods to apply for this type of flow. As noted in supra, this includes network scheduling, packet reordering and/or error correction which is determined by policies set in the Orchestrator (e.g. orchestrator **104** in FIG. **1**). The SaaS application may modify these policies dynamically to ensure that the end-user gets the best experience possible given the current last-mile characteristics.

FIG. **7** depicts an exemplary computing system **700** that can be configured to perform any one of the processes provided herein. In this context, computing system **700** may include, for example, a processor, memory, storage, and I/O devices (e.g., monitor, keyboard, disk drive, Internet connection, etc.). However, computing system **700** may include circuitry or other specialized hardware for carrying out some or all aspects of the processes. In some operational settings, computing system **700** may be configured as a system that includes one or more units, each of which is configured to carry out some aspects of the processes either in software, hardware, or some combination thereof.

FIG. **7** depicts computing system **700** with a number of components that may be used to perform any of the processes described herein. The main system **702** includes a motherboard **704** having an I/O section **705**, one or more central processing units (CPU) **708**, and a memory section **710**, which may have a flash memory card **712** related to it. The I/O section **706** can be connected to a display **714**, a keyboard and/or other user input (not shown), a disk storage unit **716**, and a media drive unit **718**. The media drive unit **718** can read/write a computer-readable medium **720**, which can include programs **722** and/or data.

B. Conclusion

Although the present embodiments have been described with reference to specific example embodiments, various modifications and changes can be made to these embodiments without departing from the broader spirit and scope of the various embodiments. For example, the various devices, modules, etc, described herein can be enabled and operated using hardware circuitry, firmware, software or any combination of hardware, firmware, and software (e.g., embodied in a machine-readable medium).

In addition, it can be appreciated that the various operations, processes, and methods disclosed herein can be embodied in a machine-readable medium and/or a machine accessible medium compatible with a data processing system (e.g., a computer system), and can be performed in any order (e.g., including using means for achieving the various operations). Accordingly, the specification and drawings are to be regarded in an illustrative rather than a restrictive sense. In some embodiments, the machine-readable medium can be a non-transitory form of machine-readable medium.

12

What is claimed as new and desired to be protected by Letters Patent of the United States is:

1. A method for directing a packet flow along a plurality of network links connecting a site to a wide area network (WAN), the method comprising:

at the site:

receiving different packets of a packet flow;
performing deep packet inspection (DPI) on the received packet flow to identify an application associated with the received packet flow; and

based on the identified application, selecting different network links from the plurality of network links for forwarding different sets of packets in the packet flow through the WAN, wherein (i) said different network links comprise at least two of a broadband link, a private multiprotocol label switching (MPLS) link, and a wireless link, (ii) each network link connecting the site to the WAN, and (iii) the selection of the different network links for the different sets of packets in the packet flow allowing the packets of the packet flow to take different paths to reach a destination outside of the site through the WAN;

wherein the selection of the different network links comprises reordering out-of-sequence packets upon arrival at a destination device using a global data sequence number (GDSN), and error correction being performed by retransmitting missing packets based on a last-seen GDSN value exchanged between peers.

2. The method of claim 1, wherein an edge device at the site selects the different network links.

3. The method of claim 1 further comprising aggregating bandwidth from the plurality of network links with a multipath transport layer protocol.

4. The method of claim 3, wherein the multipath transport layer protocol performs the selection of the different network links for the different sets of packets in the packet flow.

5. The method of claim 4, wherein the multipath transport layer protocol uses an identity of the application to perform the selection.

6. The method of claim 1, wherein said selecting comprises load balancing the different sets of packets across different selected links.

7. The method of claim 6, wherein the load balancing is an application-aware load balancing.

8. The method of claim 6, wherein load balancing traffic comprises assessing a quality of a network link based on an application type of the identified application by measuring a quality of each network link based on at least one of latency, jitter, loss, and available bandwidth.

9. The method of claim 1, wherein the different selected network links comprises all network links in the plurality of links.

10. The method of claim 1, wherein the different selected network links do not include all the network links in the plurality of links.

11. A non-transitory machine readable medium storing a program for execution by a set of processing units, the program for directing a packet flow along a plurality of network links connecting a site to a wide area network (WAN), the program comprising sets of instructions for:

receiving different packets of a packet flow;
performing deep packet inspection (DPI) on the received packet flow to identify an application associated with the received packet flow; and

13

based on the identified application, selecting different network links from the plurality of network links for forwarding different sets of packets in the packet flow through the WAN;

wherein the selection of the different network links comprises reordering out-of-sequence packets upon arrival at a destination device using a global data sequence number (GDSN), and error correction being performed by retransmitting missing packets based on a last-seen GDSN value exchanged between peers.

12. The non-transitory machine readable medium of claim **11**, wherein an edge device at the site selects the different network links.

13. The non-transitory machine readable medium of claim **11**, wherein the program further comprises a set of instructions for aggregating bandwidth from the plurality of network links with a multipath transport layer protocol.

14. The non-transitory machine readable medium of claim **13**, wherein the multipath transport layer protocol performs the selection of the different network links for the different sets of packets in the packet flow.

15. The non-transitory machine readable medium of claim **14**, wherein the multipath transport layer protocol uses an identity of the application to perform the selection.

14

16. The non-transitory machine readable medium of claim **11**, wherein the set of instructions for said selecting comprises a set of instructions for load balancing the different sets of packets across different selected links.

17. The non-transitory machine readable medium of claim **16**, wherein the set of instructions for load balancing is an application-aware load balancing.

18. The non-transitory machine readable medium of claim **16**, wherein the set of instructions for load balancing traffic comprises a set of instructions for assessing a quality of a network link based on an application type of the identified application by measuring a quality of each network link based on at least one of latency, jitter, loss, and available bandwidth.

19. The non-transitory machine readable medium of claim **11**, wherein the different selected network links comprises all network links in the plurality of links.

20. The non-transitory machine readable medium of claim **11**, wherein the different selected network links do not include all the network links in the plurality of links.

* * * * *