



US012400756B2

(12) **United States Patent**
Aragones et al.

(10) **Patent No.:** **US 12,400,756 B2**

(45) **Date of Patent:** **Aug. 26, 2025**

(54) **METHOD AND SYSTEM FOR AUTOMATED PERSONAL TRAINING THAT INCLUDES TRAINING PROGRAMS**

(71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)

(72) Inventors: **Tesa Aragones**, Portland, OR (US); **Adriana Guerrero**, Beaverton, OR (US); **Christina S. Self**, Portland, OR (US); **Jay C. Blahnik**, Laguna Beach, CA (US); **Paul T. Winsper**, Beaverton, OR (US)

(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/609,084**

(22) Filed: **May 31, 2017**

(65) **Prior Publication Data**

US 2017/0266502 A1 Sep. 21, 2017

Related U.S. Application Data

(63) Continuation of application No. 15/255,566, filed on Sep. 2, 2016, now abandoned, which is a continuation (Continued)

(51) **Int. Cl.**
G16H 40/67 (2018.01)
A61B 5/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **G16H 40/67** (2018.01); **A61B 5/0205** (2013.01); **A61B 5/02405** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC A63F 5/16; A63F 2300/1012; A63F 2300/1093; A63F 2300/303;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,145,484 A 8/1964 Bayley
4,860,763 A 8/1989 Schminke
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2512601 A1 3/2002
CN 1415271 A 5/2003
(Continued)

OTHER PUBLICATIONS

Jun. 27, 2013 (WO)—International Preliminary Report on Patentability—App. No. PCT/US2011/064711.

(Continued)


Primary Examiner — Jack Yip

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **ABSTRACT**

Systems and methods for creating personalized exercise programs are disclosed. An image capture device and a computer device are used to capture images of a user while the user performs athletic movements. The images may then be evaluated to create a human movement screen score. The human movement screen score, goal and time commitment information may then be used to create a personalized exercise program tailored to the specific user.

23 Claims, 61 Drawing Sheets



Related U.S. Application Data

of application No. 13/304,064, filed on Nov. 23, 2011, now Pat. No. 9,457,256, which is a continuation-in-part of application No. 13/290,359, filed on Nov. 7, 2011, now Pat. No. 9,283,429.

- (60) Provisional application No. 61/433,792, filed on Jan. 18, 2011, provisional application No. 61/432,472, filed on Jan. 13, 2011, provisional application No. 61/422,511, filed on Dec. 13, 2010, provisional application No. 61/417,102, filed on Nov. 24, 2010, provisional application No. 61/410,777, filed on Nov. 5, 2010.

(51) **Int. Cl.**

A61B 5/0205 (2006.01)
A61B 5/024 (2006.01)
A61B 5/0255 (2006.01)
A61B 5/11 (2006.01)
A63B 21/00 (2006.01)
A63B 24/00 (2006.01)
A63B 71/06 (2006.01)
G09B 19/00 (2006.01)
G16H 20/30 (2018.01)

(52) **U.S. Cl.**

CPC *A61B 5/02427* (2013.01); *A61B 5/02438* (2013.01); *A61B 5/0255* (2013.01); *A61B 5/11* (2013.01); *A61B 5/1118* (2013.01); *A61B 5/4866* (2013.01); *A61B 5/681* (2013.01); *A61B 5/6824* (2013.01); *A61B 5/6829* (2013.01); *A61B 5/6831* (2013.01); *A61B 5/684* (2013.01); *A63B 21/00069* (2013.01); *A63B 21/00076* (2013.01); *A63B 24/00* (2013.01); *A63B 24/0006* (2013.01); *A63B 24/0062* (2013.01); *A63B 24/0075* (2013.01); *A63B 71/0622* (2013.01); *G09B 19/0038* (2013.01); *G16H 20/30* (2018.01); *A63B 2024/0012* (2013.01); *A63B 2024/0015* (2013.01); *A63B 2024/0071* (2013.01); *A63B 2024/0078* (2013.01); *A63B 2024/0096* (2013.01); *A63B 2071/0636* (2013.01); *A63B 2071/0647* (2013.01); *A63B 2071/0663* (2013.01); *A63B 2071/0677* (2013.01); *A63B 2220/13* (2013.01); *A63B 2220/40* (2013.01); *A63B 2220/51* (2013.01); *A63B 2220/803* (2013.01); *A63B 2220/806* (2013.01); *A63B 2220/836* (2013.01); *A63B 2225/50* (2013.01); *A63F 2300/1012* (2013.01); *A63F 2300/1093* (2013.01); *A63F 2300/303* (2013.01); *A63F 2300/6045* (2013.01); *A63F 2300/8005* (2013.01)

(58) **Field of Classification Search**

CPC *A63F 2300/6045*; *A63F 2300/8005*; *G06F 19/3481*; *G09B 5/00*; *G09B 19/003*; *G09B 19/0038*; *G16H 40/67*; *G16H 20/30*; *A61B 5/0205*; *A61B 5/02405*; *A61B 5/02427*; *A61B 5/02438*; *A61B 5/0255*; *A61B 5/11*; *A61B 5/1118*; *A61B 5/4866*; *A61B 5/681*; *A61B 5/6824*; *A61B 5/6829*; *A61B 5/6831*; *A61B 5/684*; *A63B 21/00069*; *A63B 21/00076*; *A63B 24/00*; *A63B 24/0006*; *A63B 24/0062*; *A63B 24/0075*; *A63B 71/0622*; *A63B 2024/0012*; *A63B 2024/0015*; *A63B 2024/0071*; *A63B 2024/0078*; *A63B*

2024/0096; *A63B 2071/0636*; *A63B 2071/0647*; *A63B 2071/0663*; *A63B 2071/0677*; *A63B 2220/13*; *A63B 2220/40*; *A63B 2220/51*; *A63B 2220/803*; *A63B 2220/806*; *A63B 2220/836*; *A63B 2225/50*

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

4,911,427 A	3/1990	Matsumoto et al.	
4,938,476 A	7/1990	Brunelle et al.	
5,184,295 A	2/1993	Mann	
5,277,197 A	1/1994	Church et al.	
5,288,078 A	2/1994	Capper et al.	
5,335,188 A	8/1994	Brisson	
5,354,317 A	10/1994	Alt	
5,375,610 A	12/1994	LaCourse et al.	
5,511,789 A	4/1996	Nakamura	
5,524,637 A	6/1996	Erickson	
5,527,239 A	6/1996	Abbondanza	
5,598,849 A	2/1997	Browne	
5,626,538 A	5/1997	Dalebout et al.	
5,655,316 A	8/1997	Huang	
5,667,459 A	9/1997	Su	
5,688,137 A	11/1997	Bustance	
5,791,351 A	8/1998	Curchod	
5,826,578 A	10/1998	Curchod	
5,836,770 A	11/1998	Powers	
5,846,086 A	12/1998	Bizzi et al.	
5,851,193 A	12/1998	Arikka et al.	
5,879,270 A	3/1999	Huish et al.	
5,888,172 A	3/1999	Andrus et al.	
5,904,484 A	5/1999	Burns	
5,913,727 A	6/1999	Ahdoot	
5,919,149 A	7/1999	Allum	
5,938,690 A	8/1999	Aw et al.	
5,955,957 A	9/1999	Calabrese et al.	
5,976,083 A	11/1999	Richardson et al.	
6,013,007 A *	1/2000	Root	G01C 22/00 482/902
6,026,335 A	2/2000	Atlas	
6,032,108 A	2/2000	Seiple et al.	
6,077,193 A	6/2000	Buhler et al.	
6,126,449 A	10/2000	Burns	
6,308,565 B1	10/2001	French et al.	
6,316,934 B1	11/2001	Amorai-Moriya et al.	
6,416,327 B1	7/2002	Wittenbecher	
6,428,449 B1	8/2002	Apseloff	
6,443,904 B2	9/2002	Nissila	
6,458,060 B1	10/2002	Watterson et al.	
6,493,652 B1	12/2002	Ohlenbusch et al.	
6,516,222 B2	2/2003	Fukuda	
6,527,674 B1	3/2003	Clem	
6,585,622 B1	7/2003	Shum et al.	
6,601,016 B1	7/2003	Brown et al.	
6,607,493 B2	8/2003	Song	
6,648,798 B2	11/2003	Yoo	
6,656,091 B1	12/2003	Abelbeck et al.	
6,663,491 B2	12/2003	Watabe et al.	
6,672,991 B2	1/2004	O'Malley	
6,687,535 B2	2/2004	Hautala et al.	
6,736,759 B1	5/2004	Stubbs et al.	
6,743,167 B2	6/2004	Balkin et al.	
6,746,371 B1 *	6/2004	Brown	A63B 24/0084 482/8
6,749,432 B2	6/2004	French et al.	
6,765,726 B2	7/2004	French et al.	
6,786,848 B2	9/2004	Yamashita et al.	
6,788,200 B1	9/2004	Jamel et al.	
6,796,927 B2	9/2004	Toyama	
6,817,979 B2	11/2004	Nihtila	
6,820,025 B2	11/2004	Bachmann et al.	
6,834,436 B2	12/2004	Townsend et al.	
6,836,744 B1	12/2004	Asphahani et al.	
6,856,852 B1	2/2005	Bruinsma et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

6,858,006 B2	2/2005	MacCarter et al.	8,460,199 B2	6/2013	Rulkov et al.
6,876,496 B2	4/2005	French et al.	8,465,108 B2	6/2013	Markovic et al.
6,902,513 B1	6/2005	McClure	8,503,086 B2	8/2013	French et al.
6,997,852 B2	2/2006	Watterson et al.	8,523,667 B2	9/2013	Clavin et al.
7,018,211 B1	3/2006	Birkholzer et al.	8,568,277 B2	10/2013	Johnson
7,054,678 B2	5/2006	Pardik et al.	8,568,330 B2	10/2013	Mollicone et al.
7,074,168 B1	7/2006	Farnes et al.	8,589,114 B2	11/2013	Papadourakis
7,076,291 B2	7/2006	Pulkkinen et al.	8,602,988 B2	12/2013	Hunt et al.
7,079,889 B2	7/2006	Nakada	8,616,989 B2	12/2013	Bentley
7,089,216 B2	8/2006	Van Overveld	8,676,541 B2	3/2014	Schrock et al.
7,095,424 B2	8/2006	Satoh et al.	8,702,485 B2	4/2014	Flury et al.
7,097,588 B2	8/2006	Watterson et al.	8,758,201 B2	6/2014	Ashby et al.
7,163,490 B2	1/2007	Chen	8,784,270 B2	7/2014	Ashby et al.
7,166,062 B1	1/2007	Watterson et al.	8,784,307 B1	7/2014	Groteke et al.
7,172,530 B1 *	2/2007	Hercules G16H 40/67 482/4	8,812,428 B2	8/2014	Mollicone et al.
7,192,401 B2	3/2007	Saalasti et al.	8,814,755 B2	8/2014	Ellis et al.
7,254,516 B2	8/2007	Case, Jr. et al.	8,845,496 B2	9/2014	Arrasvuori et al.
7,265,666 B2	9/2007	Daniel	8,854,304 B2	10/2014	Nishimoto et al.
7,315,249 B2	1/2008	Littell	8,858,400 B2	10/2014	Johnson
7,359,121 B2	4/2008	French et al.	8,861,091 B2	10/2014	French et al.
7,433,805 B2	10/2008	Vock et al.	8,892,219 B2	11/2014	Pryor
7,442,131 B2	10/2008	Milana	8,911,328 B2	12/2014	Alessandri et al.
7,480,512 B2	1/2009	Graham et al.	8,928,484 B2	1/2015	Chang et al.
7,493,232 B1	2/2009	Surina	9,008,973 B2	4/2015	French
7,497,807 B2	3/2009	Neff et al.	9,078,585 B2	7/2015	Miyazaki et al.
7,497,812 B2	3/2009	Neff et al.	9,141,759 B2	9/2015	Burich et al.
7,556,590 B2	7/2009	Watterson et al.	9,149,222 B1	10/2015	Zets et al.
7,559,877 B2	7/2009	Parks et al.	9,154,739 B1	10/2015	Nicolaou et al.
7,602,301 B1	10/2009	Stirling et al.	9,317,660 B2	4/2016	Burich et al.
7,628,730 B1	12/2009	Watterson et al.	9,329,053 B2	5/2016	Lakovic et al.
7,676,332 B2	3/2010	Damen	9,390,229 B1	7/2016	Kahn et al.
7,699,753 B2	4/2010	Daikeler et al.	9,504,414 B2	11/2016	Coza et al.
7,717,858 B2	5/2010	Massad	9,545,541 B2	1/2017	Aragones et al.
7,722,502 B2	5/2010	Holkkola	9,630,059 B2	4/2017	Burich et al.
7,736,272 B2	6/2010	Martens	10,610,761 B1	4/2020	Matak et al.
7,771,293 B1	8/2010	Vann	2001/0034014 A1	10/2001	Nishimoto et al.
7,771,320 B2	8/2010	Riley et al.	2002/0019258 A1	2/2002	Kim et al.
7,782,358 B2	8/2010	Nieminen et al.	2002/0077219 A1	6/2002	Cohen et al.
7,783,347 B2	8/2010	Abourizk et al.	2002/0116147 A1	8/2002	Vock et al.
7,789,800 B1	9/2010	Watterson et al.	2002/0160883 A1	10/2002	Dugan
7,810,392 B2	10/2010	Kitagawa	2002/0183961 A1	12/2002	French et al.
7,815,508 B2	10/2010	Dohda	2003/0040348 A1	2/2003	Martens
7,821,407 B2	10/2010	Shears et al.	2003/0054327 A1	3/2003	Evensen
7,825,815 B2	11/2010	Shears et al.	2003/0065561 A1	4/2003	Brown et al.
7,846,067 B2	12/2010	Hanoun	2003/0077556 A1	4/2003	French et al.
7,846,069 B2	12/2010	Martens	2003/0134714 A1	7/2003	Oishi et al.
7,850,514 B2	12/2010	Weber	2003/0190062 A1	10/2003	Noro et al.
7,857,708 B2	12/2010	Ueda et al.	2003/0214408 A1	11/2003	Grajales et al.
7,894,849 B2	2/2011	Kass et al.	2003/0228033 A1	12/2003	Daniel et al.
7,927,253 B2	4/2011	Vincent et al.	2003/0228628 A1	12/2003	Powell
7,967,728 B2	6/2011	Zavadsky et al.	2004/0087366 A1	5/2004	Shum et al.
7,978,081 B2	7/2011	Shears et al.	2004/0102931 A1	5/2004	Ellis et al.
7,978,217 B2	7/2011	Camhi	2004/0112151 A1	6/2004	Maxwell et al.
7,985,164 B2	7/2011	Ashby	2004/0162194 A1	8/2004	Habing
7,988,647 B2	8/2011	Bunn et al.	2004/0219498 A1	11/2004	Davidson
8,012,064 B2	9/2011	Martens	2004/0220856 A1	11/2004	Moore
8,029,411 B2	10/2011	Johnson	2004/0255490 A1	12/2004	Wan et al.
8,038,549 B2	10/2011	Vann	2005/0001728 A1	1/2005	Appelt et al.
8,038,578 B2	10/2011	Olrik et al.	2005/0038679 A1	2/2005	Short
8,083,643 B2 *	12/2011	Ng G06Q 10/02 482/1	2005/0070809 A1	3/2005	Acres
8,109,858 B2	2/2012	Redmann	2005/0079905 A1	4/2005	Martens
8,118,710 B2	2/2012	Weinman et al.	2005/0085348 A1	4/2005	Kiefer et al.
8,177,260 B2	5/2012	Tropper et al.	2005/0101845 A1	5/2005	Nihtila
8,212,136 B2	7/2012	Shirai et al.	2005/0101887 A1	5/2005	Stark et al.
8,230,367 B2	7/2012	Bell et al.	2005/0107723 A1	5/2005	Wehman et al.
8,235,870 B2	8/2012	Hamilton	2005/0113650 A1	5/2005	Pacione et al.
8,253,586 B1	8/2012	Matak	2005/0113652 A1	5/2005	Stark et al.
8,269,826 B2	9/2012	Nieminen et al.	2005/0172311 A1	8/2005	Hjelt et al.
8,284,157 B2	10/2012	Markovic et al.	2005/0182341 A1	8/2005	Katayama et al.
8,284,847 B2	10/2012	Adermann	2005/0196737 A1	9/2005	Mann
8,346,524 B2	1/2013	Turgiss et al.	2005/0209050 A1	9/2005	Bartels
8,409,057 B2	4/2013	Martens	2005/0223799 A1	10/2005	Murphy
8,435,177 B2	5/2013	Lanfermann et al.	2005/0233861 A1	10/2005	Hickman et al.
			2005/0234307 A1	10/2005	Heinonen et al.
			2005/0239026 A1	10/2005	Suzuki et al.
			2005/0250458 A1 *	11/2005	Graham G09B 19/0092 455/121
			2005/0272517 A1	12/2005	Funk et al.
			2005/0272564 A1	12/2005	Pyles et al.

US 12,400,756 B2

Page 4

(56)	References Cited			2009/0258710 A1 *	10/2009	Quatrochi	A63B 24/0062 463/43
	U.S. PATENT DOCUMENTS			2009/0269728 A1	10/2009	Verstegen et al.	
				2009/0298024 A1	12/2009	Batzler et al.	
				2009/0298650 A1	12/2009	Kutliroff	
2006/0003872 A1	1/2006	Chiles et al.		2009/0299232 A1	12/2009	Lanfermann et al.	
2006/0025282 A1	2/2006	Redmann		2010/0016678 A1 *	1/2010	Beck	A61N 1/37247 600/300
2006/0040793 A1	2/2006	Martens		2010/0036288 A1	2/2010	Lanfermann et al.	
2006/0079800 A1	4/2006	Martikka et al.		2010/0056340 A1	3/2010	Ellis et al.	
2006/0088806 A1 *	4/2006	Quinn	G09B 7/02 434/236	2010/0063778 A1	3/2010	Schrock et al.	
2006/0111944 A1	5/2006	Sirmans et al.		2010/0063779 A1	3/2010	Schrock et al.	
2006/0136173 A1 *	6/2006	Case, Jr.	A63B 24/00 702/182	2010/0069148 A1	3/2010	Cargill	
2006/0166737 A1 *	7/2006	Bentley	A63B 69/36 463/43	2010/0088023 A1	4/2010	Werner	
2006/0173070 A1	8/2006	Murase et al.		2010/0094174 A1	4/2010	Choi et al.	
2006/0183602 A1	8/2006	Astilean		2010/0105531 A1	4/2010	Crawford	
2006/0189440 A1	8/2006	Gravagne		2010/0125026 A1	5/2010	Zavadsky et al.	
2006/0205569 A1	9/2006	Watterson et al.		2010/0125028 A1	5/2010	Heppert	
2006/0228681 A1 *	10/2006	Clarke	G16H 20/30 434/236	2010/0137748 A1	6/2010	Sone et al.	
2006/0229170 A1	10/2006	Ozawa et al.		2010/0144414 A1 *	6/2010	Edis	A63B 24/0006 463/8
2006/0241521 A1	10/2006	Cohen		2010/0197462 A1	8/2010	Piane, Jr.	
2006/0247070 A1	11/2006	Funk et al.		2010/0204616 A1	8/2010	Shears et al.	
2006/0252617 A1	11/2006	Gill		2010/0205542 A1 *	8/2010	Walman	G06Q 10/10 715/753
2006/0262120 A1	11/2006	Rosenberg		2010/0210359 A1	8/2010	Krzeslo et al.	
2006/0282021 A1	12/2006	DeVaul et al.		2010/0210975 A1	8/2010	Anthony, III et al.	
2006/0284979 A1	12/2006	Clarkson		2010/0217738 A1	8/2010	Sarel	
2006/0293617 A1	12/2006	Einav et al.		2010/0227302 A1	9/2010	McGilvery et al.	
2007/0032345 A1	2/2007	Padmanabhan et al.		2010/0234184 A1	9/2010	Le Page et al.	
2007/0050715 A1	3/2007	Behar		2010/0248901 A1	9/2010	Martens	
2007/0118406 A1	5/2007	Killin et al.		2010/0273610 A1	10/2010	Johnson	
2007/0155588 A1	7/2007	Stark et al.		2010/0277411 A1	11/2010	Yee et al.	
2007/0177024 A1	8/2007	Camhi		2010/0281432 A1	11/2010	Geisner et al.	
2007/0213178 A1	9/2007	Lemmela		2010/0302142 A1	12/2010	French et al.	
2007/0232453 A1	10/2007	Hanoun		2010/0306712 A1	12/2010	Snook et al.	
2007/0232455 A1	10/2007	Hanoun		2010/0316983 A1	12/2010	Johns, Jr.	
2007/0239479 A1	10/2007	Arrasvuori et al.		2010/0332243 A1	12/2010	Weigman et al.	
2007/0270214 A1	11/2007	Bentley		2011/0027135 A1	2/2011	Michiaki et al.	
2007/0271065 A1	11/2007	Gupta et al.		2011/0039659 A1	2/2011	Kim et al.	
2007/0272011 A1	11/2007	Chapa et al.		2011/0072457 A1	3/2011	Lanfermann et al.	
2008/0033581 A1	2/2008	Doshi et al.		2011/0077129 A1	3/2011	Martens	
2008/0076637 A1 *	3/2008	Gilley	G06Q 30/0201 482/9	2011/0082397 A1	4/2011	Alberts	
2008/0077620 A1 *	3/2008	Gilley	G16H 40/63	2011/0111922 A1	5/2011	Weinman et al.	
2008/0096726 A1	4/2008	Riley et al.		2011/0111924 A1	5/2011	Jones et al.	
2008/0146302 A1	6/2008	Olsen et al.		2011/0112771 A1	5/2011	French	
2008/0161733 A1	7/2008	Einav et al.		2011/0131005 A1	6/2011	Ueshima et al.	
2008/0176655 A1 *	7/2008	James	G06F 19/3475 463/42	2011/0136627 A1	6/2011	Williams	
2008/0189291 A1	8/2008	Hsu		2011/0158912 A1	6/2011	Wright et al.	
2008/0191864 A1	8/2008	Wolfson		2011/0212791 A1	9/2011	Ueda et al.	
2008/0200312 A1	8/2008	Tagliabue		2011/0224557 A1	9/2011	Banet et al.	
2008/0207401 A1	8/2008	Harding et al.		2011/0229864 A1	9/2011	Short et al.	
2008/0212032 A1	9/2008	Seiller et al.		2011/0251021 A1	10/2011	Zavadsky et al.	
2008/0221487 A1	9/2008	Zohar et al.		2011/0251495 A1	10/2011	Province et al.	
2008/0246629 A1	10/2008	Tsui et al.		2011/0270135 A1	11/2011	Dooley et al.	
2008/0254866 A1	10/2008	Young et al.		2011/0275907 A1	11/2011	Inciardi et al.	
2008/0267444 A1	10/2008	Simons-Nikolova et al.		2011/0281249 A1 *	11/2011	Gammell	G16H 10/20 434/247
2008/0269016 A1 *	10/2008	Ungari	A63B 69/0053 482/1	2011/0304497 A1	12/2011	Molyneux et al.	
2008/0281550 A1	11/2008	Hogle et al.		2011/0306491 A1	12/2011	Belisle	
2009/0023555 A1 *	1/2009	Raymond	G06Q 10/10 482/9	2011/0307821 A1	12/2011	Martens	
2009/0042695 A1	2/2009	Chien et al.		2012/0015778 A1 *	1/2012	Lee	G16H 40/63 482/8
2009/0044429 A1	2/2009	Cook et al.		2012/0034971 A1	2/2012	Harp et al.	
2009/0062092 A1	3/2009	Mortimer et al.		2012/0038627 A1	2/2012	Sung et al.	
2009/0069722 A1	3/2009	Flaction et al.		2012/0041767 A1	2/2012	Hoffman et al.	
2009/0098519 A1	4/2009	Byerly		2012/0052972 A1	3/2012	Bentley	
2009/0118100 A1	5/2009	Oliver et al.		2012/0077641 A1 *	3/2012	Dyer	A63B 22/0605 715/810
2009/0144369 A1	6/2009	Brown		2012/0130515 A1	5/2012	Homs et al.	
2009/0149299 A1	6/2009	Tchao et al.		2012/0130886 A1	5/2012	Shergill et al.	
2009/0150178 A1	6/2009	Sutton et al.		2012/0143064 A1	6/2012	Cyphery et al.	
2009/0171614 A1	7/2009	Damen		2012/0143358 A1	6/2012	Adams et al.	
2009/0209358 A1	8/2009	Niegowski		2012/0165703 A1	6/2012	Bottum et al.	
2009/0227876 A1	9/2009	Tran		2012/0183939 A1	7/2012	Aragones et al.	
2009/0233769 A1	9/2009	Pryor		2012/0183940 A1	7/2012	Aragones et al.	
2009/0233770 A1	9/2009	Vincent et al.		2012/0190505 A1	7/2012	Shavit et al.	
				2012/0234111 A1	9/2012	Molyneux et al.	
				2012/0253484 A1	10/2012	Burich et al.	

(56)

References Cited**U.S. PATENT DOCUMENTS**

2012/0254934	A1	10/2012	Mcbrearty et al.
2012/0268592	A1	10/2012	Aragones et al.
2012/0271143	A1	10/2012	Aragones et al.
2012/0274554	A1	11/2012	Kinoshita et al.
2012/0277891	A1	11/2012	Aragones et al.
2012/0291544	A1	11/2012	Kawabe
2012/0315986	A1	12/2012	Walling
2012/0315987	A1	12/2012	Walling
2013/0019694	A1	1/2013	Molyneux et al.
2013/0022947	A1	1/2013	Muniz Simas et al.
2013/0022950	A1	1/2013	Muniz Simas et al.
2013/0108993	A1	5/2013	Katz
2013/0171596	A1	7/2013	French
2013/0268205	A1	10/2013	Aragones et al.
2013/0281796	A1	10/2013	Pan
2013/0295539	A1	11/2013	Wilson et al.
2013/0324368	A1	12/2013	Aragones et al.
2013/0325396	A1*	12/2013	Yuen A61B 5/0002 702/160
2013/0338802	A1	12/2013	Winsper et al.
2014/0073486	A1	3/2014	Ahmed et al.
2014/0278218	A1	9/2014	Chang
2014/0287388	A1	9/2014	Ferrier
2014/0308640	A1	10/2014	Forman et al.
2015/0105881	A1	4/2015	Guerrero et al.
2016/0199693	A1	7/2016	Vermilyea et al.

FOREIGN PATENT DOCUMENTS

CN	1457246	A	11/2003
CN	1457546	A	11/2003
CN	1723847	A	1/2006
CN	2803449	Y	8/2006
CN	1933880	A	3/2007
CN	101061949	A	10/2007
CN	101202994	A	6/2008
CN	101330863	A	12/2008
CN	201242749	Y	5/2009
CN	101558996	A	10/2009
CN	101668482	A	3/2010
CN	201643611	U	11/2010
CN	101909705	A	12/2010
CN	101910846	A	12/2010
CN	101964047	A	2/2011
CN	101978374	A	2/2011
CN	102068264	A	5/2011
CN	103493056	A	1/2014
DE	29720110	U1	1/1998
EP	0956819	A1	11/1999
EP	2324762	A1	5/2011
GB	2415788	A	1/2006
JP	H8-57093	A	3/1996
JP	857093		5/1996
JP	H08251577	A	9/1996
JP	H0938051	A	2/1997
JP	H10502465	A	3/1998
JP	2000033184	A	2/2000
JP	2000070242	A	3/2000
JP	2000504854	A	4/2000
JP	2001224853	A	8/2001
JP	2001231904	A	8/2001
JP	2001299975	A	10/2001
JP	2002112984	A	4/2002
JP	2002516121	A	6/2002
JP	2002253718	A	9/2002
JP	2002291952	A	10/2002
JP	2003085288	A	3/2003
JP	2003141260	A	5/2003
JP	2003290406	A	10/2003
JP	2004054393	A	2/2004
JP	2004073272	A	3/2004
JP	2004089727	A	3/2004
JP	2004097649	A	4/2004
JP	2004208995	A	7/2004

JP	2005034195	A	2/2005
JP	3656853	B2	6/2005
JP	2005198818	A	7/2005
JP	2005230068	A	9/2005
JP	2006130127	A	5/2006
JP	2006167313	A	6/2006
JP	2006263002	A	10/2006
JP	2006302122	A	11/2006
JP	2006320424	A	11/2006
JP	2007143748	A	6/2007
JP	2007144107	A	6/2007
JP	2007260307	A	10/2007
JP	2008104758	A	5/2008
JP	2008295746	A	12/2008
JP	2009048757	A	3/2009
JP	2009050699	A	3/2009
JP	2009078134	A	4/2009
JP	2009172315	A	8/2009
JP	2009201672	A	9/2009
JP	2009213656	A	9/2009
JP	2009213782	A	9/2009
JP	2009219828	A	10/2009
JP	2009247836	A	10/2009
JP	2009279041	A	12/2009
JP	2010502368	A	1/2010
JP	2010069102	A	4/2010
JP	2010075715	A	4/2010
JP	2010086358	A	4/2010
JP	2010188159	A	9/2010
JP	2010246636	A	11/2010
JP	2010259456	A	11/2010
JP	2011152333	A	8/2011
KR	20030041034	A	5/2003
KR	20090084035	A	8/2009
KR	20100086052	A	7/2010
TW	200825989	A	6/2008
TW	200915213	A	4/2009
TW	200950748	A	12/2009
WO	9729814	A1	8/1997
WO	2001045014	A1	6/2001
WO	2002035997	A1	5/2002
WO	2002055959	A1	7/2002
WO	2002067449	A2	8/2002
WO	2002101408	A1	12/2002
WO	2004073494	A2	9/2004
WO	2005018759	A1	3/2005
WO	2006098282	A1	9/2006
WO	2006111687	A1	10/2006
WO	2008060043	A1	5/2008
WO	2009043024	A1	4/2009
WO	2009073607	A2	6/2009
WO	2010121166	A1	10/2010
WO	2012021633	A2	2/2012
WO	2012039467	A1	3/2012
WO	2012061438	A2	5/2012
WO	2012061804	A1	5/2012
WO	2012071548	A1	5/2012
WO	2012071551	A1	5/2012

OTHER PUBLICATIONS

May 31, 2013 (WO)—International Search Report and Written Opinion—App. No. PCT/US2012/066070.

May 29, 2013 (WO)—International Search Report and Written Opinion—App. No. PCT/US2012/066065.

Jun. 6, 2013 (WO)—International Preliminary Report on Patentability—App. No. PCT/US20111062117.

May 16, 2013 (WO)—International Preliminary Report on Patentability—App. No. PCT/US20111059559.

Apr. 3, 2012 (WO)—International Search Report and Written Opinion—Application No. PCT/US20111064711.

Feb. 23, 2012—(WO) ISR & WO—App. No. PCT/US2011/062117.

Feb. 20, 2014 (WO)—International Search Report and Written Opinion—App. No. PCT/US2013/067512.

Sep. 12, 2013—(WO) ISR & WO—App. No. PCT/US2013/044109.

(56)

References Cited

OTHER PUBLICATIONS

Zhao, et al., Design and Practice for Individual Specialized PC Expert System for College Student, Journal of Xi An Institute of Physical Education, vol. 22, No. 2 (Mar. 2005) pp. 118-121.

Plagge et al: "Design and Evaluation of the T-Team of the University of Tuebingen for RoboCup '98" in "Network and Parallel Computing", Jan. 1, 1999 (Jan. 1, 1999), Springer International Publishing, Cham 032548, XP055334016, ISSN: 0302-9743, ISBN: 978-3-642-23677-8, vol. 1604, pp. 464-472, DOI: 40.1007/3-540-48422-1_47.

United States District Court Southern District of New York (Foley Square), Defendant's "Disclosure of Preliminary Invalidity Contentions", *NIKE, Inc. v. Lululemon Athletica Inc et al.*, Case 1:22-cv-00082, filed Jul. 18, 2022, 1097 pages.

United States District Court Southern District of New York (Foley Square), Defendant's "Amended Exhibits", (Exhs. D-1, E-1, E-2, E-3, E-4, E-5, E-6) *Nike, Inc. v. Lululemon Athletica Inc et al.*, Case 1:22-cv-00082, filed Jul. 26, 2022, 183 pages.

David R. Bassett, Jr., Validity and Reliability Issues in Objective Monitoring of Physical Activity, Research Quarterly for Exercise and Sport, vol. 71, No. 2, pp. 30-36 (2000) ("Bassett"), 7 pages.

Chris Hall, Nokia Sports Tracker, Pocket-lint (Jul. 25, 2008), <https://www.pocket-lint.com/phones/reviews/nokia/70414-nokia-sports-tracker-mobile-application/> ("Hall"), 11 pages.

Jozsef Hajdu, Provided Services of Social Networks for Sport, TTK T-110.5190 Seminar on Internetworking (Apr. 28-29, 2008), http://www.cse.ttk.fi/en/publications/B/1/papers/Hajdu_final.pdf ("Hajdu"), 8 pages.

Zee, Breaking: Goodbye Twitter? Facebook adds @mentions to status updates (Sep. 10, 2009, 9:16 PM), <https://thenextweb.com/news/breaking-facebook-adds-mentions-status-updates?amp=1> ("Zee"), 6 pages.

Robert Anderson (@rsa), Twitter (Nov. 2, 2006, 11:58 PM), <https://twitter.com/rsa/status/55281?lang=en> ("Anderson"), 3 pages.

Scott Tousignant (@TheFitB), Twitter (Nov. 27, 2008, 12:27 PM), <https://twitter.com/TheFitB/status/1026679285> ("Tousignant"), 1 page.

Internet webpage wii.nintendo.com/controller.jsp, dated Nov. 30, 2006 and retrieved from the Internet Archive ("Nintendo webpage"). Jul. 26, 2022 (EP)—Extended European Search Report—App. No. 22169770.9.

United States District Court Southern District of New York (Foley Square), "Complaint (w/o exhibits)", *NIKE, Inc. v. Lululemon Athletica Inc. et al.*, Case 1:22-cv-00082, filed Jan. 5, 2022, 29 pages.

United States District Court Southern District of New York (Foley Square), "Answer", *NIKE, Inc. v. Lululemon Athletica Inc. et al.*, Case 1:22-cv-00082, filed Jan. 14, 2022, 15 pages.

United States District Court Southern District of New York (Foley Square), "Docket", *NIKE, Inc. v. Lululemon Athletica Inc. et al.*, Case 1:22-cv-00082, printed Jul. 26, 2022, 8 pages.

Jan. 4, 2023—Petition (w/Exh. 1001 (U.S. Pat. No. 10,188,930)) for Inter Partes Review of U.S. Pat. No. 10,188,930, Case No. IPR2023-00348, U.S. Patent Office, Before the Patent Trial and Appeal Board, 110 pages.

Declaration and Curriculum Vitae of Dr. Gregory S. Fischer, Jan. 4, 2023, 148 pages (Ex. 1005, IPR Pet.).

Aug. 14, 2017—Application as filed, U.S. Appl. No. 15/675,895 (Ex. 1006, IPR Pet.).

Jun. 19, 2018—Non-Final Rejection, U.S. Appl. No. 15/675,895 (Ex. 1007, IPR Pet.).

Sep. 13, 2018—Response to Non-Final Office Action and Terminal Disclaimer filed, U.S. Appl. No. 15/675,895 (Ex. 1008, IPR Pet.).

Oct. 30, 2018—Notice of Allowance, U.S. Appl. No. 15/675,895 (Ex. 1009, IPR Pet.).

Jan. 9, 2019—Issue Notification, U.S. Appl. No. 15/675,895 (Ex. 1010, IPR Pet.).

Motorola Droid Pro XT610 Description, 2 pages (Ex. 1011, IPR Pet.).

Lara Allet et al., Wearable Systems for Monitoring Mobility-Related Activities in Chronic Disease: A Systematic Review, *Sensors* 2010, 27 pages (Ex. 1012, IPR Pet.).

Praveen Kumar Diwakar et al., Personal Digital Exercise Trainer for Managing, Monitoring and Recording the Exercise, *IEEE*, Sep. 1-4, 2005, 4 pages (Ex. 1013, IPR Pet.).

Nike + iPod web page, Internet Archive waybackmachine, <https://www.apple.com/ipod/nike/>; 1 page (Ex. 1014, IPR Pet.).

Nike + iPod manual, 2009, 28 pages (Ex. 1015, IPR Pet.).

Gregory S. Sawicki et al., Mechanics and Energetics of Level Walking with Powered Ankle Exoskeletons, *Journal of Experimental*, 12 pages (Ex. 1016, IPR Pet.).

Machine Translation of Zhao Jiang hong, Liu Zhi Qiar, Shi Bin. Design and Practice for Individual Specialized PC Expert System for College Student. Journal Of Xi'An Institute of Physical Education, vol. 22 No. 2 Mar. 2005 (16 pages) <retrieved from Google Translate on Jun. 29, 2016>.

Jun. 25, 2024—Judgement, Final Written Decision, IPR2023-00348, U.S. Pat. No. 10,188,930 B2, Paper 34, 62 pages.

* cited by examiner




FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG 3




FIG. 4




FIG. 5

Deep Squat	Hurdle Step	In-Line Lunge	Shoulder Mobility
Stand tall with your feet shoulder width apart and toes pointing forward. Hold a dowel in both hands and place it horizontally on top of your head so your shoulders and elbows are at a 90 degree angle (this is to make sure you are grabbing at the right width.) Press the dowel directly overhead. While maintaining an upright torso and keeping your heels down and dowel directly over your head squat as low as you can. Hold the bottom position for one count then come back up. Perform three squats.	Stand tall with your feet together and toes about an inch behind the hurdle. (the hurdle should be just below the knee cap in line with the rough area below their knee) Grab a dowel with both hands and place it behind your neck across your shoulders(the dowel is there to accentuate any movement tilting one direction or the other). While maintaining an upright posture, raise the right leg and step over the hurdle. Be sure to raise your foot toward the shin maintaining good foot alignment with the ankle, knee and hip. Touch the floor with the heel. Then bring the right foot back over the hurdle to the start position again while maintaining foot alignment with the ankle, knee, and hip. Perform three on one leg then switch legs.	Place the dowel along the spine so it touches the back of your head, your upper back and your butt. Grab the dowel overhand with the right hand which should be against the back of your neck and under hand with your left hand against your lower back. Step on to a 2x6 with a flat right foot and your heel at the end. The left heel should be placed the distance equal to the measurement from their ankle bone to their tibial tuberosity (the rough area below the knee the hurdle was in front of). Both toes should be pointing forward with feet flat one in front of the other in one line on the board. Maintaining an upright posture so the dowel stays in contact with your head, upper back and butt lower into a lunge so your right knee touches the 2x6 behind your left heel. Straighten your legs and return to the start. Perform three and then switch legs.	Before performing the test have them open their hand and get a measurement from their wrist to the end of their middle finger. "Stand tall with your feet together and arms hanging at your sides. Make a fist so your fingers are around your thumbs. In one motion place the right fist over head and down your back as far as possible while simultaneously taking your left fist up your back as far as possible. Do not "creep" your hands closer after their initial placement.
Active Leg Raise	Push Up	Rotary Stability	
Lay flat on your back with the back of your knees against a 2x6 with your toes pointing up. Place both arms next to your body with the palms facing up. Pull the toes of your right foot toward your shin. With the right leg remaining straight and the back of your left knee maintaining contact with the 2x6, raise your foot as high as possible.	Lie face down on the ground with your arms extended over head and your hands shoulder width apart. Pull the arms down so your thumbs are in line with (the chin first/forehead second for men and the collarbone first/chin second for women). With your legs together, pull your toes toward your shins and lift your knees and elbows off the ground getting ready to get into a push up position. While maintaining a rigid torso keeping your head, upper back and butt in one line, push your body as one unit into a push up.	"Get on your hands and knees straddling over the 2x6 so your hands are under your shoulders and your knees are under your hips. The thumbs, knees and toes must be in contact with the sides of the 2x6 and the toes must be pulled toward the shins. At the same time reach your right hand forward and your left leg backward. Then without touching down touch your right elbow to your left knee directly over the 2x6. Return to the extended position and perform 3 repetitions. If this is easy then you can progress to reach your same arm and same leg so reaching your right hand and your right leg and then touching your right elbow to your right knee without touching then reach back out to the extended position."	

FIG. 6

PROGRAM A | SIX MONTHS

	SCORE 1	SCORE 2	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6
CORE STABILITY	Plank on Knees- Hold for 30s-60s	Plank- HOLD for 30s-60s	Plank w/ alt leg reach 2 SIDED	Plank w/ Alt arm reach 2 SIDED	Side Plank- HOLD 30s-60s ea 2 SIDED	Side Plank with knee bend 2 SIDED	Plank with opp arm/opp leg lift 2 SIDED	Push Up Position Row 2 SIDED
TWIST	Dead Bug w/ Opp Arm/Opp Leg	Quadruped Vertical	Bird Dog	Core Stability Russian Twist	Side plank w/ rotation	Plank to side plank	T stabilization	Wood Chop w/ band or dumbbell
SQUAT	Heel Lift Body Weight Squat	Body Weight Squat	1 1/2 Body weight Squat	Bottom Half Body Weight Squat	Iso Squat Hold w/ side to side step	Iso Squat Hold w/ alternate leg reach cross behind	OH Body Weight Squat	11/2 Overhead Body Weight Squat
BEND	Double Hip Extension	Straight Leg Hip Extension	Hip Thigh Extension	Romanian Deadlift	Deadlift	1 1/2 deadlift	Boot Strappers	Romanian Deadlift/Deadlift Combo
PUSH	Push Ups on Knees or on incline	Plank to Push Up	Push Up	Pike Push Up	Dive Bomber Push Up	Offset Push Up	SL Push Up	T Push Ups
PULL	Prone on Floor Is	Prone on Floor Ts Reach, Roll and Lift	Bent Over Yts	Bent Over Yts	Bent Over YTWLs	Bent Over Rows	Bent Over Single Arm Rows	Bent Over single leg one arm row
SINGLE LEG STANCE	Single Leg Balance with knee lift	Single Leg Romanian Deadlift w/ kickstand	Single Leg Romanian Deadlift	Single Leg Deadlift	Single Leg Deadlift/Deadlift Combo	Partial Single Leg Squat	1/2 Single Leg Squat	Full Range Single Leg Squat
LUNGE	Static Lunge	1 1/2 range static lunge	Bottom Half Lunge	Reverse Lunge	Dynamic Forward Lunge	Dynamic Lateral Lunge	Front/Back Step Through Lunges	Lunge Matrix
Finisher	none	none	Leg Matrix- body weight squats, lunges, lunge jumps, squat jumps 10 reps each	Squat Thrust/ Body weight squat pyramid Up to 6 reps	Leg Matrix- body weight squats, lunges, lunge jumps, squat jumps 15 reps each	Squat Thrust/ Body weight squat pyramid Up to 8 reps	Leg Matrix- body weight squats, lunges, lunge jumps, squat jumps 20 reps each	Squat Thrust/ Body weight squat pyramid Up to 10 reps
	704	706	708a	708b	708c	708d	708e	708f

**If Score 0 on Push - Give 2 Pull's (whatever they scored for the Pull + the one above or below)

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

HMS Scoring & Tempo




FIG. 14




FIG. 15




FIG. 16

Tempos
Slow 2-1-2 down 2, hold 1, up 2
Moderate 2-1-1 down 2, hold 1, up 1
Normal 1-1 down 1, up 1
Explosive "Looks Fast"

FIG. 17




FIG. 18




FIG. 19

PROGRAMA | SIX MONTHS

BODY MOVEMENT	SCORE 1	SCORE 2	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6
CORE STABILITY	Low Ab Leg Lowering	Plank	Plank w/ Alt Leg Reach	Side Plank	Plank w/ Alt Arm Reach	Side Plank with Rotation	Quadruped Row	Renegade Row
TWIST	Dead Bug w/ Opp Arm/Opp Leg	Standing Rotary Stability	Horse Stance Vertical	Bird Dog	Rotary Stability-Same Arm Same Leg	Plank to Side Plank	T Stabilization	Seated Russian Twist
SQUAT	Heel Lift Body Weight Squat	Body Weight Squat	1 1/2 Body Weight Squat	Bottom Half Body Weight Squat	Iso Squat Hold w/ Side to Side Step	Iso Squat Hold w/ Alt Leg Reach	OH Body Weight Squat	1 1/2 Overhead Body Weight Squat
BEND	Double Hip Extension	Straight Leg Hip Extension	Hip Thigh Extension	Romanian Deadlift	Deadlift	1 1/2 Deadlift	Bottom 1/2 Deadlift	Romanian Deadlift/Deadlift Combo
PUSH	T Stabilization	Plant to Push Up	Push Up	Pike Push Up	Hands at Forehead Push Up	Offset Push Up	SL Push Up	T Push Ups
PULL	Reach Roll n' Lift	Lying T's	Prone Cobra	Bent Over T's	Bent Over YTWL's	Bent Over Row	Bent Over Single Arm Row	1 Leg Single Arm Row
SINGLE LEG BALANCE	Single Leg Balance w/ Knee Lift	Single Leg Romanian Deadlift w/ Kickstand	Single Leg Romanian Deadlift	Single Leg Deadlift	Single Leg Romanian Deadlift/Deadlift Combo	Partial Single Leg Squat	1/2 Single Leg Squat	Full Range Single Leg Squat
LUNGE	Static Lunge	1 1/2 Range Static Lunge	Bottom Half Lunge	Reverse Lunge	Dynamic Forward Lunge	Static Lateral Lunge	Dynamic Lateral Lunge	Matrix Lunge

FIG. 20

BASELINE WORKOUT A		
EXERCISE LIST	WORKOUT PHASE HMS RELATIONSHIP	PHASE DETAILS
ROTATE 1-6	DYNAMIC WARM-UP (DWU) NA	6 DIFFERENT DYNAMIC WARM-UP ROUTINES: ROTATE EACH WORKOUT
EXERCISE 1A	CORE STABILITY	1 SET A 1 SET B
EXERCISE 1B	TWIST	
EXERCISE 2A	SQUAT	1 SET A 1 SET B
EXERCISE 2B	PULL	
EXERCISE 3A	SINGLE LEG BALANCE	1 SET A 1 SET B
EXERCISE 3B	PUSH	
EXERCISE 4A	BEND	1 SET A 1 SET B
EXERCISE 4B	LUNGE	
HMS 14 (+)	METABOLIC	1-2 SETS
1-3 EXERCISES	REGENERATION	1-3 MOVES BASED ON TIME AND TOTAL HMS SCORE

FIG. 21

MONTH 1-2 WORKOUT A			
EXERCISE LIST	WORKOUT PHASE HMS RELATIONSHIP	PHASE DETAILS	
ROTATE 1-6	DYNAMIC WARM-UP (DWU) NA	6 DIFFERENT DYNAMIC WARM-UP ROUTINES: ROTATE EACH WORKOUT (APPROXIMATELY 10 MINUTES TOTAL AND COULD BE USED FOR A QUICK START ROUTINE)	SOME CORRECTIVE MOVEMENTS
EXERCISE 1A	CORE STABILITY ROTARY STABILITY	ROTATE 1 SET A 1 SET B (REPEAT FOR MULTIPLE SETS)	CORRECTIVE & CORE
EXERCISE 1B	TWIST ROTARY STABILITY		
EXERCISE 2A	SQUAT OVERHEAD SQUAT	ROTATE 1 SET A 1 SET B (REPEAT FOR MULTIPLE SETS)	STRENGTH & POWER <u>WORKOUT B</u> CARDIO & METABOLIC
EXERCISE 2B	PULL SHOULDER STABILITY		
EXERCISE 3A	SINGLE LEG BALANCE HURDLE STEP	ROTATE 1 SET A 1 SET B (REPEAT FOR MULTIPLE SETS)	WORKOUT C REGENERATION
EXERCISE 3B	PUSH PUSH UP		
EXERCISE 4A	BEND ACTIVE LEG RAISE	ROTATE 1 SET A 1 SET B (REPEAT FOR MULTIPLE SETS)	
EXERCISE 4B	LUNGE IN-LINE LUNGE		
HMS 14 (+)	METABOLIC	1-2 SETS	
1-3 EXERCISES	REGENERATION	1-3 MOVES BASED ON TIME AND TOTAL HMS SCORE	

FIG. 22

MONTH 3-4 | WORKOUT A

EXERCISE LIST	WORKOUT PHASE HMS RELATIONSHIP	PHASE DETAILS	
ROTATE 1-6	DYNAMIC WARM-UP (DWU) NA	6 DIFFERENT DYNAMIC WARM-UP ROUTINES: ROTATE EACH WORKOUT	SOME CORRECTIVE MOVEMENTS
EXERCISE 1A	CORE STABILITY ROTARY STABILITY	1 SET A 1 SET B	CORRECTIVE & CORE
EXERCISE 1B	TWIST ROTARY STABILITY		
EXERCISE 2A	SQUAT OVERHEAD SQUAT	1 SET A 1 SET B 1 SET C	STRENGTH & POWER WORKOUT B CARDIO & METABOLIC WORKOUT C REGENERATION
EXERCISE 2B	PULL SHOULDER STABILITY		
EXERCISE 2C	SINGLE LEG BALANCE HURDLE STEP		
EXERCISE 3A	PUSH PUSH UP	1 SET A 1 SET B 1 SET C	
EXERCISE 3B	BEND ACTIVE LEG RAISE		
EXERCISE 3C	LUNGE IN-LINE LUNGE		
HMS 14 (+)	METABOLIC	1-2 SETS	
1-3 EXERCISES	REGENERATION	1-3 MOVES BASED ON TIME AND TOTAL HMS SCORE	

FIG. 23

MONTH 5-6 | WORKOUT A

EXERCISE LIST	WORKOUT PHASE HMS RELATIONSHIP	PHASE DETAILS	
ROTATE 1-6	DYNAMIC WARM-UP (DWU) NA	6 DIFFERENT DYNAMIC WARM-UP ROUTINES: ROTATE EACH WORKOUT	SOME CORRECTIVE MOVEMENTS
EXERCISE 1A	CORE STABILITY ROTARY STABILITY	1 SET A 1 SET B 1 SET C 1 SET D	CORRECTIVE & CORE
EXERCISE 1B	TWIST ROTARY STABILITY		
EXERCISE 1C	SQUAT OVERHEAD SQUAT		
EXERCISE 1D	PULL SHOULDER STABILITY		
EXERCISE 2A	SINGLE LEG BALANCE HURDLE STEP	1 SET A 1 SET B 1 SET C 1 SET D	STRENGTH & POWER WORKOUT B CARDIO & METABOLIC WORKOUT C REGENERATION
EXERCISE 2B	PUSH PUSH UP		
EXERCISE 2C	BEND ACTIVE LEG RAISE		
EXERCISE 2D	LUNGE IN-LINE LUNGE		
HMS 14 (+)	METABOLIC	1-2 SETS	
1-3 EXERCISES	REGENERATION	1-3 MOVES BASED ON TIME AND TOTAL HMS SCORE	

FIG. 24

Workout B | Metabolic

TYPE OF METABOLIC EXERCISE	MONTH 1	MONTH 2	MONTH 3	MONTH 4	MONTH 5	MONTH 6
LOCOMOTION	Hop Scotch	Run	Rope Jumping	Lateral Ski Jump	Over/Under	High Knee Run
CHANGE OF LEVELS	Body Weight Squat	Body Weight Jump Squat	Body Weight Jump Squat w/ Reach	Squat In & Out Jumps	Explosive Jumps	Lunge Jumps
CORE	Mountain Climber	Prone Cross Toe Touch	Spiderman	Squat Thrusts	Squat Thrusts w/ Jump	Single Leg Squat Thrusts
AGILITY/SKILL	In Place	Front to Back	Side to Side	Moving Front to Back & Side to Side	Chaos Drills	Chaos Drills

FIG. 25

B | SETS | WORK | REST

SIWIR BY MONTH	MONTH 1	MONTH 2	MONTH 3	MONTH 4	MONTH 5	MONTH 6
SETS	2-3	2-3	2-3	2-3	2-3	2-3
WORK	20 S	30 S	30 S	45 S	45 S	60 S
REST	20 S	30 S	20 S	30 S	20 S	30 S

FIG. 26

Month 1 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 4 20 S WORK 20 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 27

Month 2 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 4 30 S WORK 30 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 28

Month 3 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 8 30 S WORK 20 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
Exercise 1 E	LOCOMOTION	
Exercise 1F	CHANGE OF LEVELS	
Exercise 1G	CORE	
Exercise 1H	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 29

Month 4 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 4 45 S WORK 30 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 30

Month 5 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 8 45 S WORK 20 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
Exercise 1 E	LOCOMOTION	
Exercise 1F	CHANGE OF LEVELS	
Exercise 1G	CORE	
Exercise 1H	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 31

Month 6 | Workout B

EXERCISE LIST	WORKOUT PHASE	PHASE DETAILS
Rotate 1 - 6	DWU	ROTATE
Exercise 1A	LOCOMOTION	CIRCUIT OF 4 60 S WORK 30 S REST
Exercise 1B	CHANGE OF LEVELS	
Exercise 1C	CORE	
Exercise 1D	AGILITY/SKILL	
Exercise 1 E	LOCOMOTION	
Exercise 1F	CHANGE OF LEVELS	
Exercise 1G	CORE	
Exercise 1H	AGILITY/SKILL	
REST	3 MINUTES	REPEAT X 1

FIG. 32

Workout C | REGENERATION

Exercise	BODY REGENERATION 1	BODY REGENERATION 2	BODY REGENERATION 3
1	Foam Roll/Stick, Ball 2 Stations	Foam Roll/Stick, Ball SMR 2 Stations	Foam Roll/Stick, Ball SMR 2 Stations
2	Post Chain, Floor 90-90	2 Way HS Stretch	1/2 Kneel Hip Flexor w/ Arm Slides
3	3 Way Hip Flexor w/ Quad Out	1/2 Kneel Hip Flexor, Hands Behind Head	Quadruped w/ T/S Rot/Ext
4	UT, Lat	Lev Scap, Wall Pec Minor Stretch	SL Wall Ankle Mobility
5	1A SL Ankle Mobility	1A 1/2 Kneel Hip Flexor w/ Ankle Mob	1A 1/2 Kneel Hip Flexor w/ BB Twist/ Tilt
6	2A Toe Touch Progression	2A Quadruped T/S Rot, Ext	2A OH Reach and Toe Touch
7	3A Wall Slides	3A Forearm Wall Slides	3A Floor Dyn Blackburns
8	1B 1/2 Kneel Hip Flexor w/ T/S Ext Rot	4A Wave Squat	4A Squat to Stand
9	2B Horizontal Horse Stance	1B Supine Knee Fall-Ins	1B Supine Knee Int Iso hold
10	3B Squat to Post Chain Stretch	2B Sleeper Stretch	2B Supine Floor Slides

FIG. 33

C | SETS | WORK | REST

SWIT BY MONTH	MONTH 1	MONTH 2	MONTH 3	MONTH 4	MONTH 5	MONTH 6
SETS	1	1	1	1	1	1
WORK	60 S	60 S	60 S	60 S	60 S	60 S
TRANSITION	30 S	30 S	30 S	30 S	30 S	30 S

FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43A




FIG. 43B




FIG. 44

DATA POINTS




FIG. 45




FIG. 46




FIG. 47

KEY TRIGGERS	ADJUSTMENT	HOW TO ADDRESS
1st rep same as Last	W1: add reps W2: add set W3: add set + reps W4: max set + reps	W1: instructional, technique W2: few corrections, reminders W3: push them, more motivation W4 : max push, pure motivation
1st rep better than as last	W1 W2 W3 W4	
1st rep worse then last	W1 W2 W3 W4	
Multiple reps in Red Zone	W1 W2 W3 W4	

FIG. 48

TIME PER WORKOUT




FIG. 49

POST WORKOUT




FIG. 50




FIG. 51




FIG. 52



FIG. 53




FIG. 54




FIG. 55





FIG. 56



DROP-IN SESSION DURATION SELECTION

FIG. 57




FIG. 58




FIG. 59




FIG. 60

METHOD AND SYSTEM FOR AUTOMATED PERSONAL TRAINING THAT INCLUDES TRAINING PROGRAMS

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 15/255,566, filed Sep. 2, 2016, which is a continuation of U.S. patent application Ser. No. 13/304,064, filed Nov. 23, 2011, now U.S. Pat. No. 9,457,256, which is a continuation-in-part of U.S. patent application Ser. No. 13/290,359, filed Nov. 7, 2011, now U.S. Pat. No. 9,283,429, which claims the benefit of, and priority to, U.S. Provisional Patent Application Nos. 61/410,777 filed Nov. 5, 2010, 61/417,102 filed Nov. 24, 2010, 61/422,511 filed Dec. 13, 2010, 61/432,472 filed Jan. 13, 2011, and 61/433,792 filed Jan. 18, 2011, each of which is entitled "Method and System for Automated Personal Training." The content of each of the applications is expressly incorporated herein by reference in its entirety for any and all non-limiting purposes.

BACKGROUND

While most people appreciate the importance of physical fitness, many have difficulty finding the motivation required to maintain a regular exercise program. Some people find it particularly difficult to maintain an exercise regimen that involves continuously repetitive motions, such as running, walking and bicycling.

Additionally, individuals may view exercise as work or a chore and thus, separate it from enjoyable aspects of their daily lives. Often, this separation between athletic activity and other activities reduces the amount of motivation that an individual might have toward exercising. Further, athletic activity services and systems directed toward encouraging individuals to engage in athletic activities might also be too focused on one or more particular activities while an individual's interests are ignored. This may further decrease a user's interest in participating in athletic activities or using the athletic activity services and systems.

Therefore, improved systems and methods to address these and other shortcomings in the art are desired.

BRIEF SUMMARY

The following presents a simplified summary in order to provide a basic understanding of some aspects of the disclosure. The summary is not an extensive overview of the disclosure. It is neither intended to identify key or critical elements of the disclosure nor to delineate the scope of the disclosure. The following summary merely presents some concepts of the disclosure in a simplified form as a prelude to the description below.

Aspects of the invention provide systems and methods for creating personalized exercise programs. A computer device, such as a video game console may be used with an image capture device, such as a group of cameras to capture images of a user performing athletic movements. As used herein, an "athletic movement" includes movements relating to fitness, exercise, flexibility, including movements that may be part of one or more single and multiple participant athletic competitions, exercise routines, and/or combinations thereof. The images may then be evaluated to create a human movement screen score. The human movement screen score may be used to create a personalized exercise program tailored to the specific user. A human movement

screen (HMS) is a ranking and grading system that documents movement patterns that may be key to normal function. The functional movement screen (FMS) developed by Gray Cook is an example of a human movement screen.

In some embodiments the user may also provide preference data, such as data relating to time commitments, preferred exercises and a preferred number of exercise sessions in a predetermined time period. The computer device may consider these factors when creating a personalized exercise program.

Certain other embodiments may capture athletic movement data with accelerometers, gyroscopes or position locating devices, such as GPS devices.

In other embodiments, the present invention can be partially or wholly implemented on a tangible non-transitory computer-readable medium, for example, by storing computer-executable instructions or modules, or by utilizing computer-readable data structures.

Of course, the methods and systems of the above-referenced embodiments may also include other additional elements, steps, computer-executable instructions, or computer-readable data structures.

These and other aspects of the embodiments are discussed in greater detail throughout this disclosure, including the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The present disclosure is illustrated by way of example and not limited in the accompanying figures in which like reference numerals indicate similar elements and in which:

FIGS. 1A-B illustrate an example of a system for providing personal training in accordance with example embodiments, wherein FIG. 1A illustrates an example network configured to monitor athletic activity, and FIG. 1B illustrates an example computing device in accordance with example embodiments.

FIGS. 2A-B illustrate example sensor assemblies that may be worn by a user in accordance with example embodiments.

FIG. 3 illustrates example points on a user's body to monitor in accordance with example embodiments.

FIG. 4 illustrates an example posture assessment in accordance with example embodiments.

FIG. 5 illustrates an exemplary method that may be used to generate personalized training programs in accordance with an embodiment of the invention.

FIG. 6 shows exemplary instructions that may be provided to a user to perform the athletic movement.

FIG. 7 illustrates exemplary personalized exercise program phases in accordance with an embodiment of the invention.

FIG. 8 illustrates another example flow diagram for a user's initial interaction to determine a user's baseline physical fitness level.

FIG. 9 illustrates an example flow diagram creating a personalized exercise program.

FIG. 10 illustrates an example graphical user interface with options to select a trainer, to start a new program, or to do a drop-in workout session.

FIG. 11 illustrates an example graphical user interface prompting a user to input user desired workout selections.

FIG. 12 illustrates an example graphical user interface that includes a scroll bar permitting a user to select a desired number of times to exercise per week.

FIG. 13 illustrates an example graphical user interface permitting a user to input reminders so that an email or text

3

message may be sent to a device (e.g., mobile phone) to remind the user about an upcoming workout session.

FIG. 14 illustrates an example initial baseline physical fitness level based on human movement screen scoring and tempo.

FIG. 15 illustrates example drills for assessing user performance relative to performance pillars and body movement categories.

FIG. 16 illustrates an example relationship between body movement categories and human movement screen exercises.

FIG. 17 provides an example of different tempos at which a same drill can be performed.

FIG. 18 illustrates an example workout structure.

FIG. 19 illustrates an example flow diagram for setting goals and encouraging commitment from a user.

FIG. 20-34 illustrates an example six month workout plan that may include a baseline workout and six month long programs.

FIG. 35 illustrates an example 4 week routine to aid a user in achieving a goal.

FIG. 36 illustrates an example leading a user through a workout session.

FIG. 37 illustrates an example graphical user interface prompting a user to begin a workout session, and asking how long the user has to work out.

FIG. 38 illustrates an example graphical user interface leading a user through a warm up session.

FIG. 39 illustrates an example graphical user interface providing a demonstration of a first exercise drill.

FIG. 40 illustrates an example graphical user interface displaying an image of the user performing a drill.

FIG. 41 illustrates an example graphical user interface comparing a user's form versus desired form.

FIG. 42 illustrates an example graphical user interface including an image of a user exercising with added straight lines to show proper back and hip posture during a deep squat.

FIGS. 43A-B illustrate example graphical user interfaces providing a user with feedback on their form and removing the corrective feedback when the user's form improves.

FIG. 44 illustrates an example graphical user interface informing a user of a next training category during the workout session.

FIG. 45 illustrates example data points used by a computer to determine feedback and motivation to provide to a user during a workout session.

FIGS. 46-49 illustrate examples of revising a workout session based on the amount of time a user can commit to a workout.

FIG. 50 illustrates an example flow diagram for providing a user with post-workout information.

FIG. 51 illustrates an example graphical user interface informing a user that a workout session is complete.

FIG. 52-53 illustrates example graphical user interfaces informing a user of their workout performance and an amount of points they have received during the workout.

FIG. 54 illustrates an example graphical user interface prompting a user to continue exercising.

FIG. 55 illustrates an example flow diagram of a drop-in workout session.

FIG. 56 illustrates an example graphical user interface permitting a user to select a drop-in workout session.

FIG. 57 illustrates an example graphical user interface prompting a user to input how long they have to work out during a drop-in session.

4

FIG. 58 illustrates an example graphical user interface prompting a user to input what type of session they want to do during a drop-in session.

FIG. 59 illustrates an example graphical user interface of an image captured of a user working out during a drop-in session.

FIG. 60 illustrates an exemplary challenge drill.

DETAILED DESCRIPTION

In the following description of the various embodiments, reference is made to the accompanying drawings, which form a part hereof, and in which is shown by way of illustration various embodiments in which the disclosure may be practiced. It is to be understood that other embodiments may be utilized and structural and functional modifications may be made without departing from the scope and spirit of the present disclosure. Further, headings within this disclosure should not be considered as limiting aspects of the disclosure. Those skilled in the art with the benefit of this disclosure will appreciate that the example embodiments are not limited to the example headings.

I. Example Personal Training System

A. Illustrative Computing Devices

FIG. 1A illustrates an example of a personal training system 100 in accordance with example embodiments. Example system 100 may include one or more electronic devices, such as computer 102. Computer 102 may comprise a mobile terminal, such as a telephone, music player, tablet, netbook or any portable device. In other embodiments, computer 102 may comprise a set-top box (STB), desktop computer, digital video recorder(s) (DVR), computer server(s), and/or any other desired computing device. In certain configurations, computer 102 may comprise a gaming console, such as for example, a Microsoft® XBOX, Sony® Playstation, and/or a Nintendo® Wii gaming consoles. Those skilled in the art will appreciate that these are merely example consoles for descriptive purposes and this disclosure is not limited to any console or device.

Turning briefly to FIG. 1B, computer 102 may include computing unit 104, which may comprise at least one processing unit 106. Processing unit 106 may be any type of processing device for executing software instructions, such as for example, a microprocessor device. Computer 102 may include a variety of non-transitory computer readable media, such as memory 108. Memory 108 may include, but is not limited to, random access memory (RAM) such as RAM 110, and/or read only memory (ROM), such as ROM 112. Memory 108 may include any of: electronically erasable programmable read only memory (EEPROM), flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical disk storage, magnetic storage devices, or any other medium that can be used to store the desired information and that can be accessed by computer 102.

The processing unit 106 and the system memory 108 may be connected, either directly or indirectly, through a bus 114 or alternate communication structure to one or more peripheral devices. For example, the processing unit 106 or the system memory 108 may be directly or indirectly connected to additional memory storage, such as a hard disk drive 116, a removable magnetic disk drive, an optical disk drive 118, and a flash memory card, as well as to input devices 120, and output devices 122. The processing unit 106 and the system memory 108 also may be directly or indirectly connected to

5

one or more input devices **120** and one or more output devices **122**. The output devices **122** may include, for example, a display device **136**, television, printer, stereo, or speakers. In some embodiments one or more display devices may be incorporated into eyewear. The display devices incorporated into eyewear may provide feedback to users. Eyewear incorporating one or more display devices also provides for a portable display system. The input devices **120** may include, for example, a keyboard, touch screen, a remote control pad, a pointing device (such as a mouse, touchpad, stylus, trackball, or joystick), a scanner, a camera or a microphone. In this regard, input devices **120** may comprise one or more sensors configured to sense, detect, and/or measure athletic movement from a user, such as user **124**, shown in FIG. 1A.

Looking again to FIG. 1A, image-capturing device **126** and/or sensor **128** may be utilized in detecting and/or measuring athletic movements of user **124**. In one embodiment, data obtained from image-capturing device **126** or sensor **128** may directly detect athletic movements, such that the data obtained from image-capturing device **126** or sensor **128** is directly correlated to a motion parameter. For example, and with reference to FIG. 4, image data from image-capturing device **126** may detect that the distance between sensor locations **402g** and **402i** has decreased and therefore, image-capturing device **126** alone may be configured to detect that user's **124** right arm has moved. Yet, in other embodiments, data from image-capturing device **126** and/or sensor **128** may be utilized in combination, either with each other or with other sensors to detect and/or measure movements. Thus, certain measurements may be determined from combining data obtained from two or more devices. Image-capturing device **126** and/or sensor **128** may include or be operatively connected to one or more sensors, including but not limited to: an accelerometer, a gyroscope, a location-determining device (e.g., GPS), light sensor, temperature sensor (including ambient temperature and/or body temperature), heart rate monitor, image-capturing sensor, moisture sensor and/or combinations thereof. Example uses of illustrative sensors **126**, **128** are provided below in Section I.C, entitled "Illustrative Sensors." Computer **102** may also use touch screens or image capturing device to determine where a user is pointing to make selections from a graphical user interface. One or more embodiments may utilize one or more wired and/or wireless technologies, alone or in combination, wherein examples of wireless technologies include Bluetooth® technologies, Bluetooth® low energy technologies, and/or ANT technologies.

B. Illustrative Network

Still further, computer **102**, computing unit **104**, and/or any other electronic devices may be directly or indirectly connected to one or more network interfaces, such as example interface **130** (shown in FIG. 1B) for communicating with a network, such as network **132**. In the example of FIG. 1B, network interface **130**, may comprise a network adapter or network interface card (NIC) configured to translate data and control signals from the computing unit **104** into network messages according to one or more communication protocols, such as the Transmission Control Protocol (TCP), the Internet Protocol (IP), and the User Datagram Protocol (UDP). These protocols are well known in the art, and thus will not be discussed here in more detail. An interface **130** may employ any suitable connection agent for connecting to a network, including, for example, a wireless transceiver, a power line adapter, a modem, or an Ethernet connection. Network **132**, however, may be any one or more information distribution network(s), of any type(s) or topog-

6

raphy(s), alone or in combination(s), such as internet(s), intranet(s), cloud(s), LAN(s). Network **132** may be any one or more of cable, fiber, satellite, telephone, cellular, wireless, etc. Networks are well known in the art, and thus will not be discussed here in more detail. Network **132** may be variously configured such as having one or more wired or wireless communication channels to connect one or more locations (e.g., schools, businesses, homes, consumer dwellings, network resources, etc.), to one or more remote servers **134**, or to other computers, such as similar or identical to computer **102**. Indeed, system **100** may include more than one instance of each component (e.g., more than one computer **102**, more than one display **136**, etc.).

Regardless of whether computer **102** or other electronic device within network **132** is portable or at a fixed location, it should be appreciated that, in addition to the input, output and storage peripheral devices specifically listed above, the computing device may be connected, such as either directly, or through network **132** to a variety of other peripheral devices, including some that may perform input, output and storage functions, or some combination thereof. In certain embodiments, a single device may integrate one or more components shown in FIG. 1A. For example, a single device may include computer **102**, image-capturing device **126**, sensor **128**, display **136** and/or additional components. In one embodiment, sensor device **138** may comprise a mobile terminal having a display **136**, image-capturing device **126**, and one or more sensors **128**. Yet, in another embodiment, image-capturing device **126**, and/or sensor **128** may be peripherals configured to be operatively connected to a media device, including for example, a gaming or media system. Thus, it goes from the foregoing that this disclosure is not limited to stationary systems and methods. Rather, certain embodiments may be carried out by a user **124** in almost any location.

C. Illustrative Sensors

Computer **102** and/or other devices may comprise one or more sensors **126**, **128** configured to detect and/or monitor at least one fitness parameter of a user **124**. Sensors **126** and/or **128**, may include but not limited to: an accelerometer, a gyroscope, a location-determining device (e.g., GPS), light sensor, temperature sensor (including ambient temperature and/or body temperature), sleep pattern sensors, heart rate monitor, image-capturing sensor, moisture sensor and/or combinations thereof. Network **132** and/or computer **102** may be in communication with one or more electronic devices of system **100**, including for example, display **136**, an image capturing device **126** (e.g., one or more video cameras), and sensor **128**, which may be an infrared (IR) device. In one embodiment sensor **128** may comprise an IR transceiver. For example, sensors **126**, and/or **128** may transmit waveforms into the environment, including towards the direction of user **124** and receive a "reflection" or otherwise detect alterations of those released waveforms. In yet another embodiment, image-capturing device **126** and/or sensor **128** may be configured to transmit and/or receive other wireless signals, such as radar, sonar, and/or audible information. Those skilled in the art will readily appreciate that signals corresponding to a multitude of different data spectrums may be utilized in accordance with various embodiments. In this regard, sensors **126** and/or **128** may detect waveforms emitted from external sources (e.g., not system **100**). For example, sensors **126** and/or **128** may detect heat being emitted from user **124** and/or the surrounding environment. Thus, image-capturing device **126** and/or sensor **128** may comprise one or more thermal imaging devices. In one embodiment, image-capturing device **126**

and/or sensor **128** may comprise an IR device configured to perform range phenomenology. As a non-limited example, image-capturing devices configured to perform range phenomenology are commercially available from Flir Systems, Inc. of Portland, Oregon. Although image capturing device **126** and sensor **128** and display **136** are shown in direct (wirelessly or wired) communication with computer **102**, those skilled in the art will appreciate that any may directly communicate (wirelessly or wired) with network **132**.

1. Multi-Purpose Electronic Devices

User **124** may possess, carry, and/or wear any number of electronic devices, including sensory devices **138**, **140**, **142**, and/or **144**. In certain embodiments, one or more devices **138**, **140**, **142**, **144** may not be specially manufactured for fitness or athletic purposes. Indeed, aspects of this disclosure relate to utilizing data from a plurality of devices, some of which are not fitness devices, to collect, detect, and/or measure athletic data. In one embodiment, device **138** may comprise a portable electronic device, such as a telephone or digital music player, including an IPOD®, IPAD®, or iPhone®, brand devices available from Apple, Inc. of Cupertino, California or Zune® or Microsoft® Windows devices available from Microsoft of Redmond, Washington. As known in the art, digital media players can serve as both an output device for a computer (e.g., outputting music from a sound file or pictures from an image file) and a storage device. In one embodiment, device **138** may be computer **102**, yet in other embodiments, computer **102** may be entirely distinct from device **138**. Regardless of whether device **138** is configured to provide certain output, it may serve as an input device for receiving sensory information. Devices **138**, **140**, **142**, and/or **144** may include one or more sensors, including but not limited to: an accelerometer, a gyroscope, a location-determining device (e.g., GPS), light sensor, temperature sensor (including ambient temperature and/or body temperature), heart rate monitor, image-capturing sensor, moisture sensor and/or combinations thereof. In certain embodiments, sensors may be passive, such as reflective materials that may be detected by image-capturing device **126** and/or sensor **128** (among others). In certain embodiments, sensors **144** may be integrated into apparel, such as athletic clothing. For instance, the user **124** may wear one or more on-body sensors **144a-b**. Sensors **144** may be incorporated into the clothing of user **124** and/or placed at any desired location of the body of user **124**. Sensors **144** may communicate (e.g., wirelessly) with computer **102**, sensors **128**, **138**, **140**, and **142**, and/or camera **126**. Examples of interactive gaming apparel are described in U.S. patent application Ser. No. 10/286,396, filed Oct. 30, 2002, and published as U.S. Pat. Pub. No. 2004/0087366, the contents of which are incorporated herein by reference in its entirety for any and all non-limiting purposes. In certain embodiments, passive sensing surfaces may reflect waveforms, such as infrared light, emitted by image-capturing device **126** and/or sensor **128**. In one embodiment, passive sensors located on user's **124** apparel may comprise generally spherical structures made of glass or other transparent or translucent surfaces which may reflect waveforms. Different classes of apparel may be utilized in which a given class of apparel has specific sensors configured to be located proximate to a specific portion of the user's **124** body when properly worn. For example, golf apparel may include one or more sensors positioned on the apparel in a first configuration and yet soccer apparel may include one or more sensors positioned on apparel in a second configuration.

Devices **138-144** may communicate with each other, either directly or through a network, such as network **132**.

Communication between one or more of devices **138-144** may communicate through computer **102**. For example, two or more of devices **138-144** may be peripherals operatively connected to bus **114** of computer **102**. In yet another embodiment, a first device, such as device **138** may communicate with a first computer, such as computer **102** as well as another device, such as device **142**, however, device **142** may not be configured to connect to computer **102** but may communicate with device **138**. Those skilled in the art will appreciate that other configurations are possible.

Some implementations of the example embodiments may alternately or additionally employ computing devices that are intended to be capable of a wide variety of functions, such as a desktop or laptop personal computer. These computing devices may have any combination of peripheral devices or additional components as desired. Also, the components shown in FIG. 1B may be included in the server **134**, other computers, apparatuses, etc.

2. Illustrative Apparel/Accessory Sensors

In certain embodiments, sensory devices **138**, **140**, **142** and/or **144** may be formed within or otherwise associated with user's **124** clothing or accessories, including a watch, armband, wristband, necklace, shirt, shoe, or the like. Examples of shoe-mounted and wrist-worn devices (devices **140** and **142**, respectively) are described immediately below, however, these are merely example embodiments and this disclosure should not be limited to such.

i. Shoe-Mounted Device

In certain embodiments, sensory device **140** may comprise footwear which may include one or more sensors, including but not limited to: an accelerometer, location-sensing components, such as GPS, and/or a force sensor system. FIG. 2A illustrates one exemplary embodiment of an example sensor system **202**. In certain embodiments, system **202** may include a sensor assembly **204**. Assembly **204** may comprise one or more sensors, such as for example, an accelerometer, location-determining components, and/or force sensors. In the illustrated embodiment, assembly **204** incorporates a plurality of sensors, which may include force-sensitive resistor (FSR) sensors **206**. In yet other embodiments, other sensor(s) may be utilized. Port **208** may be positioned within a sole structure **209** of a shoe. Port **208** may optionally be provided to be in communication with an electronic module **210** (which may be in a housing **211**) and a plurality of leads **212** connecting the FSR sensors **206** to the port **208**. Module **210** may be contained within a well or cavity in a sole structure of a shoe. The port **208** and the module **210** include complementary interfaces **214**, **216** for connection and communication.

In certain embodiments, at least one force-sensitive resistor **206** shown in FIG. 2A may contain first and second electrodes or electrical contacts **218**, **220** and a force-sensitive resistive material **222** and/or **224** disposed between the electrodes **218**, **220** to electrically connect the electrodes **218**, **220** together. When pressure is applied to the force-sensitive material **222/224**, the resistivity and/or conductivity of the force-sensitive material **222/224** changes, which changes the electrical potential between the electrodes **218**, **220**. The change in resistance can be detected by the sensor system **202** to detect the force applied on the sensor **216**. The force-sensitive resistive material **222/224** may change its resistance under pressure in a variety of ways. For example, the force-sensitive material **222/224** may have an internal resistance that decreases when the material is compressed, similar to the quantum tunneling composites described in greater detail below. Further compression of this material may further decrease the resistance, allowing quantitative

measurements, as well as binary (on/off) measurements. In some circumstances, this type of force-sensitive resistive behavior may be described as “volume-based resistance,” and materials exhibiting this behavior may be referred to as “smart materials.” As another example, the material **222/224** may change the resistance by changing the degree of surface-to-surface contact. This can be achieved in several ways, such as by using microprojections on the surface that raise the surface resistance in an uncompressed condition, where the surface resistance decreases when the microprojections are compressed, or by using a flexible electrode that can be deformed to create increased surface-to-surface contact with another electrode. This surface resistance may be the resistance between the material **222** and the electrode **218, 220** and/or the surface resistance between a conducting layer (e.g. carbon/graphite) and a force-sensitive layer (e.g. a semiconductor) of a multi-layer material **222/224**. The greater the compression, the greater the surface-to-surface contact, resulting in lower resistance and enabling quantitative measurement. In some circumstances, this type of force-sensitive resistive behavior may be described as “contact-based resistance.” It is understood that the force-sensitive resistive material **222/224**, as defined herein, may be or include a doped or non-doped semiconducting material.

The electrodes **218, 220** of the FSR sensor **206** can be formed of any conductive material, including metals, carbon/graphite fibers or composites, other conductive composites, conductive polymers or polymers containing a conductive material, conductive ceramics, doped semiconductors, or any other conductive material. The leads **212** can be connected to the electrodes **218, 220** by any suitable method, including welding, soldering, brazing, adhesively joining, fasteners, or any other integral or non-integral joining method. Alternately, the electrode **218, 220** and associated lead(s) **212** may be formed of a single piece of the same material **222/224**. In further embodiments, material **222** is configured to have at least one electric property (e.g., conductivity, resistance, etc.) than material **224**. Examples of exemplary sensors are disclosed in U.S. patent application Ser. No. 12/483,824, filed on Jun. 12, 2009, the contents of which are incorporated herein in their entirety for any and all non-limiting purposes.

ii. Wrist-Worn Device

As shown in FIG. 2B, device **226** (which may be, or be a duplicative of or resemble sensory device **142** shown in FIG. 1A) may be configured to be worn by user **124**, such as around a wrist, arm, ankle or the like. Device **226** may monitor movements of a user, including, e.g., athletic movements or other activity of user **124**. For example, in one embodiment, device **226** may be activity monitor that measures, monitors, tracks or otherwise senses the user's activity (or inactivity) regardless of the user's proximity or interactions with computer **102**. Device **226** may detect athletic movement or other activity (or inactivity) during user's **124** interactions with computer **102** and/or operate independently of computer **102**. Device **226** may communicate directly or indirectly, wired or wirelessly, with network **132** and/or other devices, such as devices **138** and/or **140**. Athletic data obtained from device **226** may be utilized in determinations conducted by computer **102**, such as determinations relating to which exercise programs are presented to user **124**. As used herein, athletic data means data regarding or relating to a user's activity (or inactivity). In one embodiment, device **226** may wirelessly interact with a remote website such as a site dedicated to fitness or health related subject matter, either directly or indirectly (e.g., via a mobile device, such as device **138** associated with user

124). In this or another embodiment, device **226** may interact with a mobile device, such as device **138**, as to an application dedicated to fitness or health related subject matter. In these or other embodiments, device **226** may interest with both a mobile device as to an application as above, such as device **138**, and a remote website, such as a site dedicated to fitness or health related subject matter, either directly or indirectly (e.g., via the mobile device, such as device **138**). In some embodiments, at some predetermined time(s), the user may wish to transfer data from the device **226** to another location. For example, a user may wish to upload data from a portable device with a relatively smaller memory to a larger device with a larger quantity of memory. Communication between device **226** and other devices may be done wirelessly and/or through wired mechanisms.

As shown in FIG. 2B, device **226** may include an input mechanism, such as a button **228**, to assist in operation of the device **226**. The button **228** may be a depressible input operably connected to a controller **230** and/or any other electronic components, such as one or more elements of the type(s) discussed in relation to computer **102** shown in FIG. 1B. Controller **230** may be embedded or otherwise part of housing **232**. Housing **232** may be formed of one or more materials, including elastomeric components and comprise one or more displays, such as display **234**. The display may be considered an illuminable portion of the device **226**. The display **234** may include a series of individual lighting elements or light members such as LED lights **234** in an exemplary embodiment. The LED lights may be formed in an array and operably connected to the controller **230**. Device **226** may include an indicator system **236**, which may also be considered a portion or component of the overall display **234**. It is understood that the indicator system **236** can operate and illuminate in conjunction with the display **234** (which may have pixel member **235**) or completely separate from the display **234**. The indicator system **236** may also include a plurality of additional lighting elements or light members **238**, which may also take the form of LED lights in an exemplary embodiment. In certain embodiments, indicator system **236** may provide a visual indication of goals, such as by illuminating a portion of lighting members **238** to represent accomplishment towards one or more goals.

A fastening mechanism **240** can be unlatched wherein the device **226** can be positioned around a wrist of the user **124** and the fastening mechanism **240** can be subsequently placed in a latched position. The user can wear the device **226** at all times if desired. In one embodiment, fastening mechanism **240** may comprise an interface, including but not limited to a USB port, for operative interaction with computer **102** and/or devices **138, 140**, and/or recharging an internal power source.

In certain embodiments, device **226** may comprise a sensor assembly (not shown in FIG. 2B). The sensor assembly may comprise a plurality of different sensors. In an example embodiment, the sensor assembly may comprise or permit operative connection to an accelerometer (including in the form of a multi-axis accelerometer), a gyroscope, a location-determining device (e.g., GPS), light sensor, temperature sensor (including ambient temperature and/or body temperature), heart rate monitor, image-capturing sensor, moisture sensor and/or combinations thereof. Detected movements or parameters from device's **142** sensor(s), may include (or be used to form) a variety of different parameters, metrics or physiological characteristics including but not limited to speed, distance, steps taken, and energy expenditure such as calories, heart rate and sweat detection. Such

11

parameters may also be expressed in terms of activity points or currency earned by the user based on the activity of the user. Examples of wrist-worn sensors that may be utilized in accordance with various embodiments are disclosed in U.S. patent application Ser. No. 13/287,064, filed on Nov. 1, 2011, the contents of which are incorporated herein in their entirety for any and all non-limiting purposes.

iii. Identify Sensory Locations

The system **100** may process sensory data to identify user movement data. In one embodiment, sensory locations may be identified. For example, images of recorded video, such as from image-capturing device **126**, may be utilized in an identification of user movement. For example, the user may stand a certain distance, which may or may not be pre-defined, from the image-capturing device **126**, and computer **102** may process the images to identify the user **124** within the video, for example, using disparity mapping techniques. In an example, the image capturing device **126** may be a stereo camera having two or more lenses that are spatially offset from one another and that simultaneously capture two or more images of the user. Computer **102** may process the two or more images taken at a same time instant to generate a disparity map for determining a location of certain parts of the user's body in each image (or at least some of the images) in the video using a coordinate system (e.g., Cartesian coordinates). The disparity map may indicate a difference between an image taken by each of the offset lenses.

In a second example, one or more sensors may be located on or proximate to the user's **124** body at various locations or wear a suit having sensors situated at various locations. Yet, in other embodiments, sensor locations may be determined from other sensory devices, such as devices **138**, **140**, **142** and/or **144**. With reference to FIG. 3, sensors may be placed (or associated with, such as with image-capturing device **126**) body movement regions, such as joints (e.g., ankles, elbows, shoulders, etc.) or at other locations of interest on the user's **124** body. Example sensory locations are denoted in FIG. 3 by locations **302a-302o**. In this regard, sensors may be physical sensors located on/in a user's clothing, yet in other embodiments, sensor locations **302a-302o** may be based upon identification of relationships between two moving body parts. For example, sensor location **302a** may be determined by identifying motions of user **124** with an image-capturing device, such as image-capturing device **126**. Thus, in certain embodiments, a sensor may not physically be located at a specific location (such as sensor locations **302a-302o**), but is configured to sense properties of that location, such as with image-capturing device **126**. In this regard, the overall shape or portion of a user's body may permit identification of certain body parts. Regardless of whether an image-capturing device, such as camera **126**, is utilized and/or a physical sensor located on the user **124**, such as sensors within or separate from one or more of device(s) **138**, **140**, **142**, **144** are utilized, the sensors may sense a current location of a body part and/or track movement of the body part. In one embodiment, location **302m** may be utilized in a determination of the user's center of gravity (a.k.a, center of mass). For example, relationships between location **302a** and location(s) **302m-302o** with respect to one or more of location(s) **302m-302o** may be utilized to determine if a user's center of gravity has been elevated along the vertical axis (such as during a jump) or if a user is attempting to "fake" a jump by bending and flexing their knees. In one embodiment, sensor location **302n** may be located at about the sternum of user **124**. Likewise, sensor location **302o** may be located approximate to the naval of user **124**. In certain embodiments, data from sensor locations

12

302m-302o may be utilized (alone or in combination with other data) to determine the center of gravity for user **124**. In further embodiments, relationships between multiple several sensor locations, such as sensors **302m-302o**, may be utilized in determining orientation of the user **124** and/or rotational forces, such as twisting of user's **124** torso. Further, one or more locations, such as location(s), may be utilized to as a center of moment location. For example, in one embodiment, one or more of location(s) **302m-302o** may serve as a point for a center of moment location of user **124**. In another embodiment, one or more locations may serve as a center of moment of specific body parts or regions.

In certain embodiments, a time stamp to the data collected indicating a specific time when a body part was at a certain location. Sensor data may be received at computer **102** (or other device) via wireless or wired transmission. A computer, such as computer **102** and/or devices **138**, **140**, **142**, **144** may process the time stamps to determine the locations of the body parts using a coordinate system (e.g., Cartesian coordinates) within each (or at least some) of the images in the video. Data received from image-capturing device **126** may be corrected, modified, and/or combined with data received from one or more other devices **138**, **140**, **142** and **144**.

In a third example, computer **102** may use infrared pattern recognition to detect user movement and locations of body parts of the user **124**. For example, the sensor **128** may include an infrared transceiver, which may be part of image-capturing device **126**, or another device, that may emit an infrared signal to illuminate the user's **124** body using infrared signals. The infrared transceiver **128** may capture a reflection of the infrared signal from the body of user **124**. Based on the reflection, computer **102** may identify a location of certain parts of the user's body using a coordinate system (e.g., Cartesian coordinates) at particular instances in time. Which and how body parts are identified may be predetermined based on a type of exercise a user is requested to perform.

As part of a workout routine, computer **102** may make an initial postural assessment of the user **124** as part of the initial user assessment. With reference to FIG. 4, computer **102** may analyze front and side images of a user **124** to determine a location of one or more of a user's shoulders, upper back, lower back, hips, knees, and ankles. On-body sensors and/or infrared techniques may also be used, either alone or in conjunction with image-capturing device **126**, to determine the locations of various body parts for the postural assessment. For example, computer **102** may determine assessment lines **124a-g** to determine the locations of a various points on a user's body, such as, for example, ankles, knees, hips, upper back, lower back, and shoulders.

3. Identify Sensory Regions

In further embodiments, system **100** may identify sensor regions. In one embodiment, assessments lines **144a-g** may be utilized to divide the user's body into regions. For example, lines **144b-f** may be horizontal axes. For example, a "shoulders" region **402** may correlate to a body portion having a lower boundary around the user's shoulders (see line **144b**), region **404** may correlate to the body portion between the shoulders (line **144b**) and about half the distance to the hips (see line **144c**) and thus be an "upper back" region, and region **406** may span the area between line **144c** to the hips (see line **144d**) to comprise a "lower back region." Similarly, region **408** may span the area between the "hips" (line **144d**) and the "knees" (see line **144e**), region **410** may span between lines **144e** and **144f** and region **412** (see "ankles") may have an upper boundary around line

13

144f. Regions 402-412 may be further divided, such as into quadrants, such as by using axes 144a and 144g

4. Categorize Locations or Regions

Regardless of whether specific points (e.g., locations shown in FIG. 3) and/or regions (e.g. regions shown in FIG. 4), body parts or regions that are not proximate to each other may nonetheless be categorized into the same movement category (see, e.g. block 302c). For example, as shown in FIG. 4, the “upper back”, “hips”, and “ankles” regions 404, 408, 412 may be categorized as belonging to a “mobility” category. In another embodiment, the “lower back” and “knees” regions 406, 410 may be categorized as belonging to a “stability” category. The categorizations are merely examples, and in other embodiments, a location or region may belong to multiple categories. For example, a “center of gravity” region may be formed from regions 404 and 406. In one embodiment, a “center of gravity” may comprise portions of regions 404 and 406. In another embodiment, a “center of moment” category may be provided, either independently, or alternatively, as comprising a portion of at least another category. In one embodiment, a single location may be weighted in two or more categories, such as being 10% weighted in a “stability” category and 90% weighted in a “mobility” category.

Computer 102 may also process the image to determine a color of clothing of the user or other distinguishing features to differentiate the user from their surroundings. After processing, computer 102 may identify a location of multiple points on the user’s body and track locations of those points, such as locations 302 in FIG. 3. Computer 102 may also prompt the user to answer questions to supplement the postural assessment, such as, for example, age, weight, etc.

II. Creation of Personal Training Programs

A. Overview

FIG. 5 illustrates an exemplary method that may be used to generate personalized training programs in accordance with an embodiment of the invention. First, in step 502, instructions to perform athletic movements are provided. The instructions may be generated at a video game console and displayed on a display device, such as a television. Exemplary instructions to perform athletic movements are described in detail below. The athletic movements may be used to generate a human movement screen score. The movements may each map to a specific body movement. In one embodiment, the athletic movements include deep squat, hurdle step, in-line lunge, shoulder mobility, active leg raise, push up and rotary stability. FIG. 6 show exemplary instructions that may be provided to a user to perform the athletic movements.

Next, an image capture device may be used to capture images of an athlete performing the athletic movements in step 504. The image capture device may include multiple cameras. In one embodiment the image capture device includes three cameras and is used to capture movement in three dimensions. Various embodiments may include cameras that capture light in the visible and/or infrared spectrums.

It step 506 it is determined if data from one or more other sensors is available. Others sensors may include an accelerometer worn on the wrist or embedded in or attached to footwear, a gyroscope, a heart rate monitor, a compass, a location tracking device, such as a GPS device, pressure sensors inserted into footwear or any of the sensors described above that can be used to capture athletic move-

14

ments and/or athletic performance. The data received from the image capture device and one or more sensors may be used to generate a human movement screen score. When only data from the image capture device is available, in step 508 a human movement screen score is generated with data from the image capture device. When additional sensor data is available, in step 510 a human movement screen score is generated with data from the image capture device and data from more or more additional sensors. In alternative embodiments a human movement screen score may be generated with only data from the image capture device even when other sensor data is available. For example, sensor data may be available but determined not to be credible or below a threshold. In some embodiments the system may also selectively use data from any of the available sensors.

After a human movement screen score is generated, in step 512 a personalized exercise program is generated based on a human movement screen score. The personalized exercise program may be generated via a device, such as a video game console, a server, or computer 102, that includes one or more processors. The human movement screen score may reveal areas that can be improved and the personalized exercise program may address those areas. FIG. 7 illustrates exemplary personalized exercise program phases in accordance with an embodiment of the invention. Column 702 lists exercises that may be used to generate human movement screen scores for various body movements. Columns 704 and 706 show exemplary criteria that may be used to score each exercise. Two levels are shown for illustration purposes only. Various embodiments may use three, four or more scoring levels. In one embodiment, four scoring levels are used and the levels include (1) experienced pain during the exercise; (2) exercise was not functionally performed; (3) exercise performed acceptably; and (4) exercise performed well. Columns 708a-708c shown exemplary exercises that may be part of a personalized training program. A personalized exercise program may include exercises that start at different phases based on the relevant human movement screen score. For example, core stability may start at phase 1 and twist may start at phase 2.

In alternative embodiments a user may also provide preference data that is used to generate the personalized exercise program. The preference data may include time commitments, numbers of exercise sessions, preferred days to exercise, preferred exercises and goals. In one embodiment a user may provide access to an electronic calendar, such as one stored on a website, that shows the user’s availability to exercise and the personal training system scans the calendar to determine availability and time commitments. The personal training system may look at historical calendar data to determine probable best times and available time commitments or future calendar data to determine actual availability. The personal training system may also be configured to update the exercise program based on the user’s actual availability. For example, a user may have an exercise session scheduled for Monday evening and a scan of the user’s calendar reveals that the user has an appointment Monday evening that makes exercising not practical. The personal training system may modify the exercise program to reschedule the exercise to another day. Other changes to the exercise program may also be made to keep the user on track to reach goals. The personal training system may even add calendar events to the user’s calendar.

Users may exercise at locations away from the personal training system. Exercise data may be captured by a variety of sensors, such as accelerometers worn on the wrist or other body parts. Accelerometers may also be embedded in or

15

attached to footwear or articles of clothing. Other sensors that may be used to capture exercise data away from the personal training system include gyroscopes, location tracking devices, such as a GPS device, heart rate monitors, pressure sensor systems placed in footwear and any of the sensors described above. The captured exercise data may be provided to the personal training system via a network connection or hardware port, such as a USB port. Returning to FIG. 5, in step 514 it is determined whether exercise data has been captured by a sensor while the user was exercising away from the personal training system. Step 514 may include determining that GPS data that was captured with a mobile phone while a user ran is available. If no sensor data is available, the process ends in step 516. One skilled in the art will appreciate that the method shown in FIG. 5 is merely exemplary and may be modified to include other steps and various loops. For example, instead of ending in step 516, the process may wait a predetermined time and repeat step 514.

When sensor data is received, in step 518, the personal training system may modify the personalized exercise program based on the exercise data captured by the sensor. Modifications may include one or more changes to the types of exercises or durations of exercises. For example, if the sensor data indicates that the user recently ran, the next session of the personalized exercise program may be modified to not exercise the primary muscle groups involved in running. Other exemplary modifications include reducing the duration or eliminating an exercise session.

B. Illustrative Embodiments

When a user begins an exercise program, the computer 102 may prompt the user to perform a series of exercises in front of an image capturing device. The computer 102 may process the images and assign a score indicating how well the user was able to complete each of the exercises to establish a baseline physical fitness level. When performing an exercise, the computer 102 may instruct the user to position him or herself at a certain distance and orientation relative to an image capturing device. The computer 102 may process each image to identify different parts of the user's body, such as, for example, their head, shoulders, arms, elbows, hands, wrists, torso, hips, knees, ankles, feet, or other body parts. The computer 102 may generate a set of data identifying a location of various body parts within the image. The computer 102 may process the data set to determine a relationship between certain body parts. These relationships may include an angle of one body part relative to another. For example, when the user is doing a squat, the computer 102 may compare the angle of a user's torso with an angle of the user's thigh. In another example, the computer 102 may compare a location of a user's shoulder relative to their elbow and hand during a push up.

The computer 102 may compare the data set to a desired data set for each exercise to monitor the user's form while performing an exercise. The desired data set may include multiple comparison points throughout an exercise. For example, a push up may be divided into four events: (1) the lowest point where the user's chest is nearest to the ground and their arms are bent; (2) a highest point where the user's chest is farthest from the ground and their arms are straightened; (3) an upward event where the user transitions from the lowest point to the highest point; and (4) a downward event where the user transitions from the highest point to the lowest point. The desired data set may specify comparison points for each of these events focusing on certain body

16

parts. For example, at each comparison point during a pushup, the computer 102 may monitor the spacing of the user's hands, the straightness of the user's back, a location of the user's head relative to their torso, the spacing of the user's feet relative to one another, or other aspects. The desired data set may specify desired locations for each body part being monitored during comparison points within an exercise, as well as permitted variations from the desired locations. If the user's body part varies beyond what is permitted, the computer 102 may provide the user with feedback identifying the body part and a correction to the user's form (e.g., back is arched, and not straight, during a pushup).

The computer 102 may also score the user's performance of an exercise. Scoring may be based on the user's form, how quickly the user was able to complete the exercise (e.g., 20 pushups in 60 seconds), a number of repetitions the user completed, the amount of weight the user used during an exercise, or other exercise metrics. In addition to processing the images, the computer 102 may receive data from other sources. For example, the user may run a predetermined distance as measured by a sensor attached to the user (e.g., sensor in a shoe) or global positioning system (GPS) device and may upload the data to the computer 102. Based on the images and/or data acquired by other sensors, the computer 102 may determine areas of weakness for the user (e.g., inability to do a pull up) and design a workout to help the user improve their overall fitness level. Score may be a function of a particular drill and may be focused on position, accuracy and correct execution. Scoring may also be based on time and/or a number sets or repetitions within a set time period.

FIG. 8 illustrates an example flow diagram for a user's initial interaction to determine a user's baseline physical fitness level. In this example, the system may scan the user and prompt the user to sign up and purchase automated training. The system 300 may obtain information from the user about weight, gender, and age, and create an initial baseline physical fitness level. The system may lead the user through an initial set of drills, and set a participation goal.

After completing the baseline physical fitness level for the user, the computer 102 may then create an initial personalized program. The initial personalized program may be a function of user input, static assessment of the user, and a human movement screen. User input may include a user's time commitment, as well as number of exercise sessions per week and one or more goals. The status assessment may provide the user with information and coaching on exercises. The human movement screen score may be assessments of the user's performance of the exercise drills.

FIG. 9 illustrates an example of creating a personalized exercise program. The personalized program may be a function of human movement screen scores, the number of exercise sessions per week the user desires, and the goal of the user (e.g., total body fitness, run a marathon, lose weight, etc.). Goals may also include "get strong", "get lean" and/or "get toned." Other factors that may be considered include a user's fitness profile that may consider a current assessment of a user's fitness level as well as user preferences. The user may also specify multiple goals, including to be fitter, stronger, faster, centered, etc. The user may specify a fitness level, such as, for example, beginner, intermediate, advanced. The computer 102 may evaluate the user's fitness level over time to confirm the user input fitness level or to adjust exercises based on measured performance rather than

17

the user specified fitness level. The user may also specify a desired length of their program, such as 1 week, 2 weeks, 4 weeks or a custom length.

To obtain these inputs, the computer **102** may present a graphical user interface (GUI) on the display **302** prompting the user to start a new program and to provide input for the initial personalized program, as shown in FIGS. **10-13**. In FIG. **10**, the graphical user interface may present the user with options to select a trainer (e.g., tabs for Josh or Lisa), to start a new program, or to do a drop-in session. In response to selecting to start a new program, the graphical user interface may prompt the user to input user desired workout selections, as depicted in FIG. **11**. The user may, for example, select a program length and a number of sessions per week. The GUI may then present the user with a total number of workout sessions. The GUI may also present the user with options to buddy up or to join a group where a user may be networked (e.g., via the Internet) with at least one other user to exercise at the same time. When a drop in session is selected, drills for a single session may be selected in a manner that appears random to users, i.e. pseudo random. The selection may be based on one or more goals of the user, such as strength and cardio goals. The selection may also be based on time or performance of the user. The system may select drills for as long as the user wishes to exercise.

FIG. **12** shows a scroll bar in the GUI where a user may select a desired number of times to exercise per week. In FIG. **13**, the GUI permits the user to input reminders so that an email or text message may be sent to a device (e.g., mobile phone) to remind the user about an upcoming workout session. The reminder may include a time and date of one or more upcoming workout sessions.

FIG. **14** illustrates an example baseline physical fitness level assessment determined using human movement screen scoring and tempo. The computer **102** may prompt the user to perform one or more exercise drills, and determine a score each of the assessment exercises using human movement screen scoring as well as the tempo of the user completing the exercise drills. The human movement screen scoring may range from 0 to 3, and the tempo may have categories of slow, moderate, normal, and explosive.

The drills may be used for assessing user performance relative to performance pillars and body movement categories, as depicted in FIG. **15**. The performance pillars may be assessments designed to analyze a user's strength, power, speed & agility, energy systems, mobility, and regeneration. Body movement drill categories may include assessments of core stability, twist, squat, pull, single-leg balance, push, bend, and lunge.

FIG. **16** illustrates an example relationship between body movement categories and human movement screen exercises. Human movement screen exercises may include rotary stability, overhead squat, shoulder stability, hurdle step, push up, active leg raise, and in-line lunge. Rotary stability may correspond to the core stability and twist body movement categories, overhead squat may correspond to the squat body movement category, shoulder stability may correspond to the pull body movement category, hurdle step may correspond to the single-leg balance body movement category, push up may correspond to the push body movement category, active leg raise may correspond to the bend body movement category, and in-line lunge may correspond to the lunge body movement category.

The computer **102** may instruct the user to perform the same drill at various tempos, as described in FIG. **17**. The tempo of the drill can affect which performance pillar is

18

being assessed. In a squat, for example, the computer **102** may assess a user's strength in a slow tempo and a user's power in an explosive tempo. FIG. **18** illustrates four different tempo categories including slow, moderate, normal, and explosive. Slow may involve the user moving down in an exercise over two seconds, holding for one second, and moving up in the next two seconds.

Based on the human movement screen scoring, the computer **102** may generate a workout structure for the user, an example of which is depicted in FIG. **18**. The computer **102** may consider the number of exercise sessions the user is willing to do per week in combination with the human movement screen score to generate a workout program. The workouts may focus on one of three activities: an A strength workout, a B cardio and metabolic workout, and a C regeneration workout. If a user is only willing to workout once per week, the computer **102** may assign a strength workout (i.e., 1×A). If the user is willing to workout more than once per week, the computer **102** may consider the human movement screen score for the user. Generally, the computer **102** may differentiate between scores 14 and above and scores 13 and below. For human movement screen scores 14 and above, the computer **102** may assign one strength workout, one cardio and metabolic workout per week, and no regeneration workouts. For human movement screen scores 13 and below, the computer **102** may assign two strength workouts, no cardio and metabolic workout per week, and no regeneration workouts. The computer **102** may also structure workouts for users desiring to workout 3 or more times per week, as shown in FIG. **19**. Alternative embodiments of the invention may include other workout structures that include different types of workouts and numbers of sessions.

FIG. **19** illustrates an example flow diagram for setting goals and encouraging commitment from the user. The computer **102** may present the user with a result of the assessment and comments, and prompt the user to select 1 or more goals (e.g., lose weight, gain strength, etc.). Based on the user's selection and the baseline physical fitness level, the computer **102** may recommend a workout plan. The computer **102** may also permit the user to record a statement of their goal. Goals may be tailored to performing certain events and may include training sessions developed for or by professional athletes. For example, the computer **102** may load a training session pack developed for or by a pro athlete (e.g., 'Paula Radcliffe's marathon training') for real life events.

FIG. **20** illustrates an example workout plan. In this example, the workout plan is for a six month exercise program designed to improve the user's human movement screen score over time. Other workout plans could have different durations, such as one month. In some embodiments users are not presented with an entire workout plan when it is created. The leftmost column may indicate the body movements that correspond to the human movement screen scoring areas, and the remaining columns may correspond to month long programs specifying a drill in each of the body movement categories. Each of phases 1-6 may be a month long program, and the score 1 and 2 columns may correspond to month long programs of remedial exercises for users having human movement screen scores less than 3 in a particular body movement category. In phase 6, for example, the program includes a renegade row exercise in the core stability movement category, a seated Russian twist exercise in the twist movement category, and so forth. The user may perform the same exercise drills during each exercise session over the month, but the intensity and

duration of each exercise drill may change over the month according to a 4 week routine. The computer 102 may also permit the user to swap one drill for an equivalent drill.

If a user receives a human movement screen score of 3 in all categories, the computer 102 may prompt the user to performance exercises shown in the month 1 column. If the user receives a human movement screen score of 1 or 2 in any body movement category, the computer 102 may prompt the user to perform the body movement in the score 1 or score 2 columns for that category. For example, if the user receives a score of 1 in the pull category, the computer 102 may prompt the user to perform the reach roll'n lift exercise in month 1, the Lying T's in month 2, and so forth along that row and the six month program would end at the bent over row exercise from the month 4 column.

In another example, the workout plan may include a baseline workout and six month long programs, examples of which are depicted in FIGS. 21-34. FIGS. 21-24 describe Workout A, which includes exercises focusing on developing a user's strength and power. FIGS. 25-32 describe Workout B, which includes metabolic focus with exercises to develop a user's speed, agility, and power. FIGS. 33-34 describe Workout C, which includes regeneration exercises such as stretching exercises. Workout A, for example, may be the priority workout if a user only works out once per week, but other workouts may be prioritized as well.

With reference to FIG. 22, the Workout A program for months 1-2 may include an exercise list, a relationship between workout phases and human movement screen, and phase details. The program may include a dynamic warm-up, followed by exercises in each of the body movement categories. After completed the listed exercises, if the user has a human movement screen score of 14 or more, the program may include a metabolic challenge where the user is prompted to perform an exercise attempting to physically challenge the user (e.g., run as fast as you can, do repetitions until muscle failure, etc.). Thereafter, the program may include regeneration exercises (e.g., stretching).

With reference to FIG. 26, the workout plan may specify a number of sets, an amount of time of exercise, and an amount of time of rest. For example, in month 1, Workout B specifies 2-3 sets per exercise, where the user works for 20 seconds followed by 20 seconds of rest.

Each month long program over the six month program may be divided into 4 phases each lasting a week, an example of which is depicted in FIG. 35. Week 1 may be the "introduction week" to introduce the user to an instructional technique and to obtain a baseline physical fitness level. Week 2 may be the "base week" and may involve the user improving their technique as well as increasing workout intensity. Week 3 may be the "overload week" and may involve adding more load (e.g., weight) to a working program and increasing intensity. Week 4 may be the "challenge week" and may involve pushing a user to their maximum. Other 4 week progressions may also be used. Generally, the human body adapts every 4-6 weeks. Some users may adapt at different intervals and the program may be structure to account for these differences. Some programs may also include shorter or longer progressions and the progressions may be determined by analyzing the performance of a user. The computer 102 prompts the user to learn proper technique which leads to progression. Challenges are increased over time by adding repetitions and equipment. As the user conquers a workout, they are given a new routine to learn, providing an intrinsic reward. The computer 102 attempts to learn a user's most effective workout, and reassess a user's performance every 4 weeks.

FIG. 36 illustrates a flow diagram for leading a user through a workout session. The computer 102 may prompt the user to begin a workout session, and ask how long the user has to work out, as seen in FIG. 37. The computer 102 may then provide a summary of the exercise drills the user is going to perform. The computer 102 may provide the how and the why of workouts to help the user get into the mindset of a competitive athlete. Competitive athletes may include professional athletes, college athletes, personal trainers, community leaderboard participants and others. For example, the drills may relate to corrective/core exercises, strength/power exercises, energize/metabolic exercises, regenerate/stretch exercises. The computer 102 may lead the user through a warm up session (as seen in FIG. 38). The warm up session may be a dynamic warm-up designed to warm up the user's muscles in each of the body movement categories. The computer 102 may then provide a demonstration of a first drill (as seen in FIG. 39). The user may then perform the drill in front of the image capturing device 304 as the computer 102 process images of the user. The computer 102 may cause a display to display an image of the user performing the drill (see FIG. 40). The computer 102 may also provide encouragement to the user to keep going (e.g., just 5 more repetitions) as well as feedback. Encouragement may be given after detecting a predetermined number of repetitions (e.g., every 3-5 repetitions), in response to detecting a repetition rate decreases below a level, or other metric.

The feedback may allow the user to compete against their own benchmarks to see improvement in real-time and over time. FIG. 41, for example, illustrates a comparison of a user's form versus desired form. In another example, FIG. 42 illustrates an image of the user exercising with added straight lines to show proper back and hip posture during a deep squat. In a further example, FIGS. 43A-B illustrates graphical user interfaces providing the user with feedback on their form (i.e., Correction needed: straighten knees), and removes the corrective feedback when the user's form improves. Once one drill is completed, the computer 102 may prompt the user to move onto the next drill. FIG. 44, for instance, illustrates a graphical user interface informing the user of the next training category during the workout session.

As shown by the examples in FIG. 45, the system may use data points to determine feedback and motivation to provide to a user during a workout session. The system may also revise a workout session based on the amount of time a user can commit to a workout, as described with reference to FIGS. 46-49. For example, a workout may require 60 minutes, but a user may only have 20 minutes (see FIGS. 46-47). The system may scale down the workout session based on the amount of time a user has (see FIG. 49). Adjustments may include altering an amount of warm up time, a number of sets, a number of repetitions, substitution of exercises, and the like.

The system may also account for missed workout session. If a user is able to make at least one workout session per week, the computer 102 may continue with the scheduled workout program (see, for example, FIG. 20). If the user misses an entire week, the computer 102 may start the user to perform the next workout where they left off. If the user has missed two or more weeks, the computer 102 may have the user repeat the last week they attended. The computer 102 may also send a message to a user's device (e.g., desktop computer, smart phone, laptop computer, etc.) informing of the missed workout, how many workouts have been missed, and how the missed workout has affected

reaching the user's goals. The computer 102 may also include in the message a prompt to reschedule the missed workout. In some embodiments users may skip workouts.

FIG. 50 illustrates a flow diagram for providing a user with post-workout information. Upon completion of a workout, the computer 102 may inform the user that the workout session is complete and may cause the trainer avatar to extend a first for a virtual first bump or other congratulatory movement (see FIG. 52). The computer 102 may inform the user of their workout performance and an amount of points associated with the workout (see FIG. 52-53). The computer 102 may also prompt the user to continue exercising (see FIG. 54). The computer 102 may also provide the user with feedback on their form, and may indicate a number of repetitions in the preferred, red, and green zones, discussed above, for each of the exercise drills.

The computer 102 may also calculate a fatigue index indicating how well the user maintained good form over the duration of a drill. For example, the fatigue index may indicate that the user was in the preferred zone for the first 4 repetitions, in the good zone for the next 5 repetitions, and in the red zone for the last repetition.

If the user trains hard during a session, the computer 102 may associate a greater number of points and unlock new workouts. Upon reaching point milestones, the user may unlock workouts and online challenges, or the user may purchase these items online through a gaming console. Other incentives may include obtaining certification as a trainer upon reaching certain fitness milestones. The user may also purchase products from a particular clothing or footwear supplier to increase rewards. For example, a product may have an embedded barcodes or other information that a user may scan or otherwise input to the computer 102 to unlock new training sessions (e.g., a session about stretching for a run). In some embodiments the purchase of certain products may allow a user to unlock new workouts. The new workouts may be related to or use the purchased products.

A display device may present a graphical user interface of a post-workout-dashboard permitting a user to review training data with analysis to view progress and improve future sessions. The user may also elect to post their workout online via social networking (e.g., via a social networking website) or otherwise share their workout sessions. Users may post comments and provide recommendations when reviewing workouts of other users. Users may also post messages to provide motivation to other users. The computer 102 may also post information to a social network when a user improves their fitness level (e.g., Bob improved his fitness level from intermediate to advanced). The computer 102 may have a dynamic recommendation engine that suggests new workouts based on profile and previous training successes. Trainers may also recommend different types of engagements such as joining a challenge or going head to head with a friend. The computer 102 may then suggest a time and date for a next workout session.

FIG. 55 illustrates a flow diagram of a drop-in workout session and FIGS. 56-59 illustrate corresponding graphical user interfaces. A drop-in workout session may be an extra workout session in addition to the ones a user has scheduled for a particular week. A drop-in session may also be where a user opts to do a different workout than the one the scheduled for the user. The computer 102 may adjust future workouts based on the drop-in session. Adjustments may include adding or removing a future workout of a particular type (e.g., Drop-in session is an A workout, so replace a future A workout with a B workout). If a user is avoiding a particular exercise, the computer 102 may identify one or

more equivalent exercises and may adjust future workouts to exclude the particular exercise. Other adjustments may also be made.

To initiate a drop-in session, the user may select a drop-in workout session tab of a graphical user interface (see FIG. 56). The computer 102 may ask how long the user has to work out (see FIG. 57) and what type of session the user wants to do, examples of which may include a fully body workout, a strength workout, an endurance workout, a mobility workout, or a balance workout (see FIG. 58). The computer 102 may then perform static postural analysis and/or a body scan. The computer 102 may then provide a summary of the exercise drills the user is going to perform. For example, the drills may relate to corrective/core exercises, strength/power exercises, energize/metabolic exercises, regenerate/stretch exercises. The computer 102 may lead the user through a warm up session, and then proceed to a first drill (see FIG. 59). A display device may present a demonstration of the drill. The user may then perform the drill in front of the image capturing device as the computer 102 process images of the user. The computer 102 may also provide encouragement to the user to keep going (e.g., just 5 more repetitions). The computer 102 then presents feedback to the user. Once one drill is completed, the computer 102 may prompt the user to move onto the next drill. After completion of the last drill, the computer 102 may then update a user's points and provide them with a post-workout summary.

A challenge session may be where a user competes against a ghost of their previous workout or another user. For example, the computer 102 may store video of a user performing a set of exercises, as well as performance metrics. The display may present the video of the user where the user appears translucent, and hence is denoted as a ghost. The display may overlay video recorded by the image capturing device for comparison with the ghost. The computer 102 may provide a demonstration of the challenge, and the user may perform the challenge. Upon completion of the challenge, the computer 102 may display the challenge results.

The user may also create their own challenges and workout sessions for more focused training or sharing with a social network. The user may receive points, money, or other incentives based on a number of other users who download a user created workout session. The user may also cause the computer 102 to request ghost workouts from friends or pros to aid or compare.

Challenges may also be against multiple players at a single location (e.g., house), or via a network. FIG. 60 illustrates an exemplary challenge drill. The computer 102 may identify other users having similar fitness levels or users may challenge other users. Multiple players may simultaneously participate in a workout session at the same location, or may sequentially participate where a ghost of a player who completed a session is displayed onscreen competing against a later player. Also, the computer 102 may join an online challenge where a user may compete against another player who is also online. The online challenge may permit competitions with multiple other players. Competitions may be organized by age group, fitness level, invitation only, achieving a certain point levels, or in other manners. A ghost of the leader may be presented by the displays of all other challengers. The computer 102 may also cause a display to present a leader board showing how a user compares to other participants. Performance data, such as personal bests, may be communicated graphically and through audio devices.

23

CONCLUSION

Aspects of the embodiments have been described in terms of illustrative embodiments thereof. Numerous other embodiments, modifications and variations within the scope and spirit of the appended claims will occur to persons of ordinary skill in the art from a review of this disclosure. For example, one of ordinary skill in the art will appreciate that the steps illustrated in the illustrative figures may be performed in other than the recited order, and that one or more steps illustrated may be optional in accordance with aspects of the embodiments.

What is claimed is:

1. A computer implemented method comprising:
 - capturing, with a wrist-worn sensor, motion parameter data of a user performing an athletic movement;
 - identifying a form of the user based on an identified sensor region and based on tracking motion parameter data in the identified sensor region;
 - generating, at a processor, one or more human movement screen scores based on the form of the user and based on the at least a first portion of the motion parameter data of the user performing the athletic movement;
 - providing a feedback display that includes a graphical comparison of the form of the user versus a desired form and an identification of the one or more human movement screen scores;
 - generating, by the processor, a personalized exercise program based on the one or more human movement screen scores, and comprising a plurality of workouts;
 - in response to determining that a current workout session is not a first workout session for the user, determining a previous human movement screen score from a previous workout, a duration since the previous workout, and a number of missed workouts during the duration;
 - selecting, by the processor, from the plurality of workouts in the personalized exercise program and based the duration since the previous workout and the number of missed workouts during the duration, a current workout, wherein the current workout includes one or more exercises selected based on the previous human movement screen score;
 - determining a length of time that the user has available for completing the current workout of the plurality of workouts in the personalized exercise program; and
 - in response to determining that a length of time associated with the current workout is greater than a length of time the user has available, adjusting the current workout.
2. The computer implemented method of claim 1, wherein the capturing motion parameter data further comprises capturing, with an image capture device, images of the user performing the athletic movement.
3. The computer implemented method of claim 2, wherein the image capture device comprises a plurality of cameras.
4. The computer implemented method of claim 1, wherein the generating one or more human movement screen scores comprises generating, at a processor, a human movement screen score based on the wrist-worn sensor and a second sensor.
5. The computer implemented method of claim 1, wherein the wrist-worn sensor, comprises an accelerometer.
6. The computer implemented method of claim 1, wherein the capturing motion parameter data further comprises capturing motion parameters with a footwear-worn accelerometer.

24

7. The computer implemented method of claim 1, wherein the wrist-worn sensor comprises an orientation determining sensor.

8. The computer implemented method of claim 1, wherein generating the personalized exercise program is based on the one or more human movement screen scores and an input of the user.

9. The computer implemented method of claim 8, wherein the input of the user comprises a time commitment.

10. The computer implemented method of claim 8, wherein the input of the user comprises a number of exercise sessions in a predetermined time period.

11. The computer implemented method of claim 1, wherein the generating one or more human movement screen scores comprises evaluating a form of the user by identifying locations of body parts of the user at different times.

12. The computer implemented method of claim 1, wherein the wrist-worn sensor comprises a display.

13. The computer implemented method of claim 1, wherein the personalized exercise program includes a ghost workout received from a friend of the user.

14. The computer implemented method of claim 1, wherein adjusting the current workout comprises substitution of one or more exercises within the current workout.

15. The computer implemented method of claim 1, wherein adjusting the current workout comprises altering one of: an amount of warmup time, a number of sets of an exercise of the current workout, or a number of repetitions of an exercise of the current workout.

16. The computer implemented method of claim 1, wherein the feedback display further comprises a highlighting of a body part of the user associated with improper form and a correction to a form of the user.

17. An apparatus configured to be worn on an appendage of a user, comprising:

- at least one processor;
- a display device;
- a sensor device;
- a non-transitory computer-readable medium comprising computer-executable instructions that when executed by the at least one processor cause the at least one processor to:
 - capture, from the sensor device, motion parameter data of the user performing an athletic movement;
 - identify a form of the user based on an identified sensor region and based on tracking motion parameter data in the identified sensor region;
 - generate, by the at least one processor, one or more human movement screen scores based on the form of the user and based on the at least a first portion of the motion parameter data of the user performing the athletic movement;
 - provide a feedback display that includes a graphical comparison of the form of the user versus a desired form and an identification of the one or more human movement screen scores;
 - generate, by the at least one processor, a personalized exercise program based on the one or more human movement screen scores, and comprising a plurality of workouts;
 - in response to determining that a current workout session is not a first workout session for the user, determine a previous human movement screen score from a previous workout, a duration since the previous workout, and a number of missed workouts during the duration;

25

determine by the processor from the plurality of workouts in the personalized exercise program and based on both the duration since the previous workout and the number of missed workouts during the duration, a current workout, wherein the current workout includes one or more exercises selected based on the previous human movement screen score;

determine whether a length of time associated with the current workout is greater than a length of time the user has available for completing the current workout; and automatically adjust the current workout based on determining that the length of time associated with the current workout is greater than a length of time the user has available for completing the current workout, wherein adjusting the current workout comprises altering one or more of: an amount of warmup time, a number of sets of an exercise of the current workout, and a number of repetitions of an exercise of the current workout.

18. The apparatus of claim 17, wherein the capturing comprises obtaining accelerometer data from an accelerometer located on the apparatus.

19. The apparatus of claim 18, wherein the accelerometer data comprises data from a plurality of axes.

20. The apparatus of claim 18, wherein the computer-readable medium further comprises computer-executable instructions that when executed by the at least one processor cause the at least one processor to:

collect motion parameters of the user from a footwear-worn accelerometer; and

wherein generating the one or more human movement screen scores is based upon at least data obtained from the footwear-worn accelerometer and the motion parameters captured from the sensor device.

21. The apparatus of claim 18, wherein the sensor device comprises a gyroscope.

22. The apparatus of claim 17, wherein the personalized exercise program includes a ghost workout received from a friend of the user.

26

23. A non-transitory computer-readable medium comprising computer-executable instructions that when executed by a processor, cause the processor to perform at least:

capturing, with a body-worn sensor, motion parameter data of a user performing an athletic movement;

identifying a form of the user based on an identified sensor region and based on tracking motion parameter data in the identified sensor region;

generating, with at least one processor, one or more human movement screen scores based on the form of the user and based on the at least a first portion of motion parameter data of the user performing the athletic movement;

providing a feedback display that includes a graphical comparison of the form of the user versus a desired form and an identification of the one or more human movement screen scores;

generating, at the at least one processor, a personalized exercise program based on the one or more human movement screen scores, and comprising a plurality of workouts;

in response to determining that a current workout session is not a first workout session for the user, determining a previous human movement screen score from a previous workout, a duration since the previous workout, and a number of missed workouts during the duration, wherein the current workout session includes one or more exercises selected based on the previous human movement screen score;

determining, by the at least one processor, a next workout from the plurality of workouts based on e as the previous human movement screen score from the previous workout, the duration since the previous workout, and the number of missed workouts during the duration; and

in response to determining that a length of time associated with the next workout is greater than a length of time the user has available for completing the next workout, adjusting the next workout.

* * * * *