

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent
Kind Code
Date of Patent
Inventor(s)

12396806
B2
August 26, 2025
Shelton, IV; Frederick E. et al.

Adjustment of a surgical device function based on situational awareness

Abstract

Surgical devices and surgical systems are disclosed. A surgical system can include a display and a control circuit configured to receive a signal from a situationally-aware surgical hub indicative of a surgical state, display a recommendation on the display based on the signal, and assign a priority level of the recommendation.

Inventors: Shelton, IV; Frederick E. (Hillsboro, OH), Harris; Jason L. (Lebanon, OH), Yates; David C. (Morrow, OH)
Applicant: Cilag GmbH International (Zug, CH)
Family ID: 1000008779639
Assignee: Cilag GmbH International (Zug, CH)
Appl. No.: 18/107860
Filed: February 09, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20230190390 A1	Jun. 22, 2023

Related U.S. Application Data

division parent-doc US 16182256 20181106 US 11612444 child-doc US 18107860
us-provisional-application US 62729183 20180910
us-provisional-application US 62692747 20180630
us-provisional-application US 62692748 20180630
us-provisional-application US 62692768 20180630
us-provisional-application US 62659900 20180419
us-provisional-application US 62650887 20180330
us-provisional-application US 62650877 20180330
us-provisional-application US 62650882 20180330
us-provisional-application US 62650898 20180330
us-provisional-application US 62640418 20180308
us-provisional-application US 62640415 20180308
us-provisional-application US 62611340 20171228
us-provisional-application US 62611339 20171228
us-provisional-application US 62611341 20171228

Publication Classification

Int. Cl.: **A61B34/35** (20160101); **A61B18/12** (20060101); **A61B18/14** (20060101); **A61B34/00** (20160101); **G01N15/06** (20060101); **G16H40/63** (20180101); A61B17/00 (20060101); A61B18/00 (20060101); A61B34/20 (20160101); A61B34/30 (20160101); A61B90/00 (20160101)

U.S. Cl.:

CPC **A61B34/25** (20160201); **A61B18/1206** (20130101); **A61B18/1445** (20130101); **A61B34/35** (20160201); **G01N15/06** (20130101); **G16H40/63** (20180101); A61B2017/00022 (20130101); A61B2017/00039 (20130101); A61B2017/00199 (20130101); A61B2017/00221 (20130101); A61B2017/00389 (20130101); A61B2018/00642 (20130101); A61B2018/00666 (20130101); A61B2018/00672 (20130101); A61B2018/00678 (20130101); A61B2018/00702 (20130101); A61B2018/00994 (20130101); A61B2018/1253 (20130101); A61B2018/126 (20130101); A61B2034/2057 (20160201); A61B2034/252 (20160201); A61B2034/254 (20160201); A61B2034/256 (20160201); A61B34/30 (20160201); A61B2034/302 (20160201); A61B2090/064 (20160201); A61B2090/081 (20160201); A61B2090/373 (20160201); A61B2218/002 (20130101); A61B2218/008 (20130101); A61B2562/0261 (20130101)

Field of Classification Search

CPC: A61B (34/00); A61B (34/35); A61B (34/25); A61B (34/10); A61B (34/37); A61B (2034/2057); A61B (90/00)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1853416	12/1931	Hall	N/A	N/A
2222125	12/1939	Stehlik	N/A	N/A
3082426	12/1962	Miles	N/A	N/A
3503396	12/1969	Pierie et al.	N/A	N/A
3584628	12/1970	Green	N/A	N/A
3626457	12/1970	Duerr et al.	N/A	N/A
3633584	12/1971	Farrell	N/A	N/A
3759017	12/1972	Young	N/A	N/A
3863118	12/1974	Lander et al.	N/A	N/A
3898545	12/1974	Coppa et al.	N/A	N/A
3912121	12/1974	Steffen	N/A	N/A
3915271	12/1974	Harper	N/A	N/A
3932812	12/1975	Milligan	N/A	N/A
4041362	12/1976	Ichiyonagi	N/A	N/A
4052649	12/1976	Greenwell et al.	N/A	N/A
4087730	12/1977	Goles	N/A	N/A
4157859	12/1978	Terry	N/A	N/A
4171700	12/1978	Farin	N/A	N/A
4202722	12/1979	Paquin	N/A	N/A
4412539	12/1982	Jarvik	N/A	N/A
4448193	12/1983	Ivanov	N/A	N/A
4523695	12/1984	Braun et al.	N/A	N/A
4608160	12/1985	Zoch	N/A	N/A
4614366	12/1985	North et al.	N/A	N/A
4633874	12/1986	Chow et al.	N/A	N/A
4701193	12/1986	Robertson et al.	N/A	N/A
4735603	12/1987	Goodson et al.	N/A	N/A
4779687	12/1987	Schreiber et al.	N/A	N/A
4788977	12/1987	Farin et al.	N/A	N/A
4827911	12/1988	Broadwin et al.	N/A	N/A
4849752	12/1988	Bryant	N/A	N/A
D303787	12/1988	Messenger et al.	N/A	N/A
4892244	12/1989	Fox et al.	N/A	N/A
4962681	12/1989	Yang	N/A	N/A
4976173	12/1989	Yang	N/A	N/A
5010341	12/1990	Huntley et al.	N/A	N/A
5026387	12/1990	Thomas	N/A	N/A
5035692	12/1990	Lyon et al.	N/A	N/A
5042460	12/1990	Sakurai et al.	N/A	N/A
5047043	12/1990	Kubota et al.	N/A	N/A
5084057	12/1991	Green et al.	N/A	N/A
5100402	12/1991	Fan	N/A	N/A
D327061	12/1991	Soren et al.	N/A	N/A
5129570	12/1991	Schulze et al.	N/A	N/A
5151102	12/1991	Kamiyama et al.	N/A	N/A
5156315	12/1991	Green et al.	N/A	N/A
5158585	12/1991	Saho et al.	N/A	N/A
5160334	12/1991	Billings et al.	N/A	N/A
5171247	12/1991	Hughett et al.	N/A	N/A
5189277	12/1992	Boisvert et al.	N/A	N/A
5197962	12/1992	Sansom et al.	N/A	N/A
5204669	12/1992	Dorfe et al.	N/A	N/A
5217003	12/1992	Wilk	N/A	N/A
5242474	12/1992	Herbst et al.	N/A	N/A

5253793	12/1992	Green et al.	N/A	N/A
5271543	12/1992	Grant et al.	N/A	N/A
RE34519	12/1993	Fox et al.	N/A	N/A
5275323	12/1993	Schulze et al.	N/A	N/A
5318516	12/1993	Cosmescu	N/A	N/A
5318563	12/1993	Malis et al.	N/A	N/A
5322055	12/1993	Davison et al.	N/A	N/A
5342349	12/1993	Kaufman	N/A	N/A
5364003	12/1993	Williamson, IV	N/A	N/A
5383880	12/1994	Hooven	N/A	N/A
5385544	12/1994	Edwards et al.	N/A	N/A
5391144	12/1994	Sakurai et al.	N/A	N/A
5396900	12/1994	Slater et al.	N/A	N/A
5397046	12/1994	Savage et al.	N/A	N/A
5403312	12/1994	Yates et al.	N/A	N/A
5403327	12/1994	Thornton et al.	N/A	N/A
5413267	12/1994	Solyntjes et al.	N/A	N/A
5415335	12/1994	Knodell, Jr.	N/A	N/A
5417699	12/1994	Klein et al.	N/A	N/A
5439468	12/1994	Schulze et al.	N/A	N/A
5445304	12/1994	Plyley et al.	N/A	N/A
5462545	12/1994	Wang et al.	N/A	N/A
5465895	12/1994	Knodel et al.	N/A	N/A
5467911	12/1994	Tsuruta et al.	N/A	N/A
5474566	12/1994	Alesi et al.	N/A	N/A
5485947	12/1995	Olson et al.	N/A	N/A
5496315	12/1995	Weaver et al.	N/A	N/A
5496317	12/1995	Goble et al.	N/A	N/A
5503320	12/1995	Webster et al.	N/A	N/A
5507773	12/1995	Huitema et al.	N/A	N/A
5529235	12/1995	Boiarski et al.	N/A	N/A
5531743	12/1995	Nettekoven et al.	N/A	N/A
5545148	12/1995	Wurster	N/A	N/A
5552685	12/1995	Young et al.	N/A	N/A
5560372	12/1995	Cory	N/A	N/A
5584425	12/1995	Savage et al.	N/A	N/A
5607436	12/1996	Pratt et al.	N/A	N/A
5610379	12/1996	Muz et al.	N/A	N/A
5610811	12/1996	Honda	N/A	N/A
5613966	12/1996	Makower et al.	N/A	N/A
5619881	12/1996	Morikawa et al.	N/A	N/A
5624452	12/1996	Yates	N/A	N/A
D379346	12/1996	Mieki	N/A	N/A
5626587	12/1996	Bishop et al.	N/A	N/A
5643291	12/1996	Pier et al.	N/A	N/A
5654750	12/1996	Weil et al.	N/A	N/A
5673841	12/1996	Schulze et al.	N/A	N/A
5673842	12/1996	Bittner et al.	N/A	N/A
5675227	12/1996	Roos et al.	N/A	N/A
5693042	12/1996	Boiarski et al.	N/A	N/A
5693052	12/1996	Weaver	N/A	N/A
5695502	12/1996	Pier et al.	N/A	N/A
5697926	12/1996	Weaver	N/A	N/A
5706998	12/1997	Plyley et al.	N/A	N/A
5718359	12/1997	Palmer et al.	N/A	N/A
5720287	12/1997	Chapelon et al.	N/A	N/A
5724468	12/1997	Leone et al.	N/A	N/A
5725536	12/1997	Oberlin et al.	N/A	N/A
5725542	12/1997	Yoon	N/A	N/A
5735445	12/1997	Vidal et al.	N/A	N/A
5735848	12/1997	Yates et al.	N/A	N/A
5746209	12/1997	Yost et al.	N/A	N/A
5749362	12/1997	Funda et al.	N/A	N/A
5749893	12/1997	Vidal et al.	N/A	N/A
5752644	12/1997	Bolanos et al.	N/A	N/A
5762255	12/1997	Chrisman et al.	N/A	N/A
5762458	12/1997	Wang et al.	N/A	N/A
5766186	12/1997	Faraz et al.	N/A	N/A
5769791	12/1997	Benaron et al.	N/A	N/A
5775331	12/1997	Raymond et al.	N/A	N/A
5796188	12/1997	Bays	N/A	N/A
5797537	12/1997	Oberlin et al.	N/A	N/A
5800350	12/1997	Coppleson et al.	N/A	N/A
5807393	12/1997	Williamson, IV et al.	N/A	N/A
D399561	12/1997	Ellingson	N/A	N/A

5817093	12/1997	Williamson, IV et al.	N/A	N/A
5820009	12/1997	Melling et al.	N/A	N/A
5833690	12/1997	Yates et al.	N/A	N/A
5836849	12/1997	Mathiak et al.	N/A	N/A
5836869	12/1997	Kudo et al.	N/A	N/A
5836909	12/1997	Cosmescu	N/A	N/A
5843080	12/1997	Fleenor et al.	N/A	N/A
5846237	12/1997	Nettekoven	N/A	N/A
5849022	12/1997	Sakashita et al.	N/A	N/A
5873873	12/1998	Smith et al.	N/A	N/A
5878938	12/1998	Bittner et al.	N/A	N/A
5893849	12/1998	Weaver	N/A	N/A
5906625	12/1998	Bito et al.	N/A	N/A
5942333	12/1998	Arnett et al.	N/A	N/A
5947996	12/1998	Logeman	N/A	N/A
5968032	12/1998	Sleister	N/A	N/A
5980510	12/1998	Tsonton et al.	N/A	N/A
5987346	12/1998	Benaron et al.	N/A	N/A
5997528	12/1998	Bisch et al.	N/A	N/A
6004269	12/1998	Crowley et al.	N/A	N/A
6010054	12/1999	Johnson et al.	N/A	N/A
6030437	12/1999	Gourrier et al.	N/A	N/A
6036637	12/1999	Kudo	N/A	N/A
6039734	12/1999	Goble	N/A	N/A
6039735	12/1999	Greep	N/A	N/A
6059799	12/1999	Aranyi et al.	N/A	N/A
6066137	12/1999	Greep	N/A	N/A
6079606	12/1999	Milliman et al.	N/A	N/A
6090107	12/1999	Borgmeier et al.	N/A	N/A
6099537	12/1999	Sugai et al.	N/A	N/A
6102907	12/1999	Smethers et al.	N/A	N/A
6109500	12/1999	Alli et al.	N/A	N/A
6113598	12/1999	Baker	N/A	N/A
6126592	12/1999	Proch et al.	N/A	N/A
6126658	12/1999	Baker	N/A	N/A
6131789	12/1999	Schulze et al.	N/A	N/A
6139561	12/1999	Shibata et al.	N/A	N/A
6155473	12/1999	Tompkins et al.	N/A	N/A
6214000	12/2000	Fleenor et al.	N/A	N/A
6258105	12/2000	Hart et al.	N/A	N/A
6269411	12/2000	Reasoner	N/A	N/A
6273887	12/2000	Yamauchi et al.	N/A	N/A
6283960	12/2000	Ashley	N/A	N/A
6301495	12/2000	Gueziec et al.	N/A	N/A
6302881	12/2000	Farin	N/A	N/A
6308089	12/2000	von der Ruhr et al.	N/A	N/A
6325808	12/2000	Bernard et al.	N/A	N/A
6325811	12/2000	Messerly	N/A	N/A
6331181	12/2000	Tierney et al.	N/A	N/A
6341164	12/2001	Dilkie et al.	N/A	N/A
6391102	12/2001	Bodden et al.	N/A	N/A
6423057	12/2001	He et al.	N/A	N/A
6434416	12/2001	Mizoguchi et al.	N/A	N/A
6443973	12/2001	Whitman	N/A	N/A
6451015	12/2001	Rittman, III et al.	N/A	N/A
6454781	12/2001	Witt et al.	N/A	N/A
6457625	12/2001	Tormala et al.	N/A	N/A
6461352	12/2001	Morgan et al.	N/A	N/A
6466817	12/2001	Kaula et al.	N/A	N/A
6480796	12/2001	Wiener	N/A	N/A
6482217	12/2001	Pintor et al.	N/A	N/A
6524307	12/2002	Palmerton et al.	N/A	N/A
6530933	12/2002	Yeung et al.	N/A	N/A
6551243	12/2002	Bocionek et al.	N/A	N/A
6569109	12/2002	Sakurai et al.	N/A	N/A
6582424	12/2002	Fleenor et al.	N/A	N/A
6584358	12/2002	Carter et al.	N/A	N/A
6585791	12/2002	Garito et al.	N/A	N/A
6611793	12/2002	Burnside et al.	N/A	N/A
6618626	12/2002	West, Jr. et al.	N/A	N/A
6628989	12/2002	Penner et al.	N/A	N/A
6633234	12/2002	Wiener et al.	N/A	N/A
6648223	12/2002	Boukhny et al.	N/A	N/A
6678552	12/2003	Pearlman	N/A	N/A
6679899	12/2003	Wiener et al.	N/A	N/A

6685704	12/2003	Greep	N/A	N/A
6695199	12/2003	Whitman	N/A	N/A
6699187	12/2003	Webb et al.	N/A	N/A
6731514	12/2003	Evans	N/A	N/A
6742895	12/2003	Robin	N/A	N/A
6752816	12/2003	Culp et al.	N/A	N/A
6760616	12/2003	Hoey et al.	N/A	N/A
6770072	12/2003	Truckai et al.	N/A	N/A
6773444	12/2003	Messerly	N/A	N/A
6775575	12/2003	Bommannan et al.	N/A	N/A
6778846	12/2003	Martinez et al.	N/A	N/A
6781683	12/2003	Kacyra et al.	N/A	N/A
6783524	12/2003	Anderson et al.	N/A	N/A
6783525	12/2003	Greep et al.	N/A	N/A
6793652	12/2003	Whitman et al.	N/A	N/A
6793663	12/2003	Kneifel et al.	N/A	N/A
6824539	12/2003	Novak	N/A	N/A
6846308	12/2004	Whitman et al.	N/A	N/A
6849071	12/2004	Whitman et al.	N/A	N/A
6849074	12/2004	Chen et al.	N/A	N/A
6852219	12/2004	Hammond	N/A	N/A
6863650	12/2004	Irion	N/A	N/A
6869430	12/2004	Balbierz et al.	N/A	N/A
6869435	12/2004	Blake, III	N/A	N/A
6911033	12/2004	de Guillebon et al.	N/A	N/A
6913471	12/2004	Smith	N/A	N/A
6937892	12/2004	Leyde et al.	N/A	N/A
6945981	12/2004	Donofrio et al.	N/A	N/A
6951559	12/2004	Greep	N/A	N/A
6962587	12/2004	Johnson et al.	N/A	N/A
6978921	12/2004	Shelton, IV et al.	N/A	N/A
6988649	12/2005	Shelton, IV et al.	N/A	N/A
7000818	12/2005	Shelton, IV et al.	N/A	N/A
7009511	12/2005	Mazar et al.	N/A	N/A
7030146	12/2005	Baynes et al.	N/A	N/A
7032798	12/2005	Whitman et al.	N/A	N/A
7041941	12/2005	Faries, Jr. et al.	N/A	N/A
7044352	12/2005	Shelton, IV et al.	N/A	N/A
7044911	12/2005	Drinan et al.	N/A	N/A
7044949	12/2005	Orszulak et al.	N/A	N/A
7048775	12/2005	Jornitz et al.	N/A	N/A
7053752	12/2005	Wang et al.	N/A	N/A
7055730	12/2005	Ehrenfels et al.	N/A	N/A
7073765	12/2005	Newkirk	N/A	N/A
7077853	12/2005	Kramer et al.	N/A	N/A
7077856	12/2005	Whitman	N/A	N/A
7081096	12/2005	Brister et al.	N/A	N/A
7094231	12/2005	Ellman et al.	N/A	N/A
7097640	12/2005	Wang et al.	N/A	N/A
7103688	12/2005	Strong	N/A	N/A
7104949	12/2005	Anderson et al.	N/A	N/A
7118564	12/2005	Ritchie et al.	N/A	N/A
7121460	12/2005	Parsons et al.	N/A	N/A
7137980	12/2005	Buyse et al.	N/A	N/A
7140528	12/2005	Shelton, IV	N/A	N/A
7143923	12/2005	Shelton, IV et al.	N/A	N/A
7143925	12/2005	Shelton, IV et al.	N/A	N/A
7147139	12/2005	Schwemberger et al.	N/A	N/A
7155316	12/2005	Sutherland et al.	N/A	N/A
7164940	12/2006	Hareyama et al.	N/A	N/A
7169145	12/2006	Isaacson et al.	N/A	N/A
7177533	12/2006	McFarlin et al.	N/A	N/A
7182775	12/2006	de Guillebon et al.	N/A	N/A
7207472	12/2006	Wukusick et al.	N/A	N/A
7208005	12/2006	Frecker et al.	N/A	N/A
7217269	12/2006	El-Galley et al.	N/A	N/A
7230529	12/2006	Ketcherside, Jr. et al.	N/A	N/A
7232447	12/2006	Gellman et al.	N/A	N/A
7236817	12/2006	Papas et al.	N/A	N/A
7246734	12/2006	Shelton, IV	N/A	N/A
7252664	12/2006	Nasab et al.	N/A	N/A
7278563	12/2006	Green	N/A	N/A
7294106	12/2006	Birkenbach et al.	N/A	N/A
7294116	12/2006	Ellman et al.	N/A	N/A
7296724	12/2006	Green et al.	N/A	N/A

7317955	12/2007	McGreevy	N/A	N/A
7328828	12/2007	Ortiz et al.	N/A	N/A
7334717	12/2007	Rethy et al.	N/A	N/A
7343565	12/2007	Ying et al.	N/A	N/A
7344532	12/2007	Goble et al.	N/A	N/A
7353068	12/2007	Tanaka et al.	N/A	N/A
7362228	12/2007	Nycz et al.	N/A	N/A
7371227	12/2007	Zeiner	N/A	N/A
7380695	12/2007	Doll et al.	N/A	N/A
7383088	12/2007	Spinelli et al.	N/A	N/A
7391173	12/2007	Schena	N/A	N/A
7407074	12/2007	Ortiz et al.	N/A	N/A
7408439	12/2007	Wang et al.	N/A	N/A
7413541	12/2007	Konishi	N/A	N/A
7422136	12/2007	Marczyk	N/A	N/A
7422139	12/2007	Shelton, IV et al.	N/A	N/A
7422586	12/2007	Morris et al.	N/A	N/A
7423972	12/2007	Shaham et al.	N/A	N/A
D579876	12/2007	Novotney et al.	N/A	N/A
7445620	12/2007	Kefer	N/A	N/A
7457804	12/2007	Uber et al.	N/A	N/A
D583328	12/2007	Chiang	N/A	N/A
7464847	12/2007	Viola et al.	N/A	N/A
7464849	12/2007	Shelton, IV et al.	N/A	N/A
7496418	12/2008	Kim et al.	N/A	N/A
D589447	12/2008	Sasada et al.	N/A	N/A
7515961	12/2008	Germanson et al.	N/A	N/A
7518502	12/2008	Austin et al.	N/A	N/A
7554343	12/2008	Bromfield	N/A	N/A
7563259	12/2008	Takahashi	N/A	N/A
7568604	12/2008	Ehrenfels et al.	N/A	N/A
7575144	12/2008	Ortiz et al.	N/A	N/A
7597731	12/2008	Palmerton et al.	N/A	N/A
7617137	12/2008	Kreiner et al.	N/A	N/A
7621192	12/2008	Conti et al.	N/A	N/A
7621898	12/2008	Lalomia et al.	N/A	N/A
7631793	12/2008	Rethy et al.	N/A	N/A
7637410	12/2008	Marczyk	N/A	N/A
7637907	12/2008	Blaha	N/A	N/A
7641092	12/2009	Kruszynski et al.	N/A	N/A
7644848	12/2009	Swayze et al.	N/A	N/A
7667592	12/2009	Ohyama et al.	N/A	N/A
7667839	12/2009	Bates	N/A	N/A
7670334	12/2009	Hueil et al.	N/A	N/A
7694865	12/2009	Scirica	N/A	N/A
7699772	12/2009	Pauker et al.	N/A	N/A
7699860	12/2009	Huitema et al.	N/A	N/A
7717312	12/2009	Beetel	N/A	N/A
7720306	12/2009	Gardiner et al.	N/A	N/A
7721934	12/2009	Shelton, IV et al.	N/A	N/A
7721936	12/2009	Shalton, IV et al.	N/A	N/A
7722603	12/2009	McPherson	N/A	N/A
7736357	12/2009	Lee, Jr. et al.	N/A	N/A
7742176	12/2009	Braunecker et al.	N/A	N/A
7743960	12/2009	Whitman et al.	N/A	N/A
7753245	12/2009	Boudreaux et al.	N/A	N/A
7757028	12/2009	Druke et al.	N/A	N/A
7766207	12/2009	Mather et al.	N/A	N/A
7766905	12/2009	Paterson et al.	N/A	N/A
7770773	12/2009	Whitman et al.	N/A	N/A
7771429	12/2009	Ballard et al.	N/A	N/A
7776037	12/2009	Odom	N/A	N/A
7782789	12/2009	Stultz et al.	N/A	N/A
7784663	12/2009	Shelton, IV	N/A	N/A
7803151	12/2009	Whitman	N/A	N/A
7810692	12/2009	Hall et al.	N/A	N/A
7818041	12/2009	Kim et al.	N/A	N/A
7819298	12/2009	Hall et al.	N/A	N/A
7832612	12/2009	Baxter, III et al.	N/A	N/A
7833219	12/2009	Tashiro et al.	N/A	N/A
7836085	12/2009	Petakov et al.	N/A	N/A
7837079	12/2009	Holsten et al.	N/A	N/A
7837680	12/2009	Isaacson et al.	N/A	N/A
7841980	12/2009	Minosawa et al.	N/A	N/A
7845537	12/2009	Shelton, IV et al.	N/A	N/A

7857185	12/2009	Swayze et al.	N/A	N/A
D631252	12/2010	Leslie	N/A	N/A
7862560	12/2010	Marion	N/A	N/A
7862579	12/2010	Ortiz et al.	N/A	N/A
7865236	12/2010	Cory et al.	N/A	N/A
7884735	12/2010	Newkirk	N/A	N/A
7887530	12/2010	Zemlok et al.	N/A	N/A
7892337	12/2010	Palmerton et al.	N/A	N/A
7907166	12/2010	Lamprecht et al.	N/A	N/A
7913891	12/2010	Doll et al.	N/A	N/A
7918230	12/2010	Whitman et al.	N/A	N/A
7918377	12/2010	Measamer et al.	N/A	N/A
7920706	12/2010	Asokan et al.	N/A	N/A
7922063	12/2010	Zemlok et al.	N/A	N/A
7927014	12/2010	Dehler	N/A	N/A
7932826	12/2010	Fritchie et al.	N/A	N/A
7942300	12/2010	Rethy et al.	N/A	N/A
7945065	12/2010	Menzl et al.	N/A	N/A
7945342	12/2010	Tsai et al.	N/A	N/A
7950560	12/2010	Zemlok et al.	N/A	N/A
7951148	12/2010	McClurken	N/A	N/A
7954682	12/2010	Giordano et al.	N/A	N/A
7954687	12/2010	Zemlok et al.	N/A	N/A
7955322	12/2010	Devengenzo et al.	N/A	N/A
7956620	12/2010	Gilbert	N/A	N/A
7963433	12/2010	Whitman et al.	N/A	N/A
7966269	12/2010	Bauer et al.	N/A	N/A
7967180	12/2010	Scirica	N/A	N/A
7976553	12/2010	Shelton, IV et al.	N/A	N/A
7979157	12/2010	Anvari	N/A	N/A
7980443	12/2010	Scheib et al.	N/A	N/A
7982776	12/2010	Dunki-Jacobs et al.	N/A	N/A
7988028	12/2010	Farascioni et al.	N/A	N/A
7993140	12/2010	Sakezles	N/A	N/A
7993354	12/2010	Brecher et al.	N/A	N/A
7993954	12/2010	Wieting	N/A	N/A
7995045	12/2010	Dunki-Jacobs	N/A	N/A
8005947	12/2010	Morris et al.	N/A	N/A
8007494	12/2010	Taylor et al.	N/A	N/A
8007513	12/2010	Nalagatla et al.	N/A	N/A
8010180	12/2010	Quaid et al.	N/A	N/A
8012170	12/2010	Whitman et al.	N/A	N/A
8015976	12/2010	Shah	N/A	N/A
8016855	12/2010	Whitman et al.	N/A	N/A
8019094	12/2010	Hsieh et al.	N/A	N/A
8025199	12/2010	Whitman et al.	N/A	N/A
8027710	12/2010	Dannan	N/A	N/A
8035685	12/2010	Jensen	N/A	N/A
8038686	12/2010	Huitema et al.	N/A	N/A
8038693	12/2010	Allen	N/A	N/A
8043560	12/2010	Okumoto et al.	N/A	N/A
8054184	12/2010	Cline et al.	N/A	N/A
8054752	12/2010	Druke et al.	N/A	N/A
8062306	12/2010	Nobis et al.	N/A	N/A
8062330	12/2010	Prommersberger et al.	N/A	N/A
8066721	12/2010	Kortenbach et al.	N/A	N/A
8074861	12/2010	Ehrenfels et al.	N/A	N/A
8075571	12/2010	Vitali et al.	N/A	N/A
8095327	12/2011	Tahara et al.	N/A	N/A
8096459	12/2011	Ortiz et al.	N/A	N/A
8116848	12/2011	Shahidi	N/A	N/A
8118206	12/2011	Zand et al.	N/A	N/A
8120301	12/2011	Goldberg et al.	N/A	N/A
8123764	12/2011	Meade et al.	N/A	N/A
D655678	12/2011	Kobayashi et al.	N/A	N/A
8128625	12/2011	Odom	N/A	N/A
8131565	12/2011	Dicks et al.	N/A	N/A
8136712	12/2011	Zingman	N/A	N/A
8146149	12/2011	Steinkogler et al.	N/A	N/A
D657368	12/2011	Magee et al.	N/A	N/A
8147486	12/2011	Honour et al.	N/A	N/A
8155479	12/2011	Hoffman et al.	N/A	N/A
8157145	12/2011	Shelton, IV et al.	N/A	N/A
8157150	12/2011	Viola et al.	N/A	N/A
8157151	12/2011	Ingmanson et al.	N/A	N/A

8160098	12/2011	Yan et al.	N/A	N/A
8160690	12/2011	Wilfley et al.	N/A	N/A
8161977	12/2011	Shelton, IV et al.	N/A	N/A
8170396	12/2011	Kuspa et al.	N/A	N/A
8172836	12/2011	Ward	N/A	N/A
8181839	12/2011	Beetel	N/A	N/A
8185409	12/2011	Putnam et al.	N/A	N/A
8206345	12/2011	Abboud et al.	N/A	N/A
8208707	12/2011	Mendonca et al.	N/A	N/A
8210411	12/2011	Yates et al.	N/A	N/A
8211100	12/2011	Podhajsky et al.	N/A	N/A
8214007	12/2011	Baker et al.	N/A	N/A
8216849	12/2011	Petty	N/A	N/A
8220688	12/2011	Laurent et al.	N/A	N/A
8225643	12/2011	Abboud et al.	N/A	N/A
8225979	12/2011	Farascioni et al.	N/A	N/A
8229549	12/2011	Whitman et al.	N/A	N/A
8231042	12/2011	Hessler et al.	N/A	N/A
8239066	12/2011	Jennings et al.	N/A	N/A
8241322	12/2011	Whitman et al.	N/A	N/A
8255045	12/2011	Gharib et al.	N/A	N/A
D667838	12/2011	Magee et al.	N/A	N/A
8257387	12/2011	Cunningham	N/A	N/A
8260016	12/2011	Maeda et al.	N/A	N/A
8262560	12/2011	Whitman	N/A	N/A
8292639	12/2011	Achammer et al.	N/A	N/A
8292888	12/2011	Whitman	N/A	N/A
8295902	12/2011	Salahieh et al.	N/A	N/A
8308040	12/2011	Huang et al.	N/A	N/A
8321581	12/2011	Katis et al.	N/A	N/A
8322590	12/2011	Patel et al.	N/A	N/A
8328065	12/2011	Shah	N/A	N/A
8335590	12/2011	Costa et al.	N/A	N/A
D675164	12/2012	Kobayashi et al.	N/A	N/A
8343065	12/2012	Bartol et al.	N/A	N/A
8346392	12/2012	Walser et al.	N/A	N/A
8360299	12/2012	Zemlok et al.	N/A	N/A
8364222	12/2012	Cook et al.	N/A	N/A
D676392	12/2012	Gassauer	N/A	N/A
8365975	12/2012	Manoux et al.	N/A	N/A
D678196	12/2012	Miyauchi et al.	N/A	N/A
D678304	12/2012	Yakoub et al.	N/A	N/A
8388652	12/2012	Viola	N/A	N/A
8393514	12/2012	Shelton, IV et al.	N/A	N/A
8397972	12/2012	Kostrzewski	N/A	N/A
8398541	12/2012	DiMaio et al.	N/A	N/A
8403944	12/2012	Pain et al.	N/A	N/A
8403945	12/2012	Whitfield et al.	N/A	N/A
8403946	12/2012	Whitfield et al.	N/A	N/A
8406859	12/2012	Zuzak et al.	N/A	N/A
8411034	12/2012	Boillot et al.	N/A	N/A
8413871	12/2012	Racenet et al.	N/A	N/A
8422035	12/2012	Hinderling et al.	N/A	N/A
8423182	12/2012	Robinson et al.	N/A	N/A
8428722	12/2012	Verhoef et al.	N/A	N/A
8429153	12/2012	Birdwell et al.	N/A	N/A
8439910	12/2012	Greep et al.	N/A	N/A
8444663	12/2012	Houser et al.	N/A	N/A
8452615	12/2012	Abri	N/A	N/A
8453906	12/2012	Huang et al.	N/A	N/A
8454506	12/2012	Rothman et al.	N/A	N/A
8461744	12/2012	Wiener et al.	N/A	N/A
8468030	12/2012	Stroup et al.	N/A	N/A
8469973	12/2012	Meade et al.	N/A	N/A
8472630	12/2012	Konrad et al.	N/A	N/A
8473066	12/2012	Aghassian et al.	N/A	N/A
D687146	12/2012	Juzkiw et al.	N/A	N/A
8476227	12/2012	Kaplan et al.	N/A	N/A
8478418	12/2012	Fahey	N/A	N/A
8489235	12/2012	Moll et al.	N/A	N/A
8499992	12/2012	Whitman et al.	N/A	N/A
8500728	12/2012	Newton et al.	N/A	N/A
8500756	12/2012	Papa et al.	N/A	N/A
8503759	12/2012	Greer et al.	N/A	N/A
8505801	12/2012	Ehrenfels et al.	N/A	N/A

8506478	12/2012	Mizuyoshi	N/A	N/A
8512325	12/2012	Mathonnet	N/A	N/A
8512365	12/2012	Wiener et al.	N/A	N/A
8515520	12/2012	Brunnett et al.	N/A	N/A
8517239	12/2012	Scheib et al.	N/A	N/A
8521331	12/2012	Itkowitz	N/A	N/A
8523043	12/2012	Ullrich et al.	N/A	N/A
8533475	12/2012	Frikart et al.	N/A	N/A
8535342	12/2012	Malackowski et al.	N/A	N/A
8540709	12/2012	Allen	N/A	N/A
8543240	12/2012	Itkowitz et al.	N/A	N/A
8546996	12/2012	Messerly et al.	N/A	N/A
8554697	12/2012	Claus et al.	N/A	N/A
8560047	12/2012	Haider et al.	N/A	N/A
8561870	12/2012	Baxter, III et al.	N/A	N/A
8562598	12/2012	Falkenstein et al.	N/A	N/A
8566115	12/2012	Moore	N/A	N/A
8567393	12/2012	Hickle et al.	N/A	N/A
8568411	12/2012	Falkenstein et al.	N/A	N/A
8571598	12/2012	Valavi	N/A	N/A
8573459	12/2012	Smith et al.	N/A	N/A
8573465	12/2012	Shelton, IV	N/A	N/A
8574229	12/2012	Eder et al.	N/A	N/A
8585631	12/2012	Dacquay	N/A	N/A
8585694	12/2012	Amoah et al.	N/A	N/A
8590762	12/2012	Hess et al.	N/A	N/A
8591536	12/2012	Robertson	N/A	N/A
8595607	12/2012	Nekoomaram et al.	N/A	N/A
8596513	12/2012	Olson et al.	N/A	N/A
8596515	12/2012	Okoniewski	N/A	N/A
8604709	12/2012	Jalbout et al.	N/A	N/A
8608044	12/2012	Hueil et al.	N/A	N/A
8608045	12/2012	Smith et al.	N/A	N/A
8616431	12/2012	Timm et al.	N/A	N/A
8617155	12/2012	Johnson et al.	N/A	N/A
8620055	12/2012	Barratt et al.	N/A	N/A
8620473	12/2012	Diolaiti et al.	N/A	N/A
8622275	12/2013	Baxter, III et al.	N/A	N/A
8623027	12/2013	Price et al.	N/A	N/A
8627483	12/2013	Rachlin et al.	N/A	N/A
8627993	12/2013	Smith et al.	N/A	N/A
8627995	12/2013	Smith et al.	N/A	N/A
8628518	12/2013	Blumenkranz et al.	N/A	N/A
8628545	12/2013	Cabrera et al.	N/A	N/A
8631987	12/2013	Shelton, IV et al.	N/A	N/A
8632525	12/2013	Kerr et al.	N/A	N/A
8636190	12/2013	Zemlok et al.	N/A	N/A
8636736	12/2013	Yates et al.	N/A	N/A
8641621	12/2013	Razzaque et al.	N/A	N/A
8652086	12/2013	Gerg et al.	N/A	N/A
8652121	12/2013	Quick et al.	N/A	N/A
8652128	12/2013	Ward	N/A	N/A
8657176	12/2013	Shelton, IV et al.	N/A	N/A
8657177	12/2013	Scirica et al.	N/A	N/A
8663220	12/2013	Wiener et al.	N/A	N/A
8663222	12/2013	Anderson et al.	N/A	N/A
8666544	12/2013	Moll et al.	N/A	N/A
8679114	12/2013	Chapman et al.	N/A	N/A
8682049	12/2013	Zhao et al.	N/A	N/A
8682489	12/2013	Itkowitz et al.	N/A	N/A
8685056	12/2013	Evans et al.	N/A	N/A
8688188	12/2013	Heller et al.	N/A	N/A
8690864	12/2013	Hoarau	N/A	N/A
8701962	12/2013	Kostrzewski	N/A	N/A
8708213	12/2013	Shelton, IV et al.	N/A	N/A
D704839	12/2013	Juzkiw et al.	N/A	N/A
8719061	12/2013	Birchall	N/A	N/A
8720766	12/2013	Hess et al.	N/A	N/A
8733613	12/2013	Huitema et al.	N/A	N/A
8740840	12/2013	Foley et al.	N/A	N/A
8740866	12/2013	Reasoner et al.	N/A	N/A
8747238	12/2013	Shelton, IV et al.	N/A	N/A
8752749	12/2013	Moore et al.	N/A	N/A
8757465	12/2013	Woodard, Jr. et al.	N/A	N/A
8761717	12/2013	Buchheit	N/A	N/A

8763879	12/2013	Shelton, IV et al.	N/A	N/A
8768251	12/2013	Claus et al.	N/A	N/A
8771270	12/2013	Burbank	N/A	N/A
8775196	12/2013	Simpson et al.	N/A	N/A
8779648	12/2013	Giordano et al.	N/A	N/A
8790253	12/2013	Sunagawa et al.	N/A	N/A
8794497	12/2013	Zingman	N/A	N/A
8795001	12/2013	Lam et al.	N/A	N/A
8799008	12/2013	Johnson et al.	N/A	N/A
8799009	12/2013	Mellin et al.	N/A	N/A
8800838	12/2013	Shelton, IV	N/A	N/A
8801703	12/2013	Gregg et al.	N/A	N/A
8814996	12/2013	Giurgiutiu et al.	N/A	N/A
8818556	12/2013	Sanchez et al.	N/A	N/A
8819581	12/2013	Nakamura et al.	N/A	N/A
8820603	12/2013	Shelton, IV et al.	N/A	N/A
8820607	12/2013	Marczyk	N/A	N/A
8820608	12/2013	Miyamoto	N/A	N/A
8827134	12/2013	Viola et al.	N/A	N/A
8827136	12/2013	Hessler	N/A	N/A
8840003	12/2013	Morgan et al.	N/A	N/A
D716333	12/2013	Chotin et al.	N/A	N/A
8851354	12/2013	Swensgard et al.	N/A	N/A
8852174	12/2013	Burbank	N/A	N/A
8864747	12/2013	Merchant et al.	N/A	N/A
8875973	12/2013	Whitman	N/A	N/A
8876857	12/2013	Burbank	N/A	N/A
8882662	12/2013	Charles	N/A	N/A
8885032	12/2013	Igarashi et al.	N/A	N/A
8886790	12/2013	Harrang et al.	N/A	N/A
8893946	12/2013	Boudreaux et al.	N/A	N/A
8893949	12/2013	Shelton, IV et al.	N/A	N/A
8899479	12/2013	Cappuzzo et al.	N/A	N/A
8905977	12/2013	Shelton et al.	N/A	N/A
8912746	12/2013	Reid et al.	N/A	N/A
8914098	12/2013	Brennan et al.	N/A	N/A
8917513	12/2013	Hazzard	N/A	N/A
8918207	12/2013	Prisco	N/A	N/A
8920186	12/2013	Shishikura	N/A	N/A
8920414	12/2013	Stone et al.	N/A	N/A
8920433	12/2013	Barrier et al.	N/A	N/A
8930203	12/2014	Kiaie et al.	N/A	N/A
8930214	12/2014	Woolford	N/A	N/A
8931679	12/2014	Kostrzewski	N/A	N/A
8934684	12/2014	Mohamed	N/A	N/A
8936614	12/2014	Allen, IV	N/A	N/A
8945095	12/2014	Blumenkranz et al.	N/A	N/A
8945163	12/2014	Voegele et al.	N/A	N/A
8955732	12/2014	Zemlok et al.	N/A	N/A
8956581	12/2014	Rosenbaum et al.	N/A	N/A
8960519	12/2014	Whitman et al.	N/A	N/A
8960520	12/2014	McCuen	N/A	N/A
8962062	12/2014	Podhajsky et al.	N/A	N/A
8967443	12/2014	McCuen	N/A	N/A
8967455	12/2014	Zhou	N/A	N/A
8968276	12/2014	Zemlok et al.	N/A	N/A
8968296	12/2014	McPherson	N/A	N/A
8968309	12/2014	Roy et al.	N/A	N/A
8968312	12/2014	Marczyk et al.	N/A	N/A
8968337	12/2014	Whitfield et al.	N/A	N/A
8968358	12/2014	Reschke	N/A	N/A
8974429	12/2014	Gordon et al.	N/A	N/A
8979890	12/2014	Boudreaux	N/A	N/A
8986288	12/2014	Konishi	N/A	N/A
8986302	12/2014	Aldridge et al.	N/A	N/A
8989903	12/2014	Weir et al.	N/A	N/A
8991678	12/2014	Wellman et al.	N/A	N/A
8992565	12/2014	Brisson et al.	N/A	N/A
8998797	12/2014	Omori	N/A	N/A
9002518	12/2014	Manzo et al.	N/A	N/A
9005230	12/2014	Yates et al.	N/A	N/A
9010608	12/2014	Casasanta, Jr. et al.	N/A	N/A
9010611	12/2014	Ross et al.	N/A	N/A
9011366	12/2014	Dean et al.	N/A	N/A
9011427	12/2014	Price et al.	N/A	N/A

9016539	12/2014	Kostrzewski et al.	N/A	N/A
9017326	12/2014	DiNardo et al.	N/A	N/A
9020240	12/2014	Pettersson et al.	N/A	N/A
D729267	12/2014	Yoo et al.	N/A	N/A
9023032	12/2014	Robinson	N/A	N/A
9023071	12/2014	Miller et al.	N/A	N/A
9023079	12/2014	Boulnois et al.	N/A	N/A
9027431	12/2014	Tang et al.	N/A	N/A
9028494	12/2014	Shelton, IV et al.	N/A	N/A
9033973	12/2014	Krapohl et al.	N/A	N/A
9035568	12/2014	Ganton et al.	N/A	N/A
9038882	12/2014	Racenet et al.	N/A	N/A
9043027	12/2014	Durant et al.	N/A	N/A
9044227	12/2014	Shelton, IV et al.	N/A	N/A
9044244	12/2014	Ludwin et al.	N/A	N/A
9044261	12/2014	Houser	N/A	N/A
9050063	12/2014	Roe et al.	N/A	N/A
9050083	12/2014	Yates et al.	N/A	N/A
9050120	12/2014	Swarup et al.	N/A	N/A
9052809	12/2014	Vesto	N/A	N/A
9055035	12/2014	Porsch et al.	N/A	N/A
9055870	12/2014	Meador et al.	N/A	N/A
9060770	12/2014	Shelton, IV et al.	N/A	N/A
9060775	12/2014	Wiener et al.	N/A	N/A
9066650	12/2014	Sekiguchi	N/A	N/A
9072523	12/2014	Houser et al.	N/A	N/A
9072535	12/2014	Shelton, IV et al.	N/A	N/A
9072536	12/2014	Shelton, IV et al.	N/A	N/A
9078653	12/2014	Leimbach et al.	N/A	N/A
9078727	12/2014	Miller	N/A	N/A
9084606	12/2014	Greep	N/A	N/A
9089360	12/2014	Messerly et al.	N/A	N/A
9095362	12/2014	Dachs, II et al.	N/A	N/A
9095367	12/2014	Olson et al.	N/A	N/A
9099863	12/2014	Smith et al.	N/A	N/A
9101358	12/2014	Kerr et al.	N/A	N/A
9101359	12/2014	Smith et al.	N/A	N/A
9101374	12/2014	Hoch et al.	N/A	N/A
9106270	12/2014	Puterbaugh et al.	N/A	N/A
9107573	12/2014	Birnkrant	N/A	N/A
9107662	12/2014	Kostrzewski	N/A	N/A
9107684	12/2014	Ma	N/A	N/A
9107688	12/2014	Kimball et al.	N/A	N/A
9107689	12/2014	Robertson et al.	N/A	N/A
9107694	12/2014	Hendriks et al.	N/A	N/A
9111548	12/2014	Nandy et al.	N/A	N/A
9113880	12/2014	Zemlok et al.	N/A	N/A
9114494	12/2014	Mah	N/A	N/A
9116597	12/2014	Gulasky	N/A	N/A
9119617	12/2014	Souls et al.	N/A	N/A
9119655	12/2014	Bowling et al.	N/A	N/A
9119657	12/2014	Shelton, IV et al.	N/A	N/A
9123155	12/2014	Cunningham et al.	N/A	N/A
9125644	12/2014	Lane et al.	N/A	N/A
9129054	12/2014	Nawana et al.	N/A	N/A
9131957	12/2014	Skarbnik et al.	N/A	N/A
9137254	12/2014	Bilbrey et al.	N/A	N/A
9138129	12/2014	Diolaiti	N/A	N/A
9138225	12/2014	Huang et al.	N/A	N/A
9141758	12/2014	Kress et al.	N/A	N/A
9149322	12/2014	Knowlton	N/A	N/A
9155503	12/2014	Cadwell	N/A	N/A
9160853	12/2014	Daddi et al.	N/A	N/A
9161803	12/2014	Yates et al.	N/A	N/A
9168054	12/2014	Turner et al.	N/A	N/A
9168091	12/2014	Janssen et al.	N/A	N/A
9168104	12/2014	Dein	N/A	N/A
9179912	12/2014	Yates et al.	N/A	N/A
9183723	12/2014	Sherman et al.	N/A	N/A
9186143	12/2014	Timm et al.	N/A	N/A
9192375	12/2014	Skinlo et al.	N/A	N/A
9192447	12/2014	Choi et al.	N/A	N/A
9192707	12/2014	Gerber et al.	N/A	N/A
9198711	12/2014	Joseph	N/A	N/A
9198835	12/2014	Swisher et al.	N/A	N/A

9202078	12/2014	Abuelsaad et al.	N/A	N/A
9204830	12/2014	Zand et al.	N/A	N/A
9204879	12/2014	Shelton, IV	N/A	N/A
9204995	12/2014	Scheller et al.	N/A	N/A
9211120	12/2014	Scheib et al.	N/A	N/A
9216062	12/2014	Duque et al.	N/A	N/A
9218053	12/2014	Komuro et al.	N/A	N/A
9220502	12/2014	Zemlok et al.	N/A	N/A
9220505	12/2014	Vasudevan et al.	N/A	N/A
9226689	12/2015	Jacobsen et al.	N/A	N/A
9226751	12/2015	Shelton, IV et al.	N/A	N/A
9226766	12/2015	Aldridge et al.	N/A	N/A
9226767	12/2015	Stulen et al.	N/A	N/A
9226791	12/2015	McCarthy et al.	N/A	N/A
9232883	12/2015	Ozawa et al.	N/A	N/A
9237891	12/2015	Shelton, IV	N/A	N/A
9237921	12/2015	Messerly et al.	N/A	N/A
9241728	12/2015	Price et al.	N/A	N/A
9241730	12/2015	Babaev	N/A	N/A
9241731	12/2015	Boudreaux et al.	N/A	N/A
9247996	12/2015	Merana et al.	N/A	N/A
9250172	12/2015	Harris et al.	N/A	N/A
9255907	12/2015	Heanue et al.	N/A	N/A
9259282	12/2015	Azizian et al.	N/A	N/A
9265429	12/2015	St. Pierre et al.	N/A	N/A
9265585	12/2015	Wingardner et al.	N/A	N/A
9265959	12/2015	Drew et al.	N/A	N/A
9272406	12/2015	Aronhalt et al.	N/A	N/A
9277956	12/2015	Zhang	N/A	N/A
9277961	12/2015	Panescu et al.	N/A	N/A
9277969	12/2015	Brannan et al.	N/A	N/A
9280884	12/2015	Schultz et al.	N/A	N/A
9282962	12/2015	Schmid et al.	N/A	N/A
9282974	12/2015	Shelton, IV	N/A	N/A
9283045	12/2015	Rhee et al.	N/A	N/A
9283054	12/2015	Morgan et al.	N/A	N/A
9289211	12/2015	Williams et al.	N/A	N/A
9289212	12/2015	Shelton, IV et al.	N/A	N/A
9295514	12/2015	Shelton, IV et al.	N/A	N/A
9299138	12/2015	Zellner et al.	N/A	N/A
9301691	12/2015	Hufnagel et al.	N/A	N/A
9301753	12/2015	Aldridge et al.	N/A	N/A
9301755	12/2015	Shelton, IV et al.	N/A	N/A
9301759	12/2015	Spivey et al.	N/A	N/A
9301810	12/2015	Amiri et al.	N/A	N/A
9302213	12/2015	Manahan et al.	N/A	N/A
9307894	12/2015	Grunberg et al.	N/A	N/A
9307914	12/2015	Fahey	N/A	N/A
9307986	12/2015	Hall et al.	N/A	N/A
9314246	12/2015	Shelton, IV et al.	N/A	N/A
9314308	12/2015	Parihar et al.	N/A	N/A
9320563	12/2015	Brustad et al.	N/A	N/A
9325732	12/2015	Stickle et al.	N/A	N/A
9326767	12/2015	Koch, Jr. et al.	N/A	N/A
9326770	12/2015	Shelton, IV et al.	N/A	N/A
9331422	12/2015	Nazzaro et al.	N/A	N/A
9332987	12/2015	Leimbach et al.	N/A	N/A
9333042	12/2015	Diolaiti et al.	N/A	N/A
9336385	12/2015	Spencer et al.	N/A	N/A
9341704	12/2015	Picard et al.	N/A	N/A
9345481	12/2015	Hall et al.	N/A	N/A
9345490	12/2015	Ippisch	N/A	N/A
9345544	12/2015	Hourtash et al.	N/A	N/A
9345546	12/2015	Toth et al.	N/A	N/A
9345900	12/2015	Wu et al.	N/A	N/A
9351726	12/2015	Leimbach et al.	N/A	N/A
9351727	12/2015	Leimbach et al.	N/A	N/A
9358003	12/2015	Hall et al.	N/A	N/A
9358685	12/2015	Meier et al.	N/A	N/A
9360449	12/2015	Duric	N/A	N/A
9364200	12/2015	Whitman et al.	N/A	N/A
9364230	12/2015	Shelton, IV et al.	N/A	N/A
9364231	12/2015	Wenchell	N/A	N/A
9364249	12/2015	Kimball et al.	N/A	N/A
9364294	12/2015	Razzaque et al.	N/A	N/A

9370400	12/2015	Parihar	N/A	N/A
9375282	12/2015	Nau, Jr. et al.	N/A	N/A
9375539	12/2015	Stearns et al.	N/A	N/A
9381003	12/2015	Todor et al.	N/A	N/A
9381058	12/2015	Houser et al.	N/A	N/A
9386984	12/2015	Aronhalt et al.	N/A	N/A
9386988	12/2015	Baxter et al.	N/A	N/A
9387295	12/2015	Mastri et al.	N/A	N/A
9393017	12/2015	Flanagan et al.	N/A	N/A
9393037	12/2015	Olson et al.	N/A	N/A
9398905	12/2015	Martin	N/A	N/A
9398911	12/2015	Auld	N/A	N/A
9402629	12/2015	Ehrenfels et al.	N/A	N/A
9404868	12/2015	Yamanaka et al.	N/A	N/A
9414776	12/2015	Sillay et al.	N/A	N/A
9414940	12/2015	Stein et al.	N/A	N/A
9419018	12/2015	Sasagawa et al.	N/A	N/A
9421014	12/2015	Ingmanson et al.	N/A	N/A
9433470	12/2015	Choi	N/A	N/A
9439622	12/2015	Case et al.	N/A	N/A
9439668	12/2015	Timm et al.	N/A	N/A
9439736	12/2015	Olson	N/A	N/A
9445764	12/2015	Gross et al.	N/A	N/A
9445813	12/2015	Shelton, IV et al.	N/A	N/A
9450701	12/2015	Do et al.	N/A	N/A
9451949	12/2015	Gorek et al.	N/A	N/A
9451958	12/2015	Shelton, IV et al.	N/A	N/A
9463022	12/2015	Swayze et al.	N/A	N/A
9463646	12/2015	Payne et al.	N/A	N/A
9468438	12/2015	Baber et al.	N/A	N/A
9474565	12/2015	Shikhman et al.	N/A	N/A
D772252	12/2015	Myers et al.	N/A	N/A
9480492	12/2015	Aranyi et al.	N/A	N/A
9485475	12/2015	Speier et al.	N/A	N/A
9486271	12/2015	Dunning	N/A	N/A
9492146	12/2015	Kostrzewski et al.	N/A	N/A
9492237	12/2015	Kang et al.	N/A	N/A
9493807	12/2015	Little et al.	N/A	N/A
9498182	12/2015	Case et al.	N/A	N/A
9498215	12/2015	Duque et al.	N/A	N/A
9498219	12/2015	Moore et al.	N/A	N/A
9498231	12/2015	Haider et al.	N/A	N/A
9498279	12/2015	Artale et al.	N/A	N/A
9498291	12/2015	Balaji et al.	N/A	N/A
9509566	12/2015	Chu et al.	N/A	N/A
9516239	12/2015	Blanquart et al.	N/A	N/A
9519753	12/2015	Gerdeman et al.	N/A	N/A
9522003	12/2015	Weir et al.	N/A	N/A
9526407	12/2015	Hoeg et al.	N/A	N/A
9526499	12/2015	Kostrzewski et al.	N/A	N/A
9526580	12/2015	Humayun et al.	N/A	N/A
9526587	12/2015	Zhao et al.	N/A	N/A
9532827	12/2016	Morgan et al.	N/A	N/A
9532845	12/2016	Dossett et al.	N/A	N/A
9539007	12/2016	Dhakad et al.	N/A	N/A
9539020	12/2016	Conlon et al.	N/A	N/A
9542481	12/2016	Halter et al.	N/A	N/A
9545216	12/2016	D'Angelo et al.	N/A	N/A
9546662	12/2016	Shener-Irmakoglu et al.	N/A	N/A
9549781	12/2016	He et al.	N/A	N/A
9554692	12/2016	Levy	N/A	N/A
9554794	12/2016	Baber et al.	N/A	N/A
9554854	12/2016	Yates et al.	N/A	N/A
9561038	12/2016	Shelton, IV et al.	N/A	N/A
9561045	12/2016	Hinman et al.	N/A	N/A
9561082	12/2016	Yen et al.	N/A	N/A
9561982	12/2016	Enicks et al.	N/A	N/A
9566708	12/2016	Kurnianto	N/A	N/A
9572592	12/2016	Price et al.	N/A	N/A
9579099	12/2016	Penna et al.	N/A	N/A
9579503	12/2016	McKinney et al.	N/A	N/A
9585657	12/2016	Shelton, IV et al.	N/A	N/A
9585658	12/2016	Shelton, IV	N/A	N/A
9592095	12/2016	Panescu et al.	N/A	N/A
9597081	12/2016	Swayze et al.	N/A	N/A

9600031	12/2016	Kaneko et al.	N/A	N/A
9600138	12/2016	Thomas et al.	N/A	N/A
9603024	12/2016	Wang et al.	N/A	N/A
9603277	12/2016	Morgan et al.	N/A	N/A
9603609	12/2016	Kawashima et al.	N/A	N/A
D783675	12/2016	Yagisawa et al.	N/A	N/A
D784270	12/2016	Bhattacharya	N/A	N/A
9610114	12/2016	Baxter et al.	N/A	N/A
9610412	12/2016	Zemlok et al.	N/A	N/A
9615877	12/2016	Tyrrell et al.	N/A	N/A
9622684	12/2016	Wybo	N/A	N/A
9622808	12/2016	Beller et al.	N/A	N/A
9628501	12/2016	Datta Ray et al.	N/A	N/A
9629560	12/2016	Joseph	N/A	N/A
9629623	12/2016	Lytle, IV et al.	N/A	N/A
9629628	12/2016	Aranyi	N/A	N/A
9629629	12/2016	Leimbach et al.	N/A	N/A
9630318	12/2016	Ibarz Gabardos et al.	N/A	N/A
9636096	12/2016	Heaton, II et al.	N/A	N/A
9636112	12/2016	Penna et al.	N/A	N/A
9636188	12/2016	Gattani et al.	N/A	N/A
9636239	12/2016	Durand et al.	N/A	N/A
9636825	12/2016	Penn et al.	N/A	N/A
9641596	12/2016	Unagami et al.	N/A	N/A
9641815	12/2016	Richardson et al.	N/A	N/A
9642620	12/2016	Baxter, III et al.	N/A	N/A
9643022	12/2016	Mashiach et al.	N/A	N/A
9649089	12/2016	Smith et al.	N/A	N/A
9649110	12/2016	Parihar et al.	N/A	N/A
9649111	12/2016	Shelton, IV et al.	N/A	N/A
9649126	12/2016	Robertson et al.	N/A	N/A
9649169	12/2016	Cinquin et al.	N/A	N/A
9652655	12/2016	Satish et al.	N/A	N/A
9655614	12/2016	Swensgard et al.	N/A	N/A
9655616	12/2016	Aranyi	N/A	N/A
9656092	12/2016	Golden	N/A	N/A
9662104	12/2016	Nobles et al.	N/A	N/A
9662116	12/2016	Smith et al.	N/A	N/A
9662177	12/2016	Weir et al.	N/A	N/A
9668729	12/2016	Williams et al.	N/A	N/A
9668732	12/2016	Patel et al.	N/A	N/A
9668765	12/2016	Grace et al.	N/A	N/A
9671860	12/2016	Ogawa et al.	N/A	N/A
9675264	12/2016	Acquista et al.	N/A	N/A
9675354	12/2016	Weir et al.	N/A	N/A
9681870	12/2016	Baxter, III et al.	N/A	N/A
9686306	12/2016	Chizeck et al.	N/A	N/A
9687230	12/2016	Leimbach et al.	N/A	N/A
9690362	12/2016	Leimbach et al.	N/A	N/A
9700292	12/2016	Nawana et al.	N/A	N/A
9700309	12/2016	Jaworek et al.	N/A	N/A
9700312	12/2016	Kostrzewski et al.	N/A	N/A
9700320	12/2016	Dinardo et al.	N/A	N/A
9706993	12/2016	Hessler et al.	N/A	N/A
9710214	12/2016	Lin et al.	N/A	N/A
9710644	12/2016	Reybok et al.	N/A	N/A
9713424	12/2016	Spaide	N/A	N/A
9713503	12/2016	Goldschmidt	N/A	N/A
9717141	12/2016	Tegg	N/A	N/A
9717498	12/2016	Aranyi et al.	N/A	N/A
9717525	12/2016	Ahluwalia et al.	N/A	N/A
9717548	12/2016	Couture	N/A	N/A
9724094	12/2016	Baber et al.	N/A	N/A
9724100	12/2016	Scheib et al.	N/A	N/A
9724118	12/2016	Schulte et al.	N/A	N/A
9733663	12/2016	Leimbach et al.	N/A	N/A
9737301	12/2016	Baber et al.	N/A	N/A
9737310	12/2016	Whitfield et al.	N/A	N/A
9737335	12/2016	Butler et al.	N/A	N/A
9737355	12/2016	Yates et al.	N/A	N/A
9737371	12/2016	Romo et al.	N/A	N/A
9740826	12/2016	Raghavan et al.	N/A	N/A
9743016	12/2016	Nestares et al.	N/A	N/A
9743929	12/2016	Leimbach et al.	N/A	N/A
9743946	12/2016	Faller et al.	N/A	N/A

9743947	12/2016	Price et al.	N/A	N/A
9750499	12/2016	Leimbach et al.	N/A	N/A
9750500	12/2016	Malkowski	N/A	N/A
9750522	12/2016	Scheib et al.	N/A	N/A
9750523	12/2016	Tsubuku	N/A	N/A
9750560	12/2016	Ballakur et al.	N/A	N/A
9750563	12/2016	Shikhman et al.	N/A	N/A
9753135	12/2016	Bosch	N/A	N/A
9753568	12/2016	McMillen	N/A	N/A
9757126	12/2016	Cappola	N/A	N/A
9757128	12/2016	Baber et al.	N/A	N/A
9757142	12/2016	Shimizu	N/A	N/A
9757152	12/2016	Ogilvie et al.	N/A	N/A
9763741	12/2016	Alvarez et al.	N/A	N/A
9764164	12/2016	Wiener et al.	N/A	N/A
9770541	12/2016	Carr et al.	N/A	N/A
9775611	12/2016	Kostrzewski	N/A	N/A
9775623	12/2016	Zammataro et al.	N/A	N/A
9777913	12/2016	Talbert et al.	N/A	N/A
9782164	12/2016	Mumaw et al.	N/A	N/A
9782169	12/2016	Kimsey et al.	N/A	N/A
9782212	12/2016	Wham et al.	N/A	N/A
9782214	12/2016	Houser et al.	N/A	N/A
9788835	12/2016	Morgan et al.	N/A	N/A
9788836	12/2016	Overmyer et al.	N/A	N/A
9788851	12/2016	Dannaher et al.	N/A	N/A
9788902	12/2016	Inoue et al.	N/A	N/A
9788907	12/2016	Alvi et al.	N/A	N/A
9795436	12/2016	Yates et al.	N/A	N/A
9797486	12/2016	Zergiebel et al.	N/A	N/A
9801531	12/2016	Morita et al.	N/A	N/A
9801626	12/2016	Parihar et al.	N/A	N/A
9801627	12/2016	Harris et al.	N/A	N/A
9801679	12/2016	Trees et al.	N/A	N/A
9802033	12/2016	Hibner et al.	N/A	N/A
9804618	12/2016	Leimbach et al.	N/A	N/A
9805472	12/2016	Chou et al.	N/A	N/A
9808244	12/2016	Leimbach et al.	N/A	N/A
9808245	12/2016	Richard et al.	N/A	N/A
9808246	12/2016	Shelton, IV et al.	N/A	N/A
9808248	12/2016	Hoffman	N/A	N/A
9808249	12/2016	Shelton, IV	N/A	N/A
9808305	12/2016	Hareyama et al.	N/A	N/A
9814457	12/2016	Martin et al.	N/A	N/A
9814460	12/2016	Kimsey et al.	N/A	N/A
9814462	12/2016	Woodard, Jr. et al.	N/A	N/A
9814463	12/2016	Williams et al.	N/A	N/A
9820699	12/2016	Bingley et al.	N/A	N/A
9820738	12/2016	Lytle, IV et al.	N/A	N/A
9820741	12/2016	Kostrzewski	N/A	N/A
9820768	12/2016	Gee et al.	N/A	N/A
9826976	12/2016	Parihar et al.	N/A	N/A
9826977	12/2016	Leimbach et al.	N/A	N/A
9827054	12/2016	Richmond et al.	N/A	N/A
9827059	12/2016	Robinson et al.	N/A	N/A
9830424	12/2016	Dixon et al.	N/A	N/A
9833241	12/2016	Huitema et al.	N/A	N/A
9833254	12/2016	Barral et al.	N/A	N/A
9839419	12/2016	Deck et al.	N/A	N/A
9839424	12/2016	Zergiebel et al.	N/A	N/A
9839428	12/2016	Baxter, III et al.	N/A	N/A
9839467	12/2016	Harper et al.	N/A	N/A
9839470	12/2016	Gilbert et al.	N/A	N/A
9839487	12/2016	Dachs, II	N/A	N/A
9844321	12/2016	Ekvall et al.	N/A	N/A
9844368	12/2016	Boudreaux et al.	N/A	N/A
9844369	12/2016	Huitema et al.	N/A	N/A
9844374	12/2016	Lytle, IV et al.	N/A	N/A
9844375	12/2016	Overmyer et al.	N/A	N/A
9844376	12/2016	Baxter, III et al.	N/A	N/A
9844379	12/2016	Shelton, IV et al.	N/A	N/A
9848058	12/2016	Johnson et al.	N/A	N/A
9848877	12/2016	Shelton, IV et al.	N/A	N/A
9861354	12/2017	Saliman et al.	N/A	N/A
9861363	12/2017	Chen et al.	N/A	N/A

9861428	12/2017	Trees et al.	N/A	N/A
9864839	12/2017	Baym et al.	N/A	N/A
9867612	12/2017	Parihar et al.	N/A	N/A
9867651	12/2017	Wham	N/A	N/A
9867670	12/2017	Brannan et al.	N/A	N/A
9867914	12/2017	Bonano et al.	N/A	N/A
9872609	12/2017	Levy	N/A	N/A
9872683	12/2017	Hopkins et al.	N/A	N/A
9877718	12/2017	Weir et al.	N/A	N/A
9877721	12/2017	Schellin et al.	N/A	N/A
9883860	12/2017	Leimbach et al.	N/A	N/A
9888864	12/2017	Rondoni et al.	N/A	N/A
9888914	12/2017	Martin et al.	N/A	N/A
9888919	12/2017	Leimbach et al.	N/A	N/A
9888921	12/2017	Williams et al.	N/A	N/A
9888975	12/2017	Auld	N/A	N/A
9895148	12/2017	Shelton, IV et al.	N/A	N/A
9900787	12/2017	Ou	N/A	N/A
9901342	12/2017	Shelton, IV et al.	N/A	N/A
9901406	12/2017	State et al.	N/A	N/A
9901411	12/2017	Gombert et al.	N/A	N/A
9905000	12/2017	Chou et al.	N/A	N/A
9907196	12/2017	Susini et al.	N/A	N/A
9907550	12/2017	Sniffin et al.	N/A	N/A
9913642	12/2017	Leimbach et al.	N/A	N/A
9913645	12/2017	Zerkle et al.	N/A	N/A
9918326	12/2017	Gilson et al.	N/A	N/A
9918730	12/2017	Trees et al.	N/A	N/A
9918778	12/2017	Walberg et al.	N/A	N/A
9918788	12/2017	Paul et al.	N/A	N/A
9922304	12/2017	DeBusk et al.	N/A	N/A
9924941	12/2017	Burbank	N/A	N/A
9924944	12/2017	Shelton, IV et al.	N/A	N/A
9924961	12/2017	Shelton, IV et al.	N/A	N/A
9931040	12/2017	Homyk et al.	N/A	N/A
9931118	12/2017	Shelton, IV et al.	N/A	N/A
9931124	12/2017	Gokharu	N/A	N/A
9936863	12/2017	Tesar	N/A	N/A
9936942	12/2017	Chin et al.	N/A	N/A
9936955	12/2017	Miller et al.	N/A	N/A
9936961	12/2017	Chien et al.	N/A	N/A
9937012	12/2017	Hares et al.	N/A	N/A
9937014	12/2017	Bowling et al.	N/A	N/A
9937626	12/2017	Rockrohr	N/A	N/A
9938972	12/2017	Walley	N/A	N/A
9943230	12/2017	Kaku et al.	N/A	N/A
9943309	12/2017	Shelton, IV et al.	N/A	N/A
9943312	12/2017	Posada et al.	N/A	N/A
9943377	12/2017	Yates et al.	N/A	N/A
9943379	12/2017	Gregg et al.	N/A	N/A
9943918	12/2017	Grogan et al.	N/A	N/A
9943964	12/2017	Hares	N/A	N/A
9949785	12/2017	Price et al.	N/A	N/A
9962157	12/2017	Sapre	N/A	N/A
9968355	12/2017	Shelton, IV et al.	N/A	N/A
9974595	12/2017	Anderson et al.	N/A	N/A
9976259	12/2017	Tan et al.	N/A	N/A
9980140	12/2017	Spencer et al.	N/A	N/A
9980769	12/2017	Trees et al.	N/A	N/A
9980778	12/2017	Ohline et al.	N/A	N/A
9987000	12/2017	Shelton, IV et al.	N/A	N/A
9987068	12/2017	Anderson et al.	N/A	N/A
9987072	12/2017	McPherson	N/A	N/A
9990856	12/2017	Kuchenbecker et al.	N/A	N/A
9993248	12/2017	Shelton, IV et al.	N/A	N/A
9993258	12/2017	Shelton, IV et al.	N/A	N/A
9993305	12/2017	Andersson	N/A	N/A
10004491	12/2017	Martin et al.	N/A	N/A
10004497	12/2017	Overmyer et al.	N/A	N/A
10004500	12/2017	Shelton, IV et al.	N/A	N/A
10004501	12/2017	Shelton, IV et al.	N/A	N/A
10004527	12/2017	Gee et al.	N/A	N/A
10004557	12/2017	Gross	N/A	N/A
D822206	12/2017	Shelton, IV et al.	N/A	N/A
10010322	12/2017	Shelton, IV et al.	N/A	N/A

10010324	12/2017	Huitema et al.	N/A	N/A
10013049	12/2017	Leimbach et al.	N/A	N/A
10016199	12/2017	Baber et al.	N/A	N/A
10016538	12/2017	Locke et al.	N/A	N/A
10021318	12/2017	Hugosson et al.	N/A	N/A
10022090	12/2017	Whitman	N/A	N/A
10022120	12/2017	Martin et al.	N/A	N/A
10022391	12/2017	Ruderman Chen et al.	N/A	N/A
10022568	12/2017	Messerly et al.	N/A	N/A
10028402	12/2017	Walker	N/A	N/A
10028744	12/2017	Shelton, IV et al.	N/A	N/A
10028761	12/2017	Leimbach et al.	N/A	N/A
10028788	12/2017	Kang	N/A	N/A
10034704	12/2017	Asher et al.	N/A	N/A
10037641	12/2017	Hyde et al.	N/A	N/A
10037715	12/2017	Toly et al.	N/A	N/A
D826405	12/2017	Shelton, IV et al.	N/A	N/A
10039546	12/2017	Williams et al.	N/A	N/A
10039564	12/2017	Hibner et al.	N/A	N/A
10039565	12/2017	Vezzu	N/A	N/A
10039589	12/2017	Virshek et al.	N/A	N/A
10041822	12/2017	Zemlok	N/A	N/A
10044791	12/2017	Kamen et al.	N/A	N/A
10045704	12/2017	Fagin et al.	N/A	N/A
10045776	12/2017	Shelton, IV et al.	N/A	N/A
10045779	12/2017	Savage et al.	N/A	N/A
10045781	12/2017	Cropper et al.	N/A	N/A
10045782	12/2017	Murthy Aravalli	N/A	N/A
10045813	12/2017	Mueller	N/A	N/A
10048379	12/2017	Markendorf et al.	N/A	N/A
10052044	12/2017	Shelton, IV et al.	N/A	N/A
10052102	12/2017	Baxter, III et al.	N/A	N/A
10052104	12/2017	Shelton, IV et al.	N/A	N/A
10052147	12/2017	Merschon et al.	N/A	N/A
10054441	12/2017	Schorr et al.	N/A	N/A
10058393	12/2017	Bonutti et al.	N/A	N/A
10069633	12/2017	Gulati et al.	N/A	N/A
10076326	12/2017	Yates et al.	N/A	N/A
10080618	12/2017	Marshall et al.	N/A	N/A
10084833	12/2017	McDonnell et al.	N/A	N/A
D831209	12/2017	Huitema et al.	N/A	N/A
10085748	12/2017	Morgan et al.	N/A	N/A
10085749	12/2017	Cappola et al.	N/A	N/A
10092355	12/2017	Hannaford et al.	N/A	N/A
10095942	12/2017	Mentese et al.	N/A	N/A
10097578	12/2017	Baldonado et al.	N/A	N/A
10098527	12/2017	Weisenburgh, II et al.	N/A	N/A
10098635	12/2017	Burbank	N/A	N/A
10098642	12/2017	Baxter, III et al.	N/A	N/A
10098705	12/2017	Brisson et al.	N/A	N/A
10102926	12/2017	Leonardi	N/A	N/A
10105140	12/2017	Malinouskas et al.	N/A	N/A
10105142	12/2017	Baxter, III et al.	N/A	N/A
10105470	12/2017	Reasoner et al.	N/A	N/A
10111658	12/2017	Chowaniec et al.	N/A	N/A
10111665	12/2017	Aranyi et al.	N/A	N/A
10111679	12/2017	Baber et al.	N/A	N/A
10111703	12/2017	Cosman, Jr. et al.	N/A	N/A
D834541	12/2017	You et al.	N/A	N/A
10117649	12/2017	Baxter, III et al.	N/A	N/A
10117651	12/2017	Whitman et al.	N/A	N/A
10117702	12/2017	Danziger et al.	N/A	N/A
10118119	12/2017	Sappok et al.	N/A	N/A
10130359	12/2017	Hess et al.	N/A	N/A
10130360	12/2017	Olson et al.	N/A	N/A
10130361	12/2017	Yates et al.	N/A	N/A
10130367	12/2017	Cappola et al.	N/A	N/A
10130373	12/2017	Castro et al.	N/A	N/A
10130432	12/2017	Auld et al.	N/A	N/A
10133248	12/2017	Fitzsimmons et al.	N/A	N/A
10135242	12/2017	Baber et al.	N/A	N/A
10136246	12/2017	Yamada	N/A	N/A
10136887	12/2017	Shelton, IV et al.	N/A	N/A
10136891	12/2017	Shelton, IV et al.	N/A	N/A
10136949	12/2017	Felder et al.	N/A	N/A

10136954	12/2017	Johnson et al.	N/A	N/A
10137245	12/2017	Melker et al.	N/A	N/A
10143526	12/2017	Walker et al.	N/A	N/A
10143948	12/2017	Bonifas et al.	N/A	N/A
10147148	12/2017	Wu et al.	N/A	N/A
10149680	12/2017	Parihar et al.	N/A	N/A
10152789	12/2017	Carnes et al.	N/A	N/A
10154841	12/2017	Weaner et al.	N/A	N/A
10159044	12/2017	Hrabak	N/A	N/A
10159481	12/2017	Whitman et al.	N/A	N/A
10159483	12/2017	Beckman et al.	N/A	N/A
10164466	12/2017	Calderoni	N/A	N/A
10166025	12/2018	Leimbach et al.	N/A	N/A
10166061	12/2018	Berry et al.	N/A	N/A
10169862	12/2018	Andre et al.	N/A	N/A
10172618	12/2018	Shelton, IV et al.	N/A	N/A
10172687	12/2018	Garbus et al.	N/A	N/A
10175096	12/2018	Dickerson	N/A	N/A
10175127	12/2018	Collins et al.	N/A	N/A
10178992	12/2018	Wise et al.	N/A	N/A
10179413	12/2018	Rockrohr	N/A	N/A
10180463	12/2018	Beckman et al.	N/A	N/A
10182814	12/2018	Okoniewski	N/A	N/A
10182816	12/2018	Shelton, IV et al.	N/A	N/A
10182818	12/2018	Hensel et al.	N/A	N/A
10187742	12/2018	Dor et al.	N/A	N/A
10188385	12/2018	Kerr et al.	N/A	N/A
10189157	12/2018	Schlegel et al.	N/A	N/A
10190888	12/2018	Hryb et al.	N/A	N/A
10194891	12/2018	Jeong et al.	N/A	N/A
10194907	12/2018	Marczyk et al.	N/A	N/A
10194913	12/2018	Nalagatla et al.	N/A	N/A
10194972	12/2018	Yates et al.	N/A	N/A
10197803	12/2018	Badiali et al.	N/A	N/A
10198965	12/2018	Hart	N/A	N/A
10201311	12/2018	Chou et al.	N/A	N/A
10201349	12/2018	Leimbach et al.	N/A	N/A
10201364	12/2018	Leimbach et al.	N/A	N/A
10201365	12/2018	Boudreaux et al.	N/A	N/A
10205708	12/2018	Fletcher et al.	N/A	N/A
10206605	12/2018	Shelton, IV et al.	N/A	N/A
10206752	12/2018	Hares et al.	N/A	N/A
10213201	12/2018	Shelton, IV et al.	N/A	N/A
10213203	12/2018	Swayze et al.	N/A	N/A
10213266	12/2018	Zemlok et al.	N/A	N/A
10213268	12/2018	Dachs, II	N/A	N/A
10219491	12/2018	Stiles, Jr. et al.	N/A	N/A
10220522	12/2018	Rockrohr	N/A	N/A
10222750	12/2018	Bang et al.	N/A	N/A
10226249	12/2018	Jaworek et al.	N/A	N/A
10226250	12/2018	Beckman et al.	N/A	N/A
10226254	12/2018	Cabrera et al.	N/A	N/A
10226302	12/2018	Lacal et al.	N/A	N/A
10231634	12/2018	Zand et al.	N/A	N/A
10231733	12/2018	Ehrenfels et al.	N/A	N/A
10231775	12/2018	Shelton, IV et al.	N/A	N/A
10238413	12/2018	Hibner et al.	N/A	N/A
10245027	12/2018	Shelton, IV et al.	N/A	N/A
10245028	12/2018	Shelton, IV et al.	N/A	N/A
10245029	12/2018	Hunter et al.	N/A	N/A
10245030	12/2018	Hunter et al.	N/A	N/A
10245033	12/2018	Overmyer et al.	N/A	N/A
10245037	12/2018	Conklin et al.	N/A	N/A
10245038	12/2018	Hopkins et al.	N/A	N/A
10245040	12/2018	Milliman	N/A	N/A
10251661	12/2018	Collings et al.	N/A	N/A
10251725	12/2018	Valentine et al.	N/A	N/A
10255995	12/2018	Ingmanson	N/A	N/A
10258331	12/2018	Shelton, IV et al.	N/A	N/A
10258359	12/2018	Kapadia	N/A	N/A
10258362	12/2018	Conlon	N/A	N/A
10258363	12/2018	Worrell et al.	N/A	N/A
10258415	12/2018	Harrah et al.	N/A	N/A
10258418	12/2018	Shelton, IV et al.	N/A	N/A
10258425	12/2018	Mustufa et al.	N/A	N/A

10263171	12/2018	Wiener et al.	N/A	N/A
10265004	12/2018	Yamaguchi et al.	N/A	N/A
10265035	12/2018	Fehre et al.	N/A	N/A
10265066	12/2018	Measamer et al.	N/A	N/A
10265068	12/2018	Harris et al.	N/A	N/A
10265072	12/2018	Shelton, IV et al.	N/A	N/A
10265090	12/2018	Ingmanson et al.	N/A	N/A
10265130	12/2018	Hess et al.	N/A	N/A
10271840	12/2018	Sapre	N/A	N/A
10271844	12/2018	Valentine et al.	N/A	N/A
10271846	12/2018	Shelton, IV et al.	N/A	N/A
10271850	12/2018	Williams	N/A	N/A
10271851	12/2018	Shelton, IV et al.	N/A	N/A
D847989	12/2018	Shelton, IV et al.	N/A	N/A
10278698	12/2018	Racenet	N/A	N/A
10278778	12/2018	State et al.	N/A	N/A
10282963	12/2018	Fahey	N/A	N/A
10283220	12/2018	Azizian et al.	N/A	N/A
10285694	12/2018	Viola et al.	N/A	N/A
10285698	12/2018	Cappola et al.	N/A	N/A
10285700	12/2018	Scheib	N/A	N/A
10285705	12/2018	Shelton, IV et al.	N/A	N/A
10292610	12/2018	Srivastava	N/A	N/A
10292704	12/2018	Harris et al.	N/A	N/A
10292707	12/2018	Shelton, IV et al.	N/A	N/A
10292758	12/2018	Boudreaux et al.	N/A	N/A
10292769	12/2018	Yu	N/A	N/A
10292771	12/2018	Wood et al.	N/A	N/A
10293129	12/2018	Fox et al.	N/A	N/A
10299792	12/2018	Huitema et al.	N/A	N/A
10299868	12/2018	Tsuboi et al.	N/A	N/A
10299870	12/2018	Connolly et al.	N/A	N/A
10305926	12/2018	Mihan et al.	N/A	N/A
D850617	12/2018	Shelton, IV et al.	N/A	N/A
10307159	12/2018	Harris et al.	N/A	N/A
10307170	12/2018	Parfett et al.	N/A	N/A
10307199	12/2018	Farritor et al.	N/A	N/A
10311036	12/2018	Hussam et al.	N/A	N/A
10313137	12/2018	Aarnio et al.	N/A	N/A
10314577	12/2018	Laurent et al.	N/A	N/A
10314582	12/2018	Shelton, IV et al.	N/A	N/A
10318928	12/2018	Kestone et al.	N/A	N/A
10321907	12/2018	Shelton, IV et al.	N/A	N/A
10321964	12/2018	Grover et al.	N/A	N/A
10327764	12/2018	Harris et al.	N/A	N/A
10327779	12/2018	Richard et al.	N/A	N/A
10335042	12/2018	Schoenle et al.	N/A	N/A
10335147	12/2018	Rector et al.	N/A	N/A
10335149	12/2018	Baxter, III et al.	N/A	N/A
10335180	12/2018	Johnson et al.	N/A	N/A
10335227	12/2018	Heard	N/A	N/A
10339496	12/2018	Matson et al.	N/A	N/A
10342543	12/2018	Shelton, IV et al.	N/A	N/A
10342602	12/2018	Strobl et al.	N/A	N/A
10342623	12/2018	Huelman et al.	N/A	N/A
10343102	12/2018	Reasoner et al.	N/A	N/A
10349824	12/2018	Claude et al.	N/A	N/A
10349939	12/2018	Shelton, IV et al.	N/A	N/A
10349941	12/2018	Marczyk et al.	N/A	N/A
10350016	12/2018	Burbank et al.	N/A	N/A
10357184	12/2018	Crawford et al.	N/A	N/A
10357246	12/2018	Shelton, IV et al.	N/A	N/A
10357247	12/2018	Shelton, IV et al.	N/A	N/A
10362179	12/2018	Harris	N/A	N/A
10363032	12/2018	Scheib et al.	N/A	N/A
10363037	12/2018	Aronhalt et al.	N/A	N/A
10368861	12/2018	Baxter, III et al.	N/A	N/A
10368865	12/2018	Harris et al.	N/A	N/A
10368867	12/2018	Harris et al.	N/A	N/A
10368876	12/2018	Bhatnagar et al.	N/A	N/A
10368894	12/2018	Madan et al.	N/A	N/A
10368903	12/2018	Morales et al.	N/A	N/A
10376263	12/2018	Morgan et al.	N/A	N/A
10376305	12/2018	Yates et al.	N/A	N/A
10376337	12/2018	Kilroy et al.	N/A	N/A

10376338	12/2018	Taylor et al.	N/A	N/A
10378893	12/2018	Mankovskii	N/A	N/A
10383518	12/2018	Abu-Tarif et al.	N/A	N/A
10383699	12/2018	Kilroy et al.	N/A	N/A
10384021	12/2018	Koeth et al.	N/A	N/A
10386990	12/2018	Shikhman et al.	N/A	N/A
10390718	12/2018	Chen et al.	N/A	N/A
10390794	12/2018	Kuroiwa et al.	N/A	N/A
10390825	12/2018	Shelton, IV et al.	N/A	N/A
10390831	12/2018	Holsten et al.	N/A	N/A
10390895	12/2018	Henderson et al.	N/A	N/A
10398348	12/2018	Osadchy et al.	N/A	N/A
10398434	12/2018	Shelton, IV et al.	N/A	N/A
10398517	12/2018	Eckert et al.	N/A	N/A
10398521	12/2018	Itkowitz et al.	N/A	N/A
10404521	12/2018	McChord et al.	N/A	N/A
10404801	12/2018	Martch	N/A	N/A
10405857	12/2018	Shelton, IV et al.	N/A	N/A
10405859	12/2018	Harris et al.	N/A	N/A
10405863	12/2018	Wise et al.	N/A	N/A
10413291	12/2018	Worthington et al.	N/A	N/A
10413293	12/2018	Shelton, IV et al.	N/A	N/A
10413297	12/2018	Harris et al.	N/A	N/A
10417446	12/2018	Takeyama	N/A	N/A
10420552	12/2018	Shelton, IV et al.	N/A	N/A
10420558	12/2018	Nalagatla et al.	N/A	N/A
10420559	12/2018	Marczyk et al.	N/A	N/A
10420620	12/2018	Rockrohr	N/A	N/A
10420865	12/2018	Reasoner et al.	N/A	N/A
10422727	12/2018	Pliskin	N/A	N/A
10426466	12/2018	Contini et al.	N/A	N/A
10426467	12/2018	Miller et al.	N/A	N/A
10426468	12/2018	Contini et al.	N/A	N/A
10426471	12/2018	Shelton, IV et al.	N/A	N/A
10426481	12/2018	Aronhalt et al.	N/A	N/A
10433837	12/2018	Worthington et al.	N/A	N/A
10433844	12/2018	Shelton, IV et al.	N/A	N/A
10433849	12/2018	Shelton, IV et al.	N/A	N/A
10433918	12/2018	Shelton, IV et al.	N/A	N/A
10441279	12/2018	Shelton, IV et al.	N/A	N/A
10441281	12/2018	Shelton, IV et al.	N/A	N/A
10441344	12/2018	Notz et al.	N/A	N/A
10441345	12/2018	Aldridge et al.	N/A	N/A
10448948	12/2018	Shelton, IV et al.	N/A	N/A
10448950	12/2018	Shelton, IV et al.	N/A	N/A
10456137	12/2018	Vendely et al.	N/A	N/A
10456140	12/2018	Shelton, IV et al.	N/A	N/A
10456193	12/2018	Yates et al.	N/A	N/A
10463365	12/2018	Williams	N/A	N/A
10463367	12/2018	Kostrzewski et al.	N/A	N/A
10463371	12/2018	Kostrzewski	N/A	N/A
10463436	12/2018	Jackson et al.	N/A	N/A
10470684	12/2018	Toth et al.	N/A	N/A
10470762	12/2018	Leimbach et al.	N/A	N/A
10470764	12/2018	Baxter, III et al.	N/A	N/A
10470768	12/2018	Harris et al.	N/A	N/A
10470791	12/2018	Houser	N/A	N/A
10471254	12/2018	Sano et al.	N/A	N/A
10478181	12/2018	Shelton, IV et al.	N/A	N/A
10478182	12/2018	Taylor	N/A	N/A
10478185	12/2018	Nicholas	N/A	N/A
10478189	12/2018	Bear et al.	N/A	N/A
10478190	12/2018	Miller et al.	N/A	N/A
10478544	12/2018	Friederichs et al.	N/A	N/A
10485450	12/2018	Gupta et al.	N/A	N/A
10485542	12/2018	Shelton, IV et al.	N/A	N/A
10485543	12/2018	Shelton, IV et al.	N/A	N/A
10492783	12/2018	Shelton, IV et al.	N/A	N/A
10492784	12/2018	Beardsley et al.	N/A	N/A
10492785	12/2018	Overmyer et al.	N/A	N/A
10496788	12/2018	Amarasingham et al.	N/A	N/A
10498269	12/2018	Zemlok et al.	N/A	N/A
10499847	12/2018	Latimer et al.	N/A	N/A
10499891	12/2018	Chaplin et al.	N/A	N/A
10499914	12/2018	Huang et al.	N/A	N/A

10499915	12/2018	Aranyi	N/A	N/A
10499994	12/2018	Luks et al.	N/A	N/A
10507068	12/2018	Kopp et al.	N/A	N/A
10507278	12/2018	Gao et al.	N/A	N/A
10510267	12/2018	Jarc et al.	N/A	N/A
10512413	12/2018	Schepis et al.	N/A	N/A
10512461	12/2018	Gupta et al.	N/A	N/A
10512499	12/2018	McHenry et al.	N/A	N/A
10512509	12/2018	Bowling et al.	N/A	N/A
10512514	12/2018	Nowlin et al.	N/A	N/A
10517588	12/2018	Gupta et al.	N/A	N/A
10517595	12/2018	Hunter et al.	N/A	N/A
10517596	12/2018	Hunter et al.	N/A	N/A
10517686	12/2018	Vokrot et al.	N/A	N/A
10524789	12/2019	Swayze et al.	N/A	N/A
10531579	12/2019	Hsiao et al.	N/A	N/A
10531874	12/2019	Morgan et al.	N/A	N/A
10531910	12/2019	Houser et al.	N/A	N/A
10531929	12/2019	Widenhouse et al.	N/A	N/A
10532330	12/2019	Diallo et al.	N/A	N/A
10536617	12/2019	Liang et al.	N/A	N/A
10537324	12/2019	Shelton, IV et al.	N/A	N/A
10537325	12/2019	Bakos et al.	N/A	N/A
10537351	12/2019	Shelton, IV et al.	N/A	N/A
10537396	12/2019	Zingaretti et al.	N/A	N/A
10537667	12/2019	Anim	N/A	N/A
10542978	12/2019	Chowaniec et al.	N/A	N/A
10542979	12/2019	Shelton, IV et al.	N/A	N/A
10542982	12/2019	Beckman et al.	N/A	N/A
10542991	12/2019	Shelton, IV et al.	N/A	N/A
D876466	12/2019	Kobayashi et al.	N/A	N/A
10548504	12/2019	Shelton, IV et al.	N/A	N/A
10548612	12/2019	Martinez et al.	N/A	N/A
10548673	12/2019	Harris et al.	N/A	N/A
10552574	12/2019	Sweeney	N/A	N/A
10555675	12/2019	Satish et al.	N/A	N/A
10555748	12/2019	Yates et al.	N/A	N/A
10555750	12/2019	Conlon et al.	N/A	N/A
10555769	12/2019	Worrell et al.	N/A	N/A
10561349	12/2019	Wedekind et al.	N/A	N/A
10561422	12/2019	Schellin et al.	N/A	N/A
10561470	12/2019	Hourtash et al.	N/A	N/A
10561471	12/2019	Nichogi	N/A	N/A
10561560	12/2019	Boutoussov et al.	N/A	N/A
10561753	12/2019	Thompson et al.	N/A	N/A
10565170	12/2019	Walling et al.	N/A	N/A
10568625	12/2019	Harris et al.	N/A	N/A
10568626	12/2019	Shelton, IV et al.	N/A	N/A
10568632	12/2019	Miller et al.	N/A	N/A
10568704	12/2019	Savall et al.	N/A	N/A
10575868	12/2019	Hall et al.	N/A	N/A
10582928	12/2019	Hunter et al.	N/A	N/A
10582931	12/2019	Mujawar	N/A	N/A
10582962	12/2019	Friedrichs et al.	N/A	N/A
10582964	12/2019	Weinberg et al.	N/A	N/A
10586074	12/2019	Rose et al.	N/A	N/A
10588623	12/2019	Schmid et al.	N/A	N/A
10588625	12/2019	Weaner et al.	N/A	N/A
10588629	12/2019	Malinouskas et al.	N/A	N/A
10588630	12/2019	Shelton, IV et al.	N/A	N/A
10588631	12/2019	Shelton, IV et al.	N/A	N/A
10588632	12/2019	Shelton, IV et al.	N/A	N/A
10588711	12/2019	DiCarlo et al.	N/A	N/A
10592067	12/2019	Merdan et al.	N/A	N/A
10595844	12/2019	Nawana et al.	N/A	N/A
10595882	12/2019	Parfett et al.	N/A	N/A
10595887	12/2019	Shelton, IV et al.	N/A	N/A
10595930	12/2019	Scheib et al.	N/A	N/A
10595952	12/2019	Forrest et al.	N/A	N/A
10602007	12/2019	Takano	N/A	N/A
10602848	12/2019	Magana	N/A	N/A
10603036	12/2019	Hunter et al.	N/A	N/A
10603128	12/2019	Zergiebel et al.	N/A	N/A
10610223	12/2019	Wellman et al.	N/A	N/A
10610224	12/2019	Shelton, IV et al.	N/A	N/A

10610286	12/2019	Wiener et al.	N/A	N/A
10610313	12/2019	Bailey et al.	N/A	N/A
10617412	12/2019	Shelton, IV et al.	N/A	N/A
10617413	12/2019	Shelton, IV et al.	N/A	N/A
10617414	12/2019	Shelton, IV et al.	N/A	N/A
10617482	12/2019	Houser et al.	N/A	N/A
10617484	12/2019	Kilroy et al.	N/A	N/A
10624635	12/2019	Harris et al.	N/A	N/A
10624667	12/2019	Faller et al.	N/A	N/A
10624691	12/2019	Wiener et al.	N/A	N/A
10631423	12/2019	Collins et al.	N/A	N/A
10631858	12/2019	Burbank	N/A	N/A
10631912	12/2019	McFarlin et al.	N/A	N/A
10631916	12/2019	Horner et al.	N/A	N/A
10631917	12/2019	Ineson	N/A	N/A
10631939	12/2019	Dachs, II et al.	N/A	N/A
10639027	12/2019	Shelton, IV et al.	N/A	N/A
10639034	12/2019	Harris et al.	N/A	N/A
10639035	12/2019	Shelton, IV et al.	N/A	N/A
10639036	12/2019	Yates et al.	N/A	N/A
10639037	12/2019	Shelton, IV et al.	N/A	N/A
10639039	12/2019	Vendely et al.	N/A	N/A
10639098	12/2019	Cosman et al.	N/A	N/A
10639111	12/2019	Kopp	N/A	N/A
10639185	12/2019	Agrawal et al.	N/A	N/A
10653413	12/2019	Worthington et al.	N/A	N/A
10653476	12/2019	Ross	N/A	N/A
10653489	12/2019	Kopp	N/A	N/A
10656720	12/2019	Holz	N/A	N/A
10660705	12/2019	Piron et al.	N/A	N/A
10667809	12/2019	Bakos et al.	N/A	N/A
10667810	12/2019	Shelton, IV et al.	N/A	N/A
10667811	12/2019	Harris et al.	N/A	N/A
10667877	12/2019	Kapadia	N/A	N/A
10674897	12/2019	Levy	N/A	N/A
10675021	12/2019	Harris et al.	N/A	N/A
10675023	12/2019	Cappola	N/A	N/A
10675024	12/2019	Shelton, IV et al.	N/A	N/A
10675025	12/2019	Swayze et al.	N/A	N/A
10675026	12/2019	Harris et al.	N/A	N/A
10675035	12/2019	Zingman	N/A	N/A
10675100	12/2019	Frushour	N/A	N/A
10675104	12/2019	Kapadia	N/A	N/A
10677764	12/2019	Ross et al.	N/A	N/A
10679758	12/2019	Fox et al.	N/A	N/A
10682136	12/2019	Harris et al.	N/A	N/A
10682138	12/2019	Shelton, IV et al.	N/A	N/A
10686805	12/2019	Reybok, Jr. et al.	N/A	N/A
10687806	12/2019	Shelton, IV et al.	N/A	N/A
10687809	12/2019	Shelton, IV et al.	N/A	N/A
10687810	12/2019	Shelton, IV et al.	N/A	N/A
10687884	12/2019	Wiener et al.	N/A	N/A
10687905	12/2019	Kostrzewski	N/A	N/A
10695055	12/2019	Shelton, IV et al.	N/A	N/A
10695081	12/2019	Shelton, IV et al.	N/A	N/A
10695134	12/2019	Barral et al.	N/A	N/A
10702270	12/2019	Shelton, IV et al.	N/A	N/A
10702271	12/2019	Aranyi et al.	N/A	N/A
10709446	12/2019	Harris et al.	N/A	N/A
10716473	12/2019	Greiner	N/A	N/A
10716489	12/2019	Kalvoy et al.	N/A	N/A
10716583	12/2019	Look et al.	N/A	N/A
10716615	12/2019	Shelton, IV et al.	N/A	N/A
10716639	12/2019	Kapadia et al.	N/A	N/A
10717194	12/2019	Griffiths et al.	N/A	N/A
10722222	12/2019	Aranyi	N/A	N/A
10722233	12/2019	Wellman	N/A	N/A
10722292	12/2019	Arya et al.	N/A	N/A
D893717	12/2019	Messerly et al.	N/A	N/A
10729458	12/2019	Stoddard et al.	N/A	N/A
10729509	12/2019	Shelton, IV et al.	N/A	N/A
10733267	12/2019	Pedersen	N/A	N/A
10736219	12/2019	Seow et al.	N/A	N/A
10736498	12/2019	Watanabe et al.	N/A	N/A
10736616	12/2019	Scheib et al.	N/A	N/A

10736628	12/2019	Yates et al.	N/A	N/A
10736629	12/2019	Shelton, IV et al.	N/A	N/A
10736636	12/2019	Baxter, III et al.	N/A	N/A
10736705	12/2019	Scheib et al.	N/A	N/A
10743872	12/2019	Leimbach et al.	N/A	N/A
10748115	12/2019	Laster et al.	N/A	N/A
10751052	12/2019	Stokes et al.	N/A	N/A
10751136	12/2019	Farritor et al.	N/A	N/A
10751239	12/2019	Volek et al.	N/A	N/A
10751768	12/2019	Hersey et al.	N/A	N/A
10755813	12/2019	Shelton, IV et al.	N/A	N/A
D896379	12/2019	Shelton, IV et al.	N/A	N/A
10758229	12/2019	Shelton, IV et al.	N/A	N/A
10758230	12/2019	Shelton, IV et al.	N/A	N/A
10758294	12/2019	Jones	N/A	N/A
10758310	12/2019	Shelton, IV et al.	N/A	N/A
10765376	12/2019	Brown, III et al.	N/A	N/A
10765424	12/2019	Baxter, III et al.	N/A	N/A
10765427	12/2019	Shelton, IV et al.	N/A	N/A
10765470	12/2019	Yates et al.	N/A	N/A
10772630	12/2019	Wixey	N/A	N/A
10772651	12/2019	Shelton, IV et al.	N/A	N/A
10772673	12/2019	Allen, IV et al.	N/A	N/A
10772688	12/2019	Peine et al.	N/A	N/A
10779818	12/2019	Zemlok et al.	N/A	N/A
10779821	12/2019	Harris et al.	N/A	N/A
10779823	12/2019	Shelton, IV et al.	N/A	N/A
10779897	12/2019	Rockrohr	N/A	N/A
10779900	12/2019	Pedros et al.	N/A	N/A
10783634	12/2019	Nye et al.	N/A	N/A
10786298	12/2019	Johnson	N/A	N/A
10786317	12/2019	Zhou et al.	N/A	N/A
10786327	12/2019	Anderson et al.	N/A	N/A
10792038	12/2019	Becerra et al.	N/A	N/A
10792118	12/2019	Prpa et al.	N/A	N/A
10792422	12/2019	Douglas et al.	N/A	N/A
10799304	12/2019	Kapadia et al.	N/A	N/A
10803977	12/2019	Sanmugalingham	N/A	N/A
10806445	12/2019	Penna et al.	N/A	N/A
10806453	12/2019	Chen et al.	N/A	N/A
10806454	12/2019	Kopp	N/A	N/A
10806499	12/2019	Castaneda et al.	N/A	N/A
10806506	12/2019	Gaspredes et al.	N/A	N/A
10806532	12/2019	Grubbs et al.	N/A	N/A
10811131	12/2019	Schneider et al.	N/A	N/A
10813638	12/2019	Shelton, IV et al.	N/A	N/A
10813703	12/2019	Swayze et al.	N/A	N/A
10818383	12/2019	Sharifi Sedeh et al.	N/A	N/A
10828028	12/2019	Harris et al.	N/A	N/A
10828030	12/2019	Weir et al.	N/A	N/A
10835206	12/2019	Bell et al.	N/A	N/A
10835245	12/2019	Swayze et al.	N/A	N/A
10835246	12/2019	Shelton, IV et al.	N/A	N/A
10835247	12/2019	Shelton, IV et al.	N/A	N/A
10838210	12/2019	Robaina et al.	N/A	N/A
10842473	12/2019	Scheib et al.	N/A	N/A
10842490	12/2019	DiNardo et al.	N/A	N/A
10842492	12/2019	Shelton, IV et al.	N/A	N/A
10842522	12/2019	Messerly et al.	N/A	N/A
10842523	12/2019	Shelton, IV et al.	N/A	N/A
10842575	12/2019	Panescu et al.	N/A	N/A
10842897	12/2019	Schwartz et al.	N/A	N/A
D904612	12/2019	Wynn et al.	N/A	N/A
10849697	12/2019	Yates et al.	N/A	N/A
10849700	12/2019	Kopp et al.	N/A	N/A
10856768	12/2019	Osadchy et al.	N/A	N/A
10856867	12/2019	Shelton, IV et al.	N/A	N/A
10856868	12/2019	Shelton, IV et al.	N/A	N/A
10856870	12/2019	Harris et al.	N/A	N/A
10863984	12/2019	Shelton, IV et al.	N/A	N/A
10864037	12/2019	Mun et al.	N/A	N/A
10864050	12/2019	Tabandeh et al.	N/A	N/A
10872684	12/2019	McNutt et al.	N/A	N/A
10874396	12/2019	Moore et al.	N/A	N/A
10881399	12/2020	Shelton, IV et al.	N/A	N/A

10881401	12/2020	Baber et al.	N/A	N/A
10881446	12/2020	Strobl	N/A	N/A
10881464	12/2020	Odermatt et al.	N/A	N/A
10888321	12/2020	Shelton, IV et al.	N/A	N/A
10888322	12/2020	Morgan et al.	N/A	N/A
10892899	12/2020	Shelton, IV et al.	N/A	N/A
10892995	12/2020	Shelton, IV et al.	N/A	N/A
10893863	12/2020	Shelton, IV et al.	N/A	N/A
10893864	12/2020	Harris et al.	N/A	N/A
10893884	12/2020	Stoddard et al.	N/A	N/A
10898105	12/2020	Weprin et al.	N/A	N/A
10898183	12/2020	Shelton, IV et al.	N/A	N/A
10898186	12/2020	Bakos et al.	N/A	N/A
10898189	12/2020	Mcdonald, II	N/A	N/A
10898256	12/2020	Yates et al.	N/A	N/A
10898280	12/2020	Kopp	N/A	N/A
10898622	12/2020	Shelton, IV et al.	N/A	N/A
10902944	12/2020	Casey et al.	N/A	N/A
10903685	12/2020	Yates et al.	N/A	N/A
10905415	12/2020	DiNardo et al.	N/A	N/A
10905418	12/2020	Shelton, IV et al.	N/A	N/A
10905420	12/2020	Jasemian et al.	N/A	N/A
10912559	12/2020	Harris et al.	N/A	N/A
10912567	12/2020	Shelton, IV et al.	N/A	N/A
10912580	12/2020	Green et al.	N/A	N/A
10912619	12/2020	Jarc et al.	N/A	N/A
10916415	12/2020	Karancsi et al.	N/A	N/A
10918385	12/2020	Overmyer et al.	N/A	N/A
10930400	12/2020	Robbins et al.	N/A	N/A
D914878	12/2020	Shelton, IV et al.	N/A	N/A
10932705	12/2020	Muhsin et al.	N/A	N/A
10932772	12/2020	Shelton, IV et al.	N/A	N/A
10932784	12/2020	Mozdzierz et al.	N/A	N/A
10932804	12/2020	Scheib et al.	N/A	N/A
10932806	12/2020	Shelton, IV et al.	N/A	N/A
10932872	12/2020	Shelton, IV et al.	N/A	N/A
10939313	12/2020	Eom et al.	N/A	N/A
10943454	12/2020	Shelton, IV et al.	N/A	N/A
10944728	12/2020	Wiener et al.	N/A	N/A
10945727	12/2020	Shelton, IV et al.	N/A	N/A
10950982	12/2020	Regnier et al.	N/A	N/A
10952708	12/2020	Scheib et al.	N/A	N/A
10952732	12/2020	Binmoeller et al.	N/A	N/A
10954935	12/2020	O'Shea et al.	N/A	N/A
10959727	12/2020	Hunter et al.	N/A	N/A
10959729	12/2020	Ehrenfels et al.	N/A	N/A
10959744	12/2020	Shelton, IV et al.	N/A	N/A
10959788	12/2020	Grover et al.	N/A	N/A
10960150	12/2020	Zergiebel et al.	N/A	N/A
10962449	12/2020	Unuma et al.	N/A	N/A
10966590	12/2020	Takahashi et al.	N/A	N/A
10966791	12/2020	Harris et al.	N/A	N/A
10966798	12/2020	Tesar et al.	N/A	N/A
10973516	12/2020	Shelton, IV et al.	N/A	N/A
10973517	12/2020	Wixey	N/A	N/A
10973520	12/2020	Shelton, IV et al.	N/A	N/A
10973682	12/2020	Vezzu et al.	N/A	N/A
10980536	12/2020	Weaner et al.	N/A	N/A
10980537	12/2020	Shelton, IV et al.	N/A	N/A
10980560	12/2020	Shelton, IV et al.	N/A	N/A
10980595	12/2020	Wham	N/A	N/A
10980610	12/2020	Rosenberg et al.	N/A	N/A
10987102	12/2020	Gonzalez et al.	N/A	N/A
10987178	12/2020	Shelton, IV et al.	N/A	N/A
10992698	12/2020	Patel et al.	N/A	N/A
10993715	12/2020	Shelton, IV et al.	N/A	N/A
10998098	12/2020	Greene et al.	N/A	N/A
11000276	12/2020	Shelton, IV et al.	N/A	N/A
11000278	12/2020	Shelton, IV et al.	N/A	N/A
11007004	12/2020	Shelton, IV et al.	N/A	N/A
11007022	12/2020	Shelton, IV et al.	N/A	N/A
11013563	12/2020	Shelton, IV et al.	N/A	N/A
11020115	12/2020	Scheib et al.	N/A	N/A
11026687	12/2020	Shelton, IV et al.	N/A	N/A
11026712	12/2020	Shelton, IV et al.	N/A	N/A

11026713	12/2020	Stokes et al.	N/A	N/A
11026751	12/2020	Shelton, IV et al.	N/A	N/A
11039834	12/2020	Harris et al.	N/A	N/A
11045191	12/2020	Shelton, IV et al.	N/A	N/A
11045192	12/2020	Harris et al.	N/A	N/A
11045197	12/2020	Shelton, IV et al.	N/A	N/A
11045591	12/2020	Shelton, IV et al.	N/A	N/A
11051817	12/2020	Shelton, IV et al.	N/A	N/A
11051836	12/2020	Shelton, IV et al.	N/A	N/A
11051873	12/2020	Wiener et al.	N/A	N/A
11051876	12/2020	Shelton, IV et al.	N/A	N/A
11051902	12/2020	Kruecker et al.	N/A	N/A
11056244	12/2020	Shelton, IV et al.	N/A	N/A
11058423	12/2020	Shelton, IV et al.	N/A	N/A
11058498	12/2020	Shelton, IV et al.	N/A	N/A
11058501	12/2020	Tokarchuk et al.	N/A	N/A
11064997	12/2020	Shelton, IV et al.	N/A	N/A
11069012	12/2020	Shelton, IV et al.	N/A	N/A
11071560	12/2020	Deck et al.	N/A	N/A
11071595	12/2020	Johnson et al.	N/A	N/A
11076921	12/2020	Shelton, IV et al.	N/A	N/A
11083458	12/2020	Harris et al.	N/A	N/A
11090047	12/2020	Shelton, IV et al.	N/A	N/A
11090048	12/2020	Fanelli et al.	N/A	N/A
11090075	12/2020	Hunter et al.	N/A	N/A
11096688	12/2020	Shelton, IV et al.	N/A	N/A
11096693	12/2020	Shelton, IV et al.	N/A	N/A
11100631	12/2020	Yates et al.	N/A	N/A
11103246	12/2020	Marczyk et al.	N/A	N/A
11103268	12/2020	Shelton, IV et al.	N/A	N/A
11109866	12/2020	Shelton, IV et al.	N/A	N/A
11109878	12/2020	Shelton, IV et al.	N/A	N/A
11114195	12/2020	Shelton, IV et al.	N/A	N/A
11116485	12/2020	Scheib et al.	N/A	N/A
11123070	12/2020	Shelton, IV et al.	N/A	N/A
11129611	12/2020	Shelton, IV et al.	N/A	N/A
11129634	12/2020	Scheib et al.	N/A	N/A
11129636	12/2020	Shelton, IV et al.	N/A	N/A
11129669	12/2020	Stulen et al.	N/A	N/A
11129670	12/2020	Shelton, IV et al.	N/A	N/A
11132462	12/2020	Shelton, IV et al.	N/A	N/A
11134942	12/2020	Harris et al.	N/A	N/A
11141160	12/2020	Shelton, IV et al.	N/A	N/A
11141213	12/2020	Yates et al.	N/A	N/A
11147607	12/2020	Yates et al.	N/A	N/A
11160551	12/2020	Shelton, IV et al.	N/A	N/A
11160605	12/2020	Shelton, IV et al.	N/A	N/A
11166716	12/2020	Shelton, IV et al.	N/A	N/A
11166772	12/2020	Shelton, IV et al.	N/A	N/A
11179150	12/2020	Yates et al.	N/A	N/A
11179151	12/2020	Shelton, IV et al.	N/A	N/A
11179155	12/2020	Shelton, IV et al.	N/A	N/A
11179175	12/2020	Houser et al.	N/A	N/A
11179204	12/2020	Shelton, IV et al.	N/A	N/A
11179208	12/2020	Yates et al.	N/A	N/A
11183293	12/2020	Lu et al.	N/A	N/A
11185325	12/2020	Shelton, IV et al.	N/A	N/A
11185330	12/2020	Huitema et al.	N/A	N/A
11191539	12/2020	Overmyer et al.	N/A	N/A
11191540	12/2020	Aronhalt et al.	N/A	N/A
11197668	12/2020	Shelton, IV et al.	N/A	N/A
11197731	12/2020	Hoffman et al.	N/A	N/A
11202570	12/2020	Shelton, IV et al.	N/A	N/A
11207065	12/2020	Harris et al.	N/A	N/A
11207067	12/2020	Shelton, IV et al.	N/A	N/A
11207090	12/2020	Shelton, IV et al.	N/A	N/A
11213293	12/2021	Worthington et al.	N/A	N/A
11213294	12/2021	Shelton, IV et al.	N/A	N/A
11213359	12/2021	Shelton, IV et al.	N/A	N/A
11218822	12/2021	Morgan et al.	N/A	N/A
11219453	12/2021	Shelton, IV et al.	N/A	N/A
11224426	12/2021	Shelton, IV et al.	N/A	N/A
11229436	12/2021	Shelton, IV et al.	N/A	N/A
11229471	12/2021	Shelton, IV et al.	N/A	N/A
11234756	12/2021	Shelton, IV et al.	N/A	N/A

11241230	12/2021	Shelton, IV et al.	N/A	N/A
11253256	12/2021	Harris et al.	N/A	N/A
11253315	12/2021	Yates et al.	N/A	N/A
11257589	12/2021	Shelton, IV et al.	N/A	N/A
11259806	12/2021	Shelton, IV et al.	N/A	N/A
11259807	12/2021	Shelton, IV et al.	N/A	N/A
11259830	12/2021	Nott et al.	N/A	N/A
11266409	12/2021	Huitema et al.	N/A	N/A
11266468	12/2021	Shelton, IV et al.	N/A	N/A
11272931	12/2021	Boudreaux et al.	N/A	N/A
11273001	12/2021	Shelton, IV et al.	N/A	N/A
11273290	12/2021	Kowshik	N/A	N/A
11278280	12/2021	Shelton, IV et al.	N/A	N/A
11278281	12/2021	Shelton, IV et al.	N/A	N/A
11284890	12/2021	Nalagatla et al.	N/A	N/A
11284936	12/2021	Shelton, IV et al.	N/A	N/A
11289188	12/2021	Mabotuwana et al.	N/A	N/A
11291440	12/2021	Harris et al.	N/A	N/A
11291441	12/2021	Giordano et al.	N/A	N/A
11291444	12/2021	Boudreaux et al.	N/A	N/A
11291445	12/2021	Shelton, IV et al.	N/A	N/A
11291465	12/2021	Parihar et al.	N/A	N/A
11291495	12/2021	Yates et al.	N/A	N/A
11291510	12/2021	Shelton, IV et al.	N/A	N/A
11298128	12/2021	Messerly et al.	N/A	N/A
11298129	12/2021	Bakos et al.	N/A	N/A
11298130	12/2021	Bakos et al.	N/A	N/A
11298148	12/2021	Jayme et al.	N/A	N/A
11304699	12/2021	Shelton, IV et al.	N/A	N/A
11304720	12/2021	Kimball et al.	N/A	N/A
11304745	12/2021	Shelton, IV et al.	N/A	N/A
11304763	12/2021	Shelton, IV et al.	N/A	N/A
11308075	12/2021	Shelton, IV et al.	N/A	N/A
11311306	12/2021	Shelton, IV et al.	N/A	N/A
11311342	12/2021	Parihar et al.	N/A	N/A
D950728	12/2021	Bakos et al.	N/A	N/A
D952144	12/2021	Boudreaux	N/A	N/A
11317915	12/2021	Boudreaux et al.	N/A	N/A
11317919	12/2021	Shelton, IV et al.	N/A	N/A
11317937	12/2021	Nott et al.	N/A	N/A
11322248	12/2021	Grantcharov et al.	N/A	N/A
11324557	12/2021	Shelton, IV et al.	N/A	N/A
11331100	12/2021	Boudreaux et al.	N/A	N/A
11331101	12/2021	Harris et al.	N/A	N/A
11337746	12/2021	Boudreaux	N/A	N/A
11344326	12/2021	Faller et al.	N/A	N/A
11350932	12/2021	Shelton, IV et al.	N/A	N/A
11350959	12/2021	Messerly et al.	N/A	N/A
11350978	12/2021	Henderson et al.	N/A	N/A
11357503	12/2021	Bakos et al.	N/A	N/A
11364075	12/2021	Yates et al.	N/A	N/A
11369377	12/2021	Boudreaux et al.	N/A	N/A
11373755	12/2021	Shelton, IV et al.	N/A	N/A
11376002	12/2021	Shelton, IV et al.	N/A	N/A
11376098	12/2021	Shelton, IV et al.	N/A	N/A
11382697	12/2021	Shelton, IV et al.	N/A	N/A
11382715	12/2021	Arai et al.	N/A	N/A
11389164	12/2021	Yates et al.	N/A	N/A
11389188	12/2021	Gee et al.	N/A	N/A
11399858	12/2021	Sawhney et al.	N/A	N/A
11406382	12/2021	Shelton, IV et al.	N/A	N/A
11406390	12/2021	Shelton, IV et al.	N/A	N/A
11410259	12/2021	Harris et al.	N/A	N/A
11413042	12/2021	Shelton, IV et al.	N/A	N/A
11419606	12/2021	Overmyer et al.	N/A	N/A
11419630	12/2021	Yates et al.	N/A	N/A
11419667	12/2021	Messerly et al.	N/A	N/A
11423007	12/2021	Shelton, IV et al.	N/A	N/A
11424027	12/2021	Shelton, IV	N/A	N/A
D964564	12/2021	Boudreaux	N/A	N/A
11432885	12/2021	Shelton, IV et al.	N/A	N/A
11446052	12/2021	Shelton, IV et al.	N/A	N/A
11457944	12/2021	Scoggins	N/A	N/A
11464511	12/2021	Timm et al.	N/A	N/A
11464513	12/2021	Shelton, IV et al.	N/A	N/A

11464514	12/2021	Yates et al.	N/A	N/A
11464532	12/2021	Nott et al.	N/A	N/A
11464535	12/2021	Shelton, IV et al.	N/A	N/A
11464559	12/2021	Nott et al.	N/A	N/A
11464971	12/2021	Schepis et al.	N/A	N/A
11471156	12/2021	Shelton, IV et al.	N/A	N/A
11471206	12/2021	Henderson et al.	N/A	N/A
11478244	12/2021	DiNardo et al.	N/A	N/A
11504191	12/2021	Mccloud et al.	N/A	N/A
11504192	12/2021	Shelton, IV et al.	N/A	N/A
11510671	12/2021	Shelton, IV et al.	N/A	N/A
11510675	12/2021	Shelton, IV et al.	N/A	N/A
11510720	12/2021	Morgan et al.	N/A	N/A
11510741	12/2021	Shelton, IV et al.	N/A	N/A
11517309	12/2021	Bakos et al.	N/A	N/A
11517315	12/2021	Huitema et al.	N/A	N/A
11529187	12/2021	Shelton, IV et al.	N/A	N/A
11534196	12/2021	Black	N/A	N/A
11540824	12/2022	Shelton, IV et al.	N/A	N/A
11540855	12/2022	Messerly et al.	N/A	N/A
11547468	12/2022	Shelton, IV et al.	N/A	N/A
11559307	12/2022	Shelton, IV et al.	N/A	N/A
11559308	12/2022	Yates et al.	N/A	N/A
11564703	12/2022	Shelton, IV et al.	N/A	N/A
11564756	12/2022	Shelton, IV et al.	N/A	N/A
11571210	12/2022	Shelton, IV et al.	N/A	N/A
11571212	12/2022	Yates et al.	N/A	N/A
11571234	12/2022	Nott et al.	N/A	N/A
11576677	12/2022	Shelton, IV et al.	N/A	N/A
11589865	12/2022	Shelton, IV et al.	N/A	N/A
11589888	12/2022	Shelton, IV et al.	N/A	N/A
11589915	12/2022	Stulen	N/A	N/A
11589932	12/2022	Shelton, IV et al.	N/A	N/A
11596291	12/2022	Harris et al.	N/A	N/A
11601371	12/2022	Shelton, IV	N/A	N/A
11602366	12/2022	Shelton, IV et al.	N/A	N/A
11602393	12/2022	Shelton, IV et al.	N/A	N/A
11602612	12/2022	Hara et al.	N/A	N/A
11607239	12/2022	Swensgard et al.	N/A	N/A
11612408	12/2022	Yates et al.	N/A	N/A
11612444	12/2022	Shelton, IV et al.	N/A	N/A
11617597	12/2022	Sawhney et al.	N/A	N/A
11628006	12/2022	Henderson et al.	N/A	N/A
11633237	12/2022	Shelton, IV et al.	N/A	N/A
11638602	12/2022	Henderson et al.	N/A	N/A
11648022	12/2022	Shelton, IV	N/A	N/A
11653917	12/2022	Scott et al.	N/A	N/A
11659023	12/2022	Shelton, IV et al.	N/A	N/A
11666331	12/2022	Shelton, IV et al.	N/A	N/A
11666368	12/2022	Henderson et al.	N/A	N/A
11672605	12/2022	Messerly et al.	N/A	N/A
11678881	12/2022	Yates et al.	N/A	N/A
11678901	12/2022	Scoggins et al.	N/A	N/A
11678925	12/2022	Henderson et al.	N/A	N/A
11678927	12/2022	Brady et al.	N/A	N/A
11684400	12/2022	Jayme et al.	N/A	N/A
11684401	12/2022	Oberkircher et al.	N/A	N/A
11696760	12/2022	Shelton, IV et al.	N/A	N/A
11696778	12/2022	Shelton, IV et al.	N/A	N/A
11696789	12/2022	Petre et al.	N/A	N/A
11696790	12/2022	Oberkircher et al.	N/A	N/A
11696791	12/2022	Henderson et al.	N/A	N/A
11701115	12/2022	Harris et al.	N/A	N/A
11701139	12/2022	Nott et al.	N/A	N/A
11701162	12/2022	Cuti et al.	N/A	N/A
11701185	12/2022	Shelton, IV et al.	N/A	N/A
11707293	12/2022	Denzinger et al.	N/A	N/A
11712280	12/2022	Henderson et al.	N/A	N/A
11712303	12/2022	Shelton, IV et al.	N/A	N/A
11737668	12/2022	Shelton, IV et al.	N/A	N/A
11743665	12/2022	Morgan et al.	N/A	N/A
11744604	12/2022	Shelton, IV et al.	N/A	N/A
11751872	12/2022	Zeiner et al.	N/A	N/A
11751958	12/2022	Shelton, IV et al.	N/A	N/A
11759224	12/2022	Shelton, IV et al.	N/A	N/A

11771454	12/2022	Swensgard et al.	N/A	N/A
11771487	12/2022	Shelton, IV et al.	N/A	N/A
11775682	12/2022	Shelton, IV et al.	N/A	N/A
11786245	12/2022	Shelton, IV	N/A	N/A
11786251	12/2022	Shelton, IV et al.	N/A	N/A
11793537	12/2022	Shelton, IV et al.	N/A	N/A
11801098	12/2022	Stokes et al.	N/A	N/A
11804679	12/2022	Henderson et al.	N/A	N/A
11806062	12/2022	Henderson et al.	N/A	N/A
11818052	12/2022	Shelton, IV et al.	N/A	N/A
11819231	12/2022	Shelton, IV et al.	N/A	N/A
2001/0056237	12/2000	Cane et al.	N/A	N/A
2002/0049551	12/2001	Friedman et al.	N/A	N/A
2002/0052616	12/2001	Wiener et al.	N/A	N/A
2002/0072746	12/2001	Lingenfelder et al.	N/A	N/A
2002/0138642	12/2001	Miyazawa et al.	N/A	N/A
2002/0144147	12/2001	Basson et al.	N/A	N/A
2002/0169584	12/2001	Fu et al.	N/A	N/A
2002/0194023	12/2001	Turley et al.	N/A	N/A
2003/0009111	12/2002	Cory et al.	N/A	N/A
2003/0009154	12/2002	Whitman	N/A	N/A
2003/0018329	12/2002	Hooven	N/A	N/A
2003/0028183	12/2002	Sanchez et al.	N/A	N/A
2003/0046109	12/2002	Uchikubo	N/A	N/A
2003/0050654	12/2002	Whitman et al.	N/A	N/A
2003/0069573	12/2002	Kadhiresan et al.	N/A	N/A
2003/0093503	12/2002	Yamaki et al.	N/A	N/A
2003/0114851	12/2002	Truckai et al.	N/A	N/A
2003/0120284	12/2002	Palacios et al.	N/A	N/A
2003/0130711	12/2002	Pearson et al.	N/A	N/A
2003/0195662	12/2002	Wang et al.	N/A	N/A
2003/0208465	12/2002	Yurko et al.	N/A	N/A
2003/0210812	12/2002	Khamene et al.	N/A	N/A
2003/0223877	12/2002	Anstine et al.	N/A	N/A
2004/0015053	12/2003	Bieger et al.	N/A	N/A
2004/0044546	12/2003	Moore	N/A	N/A
2004/0078236	12/2003	Stoodley et al.	N/A	N/A
2004/0082850	12/2003	Bonner et al.	N/A	N/A
2004/0092992	12/2003	Adams et al.	N/A	N/A
2004/0097913	12/2003	Refior et al.	N/A	N/A
2004/0108825	12/2003	Lee et al.	N/A	N/A
2004/0199180	12/2003	Knodel et al.	N/A	N/A
2004/0199659	12/2003	Ishikawa et al.	N/A	N/A
2004/0206365	12/2003	Knowlton	N/A	N/A
2004/0215131	12/2003	Sakurai	N/A	N/A
2004/0229496	12/2003	Robinson et al.	N/A	N/A
2004/0243147	12/2003	Lipow	N/A	N/A
2004/0243148	12/2003	Wasielewski	N/A	N/A
2004/0243435	12/2003	Williams	N/A	N/A
2005/0020909	12/2004	Moctezuma de la Barrera et al.	N/A	N/A
2005/0020918	12/2004	Wilk et al.	N/A	N/A
2005/0021027	12/2004	Shields et al.	N/A	N/A
2005/0023324	12/2004	Doll et al.	N/A	N/A
2005/0033108	12/2004	Sawyer	N/A	N/A
2005/0063575	12/2004	Ma et al.	N/A	N/A
2005/0065438	12/2004	Miller	N/A	N/A
2005/0070800	12/2004	Takahashi	N/A	N/A
2005/0100867	12/2004	Hilscher et al.	N/A	N/A
2005/0131390	12/2004	Heinrich et al.	N/A	N/A
2005/0139629	12/2004	Schwemberger et al.	N/A	N/A
2005/0143759	12/2004	Kelly	N/A	N/A
2005/0148854	12/2004	Ito et al.	N/A	N/A
2005/0149001	12/2004	Uchikubo et al.	N/A	N/A
2005/0149356	12/2004	Cyr et al.	N/A	N/A
2005/0165390	12/2004	Mauti et al.	N/A	N/A
2005/0182655	12/2004	Merzlak et al.	N/A	N/A
2005/0192633	12/2004	Montpetit	N/A	N/A
2005/0203380	12/2004	Sauer et al.	N/A	N/A
2005/0203384	12/2004	Sati et al.	N/A	N/A
2005/0203504	12/2004	Wham et al.	N/A	N/A
2005/0213832	12/2004	Schofield et al.	N/A	N/A
2005/0222631	12/2004	Dalal et al.	N/A	N/A
2005/0228246	12/2004	Lee et al.	N/A	N/A
2005/0228425	12/2004	Boukhny et al.	N/A	N/A
2005/0236474	12/2004	Onuma et al.	N/A	N/A

2005/0251233	12/2004	Kanzius	N/A	N/A
2005/0277913	12/2004	McCary	N/A	N/A
2005/0288425	12/2004	Lee et al.	N/A	N/A
2006/0020272	12/2005	Gildenberg	N/A	N/A
2006/0025816	12/2005	Shelton	N/A	N/A
2006/0039105	12/2005	Smith et al.	N/A	N/A
2006/0059018	12/2005	Shiobara et al.	N/A	N/A
2006/0069388	12/2005	Truckai et al.	N/A	N/A
2006/0079872	12/2005	Eggleston	N/A	N/A
2006/0079874	12/2005	Faller et al.	N/A	N/A
2006/0116908	12/2005	Dew et al.	N/A	N/A
2006/0122558	12/2005	Sherman et al.	N/A	N/A
2006/0136622	12/2005	Rouvelin et al.	N/A	N/A
2006/0142739	12/2005	DiSilestro et al.	N/A	N/A
2006/0184160	12/2005	Ozaki et al.	N/A	N/A
2006/0241399	12/2005	Fabian	N/A	N/A
2006/0282009	12/2005	Oberg et al.	N/A	N/A
2006/0287645	12/2005	Tashiro et al.	N/A	N/A
2007/0005002	12/2006	Millman et al.	N/A	N/A
2007/0010838	12/2006	Shelton et al.	N/A	N/A
2007/0016235	12/2006	Tanaka et al.	N/A	N/A
2007/0016979	12/2006	Damaj et al.	N/A	N/A
2007/0027459	12/2006	Horvath et al.	N/A	N/A
2007/0038080	12/2006	Salisbury et al.	N/A	N/A
2007/0049947	12/2006	Menn et al.	N/A	N/A
2007/0066970	12/2006	Ineson	N/A	N/A
2007/0073389	12/2006	Bolduc et al.	N/A	N/A
2007/0078678	12/2006	DiSilvestro et al.	N/A	N/A
2007/0084896	12/2006	Doll et al.	N/A	N/A
2007/0085528	12/2006	Govari et al.	N/A	N/A
2007/0156019	12/2006	Larkin et al.	N/A	N/A
2007/0156139	12/2006	Schechter et al.	N/A	N/A
2007/0161979	12/2006	McPherson	N/A	N/A
2007/0167702	12/2006	Hasser et al.	N/A	N/A
2007/0168461	12/2006	Moore	N/A	N/A
2007/0173803	12/2006	Wham et al.	N/A	N/A
2007/0173811	12/2006	Couture et al.	N/A	N/A
2007/0175951	12/2006	Shelton et al.	N/A	N/A
2007/0175955	12/2006	Shelton et al.	N/A	N/A
2007/0179482	12/2006	Anderson	N/A	N/A
2007/0179508	12/2006	Arndt	N/A	N/A
2007/0191713	12/2006	Eichmann et al.	N/A	N/A
2007/0192139	12/2006	Cookson et al.	N/A	N/A
2007/0203744	12/2006	Scholl	N/A	N/A
2007/0225556	12/2006	Ortiz et al.	N/A	N/A
2007/0225690	12/2006	Sekiguchi et al.	N/A	N/A
2007/0239028	12/2006	Houser et al.	N/A	N/A
2007/0239029	12/2006	Okabe et al.	N/A	N/A
2007/0244478	12/2006	Bahney	N/A	N/A
2007/0249990	12/2006	Cosmescu	N/A	N/A
2007/0270660	12/2006	Caylor et al.	N/A	N/A
2007/0270688	12/2006	Gelbart et al.	N/A	N/A
2007/0282195	12/2006	Masini et al.	N/A	N/A
2007/0282321	12/2006	Shah et al.	N/A	N/A
2007/0282333	12/2006	Fortson et al.	N/A	N/A
2007/0293218	12/2006	Meylan et al.	N/A	N/A
2008/0013460	12/2007	Allen et al.	N/A	N/A
2008/0015664	12/2007	Podhajsky	N/A	N/A
2008/0015912	12/2007	Rosenthal et al.	N/A	N/A
2008/0019393	12/2007	Yamaki	N/A	N/A
2008/0033404	12/2007	Romoda et al.	N/A	N/A
2008/0039742	12/2007	Hashimshony et al.	N/A	N/A
2008/0040151	12/2007	Moore	N/A	N/A
2008/0058593	12/2007	Gu et al.	N/A	N/A
2008/0059658	12/2007	Williams	N/A	N/A
2008/0077158	12/2007	Haider et al.	N/A	N/A
2008/0083414	12/2007	Messerges	N/A	N/A
2008/0091071	12/2007	Kumar et al.	N/A	N/A
2008/0114212	12/2007	Messerges	N/A	N/A
2008/0114350	12/2007	Park et al.	N/A	N/A
2008/0129465	12/2007	Rao	N/A	N/A
2008/0140090	12/2007	Aranyi et al.	N/A	N/A
2008/0164296	12/2007	Shelton et al.	N/A	N/A
2008/0167644	12/2007	Shelton et al.	N/A	N/A
2008/0177258	12/2007	Govari et al.	N/A	N/A

2008/0177362	12/2007	Phillips et al.	N/A	N/A
2008/0200940	12/2007	Eichmann et al.	N/A	N/A
2008/0223904	12/2007	Marczyk	N/A	N/A
2008/0234708	12/2007	Houser et al.	N/A	N/A
2008/0235052	12/2007	Node-Langlois et al.	N/A	N/A
2008/0245841	12/2007	Smith et al.	N/A	N/A
2008/0255413	12/2007	Zemlok et al.	N/A	N/A
2008/0262654	12/2007	Omori et al.	N/A	N/A
2008/0272172	12/2007	Zemlok et al.	N/A	N/A
2008/0281301	12/2007	DeBoer et al.	N/A	N/A
2008/0281678	12/2007	Keuls et al.	N/A	N/A
2008/0296346	12/2007	Shelton, IV et al.	N/A	N/A
2008/0306759	12/2007	Ilkin et al.	N/A	N/A
2008/0312953	12/2007	Claus	N/A	N/A
2009/0017910	12/2008	Rofougaran et al.	N/A	N/A
2009/0030437	12/2008	Houser et al.	N/A	N/A
2009/0036750	12/2008	Weinstein et al.	N/A	N/A
2009/0036794	12/2008	Stubhaug et al.	N/A	N/A
2009/0043253	12/2008	Podaima	N/A	N/A
2009/0046146	12/2008	Hoyt	N/A	N/A
2009/0048589	12/2008	Takashino et al.	N/A	N/A
2009/0048595	12/2008	Mihori et al.	N/A	N/A
2009/0048611	12/2008	Funda et al.	N/A	N/A
2009/0076409	12/2008	Wu et al.	N/A	N/A
2009/0090763	12/2008	Zemlok et al.	N/A	N/A
2009/0093702	12/2008	Vollmer et al.	N/A	N/A
2009/0099866	12/2008	Newman	N/A	N/A
2009/0114699	12/2008	Viola	N/A	N/A
2009/0128084	12/2008	Johnson et al.	N/A	N/A
2009/0138095	12/2008	Giordano	N/A	N/A
2009/0157072	12/2008	Wham et al.	N/A	N/A
2009/0157695	12/2008	Roberts	N/A	N/A
2009/0182577	12/2008	Squilla et al.	N/A	N/A
2009/0188094	12/2008	Cunningham et al.	N/A	N/A
2009/0192591	12/2008	Ryan et al.	N/A	N/A
2009/0206131	12/2008	Weisenburgh, II et al.	N/A	N/A
2009/0217932	12/2008	Voegele	N/A	N/A
2009/0234352	12/2008	Behnke et al.	N/A	N/A
2009/0259149	12/2008	Tahara et al.	N/A	N/A
2009/0259221	12/2008	Tahara et al.	N/A	N/A
2009/0259489	12/2008	Kimura et al.	N/A	N/A
2009/0270678	12/2008	Scott et al.	N/A	N/A
2009/0281541	12/2008	Ibrahim et al.	N/A	N/A
2009/0299214	12/2008	Wu et al.	N/A	N/A
2009/0306581	12/2008	Claus	N/A	N/A
2009/0307681	12/2008	Armado et al.	N/A	N/A
2009/0326321	12/2008	Jacobsen et al.	N/A	N/A
2009/0326336	12/2008	Lemke et al.	N/A	N/A
2010/0036192	12/2009	Yao et al.	N/A	N/A
2010/0036374	12/2009	Ward	N/A	N/A
2010/0036405	12/2009	Giordano et al.	N/A	N/A
2010/0038403	12/2009	D'Arcangelo	N/A	N/A
2010/0057106	12/2009	Sorrentino et al.	N/A	N/A
2010/0065604	12/2009	Weng	N/A	N/A
2010/0069939	12/2009	Konishi	N/A	N/A
2010/0069942	12/2009	Shelton, IV	N/A	N/A
2010/0070417	12/2009	Flynn et al.	N/A	N/A
2010/0120266	12/2009	Rimborg	N/A	N/A
2010/0132334	12/2009	Duclos et al.	N/A	N/A
2010/0137845	12/2009	Ramstein et al.	N/A	N/A
2010/0137886	12/2009	Zergiebel et al.	N/A	N/A
2010/0168561	12/2009	Anderson	N/A	N/A
2010/0179831	12/2009	Brown et al.	N/A	N/A
2010/0191100	12/2009	Anderson et al.	N/A	N/A
2010/0194574	12/2009	Monk et al.	N/A	N/A
2010/0198200	12/2009	Horvath	N/A	N/A
2010/0198220	12/2009	Boudreaux et al.	N/A	N/A
2010/0198248	12/2009	Vakharia	N/A	N/A
2010/0204717	12/2009	Knodel	N/A	N/A
2010/0217991	12/2009	Choi	N/A	N/A
2010/0234996	12/2009	Schreiber et al.	N/A	N/A
2010/0235689	12/2009	Tian et al.	N/A	N/A
2010/0250571	12/2009	Pierce et al.	N/A	N/A
2010/0258327	12/2009	Esenwein et al.	N/A	N/A
2010/0280247	12/2009	Mutti et al.	N/A	N/A

2010/0292535	12/2009	Paskar	N/A	N/A
2010/0292684	12/2009	Cybulski et al.	N/A	N/A
2010/0301095	12/2009	Shelton, IV et al.	N/A	N/A
2011/0006876	12/2010	Moberg et al.	N/A	N/A
2011/0015649	12/2010	Anvari et al.	N/A	N/A
2011/0022032	12/2010	Zemlok et al.	N/A	N/A
2011/0036890	12/2010	Ma	N/A	N/A
2011/0043612	12/2010	Keller et al.	N/A	N/A
2011/0046618	12/2010	Minar et al.	N/A	N/A
2011/0071530	12/2010	Carson	N/A	N/A
2011/0077512	12/2010	Boswell	N/A	N/A
2011/0087238	12/2010	Wang et al.	N/A	N/A
2011/0087502	12/2010	Yelton et al.	N/A	N/A
2011/0105277	12/2010	Shauli	N/A	N/A
2011/0105895	12/2010	Kornblau et al.	N/A	N/A
2011/0112569	12/2010	Friedman et al.	N/A	N/A
2011/0118708	12/2010	Burbank et al.	N/A	N/A
2011/0119075	12/2010	Dhoble	N/A	N/A
2011/0125149	12/2010	El-Galley et al.	N/A	N/A
2011/0152712	12/2010	Cao et al.	N/A	N/A
2011/0163147	12/2010	Laurent et al.	N/A	N/A
2011/0166883	12/2010	Palmer et al.	N/A	N/A
2011/0196398	12/2010	Robertson et al.	N/A	N/A
2011/0209128	12/2010	Nikara et al.	N/A	N/A
2011/0218526	12/2010	Mathur	N/A	N/A
2011/0222746	12/2010	Kotula et al.	N/A	N/A
2011/0237883	12/2010	Chun	N/A	N/A
2011/0238079	12/2010	Hannaford et al.	N/A	N/A
2011/0251612	12/2010	Faller et al.	N/A	N/A
2011/0264000	12/2010	Paul et al.	N/A	N/A
2011/0264078	12/2010	Lipow et al.	N/A	N/A
2011/0264086	12/2010	Ingle	N/A	N/A
2011/0265311	12/2010	Kondo et al.	N/A	N/A
2011/0273465	12/2010	Konishi et al.	N/A	N/A
2011/0278343	12/2010	Knodel et al.	N/A	N/A
2011/0290024	12/2010	Lefler	N/A	N/A
2011/0295270	12/2010	Giordano et al.	N/A	N/A
2011/0306840	12/2010	Allen et al.	N/A	N/A
2011/0307284	12/2010	Thompson et al.	N/A	N/A
2012/0012638	12/2011	Huang et al.	N/A	N/A
2012/0021684	12/2011	Schultz et al.	N/A	N/A
2012/0022519	12/2011	Huang et al.	N/A	N/A
2012/0029354	12/2011	Mark et al.	N/A	N/A
2012/0046662	12/2011	Gilbert	N/A	N/A
2012/0059684	12/2011	Hampapur et al.	N/A	N/A
2012/0078247	12/2011	Worrell et al.	N/A	N/A
2012/0080336	12/2011	Shelton, IV et al.	N/A	N/A
2012/0080498	12/2011	Shelton, IV et al.	N/A	N/A
2012/0083786	12/2011	Artale et al.	N/A	N/A
2012/0100517	12/2011	Bowditch et al.	N/A	N/A
2012/0101488	12/2011	Aldridge et al.	N/A	N/A
2012/0116265	12/2011	Houser et al.	N/A	N/A
2012/0116381	12/2011	Houser et al.	N/A	N/A
2012/0116394	12/2011	Timm et al.	N/A	N/A
2012/0130217	12/2011	Kauphusman et al.	N/A	N/A
2012/0145714	12/2011	Farascioni et al.	N/A	N/A
2012/0172696	12/2011	Kallback et al.	N/A	N/A
2012/0190981	12/2011	Harris et al.	N/A	N/A
2012/0191091	12/2011	Allen	N/A	N/A
2012/0191162	12/2011	Villa	N/A	N/A
2012/0197619	12/2011	Namer Yelin et al.	N/A	N/A
2012/0203067	12/2011	Higgins et al.	N/A	N/A
2012/0203143	12/2011	Sanai et al.	N/A	N/A
2012/0203785	12/2011	Awada	N/A	N/A
2012/0211542	12/2011	Racenet	N/A	N/A
2012/0226150	12/2011	Balicki et al.	N/A	N/A
2012/0232549	12/2011	Willyard et al.	N/A	N/A
2012/0245958	12/2011	Lawrence et al.	N/A	N/A
2012/0253329	12/2011	Zemlok et al.	N/A	N/A
2012/0253847	12/2011	Dell'Anno et al.	N/A	N/A
2012/0265555	12/2011	Cappuzzo et al.	N/A	N/A
2012/0292367	12/2011	Morgan et al.	N/A	N/A
2012/0319859	12/2011	Taub et al.	N/A	N/A
2013/0001121	12/2012	Metzger	N/A	N/A
2013/0006241	12/2012	Takashino	N/A	N/A

2013/0008677	12/2012	Huifu	N/A	N/A
2013/0024213	12/2012	Poon	N/A	N/A
2013/0046182	12/2012	Hegg et al.	N/A	N/A
2013/0046279	12/2012	Niklewski et al.	N/A	N/A
2013/0046295	12/2012	Kerr et al.	N/A	N/A
2013/0066647	12/2012	Andrie et al.	N/A	N/A
2013/0085413	12/2012	Tsamir et al.	N/A	N/A
2013/0090526	12/2012	Suzuki et al.	N/A	N/A
2013/0090755	12/2012	Kiryu et al.	N/A	N/A
2013/0093829	12/2012	Rosenblatt et al.	N/A	N/A
2013/0096597	12/2012	Anand et al.	N/A	N/A
2013/0116218	12/2012	Kaplan et al.	N/A	N/A
2013/0131845	12/2012	Guilleminot	N/A	N/A
2013/0144284	12/2012	Behnke et al.	N/A	N/A
2013/0153635	12/2012	Hodgkinson	N/A	N/A
2013/0165776	12/2012	Blomqvist	N/A	N/A
2013/0168435	12/2012	Huang et al.	N/A	N/A
2013/0178853	12/2012	Hyink et al.	N/A	N/A
2013/0190755	12/2012	Deborski et al.	N/A	N/A
2013/0191154	12/2012	William R. et al.	N/A	N/A
2013/0191647	12/2012	Ferrara, Jr. et al.	N/A	N/A
2013/0193188	12/2012	Shelton, IV et al.	N/A	N/A
2013/0196703	12/2012	Masoud et al.	N/A	N/A
2013/0197531	12/2012	Boukhny et al.	N/A	N/A
2013/0201356	12/2012	Kennedy et al.	N/A	N/A
2013/0206813	12/2012	Nalagatla	N/A	N/A
2013/0214025	12/2012	Zemlok et al.	N/A	N/A
2013/0253480	12/2012	Kimball et al.	N/A	N/A
2013/0256373	12/2012	Schmid et al.	N/A	N/A
2013/0261503	12/2012	Sherman et al.	N/A	N/A
2013/0267874	12/2012	Marcotte et al.	N/A	N/A
2013/0267969	12/2012	Martin	606/147	A61B 17/0491
2013/0268283	12/2012	Vann et al.	N/A	N/A
2013/0277410	12/2012	Fernandez et al.	N/A	N/A
2013/0317837	12/2012	Ballantyne et al.	N/A	N/A
2013/0321425	12/2012	Greene et al.	N/A	N/A
2013/0325809	12/2012	Kim et al.	N/A	N/A
2013/0331873	12/2012	Ross et al.	N/A	N/A
2013/0331875	12/2012	Ross et al.	N/A	N/A
2014/0001231	12/2013	Shelton, IV et al.	N/A	N/A
2014/0001234	12/2013	Shelton, IV et al.	N/A	N/A
2014/0005640	12/2013	Shelton, IV et al.	N/A	N/A
2014/0006132	12/2013	Barker	N/A	N/A
2014/0009894	12/2013	Yu	N/A	N/A
2014/0013565	12/2013	MacDonald et al.	N/A	N/A
2014/0018788	12/2013	Engelman et al.	N/A	N/A
2014/0029411	12/2013	Nayak et al.	N/A	N/A
2014/0033926	12/2013	Fassel et al.	N/A	N/A
2014/0035762	12/2013	Shelton, IV et al.	N/A	N/A
2014/0039491	12/2013	Bakos et al.	N/A	N/A
2014/0058407	12/2013	Tsekos et al.	N/A	N/A
2014/0066700	12/2013	Wilson et al.	N/A	N/A
2014/0073893	12/2013	Bencini	N/A	N/A
2014/0074076	12/2013	Gertner	N/A	N/A
2014/0081255	12/2013	Johnson et al.	N/A	N/A
2014/0081659	12/2013	Nawana et al.	N/A	N/A
2014/0084949	12/2013	Smith et al.	N/A	N/A
2014/0087999	12/2013	Kaplan et al.	N/A	N/A
2014/0092089	12/2013	Kasuya et al.	N/A	N/A
2014/0107697	12/2013	Patani et al.	N/A	N/A
2014/0108035	12/2013	Akbay et al.	N/A	N/A
2014/0108983	12/2013	William R. et al.	N/A	N/A
2014/0117256	12/2013	Mueller et al.	N/A	N/A
2014/0121669	12/2013	Claus	N/A	N/A
2014/0142963	12/2013	Hill et al.	N/A	N/A
2014/0148729	12/2013	Schmitz et al.	N/A	N/A
2014/0148803	12/2013	Taylor	N/A	N/A
2014/0163359	12/2013	Sholev et al.	N/A	N/A
2014/0166724	12/2013	Schellin et al.	N/A	N/A
2014/0171778	12/2013	Tsusaka et al.	N/A	N/A
2014/0171787	12/2013	Garbey et al.	N/A	N/A
2014/0176576	12/2013	Spencer	N/A	N/A
2014/0187856	12/2013	Holoien et al.	N/A	N/A
2014/0188440	12/2013	Donhowe et al.	N/A	N/A
2014/0194864	12/2013	Martin et al.	N/A	N/A

2014/0195052	12/2013	Tsusaka et al.	N/A	N/A
2014/0204190	12/2013	Rosenblatt, III et al.	N/A	N/A
2014/0207124	12/2013	Aldridge et al.	N/A	N/A
2014/0226572	12/2013	Thota et al.	N/A	N/A
2014/0243799	12/2013	Parihar	N/A	N/A
2014/0243809	12/2013	Gelfand et al.	N/A	N/A
2014/0243811	12/2013	Reschke et al.	N/A	N/A
2014/0246475	12/2013	Hall et al.	N/A	N/A
2014/0249557	12/2013	Koch, Jr. et al.	N/A	N/A
2014/0252064	12/2013	Mozdzierz et al.	N/A	N/A
2014/0263541	12/2013	Leimbach et al.	N/A	N/A
2014/0263552	12/2013	Hall et al.	N/A	N/A
2014/0275760	12/2013	Lee et al.	N/A	N/A
2014/0276748	12/2013	Ku et al.	N/A	N/A
2014/0276749	12/2013	Johnson	N/A	N/A
2014/0278219	12/2013	Canavan et al.	N/A	N/A
2014/0287393	12/2013	Kumar et al.	N/A	N/A
2014/0296694	12/2013	Jaworski	N/A	N/A
2014/0303660	12/2013	Boyden et al.	N/A	N/A
2014/0303990	12/2013	Schoenefeld et al.	N/A	N/A
2014/0336943	12/2013	Pellini et al.	N/A	N/A
2014/0337052	12/2013	Pellini et al.	N/A	N/A
2014/0364691	12/2013	Krivopisk et al.	N/A	N/A
2015/0006201	12/2014	Pait et al.	N/A	N/A
2015/0012010	12/2014	Adler et al.	N/A	N/A
2015/0025549	12/2014	Kilroy et al.	N/A	N/A
2015/0032150	12/2014	Ishida et al.	N/A	N/A
2015/0033128	12/2014	Curd et al.	N/A	N/A
2015/0051452	12/2014	Ciacchio	N/A	N/A
2015/0051598	12/2014	Orszulak et al.	N/A	N/A
2015/0051617	12/2014	Takemura et al.	N/A	N/A
2015/0053737	12/2014	Leimbach et al.	N/A	N/A
2015/0053743	12/2014	Yates et al.	N/A	N/A
2015/0053746	12/2014	Shelton, IV et al.	N/A	N/A
2015/0053749	12/2014	Shelton, IV et al.	N/A	N/A
2015/0057675	12/2014	Akeel et al.	N/A	N/A
2015/0062316	12/2014	Haraguchi et al.	N/A	N/A
2015/0066000	12/2014	An et al.	N/A	N/A
2015/0070187	12/2014	Wiesner et al.	N/A	N/A
2015/0073400	12/2014	Sverdlik et al.	N/A	N/A
2015/0077528	12/2014	Awdeh	N/A	N/A
2015/0083774	12/2014	Measamer et al.	N/A	N/A
2015/0099458	12/2014	Weisner et al.	N/A	N/A
2015/0108198	12/2014	Estrella	N/A	N/A
2015/0133945	12/2014	Dushyant et al.	N/A	N/A
2015/0136833	12/2014	Shelton, IV et al.	N/A	N/A
2015/0140982	12/2014	Postrel	N/A	N/A
2015/0141980	12/2014	Jadhav et al.	N/A	N/A
2015/0142016	12/2014	Bolduc et al.	N/A	N/A
2015/0145682	12/2014	Harris	N/A	N/A
2015/0148830	12/2014	Stulen et al.	N/A	N/A
2015/0157354	12/2014	Bales, Jr. et al.	N/A	N/A
2015/0168126	12/2014	Nevet et al.	N/A	N/A
2015/0173673	12/2014	Toth et al.	N/A	N/A
2015/0173756	12/2014	Baxter, III et al.	N/A	N/A
2015/0182220	12/2014	Yates et al.	N/A	N/A
2015/0196295	12/2014	Shelton, IV et al.	N/A	N/A
2015/0199109	12/2014	Lee	N/A	N/A
2015/0201918	12/2014	Kumar et al.	N/A	N/A
2015/0202014	12/2014	Kim et al.	N/A	N/A
2015/0208934	12/2014	Sztrubel et al.	N/A	N/A
2015/0223725	12/2014	Engel et al.	N/A	N/A
2015/0223868	12/2014	Brandt et al.	N/A	N/A
2015/0237502	12/2014	Schmidt et al.	N/A	N/A
2015/0238118	12/2014	Legassey et al.	N/A	N/A
2015/0257783	12/2014	Levine et al.	N/A	N/A
2015/0272557	12/2014	Overmyer et al.	N/A	N/A
2015/0272571	12/2014	Leimbach et al.	N/A	N/A
2015/0272580	12/2014	Leimbach et al.	N/A	N/A
2015/0272582	12/2014	Leimbach et al.	N/A	N/A
2015/0272694	12/2014	Charles	N/A	N/A
2015/0282733	12/2014	Fielden et al.	N/A	N/A
2015/0282796	12/2014	Nawana et al.	N/A	N/A
2015/0282821	12/2014	Look et al.	N/A	N/A
2015/0286787	12/2014	Chen et al.	N/A	N/A

2015/0289820	12/2014	Miller et al.	N/A	N/A
2015/0289925	12/2014	Voegelé et al.	N/A	N/A
2015/0296042	12/2014	Aoyama	N/A	N/A
2015/0297200	12/2014	Fitzsimmons et al.	N/A	N/A
2015/0297222	12/2014	Huitema et al.	N/A	N/A
2015/0297311	12/2014	Tesar	N/A	N/A
2015/0302157	12/2014	Collar et al.	N/A	N/A
2015/0305828	12/2014	Park et al.	N/A	N/A
2015/0310174	12/2014	Coudert et al.	N/A	N/A
2015/0313538	12/2014	Bechtel et al.	N/A	N/A
2015/0317899	12/2014	Dumbauld et al.	N/A	N/A
2015/0320423	12/2014	Aranyi	N/A	N/A
2015/0324114	12/2014	Hurley et al.	N/A	N/A
2015/0328474	12/2014	Flyash et al.	N/A	N/A
2015/0331995	12/2014	Zhao et al.	N/A	N/A
2015/0332003	12/2014	Stamm et al.	N/A	N/A
2015/0332196	12/2014	Stiller et al.	N/A	N/A
2015/0335344	12/2014	Aljuri et al.	N/A	N/A
2015/0363566	12/2014	Johnson	705/3	G16H 20/30
2015/0374259	12/2014	Garbey et al.	N/A	N/A
2016/0000437	12/2015	Giordano et al.	N/A	N/A
2016/0001411	12/2015	Alberti	N/A	N/A
2016/0005169	12/2015	Sela et al.	N/A	N/A
2016/0015471	12/2015	Piron et al.	N/A	N/A
2016/0019346	12/2015	Boston et al.	N/A	N/A
2016/0022374	12/2015	Haider et al.	N/A	N/A
2016/0034648	12/2015	Mohlenbrock et al.	N/A	N/A
2016/0038224	12/2015	Couture et al.	N/A	N/A
2016/0038253	12/2015	Piron et al.	N/A	N/A
2016/0048780	12/2015	Sethumadhavan et al.	N/A	N/A
2016/0051315	12/2015	Boudreaux	N/A	N/A
2016/0058439	12/2015	Shelton, IV et al.	N/A	N/A
2016/0066913	12/2015	Swayze et al.	N/A	N/A
2016/0100837	12/2015	Huang et al.	N/A	N/A
2016/0103810	12/2015	Hanning	N/A	N/A
2016/0106516	12/2015	Mesallum	N/A	N/A
2016/0106934	12/2015	Hiraga et al.	N/A	N/A
2016/0121143	12/2015	Mumaw et al.	N/A	N/A
2016/0143659	12/2015	Glutz et al.	N/A	N/A
2016/0143693	12/2015	Yilmaz et al.	N/A	N/A
2016/0157717	12/2015	Gaster	N/A	N/A
2016/0158468	12/2015	Tang et al.	N/A	N/A
2016/0166336	12/2015	Razzaque et al.	N/A	N/A
2016/0174998	12/2015	Lal et al.	N/A	N/A
2016/0175025	12/2015	Strobl	N/A	N/A
2016/0180045	12/2015	Syed	N/A	N/A
2016/0182637	12/2015	Adriaens et al.	N/A	N/A
2016/0184054	12/2015	Lowe	N/A	N/A
2016/0184469	12/2015	Welch et al.	N/A	N/A
2016/0192960	12/2015	Bueno et al.	N/A	N/A
2016/0192999	12/2015	Stulen et al.	N/A	N/A
2016/0203599	12/2015	Gillies et al.	N/A	N/A
2016/0206202	12/2015	Frangioni	N/A	N/A
2016/0206362	12/2015	Mehta et al.	N/A	N/A
2016/0224760	12/2015	Petak et al.	N/A	N/A
2016/0225551	12/2015	Shedletsky	N/A	N/A
2016/0228061	12/2015	Kallback et al.	N/A	N/A
2016/0228204	12/2015	Quaid et al.	N/A	N/A
2016/0235303	12/2015	Fleming et al.	N/A	N/A
2016/0242836	12/2015	Eggers et al.	N/A	N/A
2016/0249910	12/2015	Shelton, IV et al.	N/A	N/A
2016/0249920	12/2015	Gupta et al.	N/A	N/A
2016/0270732	12/2015	Källbäck et al.	N/A	N/A
2016/0270842	12/2015	Strobl et al.	N/A	N/A
2016/0270861	12/2015	Guru et al.	N/A	N/A
2016/0275259	12/2015	Nolan et al.	N/A	N/A
2016/0278841	12/2015	Panescu et al.	N/A	N/A
2016/0287312	12/2015	Tegg et al.	N/A	N/A
2016/0287316	12/2015	Worrell et al.	N/A	N/A
2016/0287337	12/2015	Aram et al.	N/A	N/A
2016/0287912	12/2015	Warnking	N/A	N/A
2016/0292456	12/2015	Dubey et al.	N/A	N/A
2016/0296246	12/2015	Schaller	N/A	N/A
2016/0302210	12/2015	Thornton et al.	N/A	N/A
2016/0310055	12/2015	Zand et al.	N/A	N/A

2016/0310204	12/2015	Mchenry et al.	N/A	N/A
2016/0314716	12/2015	Grubbs	N/A	N/A
2016/0314717	12/2015	Grubbs	N/A	N/A
2016/0317172	12/2015	Kumada et al.	N/A	N/A
2016/0321400	12/2015	Durrant et al.	N/A	N/A
2016/0323283	12/2015	Kang et al.	N/A	N/A
2016/0331460	12/2015	Cheatham, III et al.	N/A	N/A
2016/0331473	12/2015	Yamamura	N/A	N/A
2016/0338685	12/2015	Nawana et al.	N/A	N/A
2016/0342753	12/2015	Feazell	N/A	N/A
2016/0342916	12/2015	Arceneaux et al.	N/A	N/A
2016/0345857	12/2015	Jensrud et al.	N/A	N/A
2016/0350490	12/2015	Martinez et al.	N/A	N/A
2016/0354155	12/2015	Hodges et al.	N/A	N/A
2016/0354160	12/2015	Crowley et al.	N/A	N/A
2016/0354162	12/2015	Yen et al.	N/A	N/A
2016/0356852	12/2015	Lee	N/A	N/A
2016/0361070	12/2015	Ardel et al.	N/A	N/A
2016/0367305	12/2015	Hareland	N/A	N/A
2016/0367401	12/2015	Claus	N/A	N/A
2016/0374710	12/2015	Sinelnikov et al.	N/A	N/A
2016/0374723	12/2015	Frankhouser et al.	N/A	N/A
2016/0374762	12/2015	Case et al.	N/A	N/A
2016/0379504	12/2015	Bailey et al.	N/A	N/A
2017/0005911	12/2016	Kasargod et al.	N/A	N/A
2017/0007247	12/2016	Shelton, IV et al.	N/A	N/A
2017/0027603	12/2016	Pandey	N/A	N/A
2017/0042604	12/2016	McFarland et al.	N/A	N/A
2017/0049522	12/2016	Kapadia	N/A	N/A
2017/0056038	12/2016	Hess et al.	N/A	N/A
2017/0068792	12/2016	Reiner	N/A	N/A
2017/0079530	12/2016	DiMaio et al.	N/A	N/A
2017/0079730	12/2016	Azizian et al.	N/A	N/A
2017/0086829	12/2016	Vendely et al.	N/A	N/A
2017/0086906	12/2016	Tsuruta	N/A	N/A
2017/0086930	12/2016	Thompson et al.	N/A	N/A
2017/0105754	12/2016	Boudreaux et al.	N/A	N/A
2017/0105787	12/2016	Witt et al.	N/A	N/A
2017/0116873	12/2016	Lendvay et al.	N/A	N/A
2017/0119477	12/2016	Amiot et al.	N/A	N/A
2017/0127499	12/2016	Unoson et al.	N/A	N/A
2017/0132374	12/2016	Lee et al.	N/A	N/A
2017/0132385	12/2016	Hunter et al.	N/A	N/A
2017/0132785	12/2016	Wshah et al.	N/A	N/A
2017/0143284	12/2016	Sehnert et al.	N/A	N/A
2017/0143366	12/2016	Groene et al.	N/A	N/A
2017/0147759	12/2016	Iyer et al.	N/A	N/A
2017/0154156	12/2016	Sevenster et al.	N/A	N/A
2017/0161443	12/2016	Bassham et al.	N/A	N/A
2017/0164996	12/2016	Honda et al.	N/A	N/A
2017/0164997	12/2016	Johnson et al.	N/A	N/A
2017/0165008	12/2016	Finley	N/A	N/A
2017/0165012	12/2016	Chaplin et al.	N/A	N/A
2017/0172550	12/2016	Mukherjee et al.	N/A	N/A
2017/0172565	12/2016	Heneveld	N/A	N/A
2017/0172614	12/2016	Scheib et al.	N/A	N/A
2017/0172674	12/2016	Hanuschik et al.	N/A	N/A
2017/0172676	12/2016	Itkowitz et al.	N/A	N/A
2017/0173262	12/2016	Veltz	N/A	N/A
2017/0177807	12/2016	Fabian	N/A	N/A
2017/0178069	12/2016	Pattera et al.	N/A	N/A
2017/0185732	12/2016	Niklewski et al.	N/A	N/A
2017/0196583	12/2016	Sugiyama	N/A	N/A
2017/0202305	12/2016	Huard et al.	N/A	N/A
2017/0202595	12/2016	Shelton, IV	N/A	N/A
2017/0202608	12/2016	Shelton, IV et al.	N/A	N/A
2017/0209145	12/2016	Swayze et al.	N/A	N/A
2017/0215944	12/2016	Keffeler	N/A	N/A
2017/0224332	12/2016	Hunter et al.	N/A	N/A
2017/0224428	12/2016	Kopp	N/A	N/A
2017/0231553	12/2016	Igarashi et al.	N/A	N/A
2017/0231628	12/2016	Shelton, IV et al.	N/A	N/A
2017/0235897	12/2016	Henderson et al.	N/A	N/A
2017/0245809	12/2016	Ma et al.	N/A	N/A
2017/0249431	12/2016	Shelton, IV et al.	N/A	N/A

2017/0249432	12/2016	Grantcharov	N/A	N/A
2017/0254013	12/2016	Pratt et al.	N/A	N/A
2017/0262604	12/2016	Francois	N/A	N/A
2017/0265864	12/2016	Hessler et al.	N/A	N/A
2017/0265943	12/2016	Sela et al.	N/A	N/A
2017/0270323	12/2016	Butler et al.	N/A	N/A
2017/0273715	12/2016	Piron et al.	N/A	N/A
2017/0281186	12/2016	Shelton, IV et al.	N/A	N/A
2017/0289617	12/2016	Song et al.	N/A	N/A
2017/0296173	12/2016	Shelton, IV et al.	N/A	N/A
2017/0296301	12/2016	Dor et al.	N/A	N/A
2017/0303984	12/2016	Malackowski	N/A	N/A
2017/0304007	12/2016	Piron et al.	N/A	N/A
2017/0304020	12/2016	Ng et al.	N/A	N/A
2017/0311777	12/2016	Hirayama et al.	N/A	N/A
2017/0312456	12/2016	Phillips	N/A	N/A
2017/0319268	12/2016	Akagane	N/A	N/A
2017/0325876	12/2016	Nakadate et al.	N/A	N/A
2017/0325878	12/2016	Messerly et al.	N/A	N/A
2017/0333147	12/2016	Bernstein	N/A	N/A
2017/0333152	12/2016	Wade	N/A	N/A
2017/0337043	12/2016	Brincat et al.	N/A	N/A
2017/0337493	12/2016	Paramasivan et al.	N/A	N/A
2017/0348047	12/2016	Reiter et al.	N/A	N/A
2017/0360358	12/2016	Amiot et al.	N/A	N/A
2017/0360499	12/2016	Greep et al.	N/A	N/A
2017/0367583	12/2016	Black et al.	N/A	N/A
2017/0367754	12/2016	Narisawa	N/A	N/A
2017/0367771	12/2016	Tako et al.	N/A	N/A
2017/0367772	12/2016	Gunn et al.	N/A	N/A
2017/0370710	12/2016	Chen et al.	N/A	N/A
2018/0008359	12/2017	Randle	N/A	N/A
2018/0011983	12/2017	Zuhars et al.	N/A	N/A
2018/0014764	12/2017	Bechtel et al.	N/A	N/A
2018/0021058	12/2017	Meglan	N/A	N/A
2018/0028088	12/2017	Garbey et al.	N/A	N/A
2018/0042659	12/2017	Rupp et al.	N/A	N/A
2018/0050196	12/2017	Pawsey et al.	N/A	N/A
2018/0052971	12/2017	Hanina et al.	N/A	N/A
2018/0056496	12/2017	Rubens et al.	N/A	N/A
2018/0065248	12/2017	Barral et al.	N/A	N/A
2018/0078170	12/2017	Panescu et al.	N/A	N/A
2018/0082480	12/2017	White et al.	N/A	N/A
2018/0085102	12/2017	Kikuchi	N/A	N/A
2018/0098049	12/2017	Sugano et al.	N/A	N/A
2018/0098816	12/2017	Govari et al.	N/A	N/A
2018/0108438	12/2017	Ryan et al.	N/A	N/A
2018/0110398	12/2017	Schwartz et al.	N/A	N/A
2018/0116735	12/2017	Tierney et al.	N/A	N/A
2018/0122506	12/2017	Grantcharov et al.	N/A	N/A
2018/0132895	12/2017	Silver	N/A	N/A
2018/0144243	12/2017	Hsieh et al.	N/A	N/A
2018/0144314	12/2017	Miller	N/A	N/A
2018/0153436	12/2017	Olson	N/A	N/A
2018/0153574	12/2017	Faller et al.	N/A	N/A
2018/0153632	12/2017	Tokarchuk	N/A	B25J 9/1689
2018/0154297	12/2017	Maletich et al.	N/A	N/A
2018/0161062	12/2017	Kaga et al.	N/A	N/A
2018/0161716	12/2017	Li et al.	N/A	N/A
2018/0165780	12/2017	Romeo	N/A	N/A
2018/0168574	12/2017	Robinson et al.	N/A	N/A
2018/0168575	12/2017	Simms et al.	N/A	N/A
2018/0168577	12/2017	Aronhalt et al.	N/A	N/A
2018/0168579	12/2017	Aronhalt et al.	N/A	N/A
2018/0168598	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168608	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168609	12/2017	Fanelli et al.	N/A	N/A
2018/0168615	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168618	12/2017	Scott et al.	N/A	N/A
2018/0168619	12/2017	Scott et al.	N/A	N/A
2018/0168623	12/2017	Simms et al.	N/A	N/A
2018/0168625	12/2017	Posada et al.	N/A	N/A
2018/0168633	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168647	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168648	12/2017	Shelton, IV et al.	N/A	N/A

2018/0168650	12/2017	Shelton, IV et al.	N/A	N/A
2018/0168739	12/2017	Alikhani et al.	N/A	N/A
2018/0172420	12/2017	Hein et al.	N/A	N/A
2018/0177383	12/2017	Noonan et al.	N/A	N/A
2018/0182475	12/2017	Cossler et al.	N/A	N/A
2018/0183684	12/2017	Jacobson et al.	N/A	N/A
2018/0193579	12/2017	Hanrahan et al.	N/A	N/A
2018/0206884	12/2017	Beaupre	N/A	N/A
2018/0206905	12/2017	Batchelor et al.	N/A	N/A
2018/0211726	12/2017	Courtemanche et al.	N/A	N/A
2018/0214025	12/2017	Homyk et al.	N/A	N/A
2018/0221005	12/2017	Hamel et al.	N/A	N/A
2018/0221598	12/2017	Silver	N/A	N/A
2018/0228557	12/2017	Darisse et al.	N/A	N/A
2018/0233222	12/2017	Daley et al.	N/A	N/A
2018/0233235	12/2017	Angelides	N/A	N/A
2018/0235719	12/2017	Jarc	N/A	N/A
2018/0235722	12/2017	Baghdadi et al.	N/A	N/A
2018/0242967	12/2017	Meade	N/A	N/A
2018/0247128	12/2017	Alvi et al.	N/A	N/A
2018/0247711	12/2017	Terry	N/A	N/A
2018/0250086	12/2017	Grubbs	N/A	N/A
2018/0250825	12/2017	Hashimoto et al.	N/A	N/A
2018/0263699	12/2017	Murphy et al.	N/A	N/A
2018/0263710	12/2017	Sakaguchi et al.	N/A	N/A
2018/0268320	12/2017	Shekhar	N/A	N/A
2018/0271603	12/2017	Nir et al.	N/A	N/A
2018/0289427	12/2017	Griffiths et al.	N/A	N/A
2018/0294060	12/2017	Kassab	N/A	N/A
2018/0296286	12/2017	Peine et al.	N/A	N/A
2018/0296289	12/2017	Rodriguez-Navarro et al.	N/A	N/A
2018/0300506	12/2017	Kawakami et al.	N/A	N/A
2018/0303552	12/2017	Ryan et al.	N/A	N/A
2018/0304471	12/2017	Tokuchi	N/A	N/A
2018/0310986	12/2017	Batchelor et al.	N/A	N/A
2018/0315492	12/2017	Bishop et al.	N/A	N/A
2018/0317916	12/2017	Wixey	N/A	N/A
2018/0325619	12/2017	Rauniyar et al.	N/A	N/A
2018/0333188	12/2017	Nott et al.	N/A	N/A
2018/0333207	12/2017	Moctezuma De La Barrera	N/A	N/A
2018/0333209	12/2017	Frushour et al.	N/A	N/A
2018/0345501	12/2017	Jumis et al.	N/A	N/A
2018/0349721	12/2017	Agrawal et al.	N/A	N/A
2018/0353186	12/2017	Mozdzierz et al.	N/A	N/A
2018/0357383	12/2017	Allen et al.	N/A	N/A
2018/0360456	12/2017	Shelton, IV et al.	N/A	N/A
2018/0366213	12/2017	Fidone et al.	N/A	N/A
2018/0368930	12/2017	Esterberg et al.	N/A	N/A
2019/0000569	12/2018	Crawford et al.	N/A	N/A
2019/0001079	12/2018	Zergiebel et al.	N/A	N/A
2019/0005641	12/2018	Yamamoto	N/A	N/A
2019/0006047	12/2018	Gorek et al.	N/A	N/A
2019/0025040	12/2018	Andreason et al.	N/A	N/A
2019/0036688	12/2018	Wasily et al.	N/A	N/A
2019/0038335	12/2018	Mohr et al.	N/A	N/A
2019/0038364	12/2018	Enoki	N/A	N/A
2019/0045515	12/2018	Kwasnick et al.	N/A	N/A
2019/0046198	12/2018	Stokes et al.	N/A	N/A
2019/0053801	12/2018	Wixey et al.	N/A	N/A
2019/0053866	12/2018	Seow et al.	N/A	N/A
2019/0059986	12/2018	Shelton, IV et al.	N/A	N/A
2019/0059997	12/2018	Frushour	N/A	N/A
2019/0069949	12/2018	Vrba et al.	N/A	N/A
2019/0069964	12/2018	Hagn	N/A	N/A
2019/0069966	12/2018	Petersen et al.	N/A	N/A
2019/0070550	12/2018	Lalomia et al.	N/A	N/A
2019/0070731	12/2018	Bowling et al.	N/A	N/A
2019/0083190	12/2018	Graves et al.	N/A	N/A
2019/0083809	12/2018	Zhang	N/A	N/A
2019/0087544	12/2018	Peterson	N/A	N/A
2019/0099221	12/2018	Schmidt et al.	N/A	N/A
2019/0099226	12/2018	Hallen	N/A	N/A
2019/0104919	12/2018	Shelton, IV et al.	N/A	N/A
2019/0105468	12/2018	Kato et al.	N/A	N/A
2019/0110828	12/2018	Despatie	N/A	N/A

2019/0110855	12/2018	Barral et al.	N/A	N/A
2019/0110856	12/2018	Barral et al.	N/A	N/A
2019/0115108	12/2018	Hegedus et al.	N/A	N/A
2019/0122330	12/2018	Saget et al.	N/A	N/A
2019/0125320	12/2018	Shelton, IV et al.	N/A	N/A
2019/0125336	12/2018	Deck et al.	N/A	N/A
2019/0125361	12/2018	Shelton, IV et al.	N/A	N/A
2019/0125432	12/2018	Shelton, IV et al.	N/A	N/A
2019/0125476	12/2018	Shelton, IV et al.	N/A	N/A
2019/0133703	12/2018	Seow et al.	N/A	N/A
2019/0142535	12/2018	Seow et al.	N/A	N/A
2019/0145942	12/2018	Dutriez et al.	N/A	N/A
2019/0150975	12/2018	Kawasaki et al.	N/A	N/A
2019/0163875	12/2018	Allen et al.	N/A	N/A
2019/0167296	12/2018	Tsubuku et al.	N/A	N/A
2019/0192044	12/2018	Ravi et al.	N/A	N/A
2019/0200844	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200905	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200906	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200977	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200980	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200981	12/2018	Harris et al.	N/A	N/A
2019/0200987	12/2018	Shelton, IV et al.	N/A	N/A
2019/0200997	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201021	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201024	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201027	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201029	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201030	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201034	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201039	12/2018	Widenhouse et al.	N/A	N/A
2019/0201042	12/2018	Nott et al.	N/A	N/A
2019/0201045	12/2018	Yates et al.	N/A	N/A
2019/0201076	12/2018	Honda et al.	N/A	N/A
2019/0201087	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201090	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201102	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201104	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201112	12/2018	Wiener et al.	N/A	N/A
2019/0201113	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201115	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201118	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201123	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201128	12/2018	Yates et al.	N/A	N/A
2019/0201130	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201139	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201140	12/2018	Yates et al.	N/A	N/A
2019/0201142	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201146	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201158	12/2018	Shelton, IV et al.	N/A	N/A
2019/0201594	12/2018	Shelton, IV et al.	N/A	N/A
2019/0204201	12/2018	Shelton, IV et al.	N/A	N/A
2019/0205567	12/2018	Shelton, IV et al.	N/A	N/A
2019/0206555	12/2018	Morgan et al.	N/A	N/A
2019/0206561	12/2018	Shelton, IV et al.	N/A	N/A
2019/0206564	12/2018	Shelton, IV et al.	N/A	N/A
2019/0206569	12/2018	Shelton, IV et al.	N/A	N/A
2019/0216452	12/2018	Nawana et al.	N/A	N/A
2019/0224434	12/2018	Silver et al.	N/A	N/A
2019/0254759	12/2018	Azizian	N/A	N/A
2019/0261984	12/2018	Nelson et al.	N/A	N/A
2019/0269476	12/2018	Bowling et al.	N/A	N/A
2019/0272917	12/2018	Couture et al.	N/A	N/A
2019/0274662	12/2018	Rockman et al.	N/A	N/A
2019/0274713	12/2018	Scoggins et al.	N/A	N/A
2019/0274752	12/2018	Denzinger et al.	N/A	N/A
2019/0278262	12/2018	Taylor et al.	N/A	N/A
2019/0282311	12/2018	Nowlin et al.	N/A	N/A
2019/0290389	12/2018	Kopp	N/A	N/A
2019/0298353	12/2018	Shelton, IV et al.	N/A	N/A
2019/0298464	12/2018	Abbott	N/A	N/A
2019/0307520	12/2018	Peine et al.	N/A	N/A
2019/0311802	12/2018	Kokubo et al.	N/A	N/A
2019/0314081	12/2018	Broгна	N/A	N/A
2019/0320929	12/2018	Spencer et al.	N/A	N/A

2019/0321117	12/2018	Itkowitz et al.	N/A	N/A
2019/0325386	12/2018	Laster et al.	N/A	N/A
2019/0333626	12/2018	Mansi et al.	N/A	N/A
2019/0343594	12/2018	Garcia Kilroy et al.	N/A	N/A
2019/0365569	12/2018	Skovgaard et al.	N/A	N/A
2019/0374140	12/2018	Tucker et al.	N/A	N/A
2019/0374292	12/2018	Barral et al.	N/A	N/A
2019/0378610	12/2018	Barral et al.	N/A	N/A
2020/0000470	12/2019	Du et al.	N/A	N/A
2020/0000509	12/2019	Hayashida et al.	N/A	N/A
2020/0022687	12/2019	Takemoto et al.	N/A	N/A
2020/0038120	12/2019	Ziraknejad et al.	N/A	N/A
2020/0046353	12/2019	Deck et al.	N/A	N/A
2020/0054317	12/2019	Pisarnwongs et al.	N/A	N/A
2020/0054321	12/2019	Harris et al.	N/A	N/A
2020/0078071	12/2019	Asher	N/A	N/A
2020/0078080	12/2019	Henderson et al.	N/A	N/A
2020/0078089	12/2019	Henderson et al.	N/A	N/A
2020/0078096	12/2019	Barbagli et al.	N/A	N/A
2020/0078113	12/2019	Sawhney et al.	N/A	N/A
2020/0078114	12/2019	Asher et al.	N/A	N/A
2020/0078115	12/2019	Asher et al.	N/A	N/A
2020/0078117	12/2019	Henderson et al.	N/A	N/A
2020/0078118	12/2019	Henderson et al.	N/A	N/A
2020/0078119	12/2019	Henderson et al.	N/A	N/A
2020/0078120	12/2019	Aldridge et al.	N/A	N/A
2020/0090808	12/2019	Carroll et al.	N/A	N/A
2020/0100825	12/2019	Henderson et al.	N/A	N/A
2020/0162896	12/2019	Su et al.	N/A	N/A
2020/0168323	12/2019	Bullington et al.	N/A	N/A
2020/0178760	12/2019	Kashima et al.	N/A	N/A
2020/0193600	12/2019	Shameli et al.	N/A	N/A
2020/0197027	12/2019	Hershberger et al.	N/A	N/A
2020/0203004	12/2019	Shanbhag et al.	N/A	N/A
2020/0214699	12/2019	Shelton, IV et al.	N/A	N/A
2020/0222079	12/2019	Swaney et al.	N/A	N/A
2020/0222149	12/2019	Valentine et al.	N/A	N/A
2020/0226751	12/2019	Jin et al.	N/A	N/A
2020/0230803	12/2019	Yamashita et al.	N/A	N/A
2020/0237372	12/2019	Park	N/A	N/A
2020/0237452	12/2019	Wolf et al.	N/A	N/A
2020/0273581	12/2019	Wolf et al.	N/A	N/A
2020/0281665	12/2019	Kopp	N/A	N/A
2020/0305924	12/2019	Carroll	N/A	N/A
2020/0348662	12/2019	Cella et al.	N/A	N/A
2020/0352664	12/2019	King et al.	N/A	N/A
2020/0388385	12/2019	De Los Reyes et al.	N/A	N/A
2020/0405304	12/2019	Mozdzierz et al.	N/A	N/A
2021/0007760	12/2020	Reisin	N/A	N/A
2021/0015568	12/2020	Liao et al.	N/A	N/A
2021/0022731	12/2020	Eisinger	N/A	N/A
2021/0022738	12/2020	Weir et al.	N/A	N/A
2021/0022809	12/2020	Crawford et al.	N/A	N/A
2021/0059674	12/2020	Shelton, IV et al.	N/A	N/A
2021/0076966	12/2020	Grantcharov et al.	N/A	N/A
2021/0128149	12/2020	Whitfield et al.	N/A	N/A
2021/0153889	12/2020	Nott et al.	N/A	N/A
2021/0169516	12/2020	Houser et al.	N/A	N/A
2021/0177452	12/2020	Nott et al.	N/A	N/A
2021/0177489	12/2020	Yates et al.	N/A	N/A
2021/0186454	12/2020	Behzadi et al.	N/A	N/A
2021/0192914	12/2020	Shelton, IV et al.	N/A	N/A
2021/0201646	12/2020	Shelton, IV et al.	N/A	N/A
2021/0205020	12/2020	Shelton, IV et al.	N/A	N/A
2021/0205021	12/2020	Shelton, IV et al.	N/A	N/A
2021/0205028	12/2020	Shelton, IV et al.	N/A	N/A
2021/0205029	12/2020	Wiener et al.	N/A	N/A
2021/0205030	12/2020	Shelton, IV et al.	N/A	N/A
2021/0205031	12/2020	Shelton, IV et al.	N/A	N/A
2021/0212602	12/2020	Shelton, IV et al.	N/A	N/A
2021/0212694	12/2020	Shelton, IV et al.	N/A	N/A
2021/0212717	12/2020	Yates et al.	N/A	N/A
2021/0212719	12/2020	Houser et al.	N/A	N/A
2021/0212770	12/2020	Messerly et al.	N/A	N/A
2021/0212771	12/2020	Shelton, IV et al.	N/A	N/A

2021/0212775	12/2020	Shelton, IV et al.	N/A	N/A
2021/0220058	12/2020	Messerly et al.	N/A	N/A
2021/0241898	12/2020	Shelton, IV et al.	N/A	N/A
2021/0249125	12/2020	Morgan et al.	N/A	N/A
2021/0259687	12/2020	Gonzalez et al.	N/A	N/A
2021/0259697	12/2020	Shelton, IV et al.	N/A	N/A
2021/0259698	12/2020	Shelton, IV et al.	N/A	N/A
2021/0282780	12/2020	Shelton, IV et al.	N/A	N/A
2021/0282781	12/2020	Shelton, IV et al.	N/A	N/A
2021/0306176	12/2020	Park et al.	N/A	N/A
2021/0315579	12/2020	Shelton, IV et al.	N/A	N/A
2021/0315580	12/2020	Shelton, IV et al.	N/A	N/A
2021/0315581	12/2020	Shelton, IV et al.	N/A	N/A
2021/0315582	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322014	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322015	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322017	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322018	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322019	12/2020	Shelton, IV et al.	N/A	N/A
2021/0322020	12/2020	Shelton, IV et al.	N/A	N/A
2021/0336939	12/2020	Wiener et al.	N/A	N/A
2021/0353287	12/2020	Shelton, IV et al.	N/A	N/A
2021/0353288	12/2020	Shelton, IV et al.	N/A	N/A
2021/0358599	12/2020	Alvi et al.	N/A	N/A
2021/0361284	12/2020	Shelton, IV et al.	N/A	N/A
2022/0000484	12/2021	Shelton, IV et al.	N/A	N/A
2022/0054158	12/2021	Shelton, IV et al.	N/A	N/A
2022/0061836	12/2021	Parihar et al.	N/A	N/A
2022/0079591	12/2021	Bakos et al.	N/A	N/A
2022/0104880	12/2021	Frushour	N/A	N/A
2022/0157306	12/2021	Albrecht et al.	N/A	N/A
2022/0175374	12/2021	Shelton, IV et al.	N/A	N/A
2022/0230738	12/2021	Shelton, IV et al.	N/A	N/A
2022/0241027	12/2021	Shelton, IV et al.	N/A	N/A
2022/0323092	12/2021	Shelton, IV et al.	N/A	N/A
2022/0323150	12/2021	Yates et al.	N/A	N/A
2022/0331011	12/2021	Shelton, IV et al.	N/A	N/A
2022/0331018	12/2021	Parihar et al.	N/A	N/A
2022/0346792	12/2021	Shelton, IV et al.	N/A	N/A
2022/0370117	12/2021	Messerly et al.	N/A	N/A
2022/0370126	12/2021	Shelton, IV et al.	N/A	N/A
2022/0374414	12/2021	Shelton, IV et al.	N/A	N/A
2022/0395276	12/2021	Yates et al.	N/A	N/A
2022/0401099	12/2021	Shelton, IV et al.	N/A	N/A
2022/0406452	12/2021	Shelton, IV	N/A	N/A
2022/0409302	12/2021	Shelton, IV et al.	N/A	N/A
2023/0000518	12/2022	Nott et al.	N/A	N/A
2023/0037577	12/2022	Kimball et al.	N/A	N/A
2023/0064821	12/2022	Shelton, IV	N/A	N/A
2023/0092371	12/2022	Yates et al.	N/A	N/A
2023/0098870	12/2022	Harris et al.	N/A	N/A
2023/0116571	12/2022	Shelton, IV et al.	N/A	N/A
2023/0146947	12/2022	Shelton, IV et al.	N/A	N/A
2023/0165642	12/2022	Shelton, IV et al.	N/A	N/A
2023/0171266	12/2022	Brunner et al.	N/A	N/A
2023/0171304	12/2022	Shelton, IV et al.	N/A	N/A
2023/0187060	12/2022	Morgan et al.	N/A	N/A
2023/0200889	12/2022	Shelton, IV et al.	N/A	N/A
2023/0210611	12/2022	Shelton, IV et al.	N/A	N/A
2023/0233245	12/2022	Nott et al.	N/A	N/A
2023/0263548	12/2022	Shelton, IV et al.	N/A	N/A
2023/0320792	12/2022	Shelton, IV et al.	N/A	N/A
2023/0355265	12/2022	Nott et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2015201140	12/2014	AU	N/A
2709634	12/2008	CA	N/A
2795323	12/2013	CA	N/A
101617950	12/2009	CN	N/A
106027664	12/2015	CN	N/A
106413578	12/2016	CN	N/A
106456169	12/2016	CN	N/A
104490448	12/2016	CN	N/A
206097107	12/2016	CN	N/A

106777916	12/2016	CN	N/A
107811710	12/2017	CN	N/A
108652695	12/2017	CN	N/A
3016131	12/1980	DE	N/A
3824913	12/1989	DE	N/A
4002843	12/1990	DE	N/A
102005051367	12/2006	DE	N/A
102016207666	12/2016	DE	N/A
0000756	12/1980	EP	N/A
0408160	12/1990	EP	N/A
0473987	12/1991	EP	N/A
0929263	12/1998	EP	N/A
1214913	12/2001	EP	N/A
2730209	12/2013	EP	N/A
2732772	12/2013	EP	N/A
2942023	12/2014	EP	N/A
3047806	12/2015	EP	N/A
3056923	12/2015	EP	N/A
3095399	12/2015	EP	N/A
3120781	12/2016	EP	N/A
3135225	12/2016	EP	N/A
3141181	12/2016	EP	N/A
2838234	12/2002	FR	N/A
2037167	12/1979	GB	N/A
2509523	12/2013	GB	N/A
S5191993	12/1975	JP	N/A
S5373315	12/1977	JP	N/A
S57185848	12/1981	JP	N/A
S58207752	12/1982	JP	N/A
S63315049	12/1987	JP	N/A
H06142113	12/1993	JP	N/A
H06178780	12/1993	JP	N/A
H06209902	12/1993	JP	N/A
H07132122	12/1994	JP	N/A
H08071072	12/1995	JP	N/A
H08332169	12/1995	JP	N/A
H0928663	12/1996	JP	N/A
H09154850	12/1996	JP	N/A
H11151247	12/1998	JP	N/A
H11197159	12/1998	JP	N/A
H11309156	12/1998	JP	N/A
H11318909	12/1998	JP	N/A
2000058355	12/1999	JP	N/A
2001029353	12/2000	JP	N/A
2001195686	12/2000	JP	N/A
2001314411	12/2000	JP	N/A
2001340350	12/2000	JP	N/A
2002272758	12/2001	JP	N/A
2003061975	12/2002	JP	N/A
2003070921	12/2002	JP	N/A
2003153918	12/2002	JP	N/A
2004118664	12/2003	JP	N/A
2005111080	12/2004	JP	N/A
2005309702	12/2004	JP	N/A
2005348797	12/2004	JP	N/A
2006077626	12/2005	JP	N/A
2006117143	12/2005	JP	N/A
2006164251	12/2005	JP	N/A
2006280804	12/2005	JP	N/A
2006288431	12/2005	JP	N/A
2007123394	12/2006	JP	N/A
2007139822	12/2006	JP	N/A
2007300312	12/2006	JP	N/A
2009039515	12/2008	JP	N/A
2010057642	12/2009	JP	N/A
2010131265	12/2009	JP	N/A
2010269067	12/2009	JP	N/A
2012065698	12/2011	JP	N/A
2012239669	12/2011	JP	N/A
2012240158	12/2011	JP	N/A
2012533346	12/2011	JP	N/A
2013044303	12/2012	JP	N/A
2013081282	12/2012	JP	N/A
2013135738	12/2012	JP	N/A
2013144057	12/2012	JP	N/A

2014155207	12/2013	JP	N/A
2015085454	12/2014	JP	N/A
2016514017	12/2015	JP	N/A
2016528010	12/2015	JP	N/A
2016174836	12/2015	JP	N/A
2016214553	12/2015	JP	N/A
2017047022	12/2016	JP	N/A
2017096359	12/2016	JP	N/A
2017513561	12/2016	JP	N/A
2017526510	12/2016	JP	N/A
2017532168	12/2016	JP	N/A
7301846	12/2022	JP	N/A
20140104587	12/2013	KR	N/A
101587721	12/2015	KR	N/A
2020860	12/1993	RU	N/A
WO-9734533	12/1996	WO	N/A
WO-9808449	12/1997	WO	N/A
WO-0024322	12/1999	WO	N/A
WO-0108578	12/2000	WO	N/A
WO-0112089	12/2000	WO	N/A
WO-0120892	12/2000	WO	N/A
WO-03079909	12/2002	WO	N/A
WO-2006001264	12/2005	WO	N/A
WO-2007137304	12/2006	WO	N/A
WO-2008053485	12/2007	WO	N/A
WO-2008056618	12/2007	WO	N/A
WO-2008069816	12/2007	WO	N/A
WO-2008076079	12/2007	WO	N/A
WO-2008147555	12/2007	WO	N/A
WO-2011112931	12/2010	WO	N/A
WO-2013143573	12/2012	WO	N/A
WO-2014031800	12/2013	WO	N/A
WO-2014071184	12/2013	WO	N/A
WO-2014116961	12/2013	WO	N/A
WO-2014134196	12/2013	WO	N/A
WO-2015030157	12/2014	WO	N/A
WO-2015054665	12/2014	WO	N/A
WO-2015129395	12/2014	WO	N/A
WO-2016093049	12/2015	WO	N/A
WO-2016100719	12/2015	WO	N/A
WO-2016118752	12/2015	WO	N/A
WO-2016206015	12/2015	WO	N/A
WO-2017011382	12/2016	WO	N/A
WO-2017011646	12/2016	WO	N/A
WO-2017058617	12/2016	WO	N/A
WO-2017058695	12/2016	WO	N/A
WO-2017151996	12/2016	WO	N/A
WO-2017183353	12/2016	WO	N/A
WO-2017189317	12/2016	WO	N/A
WO-2017205308	12/2016	WO	N/A
WO-2017210499	12/2016	WO	N/A
WO-2017210501	12/2016	WO	N/A
WO-2018116247	12/2017	WO	N/A
WO-2018152141	12/2017	WO	N/A
WO-2018176414	12/2017	WO	N/A

OTHER PUBLICATIONS

US 10,504,709 B2, 12/2019, Karancsi et al. (withdrawn) cited by applicant

Flores et al., “Large-scale Offloading in the Internet of Things,” 2017 IEEE International Conference on Pervasive Computing and Communications Workshops (PERCOM Workshops), IEEE, pp. 479-484, Mar. 13, 2017. cited by applicant

Kalantarian et al., “Computation Offloading for Real-Time Health-Monitoring Devices,” 2016 38th Annual International Conference of the IEEE Engineering Medicine and Biology Society (EBMC), IEEE, pp. 4971-4974, Aug. 16, 2016. cited by applicant

Yuyi Mao et al., “A Survey on Mobile Edge Computing: The Communication Perspective,” IEEE Communications Surveys & Tutorials, pp. 2322-2358, Jun. 2017. cited by applicant

Benkmann et al., “Concept of iterative optimization of minimally invasive surgery,” 2017 22nd International Conference on Methods and Models in Automation and Robotics (MMAR), IEEE pp. 443-446, Aug. 28, 2017. cited by applicant

Trautman, Peter, “Breaking the Human-Robot Deadlock: Surpassing Shared Control Performance Limits with Sparse Human-Robot Interaction,” Robotics: Science and Systems XIII, pp. 1-10, Jul. 12, 2017. cited by applicant

Khazaei et al., “Health Informatics for Neonatal Intensive Care Units: An Analytical Modeling Perspective,” IEEE Journal of Translational Engineering in Health and Medicine, vol. 3, pp. 1-9, Oct. 21, 2015. cited by applicant

Yang et al., “A dynamic strategy for packet scheduling and bandwidth allocation based on channel quality in IEEE 802.16e OFDMA system,” Journal of Networks and Computer Applications, vol. 39, pp. 52-60, May 2, 2013. cited by applicant

Takahashi et al., “Automatic smoke evacuation in laparoscopic surgery: a simplified method for objective evaluation,” Surgical Endoscopy, vol. 27, No. 8, pp. 2980-2987, Feb. 23, 2013. cited by applicant

Miksch et al., “Utilizing temporal data abstraction for data validation and therapy planning for artificially ventilated newborn infants,” Artificial Intelligence in

Medicine, vol. 8, No. 6, pp. 543-576 (1996). cited by applicant

Horn et al., "Effective data validation of high-frequency data: Time-point-time-interval-, and trend-based methods," *Computers in Biology and Medic*, New York, NY, vol. 27, No. 5, pp. 389-409 (1997). cited by applicant

Stacey et al., "Temporal abstraction in intelligent clinical data analysis: A survey," *Artificial Intelligence in Medicine*, vol. 39, No. 1, pp. 1-24 (2006). cited by applicant

Zoccali, Bruno, "A Method for Approximating Component Temperatures at Altitude Conditions Based on CFD Analysis at Sea Level Conditions," (white paper), www.tdmginc.com, Dec. 6, 2018 (9 pages). cited by applicant

Slocinski et al., "Distance measure for impedance spectra for quantified evaluations," *Lecture Notes on Impedance Spectroscopy*, vol. 3, Taylor and Francis Group, London, UK, (Jul. 2012)—Book Not Attached. cited by applicant

Engel et al. "A safe robot system for craniofacial surgery", 2013 IEEE International Conference on Robotics and Automation (ICRA); May 6-10, 2013; Karlsruhe, Germany, vol. 2, Jan. 1, 2001, pp. 2020-2024. cited by applicant

Bonaci et al., "To Make a Robot Secure: An Experimental Analysis of Cyber Security Threats Against Teleoperated Surgical Robots," May 13, 2015. Retrieved from the Internet: URL:<https://arxiv.org/pdf/1504.04339v2.pdf> [retrieved on Aug. 24, 2019]. cited by applicant

Homa Alemzadeh et al., "Targeted Attacks on Teleoperated Surgical Robots: Dynamic Model-Based Detection and Mitigation," 2016 46th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (DSN), IEEE, Jun. 28, 2016, pp. 395-406. cited by applicant

Phumzile Malindi, "5. QoS in Telemedicine," "Telemedicine," Jun. 20, 2011, IntechOpen, pp. 119-138. cited by applicant

Staub et al., "Contour-based Surgical Instrument Tracking Supported by Kinematic Prediction," *Proceedings of the 2010 3rd IEEE RAS & EMBS International Conference on Biomedical Robotics and Biomechatronics*, Sep. 1, 2010, pp. 746-752. cited by applicant

Allan et al., "3-D Pose Estimation of Articulated Instruments in Robotic Minimally Invasive Surgery," *IEEE Transactions on Medical Imaging*, vol. 37, No. 5, pp. 1204-1213, 2018, pp. 1204-1213. cited by applicant

Kassahun et al., "Surgical Robotics Beyond Enhanced Dexterity Instrumentation: A Survey of the Machine Learning Techniques and their Role in Intelligent and Autonomous Surgical Actions." *International Journal of Computer Assisted Radiology and Surgery*, vol. 11, No. 4, Oct. 8, 2015, pp. 553-568. cited by applicant

Weede et al. "An Intelligent and Autonomous Endoscopic Guidance System for Minimally Invasive Surgery," 2013 IEEE International Conference on Robotics and Automation (ICRA), May 6-10, 2013. Karlsruhe, Germany, May 1, 2011, pp. 5762-5768. cited by applicant

Altenberg et al., "Genes of Glycolysis are Ubiquitously Overexpressed in 24 Cancer Classes," *Genomics*, vol. 84, pp. 1014-1020 (2004). cited by applicant

Harold I. Brandon and V. Leroy Young, Mar. 1997, *Surgical Services Management* vol. 3 No. 3. retrieved from the internet <<https://www.surgimedics.com/Research%20Articles/Electrosurgical%20Plume/Characterization%20And%20Removal%20Of%20Electrosurgical%20Smoke>> (Year: 1997). cited by applicant

Marshall Brain, *How Microcontrollers Work*, 2006, retrieved from the internet <<https://web.archive.org/web/20060221235221/http://electronics.howstuffworks.com/microcontroller.htm/printable>> (Year: 2006). cited by applicant

CRC Press, "The Measurement, Instrumentation and Sensors Handbook," 1999, Section VII, Chapter 41, Peter O'Shea, "Phase Measurement," pp. 1303-1321, ISBN 0-8493-2145-X. cited by applicant

Jiang, "'Sound of Silence': a secure indoor wireless ultrasonic communication system," Article, 2014, pp. 46-50, *Snapshots of Doctoral Research at University of College Cork, School of Engineering—Electrical & Electronic Engineering, UCC, Cork, Ireland*. cited by applicant

Li, et al., "Short-range ultrasonic communications in air using quadrature modulation," *Journal*, Oct. 30, 2009, pp. 2060-2072, *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, vol. 56, No. 10, IEEE. cited by applicant

Salamon, "AI Detects Polyps Better Than Colonoscopists" Online Article, Jun. 3, 2018, *Medscape Medical News, Digestive Disease Week (DDW) 2018: Presentation 133*. cited by applicant

Misawa, et al. "Artificial Intelligence-Assisted Polyp Detection for Colonoscopy: Initial Experience," Article, Jun. 2018, pp. 2027-2029, vol. 154, Issue 8, *American Gastroenterology Association*. cited by applicant

Dottorato, "Analysis and Design of the Rectangular Microstrip Patch Antennas for TM_{0n0} operating mode," Article, Oct. 8, 2010, pp. 1-9, *Microwave Journal*. cited by applicant

Miller, et al., "Impact of Powered and Tissue-Specific Endoscopic Stapling Technology on Clinical and Economic Outcomes of Video-Assisted Thoracic Surgery Lobectomy Procedures: A Retrospective, Observational Study," Article, Apr. 2018, pp. 707-723, vol. 35 (Issue 5), *Advances in Therapy*. cited by applicant

Hsiao-Wei Tang, "ARCM," Video, Sep. 2012, YouTube, 5 screenshots, Retrieved from internet: <<https://www.youtube.com/watch?v=UldQaxb3fRw&feature=youtu.be>>. cited by applicant

Giannios, et al., "Visible to near-infrared refractive properties of freshly-excised human-liver tissues: marking hepatic malignancies," Article, Jun. 14, 2016, pp. 1-10, *Scientific Reports* 6, Article No. 27910, Nature. cited by applicant

Vander Heiden, et al., "Understanding the Warburg effect: the metabolic requirements of cell proliferation," Article, May 22, 2009, pp. 1-12, vol. 324, Issue 5892, *Science*. cited by applicant

Hirayama et al., "Quantitative Metabolome Profiling of Colon and Stomach Cancer Microenvironment by Capillary Electrophoresis Time-of-Flight Mass Spectrometry," Article, Jun. 2009, pp. 4918-4925, vol. 69, Issue 11, *Cancer Research*. cited by applicant

Cengiz, et al., "A Tale of Two Compartments: Interstitial Versus Blood Glucose Monitoring," Article, Jun. 2009, pp. S11-S16, vol. 11, Supplement 1, *Diabetes Technology & Therapeutics*. cited by applicant

Shen, et al., "An iridium nanoparticles dispersed carbon based thick film electrochemical biosensor and its application for a single use, disposable glucose biosensor," Article, Feb. 3, 2007, pp. 106-113, vol. 125, Issue 1, *Sensors and Actuators B: Chemical*, Science Direct. cited by applicant

"ATM-MPLS Network Interworking Version 2.0, af-aic-0178.001" ATM Standard, The ATM Forum Technical Committee, published Aug. 2003. cited by applicant

IEEE Std 802.3.2012 (Revision of IEEE Std 802.3.2008, published Dec. 28, 2012). cited by applicant

IEEE Std No. 177, "Standard Definitions and Methods of Measurement for Piezoelectric Vibrators," published May 1966, The Institute of Electrical and Electronics Engineers, Inc., New York, N.Y. cited by applicant

Shi et al., An intuitive control console for robotic surgery system, 2014, IEEE, p. 404-407 (Year: 2014). cited by applicant

Choi et al., A haptic augmented reality surgeon console for a laparoscopic surgery robot system, 2013, IEEE, p. 355-357 (Year: 2013). cited by applicant

Xie et al., Development of stereo vision and master-slave controller for a compact surgical robot system, 2015, IEEE, p. 403-407 (Year: 2015). cited by applicant

Sun et al., Innovative effector design for simulation training in robotic surgery, 2010, IEEE, p. 1755-1759 (Year: 2010). cited by applicant

Anonymous, "Internet of Things Powers Connected Surgical Device Infrastructure Case Study", Dec. 31, 2016 (Dec. 31, 2016), Retrieved from the Internet: URL:https://www.cognizant.com/services-resources/150110_IoT_connected_surgical_devices.pdf. cited by applicant

Draijer, Matthijs et al., "Review of laser speckle contrast techniques for visualizing tissue perfusion," *Lasers in Medical Science*, Springer-Verlag, LO, vol. 24, No. 4, Dec. 3, 2008, pp. 639-651. cited by applicant

Roy D Cullum, "Handbook of Engineering Design", ISBN: 9780408005586, Jan. 1, 1988 (Jan. 1, 1988), XP055578597, ISBN: 9780408005586, 10-20, Chapter 138, right-hand col. paragraph 3. cited by applicant

"Surgical instrumentation: the true cost of instrument trays and a potential strategy for optimization"; Mhlaba et al.; Sep. 23, 2015 (Year: 2015). cited by applicant

Nabil Simaan et al., "Intelligent Surgical Robots with Situational Awareness: From Good to Great Surgeons", DOI: 10.1115/1.2015-Sep-6 external link, Sep. 2015 (Sep. 2015), p. 3-6, Retrieved from the Internet: URL:<http://memagazineselect.asmedigitalcollection.asme.org/data/journals/meena/936888/me-2015-sep6.pdf>. cited by applicant

Anonymous: "Titanium Key Chain Tool 1.1, Ultralight Multipurpose Key Chain Tool, Forward Cutting Can Opener—Vargo Titanium," vargootdoors.com, J

2014 (Jul. 5, 2014), retrieved from the internet: <https://vargoutdoors.com/titanium-key-chain-tool-1-1.html>. cited by applicant

Anonymous: "Screwdriver—Wikipedia", en.wikipedia.org, Jun. 23, 2019, XP055725151, Retrieved from the Internet: URL:<https://en.wikipedia.org/w/index.php?title=Screwdriver&oldid=903111203> [retrieved on Mar. 20, 2021]. cited by applicant

Nordlinger, Christopher, "The Internet of Things and the Operating Room of the Future," May 4, 2015, <https://medium.com/@chrisnordlinger/the-internet-of-things-and-the-operating-room-of-the-future-8999a143d7b1>, retrieved from the internet on Apr. 27, 2021, 9 pages. cited by applicant

Screen captures from YouTube video clip entitled "Four ways to use the Lego Brick Separator Tool," 2 pages, uploaded on May 29, 2014 by user "Sarah Lewis" Retrieved from internet: <https://www.youtube.com/watch?v=ucKiRD6U1LU> (Year: 2014). cited by applicant

Sorrells, P., "Application Note AN680. Passive RFID Basics," retrieved from <http://ww1.microchip.com/downloads/en/AppNotes/00680b.pdf> on Feb. 26, 2020 Dec. 31, 1998, pp. 1-7. cited by applicant

Lalys, et al., "Automatic knowledge-based recognition of low-level tasks in ophthalmological procedures", Int J CARS, vol. 8, No. 1, pp. 1-49, Apr. 19, 2012. cited by applicant

Hu, Jinwen, Stimulations of adaptive temperature control with self-focused hyperthermia system for tumor treatment, Jan. 9, 2012, Ultrasonics 53, pp. 171-177 (Year: 2012). cited by applicant

Hussain et al., "A survey on resource allocation in high performance distributed computing systems", Parallel Computing, vol. 39, No. 11, pp. 709-736 (2013) cited by applicant

Anonymous: "Quality of service—Wikipedia", Dec. 7, 2017, Retrieved from the Internet: URL:https://en.wikipedia.org/w/index.php?title=Quality_of_service&oldid=814298744#Applications [retrieved on Feb. 14, 2023], pp. 1-12. cited by applicant

Anonymous: "Differentiated services—Wikipedia", Dec. 14, 2017, Retrieved from the Internet: URL:https://en.wikipedia.org/w/index.php?title=Differentiated_services&oldid=815415620 [retrieved on Feb. 14, 2023], pp. 1-7. cited by applicant

Anonymous: "Differentiated services—Wikipedia", Dec. 14, 2017, Retrieved from the Internet: URL:https://en.wikipedia.org/w/index.php?title=Differentiated_services&oldid=815415620 [retrieved on Feb. 14, 2023]. cited by applicant

Anonymous: "Cloud computing—Wikipedia", Dec. 19, 2017, Retrieved from the Internet: URL:https://en.wikipedia.org/w/index.php?title=Cloud_computing&oldid=816206558 [retrieved Feb. 14, 2023], pp. 1-21. cited by applicant

Primary Examiner: Nguyen; Vi X

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, the disclosure of each of which is herein incorporated by reference in its entirety. (2) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application No. 62/729,183, titled A CONTROL FOR A SURGICAL NETWORK OR SURGICAL NETWORK CONNECTED DEVICE THAT ADJUSTS ITS FUNCTION BASED ON A SENSED SITUATION OR USAGE, filed on Sep. 10, 2018, the disclosure of each of which is herein incorporated by reference in its entirety. (3) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which also claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application No. 62/692,747, titled SMART ACTIVATION OF AN ENERGY DEVICE BY ANOTHER DEVICE, filed on Jun. 30, 2018, to U.S. Provisional Patent Application No. 62/692,748, titled SMART ENERGY ARCHITECTURE, filed on Jun. 30, 2018, and to U.S. Provisional Patent Application No. 62/692,768, titled SMART ENERGY DEVICES, filed on Jun. 30, 2018, the disclosure of each of which is herein incorporated by reference in its entirety. (4) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which also claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application No. 62/659,900, titled METHOD OF HUB COMMUNICATION, filed on Apr. 19, 2018, the disclosure of which is herein incorporated by reference in its entirety. (5) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which also claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application No. 62/650,898, filed on Mar. 30, 2018, titled CAPACITIVE COUPLED RETURN PATH PAD WITH SEPARABLE ARRAY ELEMENTS, to U.S. Provisional Patent Application Ser. No. 62/650,887, titled SURGICAL SYSTEMS WITH OPTIMIZED SENSING CAPABILITIES, filed Mar. 30, 2018, to U.S. Provisional Patent Application Ser. No. 62/650,882, titled SMOKE EVACUATION MODULE FOR INTERACTIVE SURGICAL PLATFORM, filed Mar. 30, 2018, and to U.S. Provisional Patent Application Ser. No. 62/650,877, titled SURGICAL SMOKE EVACUATION SENSING AND CONTROLS, filed Mar. 30, 2018, the disclosure of each of which is herein incorporated by reference in its entirety. (6) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which also claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application Ser. No. 62/640,417, titled TEMPERATURE CONTROL IN ULTRASONIC DEVICE AND CONTROL SYSTEM THEREFOR, filed Mar. 8, 2018, and to U.S. Provisional Patent Application Ser. No. 62/640,415, titled ESTIMATING STATE OF ULTRASONIC END EFFECTOR AND CONTROL SYSTEM THEREFOR, filed Mar. 8, 2018, the disclosure of each of which is herein incorporated by reference in its entirety. (7) This application is a divisional application claiming priority under 37 35 U.S.C. § 121 to U.S. patent application Ser. No. 16/182,256, titled ADJUSTMENT OF A SURGICAL DEVICE FUNCTION BASED ON SITUATIONAL AWARENESS, filed on Nov. 6, 2018, now U.S. Patent Application Publication No. 2019/0201127, which also claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, to U.S. Provisional Patent Application Ser. No. 62/611,340, titled CLOUD-BASED MEDICAL ANALYTICS, filed Dec. 28, 2017, and to U.S. Provisional Patent Application Ser. No. 62/611,339, titled ROBOT ASSISTED SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of each of which is herein incorporated by reference in its entirety.

BACKGROUND

(1) The present disclosure relates to surgical systems and devices. Clinical information can be collected and/or stored in variety of different surgical devices preoperatively, intraoperatively, and/or postoperatively. Certain information may be helpful to a clinician in making one or more clinical decisions preoperatively, intraoperatively, and/or postoperatively.

Description

FIGURES

- (1) The various aspects described herein, both as to organization and methods of operation, together with further objects and advantages thereof, may best be understood by reference to the following description, taken in conjunction with the accompanying drawings as follows.
- (2) FIG. 1 is a block diagram of a computer-implemented interactive surgical system, in accordance with at least one aspect of the present disclosure.
- (3) FIG. 2 is a surgical system being used to perform a surgical procedure in an operating room, in accordance with at least one aspect of the present disclosure.
- (4) FIG. 3 is a surgical hub paired with a visualization system, a robotic system, and an intelligent instrument, in accordance with at least one aspect of the present disclosure.
- (5) FIG. 4 is a partial perspective view of a surgical hub enclosure, and of a combo generator module slidably receivable in a drawer of the surgical hub enclosure, in accordance with at least one aspect of the present disclosure.
- (6) FIG. 5 is a perspective view of a combo generator module with bipolar, ultrasonic, and monopolar contacts and a smoke evacuation component, in accordance with at least one aspect of the present disclosure.
- (7) FIG. 6 illustrates individual power bus attachments for a plurality of lateral docking ports of a lateral modular housing configured to receive a plurality of modules, in accordance with at least one aspect of the present disclosure.
- (8) FIG. 7 illustrates a vertical modular housing configured to receive a plurality of modules, in accordance with at least one aspect of the present disclosure.
- (9) FIG. 8 illustrates a surgical data network comprising a modular communication hub configured to connect modular devices located in one or more operating theaters of a healthcare facility, or any room in a healthcare facility specially equipped for surgical operations, to the cloud, in accordance with at least one aspect of the present disclosure.
- (10) FIG. 9 illustrates a computer-implemented interactive surgical system, in accordance with at least one aspect of the present disclosure.
- (11) FIG. 10 illustrates a surgical hub comprising a plurality of modules coupled to the modular control tower, in accordance with at least one aspect of the present disclosure.
- (12) FIG. 11 illustrates one aspect of a Universal Serial Bus (USB) network hub device, in accordance with at least one aspect of the present disclosure.
- (13) FIG. 12 is a block diagram of a cloud computing system comprising a plurality of smart surgical instruments coupled to surgical hubs that may connect to the cloud component of the cloud computing system, in accordance with at least one aspect of the present disclosure.
- (14) FIG. 13 is a functional module architecture of a cloud computing system, in accordance with at least one aspect of the present disclosure.
- (15) FIG. 14 illustrates a diagram of a situationally aware surgical system, in accordance with at least one aspect of the present disclosure.
- (16) FIG. 15 is a timeline depicting situational awareness of a surgical hub, in accordance with at least one aspect of the present disclosure.
- (17) FIG. 16 is an elevation view of a surgical instrument including an end effector and a trigger, wherein the degree to which the end effector is closed is controlled by the degree to which the trigger is actuated, in accordance with at least one aspect of the present disclosure.
- (18) FIG. 17 is a pair of graphs depicting end effector closure and transducer amplitude relative to trigger angle for the surgical instrument of FIG. 16, in accordance with at least one aspect of the present disclosure.
- (19) FIG. 18 is a schematic of a surgical procedure involving a plurality of devices in the surgical field, including a combination energy instrument, a surgical stapler, and a suction/irrigation device, and further depicting a detail elevation view of the combination energy instrument and a detail plan view of a sterile field display that includes touch screen controls for adjusting the surgical functions of the plurality of devices in the sterile field, in accordance with at least one aspect of the present disclosure.
- (20) FIG. 19A depicts a display screen including a recommendation for a clinician based on input from a situationally-aware surgical hub, in accordance with at least one aspect of the present disclosure.
- (21) FIG. 19B depicts the display screen of FIG. 19A, where the recommendation is indicated with an elevated priority level based on an anticipated surgical act and the input from the situationally-aware surgical hub, in accordance with at least one aspect of the present disclosure.
- (22) FIG. 20 is a block diagram illustrating intraoperative data correlated with predicted outcomes, and further depicting corresponding recommendations based on the predicted outcomes, in accordance with at least one aspect of the present disclosure.
- (23) FIG. 21 is a schematic of a surgical evacuation system, in accordance with at least one aspect of the present disclosure.
- (24) FIG. 22 is a perspective view of a surgical system including a surgical evacuation system, in accordance with at least one aspect of the present disclosure.
- (25) FIG. 23 is a schematic of an evacuator housing of an evacuation system, in accordance with at least one aspect of the present disclosure.
- (26) FIG. 24 is a series of graphs depicting particulate concentration, fan speed, and energy device power relative to time, in accordance with at least one aspect of the present disclosure.
- (27) FIG. 25 is an ultrasonic pass-through particle detection system, in accordance with at least one aspect of the present disclosure.
- (28) FIG. 26 is an ultrasonic reflection particle detection system, in accordance with at least one aspect of the present disclosure.
- (29) FIG. 27 is a flowchart for detecting tissue surface information using the ultrasonic reflection particle detection system of FIG. 26, in accordance with at least one aspect of the present disclosure.

DESCRIPTION

(30) Applicant of the present application owns the following U.S. patent applications, filed on Nov. 6, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. patent application Ser. No. 16/182,224, titled SURGICAL NETWORK, INSTRUMENT, AND CLOUD RESPONSES BASED ON VALIDATION OF RECEIVED DATASET AND AUTHENTICATION OF ITS SOURCE AND INTEGRITY, now U.S. Pat. No. 11,308,075; U.S. patent application Ser. No. 16/182,230, titled SURGICAL SYSTEM FOR PRESENTING INFORMATION INTERPRETED FROM EXTERNAL DATA, now U.S. Patent Application Publication No. 2019/0200980; U.S. patent application Ser. No. 16/182,233, titled SURGICAL SYSTEMS WITH AUTONOMOUSLY ADJUSTABLE CONTROL PROGRAMS, now U.S. Patent Application Publication No. 2019/0201123; U.S. patent application Ser. No. 16/182,239, titled ADJUSTMENT OF DEVICE CONTROL PROGRAMS BASED ON STRATIFIED CONTEXTUAL DATA IN ADDITION TO THE DATA, now U.S. Pat. No. 11,423,007; U.S. patent application Ser. No. 16/182,243, titled SURGICAL HUB AND MODULAR DEVICE RESPONSE ADJUSTMENT BASED ON SITUATIONAL AWARENESS, now U.S. Pat. No. 11,273,001; U.S. patent application Ser. No. 16/182,248, titled DETECTION AND ESCALATION OF SECURITY RESPONSES OF SURGICAL INSTRUMENTS TO INCREASING SEVERITY THREATS, now U.S. Pat. No. 10,943,454; U.S. patent application Ser. No. 16/182,251, titled INTERACTIVE SURGICAL SYSTEM, now U.S. Pat. No. 11,278,281; U.S. patent application Ser. No. 16/182,260, titled AUTOMATED DATA SCALING, ALIGNMENT, AND ORGANIZING BASED ON PREDEFINED PARAMETERS WITHIN SURGICAL NETWORKS, now U.S. Pat. No. 11,056,244; U.S. patent application Ser. No. 16/182,267, titled SENSING THE PATIENT POSITION AND CONTACT UTILIZING THE MONO-POLAR RETURN PAD ELECTRODE TO PROVIDE SITUATIONAL AWARENESS TO THE HUB, now U.S. Patent Application Publication No. 2019/0201128; U.S. patent application Ser. No. 16/182,249, titled POWERED SURGICAL TOOL WITH PREDEFINED ADJUSTABLE CONTROL ALGORITHM FOR CONTROLLING END EFFECTOR PARAMETER, now U.S. Pat. No. 11,234,756; U.S. patent application Ser. No. 16/182,246, titled ADJUSTMENTS BASED ON AIRBORNE PARTICLE PROPERTIES, now U.S. Patent Application Publication No. 2019/0204201; U.S. patent application Ser. No. 16/182,242, titled REAL-TIME ANALYSIS OF COMPREHENSIVE COST OF ALL INSTRUMENTATION USED IN SURGERY UTILIZING DATA FLUIDITY TO TRACK INSTRUMENTS THROUGH

STITCHING AND IN-NOU PROCESSING, now U.S. Pat. No. 11,257,589; U.S. patent application Ser. No. 16/182,255, titled USAGE AND TECHNIQUE ANALYSIS OF SURGEON/STAFF PERFORMANCE AGAINST A BASELINE TO OPTIMIZE DEVICE UTILIZATION AND PERFORMANCE FOR BOTH CURRENT AND FUTURE PROCEDURES, now U.S. Patent Application Publication No. 2019/0201126; U.S. patent application Ser. No. 16/182,269, titled IMAGE CAPTURING OF THE AREAS OUTSIDE THE ABDOMEN TO IMPROVE PLACEMENT AND CONTROL OF A SURGICAL DEVICE IN USE, now U.S. Pat. No. 11,304,763; U.S. patent application Ser. No. 16/182,278, titled COMMUNICATION OF DATA WHERE A SURGICAL NETWORK IS USING CONTEXT OF THE DATA AND REQUIREMENTS OF A RECEIVING SYSTEM/USER TO INFLUENCE INCLUSION OR LINKAGE OF DATA AND METADATA TO ESTABLISH CONTINUITY, now U.S. Patent Application Publication No. 2019/0201130; U.S. patent application Ser. No. 16/182,290, titled SURGICAL NETWORK RECOMMENDATIONS FROM REAL TIME ANALYSIS OF PROCEDURE VARIABLES AGAINST A BASELINE HIGHLIGHTING DIFFERENCES FROM THE OPTIMAL SOLUTION, now U.S. Patent Application Publication No. 2019/0201102; U.S. patent application Ser. No. 16/182,232, titled CONTROL OF A SURGICAL SYSTEM THROUGH A SURGICAL BARRIER, now U.S. Patent Application Publication No. 2019/0201158; U.S. patent application Ser. No. 16/182,227, titled SURGICAL NETWORK DETERMINATION OF PRIORITIZATION OF COMMUNICATION, INTERACTION, OR PROCESSING BASED ON SYSTEM OR DEVICE NEEDS, now U.S. Pat. No. 10,892,995; U.S. patent application Ser. No. 16/182,231, titled WIRELESS PAIRING OF A SURGICAL DEVICE WITH ANOTHER DEVICE WITHIN A STERILE SURGICAL FIELD BASED ON THE USAGE AND SITUATIONAL AWARENESS OF DEVICES, now U.S. Pat. No. 10,758,310; U.S. patent application Ser. No. 16/182,229, titled ADJUSTMENT OF STAPLE HEIGHT OF AT LEAST ONE ROW OF STAPLES BASED ON THE SENSED TISSUE THICKNESS OR FORCE IN CLOSING, now U.S. Pat. No. 11,096,693; U.S. patent application Ser. No. 16/182,234, titled STAPLING DEVICE WITH BOTH COMPULSORY AND DISCRETIONARY LOCKOUTS BASED ON SENSED PARAMETERS, now U.S. Patent Application Publication No. 2019/0200997; U.S. patent application Ser. No. 16/182,240, titled POWERED STAPLING DEVICE CONFIGURED TO ADJUST FORCE, ADVANCEMENT SPEED, AND OVERALL STROKE OF CUTTING MEMBER BASED ON SENSED PARAMETER OF FIRING OR CLAMPING, now U.S. Patent Application Publication No. 2019/0201034; U.S. patent application Ser. No. 16/182,235, titled VARIATION OF RADIO FREQUENCY AND ULTRASONIC POWER LEVEL IN COOPERATION WITH VARYING CLAMP ARM PRESSURE TO ACHIEVE PREDEFINED HEAT FLUX OR POWER APPLIED TO TISSUE, now U.S. Pat. No. 11,446,052; and U.S. patent application Ser. No. 16/182,238, titled ULTRASONIC ENERGY DEVICE WHICH VARIES PRESSURE APPLIED BY CLAMP ARM TO PROVIDE THRESHOLD CONTROL PRESSURE AT A CUT PROGRESSION LOCATION, now U.S. Pat. No. 11,419,667.

(31) Applicant of the present application owns the following U.S. patent applications, filed on Sep. 10, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application No. 62/729,183, titled A CONTROL FOR A SURGICAL NETWORK OR SURGICAL NETWORK CONNECTED DEVICE THAT ADJUSTS ITS FUNCTION BASED ON A SENSED SITUATION OR USAGE; U.S. Provisional Patent Application No. 62/729,177, titled AUTOMATED DATA SCALING, ALIGNMENT, AND ORGANIZING BASED ON PREDEFINED PARAMETERS WITHIN A SURGICAL NETWORK BEFORE TRANSMISSION; U.S. Provisional Patent Application No. 62/729,176, titled INDIRECT COMMAND AND CONTROL OF A FIRST OPERATING ROOM SYSTEM THROUGH THE USE OF A SECOND OPERATING ROOM SYSTEM WITHIN A STERILE FIELD WHERE THE SECOND OPERATING ROOM SYSTEM HAS PRIMARY AND SECONDARY OPERATING MODES; U.S. Provisional Patent Application No. 62/729,185, titled POWERED STAPLING DEVICE THAT IS CAPABLE OF ADJUSTING FORCE, ADVANCEMENT SPEED, AND OVERALL STROKE OF CUTTING MEMBER OF THE DEVICE BASED ON SENSED PARAMETER OF FIRING OR CLAMPING; U.S. Provisional Patent Application No. 62/729,184, titled POWERED SURGICAL TOOL WITH A PREDEFINED ADJUSTABLE CONTROL ALGORITHM FOR CONTROLLING AT LEAST ONE END EFFECTOR PARAMETER AND A MEANS FOR LIMITING THE ADJUSTMENT; U.S. Provisional Patent Application No. 62/729,182, titled SENSING THE PATIENT POSITION AND CONTACT UTILIZING THE MONO POLAR RETURN PAD ELECTRODE TO PROVIDE SITUATIONAL AWARENESS TO THE HUB; U.S. Provisional Patent Application No. 62/729,191, titled SURGICAL NETWORK RECOMMENDATIONS FROM REAL TIME ANALYSIS OF PROCEDURE VARIABLES AGAINST A BASELINE HIGHLIGHTING DIFFERENCES FROM THE OPTIMAL SOLUTION; U.S. Provisional Patent Application No. 62/729,195, titled ULTRASONIC ENERGY DEVICE WHICH VARIES PRESSURE APPLIED BY CLAMP ARM TO PROVIDE THRESHOLD CONTROL PRESSURE AT A CUT PROGRESSION LOCATION; and U.S. Provisional Patent Application No. 62/729,186, titled WIRELESS PAIRING OF A SURGICAL DEVICE WITH ANOTHER DEVICE WITHIN A STERILE SURGICAL FIELD BASED ON THE USAGE AND SITUATIONAL AWARENESS OF DEVICES.

(32) Applicant of the present application owns the following U.S. patent applications, filed on Aug. 28, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. patent application Ser. No. 16/115,214, titled ESTIMATING STATE OF ULTRASONIC END EFFECTOR AND CONTROL SYSTEM THEREFOR; U.S. patent application Ser. No. 16/115,205, titled TEMPERATURE CONTROL OF ULTRASONIC END EFFECTOR AND CONTROL SYSTEM THEREFOR; U.S. patent application Ser. No. 16/115,233, titled RADIO FREQUENCY ENERGY DEVICE FOR DELIVERING COMBINED ELECTRICAL SIGNALS; U.S. patent application Ser. No. 16/115,208, titled CONTROLLING AN ULTRASONIC SURGICAL INSTRUMENT ACCORDING TO TISSUE LOCATION; U.S. patent application Ser. No. 16/115,220, titled CONTROLLING ACTIVATION OF AN ULTRASONIC SURGICAL INSTRUMENT ACCORDING TO THE PRESENCE OF TISSUE; U.S. patent application Ser. No. 16/115,232, titled DETERMINING TISSUE COMPOSITION VIA AN ULTRASONIC SYSTEM; U.S. patent application Ser. No. 16/115,239, titled DETERMINING THE STATE OF AN ULTRASONIC ELECTROMECHANICAL SYSTEM ACCORDING TO FREQUENCY SHIFT; U.S. patent application Ser. No. 16/115,247, titled DETERMINING THE STATE OF AN ULTRASONIC END EFFECTOR; U.S. patent application Ser. No. 16/115,211, titled SITUATIONAL AWARENESS OF ELECTROSURGICAL SYSTEMS; U.S. patent application Ser. No. 16/115,226, titled MECHANISMS FOR CONTROLLING DIFFERENT ELECTROMECHANICAL SYSTEMS OF AN ELECTROSURGICAL INSTRUMENT; U.S. patent application Ser. No. 16/115,240, titled DETECTION OF END EFFECTOR IMMERSION IN LIQUID; U.S. patent application Ser. No. 16/115,249, titled INTERRUPTION OF ENERGY DUE TO INADVERTENT CAPACITIVE COUPLING; U.S. patent application Ser. No. 16/115,256, titled INCREASING RADIO FREQUENCY TO CREATE PAD-LESS MONOPOLAR LOOP; U.S. patent application Ser. No. 16/115,223, titled BIPOLAR COMBINATION DEVICE THAT AUTOMATICALLY ADJUSTS PRESSURE BASED ON ENERGY MODALITY; and U.S. patent application Ser. No. 16/115,238, titled ACTIVATION OF ENERGY DEVICES.

(33) Applicant of the present application owns the following U.S. patent applications, filed on Aug. 23, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application No. 62/721,995, titled CONTROLLING AN ULTRASONIC SURGICAL INSTRUMENT ACCORDING TO TISSUE LOCATION; U.S. Provisional Patent Application No. 62/721,998, titled SITUATIONAL AWARENESS OF ELECTROSURGICAL SYSTEMS; U.S. Provisional Patent Application No. 62/721,999, titled INTERRUPTION OF ENERGY DUE TO INADVERTENT CAPACITIVE COUPLING; U.S. Provisional Patent Application No. 62/721,994, titled BIPOLAR COMBINATION DEVICE THAT AUTOMATICALLY ADJUSTS PRESSURE BASED ON ENERGY MODALITY; and U.S. Provisional Patent Application No. 62/721,996, titled RADIO FREQUENCY ENERGY DEVICE FOR DELIVERING COMBINED ELECTRICAL SIGNALS.

(34) Applicant of the present application owns the following U.S. patent applications, filed on Jun. 30, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application No. 62/692,747, titled SMART ACTIVATION OF AN ENERGY DEVICE BY ANOTHER DEVICE; U.S. Provisional Patent Application No. 62/692,748, titled SMART ENERGY ARCHITECTURE; and U.S. Provisional Patent Application No. 62/692,768, titled SMART ENERGY DEVICES.

(35) Applicant of the present application owns the following U.S. patent applications, filed on Jun. 29, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. patent application Ser. No. 16/024,090, titled CAPACITIVE COUPLED RETURN PATH PAD WITH SEPARABLE ARRAY ELEMENTS; U.S. patent application Ser. No. 16/024,057, titled CONTROLLING A SURGICAL INSTRUMENT

16/024,067, titled SYSTEMS FOR ADJUSTING END EFFECTOR PARAMETERS BASED ON PERIOPERATIVE INFORMATION; U.S. patent application Ser. No. 16/024,075, titled SAFETY SYSTEMS FOR SMART POWERED SURGICAL STAPLING; U.S. patent application Ser. No. 16/024,083, titled SAFETY SYSTEMS FOR SMART POWERED SURGICAL STAPLING; U.S. patent application Ser. No. 16/024,094, titled SURGICAL SYSTEMS FOR DETECTING END EFFECTOR TISSUE DISTRIBUTION IRREGULARITIES; U.S. patent application Ser. No. 16/024,138, titled SYSTEMS FOR DETECTING PROXIMITY OF SURGICAL END EFFECTOR TO CANCEROUS TISSUE; U.S. patent application Ser. No. 16/024,150, titled SURGICAL INSTRUMENT CARTRIDGE SENSOR ASSEMBLIES; U.S. patent application Ser. No. 16/024,160, titled VARIABLE OUTPUT CARTRIDGE SENSOR ASSEMBLY; U.S. patent application Ser. No. 16/024,124, titled SURGICAL INSTRUMENT HAVING A FLEXIBLE ELECTRODE; U.S. patent application Ser. No. 16/024,132, titled SURGICAL INSTRUMENT HAVING A FLEXIBLE CIRCUIT; U.S. patent application Ser. No. 16/024,141, titled SURGICAL INSTRUMENT WITH A TISSUE MARKING ASSEMBLY; U.S. patent application Ser. No. 16/024,162, titled SURGICAL SYSTEMS WITH PRIORITIZED DATA TRANSMISSION CAPABILITIES; U.S. patent application Ser. No. 16/024,066, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL; U.S. patent application Ser. No. 16/024,096, titled SURGICAL EVACUATION SENSOR ARRANGEMENTS; U.S. patent application Ser. No. 16/024,116, titled SURGICAL EVACUATION FLOW PATHS; U.S. patent application Ser. No. 16/024,149, titled SURGICAL EVACUATION SENSING AND GENERATOR CONTROL; U.S. patent application Ser. No. 16/024,180, titled SURGICAL EVACUATION SENSING AND DISPLAY; U.S. patent application Ser. No. 16/024,245, titled COMMUNICATION OF SMOKE EVACUATION SYSTEM PARAMETERS TO HUB OR CLOUD IN SMOKE EVACUATION MODULE FOR INTERACTIVE SURGICAL PLATFORM; U.S. patent application Ser. No. 16/024,258, titled SMOKE EVACUATION SYSTEM INCLUDING A SEGMENTED CONTROL CIRCUIT FOR INTERACTIVE SURGICAL PLATFORM; U.S. patent application Ser. No. 16/024,265, titled SURGICAL EVACUATION SYSTEM WITH A COMMUNICATION CIRCUIT FOR COMMUNICATION BETWEEN A FILTER AND A SMOKE EVACUATION DEVICE; and U.S. patent application Ser. No. 16/024,273, titled DUAL IN-SERIES LARGE AND SMALL DROPLET FILTERS. (36) Applicant of the present application owns the following U.S. Provisional patent applications, filed on Jun. 28, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application Ser. No. 62/691,228, titled A METHOD OF USING REINFORCED FLEX CIRCUITS WITH MULTIPLE SENSORS WITH ELECTROSURGICAL DEVICES; U.S. Provisional Patent Application Ser. No. 62/691,227, titled CONTROLLING A SURGICAL INSTRUMENT ACCORDING TO SENSED CLOSURE PARAMETERS; U.S. Provisional Patent Application Ser. No. 62/691,230, titled SURGICAL INSTRUMENT HAVING A FLEXIBLE ELECTRODE; U.S. Provisional Patent Application Ser. No. 62/691,219, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL; U.S. Provisional Patent Application Ser. No. 62/691,257, titled COMMUNICATION OF SMOKE EVACUATION SYSTEM PARAMETERS TO HUB OR CLOUD IN SMOKE EVACUATION MODULE FOR INTERACTIVE SURGICAL PLATFORM; U.S. Provisional Patent Application Ser. No. 62/691,262, titled SURGICAL EVACUATION SYSTEM WITH A COMMUNICATION CIRCUIT FOR COMMUNICATION BETWEEN A FILTER AND A SMOKE EVACUATION DEVICE; and U.S. Provisional Patent Application Ser. No. 62/691,251, titled DUAL IN-SERIES LARGE AND SMALL DROPLET FILTERS.

(37) Applicant of the present application owns the following U.S. Provisional patent application, filed on Apr. 19, 2018, the disclosure of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application Ser. No. 62/659,900, titled METHOD OF HUB COMMUNICATION.

(38) Applicant of the present application owns the following U.S. Provisional patent applications, filed on Mar. 30, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application No. 62/650,898 filed on Mar. 30, 2018, titled CAPACITIVE COUPLED RETURN PATH PAD WITH SEPARABLE ARRAY ELEMENTS; U.S. Provisional Patent Application Ser. No. 62/650,887, titled SURGICAL SYSTEMS WITH OPTIMIZED SENSING CAPABILITIES; U.S. Provisional Patent Application Ser. No. 62/650,882, titled SMOKE EVACUATION MODULE FOR INTERACTIVE SURGICAL PLATFORM; and U.S. Provisional Patent Application Ser. No. 62/650,877, titled SURGICAL SMOKE EVACUATION SENSING AND CONTROLS.

(39) Applicant of the present application owns the following U.S. patent applications, filed on Mar. 29, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. patent application Ser. No. 15/940,641, titled INTERACTIVE SURGICAL SYSTEMS WITH ENCRYPTED COMMUNICATION CAPABILITIES; U.S. patent application Ser. No. 15/940,648, titled INTERACTIVE SURGICAL SYSTEMS WITH CONDITION HANDLING OF DEVICES AND DATA CAPABILITIES; U.S. patent application Ser. No. 15/940,656, titled SURGICAL HUB COORDINATION OF CONTROL AND COMMUNICATION OF OPERATING ROOM DEVICES; U.S. patent application Ser. No. 15/940,666, titled SPATIAL AWARENESS OF SURGICAL HUBS IN OPERATING ROOMS; U.S. patent application Ser. No. 15/940,670, titled COOPERATIVE UTILIZATION OF DATA DERIVED FROM SECONDARY SOURCES BY INTELLIGENT SURGICAL HUBS; U.S. patent application Ser. No. 15/940,677, titled SURGICAL HUB CONTROL ARRANGEMENTS; U.S. patent application Ser. No. 15/940,632, titled DATA STRIPPING METHOD TO INTERROGATE PATIENT RECORDS AND CREATE ANONYMIZED RECORD; U.S. patent application Ser. No. 15/940,640, titled COMMUNICATION HUB AND STORAGE DEVICE FOR STORING PARAMETERS AND STATUS OF A SURGICAL DEVICE TO BE SHARED WITH CLOUD BASED ANALYTICS SYSTEMS; U.S. patent application Ser. No. 15/940,645, titled SELF DESCRIBING DATA PACKETS GENERATED AT AN ISSUING INSTRUMENT; U.S. patent application Ser. No. 15/940,649, titled DATA PAIRING TO INTERCONNECT A DEVICE MEASURED PARAMETER WITH AN OUTCOME; U.S. patent application Ser. No. 15/940,654, titled SURGICAL HUB SITUATIONAL AWARENESS; U.S. patent application Ser. No. 15/940,663, titled SURGICAL SYSTEM DISTRIBUTED PROCESSING; U.S. patent application Ser. No. 15/940,668, titled AGGREGATION AND REPORTING OF SURGICAL HUB DATA; U.S. patent application Ser. No. 15/940,671, titled SURGICAL HUB SPATIAL AWARENESS TO DETERMINE DEVICES IN OPERATING THEATER; U.S. patent application Ser. No. 15/940,686, titled DISPLAY OF ALIGNMENT OF STAPLE CARTRIDGE TO PRIOR LINEAR STAPLE LINE; U.S. patent application Ser. No. 15/940,700, titled STERILE FIELD INTERACTIVE CONTROL DISPLAYS; U.S. patent application Ser. No. 15/940,629, titled COMPUTER IMPLEMENTED INTERACTIVE SURGICAL SYSTEMS; U.S. patent application Ser. No. 15/940,704, titled USE OF LASER LIGHT AND RED-GREEN-BLUE COLORATION TO DETERMINE PROPERTIES OF BACK SCATTERED LIGHT; U.S. patent application Ser. No. 15/940,722, titled CHARACTERIZATION OF TISSUE IRREGULARITIES THROUGH THE USE OF MONO-CHROMATIC LIGHT REFRACTIVITY; U.S. patent application Ser. No. 15/940,742, titled DUAL CMOS ARRAY IMAGING; U.S. patent application Ser. No. 15/940,636, titled ADAPTIVE CONTROL PROGRAM UPDATES FOR SURGICAL DEVICES; U.S. patent application Ser. No. 15/940,653, titled ADAPTIVE CONTROL PROGRAM UPDATES FOR SURGICAL HUBS; U.S. patent application Ser. No. 15/940,660, titled CLOUD-BASED MEDICAL ANALYTICS FOR CUSTOMIZATION AND RECOMMENDATIONS TO A USER; U.S. patent application Ser. No. 15/940,679, titled CLOUD-BASED MEDICAL ANALYTICS FOR LINKING OF LOCAL USAGE TRENDS WITH THE RESOURCE ACQUISITION BEHAVIORS OF LARGER DATA SET; U.S. patent application Ser. No. 15/940,694, titled CLOUD-BASED MEDICAL ANALYTICS FOR MEDICAL FACILITY SEGMENTED INDIVIDUALIZATION OF INSTRUMENT FUNCTION; U.S. patent application Ser. No. 15/940,634, titled CLOUD-BASED MEDICAL ANALYTICS FOR SECURITY AND AUTHENTICATION TRENDS AND REACTIVE MEASURES; U.S. patent application Ser. No. 15/940,706, titled DATA HANDLING AND PRIORITIZATION IN A CLOUD ANALYTICS NETWORK; U.S. patent application Ser. No. 15/940,675, titled CLOUD INTERFACE FOR COUPLED SURGICAL DEVICES; U.S. patent application Ser. No. 15/940,627, titled DRIVE ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,637, titled COMMUNICATION ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,642, titled CONTROLS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,676, titled AUTOMATIC TOOL ADJUSTMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,680, titled CONTROLLERS FOR

ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,683, titled COOPERATIVE SURGICAL ACTIONS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. patent application Ser. No. 15/940,690, titled DISPLAY ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; and U.S. patent application Ser. No. 15/940,711, titled SENSING ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS.

(40) Applicant of the present application owns the following U.S. Provisional patent applications, filed on Mar. 28, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application Ser. No. 62/649,302, titled INTERACTIVE SURGICAL SYSTEMS WITH ENCRYPTED COMMUNICATION CAPABILITIES; U.S. Provisional Patent Application Ser. No. 62/649,294, titled DATA STRIPPING METHOD TO INTERROGATE PATIENT RECORDS AND CREATE ANONYMIZED RECORD; U.S. Provisional Patent Application Ser. No. 62/649,300, titled SURGICAL HUB SITUATIONAL AWARENESS; U.S. Provisional Patent Application Ser. No. 62/649,309, titled SURGICAL HUB SPATIAL AWARENESS TO DETERMINE DEVICES IN OPERATING THEATER; U.S. Provisional Patent Application Ser. No. 62/649,310, titled COMPUTER IMPLEMENTED INTERACTIVE SURGICAL SYSTEMS; U.S. Provisional Patent Application Ser. No. 62/649,291, titled USE OF LASER LIGHT AND RED-GREEN-BLUE COLORATION TO DETERMINE PROPERTIES OF BACK SCATTERED LIGHT; U.S. Provisional Patent Application Ser. No. 62/649,296, titled ADAPTIVE CONTROL PROGRAM UPDATES FOR SURGICAL DEVICES; U.S. Provisional Patent Application Ser. No. 62/649,333, titled CLOUD-BASED MEDICAL ANALYTICS FOR CUSTOMIZATION AND RECOMMENDATIONS TO A USER; U.S. Provisional Patent Application Ser. No. 62/649,327, titled CLOUD-BASED MEDICAL ANALYTICS FOR SECURITY AND AUTHENTICATION TRENDS AND REACTIVE MEASURES; U.S. Provisional Patent Application Ser. No. 62/649,315, titled DATA HANDLING AND PRIORITIZATION IN A CLOUD ANALYTICS NETWORK; U.S. Provisional Patent Application Ser. No. 62/649,313, titled CLOUD INTERFACE FOR COUPLED SURGICAL DEVICES; U.S. Provisional Patent Application Ser. No. 62/649,320, titled DRIVE ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; U.S. Provisional Patent Application Ser. No. 62/649,307, titled AUTOMATIC TOOL ADJUSTMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS; and U.S. Provisional Patent Application Ser. No. 62/649,323, titled SENSING ARRANGEMENTS FOR ROBOT-ASSISTED SURGICAL PLATFORMS.

(41) Applicant of the present application owns the following U.S. Provisional patent applications, filed on Mar. 8, 2018, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application Ser. No. 62/640,417, titled TEMPERATURE CONTROL IN ULTRASONIC DEVICE AND CONTROL SYSTEM THEREFOR; and U.S. Provisional Patent Application Ser. No. 62/640,415, titled ESTIMATING STATE OF ULTRASONIC END EFFECTOR AND CONTROL SYSTEM THEREFOR.

(42) Applicant of the present application owns the following U.S. Provisional patent applications, filed on Dec. 28, 2017, the disclosure of each of which is herein incorporated by reference in its entirety: U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM; U.S. Provisional Patent Application Ser. No. 62/611,340, titled CLOUD-BASED MEDICAL ANALYTICS; and U.S. Provisional Patent Application Ser. No. 62/611,339, titled ROBOT ASSISTED SURGICAL PLATFORM.

(43) Before explaining various aspects of surgical devices and generators in detail, it should be noted that the illustrative examples are not limited in application or use to the details of construction and arrangement of parts illustrated in the accompanying drawings and description. The illustrative examples may be implemented or incorporated in other aspects, variations and modifications, and may be practiced or carried out in various ways. Further, unless otherwise indicated, the terms and expressions employed herein have been chosen for the purpose of describing the illustrative examples for the convenience of the reader and are not for the purpose of limitation thereof. Also, it will be appreciated that one or more of the following-described aspects, expressions of aspects, and/or examples, can be combined with any one or more of the other following-described aspects, expressions of aspects and/or examples.

Surgical Hubs

(44) Referring to FIG. 1, a computer-implemented interactive surgical system **100** includes one or more surgical systems **102** and a cloud-based system (e.g., the cloud **104** that may include a remote server **113** coupled to a storage device **105**). Each surgical system **102** includes at least one surgical hub **106** in communication with the cloud **104** that may include a remote server **113**. In one example, as illustrated in FIG. 1, the surgical system **102** includes a visualization system **108**, a robotic system **110**, and a handheld intelligent surgical instrument **112**, which are configured to communicate with one another and/or the hub **106**. In some aspects, a surgical system **102** may include an M number of hubs **106**, an N number of visualization systems **108**, an O number of robotic systems **110**, and a P number of handheld intelligent surgical instruments **112**, where M, N, O, and P are integers greater than or equal to one.

(45) In various aspects, the intelligent instruments **112** as described herein with reference to FIGS. 1-7 may be implemented as an energy device **213000** (FIG. 16), a combination energy instrument **213100** (FIG. 18), a surgical stapler **213102** (FIG. 18), a suction/irrigation device **213104** (FIG. 18), a sterile field display **213108** (FIG. 18), a surgical device **213204** (FIGS. 19A and 19B), a surgical evacuation system **50400** (FIG. 21), an electrosurgical instrument **50630** (FIG. 22), an evacuation system **50600** (FIG. 22), an evacuation system **50900** (FIG. 23), a scope **213501** (FIG. 25), and a surgical device **213608** (FIG. 26), for example. In such instances, the intelligent instruments **112** (e.g., devices 1.sub.a-1.sub.n), such as the combination energy instrument **213100** (FIG. 18), the surgical stapler **213102** (FIG. 18), the suction/irrigation device **213104** (FIG. 18), the sterile field display **213108** (FIG. 18), the surgical device **213204** (FIGS. 19A and 19B), the surgical evacuation system **50400** (FIG. 21), the electrosurgical instrument **50630** (FIG. 22), the evacuation system **50600** (FIG. 22), the evacuation system **50900** (FIG. 23), the scope **213501** (FIG. 25), and the surgical device **213608** (FIG. 26), are configured to operate in a surgical data network **201** as described with reference to FIG. 8.

(46) FIG. 2 depicts an example of a surgical system **102** being used to perform a surgical procedure on a patient who is lying down on an operating table **114** in a surgical operating room **116**. A robotic system **110** is used in the surgical procedure as a part of the surgical system **102**. The robotic system **110** includes a surgeon's console **118**, a patient side cart **120** (surgical robot), and a surgical robotic hub **122**. The patient side cart **120** can manipulate at least one removably coupled surgical tool **117** through a minimally invasive incision in the body of the patient while the surgeon views the surgical site through the surgeon's console **118**. An image of the surgical site can be obtained by a medical imaging device **124**, which can be manipulated by the patient side cart **120** to orient the imaging device **124**. The robotic hub **122** can be used to process the images of the surgical site for subsequent display to the surgeon through the surgeon's console **118**.

(47) Other types of robotic systems can be readily adapted for use with the surgical system **102**. Various examples of robotic systems and surgical tools that are suitable for use with the present disclosure are described in U.S. Provisional Patent Application Ser. No. 62/611,339, titled ROBOT ASSISTED SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety.

(48) Various examples of cloud-based analytics that are performed by the cloud **104**, and are suitable for use with the present disclosure, are described in U.S. Provisional Patent Application Ser. No. 62/611,340, titled CLOUD-BASED MEDICAL ANALYTICS, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety.

(49) In various aspects, the imaging device **124** includes at least one image sensor and one or more optical components. Suitable image sensors include, but are not limited to, Charge-Coupled Device (CCD) sensors and Complementary Metal-Oxide Semiconductor (CMOS) sensors.

(50) The optical components of the imaging device **124** may include one or more illumination sources and/or one or more lenses. The one or more illumination sources may be directed to illuminate portions of the surgical field. The one or more image sensors may receive light reflected or refracted from the surgical field, including light reflected or refracted from tissue and/or surgical instruments.

(51) The one or more illumination sources may be configured to radiate electromagnetic energy in the visible spectrum as well as the invisible spectrum. The visible spectrum, sometimes referred to as the optical spectrum or luminous spectrum, is that portion of the electromagnetic spectrum that is visible to (i.e., can be detected by) the human eye and may be referred to as visible light or simply light. A typical human eye will respond to wavelengths in air that are from about 380 nm to about 750 nm.

(52) The invisible spectrum (i.e., the non-luminous spectrum) is that portion of the electromagnetic spectrum that lies below and above the visible spectrum (i.e., wavelengths below about 380 nm and above about 750 nm). The invisible spectrum is not detectable by the human eye. Wavelengths greater than about 750 nm are longer than the red visible spectrum, and they become invisible infrared (IR), microwave, and radio electromagnetic radiation. Wavelengths less than about 380 nm are shorter than the violet spectrum, and they become invisible ultraviolet, x-ray, and gamma ray electromagnetic radiation.

(53) In various aspects, the imaging device **124** is configured for use in a minimally invasive procedure. Examples of imaging devices suitable for use with the present disclosure include, but not limited to, an arthroscope, angioscope, bronchoscope, choledochoscope, colonoscope, cytoscope, duodenoscope, enteroscope, esophagogastro-duodenoscope (gastroscope), endoscope, laryngoscope, nasopharyngo-neproscope, sigmoidoscope, thoracoscope, and ureterscope.

(54) In one aspect, the imaging device employs multi-spectrum monitoring to discriminate topography and underlying structures. A multi-spectral image is one that captures image data within specific wavelength ranges across the electromagnetic spectrum. The wavelengths may be separated by filters or by the use of instruments that are sensitive to particular wavelengths, including light from frequencies beyond the visible light range, e.g., IR and ultraviolet. Spectral imaging can allow extraction of additional information the human eye fails to capture with its receptors for red, green, and blue. The use of multi-spectral imaging is described in greater detail under the heading “Advanced Imaging Acquisition Module” in U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety. Multi-spectrum monitoring can be a useful tool in relocating a surgical field after a surgical task is completed to perform one or more of the previously described tests on the treated tissue.

(55) It is axiomatic that strict sterilization of the operating room and surgical equipment is required during any surgery. The strict hygiene and sterilization conditions required in a “surgical theater,” i.e., an operating or treatment room, necessitate the highest possible sterility of all medical devices and equipment. Part of that sterilization process is the need to sterilize anything that comes in contact with the patient or penetrates the sterile field, including the imaging device **124** and its attachments and components. It will be appreciated that the sterile field may be considered a specified area, such as within a tray or on a sterile towel, that is considered free of microorganisms, or the sterile field may be considered an area, immediately around a patient, who has been prepared for a surgical procedure. The sterile field may include the scrubbed team members, who are properly attired, and all furniture and fixtures in the area.

(56) In various aspects, the visualization system **108** includes one or more imaging sensors, one or more image-processing units, one or more storage arrays, and one or more displays that are strategically arranged with respect to the sterile field, as illustrated in FIG. 2. In one aspect, the visualization system **108** includes an interface for HL7, PACS, and EMR. Various components of the visualization system **108** are described under the heading “Advanced Imaging Acquisition Module” in U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety.

(57) As illustrated in FIG. 2, a primary display **119** is positioned in the sterile field to be visible to an operator at the operating table **114**. In addition, a visualization tower **111** is positioned outside the sterile field. The visualization tower **111** includes a first non-sterile display **107** and a second non-sterile display **109**, which face away from each other. The visualization system **108**, guided by the hub **106**, is configured to utilize the displays **107**, **109**, and **119** to coordinate information flow to operators inside and outside the sterile field. For example, the hub **106** may cause the visualization system **108** to display a snapshot of a surgical site, as recorded by an imaging device **124**, on a non-sterile display **107** or **109**, while maintaining a live feed of the surgical site on the primary display **119**. The snapshot on the non-sterile display **107** or **109** can permit a non-sterile operator to perform a diagnostic step relevant to the surgical procedure, for example.

(58) In one aspect, the hub **106** is also configured to route a diagnostic input or feedback entered by a non-sterile operator at the visualization tower **111** to the primary display **119** within the sterile field, where it can be viewed by a sterile operator at the operating table. In one example, the input can be in the form of a modification to the snapshot displayed on the non-sterile display **107** or **109**, which can be routed to the primary display **119** by the hub **106**.

(59) Referring to FIG. 2, a surgical instrument **112** is being used in the surgical procedure as part of the surgical system **102**. The hub **106** is also configured to coordinate information flow to a display of the surgical instrument **112**. For example, coordinate information flow is further described in U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety. A diagnostic input or feedback entered by a non-sterile operator at the visualization tower **111** can be routed by the hub **106** to the surgical instrument display **115** within the sterile field, where it can be viewed by the operator of the surgical instrument **112**. Example surgical instruments that are suitable for use with the surgical system **102** are described under the heading “Surgical Instrument Hardware” in U.S. Provisional Patent Application Ser. No. 62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, the disclosure of which is herein incorporated by reference in its entirety, for example.

(60) Referring now to FIG. 3, a hub **106** is depicted in communication with a visualization system **108**, a robotic system **110**, and a handheld intelligent surgical instrument **112**. The hub **106** includes a hub display **135**, an imaging module **138**, a generator module **140** (which can include a monopolar generator **142**, a bipolar generator **144**, and/or an ultrasonic generator **143**), a communication module **130**, a processor module **132**, and a storage array **134**. In certain aspects, as illustrated in FIG. 3, the hub **106** further includes a smoke evacuation module **126**, a suction/irrigation module **128**, and/or an OR mapping module **133**.

(61) During a surgical procedure, energy application to tissue, for sealing and/or cutting, is generally associated with smoke evacuation, suction of excess fluid, and/or irrigation of the tissue. Fluid, power, and/or data lines from different sources are often entangled during the surgical procedure. Valuable time can be lost addressing this issue during a surgical procedure. Detangling the lines may necessitate disconnecting the lines from their respective modules, which may require resetting the modules. The hub modular enclosure **136** offers a unified environment for managing the power, data, and fluid lines, which reduces the frequency of entanglement between such lines.

(62) Aspects of the present disclosure present a surgical hub for use in a surgical procedure that involves energy application to tissue at a surgical site. The surgical hub includes a hub enclosure and a combo generator module slidably receivable in a docking station of the hub enclosure. The docking station includes data and power contacts. The combo generator module includes two or more of an ultrasonic energy generator component, a bipolar RF energy generator component, and a monopolar RF energy generator component that are housed in a single unit. In one aspect, the combo generator module also includes a smoke evacuation component, at least one energy delivery cable for connecting the combo generator module to a surgical instrument, at least one smoke evacuation component configured to evacuate smoke, fluid, and/or particulates generated by the application of therapeutic energy to the tissue, and a fluid line extending from the remote surgical site to the smoke evacuation component.

(63) In one aspect, the fluid line is a first fluid line and a second fluid line extends from the remote surgical site to a suction and irrigation module slidably received in the hub enclosure. In one aspect, the hub enclosure comprises a fluid interface.

(64) Certain surgical procedures may require the application of more than one energy type to the tissue. One energy type may be more beneficial for cutting the tissue, while another different energy type may be more beneficial for sealing the tissue. For example, a bipolar generator can be used to seal the tissue while an ultrasonic generator can be used to cut the sealed tissue. Aspects of the present disclosure present a solution where a hub modular enclosure **136** is configured to accommodate different generators, and facilitate an interactive communication therebetween. One of the advantages of the hub modular enclosure **136** is enabling the quick removal and/or replacement of various modules.

(65) Aspects of the present disclosure present a modular surgical enclosure for use in a surgical procedure that involves energy application to tissue. The modular surgical enclosure includes a first energy-generator module, configured to generate a first energy for application to the tissue, and a first docking station comprising a first docking port that includes first data and power contacts, wherein the first energy-generator module is slidably

movable into an electrical engagement with the power and data contacts and wherein the first energy-generator module is slidably movable out of the electrical engagement with the first power and data contacts,

(66) Further to the above, the modular surgical enclosure also includes a second energy-generator module configured to generate a second energy, different than the first energy, for application to the tissue, and a second docking station comprising a second docking port that includes second data and power contacts, wherein the second energy-generator module is slidably movable into an electrical engagement with the power and data contacts, and wherein the second energy-generator module is slidably movable out of the electrical engagement with the second power and data contacts.

(67) In addition, the modular surgical enclosure also includes a communication bus between the first docking port and the second docking port, configured to facilitate communication between the first energy-generator module and the second energy-generator module.

(68) Referring to FIGS. 3-7, aspects of the present disclosure are presented for a hub modular enclosure **136** that allows the modular integration of a generator module **140**, a smoke evacuation module **126**, and a suction/irrigation module **128**. The hub modular enclosure **136** further facilitates interactive communication between the modules **140**, **126**, **128**. As illustrated in FIG. 5, the generator module **140** can be a generator module with integrated monopolar, bipolar, and ultrasonic components supported in a single housing unit **139** slidably insertable into the hub modular enclosure **136**. As illustrated in FIG. 5, the generator module **140** can be configured to connect to a monopolar device **146**, a bipolar device **147**, and an ultrasonic device **148**. Alternatively, the generator module **140** may comprise a series of monopolar, bipolar, and/or ultrasonic generator modules that interact through the hub modular enclosure **136**. The hub modular enclosure **136** can be configured to facilitate the insertion of multiple generators and interactive communication between the generators docked into the hub modular enclosure **136** so that the generators would act as a single generator.

(69) In one aspect, the hub modular enclosure **136** comprises a modular power and communication backplane **149** with external and wireless communication headers to enable the removable attachment of the modules **140**, **126**, **128** and interactive communication therebetween.

(70) In one aspect, the hub modular enclosure **136** includes docking stations, or drawers, **151**, herein also referred to as drawers, which are configured to slidably receive the modules **140**, **126**, **128**. FIG. 4 illustrates a partial perspective view of a surgical hub enclosure **136**, and a combo generator module **145** slidably receivable in a docking station **151** of the surgical hub enclosure **136**. A docking port **152** with power and data contacts on a rear side of the combo generator module **145** is configured to engage a corresponding docking port **150** with power and data contacts of a corresponding docking station **151** of the hub modular enclosure **136** as the combo generator module **145** is slid into position within the corresponding docking station **151** of the hub module enclosure **136**. In one aspect, the combo generator module **145** includes a bipolar, ultrasonic, and monopolar module and a smoke evacuation module integrated together into a single housing unit **139**, as illustrated in FIG. 5.

(71) In various aspects, the smoke evacuation module **126** includes a fluid line **154** that conveys captured/collected smoke and/or fluid away from a surgical site and to, for example, the smoke evacuation module **126**. Vacuum suction originating from the smoke evacuation module **126** can draw the smoke into an opening of a utility conduit at the surgical site. The utility conduit, coupled to the fluid line, can be in the form of a flexible tube terminating at the smoke evacuation module **126**. The utility conduit and the fluid line define a fluid path extending toward the smoke evacuation module **126** that is received in the hub enclosure **136**.

(72) In various aspects, the suction/irrigation module **128** is coupled to a surgical tool comprising an aspiration fluid line and a suction fluid line. In one example, the aspiration and suction fluid lines are in the form of flexible tubes extending from the surgical site toward the suction/irrigation module **128**. One or more drive systems can be configured to cause irrigation and aspiration of fluids to and from the surgical site.

(73) In one aspect, the surgical tool includes a shaft having an end effector at a distal end thereof and at least one energy treatment associated with the end effector, an aspiration tube, and an irrigation tube. The aspiration tube can have an inlet port at a distal end thereof and the aspiration tube extends through the shaft. Similarly, an irrigation tube can extend through the shaft and can have an inlet port in proximity to the energy deliver implement. The energy deliver implement is configured to deliver ultrasonic and/or RF energy to the surgical site and is coupled to the generator module **140** by a cable extending initially through the shaft.

(74) The irrigation tube can be in fluid communication with a fluid source, and the aspiration tube can be in fluid communication with a vacuum source. The fluid source and/or the vacuum source can be housed in the suction/irrigation module **128**. In one example, the fluid source and/or the vacuum source can be housed in the hub enclosure **136** separately from the suction/irrigation module **128**. In such example, a fluid interface can be configured to connect the suction/irrigation module **128** to the fluid source and/or the vacuum source.

(75) In one aspect, the modules **140**, **126**, **128** and/or their corresponding docking stations on the hub modular enclosure **136** may include alignment features that are configured to align the docking ports of the modules into engagement with their counterparts in the docking stations of the hub modular enclosure **136**. For example, as illustrated in FIG. 4, the combo generator module **145** includes side brackets **155** that are configured to slidably engage with corresponding brackets **156** of the corresponding docking station **151** of the hub modular enclosure **136**. The brackets cooperate to guide the docking port contacts of the combo generator module **145** into an electrical engagement with the docking port contacts of the hub modular enclosure **136**.

(76) In some aspects, the drawers **151** of the hub modular enclosure **136** are the same, or substantially the same size, and the modules are adjusted in size to be received in the drawers **151**. For example, the side brackets **155** and/or **156** can be larger or smaller depending on the size of the module. In other aspects, the drawers **151** are different in size and are each designed to accommodate a particular module.

(77) Furthermore, the contacts of a particular module can be keyed for engagement with the contacts of a particular drawer to avoid inserting a module into a drawer with mismatching contacts.

(78) As illustrated in FIG. 4, the docking port **150** of one drawer **151** can be coupled to the docking port **150** of another drawer **151** through a communications link **157** to facilitate an interactive communication between the modules housed in the hub modular enclosure **136**. The docking ports **150** of the hub modular enclosure **136** may alternatively, or additionally, facilitate a wireless interactive communication between the modules housed in the hub modular enclosure **136**. Any suitable wireless communication can be employed, such as for example Air Titan-Bluetooth.

(79) FIG. 6 illustrates individual power bus attachments for a plurality of lateral docking ports of a lateral modular housing **160** configured to receive a plurality of modules of a surgical hub **206**. The lateral modular housing **160** is configured to laterally receive and interconnect the modules **161**. The modules **161** are slidably inserted into docking stations **162** of lateral modular housing **160**, which includes a backplane for interconnecting the modules **161**. As illustrated in FIG. 6, the modules **161** are arranged laterally in the lateral modular housing **160**. Alternatively, the modules **161** may be arranged vertically in a lateral modular housing.

(80) FIG. 7 illustrates a vertical modular housing **164** configured to receive a plurality of modules **165** of the surgical hub **106**. The modules **165** are slidably inserted into docking stations, or drawers, **167** of vertical modular housing **164**, which includes a backplane for interconnecting the modules **165**. Although the drawers **167** of the vertical modular housing **164** are arranged vertically, in certain instances, a vertical modular housing **164** may include drawers that are arranged laterally. Furthermore, the modules **165** may interact with one another through the docking ports of the vertical modular housing **164**. In the example of FIG. 7, a display **177** is provided for displaying data relevant to the operation of the modules **165**. In addition, the vertical modular housing **164** includes a master module **178** housing a plurality of sub-modules that are slidably received in the master module **178**.

(81) In various aspects, the imaging module **138** comprises an integrated video processor and a modular light source and is adapted for use with various imaging devices. In one aspect, the imaging device is comprised of a modular housing that can be assembled with a light source module and a camera module. The housing can be a disposable housing. In at least one example, the disposable housing is removably coupled to a reusable controller, a light source module, and a camera module. The light source module and/or the camera module can be selectively chosen depending on

the type of surgical procedure. In one aspect, the camera module comprises a CCD sensor. In another aspect, the camera module comprises a CMOS sensor. In another aspect, the camera module is configured for scanned beam imaging. Likewise, the light source module can be configured to deliver a white light or a different light, depending on the surgical procedure.

(82) During a surgical procedure, removing a surgical device from the surgical field and replacing it with another surgical device that includes a different camera or a different light source can be inefficient. Temporarily losing sight of the surgical field may lead to undesirable consequences. The module imaging device of the present disclosure is configured to permit the replacement of a light source module or a camera module midstream during a surgical procedure, without having to remove the imaging device from the surgical field.

(83) In one aspect, the imaging device comprises a tubular housing that includes a plurality of channels. A first channel is configured to slidably receive the camera module, which can be configured for a snap-fit engagement with the first channel. A second channel is configured to slidably receive the light source module, which can be configured for a snap-fit engagement with the second channel. In another example, the camera module and/or the light source module can be rotated into a final position within their respective channels. A threaded engagement can be employed in lieu of the snap-fit engagement.

(84) In various examples, multiple imaging devices are placed at different positions in the surgical field to provide multiple views. The imaging module **138** can be configured to switch between the imaging devices to provide an optimal view. In various aspects, the imaging module **138** can be configured to integrate the images from the different imaging device.

(85) Various image processors and imaging devices suitable for use with the present disclosure are described in U.S. Pat. No. 7,995,045, titled COMBINED SBI AND CONVENTIONAL IMAGE PROCESSOR, which issued on Aug. 9, 2011, which is herein incorporated by reference in its entirety. In addition, U.S. Pat. No. 7,982,776, titled SBI MOTION ARTIFACT REMOVAL APPARATUS AND METHOD, which issued on Jul. 19, 2011, which is herein incorporated by reference in its entirety, describes various systems for removing motion artifacts from image data. Such systems can be integrated with the imaging module **138**. Furthermore, U.S. Patent Application Publication No. 2011/0306840, titled CONTROLLABLE MAGNETIC SOURCE TO FIXTURE INTRACORPOREAL APPARATUS, which published on Dec. 15, 2011, and U.S. Patent Application Publication No. 2014/0243597, titled SYSTEM FOR PERFORMING A MINIMALLY INVASIVE SURGICAL PROCEDURE, which published on Aug. 28, 2014, each of which is herein incorporated by reference in its entirety.

(86) FIG. **8** illustrates a surgical data network **201** comprising a modular communication hub **203** configured to connect modular devices located in one or more operating theaters of a healthcare facility, or any room in a healthcare facility specially equipped for surgical operations, to a cloud-based system (e.g., the cloud **204** that may include a remote server **213** coupled to a storage device **205**). In one aspect, the modular communication hub **203** comprises a network hub **207** and/or a network switch **209** in communication with a network router. The modular communication hub **203** also can be coupled to a local computer system **210** to provide local computer processing and data manipulation. The surgical data network **201** may be configured as passive, intelligent, or switching. A passive surgical data network serves as a conduit for the data, enabling it to go from one device (or segment) to another and to the cloud computing resources. An intelligent surgical data network includes additional features to enable the traffic passing through the surgical data network to be monitored and to configure each port in the network hub **207** or network switch **209**. An intelligent surgical data network may be referred to as a manageable hub or switch. A switching hub reads the destination address of each packet and then forwards the packet to the correct port.

(87) Modular devices **1a-1n** located in the operating theater may be coupled to the modular communication hub **203**. The network hub **207** and/or the network switch **209** may be coupled to a network router **211** to connect the devices **1a-1n** to the cloud **204** or the local computer system **210**. Data associated with the devices **1a-1n** may be transferred to cloud-based computers via the router for remote data processing and manipulation. Data associated with the devices **1a-1n** may also be transferred to the local computer system **210** for local data processing and manipulation. Modular devices **2a-2m** located in the same operating theater also may be coupled to a network switch **209**. The network switch **209** may be coupled to the network hub **207** and/or the network router **211** to connect to the devices **2a-2m** to the cloud **204**. Data associated with the devices **2a-2n** may be transferred to the cloud **204** via the network router **211** for data processing and manipulation. Data associated with the devices **2a-2m** may also be transferred to the local computer system **210** for local data processing and manipulation.

(88) It will be appreciated that the surgical data network **201** may be expanded by interconnecting multiple network hubs **207** and/or multiple network switches **209** with multiple network routers **211**. The modular communication hub **203** may be contained in a modular control tower configured to receive multiple devices **1a-1n/2a-2m**. The local computer system **210** also may be contained in a modular control tower. The modular communication hub **203** is connected to a display **212** to display images obtained by some of the devices **1a-1n/2a-2m**, for example during surgical procedures. In various aspects, the devices **1a-1n/2a-2m** may include, for example, various modules such as an imaging module **138** coupled to an endoscope, a generator module **140** coupled to an energy-based surgical device, a smoke evacuation module **126**, a suction/irrigation module **128**, a communication module **130**, a processor module **132**, a storage array **134**, a surgical device coupled to a display, and/or a non-contact sensor module, among other modular devices that may be connected to the modular communication hub **203** of the surgical data network **201**.

(89) In one aspect, the surgical data network **201** may comprise a combination of network hub(s), network switch(es), and network router(s) connecting the devices **1a-1n/2a-2m** to the cloud. Any one of or all of the devices **1a-1n/2a-2m** coupled to the network hub or network switch may collect data in real time and transfer the data to cloud computers for data processing and manipulation. It will be appreciated that cloud computing relies on sharing computing resources rather than having local servers or personal devices to handle software applications. The word “cloud” may be used as a metaphor for “the Internet,” although the term is not limited as such. Accordingly, the term “cloud computing” may be used herein to refer to “a type of Internet-based computing,” where different services—such as servers, storage, and applications—are delivered to the modular communication hub **203** and/or computer system **210** located in the surgical theater (e.g., a fixed, mobile, temporary, or field operating room or space) and to devices connected to the modular communication hub **203** and/or computer system **210** through the Internet. The cloud infrastructure may be maintained by a cloud service provider. In this context, the cloud service provider may be the entity that coordinates the usage and control of the devices **1a-1n/2a-2m** located in one or more operating theaters. The cloud computing services can perform a large number of calculations based on the data gathered by smart surgical instruments, robots, and other computerized devices located in the operating theater. The hub hardware enables multiple devices or connections to be connected to a computer that communicates with the cloud computing resources and storage.

(90) Applying cloud computer data processing techniques on the data collected by the devices **1a-1n/2a-2m**, the surgical data network provides improved surgical outcomes, reduced costs, and improved patient satisfaction. At least some of the devices **1a-1n/2a-2m** may be employed to view tissue states to assess leaks or perfusion of sealed tissue after a tissue sealing and cutting procedure. At least some of the devices **1a-1n/2a-2m** may be employed to identify pathology, such as the effects of diseases, using the cloud-based computing to examine data including images of samples of body tissue for diagnostic purposes. This includes localization and margin confirmation of tissue and phenotypes. At least some of the devices **1a-1n/2a-2m** may be employed to identify anatomical structures of the body using a variety of sensors integrated with imaging devices and techniques such as overlaying images captured by multiple imaging devices. The data gathered by the devices **1a-1n/2a-2m**, including image data, may be transferred to the cloud **204** or the local computer system **210** or both for data processing and manipulation including image processing and manipulation. The data may be analyzed to improve surgical procedure outcomes by determining if further treatment, such as the application of endoscopic intervention, emerging technologies, a targeted radiation, targeted intervention, and precise robotics to tissue-specific sites and conditions, may be pursued. Such data analysis may further employ outcome analytics processing, and using standardized approaches may provide beneficial feedback to either confirm surgical treatments and the behavior of the surgeon or suggest modifications to surgical treatments and the behavior of the surgeon.

(91) In one implementation, the operating theater devices **1a-1n** may be connected to the modular communication hub **203** over a wired channel or a

wireless channel depending on the configuration of the devices **1a-1n** to a network hub. The network hub **207** may be implemented, in one aspect, as a local network broadcast device that works on the physical layer of the Open System Interconnection (OSI) model. The network hub provides connectivity to the devices **1a-1n** located in the same operating theater network. The network hub **207** collects data in the form of packets and sends them to the router in half duplex mode. The network hub **207** does not store any media access control/Internet Protocol (MAC/IP) to transfer the device data. Only one of the devices **1a-1n** can send data at a time through the network hub **207**. The network hub **207** has no routing tables or intelligence regarding where to send information and broadcasts all network data across each connection and to a remote server **213** (FIG. 9) over the cloud **204**. The network hub **207** can detect basic network errors such as collisions, but having all information broadcast to multiple ports can be a security risk and cause bottlenecks.

(92) In another implementation, the operating theater devices **2a-2m** may be connected to a network switch **209** over a wired channel or a wireless channel. The network switch **209** works in the data link layer of the OSI model. The network switch **209** is a multicast device for connecting the devices **2a-2m** located in the same operating theater to the network. The network switch **209** sends data in the form of frames to the network router **211** and works in full duplex mode. Multiple devices **2a-2m** can send data at the same time through the network switch **209**. The network switch **209** stores and uses MAC addresses of the devices **2a-2m** to transfer data.

(93) The network hub **207** and/or the network switch **209** are coupled to the network router **211** for connection to the cloud **204**. The network router **211** works in the network layer of the OSI model. The network router **211** creates a route for transmitting data packets received from the network hub **207** and/or network switch **211** to cloud-based computer resources for further processing and manipulation of the data collected by any one of or all the devices **1a-1n/2a-2m**. The network router **211** may be employed to connect two or more different networks located in different locations, such as, for example, different operating theaters of the same healthcare facility or different networks located in different operating theaters of different healthcare facilities. The network router **211** sends data in the form of packets to the cloud **204** and works in full duplex mode. Multiple devices can send data at the same time. The network router **211** uses IP addresses to transfer data.

(94) In one example, the network hub **207** may be implemented as a USB hub, which allows multiple USB devices to be connected to a host computer. The USB hub may expand a single USB port into several tiers so that there are more ports available to connect devices to the host system computer. The network hub **207** may include wired or wireless capabilities to receive information over a wired channel or a wireless channel. In one aspect, a wireless USB short-range, high-bandwidth wireless radio communication protocol may be employed for communication between the devices **1a-1n** and devices **2a-2m** located in the operating theater.

(95) In other examples, the operating theater devices **1a-1n/2a-2m** may communicate to the modular communication hub **203** via Bluetooth wireless technology standard for exchanging data over short distances (using short-wavelength UHF radio waves in the ISM band from 2.4 to 2.485 GHz) from fixed and mobile devices and building personal area networks (PANs). In other aspects, the operating theater devices **1a-1n/2a-2m** may communicate to the modular communication hub **203** via a number of wireless or wired communication standards or protocols, including but not limited to Wi-Fi (IEEE 802.11 family), WiMAX (IEEE 802.16 family), IEEE 802.20, long-term evolution (LTE), and Ev-DO, HSPA+, HSDPA+, HSUPA+, EDGE, GSM, GPRS, CDMA, TDMA, DECT, and Ethernet derivatives thereof, as well as any other wireless and wired protocols that are designated as 3G, 4G, 5G, and beyond. The computing module may include a plurality of communication modules. For instance, a first communication module may be dedicated to shorter-range wireless communications such as Wi-Fi and Bluetooth, and a second communication module may be dedicated to longer-range wireless communications such as GPS, EDGE, GPRS, CDMA, WiMAX, LTE, Ev-DO, and others.

(96) The modular communication hub **203** may serve as a central connection for one or all of the operating theater devices **1a-1n/2a-2m** and handles a data type known as frames. Frames carry the data generated by the devices **1a-1n/2a-2m**. When a frame is received by the modular communication hub **203**, it is amplified and transmitted to the network router **211**, which transfers the data to the cloud computing resources by using a number of wireless or wired communication standards or protocols, as described herein.

(97) The modular communication hub **203** can be used as a standalone device or be connected to compatible network hubs and network switches to form a larger network. The modular communication hub **203** is generally easy to install, configure, and maintain, making it a good option for networking the operating theater devices **1a-1n/2a-2m**.

(98) FIG. 9 illustrates a computer-implemented interactive surgical system **200**. The computer-implemented interactive surgical system **200** is similar in many respects to the computer-implemented interactive surgical system **100**. For example, the computer-implemented interactive surgical system **200** includes one or more surgical systems **202**, which are similar in many respects to the surgical systems **102**. Each surgical system **202** includes at least one surgical hub **206** in communication with a cloud **204** that may include a remote server **213**. In one aspect, the computer-implemented interactive surgical system **200** comprises a modular control tower **236** connected to multiple operating theater devices such as, for example, intelligent surgical instruments, robots, and other computerized devices located in the operating theater. As shown in FIG. 10, the modular control tower **236** comprises a modular communication hub **203** coupled to a computer system **210**. As illustrated in the example of FIG. 9, the modular control tower **236** is coupled to an imaging module **238** that is coupled to an endoscope **239**, a generator module **240** that is coupled to an energy device **241**, a smoke evacuator module **226**, a suction/irrigation module **228**, a communication module **230**, a processor module **232**, a storage array **234**, a smart device/instrument **235** optionally coupled to a display **237**, and a non-contact sensor module **242**. The operating theater devices are coupled to cloud computing resources and data storage via the modular control tower **236**. A robot hub **222** also may be connected to the modular control tower **236** and to the cloud computing resources. The devices/instruments **235**, visualization systems **208**, among others, may be coupled to the modular control tower **236** via wired or wireless communication standards or protocols, as described herein. The modular control tower **236** may be coupled to a hub display **215** (e.g., monitor, screen) to display and overlay images received from the imaging module, device/instrument display, and/or other visualization systems **208**. The hub display also may display data received from devices connected to the modular control tower in conjunction with images and overlaid images.

(99) FIG. 10 illustrates a surgical hub **206** comprising a plurality of modules coupled to the modular control tower **236**. The modular control tower **236** comprises a modular communication hub **203**, e.g., a network connectivity device, and a computer system **210** to provide local processing, visualization, and imaging, for example. As shown in FIG. 10, the modular communication hub **203** may be connected in a tiered configuration to expand the number of modules (e.g., devices) that may be connected to the modular communication hub **203** and transfer data associated with the modules to the computer system **210**, cloud computing resources, or both. As shown in FIG. 10, each of the network hubs/switches in the modular communication hub **203** includes three downstream ports and one upstream port. The upstream network hub/switch is connected to a processor to provide a communication connection to the cloud computing resources and a local display **217**. Communication to the cloud **204** may be made either through a wired or a wireless communication channel.

(100) The surgical hub **206** employs a non-contact sensor module **242** to measure the dimensions of the operating theater and generate a map of the surgical theater using either ultrasonic or laser-type non-contact measurement devices. An ultrasound-based non-contact sensor module scans the operating theater by transmitting a burst of ultrasound and receiving the echo when it bounces off the perimeter walls of an operating theater as described under the heading "Surgical Hub Spatial Awareness Within an Operating Room" in U.S. Provisional Patent Application Ser. No.

62/611,341, titled INTERACTIVE SURGICAL PLATFORM, filed Dec. 28, 2017, which is herein incorporated by reference in its entirety, in which the sensor module is configured to determine the size of the operating theater and to adjust Bluetooth-pairing distance limits. A laser-based non-contact sensor module scans the operating theater by transmitting laser light pulses, receiving laser light pulses that bounce off the perimeter walls of the operating theater, and comparing the phase of the transmitted pulse to the received pulse to determine the size of the operating theater and to adjust Bluetooth pairing distance limits, for example.

(101) The computer system **210** comprises a processor **244** and a network interface **245**. The processor **244** is coupled to a communication module

247, storage **248**, memory **249**, non-volatile memory **250**, and input/output interface **251** via a system bus can be any of several types of bus structure(s) including the memory bus or memory controller, a peripheral bus or external bus, and/or a local bus using any variety of available bus architectures including, but not limited to, 9-bit bus, Industrial Standard Architecture (ISA), Micro-Charmel Architecture (MSA), Extended ISA (EISA), Intelligent Drive Electronics (IDE), VESA Local Bus (VLB), Peripheral Component Interconnect (PCI), USB, Advanced Graphics Port (AGP), Personal Computer Memory Card International Association bus (PCMCIA), Small Computer Systems Interface (SCSI), or any other proprietary bus.

(102) The processor **244** may be any single-core or multicore processor such as those known under the trade name ARM Cortex by Texas Instruments. In one aspect, the processor may be an LM4F230H5QR ARM Cortex-M4F Processor Core, available from Texas Instruments, for example, comprising an on-chip memory of 256 KB single-cycle flash memory, or other non-volatile memory, up to 40 MHz, a prefetch buffer to improve performance above 40 MHz, a 32 KB single-cycle serial random access memory (SRAM), an internal read-only memory (ROM) loaded with StellarisWare® software, a 2 KB electrically erasable programmable read-only memory (EEPROM), and/or one or more pulse width modulation (PWM) modules, one or more quadrature encoder inputs (QEI) analogs, one or more 12-bit analog-to-digital converters (ADCs) with 12 analog input channels, details of which are available for the product datasheet.

(103) In one aspect, the processor **244** may comprise a safety controller comprising two controller-based families such as TMS570 and RM4x, known under the trade name Hercules ARM Cortex R4, also by Texas Instruments. The safety controller may be configured specifically for IEC 61508 and ISO 26262 safety critical applications, among others, to provide advanced integrated safety features while delivering scalable performance, connectivity, and memory options.

(104) The system memory includes volatile memory and non-volatile memory. The basic input/output system (BIOS), containing the basic routines to transfer information between elements within the computer system, such as during start-up, is stored in non-volatile memory. For example, the non-volatile memory can include ROM, programmable ROM (PROM), electrically programmable ROM (EPROM), EEPROM, or flash memory. Volatile memory includes random-access memory (RAM), which acts as external cache memory. Moreover, RAM is available in many forms such as SRAM, dynamic RAM (DRAM), synchronous DRAM (SDRAM), double data rate SDRAM (DDR SDRAM), enhanced SDRAM (ESDRAM), Synchlink DRAM (SLDRAM), and direct Rambus RAM (DRRAM).

(105) The computer system **210** also includes removable/non-removable, volatile/non-volatile computer storage media, such as for example disk storage. The disk storage includes, but is not limited to, devices like a magnetic disk drive, floppy disk drive, tape drive, Jaz drive, Zip drive, LS-60 drive, flash memory card, or memory stick. In addition, the disk storage can include storage media separately or in combination with other storage media including, but not limited to, an optical disc drive such as a compact disc ROM device (CD-ROM), compact disc recordable drive (CD-R Drive), compact disc rewritable drive (CD-RW Drive), or a digital versatile disc ROM drive (DVD-ROM). To facilitate the connection of the disk storage devices to the system bus, a removable or non-removable interface may be employed.

(106) It is to be appreciated that the computer system **210** includes software that acts as an intermediary between users and the basic computer resources described in a suitable operating environment. Such software includes an operating system. The operating system, which can be stored on the disk storage, acts to control and allocate resources of the computer system. System applications take advantage of the management of resources by the operating system through program modules and program data stored either in the system memory or on the disk storage. It is to be appreciated that various components described herein can be implemented with various operating systems or combinations of operating systems.

(107) A user enters commands or information into the computer system **210** through input device(s) coupled to the I/O interface **251**. The input devices include, but are not limited to, a pointing device such as a mouse, trackball, stylus, touch pad, keyboard, microphone, joystick, game pad, satellite dish, scanner, TV tuner card, digital camera, digital video camera, web camera, and the like. These and other input devices connect to the processor through the system bus via interface port(s). The interface port(s) include, for example, a serial port, a parallel port, a game port, and a USB. The output device(s) use some of the same types of ports as input device(s). Thus, for example, a USB port may be used to provide input to the computer system and to output information from the computer system to an output device. An output adapter is provided to illustrate that there are some output devices like monitors, displays, speakers, and printers, among other output devices that require special adapters. The output adapters include, by way of illustration and not limitation, video and sound cards that provide a means of connection between the output device and the system bus. It should be noted that other devices and/or systems of devices, such as remote computer(s), provide both input and output capabilities.

(108) The computer system **210** can operate in a networked environment using logical connections to one or more remote computers, such as cloud computer(s), or local computers. The remote cloud computer(s) can be a personal computer, server, router, network PC, workstation, microprocessor-based appliance, peer device, or other common network node, and the like, and typically includes many or all of the elements described relative to the computer system. For purposes of brevity, only a memory storage device is illustrated with the remote computer(s). The remote computer(s) is logically connected to the computer system through a network interface and then physically connected via a communication connection. The network interface encompasses communication networks such as local area networks (LANs) and wide area networks (WANs). LAN technologies include Fiber Distributed Data Interface (FDDI), Copper Distributed Data Interface (CDDI), Ethernet/IEEE 802.3, Token Ring/IEEE 802.5 and the like. WAN technologies include, but are not limited to, point-to-point links, circuit-switching networks like Integrated Services Digital Networks (ISDN) and variations thereon, packet-switching networks, and Digital Subscriber Lines (DSL).

(109) In various aspects, the computer system **210** of FIG. **10**, the imaging module **238** and/or visualization system **208**, and/or the processor module **232** of FIGS. **9-10**, may comprise an image processor, image-processing engine, media processor, or any specialized digital signal processor (DSP) used for the processing of digital images. The image processor may employ parallel computing with single instruction, multiple data (SIMD) or multiple instruction, multiple data (MIMD) technologies to increase speed and efficiency. The digital image-processing engine can perform a range of tasks. The image processor may be a system on a chip with multicore processor architecture.

(110) The communication connection(s) refers to the hardware/software employed to connect the network interface to the bus. While the communication connection is shown for illustrative clarity inside the computer system, it can also be external to the computer system **210**. The hardware/software necessary for connection to the network interface includes, for illustrative purposes only, internal and external technologies such as modems, including regular telephone-grade modems, cable modems, and DSL modems, ISDN adapters, and Ethernet cards.

(111) In various aspects, the devices/instruments **235** described with reference to FIGS. **9-10**, may be implemented as the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**). Accordingly, the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) are configured to interface with the modular control tower **236** and the surgical hub **206**. Once connected to the surgical hub **206**, the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) are configured to interface with the cloud **204**, the server **213**, other hub connected instruments, the hub display **215**, or the visualization system **209**, or combinations thereof. Further, once connected to hub **206**, the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the

sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) may utilize the processing circuits available in the hub local computer system **210**. (112) FIG. **11** illustrates a functional block diagram of one aspect of a USB network hub **300** device, in accordance with at least one aspect of the present disclosure. In the illustrated aspect, the USB network hub device **300** employs a TUSB2036 integrated circuit hub by Texas Instruments. The USB network hub **300** is a CMOS device that provides an upstream USB transceiver port **302** and up to three downstream USB transceiver ports **304**, **306**, **308** in compliance with the USB 2.0 specification. The upstream USB transceiver port **302** is a differential root data port comprising a differential data minus (DM0) input paired with a differential data plus (DP0) input. The three downstream USB transceiver ports **304**, **306**, **308** are differential data ports where each port includes differential data plus (DP1–DP3) outputs paired with differential data minus (DM1–DM3) outputs. (113) The USB network hub **300** device is implemented with a digital state machine instead of a microcontroller, and no firmware programming is required. Fully compliant USB transceivers are integrated into the circuit for the upstream USB transceiver port **302** and all downstream USB transceiver ports **304**, **306**, **308**. The downstream USB transceiver ports **304**, **306**, **308** support both full-speed and low-speed devices by automatically setting the slew rate according to the speed of the device attached to the ports. The USB network hub **300** device may be configured either in bus-powered or self-powered mode and includes a hub power logic **312** to manage power. (114) The USB network hub **300** device includes a serial interface engine **310** (SIE). The SIE **310** is the front end of the USB network hub **300** hardware and handles most of the protocol described in chapter 8 of the USB specification. The SIE **310** typically comprehends signaling up to the transaction level. The functions that it handles could include: packet recognition, transaction sequencing, SOP, EOP, RESET, and RESUME signal detection/generation, clock/data separation, non-return-to-zero invert (NRZI) data encoding/decoding and bit-stuffing, CRC generation and checking (token and data), packet ID (PID) generation and checking/decoding, and/or serial-parallel/parallel-serial conversion. The **310** receives a clock input **314** and is coupled to a suspend/resume logic and frame timer **316** circuit and a hub repeater circuit **318** to control communication between the upstream USB transceiver port **302** and the downstream USB transceiver ports **304**, **306**, **308** through port logic circuits **320**, **322**, **324**. The SIE **310** is coupled to a command decoder **326** via interface logic **328** to control commands from a serial EEPROM via a serial EEPROM interface **330**. (115) In various aspects, the USB network hub **300** can connect **127** functions configured in up to six logical layers (tiers) to a single computer. Further, the USB network hub **300** can connect to all peripherals using a standardized four-wire cable that provides both communication and power distribution. The power configurations are bus-powered and self-powered modes. The USB network hub **300** may be configured to support four modes of power management: a bus-powered hub, with either individual-port power management or ganged-port power management, and the self-powered hub, with either individual-port power management or ganged-port power management. In one aspect, using a USB cable, the USB network hub **300**, the upstream USB transceiver port **302** is plugged into a USB host controller, and the downstream USB transceiver ports **304**, **306**, **308** are exposed for connecting USB compatible devices, and so forth. (116) Additional details regarding the structure and function of the surgical hub and/or surgical hub networks can be found in U.S. Provisional Patent Application No. 62/659,900, titled METHOD OF HUB COMMUNICATION, filed Apr. 19, 2018, which is hereby incorporated by reference herein in its entirety.

Cloud System Hardware and Functional Modules

(117) FIG. **12** is a block diagram of the computer-implemented interactive surgical system, in accordance with at least one aspect of the present disclosure. In one aspect, the computer-implemented interactive surgical system is configured to monitor and analyze data related to the operation of various surgical systems that include surgical hubs, surgical instruments, robotic devices and operating theaters or healthcare facilities. The computer-implemented interactive surgical system comprises a cloud-based analytics system. Although the cloud-based analytics system is described as a surgical system, it is not necessarily limited as such and could be a cloud-based medical system generally. As illustrated in FIG. **12**, the cloud-based analytics system comprises a plurality of surgical instruments **7012** (may be the same or similar to instruments **112**), a plurality of surgical hubs **7006** (may be the same or similar to hubs **106**), and a surgical data network **7001** (may be the same or similar to network **201**) to couple the surgical hubs **7006** to the cloud **7004** (may be the same or similar to cloud **204**). Each of the plurality of surgical hubs **7006** is communicatively coupled to one or more surgical instruments **7012**. The hubs **7006** are also communicatively coupled to the cloud **7004** of the computer-implemented interactive surgical system via the network **7001**. The cloud **7004** is a remote centralized source of hardware and software for storing, manipulating, and communicating data generated based on the operation of various surgical systems. As shown in FIG. **12**, access to the cloud **7004** is achieved via the network **7001**, which may be the Internet or some other suitable computer network. Surgical hubs **7006** that are coupled to the cloud **7004** can be considered the client side of the cloud computing system (i.e., cloud-based analytics system). Surgical instruments **7012** are paired with the surgical hubs **7006** for control and implementation of various surgical procedures or operations as described herein.

(118) In addition, surgical instruments **7012** may comprise transceivers for data transmission to and from their corresponding surgical hubs **7006** (which may also comprise transceivers). Combinations of surgical instruments **7012** and corresponding hubs **7006** may indicate particular locations, such as operating theaters in healthcare facilities (e.g., hospitals), for providing medical operations. For example, the memory of a surgical hub **7006** may store location data. As shown in FIG. **12**, the cloud **7004** comprises central servers **7013** (which may be same or similar to remote server **113** in FIG. **1** and/or remote server **213** in FIG. **9**), hub application servers **7002**, data analytics modules **7034**, and an input/output (“I/O”) interface **7007**. The central servers **7013** of the cloud **7004** collectively administer the cloud computing system, which includes monitoring requests by client surgical hubs **7006** and managing the processing capacity of the cloud **7004** for executing the requests. Each of the central servers **7013** comprises one or more processors **7008** coupled to suitable memory devices **7010** which can include volatile memory such as random-access memory (RAM) and non-volatile memory such as magnetic storage devices. The memory devices **7010** may comprise machine executable instructions that when executed cause the processors **7008** to execute the data analytics modules **7034** for the cloud-based data analysis, operations, recommendations and other operations described below. Moreover, the processors **7008** can execute the data analytics modules **7034** independently or in conjunction with hub applications independently executed by the hubs **7006**. The central servers **7013** also comprise aggregated medical data databases **2212**, which can reside in the memory **2210**.

(119) Based on connections to various surgical hubs **7006** via the network **7001**, the cloud **7004** can aggregate data from specific data generated by various surgical instruments **7012** and their corresponding hubs **7006**. Such aggregated data may be stored within the aggregated medical data databases **7011** of the cloud **7004**. In particular, the cloud **7004** may advantageously perform data analysis and operations on the aggregated data to yield insights and/or perform functions that individual hubs **7006** could not achieve on their own. To this end, as shown in FIG. **12**, the cloud **7004** and the surgical hubs **7006** are communicatively coupled to transmit and receive information. The I/O interface **7007** is connected to the plurality of surgical hubs **7006** via the network **7001**. In this way, the I/O interface **7007** can be configured to transfer information between the surgical hubs **7006** and the aggregated medical data databases **7011**. Accordingly, the I/O interface **7007** may facilitate read/write operations of the cloud-based analytics system. Such read/write operations may be executed in response to requests from hubs **7006**. These requests could be transmitted to the hubs **7006** through the hub applications. The I/O interface **7007** may include one or more high speed data ports, which may include universal serial bus (USB) ports, IEEE 1394 ports, as well as Wi-Fi and Bluetooth I/O interfaces for connecting the cloud **7004** to hubs **7006**. The hub application servers **7002** of the cloud **7004** are configured to host and supply shared capabilities to software applications (e.g. hub applications) executed by surgical hubs **7006**. For example, the hub application servers **7002** may manage requests made by the hub applications through the hubs **7006**, control access to the aggregated medical data databases **7011**, and perform load balancing. The data analytics modules **7034** are described in further detail with reference to FIG. **13**.

(120) The particular cloud computing system configuration described in the present disclosure is specifically designed to address various issues

arising in the context of medical operations and procedures performed using medical devices, such as the surgical instruments **7012**, **112**. In particular, the surgical instruments **7012** may be digital surgical devices configured to interact with the cloud **7004** for implementing techniques to improve the performance of surgical operations. Various surgical instruments **7012** and/or surgical hubs **7006** may comprise touch controlled user interfaces such that clinicians may control aspects of interaction between the surgical instruments **7012** and the cloud **7004**. Other suitable user interfaces for control such as auditory controlled user interfaces can also be used.

(121) FIG. **13** is a block diagram which illustrates the functional architecture of the computer-implemented interactive surgical system, in accordance with at least one aspect of the present disclosure. The cloud-based analytics system includes a plurality of data analytics modules **7034** that may be executed by the processors **7008** of the cloud **7004** for providing data analytic solutions to problems specifically arising in the medical field. As shown in FIG. **13**, the functions of the cloud-based data analytics modules **7034** may be assisted via hub applications **7014** hosted by the hub application servers **7002** that may be accessed on surgical hubs **7006**. The cloud processors **7008** and hub applications **7014** may operate in conjunction to execute the data analytics modules **7034**. Application program interfaces (APIs) **7016** define the set of protocols and routines corresponding to the hub applications **7014**. Additionally, the APIs **7016** manage the storing and retrieval of data into and from the aggregated medical data databases **7011** for the operations of the applications **7014**. The caches **7018** also store data (e.g., temporarily) and are coupled to the APIs **7016** for more efficient retrieval of data used by the applications **7014**. The data analytics modules **7034** in FIG. **13** include modules for resource optimization **7020**, data collection and aggregation **7022**, authorization and security **7024**, control program updating **7026**, patient outcome analysis **7028**, recommendations **7030**, and data sorting and prioritization **7032**. Other suitable data analytics modules could also be implemented by the cloud **7004**, according to some aspects. In one aspect, the data analytics modules are used for specific recommendations based on analyzing trends, outcomes, and other data.

(122) For example, the data collection and aggregation module **7022** could be used to generate self-describing data (e.g., metadata) including identification of notable features or configuration (e.g., trends), management of redundant data sets, and storage of the data in paired data sets which can be grouped by surgery but not necessarily keyed to actual surgical dates and surgeons. In particular, pair data sets generated from operations of surgical instruments **7012** can comprise applying a binary classification, e.g., a bleeding or a non-bleeding event. More generally, the binary classification may be characterized as either a desirable event (e.g., a successful surgical procedure) or an undesirable event (e.g., a misfired or misused surgical instrument **7012**). The aggregated self-describing data may correspond to individual data received from various groups or subgroups of surgical hubs **7006**. Accordingly, the data collection and aggregation module **7022** can generate aggregated metadata or other organized data based on raw data received from the surgical hubs **7006**. To this end, the processors **7008** can be operationally coupled to the hub applications **7014** and aggregated medical data databases **7011** for executing the data analytics modules **7034**. The data collection and aggregation module **7022** may store the aggregated organized data into the aggregated medical data databases **2212**.

(123) The resource optimization module **7020** can be configured to analyze this aggregated data to determine an optimal usage of resources for a particular or group of healthcare facilities. For example, the resource optimization module **7020** may determine an optimal order point of surgical stapling instruments **7012** for a group of healthcare facilities based on corresponding predicted demand of such instruments **7012**. The resource optimization module **7020** might also assess the resource usage or other operational configurations of various healthcare facilities to determine whether resource usage could be improved. Similarly, the recommendations module **7030** can be configured to analyze aggregated organized data from the data collection and aggregation module **7022** to provide recommendations. For example, the recommendations module **7030** could recommend to healthcare facilities (e.g., medical service providers such as hospitals) that a particular surgical instrument **7012** should be upgraded to an improved version based on a higher than expected error rate, for example. Additionally, the recommendations module **7030** and/or resource optimization module **7020** could recommend better supply chain parameters such as product reorder points and provide suggestions of different surgical instrument **7012**, uses thereof, or procedure steps to improve surgical outcomes. The healthcare facilities can receive such recommendations via corresponding surgical hubs **7006**. More specific recommendations regarding parameters or configurations of various surgical instruments **7012** can also be provided. Hubs **7006** and/or surgical instruments **7012** each could also have display screens that display data or recommendations provided by the cloud **7004**.

(124) The patient outcome analysis module **7028** can analyze surgical outcomes associated with currently used operational parameters of surgical instruments **7012**. The patient outcome analysis module **7028** may also analyze and assess other potential operational parameters. In this connection, the recommendations module **7030** could recommend using these other potential operational parameters based on yielding better surgical outcomes, such as better sealing or less bleeding. For example, the recommendations module **7030** could transmit recommendations to a surgical hub **7006** regarding when to use a particular cartridge for a corresponding stapling surgical instrument **7012**. Thus, the cloud-based analytics system, while controlling for common variables, may be configured to analyze the large collection of raw data and to provide centralized recommendations over multiple healthcare facilities (advantageously determined based on aggregated data). For example, the cloud-based analytics system could analyze, evaluate, and/or aggregate data based on type of medical practice, type of patient, number of patients, geographic similarity between medical providers, which medical providers/facilities use similar types of instruments, etc., in a way that no single healthcare facility alone would be able to analyze independently.

(125) The control program updating module **7026** could be configured to implement various surgical instrument **7012** recommendations when corresponding control programs are updated. For example, the patient outcome analysis module **7028** could identify correlations linking specific control parameters with successful (or unsuccessful) results. Such correlations may be addressed when updated control programs are transmitted to surgical instruments **7012** via the control program updating module **7026**. Updates to instruments **7012** that are transmitted via a corresponding hub **7006** may incorporate aggregated performance data that was gathered and analyzed by the data collection and aggregation module **7022** of the cloud **7004**. Additionally, the patient outcome analysis module **7028** and recommendations module **7030** could identify improved methods of using instruments **7012** based on aggregated performance data.

(126) The cloud-based analytics system may include security features implemented by the cloud **7004**. These security features may be managed by the authorization and security module **7024**. Each surgical hub **7006** can have associated unique credentials such as username, password, and other suitable security credentials. These credentials could be stored in the memory **7010** and be associated with a permitted cloud access level. For example, based on providing accurate credentials, a surgical hub **7006** may be granted access to communicate with the cloud to a predetermined extent (e.g., may only engage in transmitting or receiving certain defined types of information). To this end, the aggregated medical data databases **7011** of the cloud **7004** may comprise a database of authorized credentials for verifying the accuracy of provided credentials. Different credentials may be associated with varying levels of permission for interaction with the cloud **7004**, such as a predetermined access level for receiving the data analytics generated by the cloud **7004**.

(127) Furthermore, for security purposes, the cloud could maintain a database of hubs **7006**, instruments **7012**, and other devices that may comprise a “black list” of prohibited devices. In particular, a surgical hub **7006** listed on the black list may not be permitted to interact with the cloud, while surgical instruments **7012** listed on the black list may not have functional access to a corresponding hub **7006** and/or may be prevented from fully functioning when paired to its corresponding hub **7006**. Additionally or alternatively, the cloud **7004** may flag instruments **7012** based on incompatibility or other specified criteria. In this manner, counterfeit medical devices and improper reuse of such devices throughout the cloud-based analytics system can be identified and addressed.

(128) The surgical instruments **7012** may use wireless transceivers to transmit wireless signals that may represent, for example, authorization credentials for access to corresponding hubs **7006** and the cloud **7004**. Wired transceivers may also be used to transmit signals. Such authorization credentials can be stored in the respective memory devices of the surgical instruments **7012**. The authorization and security module **7024** can

determine whether the authorization credentials are accurate and counterfeited. The authorization and security module **7024** may also dynamically generate authorization credentials for enhanced security. The credentials could also be encrypted, such as by using hash based encryption. Upon transmitting proper authorization, the surgical instruments **7012** may transmit a signal to the corresponding hubs **7006** and ultimately the cloud **7004** to indicate that the instruments **7012** are ready to obtain and transmit medical data. In response, the cloud **7004** may transition into a state enabled for receiving medical data for storage into the aggregated medical data databases **7011**. This data transmission readiness could be indicated by a light indicator on the instruments **7012**, for example. The cloud **7004** can also transmit signals to surgical instruments **7012** for updating their associated control programs. The cloud **7004** can transmit signals that are directed to a particular class of surgical instruments **7012** (e.g., electrosurgical instruments) so that software updates to control programs are only transmitted to the appropriate surgical instruments **7012**. Moreover, the cloud **7004** could be used to implement system wide solutions to address local or global problems based on selective data transmission and authorization credentials. For example, if a group of surgical instruments **7012** are identified as having a common manufacturing defect, the cloud **7004** may change the authorization credentials corresponding to this group to implement an operational lockout of the group.

(129) The cloud-based analytics system may allow for monitoring multiple healthcare facilities (e.g., medical facilities like hospitals) to determine improved practices and recommend changes (via the recommendations module **2030**, for example) accordingly. Thus, the processors **7008** of the cloud **7004** can analyze data associated with an individual healthcare facility to identify the facility and aggregate the data with other data associated with other healthcare facilities in a group. Groups could be defined based on similar operating practices or geographical location, for example. In this way, the cloud **7004** may provide healthcare facility group wide analysis and recommendations. The cloud-based analytics system could also be used for enhanced situational awareness. For example, the processors **7008** may predictively model the effects of recommendations on the cost and effectiveness for a particular facility (relative to overall operations and/or various medical procedures). The cost and effectiveness associated with that particular facility can also be compared to a corresponding local region of other facilities or any other comparable facilities.

(130) The data sorting and prioritization module **7032** may prioritize and sort data based on criticality (e.g., the severity of a medical event associated with the data, unexpectedness, suspiciousness). This sorting and prioritization may be used in conjunction with the functions of the other data analytics modules **7034** described above to improve the cloud-based analytics and operations described herein. For example, the data sorting and prioritization module **7032** can assign a priority to the data analysis performed by the data collection and aggregation module **7022** and patient outcome analysis modules **7028**. Different prioritization levels can result in particular responses from the cloud **7004** (corresponding to a level of urgency) such as escalation for an expedited response, special processing, exclusion from the aggregated medical data databases **7011**, or other suitable responses. Moreover, if necessary, the cloud **7004** can transmit a request (e.g. a push message) through the hub application servers for additional data from corresponding surgical instruments **7012**. The push message can result in a notification displayed on the corresponding hubs **7006** for requesting supporting or additional data. This push message may be required in situations in which the cloud detects a significant irregularity or outlier and the cloud cannot determine the cause of the irregularity. The central servers **7013** may be programmed to trigger this push message in certain significant circumstances, such as when data is determined to be different from an expected value beyond a predetermined threshold or when it appears security has been comprised, for example.

(131) In various aspects, the surgical instrument(s) **7012** described above with reference to FIGS. **12** and **13**, may be implemented as the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**). Accordingly, the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) are configured to interface with the surgical hub **7006** and the network **2001**, which is configured to interface with cloud **7004**. Accordingly, the processing power provided by the central servers **7013** and the data analytics module **7034** are configured to process information (e.g., data and control) from the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**).

(132) Additional details regarding the cloud analysis system can be found in U.S. Provisional Patent Application No. 62/659,900, titled METHOD OF HUB COMMUNICATION, filed Apr. 19, 2018, which is hereby incorporated by reference herein in its entirety.

Situational Awareness

(133) Although an “intelligent” device including control algorithms that respond to sensed data can be an improvement over a “dumb” device that operates without accounting for sensed data, some sensed data can be incomplete or inconclusive when considered in isolation, i.e., without the context of the type of surgical procedure being performed or the type of tissue that is being operated on. Without knowing the procedural context (e.g., knowing the type of tissue being operated on or the type of procedure being performed), the control algorithm may control the modular device incorrectly or suboptimally given the particular context-free sensed data. For example, the optimal manner for a control algorithm to control a surgical instrument in response to a particular sensed parameter can vary according to the particular tissue type being operated on. This is due to the fact that different tissue types have different properties (e.g., resistance to tearing) and thus respond differently to actions taken by surgical instruments. Therefore, it may be desirable for a surgical instrument to take different actions even when the same measurement for a particular parameter is sensed. As one specific example, the optimal manner in which to control a surgical stapling and cutting instrument in response to the instrument sensing an unexpectedly high force to close its end effector will vary depending upon whether the tissue type is susceptible or resistant to tearing. For tissues that are susceptible to tearing, such as lung tissue, the instrument's control algorithm would optimally ramp down the motor in response to an unexpectedly high force to close to avoid tearing the tissue. For tissues that are resistant to tearing, such as stomach tissue, the instrument's control algorithm would optimally ramp up the motor in response to an unexpectedly high force to close to ensure that the end effector is clamped properly on the tissue. Without knowing whether lung or stomach tissue has been clamped, the control algorithm may make a suboptimal decision.

(134) One solution utilizes a surgical hub including a system that is configured to derive information about the surgical procedure being performed based on data received from various data sources and then control the paired modular devices accordingly. In other words, the surgical hub is configured to infer information about the surgical procedure from received data and then control the modular devices paired to the surgical hub based upon the inferred context of the surgical procedure. FIG. **14** illustrates a diagram of a situationally aware surgical system **5100**, in accordance with at least one aspect of the present disclosure. In some exemplifications, the data sources **5126** include, for example, the modular devices **5102** (which can include sensors configured to detect parameters associated with the patient and/or the modular device itself), databases **5122** (e.g., an EMR database containing patient records), and patient monitoring devices **5124** (e.g., a blood pressure (BP) monitor and an electrocardiography (EKG) monitor).

(135) A surgical hub **5104**, which may be similar to the hub **106** in many respects, can be configured to derive the contextual information pertaining to the surgical procedure from the data based upon, for example, the particular combination(s) of received data or the particular order in which the data is received from the data sources **5126**. The contextual information inferred from the received data can include, for example, the type of surgical procedure being performed, the particular step of the surgical procedure that the surgeon is performing, the type of tissue being operated on, or the body cavity that is the subject of the procedure. This ability by some aspects of the surgical hub **5104** to derive or infer information related to the

surgical procedure from received data can be referred to as “situational awareness.” In one exemplification, the surgical hub **5104** can incorporate a situational awareness system, which is the hardware and/or programming associated with the surgical hub **5104** that derives contextual information pertaining to the surgical procedure from the received data.

(136) The situational awareness system of the surgical hub **5104** can be configured to derive the contextual information from the data received from the data sources **5126** in a variety of different ways. In one exemplification, the situational awareness system includes a pattern recognition system, or machine learning system (e.g., an artificial neural network), that has been trained on training data to correlate various inputs (e.g., data from databases **5122**, patient monitoring devices **5124**, and/or modular devices **5102**) to corresponding contextual information regarding a surgical procedure. In other words, a machine learning system can be trained to accurately derive contextual information regarding a surgical procedure from the provided inputs. In another exemplification, the situational awareness system can include a lookup table storing pre-characterized contextual information regarding a surgical procedure in association with one or more inputs (or ranges of inputs) corresponding to the contextual information. In response to a query with one or more inputs, the lookup table can return the corresponding contextual information for the situational awareness system for controlling the modular devices **5102**. In one exemplification, the contextual information received by the situational awareness system of the surgical hub **5104** is associated with a particular control adjustment or set of control adjustments for one or more modular devices **5102**. In another exemplification, the situational awareness system includes a further machine learning system, lookup table, or other such system, which generates or retrieves one or more control adjustments for one or more modular devices **5102** when provided the contextual information as input.

(137) A surgical hub **5104** incorporating a situational awareness system provides a number of benefits for the surgical system **5100**. One benefit includes improving the interpretation of sensed and collected data, which would in turn improve the processing accuracy and/or the usage of the data during the course of a surgical procedure. To return to a previous example, a situationally aware surgical hub **5104** could determine what type of tissue was being operated on; therefore, when an unexpectedly high force to close the surgical instrument's end effector is detected, the situationally aware surgical hub **5104** could correctly ramp up or ramp down the motor of the surgical instrument for the type of tissue.

(138) As another example, the type of tissue being operated can affect the adjustments that are made to the compression rate and load thresholds of a surgical stapling and cutting instrument for a particular tissue gap measurement. A situationally aware surgical hub **5104** could infer whether a surgical procedure being performed is a thoracic or an abdominal procedure, allowing the surgical hub **5104** to determine whether the tissue clamped by an end effector of the surgical stapling and cutting instrument is lung (for a thoracic procedure) or stomach (for an abdominal procedure) tissue. The surgical hub **5104** could then adjust the compression rate and load thresholds of the surgical stapling and cutting instrument appropriately for the type of tissue.

(139) As yet another example, the type of body cavity being operated in during an insufflation procedure can affect the function of a smoke evacuator. A situationally aware surgical hub **5104** could determine whether the surgical site is under pressure (by determining that the surgical procedure is utilizing insufflation) and determine the procedure type. As a procedure type is generally performed in a specific body cavity, the surgical hub **5104** could then control the motor rate of the smoke evacuator appropriately for the body cavity being operated in. Thus, a situationally aware surgical hub **5104** could provide a consistent amount of smoke evacuation for both thoracic and abdominal procedures.

(140) As yet another example, the type of procedure being performed can affect the optimal energy level for an ultrasonic surgical instrument or radio frequency (RF) electrosurgical instrument to operate at. Arthroscopic procedures, for example, require higher energy levels because the end effector of the ultrasonic surgical instrument or RF electrosurgical instrument is immersed in fluid. A situationally aware surgical hub **5104** could determine whether the surgical procedure is an arthroscopic procedure. The surgical hub **5104** could then adjust the RF power level or the ultrasonic amplitude of the generator (i.e., “energy level”) to compensate for the fluid filled environment. Relatedly, the type of tissue being operated on can affect the optimal energy level for an ultrasonic surgical instrument or RF electrosurgical instrument to operate at. A situationally aware surgical hub **5104** could determine what type of surgical procedure is being performed and then customize the energy level for the ultrasonic surgical instrument or RF electrosurgical instrument, respectively, according to the expected tissue profile for the surgical procedure. Furthermore, a situationally aware surgical hub **5104** can be configured to adjust the energy level for the ultrasonic surgical instrument or RF electrosurgical instrument throughout the course of a surgical procedure, rather than just on a procedure-by-procedure basis. A situationally aware surgical hub **5104** could determine what step of the surgical procedure is being performed or will subsequently be performed and then update the control algorithms for the generator and/or ultrasonic surgical instrument or RF electrosurgical instrument to set the energy level at a value appropriate for the expected tissue type according to the surgical procedure step.

(141) As yet another example, data can be drawn from additional data sources **5126** to improve the conclusions that the surgical hub **5104** draws from one data source **5126**. A situationally aware surgical hub **5104** could augment data that it receives from the modular devices **5102** with contextual information that it has built up regarding the surgical procedure from other data sources **5126**. For example, a situationally aware surgical hub **5104** can be configured to determine whether hemostasis has occurred (i.e., whether bleeding at a surgical site has stopped) according to video or image data received from a medical imaging device. However, in some cases the video or image data can be inconclusive. Therefore, in one exemplification, the surgical hub **5104** can be further configured to compare a physiologic measurement (e.g., blood pressure sensed by a BP monitor communicably connected to the surgical hub **5104**) with the visual or image data of hemostasis (e.g., from a medical imaging device **124** (FIG. 2) communicably coupled to the surgical hub **5104**) to make a determination on the integrity of the staple line or tissue weld. In other words, the situational awareness system of the surgical hub **5104** can consider the physiological measurement data to provide additional context in analyzing the visualization data. The additional context can be useful when the visualization data may be inconclusive or incomplete on its own.

(142) Another benefit includes proactively and automatically controlling the paired modular devices **5102** according to the particular step of the surgical procedure that is being performed to reduce the number of times that medical personnel are required to interact with or control the surgical system **5100** during the course of a surgical procedure. For example, a situationally aware surgical hub **5104** could proactively activate the generator to which an RF electrosurgical instrument is connected if it determines that a subsequent step of the procedure requires the use of the instrument. Proactively activating the energy source allows the instrument to be ready for use soon as the preceding step of the procedure is completed.

(143) As another example, a situationally aware surgical hub **5104** could determine whether the current or subsequent step of the surgical procedure requires a different view or degree of magnification on the display according to the feature(s) at the surgical site that the surgeon is expected to need to view. The surgical hub **5104** could then proactively change the displayed view (supplied by, e.g., a medical imaging device for the visualization system **108**) accordingly so that the display automatically adjusts throughout the surgical procedure.

(144) As yet another example, a situationally aware surgical hub **5104** could determine which step of the surgical procedure is being performed or will subsequently be performed and whether particular data or comparisons between data will be required for that step of the surgical procedure. The surgical hub **5104** can be configured to automatically call up data screens based upon the step of the surgical procedure being performed, without waiting for the surgeon to ask for the particular information.

(145) Another benefit includes checking for errors during the setup of the surgical procedure or during the course of the surgical procedure. For example, a situationally aware surgical hub **5104** could determine whether the operating theater is setup properly or optimally for the surgical procedure to be performed. The surgical hub **5104** can be configured to determine the type of surgical procedure being performed, retrieve the corresponding checklists, product location, or setup needs (e.g., from a memory), and then compare the current operating theater layout to the standard layout for the type of surgical procedure that the surgical hub **5104** determines is being performed. In one exemplification, the surgical hub **5104** can be configured to compare the list of items for the procedure scanned by a suitable scanner, for example, and/or a list of devices paired with the surgical hub **5104** to a recommended or anticipated manifest of items and/or devices for the given surgical procedure. If there are any discontinuities between the lists, the surgical hub **5104** can be configured to provide an alert indicating that a particular modular device **5102**, patient

monitoring device **5124**, and/or other surgical item is missing. In one exemplification, the surgical hub **5104** can be configured to determine the relative distance or position of the modular devices **5102** and patient monitoring devices **5124** via proximity sensors, for example. The surgical hub **5104** can compare the relative positions of the devices to a recommended or anticipated layout for the particular surgical procedure. If there are any discontinuities between the layouts, the surgical hub **5104** can be configured to provide an alert indicating that the current layout for the surgical procedure deviates from the recommended layout.

(146) As another example, a situationally aware surgical hub **5104** could determine whether the surgeon (or other medical personnel) was making an error or otherwise deviating from the expected course of action during the course of a surgical procedure. For example, the surgical hub **5104** can be configured to determine the type of surgical procedure being performed, retrieve the corresponding list of steps or order of equipment usage (e.g., from a memory), and then compare the steps being performed or the equipment being used during the course of the surgical procedure to the expected steps or equipment for the type of surgical procedure that the surgical hub **5104** determined is being performed. In one exemplification, the surgical hub **5104** can be configured to provide an alert indicating that an unexpected action is being performed or an unexpected device is being utilized at the particular step in the surgical procedure.

(147) Overall, the situational awareness system for the surgical hub **5104** improves surgical procedure outcomes by adjusting the surgical instruments (and other modular devices **5102**) for the particular context of each surgical procedure (such as adjusting to different tissue types) and validating actions during a surgical procedure. The situational awareness system also improves surgeons' efficiency in performing surgical procedures by automatically suggesting next steps, providing data, and adjusting displays and other modular devices **5102** in the surgical theater according to the specific context of the procedure.

(148) In one aspect, as described hereinbelow with reference to FIGS. **24-40**, the modular device **5102** is implemented as the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**). Accordingly, the modular device **5102** implemented as the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) are configured to operate as a data source **5126** and to interact with the database **5122** and patient monitoring devices **5124**. The modular device **5102** implemented as the combination energy instrument **213100** (FIG. **18**), the surgical stapler **213102** (FIG. **18**), the suction/irrigation device **213104** (FIG. **18**), the sterile field display **213108** (FIG. **18**), the surgical device **213204** (FIGS. **19A** and **19B**), the surgical evacuation system **50400** (FIG. **21**), the electrosurgical instrument **50630** (FIG. **22**), the evacuation system **50600** (FIG. **22**), the evacuation system **50900** (FIG. **23**), the scope **213501** (FIG. **25**), and the surgical device **213608** (FIG. **26**) are further configured to interact with the surgical hub **5104** to provide information (e.g., data and control) to the surgical hub **5104** and receive information (e.g., data and control) from the surgical hub **5104**.

(149) Referring now to FIG. **15**, a timeline **5200** depicting situational awareness of a hub, such as the surgical hub **106** or **206** (FIGS. **1-11**), for example, is depicted. The timeline **5200** is an illustrative surgical procedure and the contextual information that the surgical hub **106**, **206** can derive from the data received from the data sources at each step in the surgical procedure. The timeline **5200** depicts the typical steps that would be taken by the nurses, surgeons, and other medical personnel during the course of a lung segmentectomy procedure, beginning with setting up the operating theater and ending with transferring the patient to a post-operative recovery room.

(150) The situationally aware surgical hub **106**, **206** receives data from the data sources throughout the course of the surgical procedure, including data generated each time medical personnel utilize a modular device that is paired with the surgical hub **106**, **206**. The surgical hub **106**, **206** can receive this data from the paired modular devices and other data sources and continually derive inferences (i.e., contextual information) about the ongoing procedure as new data is received, such as which step of the procedure is being performed at any given time. The situational awareness system of the surgical hub **106**, **206** is able to, for example, record data pertaining to the procedure for generating reports, verify the steps being taken by the medical personnel, provide data or prompts (e.g., via a display screen) that may be pertinent for the particular procedural step, adjust modular devices based on the context (e.g., activate monitors, adjust the field of view (FOV) of the medical imaging device, or change the energy level of an ultrasonic surgical instrument or RF electrosurgical instrument), and take any other such action described above.

(151) As the first step **S202** in this illustrative procedure, the hospital staff members retrieve the patient's EMR from the hospital's EMR database. Based on select patient data in the EMR, the surgical hub **106**, **206** determines that the procedure to be performed is a thoracic procedure.

(152) Second step **S204**, the staff members scan the incoming medical supplies for the procedure. The surgical hub **106**, **206** cross-references the scanned supplies with a list of supplies that are utilized in various types of procedures and confirms that the mix of supplies corresponds to a thoracic procedure. Further, the surgical hub **106**, **206** is also able to determine that the procedure is not a wedge procedure (because the incoming supplies either lack certain supplies that are necessary for a thoracic wedge procedure or do not otherwise correspond to a thoracic wedge procedure).

(153) Third step **S206**, the medical personnel scan the patient band via a scanner that is communicably connected to the surgical hub **106**, **206**. The surgical hub **106**, **206** can then confirm the patient's identity based on the scanned data.

(154) Fourth step **S208**, the medical staff turns on the auxiliary equipment. The auxiliary equipment being utilized can vary according to the type of surgical procedure and the techniques to be used by the surgeon, but in this illustrative case they include a smoke evacuator, insufflator, and medical imaging device. When activated, the auxiliary equipment that are modular devices can automatically pair with the surgical hub **106**, **206** that is located within a particular vicinity of the modular devices as part of their initialization process. The surgical hub **106**, **206** can then derive contextual information about the surgical procedure by detecting the types of modular devices that pair with it during this pre-operative or initialization phase. In this particular example, the surgical hub **106**, **206** determines that the surgical procedure is a VATS procedure based on this particular combination of paired modular devices. Based on the combination of the data from the patient's EMR, the list of medical supplies to be used in the procedure, and the type of modular devices that connect to the hub, the surgical hub **106**, **206** can generally infer the specific procedure that the surgical team will be performing. Once the surgical hub **106**, **206** knows what specific procedure is being performed, the surgical hub **106**, **206** can then retrieve the steps of that procedure from a memory or from the cloud and then cross-reference the data it subsequently receives from the connected data sources (e.g., modular devices and patient monitoring devices) to infer what step of the surgical procedure the surgical team is performing.

(155) Fifth step **S210**, the staff members attach the EKG electrodes and other patient monitoring devices to the patient. The EKG electrodes and other patient monitoring devices are able to pair with the surgical hub **106**, **206**. As the surgical hub **106**, **206** begins receiving data from the patient monitoring devices, the surgical hub **106**, **206** thus confirms that the patient is in the operating theater.

(156) Sixth step **S212**, the medical personnel induce anesthesia in the patient. The surgical hub **106**, **206** can infer that the patient is under anesthesia based on data from the modular devices and/or patient monitoring devices, including EKG data, blood pressure data, ventilator data, or combinations thereof, for example. Upon completion of the sixth step **S212**, the pre-operative portion of the lung segmentectomy procedure is completed and the operative portion begins.

(157) Seventh step **S214**, the patient's lung that is being operated on is collapsed (while ventilation is switched to the contralateral lung). The surgical hub **106**, **206** can infer from the ventilator data that the patient's lung has been collapsed, for example. The surgical hub **106**, **206** can infer that the operative portion of the procedure has commenced as it can compare the detection of the patient's lung collapsing to the expected steps of the procedure (which can be accessed or retrieved previously) and thereby determine that collapsing the lung is the first operative step in this particular procedure.

(158) Eighth step **S216**, the medical imaging device (e.g., a scope) is inserted and video from the medical imaging device is initiated. The surgical hub **106, 206** receives the medical imaging device data (i.e., video or image data) through its connection to the medical imaging device. Upon receipt of the medical imaging device data, the surgical hub **106, 206** can determine that the laparoscopic portion of the surgical procedure has commenced. Further, the surgical hub **106, 206** can determine that the particular procedure being performed is a segmentectomy, as opposed to a lobectomy (note that a wedge procedure has already been discounted by the surgical hub **106, 206** based on data received at the second step **S204** of the procedure). The data from the medical imaging device **124** (FIG. 2) can be utilized to determine contextual information regarding the type of procedure being performed in a number of different ways, including by determining the angle at which the medical imaging device is oriented with respect to the visualization of the patient's anatomy, monitoring the number or medical imaging devices being utilized (i.e., that are activated and paired with the surgical hub **106, 206**), and monitoring the types of visualization devices utilized. For example, one technique for performing a VATS lobectomy places the camera in the lower anterior corner of the patient's chest cavity above the diaphragm, whereas one technique for performing a VATS segmentectomy places the camera in an anterior intercostal position relative to the segmental fissure. Using pattern recognition or machine learning techniques, for example, the situational awareness system can be trained to recognize the positioning of the medical imaging device according to the visualization of the patient's anatomy. As another example, one technique for performing a VATS lobectomy utilizes a single medical imaging device, whereas another technique for performing a VATS segmentectomy utilizes multiple cameras. As yet another example, one technique for performing a VATS segmentectomy utilizes an infrared light source (which can be communicably coupled to the surgical hub as part of the visualization system) to visualize the segmental fissure, which is not utilized in a VATS lobectomy. By tracking any or all of this data from the medical imaging device, the surgical hub **106, 206** can thereby determine the specific type of surgical procedure being performed and/or the technique being used for a particular type of surgical procedure.

(159) Ninth step **S218**, the surgical team begins the dissection step of the procedure. The surgical hub **106, 206** can infer that the surgeon is in the process of dissecting to mobilize the patient's lung because it receives data from the RF or ultrasonic generator indicating that an energy instrument is being fired. The surgical hub **106, 206** can cross-reference the received data with the retrieved steps of the surgical procedure to determine that an energy instrument being fired at this point in the process (i.e., after the completion of the previously discussed steps of the procedure) corresponds to the dissection step. In certain instances, the energy instrument can be an energy tool mounted to a robotic arm of a robotic surgical system.

(160) Tenth step **S220**, the surgical team proceeds to the ligation step of the procedure. The surgical hub **106, 206** can infer that the surgeon is ligating arteries and veins because it receives data from the surgical stapling and cutting instrument indicating that the instrument is being fired. Similarly to the prior step, the surgical hub **106, 206** can derive this inference by cross-referencing the receipt of data from the surgical stapling and cutting instrument with the retrieved steps in the process. In certain instances, the surgical instrument can be a surgical tool mounted to a robotic arm of a robotic surgical system.

(161) Eleventh step **S222**, the segmentectomy portion of the procedure is performed. The surgical hub **106, 206** can infer that the surgeon is transecting the parenchyma based on data from the surgical stapling and cutting instrument, including data from its cartridge. The cartridge data can correspond to the size or type of staple being fired by the instrument, for example. As different types of staples are utilized for different types of tissues, the cartridge data can thus indicate the type of tissue being stapled and/or transected. In this case, the type of staple being fired is utilized for parenchyma (or other similar tissue types), which allows the surgical hub **106, 206** to infer that the segmentectomy portion of the procedure is being performed.

(162) Twelfth step **S224**, the node dissection step is then performed. The surgical hub **106, 206** can infer that the surgical team is dissecting the node and performing a leak test based on data received from the generator indicating that an RF or ultrasonic instrument is being fired. For this particular procedure, an RF or ultrasonic instrument being utilized after parenchyma was transected corresponds to the node dissection step, which allows the surgical hub **106, 206** to make this inference. It should be noted that surgeons regularly switch back and forth between surgical stapling/cutting instruments and surgical energy (i.e., RF or ultrasonic) instruments depending upon the particular step in the procedure because different instruments are better adapted for particular tasks. Therefore, the particular sequence in which the stapling/cutting instruments and surgical energy instruments are used can indicate what step of the procedure the surgeon is performing. Moreover, in certain instances, robotic tools can be utilized for one or more steps in a surgical procedure and/or handheld surgical instruments can be utilized for one or more steps in the surgical procedure. The surgeon(s) can alternate between robotic tools and handheld surgical instruments and/or can use the devices concurrently, for example. Upon completion of the twelfth step **S224**, the incisions are closed up and the post-operative portion of the procedure begins.

(163) Thirteenth step **S226**, the patient's anesthesia is reversed. The surgical hub **106, 206** can infer that the patient is emerging from the anesthesia based on the ventilator data (i.e., the patient's breathing rate begins increasing), for example.

(164) Lastly, the fourteenth step **S228** is that the medical personnel remove the various patient monitoring devices from the patient. The surgical hub **106, 206** can thus infer that the patient is being transferred to a recovery room when the hub loses EKG, BP, and other data from the patient monitoring devices. As can be seen from the description of this illustrative procedure, the surgical hub **106, 206** can determine or infer when each step of a given surgical procedure is taking place according to data received from the various data sources that are communicably coupled to the surgical hub **106, 206**.

(165) In various aspects, the combination energy instrument **213100** (FIG. 18), the surgical stapler **213102** (FIG. 18), the suction/irrigation device **213104** (FIG. 18), the sterile field display **213108** (FIG. 18), the surgical device **213204** (FIGS. 19A and 19B), the surgical evacuation system **50400** (FIG. 21), the electrosurgical instrument **50630** (FIG. 22), the evacuation system **50600** (FIG. 22), the evacuation system **50900** (FIG. 23), the scope **213501** (FIG. 25), and the surgical device **213608** (FIG. 26) are configured to operate in a situational awareness in a hub environment, such as the surgical hub **106** or **206** (FIGS. 1-11), for example, as depicted by the timeline **5200**. Situational awareness is further described in U.S. Provisional Patent Application Ser. No. 62/659,900, titled METHOD OF HUB COMMUNICATION, filed Apr. 19, 2018, which is herein incorporated by reference in its entirety. In certain instances, operation of a robotic surgical system, including the various robotic surgical systems disclosed herein, for example, can be controlled by the hub **106, 206** based on its situational awareness and/or feedback from the components thereof and/or based on information from the cloud **104**.

Adaptive Control Schemes and Interactive System Controls

(166) In various aspects, a computer system, such as the computer system of a surgical hub, for example, can be configured to extract deeper context around captured data and then utilize this deeper context to improve indications of actionable items for the operator. Deeper context can include metadata and data combinations, in which data from different sources and/or obtained at different times (e.g., preoperatively, intraoperatively, postoperatively) is synthesized to determine relationships and/or correlations. In one instance, the context of the data can be informed by the situational awareness of the surgical hub during a surgical procedure, which can indicate actionable items, such as step-specific or timed adjustments and/or recommendations for the clinician. The system can be configured to implement an adjustable controls scheme with interdependent control aspects. For example, the system can be configured to provide an adaptive control scheme with interactive system controls based on the captured data.

(167) In one aspect, a control for a surgical hub or hub-connected device can be configured to adjust its function (or have its function adjusted) based on a sensed situation or usage. The function can be adjusted by adjusting a scale or degree of the surgical function (e.g. a power level or clamping force), adjusting one or more thresholds of the surgical function (e.g. maximum and minimum power level limits), adjusting a resulting action of the surgical function (e.g. changing an energy modality), adjusting a type of measurement for affecting the surgical function (e.g. from an on-off activation to an operator-controlled variable activation), and/or adjusting a complementary action for the surgical function (e.g. adjusting a clamping force based on a selected energy modality), for example. Additional examples of adjustments to surgical functions are described herein.

(168) In one aspect, the type of measurement can change between an on-off activation detection to a measurement of degree, such as with a strain gauge or Hall Effect sensor. For example, an actuator for a surgical function can act as an on-off actuator in a first mode corresponding to a first surgical state and a degree-based actuator in a second mode corresponding to a second surgical state. The degree-based actuator can be configured to adjust a firing stroke length and/or force, an end effector closure amount and/or clamping force, and/or an energy activation type and/or level, for example. In one aspect, an activation and/or deactivation threshold can be adjusted based on the time in the procedure and/or whether it is a precision-usage surgical step or a gross-usage surgical step, which can be informed by the situational awareness of the system, for example.

(169) In one aspect, a surgical hub can be configured to prioritize a visual indication on a display within the operating room or surgical theater of actionable contextual secondary information gathered from the data available during the procedure. The prioritization can be based on the certainty and/or importance of the actionable information, for example. In one aspect, an activation or toggling icon for the actionable information can include highlighting where the normal graphical interface is less highlighted. The display can be on a surgical device or a main display (e.g., a display connected to the surgical hub), for example.

(170) In certain instances, a clinician may want to use a surgical device for multiple surgical functions. For example, a surgical device can be used to coagulate blood vessels, cut tissue, and/or seal tissue. In order to achieve these different functions, the control scheme for the surgical device can be adjusted. For example, different power levels or thresholds can be utilized. Additionally or alternatively, different energy modalities (e.g., ultrasonic, bipolar, and monopolar) can be utilized. It can be desirable to switch between the different surgical functions quickly and without relying on complex controls on the surgical device and/or on a remote console. In certain instances, it can be desirable to implement such control scheme adjustments and adaptations with existing surgical devices and/or using surgical devices having minimal input controls, i.e. actuators.

(171) In certain aspects, a surgical system can be configured to implement automatic changes in controls based on monitored conditions within the procedure. A single input control or actuator can be utilized to effect different surgical functions. The available surgical functions actuatable with the input control can depend on the surgical step or state of a surgical procedure. In various instances, a situationally-aware surgical hub or hub-connected surgical device can determine the surgical step and/or state from the situational awareness thereof. Accordingly, the system can be configured adjust devices' control schemes based on situational awareness of the user's intent. In one instance, in a first surgical state (determined by the situational awareness of the surgical hub), the power level of a transducer can be defined by a first range and, in a second surgical state (determined by the situational awareness of the surgical hub), the power level of the transducer can be defined by a second, different range. Additionally or alternatively, in a first surgical state (determined by the situational awareness of the surgical hub), a combination energy device can operate in a combination mode and, in a second surgical state (determined by the situational awareness of the surgical hub), the combination energy device can operate in an ultrasonic mode without the application of electrosurgical energy. The different surgical functions can be implemented by a single actuator, which can comprise a smart or intelligent actuator that is informed by the situational awareness of a surgical hub.

(172) In one aspect, a surgical device can comprise an actuator configured to receive an input. The surgical device can further comprise a control circuit configured to receive a signal from a situationally-aware surgical hub indicative of a surgical state, receive an actuation signal from the actuator in response to the input, and implement a surgical function in response to the actuation signal. The surgical function can comprise a first surgical function when the surgical state corresponds to a first surgical state and a second surgical function when the surgical state corresponds to a second surgical state. The second surgical state can be different than the first surgical state and the second surgical function can be different than the first surgical function. In another aspect, a non-transitory medium storing computer readable instructions can, when executed, cause a machine, like an intelligent surgical device, to receive a signal from a situationally-aware surgical hub indicative of a surgical state, receive an actuation signal in response to an input applied to an actuator of a surgical device, and implement a surgical function in response to the actuation signal. The surgical function can comprise a first surgical function when the surgical state corresponds to a first surgical state and a second surgical function when the surgical state corresponds to a second surgical state. The second surgical state can be different than the first surgical state and the second surgical function can be different than the first surgical function. Alternative control scheme adjustments and adaptations are further described herein.

(173) As further described herein, the function of a control, such as an actuator, for example, can be adjusted based on one or more factors, including the other instruments currently in use in the surgical theater, the step of the surgical procedure, and/or the input to a secondary control of the surgical device. Such factors can be determined, at least in part, from situational awareness, as further described herein.

(174) In some applications, the degree of displacement of an actuator and/or the input force on the actuator of a surgical device can affect the power (e.g. amplitude) limits of the surgical device. Referring now to FIG. 16, an energy device **213000** can include a first actuation button **213002** and a second actuation button **213004**. In various instances, the first actuation button **213002** can correspond to a first power level, and the second actuation button **213004** can correspond to a second power level. For example, the first actuation button **213002** can comprise a higher, or maximum, power level, which can correspond to a cutting mode, and the second actuation button **213004** can comprise a lower, or minimum, power level, which can correspond to a coagulating mode. In such instances, the first actuation button **213002** can be referred to as a “cut button”, and the second actuation button **213004** can be referred to as a “coagulation button.”

(175) The actuation buttons **213002**, **213004** can have a spring bias aspect that allows the actuation buttons **213002**, **213004** to act as on-off switches and also detect the force that an operator applies thereto. In one aspect, the actuation buttons **213002**, **213004** can have a first or normal activation that accounts for a particular portion of the button's range of motion and a second or modified activation that accounts for another portion of the button's range of motion. For example, the first 70-80% of the button's range of motion can effect activation of energy and the remaining portion of the button's range of motion can adjust the energy level. In such instances, if the clinician were to compress either actuation button **213002**, **213004** farther by overcoming the higher bias force, then the button could change function and not only apply the cut or coagulation energy level, but increase the power level from the level set on the generator. For example, the power level could be increased one level when the actuation buttons moves into the remaining portion of the button's range of motion. In this operation, the high-force actuation would act to both activate the energy and increase the power level of the energy.

(176) In one aspect, the surgical functions controlled by the actuation buttons **213002**, **213004** can be subject to the position of an end effector **213006** and/or a closure trigger **213008**. For example, referring still to FIG. 16, movement of the closure trigger **213008** through a first range of motion (i.e. through a first angle $\theta_{sub.1}$), can effect closure of the end effector **213006** a first amount, a first distance a. Movement of the closure trigger **213008** through a second range of motion (i.e. through a second angle $\theta_{sub.2}$), can affect closure of the end effector **213006** a second amount, a second distance b. In certain instances, the first amount can correspond to a closure motion of jaws **213010**, **213012**, and the second amount can correspond to a clamping motion of the jaws **213010**, **213012**. The first jaw **213010** can be a clamp arm, which can move relative to the second jaw **213012** in certain instances. In other instances, the second jaw **213012** alone and/or both jaws **213010**, **213012** can be moved by the closure trigger **213008** to close and/or clamp the end effector **213006**.

(177) The first actuation button **213002** and/or the second actuation button **213004** can implement different surgical functions based on the position of the closure trigger **213008** and/or the clamp arm **213010**. For example, if the actuation buttons **213002**, **213004** were activated when the jaws **213010**, **213012** of the end effector **213006** are between the fully open and a partially-closed threshold (e.g., only closed $\frac{2}{3}$ of the entire closure range), the actuation buttons **213002**, **213004** can have respective first energy levels. Further, if the jaws **213010**, **213012** are moved beyond the partially-closed threshold (e.g., over $\frac{2}{3}$ closed), the first and second actuation buttons **213002**, **213004** can have respective second energy levels. The second energy level for each button **213002**, **213004** can be higher than the corresponding first energy levels for the respective actuation buttons **213002**, **213004**. For example, the energy levels can be higher when the jaws **213010**, **213012** are more closed, such as when the jaws **213010**, **213012** are actively clamping tissue therebetween.

(178) A pair of graphs **213020**, **213022** depicting jaw closure and transducer amplitude relative to trigger angle (θ) for the energy device **213000** are

(187) In another implementation, the system can learn and anticipate the particular specific step or context by analyzing the particular clinician's most common usage at each stage of the surgical procedure and/or after a particular number or type of surgical instrument exchanges. In such a learned mode, the generator, in one aspect, does not initially implement any automatic adjustments to the controls. Rather, after monitoring the same clinician's behavior over a predetermined number of procedures that include the same steps, the surgical device can automatically change the button usage based on the monitored and past usage by the clinician. In various instances, the surgical device can provide notice to the clinician when the function of the controls is adjusted. For example, the surgical device can provide an auditory notice (e.g., a beep or verbal explanation), a visual cue (e.g. a flashing light and/or words on a screen), and/or a tactile warning (e.g. vibrations and/or movement of the surgical device or a portion thereof, such as the actuator button itself). In other instances, the surgical hub can recommend an adjustment to the controls. Recommendations from a surgical hub are further described herein.

(188) In various aspects, controls for a surgical hub, surgical instruments, and other devices can be adjusted based on a screen in operation on a sterile field display. The controls of the surgical devices can be adjusted based on the displayed information. In one aspect, a control that normally controls panning or adjusting the focus of a visualization device (e.g., a scope) can be configured to adjust magnification if a hyperspectral imaging overlay is active, for example. Hyperspectral imaging is further described in U.S. patent application Ser. No. 15/940,722, titled CHARACTERIZATION OF TISSUE IRREGULARITIES THROUGH THE USE OF MONO-CHROMATIC LIGHT REFRACTIVITY, filed Mar. 29, 2018, which is incorporated by reference herein in its entirety.

(189) As another example, the on-handle controls for a surgical instrument in the field of view of a sterile field display can be adjusted by selections on the sterile field display. Moreover, the adjustments can be based on situational awareness in various instances. For example, the system can determine that a particular surgical device is being utilized and permit the functions of that surgical device to be controlled from a second device, such as a display screen within the sterile field. Referring now to FIG. 18, a surgical procedure involving a combination energy instrument **213100**, a surgical stapler **213102**, a suction/irrigation device **213104**, and a sterile field display **213108** is shown. The combination energy device **213100** includes a single energy button **213110**, which is configured to implement different energy modalities. For example, the combination energy device **213100** can operate in a bipolar mode, monopolar mode, ultrasonic mode, and/or various combinations thereof (e.g. a blended mode). In one instance, the combination energy device **213100** can operate in a monopolar-bipolar mode. In another instance, the combination energy device **213100** can operate in an ultrasonic-bipolar mode and, in still other instances, the combination energy device can operate in a ultrasonic-monopolar mode. The various energy modalities can be applied sequentially and/or blended together simultaneously.

(190) In one aspect, the controls on the handle of a surgical instrument in the field of view of a sterile field display **213108** can be adjusted by selections on the sterile field display **213108**. For example, the combination energy instrument **213100** includes a single button **213110**, which can be configured to apply energy to selectively cut and coagulate tissue. The energy modality activated by the button **213110** can be adjusted with a selection on the sterile field display **213108**.

(191) In one aspect, the energy activation button **213110** can have an indicator that changes or otherwise indicates when the sterile field display **213108** is being used to change the function of the button **213110** and/or that the sterile field display **213108** has shared control of the button **213110**. For example, the combination energy device **213100** can include an LED on the handle and/or the energy activation button **213110** itself that can change color and/or otherwise changes its appearance (e.g. change the color of the energy activation button **213110** and/or become illuminated with flashing and/or pulsing light) when adjusted from a secondary device, such as the sterile field display **213108**. In one instance, the button **213110** can have a normal red hue projected through light channels from a multicolor LED for a cutting function, whereas a blue hue can be projected through the light channels from the multicolor LED for a coagulation function. When the sterile field display **213108** changes the surgical function to a blended energy modality, for example, the button **213110**, which was red, can be changed to purple. In various instances, the interface area on the sterile field display **213108** can also include an indicator in a corresponding color (e.g. purple words and/or highlighting when the button **213110** is illuminated with a purple hue) to indicate that the functions between the displayed controls on the surgical field display **213108** and the combination energy device **213100** are linked.

(192) Various surgical instruments can be controlled in different ways depending on the number and type of buttons/actuators thereon, as well as the desired surgical functions for the surgical instrument. For example, if a surgical instrument includes two buttons (e.g., a first button corresponding to a first power level that is suitable for coagulation and a second button corresponding to a second power level that is suitable for cutting) the sterile field display **213108** can be configured to adjust the functions of the first and second buttons. For example, one of the buttons can be utilized to activate monopolar energy and the other button can be configured to activate a blended energy. In such instances, the buttons can include an indicator (e.g. a color LED) that changes when the sterile field display **213108** is being used to change the function of the buttons and/or to indicate that the sterile field display **213108** has shared control of the buttons. The indicator can communicate the selected energy modality and/or how the energy modality was selected. For example, the first button can include a red-hued LED, and the second button can include a blue-hued LED. When the first button is configured to activate a blended energy modality, the red-hued LED can become purple-hued. Additionally, the interface area on the sterile field display **213108** can include a purple indicator.

(193) In various instances, the sterile field display **213108** can allow a clinician to switch the functions of the buttons on the handle of the combination energy device **213100**. In such instances, the color of the two buttons could be reversed. In another instance, the functions of the buttons can be changed. For instance, the second button (which previously corresponded to a power level suitable for cutting tissue, for example) can be changed to an energy activation button, and the first button (which previously corresponded to a power level suitable for coagulating tissue, for example) can be changed to a power level adjustment control. In such instances, each time the power level adjustment control is activated, the sterile field display **213108** can show the newly-selected power level. For example, the sterile field display **213108** can utilize a flashing icon to indicate a change to the generator power level. Thereafter, activation of the second button (currently acting as the energy activation button) can be used to activate and deactivate energy at the newly-set power level.

(194) In still other instances, the button **213110** and/or other buttons on the combination energy device **213100** can be changed from on-off activation functions to a pressure-sensitive activation function. For example, a higher level of force applied to the button **213110** can be configured to increase the intensity of the energy activation such as by turning up the power level based on the force on the button **213110**. Further, the sterile field display **213108** can be used to change the discrete on/off function of the button **213110** to a pressure-sensitive adjustment function. Further, the sterile field display **213108** and the button(s) **213110** can utilize different indications when the power level is changed. For instance, the light emitted from the button(s) could vary in intensity as the pressure-sensitive activation adjusts the power level of the combination energy device **213100**. Additionally, the sterile field display **213108** can indicate a color that is synchronized with the color of the button **213110** to indicate the current function and pairing.

(195) In various instances, a surgical hub can be configured to provide recommendations to a clinician during a surgical procedure. For example, the surgical hub can aggregate data from multiple sources to determine a recommended surgical action. In various instances, the recommendations can be based on the situational awareness of the surgical hub. The relevancy or importance of a recommendation can depend on the surgical context or scenario. For example, a general recommendation can be escalated to a higher level based on data obtained by various data sources and/or sensors. Because a surgical hub is able to aggregate significant volumes of information, it can be helpful to prioritize recommendations for the clinician to avoid overwhelming the clinician with too much data at a given time. For example, if a clinician is constantly being interrupted with recommendations—of which some or many are non-relevant and/or unhelpful—the clinician may ignore the hub's recommendations entirely and/or disable a recommendation setting on the surgical hub. By prioritizing recommendations based on situational awareness, the clinician can be well-informed with respect to actionable and/or time-sensitive items.

(196) In various instances, the importance of a recommendation can depend on a position of a surgical device. For example, actionable aspects can be highlighted or emphasized to the clinician. Additionally, non-actionable and/or non-critical aspects can be displayed discretely and/or selectively hidden from view. If the position of the surgical device indicates that a recommendation is actionable by the clinician, the surgical hub can emphasize the recommendation whereas the non-actionable recommendations can be displayed more discretely and/or selectively hidden from view. In such instances, actionable recommendations are selectively communicated to the clinician, which enables the clinician to consider the value of such a recommendation in a timely manner.

(197) In various instances, for example, a surgical system can include a screen configured to selectively display a recommendation to a clinician in an operating room. The surgical system can also include a control circuit communicatively coupled to the screen and a situationally-aware surgical hub, wherein the control circuit is configured to receive a signal from the situationally-aware surgical hub indicative of a surgical state, determine a priority level of the recommendation based on the surgical state, and communicate the priority level of the recommendation via the display. In various instances, the control circuit comprises a processor and a memory communicatively coupled to the processor, the memory storing instructions executable by the processor to receive a signal from the situationally-aware surgical hub indicative of a surgical state, determine a priority level of the recommendation based on the surgical state, and communicate the priority level of the recommendation via the display. In various instances, a non-transitory computer readable medium stores computer readable instructions which, when executed, cause a machine, like an intelligent surgical device, to receive a signal from the situationally-aware surgical hub indicative of a surgical state, determine a priority level of the recommendation based on the surgical state, and communicate the priority level of the recommendation via the display.

(198) In various aspects, a surgical system can be configured to provide a notification to a clinician when a specific aspect of contextual information is actionable. For example, FIGS. 19A and 19B depict a display screen **213200** including a recommendation **213202**, **213202'** for a clinician based on input from a situationally-aware surgical hub, such as the surgical hub **106** (FIGS. 1-3) or surgical hub **206** (FIG. 10) or surgical hub **7006** (FIG. 12). In various instances, the display screen **213200** includes a user interface overlay on the display screen **213200**, which provides context-dependent recommendations. For example, the surgical system can highlight a data feed with an actionable icon to indicate that the underlying contextual information has an actionable aspect. In various instances, the recommendation feed can always be present; however, the recommendation is only emphasized when the recommendation is actionable. A recommendation can be emphasized with highlighting, flashing, and/or markings, for example. In other instances, the recommendations feed is only displayed when it includes an actionable item.

(199) As shown in FIG. 19B, the recommendation **213202'** is highlighted to indicate an elevated priority level based on an anticipated surgical act and the input from the situationally-aware surgical hub. More specifically, in FIG. 19A, a surgical device **213204** is shown in a first position, which is in a general vicinity of a diseased area **213206** of a lung **213208**. In FIG. 19B, the surgical device **213204** has moved toward the diseased area **213206**. Based on the trajectory of the surgical device **213204** and/or the position of the surgical device **213204**, the surgical system can determine that the recommendation **213202** from FIG. 19A is now actionable and, thus, indicate the recommendation **213202'** with highlighting as shown in FIG. 19B. In other words, a position change of the surgical device **213204** changes the confidence of the context-based recommendation. The increased confidence level corresponds to an elevated priority level for the recommendation **213202'**.

(200) The actionable aspect, or actionable item, can be a user-selected change in an instrument functional parameter in certain instances. For example, if friable tissue is detected by the system, the system can recommend an adjustment to protect the tissue. In one instance, the surgical system can recommend a reduction of the targeted clamping load of a stapler. Additionally or alternatively, the surgical system can recommend use of a surgical adjunct material, such as a buttress or tissue thickness compensator, for example. As another example, if the system detects comorbidity, such as the comorbidity of the patient and a mendicant, for example, that affects healing, the system can be configured to prompt or propose that the user adjust the compression wait time, utilize an adjunct, and/or utilize a reduced staple size.

(201) In one aspect, the actionable aspect can be the automatic overlay of procedure-critical information during device placement. For example, referring again to FIGS. 19A and 19B, the display screen **213200** is configured to label and/or call-out the diseased area **213206** and/or nodules in proximity of the surgical devices. In various aspects, the automatic feature can be toggled between on and off depending on a user's preferences. Similarly, the recommendation feed can be toggled between on and off. In various instances, recommendations can only be displayed when they are actionable and/or elevated to a priority level above a predefined threshold that is preprogrammed and/or adjusted by an operator.

(202) In one aspect, the system can be configured to highlight a data feed that has direct implications to a current surgical step or action. The relevant data within the surgical context might impact how the clinician conducts one or more of the subsequent functional tasks. For example, the data feed related to blood pressure measurements can be highlighted in certain instances, such as when the blood pressure measurement is unusually high or low. Unusually high or low blood pressure can affect how a clinician performs a transection of a large vessel with an energy device. Therefore, in various instances, when the situational awareness indicates that the clinician is preparing to perform the transection, the blood pressure data can be highlighted. As another example, the system can be configured to monitor the return path linkage to the patient. When the return path linkage is limited and a monopolar electrosurgical instrument is being utilized for dissection or mobilization, for example, the return path linkage data can be highlighted for the clinician.

(203) In yet another example, near-infrared (NIR) fluorescence of indocyanine green (ICG) imaging can be highlighted based on actionable items determined by the situational awareness and/or context clues detected by one or more sensors at the surgical site. NIR fluorescence can be used to visualize anatomic structures, perfusion and perfusion defects as well as the lymphatic system, for example. The high penetration depth of NIR light can allow the visualization of the distribution of ICG up to a depth of 10 mm below the tissue surface. In liver surgery, the system can be used to visualize liver metastases or primary tumors of the liver. Exemplary applications include: Visualization of perfusion, in which ischemic areas can be displayed in real-time more easily and efficiently, and/or perfusion can be examined, for instance in anastomoses, which can enable the surgeon to take intraoperative action, such as for rapid perfusion assessment of a planned resection zone, as well as of the subsequent anastomosis in a colon or esophageal resection and gastric bypass, for example, perfusion assessment of flap plasty in open surgery, visualization of liver segments, and multidisciplinary use in laparoscopic, endoscopic, and open surgery; Visualization of the biliary tree anatomy, which can allow rapid and reliable identification of the biliary anatomy, for instance in cholecystectomy for reduced surgical duration and facilitated differentiation between cystic duct and common bile duct, as well as display of intraoperative bile leakage with ICG, such as following a partial hepatectomy, for example; Visualization of hepatocellular carcinoma and metastases, including intraoperative visualization of metastases and hepatocellular carcinoma on or below the liver surface, diagnostics of superficial or near-surface micrometastases down to the millimeter range, easier definition of resection borders, and visualization of liver segments, for example; and Visualization of the lymphatic system, which allows real-time visualization of the entire lymphatic system draining a tumor, for example, and can avoid nuclear medicine imaging with detection rates comparing favorably with established methods of lymph node visualization, localization of lymphatic leakages, and multidisciplinary use, for instance in gynecology, urology, and general surgery. NIR/ICG Visualization can be provided by OPAL1® technology from KARL STORZ, which is described at www.karlstorz.com/ie/en/nir-icg-near-infrared-fluorescence.htm, for example. The NIR/ICG data can be emphasized or highlighted to the clinician when the visualization is important for how the surgeon performs the subsequent step based on the situational awareness and anticipated surgical steps.

(204) In another example, a surgical system can be configured to highlight an alternative imaging or analysis system when the surgical system detects that the imaging or analysis system is detecting something relevant to the current step or current task of a surgical device. For example, the system can highlight the laser Doppler scanning array function when a dissector is about to intersect with a significant vessel or underlining structure. As another example, the system can highlight computed tomography (CT) imaging when a stapler appears to be placed within the limits of a marginal tissue area. The various recommendations to the clinician can be communicated on a display screen within the sterile field. In various instances, one or more recommendations can be further emphasized with an auditory and/or tactile indication in the sterile field, such as a verbal

warning and/or beep when the recommendation is actionable and/or time-sensitive.

(205) In various instances, a recommendation is actionable when the recommendation can be implemented within a predefined time and/or number of surgical steps. For example, a recommendation can be actionable if it should be implemented within the upcoming minutes (e.g. 1-2 minutes) of the procedure. In certain instances, a recommendation can be actionable if it should be implemented within the next 5, 10, or 30 seconds of the procedure, for example. The time frame can be determined by a clinician's reaction skills, for example. In certain instances, a first type of emphasis for the recommendation can be provided at a first time, and a second type of emphasis can be provided at a later time when the recommendation is more time-sensitive/urgent. In still other instances, the recommendation can be provided when it relates to the next surgical step expected based on the situational awareness of the clinician. In other instances, recommendations can be provided two steps before it should be implemented. The reader will appreciate that the various time-based and step-based settings for actionable recommendations can be predefined and/or adjusted by a clinician and/or operator. In certain instances, actionable recommendations can be required, such as during a surgical training session, for example. In other instances, actionable recommendations can be optional and/or customizable by the clinician.

(206) In various aspects, a surgical system can be configured to implement a data bridge for the clinician. Various techniques for interfacing the data within the surgical hub to a display for use by a clinician are described herein. For example, intraoperative surgical data can be contributed to the implementation and tracking of post-operative care metrics.

(207) FIG. 20 depicts a block diagram 213300 illustrating intraoperative surgical data 213302 being correlated with predicted outcomes 213304 and corresponding recommendations 213306 being provided. For example, intraoperative surgical data 213302 can be correlated with prior outcomes to determine the predicted outcomes 213304 based on the intraoperative surgical data 213302 to inform the clinician(s) about key concerns, recommendations, and potential best practices. Further, the intraoperative surgical data 213302 can be correlated to prior case history to predict outcomes of care metrics flagged by an operator or organization, such as a hospital or health system. Predicted outcomes 213304 that are based on the data correlations can include, for example, the patient's length of stay, re-admission rates, re-operation rates, time to chest tube removal, time to colon motility, and the number, type, and severity of insurance or other clinically-coded events (e.g., ICD-9 or ICD-10 codes for bleeding related complications, transfusions, and so on). Further, the intraoperative data set can, in some aspects, be comprehensive of all available primary and secondary data sources from the procedure (e.g., EMR, situational awareness learnings, video, and so on).

(208) The block diagram 213300 refers to a Lower Anterior Resection (LAR) procedure, in which a tumor is located deep in the patient's pelvis. Firing information, which can be obtained from a video and/or various sensors, for example, indicates the margin is suboptimal, which corresponds to an increased chance of cancer reoccurrence. The firing information also indicates that significant tension is placed on the colon, which corresponds to an increased risk of leaking. Furthermore, the firing information indicates that the firing line is not perpendicular, which corresponds to an increased time to colon mobility. The intraoperative surgical data 213302 also monitors the procedure time. In the example of FIG. 20, the procedure time is characterized as "very long" with extensive dissection and significant colon manipulation. In combination, these factors also correspond to an increased chance of cancer reoccurrence. The data bridge can acquire additional data as well, such as the medications delivered and/or patient demographics, for example, which can further correspond to various predicted outcomes and/or comorbidities. Based on the various predicted outcomes 213304, the surgical hub can provide various recommendations for post-operative care, including aggressive oncology follow-up treatment, placement of a rectal drain, increased dietary restrictions, a hospital cost analysis, and an anticipated length-of-stay (LOS) can inform the hospital bed assignments and/or requirements.

(209) In various aspects, a surgical system can be configured to detect movement, velocity, acceleration, and/or orientation of elements, such as particulate matter and/or aerosol particles, for example, within a scope's field of view (FOV). By detecting one or more of these properties, the surgical system can increase the depth of data that is extractable during a surgical procedure and/or can illuminate aspects of the surgical procedure for a clinician. For example, the system can be configured to determine active actionable events for the clinician's attention.

(210) Properties of fluid flow at a surgical site can be an indicator of an actionable item, or adjustment, for a surgical hub and/or clinician. Fluid flow includes the flow of smoke, insufflation fluids, blood, contrast agents, and/or dye, for example. In various instances, properties of fluid flow can correspond to different surgical events, such as increased smoke generation during an energy treatment, detection of bleeding, perfusion assessment, and/or detection of a leaking anastomosis. Based on the actionable item determined by a detected property, or properties, of fluid flow, a recommendation can be provided. However, without the detection and/or monitoring of one or more properties of fluid flow, it can be difficult to determine various actionable items and corresponding recommendations.

(211) In various instances, by detecting and/or monitoring one or more properties of fluid flow, an increased depth of data can be extracted for analysis by a surgical hub. As a result, actionable items can be identified and/or identified more expediently and corresponding recommendations can be provided and/or implemented in a timely manner. In certain instances, a surgical hub can automatically implement an adjustment and/or alert the clinician to an actionable item.

(212) In one aspect, a surgical system comprises a sensor configured to detect a property of airborne particles in a fluid within a patient's abdominal cavity, a surgical device configured to implement a surgical function, and a control circuit comprising a processor and a memory communicatively coupled to the processor, wherein the control circuit is communicatively coupled to the sensor and the surgical device. The control circuit can be configured to receive an input signal from the sensor indicative of the property of airborne particles in the fluid and, in response to the input signal, provide an output signal to the surgical device indicative of an adjustment to the surgical function. The surgical system can be configured to detect airborne particulates and aerosols within the insufflation gases within a body (e.g., the abdomen), for example. In one aspect, the detection methods include, for example, optical, laser refractive, ultrasonic, and/or magnetic resonance. In one aspect, functional adjustments can include, for example, affecting the power level of the generator, the venting of the space, the degree of smoke evacuation, the degree of filtration, and/or application of a secondary condenser to induce condensation. In one aspect, the adjustment can result in a proportionate increase in a system that was already active, the addition of a second effect or function to the already active one, and/or the swapping out of one actuation or function for another system entirely. Various adjustments are further described herein.

(213) Detecting one or more properties of fluid flow at a surgical site can encompass one or more measurement systems and/or methods further described herein. For example, optical measurement systems and/or ultrasonic measurement systems can be employed. Optical measurement systems include laser Doppler velocimetry (LDV) or laser Doppler flowmetry (LDF), particle image velocimetry (PIV), and/or near-infrared (NIR) fluorescence of indocyanine green (ICG), for example, which are further described herein. Ultrasonic measurement systems include non-contact pass-through ultrasound detection and non-contact reflection ultrasound detection, for example, which are also further described herein. The various techniques for detecting and/or imaging particle flow can be employed in a number of surgical uses including smoke detection and control of evacuation, aerosol and particulate differentiation, bleeding detection, perfusion assessment to identify anatomical structures, dye identification, differentiation of broken superficial surface reflection, and identification of flowing, leaking, and/or oozing fluids on a surface, for example. Various surgical uses are further described herein.

(214) LDV, which is often referred to as LDF in a clinical or medical application, is a technique in which the Doppler shift in a laser beam is used to measure the velocity in transparent or semi-transparent fluid flows and/or the linear or vibratory motion of opaque, reflecting surfaces. In one instance, two beams of collimated, monochromatic, and coherent laser light cross in the flow of the fluid being measured. The two beams are usually obtained by splitting a single beam, thus ensuring coherence between the two beams. Lasers with wavelengths in the visible spectrum (390-750 nm) can be used, such as He—Ne, Argon ion, and/or laser diode, which allow the beam path to be observed. In other instances, wavelengths outside of the visible spectrum can be utilized, which can avoid distracting a clinician and/or interference with other imaging/visualization systems, for example. Transmitting optics focus the two beams to intersect at the focal point of the beam. The intersecting beams can interfere and generate a set

of straight fringes, for example. As particles entrained in the fringes, they reflect light that is then collected by a receiving optics and focused on a photodetector. The reflected light fluctuates in intensity, the frequency of which is equivalent to the Doppler shift between the incident and scattered light, and is thus proportional to the component of particle velocity that lies in the plane of the two beams. If the LDV sensor is aligned with the flow such that the fringes are perpendicular to the flow direction, the electrical signal from the photodetector is proportional to the full particle velocity. By combining three devices (e.g.; He—Ne, Argon ion, and laser diode lasers) with different wavelengths, all three flow velocity components can be simultaneously measured in various instances.

(215) In various instances, a PIV system can be utilized to determine two-dimensional or three-dimensional vector fields for a fluid flow. PIV is an optical method of flow visualization that can be used to obtain instantaneous velocity measurements and related properties in fluids. The fluid includes tracer particles that are assumed to faithfully follow the flow dynamics of the fluid. The fluid with entrained particles is illuminated so that the particles are visible, and the motion of the particles is used to calculate speed and direction (the velocity field) of the flow. A PIV sensor can include a camera, such as a digital camera with a Charge-Coupled Device (CCD) chip, a strobe or laser with an optical arrangement to limit the physical region illuminated, such as a cylindrical lens used to convert a light beam to a line or sheet, a synchronizer to act as an external trigger for control of the camera and the laser, and seeding or tracer particles within the fluid under investigation. A fiber optic cable or liquid light guide can connect the laser to the lens setup, and PIV software can be used to post-process the optical images, for example.

(216) In a two-dimensional PIV application, a laser light sheet of light scattering particles is illuminated through two consecutive frames, which are captured to create a two-dimensional map of particle movement and the vectors of the movement. For stereo PIV, or three-dimensional PIV, two or more cameras can be utilized at predefined angles to one another to capture the two consecutive frames and another camera can be configured to enable out-of-plane measurement. In one aspect, time-resolved particle tracking can enable the evaluation of particle tracks or paths, as well as a determination of the volume and velocity of the particles.

(217) Surgical uses for the optical particle detection and tracking techniques and systems described herein can include, for example, smoke detection applications, bleeding detection applications, perfusion assessment applications, and dye identification applications. Various example applications are further described herein.

(218) In one application, detection of the presence and/or concentration of smoke in an internal cavity, such as an abdomen cavity, for example, can be utilized for rate control of insufflation equipment, rate control or activation of the smoke evacuation equipment, and/or adaptation of generator algorithm parameters to minimize smoke generation. Smoke evacuation systems are further described herein.

(219) In various instances, a surgical hub can be communicatively coupled to a smoke evacuation system. Smoke is often generated during a surgical procedure that utilizes one or more energy devices. Energy devices use energy to affect tissue. In an energy device, the energy is supplied by a generator, as further described herein. Energy devices include devices with tissue-contacting electrodes, such as an electrosurgical device having one or more radio frequency (RF) electrodes, and devices with vibrating surfaces, such as an ultrasonic device having an ultrasonic blade. For an electrosurgical device, a generator is configured to generate oscillating electric currents to energize the electrodes. For an ultrasonic device, a generator is configured to generate ultrasonic vibrations to energize the ultrasonic blade.

(220) Many surgical systems employ a surgical evacuation system that captures the resultant smoke from a surgical procedure, and directs the captured smoke through a filter and an exhaust port away from the clinician(s) and/or from the patient(s). For example, an evacuation system can be configured to evacuate smoke that is generated during an electrosurgical procedure. The reader will appreciate that such an evacuation system can be referred to as a “smoke evacuation system” though such evacuation systems can be configured to evacuate more than just smoke from a surgical site. Throughout the present disclosure, the “smoke” evacuated by an evacuation system is not limited to just smoke. Rather, the smoke evacuation systems disclosed herein can be used to evacuate a variety of fluids, including liquids, gases, vapors, smoke, steam, or combinations thereon. The fluids can be biologic in origin and/or can be introduced to the surgical site from an external source during a procedure. The fluids can include water, saline, lymph, blood, exudate, and/or pyogenic discharge, for example. Moreover, the fluids can include particulates or other matter (e.g. cellular matter or debris) that is evacuated by the evacuation system. For example, such particulates can be suspended in the fluid. Example smoke evacuation systems, as well as various subassemblies and/or components thereof, are depicted in FIGS. 21-23. Smoke evacuation systems are further described in U.S. patent application Ser. No. 16/024,066, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL, filed Jun. 29, 2018, which is incorporated by reference herein in its entirety.

(221) In certain instances, a processor can be located within an evacuator housing of a surgical evacuation system. For example, referring to FIG. 21, a processor **50408** and a memory **50410** therefor are positioned within an evacuator housing **50440** of a surgical evacuation system **50400**. The processor **50408** is in signal communication with a motor driver **50428**, various internal sensors **50430**, a display **50442**, the memory **50410**, and a communication device **50418**. The communication device **50418** can include a transceiver configured to communicate over physical wires or wirelessly. The communication device **50418** may further include one or more additional transceivers. The transceivers may include, but are not limited to cellular modems, wireless mesh network transceivers, Wi-Fi® transceivers, low power wide area (LPWA) transceivers, and/or near field communications transceivers (NFC). The communication device **50418** may include or may be configured to communicate with a mobile telephone, a sensor system (e.g., environmental, position, motion, etc.) and/or a sensor network (wired and/or wireless), a computing system (e.g., a server, a workstation computer, a desktop computer, a laptop computer, a tablet computer (e.g., iPad®, GalaxyTab® and the like), an ultraportable computer, an ultramobile computer, a netbook computer and/or a subnotebook computer; etc. In at least one aspect of the present disclosure, one of the devices may be a coordinator node.

(222) The transceivers may be configured to receive serial transmit data via respective universal asynchronous receiver-transmitters (UARTs) from the processor **50408** to modulate the serial transmit data onto an RF carrier to produce a transmit RF signal and to transmit the transmit RF signal via respective antennas. The transceiver(s) are further configured to receive a receive RF signal via respective antennas that includes an RF carrier modulated with serial receive data, to demodulate the receive RF signal to extract the serial receive data and to provide the serial receive data to respective UARTs for provision to the processor **50408**. Each RF signal has an associated carrier frequency and an associated channel bandwidth. The channel bandwidth is associated with the carrier frequency, the transmit data and/or the receive data. Each RF carrier frequency and channel bandwidth is related to the operating frequency range(s) of the transceiver(s). Each channel bandwidth is further related to the wireless communication standard and/or protocol with which the transceiver(s) may comply. In other words, each transceiver may correspond to an implementation of a selected wireless communication standard and/or protocol, e.g., IEEE 802.11 a/b/g/n for Wi-Fi® and/or IEEE 802.15.4 for wireless mesh networks using Zigbee routing.

(223) The communication device **50418** can allow the processor **50408** in the surgical evacuation system **50400** to communicate with other devices within a surgical system. For example, the communication device **50418** can allow wired and/or wireless communication to one or more external sensors **50432**, one or more surgical devices **50444**, one or more hubs **50448**, one or more clouds **50446**, and/or one or more additional surgical systems and/or tools. The reader will readily appreciate that the surgical evacuation system **50400** of FIG. 21 can be incorporated into an intelligent electrosurgical system in certain instances. The surgical evacuation system **50400** also includes a pump **50450**, including a pump motor **50451** thereof, an evacuation conduit **50436**, and an exhaust **50452**. Various pumps, evacuation conduits and exhausts are further described herein. The surgical evacuation system **50400** can also include a sensing and intelligent controls device. The sensing and intelligent controls device includes sensor algorithms and communication algorithms that facilitate communication between the smoke evacuation system and other devices to adapt their control programs.

(224) The surgical evacuation system **50400** can be programmed to monitor one or more parameters of a surgical system and can affect a surgical function based on one or more algorithms stored in a memory in signal communication with a processor of a surgical hub and/or hub-connected

surgical device and/or the processor **50400**. Various exemplary aspects disclosed herein can be implemented by such algorithms, for example. For example, intelligent surgical evacuation systems and adjustment algorithms are further described in U.S. patent application Ser. No. 16/024,066, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL, filed Jun. 29, 2018, which is incorporated by reference herein in its entirety.

(225) An electrosurgical system can include a signal generator, an electrosurgical instrument, a return electrode, and a surgical evacuation system. The generator may be an RF wave generator that produces RF electrical energy. Connected to the electrosurgical instrument is a utility conduit. The utility conduit includes a cable that communicates electrical energy from the signal generator to the electrosurgical instrument. The utility conduit also includes a vacuum hose that conveys captured/collected smoke and/or fluid away from a surgical site. Such an exemplary electrosurgical system **50601** is shown in FIG. 22. More specifically, the electrosurgical system **50601** includes a generator **50640**, an electrosurgical instrument **50630**, a return electrode **50646**, and an evacuation system **50600**. The electrosurgical instrument **50630** includes a handle **50632** and a distal conduit opening **50634** that is fluidically coupled to a suction hose **50636** of the evacuation system **50600**. The electrosurgical instrument **50630** also includes an electrode that is powered by the generator **50640**. A first electrical connection **50642**, e.g., a wire, extends from the electrosurgical instrument **50630** to the generator **50640**. A second electrical connection **50644**, e.g., a wire, extends from the generator **50640** to an electrode, i.e., the return electrode **50646**. In other instances, the electrosurgical instrument **50630** can be a bipolar electrosurgical instrument. The distal conduit opening **50634** on the electrosurgical instrument **50630** is fluidically coupled to the suction hose **50636** that extends to a filter end cap **50603** of a filter that is installed in an evacuator housing **50618** of the evacuation system **50600**.

(226) In other instances, the distal conduit opening **50634** for the evacuation system **50600** can be on a handpiece or tool that is separate from the electrosurgical instrument **50630**. For example, the evacuation system **50600** can include a surgical tool that is not coupled to the generator **50640** and/or does not include tissue-energizing surfaces. In certain instances, the distal conduit opening **50634** for the evacuation system **50600** can be releasably attached to an electrosurgical tool. For example, the evacuation system **50600** can include a clip-on or snap-on conduit terminating at a distal conduit opening, which can be releasably attached to a surgical tool.

(227) The electrosurgical instrument **50630** is configured to deliver electrical energy to target tissue of a patient to cut the tissue and/or cauterize blood vessels within and/or near the target tissue, as described herein. Specifically, an electrical discharge is provided by the electrode tip to the patient in order to cause heating of cellular matter of the patient that is in close contact with or adjacent to electrode tip. The tissue heating takes place at an appropriately high temperature to allow the electrosurgical instrument **50630** to be used to perform electrosurgery. The return electrode **50646**, or return pad, can be placed under the patient during the surgical procedure, in order to complete the circuit and provide a return electrical path to the generator **50640** for energy that passes into the patient's body.

(228) The heating of cellular matter of the patient by the electrode tip, or cauterization of blood vessels to prevent bleeding, often results in smoke being released where the cauterization takes place, as further described herein. In such instances, because the evacuation conduit opening **50634** is near the electrode tip, the evacuation system **50600** is configured to capture the smoke that is released during a surgical procedure. Vacuum suction may draw the smoke into the conduit opening **50634**, through the electrosurgical instrument **50630**, and into the suction hose **50636** toward the evacuator housing **50618** of the evacuation system **50600**. In various instances, the electrosurgical system **50601** and/or the evacuation system **50600** can include a control circuit including a processor and memory, as described herein with respect to the control schematic in FIG. 21.

(229) Referring now to FIG. 23, another evacuator housing **50918** for an evacuation system **50900** is depicted. The evacuator housing **50918** defines a flow path **50904** between an inlet **50922** to the evacuator housing **50918** and an outlet **50924** to the evacuator housing **50918**. Intermediate the inlet **50922** and the outlet **50924**, a fluid trap **50960**, a filter **50970**, and a pump **50906** are sequentially arranged. The evacuator housing **50918** can include a socket or a receptacle **50971** dimensioned to receive a modular fluid trap and/or a replaceable filter **50970**. At a diverter valve **50934**, fluid can be directed into a condenser **50935** of the fluid trap **50960** and the smoke can continue toward the filter **50970**. In certain instances, the fluid trap **50960** can include baffles, such as the baffles **50964**, and/or splatter screens, such as the screen **50962**, for example, for preventing the captured fluid from splashing out of the fluid trap **50960**. The filter **50970** includes a pleated ultra-low penetration air (ULPA) filter **50942** and a charcoal filter **50944**. A sealed conduit or tube **50905** extends between the various in-line components. The evacuator housing **50918** also includes sensors **50830**, **50832**, **50836**, **50838**, **50840**, **50846**, **50848**, **50850**, **50852**, and **50854** which are further described herein and in U.S. patent application Ser. No. 16/024,066, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL, filed Jun. 29, 2018, which is incorporated by reference herein in its entirety.

(230) Referring still to FIG. 23, the evacuator housing **50918** also includes a centrifugal blower arrangement **50980** and a recirculating valve **50990**. The recirculating valve **50990** can selectively open and close to recirculate fluid through the fluid trap **50960**. For example, if the fluid detection sensor **50836** detects a fluid, the recirculating valve **50990** can be opened such that the fluid is directed back away from the filter **50970** and back into the fluid trap **50960**. If the fluid detection sensor **50836** does not detect a fluid, the valve **50990** can be closed such that the smoke is directed into the filter **50970**. When fluid is recirculated via the recirculating valve **50990**, the fluid can be drawn through a recirculation conduit **50982**. The centrifugal blower arrangement **50980** is engaged with the recirculation conduit **50982** to generate a recirculating suction force in the recirculation conduit **50982**. More specifically, when the recirculating valve **50990** is open and the pump **50906** is activated, the suction force generated by the pump **50906** downstream of the filter **50970** can generate rotation of the first centrifugal blower, or first squirrel cage, **50984**, which can be transferred to the second centrifugal blower, or second squirrel cage, **50986**, which draws the recirculated fluid through the recirculating valve **50990** and into the fluid trap **50960**.

(231) In various aspects of the present disclosure, the control schematics of FIG. 21 can be utilized with the various surgical systems, evacuation systems, sensor systems and evacuator housings of FIGS. 22 and 23.

(232) Smoke evacuated from a surgical site can include liquids, aerosols, and/or gases, and/or can include material of different chemical and/or physical properties, such as particulate matter and particles of different sizes and/or densities, for example. The different types of materials evacuated from a surgical site can affect the efficiency of the surgical evacuation system and the pump thereof. Moreover, certain types of material can require the pump to draw excessive power and/or can risk damaging the motor for the pump.

(233) The power supplied to the pump can be modulated to control the flowrate of smoke through the evacuation system based on input from one or more sensors along the flow path. Output from the sensors can be indicative of a state or quality of the smoke evacuation system and/or one or more properties of the evacuated smoke such as the type(s) and ratios of matter, chemical properties, density, and/or size of particulates, for example. In one aspect of the present disclosure, a pressure differential between two pressure sensors in the evacuation system can indicate the state of the region therebetween such as the state of a filter, a fluid trap, and/or the overall system, for example. Based on the sensor input, an operational parameter of the motor for the pump can be adjusted by changing the current supplied to the motor and/or the duty cycle, which is configured to change the motor speed.

(234) In one aspect of the present disclosure, by modulating the flowrate of smoke through the evacuation system, the efficiency of the filter can be improved and/or the motor can be protected from burnout.

(235) A surgical evacuation system can include one or more particle counters, or particle sensors, for detecting the size and/or concentration of particulate within the smoke. Referring again to FIG. 23, the particle sensors **50838** and **50848** are depicted. The reader will readily appreciate that various particle measurement means are possible. For example, a particle sensor can be an optical sensor, a laser sensor, a photoelectric sensor, an ionization sensor, an electrostatic sensor, and/or combinations thereof. Various particle sensors are further described herein.

(236) In various instances, the speed of the motor and, thus, the speed of the pump can be adjusted based on the particulate concentration detected by the one or more particle sensors in a surgical evacuation system. For example, when the particle sensor(s) detect an increased concentration of

particulate in the flow path, which can correspond to a decreased quantity of smoke in the flow path, the speed of the motor can be increased to increase the speed of the pump and to draw more fluid into the smoke evacuation system from the surgical site. Similarly, when the particle sensor(s) detects a decreased concentration of particulate in the flow path, which can correspond to a decreased quantity of smoke in the flow path, the speed of the motor can be decreased to decrease the speed of the pump and to reduce suction from the surgical site. Additional and alternative adjustment algorithms for the surgical evacuation system are further described herein. Moreover, in certain instances, based on the sensor data from the smoke evacuation system, a generator in the surgical system can be controlled to adjust the amount of smoke generated at the surgical site, as further described herein.

(237) In addition to particle sensors positioned along the flow path of the surgical evacuation system, the system can include one or more sensors for detecting the particulate concentration in the ambient room, for example, in the operating room or surgical theater. Referring again to FIG. 23, the air quality particle sensor **50852** is installed on an external surface of the evacuator housing **50918**. Alternative locations for the air quality particle sensor **50852** are also envisioned.

(238) In at least one instance, a particle sensor can be positioned downstream of the filter and, in certain instances, can be positioned at or near the outlet of the filter. For example, the particle sensor **50848** is positioned downstream of the filter **50970** and the pump **50906** in the smoke evacuation system **50900**. Because the particle sensor **50848** is positioned downstream of the filter(s) **50970**, the particle sensor is configured to confirm that the filter(s) **50970** have removed sufficient particulate from the smoke. In various instances, such a sensor can be adjacent to the exhaust outlet **50924** of the evacuator housing **50918**. In one aspect of the present disclosure, an electrostatic particle sensor can be utilized. For example, the exhaust outlet **50924** can include an electrostatic particulate sensor that the exhaust flows past downstream of the filtration system and prior to being exhaust into the surgical theater.

(239) The particulate concentration detected by one or more sensors of the surgical evacuation system can be communicated to a clinician in a number of different ways. For example, the evacuator housing **50918** and/or the evacuation device can include an indicator, such as one or more lights and/or display screens. For example, an LED on the evacuator housing **50918** may change color (e.g. from blue to red) depending on the volume of particulate detected by the sensor(s). In other instances, the indicator can include an alarm or warning, which can be tactile, auditory, and/or visual, for example. In such instances, when the particulate concentration in the ambient air detected by the air quality sensor (e.g. the particle sensor **50852**) exceeds a threshold amount, the clinician(s) in the surgical theater can be notified by the indicator(s).

(240) In certain instances, a surgical evacuation system can include an optical sensor. The optical sensor can include an electronic sensor that converts light, or a change in the light, into an electronic signal. The optical sensor can utilize a light scattering method to detect and count particles in the smoke to determine the concentration of particles in the smoke. In various instances, the light is laser-based. For example, in one instance, a laser light source is configured to illuminate particles as the particles move through a detection chamber. As the particles pass through the laser's beam, the light source is refracted, obscured, redirected, and/or absorbed. The scattered light is recorded by a photo detector, and the recorded light is analyzed. For example, the recorded light can be converted to an electrical signal indicative of the size and quantity of the particles, which corresponds to the particulate concentration in the smoke. The particulate concentration in the smoke can be calculated in real-time by a laser optical sensor, for example. In one aspect of the present disclosure, at least one of the particle sensors **50838**, **50848**, **50852** are laser optical sensors. Various alternative sensing techniques and sensor arrangements are further described herein and in U.S. patent application Ser. No. 16/024,066, titled SURGICAL EVACUATION SENSING AND MOTOR CONTROL, filed Jun. 29, 2018, which is incorporated by reference herein in its entirety.

(241) Based on the presence and concentration of smoke in an abdomen cavity, the generator algorithm for minimizing or controlling the smoke generation can be adapted. For example, information/knowledge gained from previous surgical events, such as an earlier firing and/or energy activation, can be used to adjust one or more parameters of a generator control algorithm. Referring now to FIG. 24, a series of graphs **213400**, **213402**, and **213404** are depicted in which particle count **213406**, fan speed **213408**, and energy device power **213410** are shown relative to time (t). The particle count **213406** can be detected with the various sensors and/or detection techniques disclosed herein. One or more surgical functions and/or one or more devices can be adjusted in response to the detected particle count **213406**, which corresponds to the smoke concentration at the surgical site (e.g. in an internal cavity of the patient). Additionally, the type and/or degree of adjustment can depend on knowledge gained during previous firings and/or activations.

(242) The energy device power **213410** is provided during a first activation **213412** from time t.sub.0 to time t.sub.2 and during a second activation **213414** from time t.sub.5 to time t.sub.7. Knowledge gained during the first activation **213412** can be utilized to adjust the control algorithm of a control circuit applied during the second activation **213414**. The control circuit can be encompassed in a surgical hub and/or smoke evacuator as depicted in the control schematic of FIG. 21, for example

(243) Referring still to FIG. 24, when the energy device is activated for the first activation **213412**, the energy device power **213410** is set to a predefined power level **213430**, and the particle count **213406** begins to increase toward a first threshold **213416**. The predefined power level **213430** can be a clinician-selected power level. For example, the predefined power level **213430** can be preprogrammed on the surgical device and/or at the surgical hub. In certain instances, the surgical device can be configured to operate at different predefined power levels depending on the actuators and/or control buttons activated by the clinician.

(244) At time t.sub.1, as the first activation **213412** continues, the particle count **213406** increases above the first threshold **213416** to a peak value **213418** at time t.sub.2 when the first activation **213412** ends. In response to the particle count **213406** exceeding the first threshold **213416** at time t.sub.1, a control circuit in signal communication with the smoke evacuator, is configured to implement a first adjustment **213420**. For example, the control circuit is configured to increase the fan speed **213408** from a low setting **213426** to a high setting **213428**.

(245) After the first activation **213412** ends at time t.sub.2, the particle count **213406** can begin to decrease from the peak value **213418**; however, the smoke evacuator can continue to operate at the high setting **213428** until time t.sub.3 when the particle count **213406** drops below the first threshold **213416**. In response to the particle count **213406** decreasing below the first threshold **213416**, the fan speed **213408** can be decreased to the low setting **213426** and, in various instances, can be turned off when the particle count **213406** drops to zero at time t.sub.4. In other instances, the smoke evacuator can include additional speeds which can correspond to additional particle count thresholds and/or can be scaled in proportion to the particle count **213406**, for example. In various instances, the smoke evacuator can operate at a ultra-low setting and/or cycle on-and-off when in a sleep or resting mode when the particle count is zero and/or below a minimum threshold value.

(246) At time t.sub.5, when the second activation **213414** is initiated, the particle count **213406** again begins to increase and the fan speed **213408** can be set at the low setting **213426** to extract the smoke from the surgical site. In various instances, before any smoke is detected, the smoke evacuator can be activated in response to an activation of the energy device. As shown in FIG. 24, in certain instances, the particle count **213406** can continue to increase during the second activation **213414** while the fan speed **213408** is set to the low setting **213426** and, at time t.sub.6, as the second activation **213414** continues, the particle count **213406** again increases above the first threshold **213416**. If the control circuit were to implement the first adjustment **213420** again, the particle count **213406** would again follow the hypothetical curve **213424** to the peak value **213418** at time t.sub.7 when the second activation **213414** ends. However, in response to the particle count **213406** again exceeding the first threshold **213416** at time t.sub.6 in the second activation **213414**, the control circuit is configured to adapt the control algorithm and implement a second adjustment **213422** that is different than the first adjustment **213420**.

(247) For example, in addition to increasing the fan speed **213408** from the low setting **213426** to the high setting **213428** at time t.sub.6, the control circuit is configured to decrease the energy device power **213410** below the predefined power level **213430**. For example, the control actuated by the clinician can correspond to the predefined power level **213430**; however, a control circuit for the surgical hub can adjust the energy device power **213430** to an adjusted power level **213432**. The adjusted power level **213432** in FIG. 24 is less than the predefined power level **213430**. In other

instances, the hub-controlled adjustment can increase the energy device power **213410** and/or otherwise adjust the energy device power, such as by applying pulses of varying duration and/or frequency (e.g. pulse width modulation and/or pulse frequency modulation) and/or adjusting the energy modality, for example.

(248) The second adjustment **213422** can be learned or developed based on the system's response to the first adjustment **213420**. For example, if the peak value **213418** obtained when implementing the first adjustment **213420** is still considered to be too high and/or associated with undesirable consequences, such as obstructing the clinician's view and/or interfering with the application of energy to tissue, for example, the control circuit can seek a different adjustment. As described herein, the second adjustment **213422** includes the first adjustment **213422** (i.e. adjusting the fan speed **213408** from the low setting **213426** to the high setting **213428**) and the additional adjustment to the energy device power **213410**. In other instances, the second adjustment **213422** can replace the first adjustment **213420**.

(249) In certain instances, the second adjustment **213422** can adjust a threshold and/or degree of the first adjustment **213420**. For example, the second adjustment **213422** can include increasing the fan speed **213408** to a level that is greater than the high setting **213428**. In various instances, the second adjustment **213422** can include a modification to the first adjustment **213420** that is proportional to a desired effect. For example, if the first adjustment **213410** increased the fan speed **213408** by 10% and obtained a 10% reduction in smoke concentration, the second adjustment **213422** could be a 15% reduction in fan speed **213408** to obtain a desired 15% reduction in smoke concentration.

(250) The first and second adjustments described herein are example adjustments. Adjustments can include changing the power level of a generator, power level of a smoke evacuator, venting of a space, and degree and/or type of filtration and/or condensation-induction in a smoke evacuation system, for example.

(251) As described herein, the techniques for improved identification and tracking of particles, which can determine the directionality and velocity of a fluid, for example, can be utilized in various surgical applications. For example, the improved techniques can be used for smoke detection applications, as further described herein. Additionally or alternatively, based on the directionality and/or velocity of the smoke, the surgical system can be configured to adjust the smoke evacuation motor control to clear the smoke more quickly and then slow down to minimize noise in the operating room (OR). As another example, the system can increase insufflation recirculation to evacuate the particulate away from the active field of operation. For example, if a sensor detects the smoke moving toward a treatment region where a clinician is actively working and/or treating, it can be desirable to increase the circulation within the cavity to quickly move the obstructing particulate (i.e. smoke) away from the treatment region.

(252) In one application, improved techniques for the identification and tracking of particles can be utilized for bleeding detection. Based on the directionality and velocity of the flow, the control circuit and/or surgical hub can determine and/or recommend a subsequent step to address the bleeding. In another application, the improved techniques for identification and tracking of particles can be utilized for perfusion assessment in tissue. Perfusion assessment can be utilized to identify anatomical structures, for example. In one example, NIR illumination of ICG can be used to image perfusion in a lung segment. Visualization of such perfusion can be used to identify/demarcate an intersegmental plane for segmentectomy procedures, for example. Thereafter, the control circuit and/or surgical hub can determine and/or recommend a subsequent step. For example, the control circuit and/or surgical hub can recommend a particular surgical device and/or location. In certain instances, the control circuit and/or surgical hub can guide the surgical device to the desired location.

(253) In one application, the improved techniques for the identification and detection of particles can be used with migration of dye, which can enable the system to highlight a leak path. The size and location of the leak can be determined, for example. In one instance, when leak testing an anastomosis, a leak path may be identified from the colon into the abdomen. In various instances, the identification of a leak path can inform the clinician's decision-making process. For example, a recommendation regarding how and/or when to address the leak path can be provided to the clinician. In certain instances, contextual information provided by the hub can affect the recommendation provided to the clinician. Contextual information can indicate the probability of a functional leak taking into account the current pressure within the colon dye fluid, the viability of the tissue from computerized topography (CT) imaging and/or instrument manipulation forces, and/or patient-specific complicating factors, which can be identified in an electronic health record (EHR), for example. The recommendation can include suggestions for viable products to reinforce the anastomosis based on the identification of detected implications (e.g., the size of leak, the location of the leak with respect to "dog ears" or lateral intersection margins/stapled corners, and/or compression loads detected in the circular stapler). Additionally or alternatively, the recommendations can include the proposal of an overlaying of reinforcement agents like fibrin, thrombin, and/or oxidized regenerated cellulose (ORC), for example. Additionally or alternatively, the recommendations can include a proposal to over-sew or re-staple a portion of the line due to tissue tension or collateral blood supply issues, for example.

(254) In various instances, the detection of one or more properties of fluid flow at a surgical site can encompass one or more of the various measurements systems and/or techniques further described herein. For example, optical measurement systems, such as laser Doppler velocimetry (LDV) or laser Doppler flowmetry (LDF), particle image velocimetry (PIV), and/or near-infrared (NIR) fluorescence of indocyanine green (ICG), for example, can be utilized. In other instances, instead of a camera/optical measurement system, detection and/or measurements can utilize an alternative sensing array to track particles. For example, ultrasonic measurements systems, such as non-contact pass-through ultrasound detection and non-contact reflection ultrasound detection, for example, can be utilized.

(255) In one aspect, non-contact pass-through ultrasound can be utilized for particle detection. Referring to an ultrasonic pass-through particle detection system **213500** in FIG. 25, an ultrasound emitter **213502** can be positioned within the patient's body (e.g. within an abdominal cavity) similar to an optical scope. In various instances, the emitter **213502** can be positioned on a distal end of a scope **213501** for an imaging system. The scope can include a camera that views the surgical site and transmits the view(s) to a display that is viewable by a clinician. Scopes include, but are not limited to, arthroscopes, angioscopes, bronchoscopes, choledochoscopes, colonoscopes, cystoscopes, duodenoscopes, enteroscopes, esophagogastro-duodenoscopes (gastrosopes), endoscopes, laryngoscopes, nasopharyngo-neprosopes, sigmoidoscopes, thorascopes, ureteroscopes, and exoscopes. In other instances, the emitter **213502** can be a separate and distinct device from a scope. The ultrasound emitter **213502** is configured to transmit a curtain of homogeneous sound, which passes through a fluid **213504** (e.g. moving particles such as smoke particulate and/or steam aerosols) and is received on the opposite side of the fluid **213504** by a receiver **213506**. The receiver **213506** can be positioned on a surgical device, such as an end effector and/or a distal nose of a staple cartridge **213508** received within an elongate channel of an end effector, for example. In other instances, the receiver **213506** can be positioned on a separate and distinct surgical tool. As various sound waves pass from the emitter **213502** through the fluid **213504**, certain waves can be blocked by the fluid **213504**. Based on the sound waves received by the receiver **213506**, the ultrasonic pass-through particle detection system **213500** is configured to determine the Doppler shift, i.e., the speeding up or slowing down of the sound waves, which corresponds to the properties of the fluid's flow.

(256) Surgical uses for the ultrasonic pass-through particle detection system **213500** include, for example, smoke detection applications and control of evacuation, including detection of the velocity, directionality, and concentrations of particulates in the flow and detection of flow patterns and/or dispersion rates, for example. Surgical uses also include the differentiation between aerosol particles and particulates (e.g. distinguishing smoke from steam). Such distinctions can be helpful when adjusting a smoke evacuation system, such as changing the fluid flow path to address aerosols within the flow path, which may damage a particulate matter filter if not properly extracted, for example. Additional surgical applications for particle detection and monitoring, such as ultrasound techniques utilizing the ultrasonic pass-through particle detection system **213500**, for example, are further described herein. Moreover, a surgical system and/or control circuit therefor can be configured to utilize information from such an ultrasonic pass-through particle detection system to adjust and/or suggest a surgical function during a surgical procedure.

(257) In one aspect, non-contact reflection sound detection can be utilized for particle detection. Referring now to FIG. 26, an ultrasonic reflection particle detection system **213600** is shown. Similar to the ultrasonic pass-through technique described above with respect to FIG. 25, the ultrasonic

reflection particle detection system **213600** includes an emitter, or transmitter **213602** and a receiver **213606**. However, this ultrasonic reflection particle detection system **213600** differs from the ultrasonic pass-through particle detection system **213500** in that the emitter **213602** and the receiver **213606** are co-located on the same surgical device **213608**. In other instances, the emitter **213602** and the receiver **213606** can be positioned on separate devices but located adjacently to one other. In various instances, the surgical device **213608** can be a scope like the device **213502** (FIG. 25), for example.

(258) The ultrasonic reflection particle detection system **213600** is configured to detect reflected sound waves. The reflection and refraction of the sound waves will depend on the surface properties of the tissue T that the surgical device **213608** is targeting. Since the surgical device **213608** is not in contact with the tissue T, it is configured to sense the superficial aspects of the tissue T, e.g. the surface features of the tissue T and not properties/features deep within the tissue T. For example, referring to the flowchart **213650** in FIG. 27, data from the emitter **213602** and the receiver **213606** regarding the sound wave properties is obtained at block **213652** and provided to a control circuit for analysis at block **213654**. The control circuit is configured to determine tissue surface information at block **213656**. Various control circuits for receiving input signals, calculating tissue surface information, and providing outputs can be incorporated into the various control circuits described herein. For example, algorithms for determining the tissue surface information from the input signals can be stored in the memory of the various control circuits described herein.

(259) Surgical uses for the ultrasonic reflection particle detection systems include, for example, differentiation of broken superficial surface reflection and the detection of flowing or oozing fluids on a tissue surface. For example, sound reflection that indicates broken or interrupted superficial tissue features can be used to detect unhealthy tissue features, such as infection, adhesions, scarring, remodeling, and cancer. Such tissue features can correspond to a tissue surface that is more interrupted and, thus, that causes increased refraction and dampening of the ultrasound waves in comparison to healthy tissue, which typically defines a continuous, uninterrupted surface. Flowing or oozing fluids on the surface of the tissue can also create different Doppler effects on the sound waves that are directed toward the surface while producing a sound reflection that is different than the reflection for a solid tissue surface. Furthermore, the more fluid that is present, the greater the sound absorption that the fluid can induce due to absorbing a portion of the energy of the sound wave. Additionally, Doppler effects on the sound wave would result in a Doppler wave shift in the sound wave depending on whether the fluid is moving towards or away from the transmitter and receiver. Directionality of the fluid flow can be detected. In various instances, varying the range of frequencies emitted by the transmitter would allow the system to further refine the surface tension, modulus, and or viscosity of the detected fluid, for example. A surgical system or control circuit therefor can be configured to utilize information from such an ultrasonic reflection particle detection system to adjust and/or suggest a surgical function during a surgical procedure.

(260) In various aspects, the system can be configured to monitor the material in the flow being removed/evacuated from the abdomen by a smoke evacuation system or filtered and replaced by an irrigation/insufflation system, for example, with the various techniques described herein for the identification and detection of particles along a flow path. In certain instances, the system can be configured to detect particles within the extracted gasses and directly measure their flow rate. In one aspect, an ultrasonic pass-through array can be placed at a crossing between the passage that is extracting the insufflation gasses or filtering the insufflation gasses, for example. Such an array can be configured to detect particles passing through and, thus, can be used to determine the type and concentration of the particles flowing therethrough. An alternative to the ultrasonic pass-through array is a laser counter array which can be placed similarly. The laser counter array can measure a blocked laser light wave passing from one side of the passage to the other or the refraction of light off of the particles.

(261) In various instances, vortex-shedding can be used in combination with either the ultrasonic pass-through array or laser counter array, described above. Vortex-shedding is configured to detect the size of the particles and their flow rate, rather than merely using the presence or concentration of the particles given a predefined flow rate. When utilizing a vortex-shedding flowmeter, there are no moving parts or elements within the flow that are necessary to measure the flow. Advantageously, this can improve the ability to clean the detection system and reuse it, and/or can minimize the buildup of bodily fluids within the detection system, for example.

EXAMPLES

(262) Various aspects of the subject matter described herein are set out in the following numbered examples:

(263) Example 1—A surgical system, comprising a sensor configured to detect a property of airborne particles in a fluid within a patient's abdominal cavity; a surgical device configured to implement a surgical function; and a control circuit comprising a processor and a memory storing instructions executable by the processor to: receive an input signal from the sensor indicative of the property of airborne particles in the fluid; and in response to the input signal, provide an output signal to the surgical device indicative of an adjustment to the surgical function.

(264) Example 2—The surgical system of Example 1, wherein the sensor comprises at least one of an optical sensor, a laser sensor, an ultrasonic sensor, a magnetic resonance sensor, and a vortex shedding sensor.

(265) Example 3—The surgical system of any one of Examples 1 and 2, wherein the property of airborne particles in the fluid comprises at least one of a particle type, particle size, particle concentration, particle velocity, and particle direction.

(266) Example 4—The surgical system of any one of Examples 1-3, wherein the adjustment to the surgical function comprises at least one of proportionately increasing the surgical function based on the property of airborne particles in the fluid, adding a supplemental surgical function to the surgical function, and replacing the surgical function with an alternative surgical function.

(267) Example 5—The surgical system of any one of Examples 1-4, wherein the surgical device comprises a generator configured to provide power to an energy device at a power level, and wherein the adjustment to the surgical function comprises adjusting the power level provided to the energy device from the generator.

(268) Example 6—The surgical system of any one of Examples 1-4, wherein the surgical device comprises a smoke evacuator comprising a pump configured to operate at a speed, and wherein the adjustment to the surgical function comprises adjusting the speed of the pump.

(269) Example 7—The surgical system of any one of Examples 1-4, wherein the surgical device comprises a smoke evacuator comprising a filtering system, and wherein the adjustment to the surgical function comprises adjusting a flow path through the filtering system of the smoke evacuator.

(270) Example 8—The surgical system of Example 7, wherein the filtering system comprises a particulate filter, and wherein the flow path is diverted through the particulate filter when the input signal indicates an increase in particulate concentration of airborne particles in the fluid.

(271) Example 9—The surgical system of any one of Examples 7 and 8, wherein the filtering system comprises a condenser, and wherein the flow path is diverted through the condenser when the input signal indicates an increase in aerosol concentration of airborne particles in the fluid.

(272) Example 10—The surgical system of any one of Examples 1-4, wherein the surgical device comprises an operating room vent, and wherein the adjustment to the surgical function comprises adjusting the operating room vent to increase ventilation therethrough.

(273) Example 11—The surgical system of any one of Examples 1-10, wherein the control circuit is further configured to: receive a plurality of input signals indicative of a plurality of properties of airborne particles in the fluid, wherein the plurality of input signals comprises the input signal; and in response to the plurality of input signals, provide the output signal to the surgical device indicative of the adjustment to the surgical function.

(274) Example 12—A non-transitory medium storing computer readable instructions which, when executed, cause a surgical device to: receive an input signal from a sensor indicative of a property of airborne particles in a fluid within a patient's abdominal cavity; and in response to the input signal, provide an output signal to a surgical device indicative of an adjustment to a surgical function.

(275) Example 13—The non-transitory medium of Example 12, wherein the computer readable instructions, when executed, cause the surgical device to provide the output signal to a generator to adjust a power level of the generator.

(276) Example 14—The non-transitory medium of Example 12, wherein the computer readable instructions, when executed, cause the surgical device to provide the output signal to a smoke evacuator to adjust a speed of a pump of the smoke evacuator.

(277) Example 15—The non-transitory medium of Example 12, wherein the computer readable instructions, when executed, cause the surgical

device to provide the output signal to a smoke evacuator. (278) Example 16—The non-transitory medium of any one of Examples 12-15, wherein the computer readable instructions, when executed, cause the surgical device to adjust the surgical function by changing the surgical function in proportion to a change in the property of airborne particles in the fluid.

(279) Example 17—The non-transitory medium of any one of Examples 12-16, wherein the computer readable instructions, when executed, cause the surgical device to adjust the surgical function by adding a supplemental surgical function in combination with the surgical function.

(280) Example 18—The non-transitory medium of any one of Examples 12-17, wherein the computer readable instructions, when executed, cause the surgical device to adjust the surgical function by replacing the surgical function with an alternate surgical function.

(281) Example 19—A method, comprising: receiving an input signal from a sensor indicative of a property of airborne particles in a fluid within a patient's abdominal cavity; and in response to the input signal, automatically providing an output signal to a surgical device indicative of an adjustment to a surgical function of the surgical device.

(282) Example 20—The method of Example 19, further comprising: receiving a second input signal from the sensor indicative of the property of airborne particles in the fluid at a time subsequent to receiving the input signal; and in response to the second input signal, automatically providing a second output signal to a second surgical device indicative of an adjustment to a surgical function of the second surgical device, wherein the second surgical device is different than the first surgical device.

(283) Example 21—A surgical device, comprising: an actuator configured to receive an input; and a control circuit configured to: receive a signal from a situationally-aware surgical hub indicative of a surgical state; receive an actuation signal from the actuator in response to the input; and implement a surgical function in response to the actuation signal, wherein the surgical function comprises a first surgical function when the surgical state corresponds to a first surgical state, wherein the surgical function comprises a second surgical function when the surgical state corresponds to a second surgical state, wherein the second surgical state is different than the first surgical state, and wherein the second surgical function is different than the first surgical function.

(284) Example 22—The surgical device of Example 21, wherein the situationally-aware surgical hub comprises a situational awareness module, and wherein the surgical state comprises a step in a surgical procedure.

(285) Example 23—The surgical device of any one of Examples 21 and 22, wherein the surgical state comprises identification of a suite of surgical devices currently in use in a surgical theater.

(286) Example 24—The surgical device of any one of Examples 21-23, wherein the surgical state comprises a position of a portion of the surgical device.

(287) Example 25—The surgical device of any one of Examples 21-24, wherein the surgical state comprises a position of a jaw of an end effector of the surgical device.

(288) Example 26—The surgical device of any one of Examples 21-25, wherein the actuator is movable through a first range of motion from a first position to a second position and through a second range of motion from the second position to a third position, wherein movement of the actuator in the first range of motion is configured to activate the surgical function, and wherein movement of the actuator in the second range of motion is configured to scale a degree of the surgical function.

(289) Example 27—The surgical device of any one of Examples 21-26, further comprising a Hall Effect sensor configured to determine the position of the actuator, wherein the first surgical function comprises an activation, and wherein the second surgical function comprises adjusting a degree of the activation based on the position of the actuator detected by the Hall Effect sensor.

(290) Example 28—The surgical device of any one of Examples 21-26, further comprising a strain gauge operably coupled to the actuator, wherein the strain gauge is configured to determine a force of the input on the actuator, wherein the first surgical function comprises an activation, and wherein the second surgical function comprises adjusting a degree of the activation based on the force of the input detected by the strain gauge.

(291) Example 29—The surgical device of any one of Examples 21-28, wherein the first surgical function is confined by a first maximum threshold and a first minimum threshold, wherein the second surgical function comprises a second maximum threshold and a second minimum threshold, wherein the first maximum threshold is different than the second maximum threshold, and wherein the first minimum threshold is different than the second minimum threshold.

(292) Example 30—The surgical device of any one of Examples 21-29, wherein the first surgical state corresponds to a gross usage surgical step, and wherein the second surgical state corresponds to a precision usage surgical step.

(293) Example 31—The surgical device of any one of Examples 21-30, wherein the actuator comprises at least one of a button, a switch, a toggle, a trigger, a lever, a dial, and a knob.

(294) Example 32—The surgical device of any one of Examples 21-31, wherein the control circuit comprises a processor and a memory communicatively coupled to the processor.

(295) Example 33—A non-transitory medium storing computer readable instructions which, when executed, cause a surgical device to: receive a signal from a situationally-aware surgical hub indicative of a surgical state; receive an actuation signal in response to an input applied to an actuator of a surgical device; and implement a surgical function in response to the actuation signal, wherein the surgical function comprises a first surgical function when the surgical state corresponds to a first surgical state, wherein the surgical function comprises a second surgical function when the surgical state corresponds to a second surgical state, wherein the second surgical state is different than the first surgical state, and wherein the second surgical function is different than the first surgical function.

(296) Example 34—A system, comprising: a screen configured to selectively display a recommendation to a clinician in an operating room; and a control circuit comprising a processor and a memory in signal communication with the processor, wherein the memory stores instructions executable by the processor to: receive a signal from a situationally-aware surgical hub indicative of a surgical state; determine a priority level of the recommendation based on the surgical state; and communicate the priority level of the recommendation via the screen.

(297) Example 35—The system of Example 34, wherein the control circuit is further configured to select one or more recommendations from a plurality of possible recommendations based on the surgical state.

(298) Example 36—The system of Example 35, wherein the control circuit is further configured to adjust the priority level of the recommendation based on an anticipated surgical action, and wherein the anticipated surgical action is based on the surgical state.

(299) Example 37—The system of Example 36, wherein the anticipated surgical action is based on a position of a surgical device at a surgical site.

(300) Example 38—The system of any one of Examples 34-37, wherein an elevated priority level is communicated with at least one of marking, emphasizing, highlighting, and flashing.

(301) Example 39—The system of any one of Examples 34-38, wherein the screen is positioned on a surgical device.

(302) Example 40—The system of any one of Examples 34-39, further comprising an imaging system comprising a video monitor positionable in the operating room, wherein the screen is positioned on the video monitor.

(303) While several forms have been illustrated and described, it is not the intention of Applicant to restrict or limit the scope of the appended claims to such detail. Numerous modifications, variations, changes, substitutions, combinations, and equivalents to those forms may be implemented and will occur to those skilled in the art without departing from the scope of the present disclosure. Moreover, the structure of each element associated with the described forms can be alternatively described as a means for providing the function performed by the element. Also, where materials are disclosed for certain components, other materials may be used. It is therefore to be understood that the foregoing description and the appended claims are intended to cover all such modifications, combinations, and variations as falling within the scope of the disclosed forms. The appended claims are

intended to cover all such modifications, variations, changes, substitutions, modifications, and equivalents.

(304) The foregoing detailed description has set forth various forms of the devices and/or processes via the use of block diagrams, flowcharts, and/or examples. Insofar as such block diagrams, flowcharts, and/or examples contain one or more functions and/or operations, it will be understood by those within the art that each function and/or operation within such block diagrams, flowcharts, and/or examples can be implemented, individually and/or collectively, by a wide range of hardware, software, firmware, or virtually any combination thereof. Those skilled in the art will recognize that some aspects of the forms disclosed herein, in whole or in part, can be equivalently implemented in integrated circuits, as one or more computer programs running on one or more computers (e.g., as one or more programs running on one or more computer systems), as one or more programs running on one or more processors (e.g., as one or more programs running on one or more microprocessors), as firmware, or as virtually any combination thereof, and that designing the circuitry and/or writing the code for the software and/or firmware would be well within the skill of one of skill in the art in light of this disclosure. In addition, those skilled in the art will appreciate that the mechanisms of the subject matter described herein are capable of being distributed as one or more program products in a variety of forms, and that an illustrative form of the subject matter described herein applies regardless of the particular type of signal bearing medium used to actually carry out the distribution.

(305) Instructions used to program logic to perform various disclosed aspects can be stored within a memory in the system, such as dynamic random access memory (DRAM), cache, flash memory, or other storage. Furthermore, the instructions can be distributed via a network or by way of other computer readable media. Thus a machine-readable medium may include any mechanism for storing or transmitting information in a form readable by a machine (e.g., a computer), but is not limited to, floppy diskettes, optical disks, compact disc, read-only memory (CD-ROMs), and magneto-optical disks, read-only memory (ROMs), random access memory (RAM), erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), magnetic or optical cards, flash memory, or a tangible, machine-readable storage used in the transmission of information over the Internet via electrical, optical, acoustical or other forms of propagated signals (e.g., carrier waves, infrared signals, digital signals, etc.). Accordingly, the non-transitory computer-readable medium includes any type of tangible machine-readable medium suitable for storing or transmitting electronic instructions or information in a form readable by a machine (e.g., a computer).

(306) As used in any aspect herein, the term “control circuit” may refer to, for example, hardwired circuitry, programmable circuitry (e.g., a computer processor including one or more individual instruction processing cores, processing unit, processor, microcontroller, microcontroller unit, controller, digital signal processor (DSP), programmable logic device (PLD), programmable logic array (PLA), or field programmable gate array (FPGA)), state machine circuitry, firmware that stores instructions executed by programmable circuitry, and any combination thereof. The control circuit may, collectively or individually, be embodied as circuitry that forms part of a larger system, for example, an integrated circuit (IC), an application-specific integrated circuit (ASIC), a system on-chip (SoC), desktop computers, laptop computers, tablet computers, servers, smart phones, etc. Accordingly, as used herein “control circuit” includes, but is not limited to, electrical circuitry having at least one discrete electrical circuit, electrical circuitry having at least one integrated circuit, electrical circuitry having at least one application specific integrated circuit, electrical circuitry forming a general purpose computing device configured by a computer program (e.g., a general purpose computer configured by a computer program which at least partially carries out processes and/or devices described herein, or a microprocessor configured by a computer program which at least partially carries out processes and/or devices described herein), electrical circuitry forming a memory device (e.g., forms of random access memory), and/or electrical circuitry forming a communications device (e.g., a modem, communications switch, or optical-electrical equipment). Those having skill in the art will recognize that the subject matter described herein may be implemented in an analog or digital fashion or some combination thereof.

(307) As used in any aspect herein, the term “logic” may refer to an app, software, firmware and/or circuitry configured to perform any of the aforementioned operations. Software may be embodied as a software package, code, instructions, instruction sets and/or data recorded on non-transitory computer readable storage medium. Firmware may be embodied as code, instructions or instruction sets and/or data that are hard-coded (e.g., nonvolatile) in memory devices.

(308) As used in any aspect herein, the terms “component,” “system,” “module” and the like can refer to a computer-related entity, either hardware, a combination of hardware and software, software, or software in execution.

(309) As used in any aspect herein, an “algorithm” refers to a self-consistent sequence of steps leading to a desired result, where a “step” refers to a manipulation of physical quantities and/or logic states which may, though need not necessarily, take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It is common usage to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like. These and similar terms may be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities and/or states.

(310) A network may include a packet switched network. The communication devices may be capable of communicating with each other using a selected packet switched network communications protocol. One example communications protocol may include an Ethernet communications protocol which may be capable permitting communication using a Transmission Control Protocol/Internet Protocol (TCP/IP). The Ethernet protocol may comply or be compatible with the Ethernet standard published by the Institute of Electrical and Electronics Engineers (IEEE) titled “IEEE 802.3 Standard”, published in December, 2008 and/or later versions of this standard. Alternatively or additionally, the communication devices may be capable of communicating with each other using an X.25 communications protocol. The X.25 communications protocol may comply or be compatible with a standard promulgated by the International Telecommunication Union-Telecommunication Standardization Sector (ITU-T). Alternatively or additionally, the communication devices may be capable of communicating with each other using a frame relay communications protocol. The frame relay communications protocol may comply or be compatible with a standard promulgated by Consultative Committee for International Telegraph and Telephone (CCITT) and/or the American National Standards Institute (ANSI). Alternatively or additionally, the transceivers may be capable of communicating with each other using an Asynchronous Transfer Mode (ATM) communications protocol. The ATM communications protocol may comply or be compatible with an ATM standard published by the ATM Forum titled “ATM-MPLS Network Interworking 2.0” published August 2001, and/or later versions of this standard. Of course, different and/or after-developed connection-oriented network communication protocols are equally contemplated herein.

(311) Unless specifically stated otherwise as apparent from the foregoing disclosure, it is appreciated that, throughout the foregoing disclosure, discussions using terms such as “processing,” “computing,” “calculating,” “determining,” “displaying,” or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

(312) One or more components may be referred to herein as “configured to,” “configurable to,” “operable/operative to,” “adapted/adaptable,” “able to,” “conformable/conformed to,” etc. Those skilled in the art will recognize that “configured to” can generally encompass active-state components and/or inactive-state components and/or standby-state components, unless context requires otherwise.

(313) The terms “proximal” and “distal” are used herein with reference to a clinician manipulating the handle portion of the surgical instrument. The term “proximal” refers to the portion closest to the clinician and the term “distal” refers to the portion located away from the clinician. It will be further appreciated that, for convenience and clarity, spatial terms such as “vertical,” “horizontal,” “up”, and “down” may be used herein with respect to the drawings. However, surgical instruments are used in many orientations and positions, and these terms are not intended to be limiting and/or absolute.

(314) Those skilled in the art will recognize that, in general, terms used herein, and especially in the appended claims (e.g., bodies of the appended claims) are generally intended as “open” terms (e.g., the term “including” should be interpreted as “including but not limited to,” the term “having”

should be interpreted as “having at least,” the term “includes” should be interpreted as “includes but is not limited to,” etc.). It will be further understood by those within the art that if a specific number of an introduced claim recitation is intended, such an intent will be explicitly recited in the claim, and in the absence of such recitation no such intent is present. For example, as an aid to understanding, the following appended claims may contain usage of the introductory phrases “at least one” and “one or more” to introduce claim recitations. However, the use of such phrases should not be construed to imply that the introduction of a claim recitation by the indefinite articles “a” or “an” limits any particular claim containing such introduced claim recitation to claims containing only one such recitation, even when the same claim includes the introductory phrases “one or more” or “at least one” and indefinite articles such as “a” or “an” (e.g., “a” and/or “an” should typically be interpreted to mean “at least one” or “one or more”); the same holds true for the use of definite articles used to introduce claim recitations.

(315) In addition, even if a specific number of an introduced claim recitation is explicitly recited, those skilled in the art will recognize that such recitation should typically be interpreted to mean at least the recited number (e.g., the bare recitation of “two recitations,” without other modifiers, typically means at least two recitations, or two or more recitations). Furthermore, in those instances where a convention analogous to “at least one of A, B, and C, etc.” is used, in general such a construction is intended in the sense one having skill in the art would understand the convention (e.g., “a system having at least one of A, B, and C” would include but not be limited to systems that have A alone, B alone, C alone, A and B together, A and C together, B and C together, and/or A, B, and C together, etc.). In those instances where a convention analogous to “at least one of A, B, or C, etc.” is used, in general such a construction is intended in the sense one having skill in the art would understand the convention (e.g., “a system having at least one of A, B, or C” would include but not be limited to systems that have A alone, B alone, C alone, A and B together, A and C together, B and C together, and/or A, B, and C together, etc.). It will be further understood by those within the art that typically a disjunctive word and/or phrase presenting two or more alternative terms, whether in the description, claims, or drawings, should be understood to contemplate the possibilities of including one of the terms, either of the terms, or both terms unless context dictates otherwise. For example, the phrase “A or B” will be typically understood to include the possibilities of “A” or “B” or “A and B.”

(316) With respect to the appended claims, those skilled in the art will appreciate that recited operations therein may generally be performed in any order. Also, although various operational flow diagrams are presented in a sequence(s), it should be understood that the various operations may be performed in other orders than those which are illustrated, or may be performed concurrently. Examples of such alternate orderings may include overlapping, interleaved, interrupted, reordered, incremental, preparatory, supplemental, simultaneous, reverse, or other variant orderings, unless context dictates otherwise. Furthermore, terms like “responsive to,” “related to,” or other past-tense adjectives are generally not intended to exclude such variants, unless context dictates otherwise.

(317) It is worthy to note that any reference to “one aspect,” “an aspect,” “an exemplification,” “one exemplification,” and the like means that a particular feature, structure, or characteristic described in connection with the aspect is included in at least one aspect. Thus, appearances of the phrases “in one aspect,” “in an aspect,” “in an exemplification,” and “in one exemplification” in various places throughout the specification are not necessarily all referring to the same aspect. Furthermore, the particular features, structures or characteristics may be combined in any suitable manner in one or more aspects.

(318) Any patent application, patent, non-patent publication, or other disclosure material referred to in this specification and/or listed in any Application Data Sheet is incorporated by reference herein, to the extent that the incorporated materials is not inconsistent herewith. As such, and to the extent necessary, the disclosure as explicitly set forth herein supersedes any conflicting material incorporated herein by reference. Any material, or portion thereof, that is said to be incorporated by reference herein, but which conflicts with existing definitions, statements, or other disclosure material set forth herein will only be incorporated to the extent that no conflict arises between that incorporated material and the existing disclosure material.

(319) In summary, numerous benefits have been described which result from employing the concepts described herein. The foregoing description of the one or more forms has been presented for purposes of illustration and description. It is not intended to be exhaustive or limiting to the precise form disclosed. Modifications or variations are possible in light of the above teachings. The one or more forms were chosen and described in order to illustrate principles and practical application to thereby enable one of ordinary skill in the art to utilize the various forms and with various modifications as are suited to the particular use contemplated. It is intended that the claims submitted herewith define the overall scope.

Claims

1. A surgical system, comprising: a display; and a control circuit comprising a processor and a memory in signal communication with the processor, wherein the memory stores instructions executable by the processor to: receive a first signal from a situationally-aware surgical hub indicative of a surgical state; display a recommendation on the display based on the first signal; assign a priority level of the recommendation based on the first signal; communicate the assigned priority level of the recommendation via the display; receive a second signal indicative of an anticipated surgical action; adjust the communicated priority level of the recommendation according to the anticipated surgical action, wherein adjusting the communicated priority level of the recommendation comprises displaying the recommendation with at least one of marking, emphasizing, highlighting, or flashing.
2. The surgical system of claim 1, wherein the memory further stores instructions executable by the processor to select one or more recommendations from a plurality of possible recommendations based on the first signal.
3. The surgical system of claim 1, wherein the anticipated surgical action is based on a position of a surgical device at a surgical site.
4. The surgical system of claim 1, wherein the display is positioned on a surgical device.
5. The surgical system of claim 1, further comprising an imaging system comprising a video monitor positionable in an operating room, wherein the display is positioned on the video monitor.
6. The surgical system of claim 1, wherein the display comprises a screen of an operating room visualization system.
7. The surgical system of claim 1, wherein the memory further stores instructions executable by the processor to determine the priority level that is assigned to the recommendation based on the surgical state.
8. The surgical system of claim 1, wherein the memory further stores instructions executable by the processor to compare the determined priority level to a predetermined threshold, wherein the recommendation is displayed based on the priority level stratifying the predetermined threshold.
9. The surgical system of claim 1, wherein the memory further stores instructions executable by the processor to compare the determined priority level to a predetermined threshold, wherein the recommendation is displayed based on the priority level stratifying the predetermined threshold.
10. The system of claim 1, wherein the instructions to adjust the communicated priority level of the recommendation according to the anticipated surgical action comprise instructions to elevate the priority level.
11. The system of claim 1, further comprising an imaging system configured to capture a live feed of a surgical site.
12. The system of claim 11, wherein the memory further stores instructions executable by the processor to display the live feed of the surgical site on the display.
13. The system of claim 12, wherein the memory further stores instructions executable by the processor to overlay the recommendation on the live feed.
14. The system of claim 11, wherein the second signal indicative of an anticipated surgical action is based on proximity of a surgical device to the surgical site.
15. The system of claim 14, wherein the second signal indicative of an anticipated surgical action is based on a trajectory of movement of the surgical

device.

16. The system of claim 14, further comprising the surgical device.

17. The system of claim 14, wherein the surgical device is a surgical stapler, and wherein the anticipated surgical action is a tissue transection.

18. The system of claim 1, wherein the second signal indicative of the anticipated surgical action is based on an increased confidence level associated with the surgical state.

19. The system of claim 1, wherein the surgical state corresponds to a step of a surgical procedure.

20. A surgical system, comprising: a control circuit comprising a processor and a memory in signal communication with the processor, wherein the memory stores instructions executable by the processor to: receive a first signal from a situationally-aware surgical hub indicative of a surgical state; display a recommendation on a display based on the first signal; assign a priority level of the recommendation based on the first signal; communicate the assigned priority level of the recommendation via the display; receive a second signal indicative of an anticipated surgical action; adjust the communicated priority level of the recommendation according to the anticipated surgical action, wherein adjusting the communicated priority level of the recommendation comprises displaying the recommendation with at least one of marking, emphasizing, highlighting, or flashing.
