

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400190
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Yamagishi; Daigo

Information processing apparatus, non-transitory computer readable medium storing program, and information processing method for enabling device to be used based on contract between organization and contract source

Abstract

An information processing apparatus includes a processor configured to receive a processing request for a device from a user, in a case where the received processing request does not correspond to a first usage condition based on a contract with a contract source for the device, acquire a second usage condition based on the contract with the same contract source based on information indicating a relationship between an organization to which the user belongs and the contract source, and control the device to process the processing request based on the acquired second usage condition.

Inventors:	Yamagishi; Daigo (Kanagawa, JP)
Applicant:	FUJIFILM Business Innovation Corp. (Tokyo, JP)
Family ID:	1000008779658
Assignee:	FUJIFILM Business Innovation Corp. (Tokyo, JP)
Appl. No.:	17/523918
Filed:	November 11, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20220383270 A1	Dec. 01, 2022

Foreign Application Priority Data

JP	2021-088286	May. 26, 2021
----	-------------	---------------

Publication Classification

Int. Cl.: G06Q10/20 (20230101); G06F3/12 (20060101)

U.S. Cl.:

CPC G06Q10/20 (20130101); G06F3/1205 (20130101); G06F3/1222 (20130101); G06F3/1238 (20130101); G06F3/1255 (20130101); G06F3/1285 (20130101);

Field of Classification Search

CPC: G06Q (10/20); G06F (3/1205); G06F (3/1222); G06F (3/1238); G06F (3/1255); G06F (3/1285)

USPC: 358/1.1-

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
9207897	12/2014	Takatsu et al.	N/A	N/A
2019/0227760	12/2018	Sato	N/A	G06F 3/1238

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
4630470	12/2010	JP	N/A
2011056771	12/2010	JP	N/A
2013054456	12/2012	JP	N/A
2013242848	12/2012	JP	N/A
WO-2015051314	12/2014	WO	G06Q 10/103

OTHER PUBLICATIONS

“Notice of Reasons for Refusal of Japan Counterpart Application”, issued on Nov. 5, 2024, with English translation thereof, p. 1-p. 6. cited by applicant
“Office Action of Japan Counterpart Application”, issued on Jan. 7, 2025, with English translation thereof, p. 1-p. 3. cited by applicant

Primary Examiner: Garcia; Gabriel I

Attorney, Agent or Firm: JCIPRNET

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS

(1) This application is based on and claims priority under 35 USC 119 from Japanese Patent Application No. 2021-088286 filed May 26, 2021.

BACKGROUND

(i) Technical Field

(2) The present invention relates to an information processing apparatus, a non-transitory computer readable medium storing a program, and an information processing method.

(ii) Related Art

(3) In recent years, an image forming system has been proposed that enables easy and reliable switching, operation, and management of an image forming apparatus in accordance with a change in a type of a maintenance contract (for example, refer to JP2011-56771A).

(4) The image forming system disclosed in JP2011-56771A is configured with a firmware update module that updates a firmware of an image forming apparatus corresponding to a maintenance contract of the image forming apparatus, a profile instruction module that instructs the image forming apparatus to set a set item corresponding to the maintenance contract and a set value corresponding to the set item, and the image forming apparatus that updates the firmware by reading the firmware update module, reads the profile instruction module, and sets the set item corresponding to the maintenance contract of the image forming apparatus and the set value corresponding to the set item based on the instruction of the profile instruction module.

SUMMARY

(5) Aspects of non-limiting embodiments of the present disclosure relate to an information processing apparatus, a non-transitory computer readable medium storing a program, and an information processing method that enable a device to be used based on a contract between an organization, to which a user belongs, and a contract source in a case where the user belongs to an organization which is contracted with the same contract source even though a processing request for the device from the user does not correspond to a usage condition based on the contract with the contract source with respect to the device.

(6) Aspects of certain non-limiting embodiments of the present disclosure address the above advantages and/or other advantages not described above. However, aspects of the non-limiting embodiments are not required to address the advantages described above, and aspects of the non-limiting embodiments of the present disclosure may not address advantages described above.

(7) According to an aspect of the present disclosure, there is provided an information processing apparatus including a processor configured to receive a processing request for a device from a user, in a case where the received processing request does not correspond to a first usage condition based on a contract with a contract source for the device, acquire a second usage condition based on the contract with the same contract source based on information indicating a relationship between an organization to which the user belongs and the contract source, and control the device to process the processing request based on the acquired second usage condition.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) Exemplary embodiment(s) of the present invention will be described in detail based on the following figures, wherein:

(2) FIG. 1 is a diagram showing a schematic configuration example of an information processing system according to an exemplary embodiment of the present invention;

(3) FIG. 2 is a block diagram showing an example of a configuration of a server;

(4) FIG. 3 is a diagram showing an example of a certificate information table held by the server;

(5) FIG. 4 is a diagram showing an example of a job history information table held by the server;

- (6) FIG. 5 is a block diagram showing an example of a configuration of a device;
- (7) FIG. 6 is a diagram showing an example of a contract information table held by the device;
- (8) FIG. 7 is a block diagram showing an example of a configuration of a user terminal;
- (9) FIG. 8 is a diagram showing an example of a configuration of a print job; and
- (10) FIG. 9 is a flowchart showing an example of an operation of the information processing system.

DETAILED DESCRIPTION

(11) Hereinafter, an exemplary embodiment of the present invention will be described with reference to the accompanying drawings. In each drawing, components having substantially identical functions are designated by identical reference numerals, and description thereof will not be repeated.

Summary of Exemplary Embodiment

(12) The information processing apparatus according to the present exemplary embodiment includes a processor configured to receive a processing request for a device from a user, in a case where the received processing request does not correspond to a first usage condition based on a contract with a contract source for the device, acquire a second usage condition based on the contract with the same contract source based on information indicating a relationship between an organization to which the user belongs and the contract source; and control the device to process the processing request based on the acquired second usage condition.

(13) The “contract” refers to a contract that agrees on a usage condition of a device or a maintenance support condition concluded between a side that provides the device as the contract source (for example, a company F) and a side that uses the device (for example, a company A or a company B). The side that uses the device (for example, the company A) may install the device in a shared space and manage the device as a side that manages the device. The shared space indicates a space that can be used by users, who belong to different organizations (for example, the company A and the company B), to share the device. The shared space corresponds to, for example, a shared office, a rental office, a co-working space, and the like. The side that manages the device may be the contract source.

(14) The “first usage condition” refers to a device usage condition based on the contract between the contract source (for example, the company F) and the side that manages and uses the device (for example, the company A). The second usage condition refers to the device usage condition based on the contract between the contract source (for example, the company F) and the side that uses the device (for example, the company B). The side that provides, uses, or manages the device is usually an organization. In the present specification, the organization corresponds to, for example, a company, a university, a private proprietor, or the like.

(15) A case where the processing request “does not correspond to the first usage condition” includes, for example, the following cases.

(16) (a) A case where functional limitation of the device differs between the first usage condition and the second usage condition, and the processing request is a process related to functional limitation.

(17) For example, a case is applied where the processing request is a process related to color printing, scanned image transfer, and security, the first usage condition prohibits the process related to color printing, scanned image transfer, and security, and the second usage condition permits the processing. Here, the process related to color printing, scanned image transfer, and security is an example of a process related to image processing.

(18) (b) A case where the maximum number of uses differs between the first usage condition and the second usage condition and the processing request is a process related to the maximum number of uses.

(19) For example, a case is applied where the maximum number of printed sheets is 50 in the first usage condition but the maximum number of printed sheets is 100 in the second usage condition.

Here, the maximum number of printed sheets is an example of the process related to image processing.

(20) (c) A case where a payment unit differs between the first usage condition and the second usage condition.

(21) For example, a case is applied where the same payment as single-sided printing is performed for “N-up printing” for printing N images on one side of one paper in the first usage condition, but payment according to N images is performed in the second usage condition.

(22) The user of the device is not limited to a user belonging to an organization contracted with the contract source, and may be a user who is not contracted with the contract source (including a user belonging to an organization which is not contracted with the contract source). A user who is not contracted with the contract source may execute the process related to security even though the process related to security is not required.

Exemplary Embodiment

(23) FIG. 1 is a diagram showing a schematic configuration example of an information processing system according to an exemplary embodiment of the present invention.

(24) An information processing system 1 includes a server 2, a device 3, and a plurality of user terminals 4A and 4B (also collectively referred to as a “user terminal 4”) used by users of the device 3. The server 2, the device 3, and the user terminal 4 are connected to each other via a network 5. In the drawing, one device 3 is shown, but a plurality of devices 3 may be used. Further, the user terminal 4 may be connected to the network 5 in a case where the device 3 is used. A control unit 30, which will be described later, of the device 3 is an example of an information processing apparatus.

(25) The device 3 and the plurality of user terminals 4 are installed in a shared space 6. FIG. 1 shows, for example, a case where an employee Pa belonging to a company A uses the user terminal 4A and an employee Pb belonging to a company B uses the user terminal 4B. The company A and the company B are examples of an organization. The employees Pa and Pb are examples of the user.

(26) The server 2 manages a usage situation of the device 3 and performs a payment process according to the usage of the device 3. Here, the “payment process” refers to, for example, a process of subtracting the number of points according to the usage of the device 3 from the number of points held by the user.

(27) The device 3 is, for example, a multifunctional machine having a plurality of functions such as a print function, a scan function, a copy function, an e-mail function, and a facsimile function. The multifunctional machine is an example of an image forming apparatus.

(28) In a case where a job is transmitted from the user terminal 4 or an operation display unit 32, which will be described later, is operated and the job is requested, the device 3 executes the requested job. In a case where execution of the job is completed, the device 3 records the job in a job history information table 311, which will be described later, and transmits job history information to the server 2. The device 3 may transmit the job history information to the server 2 regularly (for example, at 18:00 every day).

(29) The user terminal 4 is an information processing terminal such as a Personal Computer (PC). The user terminal 4 may be a portable information processing terminal such as a notebook computer or a tablet terminal, or a mobile communication terminal such as a multifunctional mobile phone (smartphone).

(30) The network 5 includes, for example, a Local Area Network (LAN), a Wide Area Network (WAN), an intranet, the Internet, or the like, and may be wired or wireless.

(31) Configuration of Server

(32) FIG. 2 is a block diagram showing an example of a configuration of the server 2. The server 2 includes a control unit 20, a storage unit 21, and a communication unit 22 connected to the network 5.

(33) The control unit **20** is configured with a processor such as a Central Processing Unit (CPU), an interface, and the like. The processor of the control unit **20** manages the usage situations of the device **3** by executing a program **210** stored in the storage unit **21**, and performs the payment process according to the usage of the device **3**. In the payment process performed by the control unit **20**, the number of printing points according to the printing of a document is subtracted from the number of printing points held by the user based on a job history information table **212** (see FIG. **4**), and records the obtained number of printing points in the payment information table **213**.

(34) The storage unit **21** is configured with a Read Only Memory (ROM), a Random Access Memory (RAM), a hard disk, and the like, and stores various types of information such as the program **210**, a contract information table **211** (see FIG. **3**), a job history information table **212** (see FIG. **4**), and a payment information table **213**. The payment information table **213** records the number of points held by the user for each user ID.

(35) The communication unit **22** communicates with the device **3** and the user terminals **4A** and **4B** via the network **5**.

(36) FIG. **3** is a diagram showing an example of the contract information table **211** held by the server **2**. The contract information table **211** includes a plurality of items such as “device ID”, “contract source name”, “user company name”, “contract data”, “security setting”, “job history information notation”, and “substantial object”. The contract information consisting of the items is recorded by the control unit **20** of the server **2** based on content of a contract such as a maintenance contract, or based on an instruction of a manager based on the contract. The contract information indicates that a company, to which the user belongs, concludes the maintenance contract with a company that provides the device **3**. The “contract data” and the “security setting” are items related to usage condition **211a**, but are not limited thereto. The control unit **20** extracts information related to the usage condition **211a** from content of the maintenance contract, and records the information in the “contract data” and the “security setting”.

(37) Here, the usage condition **211a** based on a contract between the contract source (for example, the company F) and an organization (for example, the company A) that manages the device **3** is an example of a first usage condition. Further, the usage condition **211a** based on a contract between the contract source (for example, the company F) and an organization (for example, the company B) that does not manage the device **3** but uses the device **3** is an example of a second usage condition.

(38) The “device ID” is recorded with a device ID that identifies the device **3**. The “contract source name” is recorded with a name of a company of the contract source (hereinafter, referred to as a “company name”). The “user company name” is recorded with a name of a company that uses the device **3**. The “contract data” is recorded with a set item related to a processing condition executed by the device in the maintenance contract. “Black and white” shown in the drawing indicates that only black and white printing is permitted and color printing is prohibited. The “security setting” is recorded with a set item related to security. “UUID” shown in the drawing is an abbreviation for Universally Unique Identifier, and indicates a setting for printing an ID that identifies a job for each job. The “job history information notation” is recorded with a format for recording the “user company name” in the job history information table **212**. The “substantial object” is recorded with a substance of contract information data. The contract information data is data corresponding to respective items of the device ID, the contract source name, the user company name, the contract data, the security setting, and the job history information notation.

(39) FIG. **4** is a diagram showing an example of the job history information table **212** held by the server **2**. The job history information table **212** includes a plurality of items such as “device ID”, “user company name”, “user ID”, “job type”, “number of pages”, and “meter type”. The job history information consisting of the items is transmitted from the device **3** regularly (for example, at **18:00** every day) or after the job is executed, and is recorded by the control unit **20**.

(40) The “device ID” is recorded with a device ID that identifies the device **3**. The “user company

name” is recorded with a name of a company that uses the device **3**. The “user ID” is recorded with a user ID that identifies the user. The “job type” is recorded with a type of the job, and the “number of pages” is recorded with the number of pages of a document executed with the job. The “meter type” is recorded with a type of a meter having a different payment (for example, a first meter for black and white printing and a second meter for color printing).

(41) Configuration of Device

(42) FIG. 5 is a block diagram showing an example of a configuration of the device **3**. The device **3** includes a control unit **30** that controls each unit of the device **3**, and a storage unit **31**, an operation display unit **32**, an image reading unit **33**, an image forming unit **34**, and a communication unit **35** are connected to the control unit **30**.

(43) The control unit **30** is configured with a processor such as a CPU, an interface, and the like. The processor of the control unit **30** executes a job, such as a print job, a scan job, a copy job, or a scanned image transfer job, by executing a program **310** stored in the storage unit **31**. Each of the print job and the copy job is also referred to as a print job. The print job, the scan job, and the copy job are examples of a processing request.

(44) The print job is a job of printing and outputting print data included in the job transmitted from the user terminal **4** on paper by the image forming unit **34**. As shown in FIG. 8, which will be described later, the print job **10** includes attribute information **11** such as a user ID requesting a job, certificate information **12**, print setting information **13**, and print data **14**.

(45) The scan job is a job of reading image data (also referred to as a scanned image) from a document by the image reading unit **33**. The copy job is a job of printing and outputting the scanned image obtained by the scan job on the paper by the image forming unit **34**.

(46) The scanned image transfer job is a job of transferring a scanned image, which is obtained by reading the document by the image reading unit **33**, to a designated transfer destination.

(47) The storage unit **31** is configured with a ROM, a RAM, a hard disk, and the like, and stores various types of information such as a program **310**, a job history information table **311**, and a contract management table **312** (see FIG. 5). The job history information table **311** is recorded with the job history information, which is related to the device **3**, in the job history information table **212** shown in FIG. 4.

(48) The operation display unit **32** inputs and displays information. The operation display unit **32** is, for example, a touch panel display, and has a configuration in which a touch panel is arranged to be superimposed on a display such as a liquid crystal display.

(49) The image reading unit **33** includes an automatic paper feeding device provided on a platen, and a scanner that optically reads the scanned image from a document placed on the platen or a document sent by the automatic paper feeding device.

(50) The image forming unit **34** creates a printed matter by forming an image on the paper fed from a paper feed cassette using, for example, an electrophotographic method, an inkjet method, or the like. As shown in FIG. 8, the image forming unit **34** converts the print data **14** described in a Page Description Language (PDL) into image data consisting of raster data, and prints the image data on the paper according to the print setting information **13** included in the print job **10**.

(51) The communication unit **35** is connected to the server **2**, the device **3**, and the user terminal **4** via the network **5**.

(52) The communication unit **35** includes a Network Interface Card (NIC), a modem, and the like, communicates with the server **2**, the user terminals **4A** and **4B**, and an external device via the network **5** using the NIC, and performs modulation and demodulation on a signal required for facsimile communication using the modem to perform the facsimile communication with an external communication device via the network **5**.

(53) FIG. 6 is a diagram showing an example of the contract management table **312** held by the device **3**. The contract management table **312** includes respective items of “user ID”, “company name to which user belongs”, and “contract source name”. The contract information consisting of

the items is recorded by the control unit **30** based on the operation of the manager. An item of a company name (for example, the company A) that manages the device **3** may be provided.

(54) The “user ID” is recorded with a user ID that identifies the user, and the “company name to which user belongs” is recorded with a company name (for example, the company B) to which the user belongs. The “contract source” is recorded with a company name (for example, a company F) of the company that provides the device **3** that has the maintenance contract with the company to which the user belongs.

(55) The control unit **30** receives a processing request from the user, and determines whether or not the received processing request corresponds to a usage condition (hereinafter, also referred to as a first usage condition) included in the certificate information **12** based on the maintenance contract between the contract source (for example, the company F) for the device **3** and the organization that manages the device **3** (for example, the company A). In a case where the processing request does not correspond to the first usage condition, the control unit **30** acquires a usage condition (hereinafter, also referred to as a second usage condition) included in the certificate information **12** based on the maintenance contract between the same contract source (for example, the company F) and the organization (for example, the company B) to which the user belongs based on the contract management table **312**, and controls the device **3** to process the processing request based on the acquired second usage condition.

(56) Configuration of User Terminal

(57) FIG. **7** is a block diagram showing an example of a configuration of the user terminal **4**. The user terminal **4** includes a control unit **40** that is realized by a processor such as a CPU, an interface, or the like, and controls each unit of the user terminal **4**, a storage unit **41** that stores various types of information such as a program **410** of a processor, certificate information **411**, and a document **412** to be printed, a display unit **42** that is realized by a liquid crystal display or the like, an input unit **43** that is realized by a keyboard, a mouse, or the like, and a communication unit **44** that communicates with the server **2** and the device **3** via the network **5**.

(58) The program **410** stored in the storage unit **41** includes a printer driver and the like. Further, the certificate information stored in the storage unit **41** is certificate information for verifying the user or the organization to which the user belongs, is generated and issued by the server **2** to correspond to the user or the organization to which the user belongs, and is acquired and stored by the user terminal **4**.

(59) The control unit **40** generates various jobs, such as the print job **10** (see FIG. **8**), based on an operation of the user.

(60) FIG. **8** is a diagram showing an example of a configuration of the print job **10**. The print job **10** includes attribute information **11**, certificate information **12**, print setting information **13**, and print data **14**. The attribute information **11** includes the user ID that instructs the print job **10**. The certificate information **12** is obtained by reading the certificate information **411** stored in the storage unit **41** of the user terminal **4** and is given to the print job **10**. The print data **14** is written in the Page Description Language (PDL), in which the document can be interpreted by the device **3**, by a printer driver.

(61) Operation of Information Processing System

(62) Next, an example of an operation of the information processing system **1** will be described with reference to FIG. **9**. FIG. **9** is a flowchart showing an example of the operation of the information processing system **1**. Hereinafter, a case where the print job is executed as the processing request will be described.

(63) (1) Generation of Print Job

(64) In a case where the user operates the input unit **43** of the user terminal **4**, selects the document **412** to be printed, and instructs execution of the print job, the control unit **40** converts the document **412** into the print data **14** consisting of the PDL, reads the certificate information **411** from the storage unit **41**, and generates the print job **10**. As shown in FIG. **8**, the print job **10** includes the

user ID, the certificate information **12**, the print setting information **13**, and the print data **14**. In a case where the certificate information **411** is requested to be verified by the server **2** and is verified, the contract information may be acquired from the server **2**. In this case, the contract information may be included in the print job **10** instead of the certificate information **411**.

(65) (2) Execution of Print Job

(66) In a case where the print job **10** is transmitted from the user terminal **4** to the device **3** and the control unit **30** of the device **3** receives the print job **10** from the user terminal **4** (S1), the print job **10** is interpreted (S2), and it is determined whether or not the certificate information **12** is included in the print job **10** (S3).

(67) In a case where the certificate information **12** is included in the print job **10** (S3: Yes), the certificate information **12** is read and the server **2** is requested to verify the certificate information **12**. At this time, the certificate information **12** is transmitted to the server **2** together with the user ID. The certificate information is verified by the server **2**, and the contract information described in the contract information table **211** corresponding to the certificate information is acquired. With reference to the acquired contract information, it is determined by referring to the contract management table **312** whether or not the contract source of the acquired contract information is the same as the company that provides the device **3** to be used (S4).

(68) For example, in a case where the user is the employee Pb (the user ID is User**002**) of the company B, the contract source name included in the contract management table **312** in the acquired contract information is the company F, so that it is determined to be the same as the company that provides the device **3** to be used.

(69) In a case of the same contract source (S4: Yes), it is determined whether or not the storage unit **31** stores information related to the usage condition included in the contract information that can be acquired in a case where verification is performed using the certificate information **12** included in the print job **10** (S5).

(70) In a case where the usage condition is stored in the storage unit **31** (S5: Yes), the control unit **30** determines that, for example, the print job **10** requested by the employee Pb of the company B corresponds to the usage condition **211b** based on a contract of the company B, which makes the company (for example, the company A) which manages the device **3** be the same as the contract source (for example, the company F), and executes the print job **10** to correspond to the usage condition **211a** (S6). For example, in the company B, in a case where the processing permitted in the contract data of the usage condition **211a** is black and white printing and the color printing is prohibited, black and white printing is executed even in a case where the print setting information **13** includes the color printing.

(71) In step S3, in a case where the print job **10** does not include the certificate information **12** or verification by the server **2** fails (S3: No), the control unit **30** performs error display with respect to the operation display unit **32** or the display unit **42** of the user terminal **4** (S8).

(72) In step S4, in a case where of a different contract source (S4: No), the print job **10** received as a guest user executes a job process based on a usage condition set with respect to the guest user by a device manager (S10). In a case of the different contract source (S4: No), an error may be displayed without executing the print job.

(73) In step S5, in a case where the information related to the usage condition is not stored in the storage unit **31** (S5: No), the control unit **30** transmits the certificate information to the server **2** to request verification, and stores contract information, which is acquired based on the verification, in the storage unit **31** (S9).

(74) The print job **10** is executed to correspond to the usage condition **211a** included in the certificate information **12** newly stored in the storage unit **31** (S6). For example, even in a case where color printing is not allowed in the company A, in a case where color printing is allowed in the contract data of the usage condition **211a** in the company B and in a case where black and white printing is designated in the print setting information **13**, black and white printing is executed, and,

in a case where color printing is designated in the print setting information **13**, color printing is executed.

(75) (3) Job History Recording Process

(76) In a case where the execution of the print job **10** is completed, the control unit **30** transmits the job history information to the server **2**. The server **2** records the received job history information (S7). The server **2** performs the payment process according to the print job **10**.

First Modification Example

(77) In the above exemplary embodiment, the case where the control unit **30** of the device **3** functions as an information processing apparatus has been described, but the server **2** may function as an information processing apparatus. That is, in a case where the server **2** receives the processing request for the device **3** from the user and the received processing request does not correspond to the first usage condition based on the contract with the contract source for the device **3**, the device **3** may be controlled to acquire the second usage condition based on the contract with the same contract source based on the information indicating the relationship between the organization to which the user belongs and the contract source and to process the processing request based on the acquired second usage condition.

Second Modification Example

(78) In the above exemplary embodiment, the print job **10** includes the certificate information **12**, but the contract information may be acquired from the server **2** by recording information (for example, a URL) indicating an acquisition destination (for example, the server **2**) of the contract information instead of the certificate information **12**, performing an authentication request in such a way that the control unit **30** of the device **3** accesses the URL and transmits the user information, authentication is performed using the user information.

(79) Although the exemplary embodiment of the present invention has been described above, the exemplary embodiment of the present invention is not limited to the above exemplary embodiment, and various modifications and implementations are possible.

(80) A part or all of each means of the processor may be configured with a hardware circuit such as a Field Programmable Gate Array (FPGA) or an Application Specific Integrated Circuit (ASIC).

(81) In the embodiments above, the term “processor” refers to hardware in a broad sense. Examples of the processor include general processors (e.g., CPU: Central Processing Unit) and dedicated processors (e.g., GPU: Graphics Processing Unit, ASIC: Application Specific Integrated Circuit, FPGA: Field Programmable Gate Array, and programmable logic device).

(82) In the embodiments above, the term “processor” is broad enough to encompass one processor or plural processors in collaboration which are located physically apart from each other but may work cooperatively. The order of operations of the processor is not limited to one described in the embodiments above, and may be changed.

(83) In addition, some of the components of the above exemplary embodiment may be omitted or changed. Further, in the flow of the above exemplary embodiment, steps may be added, deleted, changed, replaced, or the like. Further, the program used in the above exemplary embodiment can be recorded and provided on a computer-readable recording medium, such as a CD-ROM, and can be stored in an external server such as a cloud server, to be used via a network.

(84) The foregoing description of the exemplary embodiments of the present invention has been provided for the purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise forms disclosed. Obviously, many modifications and variations will be apparent to practitioners skilled in the art. The embodiments were chosen and described in order to best explain the principles of the invention and its practical applications, thereby enabling others skilled in the art to understand the invention for various embodiments and with the various modifications as are suited to the particular use contemplated. It is intended that the scope of the invention be defined by the following claims and their equivalents.

Claims

1. An information processing apparatus comprising: a processor configured to: receive a processing request for a device from a user who belongs to a first organization; in a case where the received processing request does not correspond to a first usage condition based on a first contract, acquire a second usage condition based on a second contract, wherein the first contract is an agreement between a second organization that manages the device and a third organization that provides the device, and the second contract is an agreement between the third organization and the first organization that uses the device; and control the device to process the processing request based on the acquired second usage condition.
2. The information processing apparatus according to claim 1, wherein the second usage condition is acquired based on the processing request.
3. The information processing apparatus according to claim 2, wherein the processing request includes the second usage condition, and the second usage condition is acquired from the processing request.
4. The information processing apparatus according to claim 2, wherein the processing request includes information associated with the second usage condition, and the information is acquired from the processing request, and the second usage condition is acquired from the acquired information.
5. The information processing apparatus according to claim 4, wherein the information is information indicating an acquisition destination of the second usage condition.
6. The information processing apparatus according to claim 1, further comprising: a storage unit that stores a process performed based on the second usage condition as history information.
7. The information processing apparatus according to claim 6, wherein the processor is configured to: in a case where the second usage condition is acquired, store the second usage condition in the storage unit.
8. The information processing apparatus according to claim 1, wherein a case where the processing request does not correspond to the first usage condition is a process related to image processing.
9. The information processing apparatus according to claim 8, wherein the process related to image processing includes color printing, a maximum number of printed sheets, or scanned image transfer.
10. The information processing apparatus according to claim 8, wherein the process related to image processing includes a process related to security.
11. The information processing apparatus according to claim 1, wherein, in a case where the processing request is received from a user who is not contracted with the third organization, the received processing request is processed with the user as a guest user.
12. The information processing apparatus according to claim 11, wherein the guest user is limited in functions that can be used as compared with the first usage condition.
13. The information processing apparatus according to claim 12, wherein the limited function includes color printing, a maximum number of printed sheets, or scanned image transfer.
14. The information processing apparatus according to claim 12, wherein a process related to security is applied without limitation.
15. The information processing apparatus according to claim 1, wherein the processor is configured to: in a case where it is not possible to correspond to the acquired second usage condition, not execute the received processing request.
16. A non-transitory computer readable medium storing a program causing a computer to execute a process comprising: receiving a processing request for a device from a user who belongs to a first organization; acquiring, in a case where the received processing request does not correspond to a first usage condition based on a first contract, a second usage condition based on a second contract,

wherein the first contract is an agreement between a second organization that manages the device and a third organization that provides the device, and the second contract is an agreement between the third organization and the first organization that uses the device; and controlling the device to process the processing request based on the acquired second usage condition.

17. An information processing method comprising: receiving a processing request for a device from a user who belongs to a first organization; acquiring, in a case where the received processing request does not correspond to a first usage condition based on a first contract, a second usage condition based on a second contract, wherein the first contract is an agreement between a second organization that manages the device and a third organization that provides the device, and the second contract is an agreement between the third organization and the first organization that uses the device; and controlling the device to process the processing request based on the acquired second usage condition.
