



US0D1091642S

(12) **United States Design Patent** (10) **Patent No.: US D1,091,642 S**
Brauchle et al. (45) **Date of Patent: ** Sep. 2, 2025**

(54) **JOYSTICK**

(71) Applicant: **elobau GmbH & Co. KG**, Leutkirch (DE)

(72) Inventors: **Oliver Brauchle**, Bad Waldsee (DE); **Eduard Zang**, Aulendorf (DE); **Steffen Zodel**, Leutkirch (DE); **Florian Morent**, Leutkirch (DE); **Dominik Schwarz**, Waltenhofen (DE); **Christian Angermann**, Dresden (DE)

(73) Assignee: **Elobau GmbH & Co. KG**, Leutkirch (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/931,378**

(22) Filed: **Mar. 6, 2024**

(30) **Foreign Application Priority Data**

Oct. 16, 2023 (EM) 015037129-0004

(51) **LOC (15) Cl.** **15-01**

(52) **U.S. Cl.** **D15/28**
USPC

(58) **Field of Classification Search**

USPC D15/11, 21, 28, 17, 18, 142

CPC E02F 9/2004; E02F 9/2296; E02F 9/265;

E02F 9/205; E02F 9/2292; E02F 9/264;

E02F 9/26; E02F 9/2228; E02F 9/2235;

E02F 9/262; E02F 9/2267; E02F 3/435;

E02F 9/2285; E02F 9/2012; E02F 9/2217;

E02F 9/2203; E02F 9/2253; E02F 9/2025;

E02F 3/3414; E02F 9/2246; E02F 3/32;

E02F 9/2029; E02F 9/24; E02F 3/437;

E02F 3/844; E02F 9/267; E02F 9/225;

E02F 9/261; E02F 9/2033; E02F 3/431;

E02F 9/0841; E02F 9/2271; E02F 9/2045;

E02F 3/434; E02F 9/226; E02F 9/16;

E02F 9/166; E02F 9/22; E02F 9/2041;

E02F 9/2289; E02F 9/123; E02F 9/2221;

E02F 3/964; E02F 9/2242; E02F 9/02;
E02F 9/2054; E02F 3/841; E02F 3/34;
E02F 3/422; E02F 3/96; E02F 9/2037;
E02F 3/46; E02F 9/2087; E02F 3/432;
E02F 3/7609; E02F 9/2207; E02F 9/2066;
E02F 3/308; E02F 9/2095; E02F 3/439;
E02F 3/845; E02F 9/207; E02F 9/2079;
E02F 3/283; E02F 9/2275; E02F 3/3417;
E02F 9/163; E02F 9/2075; E02F 3/325;
E02F 9/0866; E02F 9/0858; E02F 9/2225;
E02F 3/847; E02F 9/20; E02F 3/764;
E02F 9/0808; E02F 9/268; E02F 3/43;
E02F 3/7618;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D598,023 S * 8/2009 Miller D12/174

D635,155 S * 3/2011 Blind D15/28

(Continued)

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Notaro, Michalos & Zaccaria P.C.

(57) **CLAIM**

The ornamental design for a joystick as shown and described.

DESCRIPTION

FIG. 1 is a front view of a joystick, showing the new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right view thereof;


FIG. 5 is a top front view thereof;

FIG. 6 is a front left perspective view thereof; and,

FIG. 7 is a bottom rear view thereof.

The broken lines define the bounds of the claimed design and form no part thereof.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC E02F 9/2282; E02F 3/7636; E02F 9/2232;
E02F 9/0891; E02F 3/3405; E02F 3/7645;
E02F 3/765; E02F 9/202; E02F 9/2058;
E02F 9/2214; E02F 3/961; E02F 3/425;
E02F 9/0883

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D640,258	S	*	6/2011	Hobenshield	D21/333
D645,046	S	*	9/2011	Hobenshield	D21/333
D922,448	S	*	6/2021	Ritchie	D15/28
D934,305	S	*	10/2021	Roy	D15/28
D1,015,383	S	*	2/2024	Graham	D15/28
D1,021,969	S	*	4/2024	Pohren	D15/28
D1,021,970	S	*	4/2024	Pohren	D15/28

* cited by examiner




FIG. 1





FIG. 2

FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7