

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent
Kind Code
Date of Patent
Inventor(s)

12408856
B1
September 09, 2025
Kumar; Uday N. et al.

Device features and design elements for long-term adhesion

Abstract

An electronic device for long-term adhesion to a mammal includes a housing with an electronic component. The electronic device may include a first wing and a second wing, each being integrally formed with the housing. An electrode is positioned on a bottom surface of each of the wings, the electrodes electrically connected to the electronic component. An adhesive layer is provided for adhesion to a surface of the mammal. The adhesive layer may cover a portion of the bottom surfaces of the wings but generally does not cover the electrode or a bottom surface of the housing. A method of applying an electronic device to a mammal includes removing first and second adhesive covers from first and second wings of the electronic device to expose an electrode and an adhesive coated on a bottom surface of each wing.

Inventors: Kumar; Uday N. (San Francisco, CA), Livingston; Peter H. (San Francisco, CA), Day; Mark J. (San Francisco, CA), Park; Shena Hae (San Francisco, CA), Willis; William F. (San Francisco, CA), Righter; William H. (San Francisco, CA)

Applicant: iRhythm Technologies, Inc. (San Francisco, CA)

Family ID: 44911602

Assignee: iRhythm Technologies, Inc. (San Francisco, CA)

Appl. No.: 19/212547

Filed: May 19, 2025

Related U.S. Application Data

continuation parent-doc US 18806584 20240815 US 12303277 child-doc US 19212547
continuation parent-doc US 17304811 20210625 US 12133734 20241105 child-doc US 18806584
continuation parent-doc US 16723208 20191220 US 11141091 20211012 child-doc US 17304811
continuation parent-doc US 16138819 20180921 US 10517500 20191231 child-doc US 16723208
continuation parent-doc US 15005854 20160125 US 10405799 20190910 child-doc US 16138819
continuation parent-doc US 13890144 20130508 US 9241649 20160126 child-doc US 15005854

Publication Classification

Int. Cl.: **A61B5/05** (20210101); **A61B5/00** (20060101); **A61B5/25** (20210101); **A61B5/259** (20210101); **A61B5/282** (20210101); **A61B5/291** (20210101); A61B5/389 (20210101)

U.S. Cl.:

CPC **A61B5/282** (20210101); **A61B5/25** (20210101); **A61B5/259** (20210101); **A61B5/291** (20210101); **A61B5/6832** (20130101); **A61B5/6833** (20130101); **A61B5/68335** (20170801); A61B5/389 (20210101); A61B2560/0406 (20130101); A61B2560/0468 (20130101); Y10T156/10 (20150115)

Field of Classification Search

CPC: A61B (5/0006); A61B (5/1118); A61B (5/6833); A61B (5/282); A61B (2560/0412); A61B (5/053); A61B (5/369); A61B (5/308); A61B (5/6804); A61N (1/0492); A61N (1/0476)

USPC: 600/372; 600/382-393; 600/508-509

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1497079	12/1923	Gullborg	N/A	N/A
2179922	12/1938	Dana	N/A	N/A
2201645	12/1939	Epner	N/A	N/A
2311060	12/1942	LurRAIN	N/A	N/A
2444552	12/1947	Sigurd	N/A	N/A
2500840	12/1949	Lyons	N/A	N/A
3215136	12/1964	Holter et al.	N/A	N/A
3547107	12/1969	Chapman et al.	N/A	N/A
3697706	12/1971	Huggard	N/A	N/A
3870034	12/1974	James	N/A	N/A
3882853	12/1974	Gofman	N/A	N/A
3911906	12/1974	Reinhold	N/A	N/A
4023312	12/1976	Stickney	N/A	N/A
4027664	12/1976	Heavner, Jr. et al.	N/A	N/A
4082087	12/1977	Howson	N/A	N/A
4121573	12/1977	Crovella et al.	N/A	N/A
4123785	12/1977	Cherry et al.	N/A	N/A
4126126	12/1977	Bare	N/A	N/A
4202139	12/1979	Hong et al.	N/A	N/A
4274419	12/1980	Tam et al.	N/A	N/A
4274420	12/1980	Hymes	N/A	N/A

4280507	12/1980	Rosenberg	N/A	N/A
4286610	12/1980	Jones	N/A	N/A
4333475	12/1981	Moreno et al.	N/A	N/A
4361990	12/1981	Link	N/A	N/A
4381792	12/1982	Busch	N/A	N/A
4438767	12/1983	Nelson	N/A	N/A
4459987	12/1983	Pangburn	N/A	N/A
4535783	12/1984	Marangoni	N/A	N/A
4537207	12/1984	Gilhaus	N/A	N/A
4572187	12/1985	Schettrumpf	N/A	N/A
4621465	12/1985	Pangburn	N/A	N/A
4622979	12/1985	Katchis et al.	N/A	N/A
4623206	12/1985	Fuller	N/A	N/A
4658826	12/1986	Weaver	N/A	N/A
4712552	12/1986	Pangburn	N/A	N/A
4736752	12/1987	Munck et al.	N/A	N/A
4763660	12/1987	Kroll et al.	N/A	N/A
4855294	12/1988	Patel	N/A	N/A
4925453	12/1989	Kannankeril	N/A	N/A
4938228	12/1989	Righter et al.	N/A	N/A
4981141	12/1990	Segalowitz	N/A	N/A
5003987	12/1990	Grinwald	N/A	N/A
5027824	12/1990	Dougherty et al.	N/A	N/A
5082851	12/1991	Appelbaum et al.	N/A	N/A
5086778	12/1991	Mueller et al.	N/A	N/A
5191891	12/1992	Righter	N/A	N/A
5205295	12/1992	Del Mar et al.	N/A	N/A
5226425	12/1992	Righter	N/A	N/A
5228450	12/1992	Sellers	N/A	N/A
5230119	12/1992	Woods et al.	N/A	N/A
5289824	12/1993	Mills et al.	N/A	N/A
5305746	12/1993	Fendrock	N/A	N/A
5309909	12/1993	Gadsby	N/A	N/A
5328935	12/1993	Van Phan	N/A	N/A
5365935	12/1993	Righter et al.	N/A	N/A
5458141	12/1994	Neil	N/A	N/A
5483967	12/1995	Ohtake	N/A	N/A
5489624	12/1995	Kantner et al.	N/A	N/A
5511548	12/1995	Riazzzi et al.	N/A	N/A
5511553	12/1995	Segalowitz	N/A	N/A
5515858	12/1995	Myllymaki	N/A	N/A
5536768	12/1995	Kantner et al.	N/A	N/A
5581369	12/1995	Righter et al.	N/A	N/A
5626140	12/1996	Feldman et al.	N/A	N/A
5634468	12/1996	Platt et al.	N/A	N/A
5645063	12/1996	Straka	N/A	N/A
5645068	12/1996	Mezack et al.	N/A	N/A
5730143	12/1997	Schwarzberg	N/A	N/A
5749365	12/1997	Magill	N/A	N/A
5749367	12/1997	Gamlyn et al.	N/A	N/A

5771524	12/1997	Woods et al.	N/A	N/A
5772604	12/1997	Langberg et al.	N/A	N/A
5776072	12/1997	Hsu et al.	N/A	N/A
5881743	12/1998	Nadel	N/A	N/A
D408541	12/1998	Dunshee et al.	N/A	N/A
5916239	12/1998	Geddes et al.	N/A	N/A
5931791	12/1998	Saltzstein et al.	N/A	N/A
5941829	12/1998	Saltzstein et al.	N/A	N/A
5957854	12/1998	Besson et al.	N/A	N/A
5959529	12/1998	Kail	N/A	N/A
6013007	12/1999	Root et al.	N/A	N/A
6032060	12/1999	Carim	N/A	N/A
6038464	12/1999	Axelgaard et al.	N/A	N/A
6038469	12/1999	Karlsson et al.	N/A	N/A
6044515	12/1999	Zygmunt	N/A	N/A
6093146	12/1999	Filangeri	N/A	N/A
D429336	12/1999	Francis et al.	N/A	N/A
6102856	12/1999	Groff et al.	N/A	N/A
6117077	12/1999	Del Mar et al.	N/A	N/A
6121508	12/1999	Bischof	N/A	N/A
6132371	12/1999	Dempsey et al.	N/A	N/A
6134480	12/1999	Minogue	N/A	N/A
6136008	12/1999	Becker et al.	N/A	N/A
6161036	12/1999	Matsumura et al.	N/A	N/A
6169915	12/2000	Krumbiegel et al.	N/A	N/A
6178357	12/2000	Gliner et al.	N/A	N/A
6200265	12/2000	Walsh et al.	N/A	N/A
6223080	12/2000	Thompson	N/A	N/A
6225901	12/2000	Kail	N/A	N/A
6232366	12/2000	Wang et al.	N/A	N/A
6238338	12/2000	DeLuca et al.	N/A	N/A
6248115	12/2000	Halk	N/A	N/A
6287252	12/2000	Lugo	N/A	N/A
6290707	12/2000	Street	N/A	N/A
6315719	12/2000	Rode et al.	N/A	N/A
6379237	12/2001	Gordon	N/A	N/A
6385473	12/2001	Haines et al.	N/A	N/A
6389308	12/2001	Shusterman	N/A	N/A
6416471	12/2001	Kumar et al.	N/A	N/A
6434410	12/2001	Cordero et al.	N/A	N/A
6441747	12/2001	Khair et al.	N/A	N/A
6453186	12/2001	Lovejoy et al.	N/A	N/A
6454708	12/2001	Ferguson et al.	N/A	N/A
6456871	12/2001	Hsu et al.	N/A	N/A
6456872	12/2001	Faisandier	N/A	N/A
6464815	12/2001	Beaudry	N/A	N/A
6493898	12/2001	Woods et al.	N/A	N/A
6496705	12/2001	Ng et al.	N/A	N/A
6510339	12/2002	Kovtun et al.	N/A	N/A
6546285	12/2002	Owen et al.	N/A	N/A

6564090	12/2002	Taha et al.	N/A	N/A
6569095	12/2002	Eggers	N/A	N/A
6577893	12/2002	Besson et al.	N/A	N/A
6580942	12/2002	Willshire	N/A	N/A
6585707	12/2002	Cabiri et al.	N/A	N/A
6589170	12/2002	Flach et al.	N/A	N/A
6589187	12/2002	Dimberger et al.	N/A	N/A
6605046	12/2002	Del Mar et al.	N/A	N/A
6615083	12/2002	Kupper	N/A	N/A
6622035	12/2002	Merilainen	N/A	N/A
6626865	12/2002	Prisell	N/A	N/A
6656125	12/2002	Mischynski et al.	N/A	N/A
6664893	12/2002	Eveland et al.	N/A	N/A
6665385	12/2002	Rogers et al.	N/A	N/A
6690959	12/2003	Thompson	N/A	N/A
6694177	12/2003	Eggers et al.	N/A	N/A
6701184	12/2003	Henkin	N/A	N/A
6711427	12/2003	Ketelhohn	N/A	N/A
6730028	12/2003	Eppstein	N/A	N/A
D492607	12/2003	Curkovic et al.	N/A	N/A
6773396	12/2003	Flach et al.	N/A	N/A
6775566	12/2003	Nissila	N/A	N/A
6801137	12/2003	Eggers	N/A	N/A
6801802	12/2003	Sitzman et al.	N/A	N/A
6871089	12/2004	Korzinov et al.	N/A	N/A
6871211	12/2004	Labounty et al.	N/A	N/A
6875174	12/2004	Braun et al.	N/A	N/A
6881191	12/2004	Oakley et al.	N/A	N/A
6893396	12/2004	Schulze et al.	N/A	N/A
6897788	12/2004	Khair et al.	N/A	N/A
6904312	12/2004	Bardy	N/A	N/A
6925324	12/2004	Shusterman	N/A	N/A
6940403	12/2004	Kail	N/A	N/A
6954163	12/2004	Toumazou et al.	N/A	N/A
6957107	12/2004	Rogers et al.	N/A	N/A
6987965	12/2005	Ng et al.	N/A	N/A
7002468	12/2005	Eveland et al.	N/A	N/A
7020508	12/2005	Stivoric et al.	N/A	N/A
7024248	12/2005	Penner et al.	N/A	N/A
7031770	12/2005	Collins et al.	N/A	N/A
7072708	12/2005	Andresen et al.	N/A	N/A
7072709	12/2005	Xue	N/A	N/A
7076283	12/2005	Cho et al.	N/A	N/A
7076287	12/2005	Rowlandson	N/A	N/A
7076288	12/2005	Skinner	N/A	N/A
7076289	12/2005	Sarkar et al.	N/A	N/A
7079977	12/2005	Osorio et al.	N/A	N/A
7082327	12/2005	Houben	N/A	N/A
7089048	12/2005	Matsumura et al.	N/A	N/A
7099715	12/2005	Korzinov et al.	N/A	N/A

7117031	12/2005	Lohman et al.	N/A	N/A
7120485	12/2005	Glass et al.	N/A	N/A
7130396	12/2005	Rogers et al.	N/A	N/A
7161484	12/2006	Tsoukalis	N/A	N/A
7171166	12/2006	Ng et al.	N/A	N/A
7179152	12/2006	Rhoades	N/A	N/A
7186264	12/2006	Liddicoat et al.	N/A	N/A
7193264	12/2006	Lande	N/A	N/A
7194300	12/2006	Korzinov	N/A	N/A
7206630	12/2006	Tarler	N/A	N/A
7212850	12/2006	Prystowsky et al.	N/A	N/A
7222054	12/2006	Geva	N/A	N/A
7242318	12/2006	Harris	N/A	N/A
7266361	12/2006	Burdett	N/A	N/A
7316671	12/2007	Lastovich et al.	N/A	N/A
7349947	12/2007	Slage et al.	N/A	N/A
D567949	12/2007	Lash et al.	N/A	N/A
7354423	12/2007	Zelickson et al.	N/A	N/A
7387607	12/2007	Holt et al.	N/A	N/A
7444177	12/2007	Nazeri	N/A	N/A
D584414	12/2008	Lash et al.	N/A	N/A
7477933	12/2008	Ueyama	N/A	N/A
7478108	12/2008	Townsend et al.	N/A	N/A
7481772	12/2008	Banet	N/A	N/A
7482314	12/2008	Grimes et al.	N/A	N/A
7502643	12/2008	Farringdon et al.	N/A	N/A
7539533	12/2008	Tran	N/A	N/A
7542878	12/2008	Nanikashvili	N/A	N/A
D600351	12/2008	Phillips et al.	N/A	N/A
7587237	12/2008	Korzinov et al.	N/A	N/A
7630756	12/2008	Linker	N/A	N/A
7632174	12/2008	Gringer et al.	N/A	N/A
D607570	12/2009	Phillips et al.	N/A	N/A
7672714	12/2009	Kuo et al.	N/A	N/A
7715905	12/2009	Kurzweil et al.	N/A	N/A
D618357	12/2009	Navies	N/A	N/A
7729753	12/2009	Kremliovsky et al.	N/A	N/A
7733224	12/2009	Tran	N/A	N/A
D621048	12/2009	Severe et al.	N/A	N/A
7815494	12/2009	Gringer et al.	N/A	N/A
7841039	12/2009	Squire	N/A	N/A
7889070	12/2010	Reeves et al.	N/A	N/A
7894888	12/2010	Chan et al.	N/A	N/A
D634431	12/2010	Severe et al.	N/A	N/A
7904133	12/2010	Gehman et al.	N/A	N/A
7907956	12/2010	Uhlik	N/A	N/A
7907996	12/2010	Prystowsky et al.	N/A	N/A
7941207	12/2010	Korzinov	N/A	N/A
D639437	12/2010	Bishay et al.	N/A	N/A
7970450	12/2010	Kroecker et al.	N/A	N/A

7979111	12/2010	Acquista	N/A	N/A
7996075	12/2010	Korzinov et al.	N/A	N/A
7996187	12/2010	Nanikashvili et al.	N/A	N/A
8002701	12/2010	John et al.	N/A	N/A
D645968	12/2010	Kasabach et al.	N/A	N/A
D650911	12/2010	Odeh	N/A	N/A
8077042	12/2010	Peeters	N/A	N/A
8103333	12/2011	Tran	N/A	N/A
8108036	12/2011	Tran	N/A	N/A
8116841	12/2011	Bly et al.	N/A	N/A
8150502	12/2011	Kumar et al.	N/A	N/A
8156945	12/2011	Hart	N/A	N/A
8160682	12/2011	Kumar et al.	N/A	N/A
D659836	12/2011	Bensch et al.	N/A	N/A
8170639	12/2011	Hauge	N/A	N/A
8200319	12/2011	Pu et al.	N/A	N/A
D663432	12/2011	Nichols	N/A	N/A
8214007	12/2011	Baker et al.	N/A	N/A
8244335	12/2011	Kumar et al.	N/A	N/A
8249686	12/2011	Libbus et al.	N/A	N/A
8261754	12/2011	Pitstick	N/A	N/A
8265907	12/2011	Nanikashvili et al.	N/A	N/A
RE43767	12/2011	Eggers et al.	N/A	N/A
8280749	12/2011	Hsieh et al.	N/A	N/A
8285356	12/2011	Bly et al.	N/A	N/A
8290129	12/2011	Rogers et al.	N/A	N/A
8290574	12/2011	Field et al.	N/A	N/A
8301219	12/2011	Chen et al.	N/A	N/A
8301236	12/2011	Baumann et al.	N/A	N/A
8311604	12/2011	Rowlandson et al.	N/A	N/A
8315687	12/2011	Cross et al.	N/A	N/A
8315695	12/2011	Sebelius et al.	N/A	N/A
8323188	12/2011	Tran	N/A	N/A
8326394	12/2011	Rowlandson et al.	N/A	N/A
8326407	12/2011	Linker	N/A	N/A
8328718	12/2011	Tran	N/A	N/A
D674009	12/2012	Nichols	N/A	N/A
8343116	12/2012	Ignon	N/A	N/A
8369936	12/2012	Farringdon et al.	N/A	N/A
8374688	12/2012	Libbus et al.	N/A	N/A
8386009	12/2012	Lindberg et al.	N/A	N/A
8388543	12/2012	Chon et al.	N/A	N/A
8406843	12/2012	Tiegs et al.	N/A	N/A
8412317	12/2012	Mazar	N/A	N/A
8417326	12/2012	Chon et al.	N/A	N/A
8425414	12/2012	Eveland	N/A	N/A
D682437	12/2012	Olson et al.	N/A	N/A
8449471	12/2012	Tran	N/A	N/A
8452356	12/2012	Vestel et al.	N/A	N/A
8460189	12/2012	Libbus et al.	N/A	N/A

8473039	12/2012	Michelson et al.	N/A	N/A
8473047	12/2012	Chakravarthy et al.	N/A	N/A
8478418	12/2012	Fahey	N/A	N/A
8483809	12/2012	Kim et al.	N/A	N/A
8500636	12/2012	Tran	N/A	N/A
8515529	12/2012	Pu et al.	N/A	N/A
8525673	12/2012	Tran	N/A	N/A
8535223	12/2012	Corroy et al.	N/A	N/A
8538503	12/2012	Kumar et al.	N/A	N/A
8540731	12/2012	Kay	N/A	N/A
8560046	12/2012	Kumar et al.	N/A	N/A
8562527	12/2012	Braun et al.	N/A	N/A
8571645	12/2012	Wu et al.	N/A	N/A
8588908	12/2012	Moorman et al.	N/A	N/A
8591430	12/2012	Amurthur et al.	N/A	N/A
8591599	12/2012	Kaliki	N/A	N/A
8594763	12/2012	Bibian	N/A	N/A
8626262	12/2013	McGusty et al.	N/A	N/A
8639319	12/2013	Hugh et al.	N/A	N/A
8668643	12/2013	Kinast	N/A	N/A
8684900	12/2013	Tran	N/A	N/A
8684925	12/2013	Amurthur et al.	N/A	N/A
8688189	12/2013	Shennib	N/A	N/A
8688190	12/2013	Libbus et al.	N/A	N/A
8688202	12/2013	Brockway et al.	N/A	N/A
8718742	12/2013	Beck et al.	N/A	N/A
8718752	12/2013	Libbus et al.	N/A	N/A
8718753	12/2013	Chon et al.	N/A	N/A
8731632	12/2013	Sereboff et al.	N/A	N/A
8738118	12/2013	Moon et al.	N/A	N/A
8744561	12/2013	Fahey	N/A	N/A
8755876	12/2013	Chon et al.	N/A	N/A
8782308	12/2013	Vlach	N/A	N/A
8789727	12/2013	Mortazavi	N/A	N/A
8790257	12/2013	Libbus et al.	N/A	N/A
8795174	12/2013	Manicka et al.	N/A	N/A
8818481	12/2013	Bly et al.	N/A	N/A
8823490	12/2013	Libbus et al.	N/A	N/A
8838218	12/2013	Khair	N/A	N/A
8858450	12/2013	Chon et al.	N/A	N/A
8874185	12/2013	Sonnenborg	N/A	N/A
D719267	12/2013	Vaccarella	N/A	N/A
8903477	12/2013	Berkner	N/A	N/A
8903484	12/2013	Mazar	N/A	N/A
8909328	12/2013	Chon	N/A	N/A
8909330	12/2013	McCombie et al.	N/A	N/A
8909332	12/2013	Vitali et al.	N/A	N/A
8909333	12/2013	Rossi	N/A	N/A
8909832	12/2013	Vlach et al.	N/A	N/A
8926509	12/2014	Magar et al.	N/A	N/A

8945019	12/2014	Prystowsky et al.	N/A	N/A
8948854	12/2014	Friedman et al.	N/A	N/A
8954129	12/2014	Schlegel et al.	N/A	N/A
8956293	12/2014	McCombie et al.	N/A	N/A
8968195	12/2014	Tran	N/A	N/A
8972000	12/2014	Manera	N/A	N/A
8979755	12/2014	Szydlo-Moore et al.	N/A	N/A
9014777	12/2014	Woo	N/A	N/A
9015008	12/2014	Geva et al.	N/A	N/A
9017255	12/2014	Raptis et al.	N/A	N/A
9017256	12/2014	Gottesman	N/A	N/A
9021161	12/2014	Vlach et al.	N/A	N/A
9021165	12/2014	Vlach	N/A	N/A
9026190	12/2014	Shenasa et al.	N/A	N/A
9037223	12/2014	Oral et al.	N/A	N/A
9044148	12/2014	Michelson et al.	N/A	N/A
9084548	12/2014	Bouguerra	N/A	N/A
9095274	12/2014	Fein et al.	N/A	N/A
9101264	12/2014	Acquista	N/A	N/A
9138144	12/2014	Geva	N/A	N/A
9149228	12/2014	Kinast	N/A	N/A
9173670	12/2014	Sepulveda et al.	N/A	N/A
9179851	12/2014	Baumann et al.	N/A	N/A
D744659	12/2014	Bishay et al.	N/A	N/A
9211076	12/2014	Kim	N/A	N/A
9226679	12/2015	Balda	N/A	N/A
9241649	12/2015	Kumar et al.	N/A	N/A
9241650	12/2015	Amirim	N/A	N/A
9277864	12/2015	Yang et al.	N/A	N/A
9282894	12/2015	Banet et al.	N/A	N/A
9307921	12/2015	Friedman et al.	N/A	N/A
9345414	12/2015	Bardy et al.	N/A	N/A
9355215	12/2015	Vlach	N/A	N/A
D759653	12/2015	Toth et al.	N/A	N/A
9357939	12/2015	Nosrati	N/A	N/A
9364150	12/2015	Sebelius et al.	N/A	N/A
9364155	12/2015	Bardy et al.	N/A	N/A
9398853	12/2015	Nanikashvili	N/A	N/A
9408545	12/2015	Felix et al.	N/A	N/A
9408551	12/2015	Bardy et al.	N/A	N/A
9408576	12/2015	Chon et al.	N/A	N/A
9414753	12/2015	Chon et al.	N/A	N/A
9414786	12/2015	Brockway et al.	N/A	N/A
D766447	12/2015	Bishay et al.	N/A	N/A
9433367	12/2015	Felix et al.	N/A	N/A
9433380	12/2015	Bishay et al.	N/A	N/A
9439566	12/2015	Arne et al.	N/A	N/A
9439599	12/2015	Thompson et al.	N/A	N/A
9445719	12/2015	Libbus et al.	N/A	N/A
9451890	12/2015	Gitlin et al.	N/A	N/A

9451975	12/2015	Sepulveda et al.	N/A	N/A
9474445	12/2015	Eveland	N/A	N/A
9474461	12/2015	Fisher et al.	N/A	N/A
9478998	12/2015	Lapetina et al.	N/A	N/A
D773056	12/2015	Vlach	N/A	N/A
9492084	12/2015	Behar et al.	N/A	N/A
9504423	12/2015	Bardy et al.	N/A	N/A
D775361	12/2015	Vosch et al.	N/A	N/A
9510764	12/2015	Li et al.	N/A	N/A
9510768	12/2015	Rossi	N/A	N/A
9526433	12/2015	Lapetina et al.	N/A	N/A
9545204	12/2016	Bishay et al.	N/A	N/A
9545228	12/2016	Bardy et al.	N/A	N/A
9554715	12/2016	Bardy et al.	N/A	N/A
9579020	12/2016	Libbus et al.	N/A	N/A
D780914	12/2016	Kyvik et al.	N/A	N/A
9585584	12/2016	Marek et al.	N/A	N/A
9597004	12/2016	Hughes et al.	N/A	N/A
9615763	12/2016	Felix et al.	N/A	N/A
9615793	12/2016	Solosko et al.	N/A	N/A
9619660	12/2016	Felix et al.	N/A	N/A
9642537	12/2016	Felix et al.	N/A	N/A
9655518	12/2016	Lin	N/A	N/A
9655537	12/2016	Bardy et al.	N/A	N/A
9655538	12/2016	Felix	N/A	N/A
9662030	12/2016	Thng et al.	N/A	N/A
9675264	12/2016	Acquista et al.	N/A	N/A
9700227	12/2016	Bishay et al.	N/A	N/A
9706938	12/2016	Chakravarthy et al.	N/A	N/A
9706956	12/2016	Brockway et al.	N/A	N/A
9713428	12/2016	Chon et al.	N/A	N/A
D793566	12/2016	Bishay et al.	N/A	N/A
D794812	12/2016	Matsushita	N/A	N/A
9717432	12/2016	Bardy et al.	N/A	N/A
9717433	12/2016	Felix et al.	N/A	N/A
9730593	12/2016	Bardy et al.	N/A	N/A
9730604	12/2016	Li et al.	N/A	N/A
9730641	12/2016	Felix et al.	N/A	N/A
9736625	12/2016	Landgraf et al.	N/A	N/A
9737211	12/2016	Bardy et al.	N/A	N/A
9737224	12/2016	Bardy et al.	N/A	N/A
D797301	12/2016	Chen	N/A	N/A
D797943	12/2016	Long	N/A	N/A
D798170	12/2016	Toth et al.	N/A	N/A
D798294	12/2016	Toth et al.	N/A	N/A
9775534	12/2016	Korzinov et al.	N/A	N/A
9775536	12/2016	Felix et al.	N/A	N/A
9782095	12/2016	Ylostalo et al.	N/A	N/A
9782132	12/2016	Golda et al.	N/A	N/A
9788722	12/2016	Bardy et al.	N/A	N/A

9801562	12/2016	Host-Madsen	N/A	N/A
9820665	12/2016	Felix et al.	N/A	N/A
9839363	12/2016	Albert	N/A	N/A
D810308	12/2017	Lind et al.	N/A	N/A
D811610	12/2017	Abel et al.	N/A	N/A
D811611	12/2017	Lind et al.	N/A	N/A
D811615	12/2017	Lind et al.	N/A	N/A
9888866	12/2017	Chon et al.	N/A	N/A
9907478	12/2017	Friedman et al.	N/A	N/A
9936875	12/2017	Bardy et al.	N/A	N/A
9955885	12/2017	Felix et al.	N/A	N/A
9955887	12/2017	Hughes et al.	N/A	N/A
9955888	12/2017	Felix et al.	N/A	N/A
9955911	12/2017	Bardy et al.	N/A	N/A
9968274	12/2017	Korzinov et al.	N/A	N/A
9986921	12/2017	Chon et al.	N/A	N/A
10004415	12/2017	Bishay et al.	N/A	N/A
D823466	12/2017	Marogil	N/A	N/A
D824526	12/2017	Ramjit et al.	N/A	N/A
10045709	12/2017	Bardy et al.	N/A	N/A
10052022	12/2017	Bardy et al.	N/A	N/A
10076257	12/2017	Lin et al.	N/A	N/A
10095841	12/2017	Dettinger et al.	N/A	N/A
10098559	12/2017	Hughes et al.	N/A	N/A
10111601	12/2017	Bishay et al.	N/A	N/A
10123703	12/2017	Bardy et al.	N/A	N/A
10154793	12/2017	Felix et al.	N/A	N/A
10165946	12/2018	Bardy et al.	N/A	N/A
10172534	12/2018	Felix et al.	N/A	N/A
10176575	12/2018	Isgum et al.	N/A	N/A
10251575	12/2018	Bardy et al.	N/A	N/A
10251576	12/2018	Bardy et al.	N/A	N/A
10264992	12/2018	Felix et al.	N/A	N/A
10265015	12/2018	Bardy et al.	N/A	N/A
10270898	12/2018	Soli et al.	N/A	N/A
10271754	12/2018	Bahney et al.	N/A	N/A
10271755	12/2018	Felix et al.	N/A	N/A
10271756	12/2018	Felix et al.	N/A	N/A
10278603	12/2018	Felix et al.	N/A	N/A
10278606	12/2018	Bishay et al.	N/A	N/A
10278607	12/2018	Prystowsky et al.	N/A	N/A
10299691	12/2018	Hughes et al.	N/A	N/A
10321823	12/2018	Chakravarthy et al.	N/A	N/A
10327657	12/2018	Spencer et al.	N/A	N/A
D852965	12/2018	Bahney et al.	N/A	N/A
D854167	12/2018	Bahney et al.	N/A	N/A
10362467	12/2018	Landgraf et al.	N/A	N/A
10368808	12/2018	Lee et al.	N/A	N/A
10376172	12/2018	Kuppuraj et al.	N/A	N/A
10390700	12/2018	Bardy et al.	N/A	N/A

10398344	12/2018	Felix et al.	N/A	N/A
10405799	12/2018	Kumar et al.	N/A	N/A
10413205	12/2018	Bardy et al.	N/A	N/A
10426634	12/2018	Al-Jazaeri et al.	N/A	N/A
10433743	12/2018	Felix et al.	N/A	N/A
10433748	12/2018	Bishay et al.	N/A	N/A
10433751	12/2018	Bardy et al.	N/A	N/A
10441184	12/2018	Baumann et al.	N/A	N/A
10463269	12/2018	Boleyn et al.	N/A	N/A
10478083	12/2018	Felix et al.	N/A	N/A
10499812	12/2018	Bardy et al.	N/A	N/A
10517500	12/2018	Kumar et al.	N/A	N/A
10555683	12/2019	Bahney et al.	N/A	N/A
10561326	12/2019	Felix et al.	N/A	N/A
10561328	12/2019	Bishay	N/A	N/A
10568533	12/2019	Soli et al.	N/A	N/A
10588527	12/2019	McNamara et al.	N/A	N/A
10595371	12/2019	Gopalakrishnan et al.	N/A	N/A
10602942	12/2019	Shakur et al.	N/A	N/A
10602977	12/2019	Bardy et al.	N/A	N/A
10624551	12/2019	Bardy et al.	N/A	N/A
10660520	12/2019	Lin	N/A	N/A
10667712	12/2019	Park et al.	N/A	N/A
10729361	12/2019	Hoppe et al.	N/A	N/A
10758139	12/2019	Rapin et al.	N/A	N/A
10772521	12/2019	Korzinov et al.	N/A	N/A
10779744	12/2019	Rapin et al.	N/A	N/A
10813565	12/2019	Park et al.	N/A	N/A
10827938	12/2019	Fontanarava et al.	N/A	N/A
10866619	12/2019	Bushnell et al.	N/A	N/A
10869610	12/2019	Lu et al.	N/A	N/A
10987018	12/2020	Aga et al.	N/A	N/A
11004198	12/2020	Isgum et al.	N/A	N/A
11017887	12/2020	Finkelmeier et al.	N/A	N/A
11026632	12/2020	Narasimhan et al.	N/A	N/A
11051738	12/2020	Bahney et al.	N/A	N/A
11051743	12/2020	Felix et al.	N/A	N/A
11062804	12/2020	Selvaraj et al.	N/A	N/A
11083371	12/2020	Szabados et al.	N/A	N/A
11141091	12/2020	Uday et al.	N/A	N/A
11172882	12/2020	Upadhya et al.	N/A	N/A
11246523	12/2021	Abercrombie, II et al.	N/A	N/A
11246524	12/2021	Szabados et al.	N/A	N/A
11253185	12/2021	Szabados et al.	N/A	N/A
11253186	12/2021	Szabados et al.	N/A	N/A
11276491	12/2021	Petterson et al.	N/A	N/A
11289197	12/2021	Park et al.	N/A	N/A
11324420	12/2021	Selvaraj et al.	N/A	N/A
11324441	12/2021	Bardy et al.	N/A	N/A
11331034	12/2021	Rapin et al.	N/A	N/A

11337632	12/2021	Abercrombie, II et al.	N/A	N/A
11350864	12/2021	Abercrombie, II et al.	N/A	N/A
11350865	12/2021	Abercrombie, II et al.	N/A	N/A
11375941	12/2021	Szabados et al.	N/A	N/A
11382555	12/2021	Szabados et al.	N/A	N/A
11399760	12/2021	Abercrombie, II et al.	N/A	N/A
11445967	12/2021	Felix et al.	N/A	N/A
11497432	12/2021	Szabados et al.	N/A	N/A
11504041	12/2021	Abercrombie, II et al.	N/A	N/A
11589792	12/2022	Abercrombie, II et al.	N/A	N/A
11605458	12/2022	Park et al.	N/A	N/A
11627902	12/2022	Bahney et al.	N/A	N/A
11660037	12/2022	Felix et al.	N/A	N/A
D988518	12/2022	Levy et al.	N/A	N/A
11678832	12/2022	Boleyn et al.	N/A	N/A
11751789	12/2022	Abercrombie, II et al.	N/A	N/A
11756684	12/2022	Park et al.	N/A	N/A
11806150	12/2022	Abercrombie, II et al.	N/A	N/A
D1012295	12/2023	Peremen et al.	N/A	N/A
11925469	12/2023	Szabados et al.	N/A	N/A
12133731	12/2023	Abercrombie, II et al.	N/A	N/A
12133734	12/2023	Kumar et al.	N/A	N/A
12213791	12/2024	Abercrombie, II et al.	N/A	N/A
12245859	12/2024	Bahney et al.	N/A	N/A
12245860	12/2024	Bahney et al.	N/A	N/A
12274554	12/2024	Kumar et al.	N/A	N/A
2001/0056262	12/2000	Cabiri et al.	N/A	N/A
2002/0007126	12/2001	Nissila	N/A	N/A
2002/0026112	12/2001	Nissila et al.	N/A	N/A
2002/0067256	12/2001	Kail	N/A	N/A
2002/0082491	12/2001	Nissila	N/A	N/A
2002/0087167	12/2001	Winitsky	N/A	N/A
2002/0180605	12/2001	Ozguz et al.	N/A	N/A
2003/0069510	12/2002	Semler	N/A	N/A
2003/0083559	12/2002	Thompson	N/A	N/A
2003/0125786	12/2002	Gliner	N/A	N/A
2003/0149349	12/2002	Jensen	N/A	N/A
2003/0176795	12/2002	Harris et al.	N/A	N/A
2003/0195408	12/2002	Hastings	N/A	N/A
2003/0199811	12/2002	Sage, Jr. et al.	N/A	N/A
2003/0212319	12/2002	Magill	N/A	N/A
2004/0032957	12/2003	Mansy et al.	N/A	N/A
2004/0068195	12/2003	Massicotte et al.	N/A	N/A
2004/0077954	12/2003	Oakley et al.	N/A	N/A
2004/0082843	12/2003	Menon	N/A	N/A
2004/0187297	12/2003	Su	N/A	N/A
2004/0199063	12/2003	O'Neil	N/A	N/A
2004/0215091	12/2003	Lohman et al.	N/A	N/A
2004/0236202	12/2003	Burton	N/A	N/A
2004/0238819	12/2003	Maghribi et al.	N/A	N/A

2004/0254587	12/2003	Park	N/A	N/A
2004/0260189	12/2003	Eggers et al.	N/A	N/A
2005/0096513	12/2004	Ozguz et al.	N/A	N/A
2005/0101875	12/2004	Semler et al.	N/A	N/A
2005/0118246	12/2004	Wong et al.	N/A	N/A
2005/0119580	12/2004	Eveland	N/A	N/A
2005/0165323	12/2004	Montgomery et al.	N/A	N/A
2005/0204636	12/2004	Azar et al.	N/A	N/A
2005/0277841	12/2004	Shennib	N/A	N/A
2005/0280531	12/2004	Fadem et al.	N/A	N/A
2006/0030781	12/2005	Shennib	N/A	N/A
2006/0030782	12/2005	Shennib	N/A	N/A
2006/0047215	12/2005	Newman et al.	N/A	N/A
2006/0084883	12/2005	Linker	N/A	N/A
2006/0142648	12/2005	Banet et al.	N/A	N/A
2006/0142654	12/2005	Rytky	N/A	N/A
2006/0149156	12/2005	Cochran et al.	N/A	N/A
2006/0155173	12/2005	Anttila et al.	N/A	N/A
2006/0155183	12/2005	Kroecker et al.	N/A	N/A
2006/0155199	12/2005	Logier et al.	N/A	N/A
2006/0155200	12/2005	Ng et al.	N/A	N/A
2006/0161064	12/2005	Watrous et al.	N/A	N/A
2006/0161065	12/2005	Elion	N/A	N/A
2006/0161066	12/2005	Elion	N/A	N/A
2006/0161067	12/2005	Elion	N/A	N/A
2006/0161068	12/2005	Hastings et al.	N/A	N/A
2006/0167353	12/2005	Nazeri	N/A	N/A
2006/0224072	12/2005	Shennib	N/A	N/A
2006/0264767	12/2005	Shennib	N/A	N/A
2007/0003695	12/2006	Tregub et al.	N/A	N/A
2007/0010729	12/2006	Virtanen	N/A	N/A
2007/0027388	12/2006	Chou	N/A	N/A
2007/0088419	12/2006	Florina et al.	N/A	N/A
2007/0156054	12/2006	Korzinov et al.	N/A	N/A
2007/0208266	12/2006	Hadley	N/A	N/A
2007/0225611	12/2006	Kumar et al.	N/A	N/A
2007/0249946	12/2006	Kumar et al.	N/A	N/A
2007/0255153	12/2006	Kumar et al.	N/A	N/A
2007/0270678	12/2006	Fadem et al.	N/A	N/A
2007/0285868	12/2006	Lindberg et al.	N/A	N/A
2007/0293776	12/2006	Korzinov et al.	N/A	N/A
2007/0299325	12/2006	Farrell	N/A	N/A
2008/0039730	12/2007	Pu et al.	N/A	N/A
2008/0091089	12/2007	Guillory et al.	N/A	N/A
2008/0108890	12/2007	Teng et al.	N/A	N/A
2008/0114232	12/2007	Gazit	N/A	N/A
2008/0139953	12/2007	Baker et al.	N/A	N/A
2008/0167567	12/2007	Bashour et al.	N/A	N/A
2008/0214901	12/2007	Gehman et al.	N/A	N/A
2008/0275327	12/2007	Faarbaek et al.	N/A	N/A

2008/0281215	12/2007	Alhussiny	N/A	N/A
2008/0288026	12/2007	Cross et al.	N/A	N/A
2008/0309287	12/2007	Reed	N/A	N/A
2009/0048556	12/2008	Durand	N/A	N/A
2009/0062670	12/2008	Sterling et al.	N/A	N/A
2009/0062671	12/2008	Brockway	N/A	N/A
2009/0073991	12/2008	Landrum et al.	N/A	N/A
2009/0076336	12/2008	Mazar et al.	N/A	N/A
2009/0076340	12/2008	Libbus et al.	N/A	N/A
2009/0076341	12/2008	James et al.	N/A	N/A
2009/0076342	12/2008	Amurthur et al.	N/A	N/A
2009/0076343	12/2008	James et al.	N/A	N/A
2009/0076344	12/2008	Libbus et al.	N/A	N/A
2009/0076345	12/2008	Manicka et al.	N/A	N/A
2009/0076346	12/2008	James et al.	N/A	N/A
2009/0076349	12/2008	Libbus et al.	N/A	N/A
2009/0076350	12/2008	Bly et al.	N/A	N/A
2009/0076364	12/2008	Libbus et al.	N/A	N/A
2009/0076397	12/2008	Libbus et al.	N/A	N/A
2009/0076401	12/2008	Mazar et al.	N/A	N/A
2009/0076559	12/2008	Libbus et al.	N/A	N/A
2009/0182204	12/2008	Semler et al.	N/A	N/A
2009/0253975	12/2008	Tiegs	N/A	N/A
2009/0283300	12/2008	Grunthaner	N/A	N/A
2009/0292193	12/2008	Wijesiriwardana	N/A	N/A
2009/0292194	12/2008	Libbus et al.	N/A	N/A
2009/0306485	12/2008	Bell	N/A	N/A
2010/0001541	12/2009	Sugiyama	N/A	N/A
2010/0022864	12/2009	Cordero	N/A	N/A
2010/0042113	12/2009	Mah	N/A	N/A
2010/0049006	12/2009	Magar et al.	N/A	N/A
2010/0051039	12/2009	Ferrara	N/A	N/A
2010/0056881	12/2009	Libbus et al.	N/A	N/A
2010/0057056	12/2009	Gurtner	N/A	N/A
2010/0076533	12/2009	Dar et al.	N/A	N/A
2010/0081913	12/2009	Cross et al.	N/A	N/A
2010/0145359	12/2009	Keller	N/A	N/A
2010/0191310	12/2009	Bly	N/A	N/A
2010/0234716	12/2009	Engel	N/A	N/A
2010/0249625	12/2009	Lin	N/A	N/A
2010/0268103	12/2009	McNamara et al.	N/A	N/A
2010/0312131	12/2009	Naware et al.	N/A	N/A
2010/0331711	12/2009	Krauss et al.	N/A	N/A
2011/0021937	12/2010	Hugh et al.	N/A	N/A
2011/0087083	12/2010	Poeze et al.	N/A	N/A
2011/0098583	12/2010	Pandia et al.	N/A	N/A
2011/0119212	12/2010	De Bruin et al.	N/A	N/A
2011/0144470	12/2010	Mazar et al.	N/A	N/A
2011/0160601	12/2010	Wang et al.	N/A	N/A
2011/0166468	12/2010	Prystowsky et al.	N/A	N/A

2011/0190650	12/2010	McNair	N/A	N/A
2011/0218415	12/2010	Chen	N/A	N/A
2011/0237922	12/2010	Parker, III et al.	N/A	N/A
2011/0237924	12/2010	McGusty et al.	N/A	N/A
2011/0251504	12/2010	Tereshchenko et al.	N/A	N/A
2011/0279963	12/2010	Kumar et al.	N/A	N/A
2011/0306862	12/2010	Hayes-Gill	N/A	N/A
2012/0029307	12/2011	Paquet et al.	N/A	N/A
2012/0071730	12/2011	Romero	N/A	N/A
2012/0071731	12/2011	Gottesman	N/A	N/A
2012/0071743	12/2011	Todorov et al.	N/A	N/A
2012/0083670	12/2011	Rotondo et al.	N/A	N/A
2012/0088999	12/2011	Bishay et al.	N/A	N/A
2012/0101396	12/2011	Solosko et al.	N/A	N/A
2012/0108917	12/2011	Libbus et al.	N/A	N/A
2012/0108920	12/2011	Bly et al.	N/A	N/A
2012/0110226	12/2011	Vlach et al.	N/A	N/A
2012/0110228	12/2011	Vlach et al.	N/A	N/A
2012/0123232	12/2011	Najarian et al.	N/A	N/A
2012/0133162	12/2011	Sgobero	N/A	N/A
2012/0172676	12/2011	Penders et al.	N/A	N/A
2012/0197150	12/2011	Cao et al.	N/A	N/A
2012/0209102	12/2011	Ylotalo et al.	N/A	N/A
2012/0209126	12/2011	Amos et al.	N/A	N/A
2012/0215123	12/2011	Kumar et al.	N/A	N/A
2012/0220835	12/2011	Chung	N/A	N/A
2012/0259233	12/2011	Chan et al.	N/A	N/A
2012/0271141	12/2011	Davies	N/A	N/A
2012/0310070	12/2011	Kumar et al.	N/A	N/A
2012/0316532	12/2011	McCormick	N/A	N/A
2012/0323257	12/2011	Sutton	N/A	N/A
2012/0330126	12/2011	Hoppe et al.	N/A	N/A
2013/0023816	12/2012	Bachinski et al.	N/A	N/A
2013/0041273	12/2012	Houben et al.	N/A	N/A
2013/0046151	12/2012	Bsoul et al.	N/A	N/A
2013/0085347	12/2012	Manicka et al.	N/A	N/A
2013/0096395	12/2012	Katra et al.	N/A	N/A
2013/0116533	12/2012	Lian et al.	N/A	N/A
2013/0116585	12/2012	Bouguerra	N/A	N/A
2013/0144146	12/2012	Linker	N/A	N/A
2013/0150698	12/2012	Hsu et al.	N/A	N/A
2013/0158494	12/2012	Ong	N/A	N/A
2013/0172763	12/2012	Wheeler	N/A	N/A
2013/0184662	12/2012	Aali et al.	N/A	N/A
2013/0191035	12/2012	Chon et al.	N/A	N/A
2013/0225938	12/2012	Vlach	N/A	N/A
2013/0225967	12/2012	Esposito	N/A	N/A
2013/0226018	12/2012	Kumar et al.	N/A	N/A
2013/0245415	12/2012	Kumar et al.	N/A	N/A
2013/0245472	12/2012	Eveland	N/A	N/A

2013/0253285	12/2012	Bly et al.	N/A	N/A
2013/0274584	12/2012	Finlay et al.	N/A	N/A
2013/0296680	12/2012	Linker	N/A	N/A
2013/0300575	12/2012	Kurzweil et al.	N/A	N/A
2013/0324868	12/2012	Kaib et al.	N/A	N/A
2013/0331663	12/2012	Albert et al.	N/A	N/A
2013/0331665	12/2012	Bly et al.	N/A	N/A
2013/0338448	12/2012	Libbus et al.	N/A	N/A
2014/0012154	12/2013	Mazar	N/A	N/A
2014/0058280	12/2013	Chefles et al.	N/A	N/A
2014/0088394	12/2013	Sunderland	N/A	N/A
2014/0094676	12/2013	Gani et al.	N/A	N/A
2014/0094709	12/2013	Korzinov et al.	N/A	N/A
2014/0100432	12/2013	Golda et al.	N/A	N/A
2014/0116825	12/2013	Lindeman	N/A	N/A
2014/0171751	12/2013	Sankman et al.	N/A	N/A
2014/0206976	12/2013	Thompson et al.	N/A	N/A
2014/0206977	12/2013	Bahney et al.	N/A	N/A
2014/0243621	12/2013	Weng et al.	N/A	N/A
2014/0275827	12/2013	Gill et al.	N/A	N/A
2014/0275840	12/2013	Osorio	N/A	N/A
2014/0275928	12/2013	Acquista et al.	N/A	N/A
2014/0303647	12/2013	Sepulveda et al.	N/A	N/A
2014/0330136	12/2013	Manicka et al.	N/A	N/A
2015/0005854	12/2014	Said	N/A	N/A
2015/0022372	12/2014	Vosch	N/A	N/A
2015/0057512	12/2014	Kapoor	N/A	N/A
2015/0073252	12/2014	Mazar	N/A	N/A
2015/0081959	12/2014	Vlach et al.	N/A	N/A
2015/0082623	12/2014	Felix et al.	N/A	N/A
2015/0087921	12/2014	Felix et al.	N/A	N/A
2015/0087922	12/2014	Bardy et al.	N/A	N/A
2015/0087923	12/2014	Bardy et al.	N/A	N/A
2015/0087933	12/2014	Gibson et al.	N/A	N/A
2015/0087948	12/2014	Bishay et al.	N/A	N/A
2015/0087949	12/2014	Felix et al.	N/A	N/A
2015/0087950	12/2014	Felix et al.	N/A	N/A
2015/0087951	12/2014	Felix et al.	N/A	N/A
2015/0088007	12/2014	Bardy et al.	N/A	N/A
2015/0088020	12/2014	Dreisbach et al.	N/A	N/A
2015/0094556	12/2014	Geva et al.	N/A	N/A
2015/0148637	12/2014	Golda et al.	N/A	N/A
2015/0157273	12/2014	An et al.	N/A	N/A
2015/0173671	12/2014	Paalasmaa et al.	N/A	N/A
2015/0193595	12/2014	McNamara et al.	N/A	N/A
2015/0223711	12/2014	Raeder et al.	N/A	N/A
2015/0238107	12/2014	Acquista et al.	N/A	N/A
2015/0289814	12/2014	Magar et al.	N/A	N/A
2015/0297134	12/2014	Albert et al.	N/A	N/A

2015/0327781	12/2014	Hernandez-Silverira et al.	N/A	N/A
2015/0351689	12/2014	Adams	N/A	N/A
2015/0351799	12/2014	Sepulveda et al.	N/A	N/A
2015/0374244	12/2014	Yoo et al.	N/A	N/A
2016/0022161	12/2015	Khair	N/A	N/A
2016/0029906	12/2015	Tompkins et al.	N/A	N/A
2016/0066808	12/2015	Hijazi	N/A	N/A
2016/0085927	12/2015	Dettinger et al.	N/A	N/A
2016/0085937	12/2015	Dettinger et al.	N/A	N/A
2016/0086297	12/2015	Dettinger et al.	N/A	N/A
2016/0098536	12/2015	Dettinger et al.	N/A	N/A
2016/0098537	12/2015	Dettinger et al.	N/A	N/A
2016/0113520	12/2015	Manera	N/A	N/A
2016/0120433	12/2015	Hughes et al.	N/A	N/A
2016/0120434	12/2015	Park et al.	N/A	N/A
2016/0128597	12/2015	Lin et al.	N/A	N/A
2016/0135746	12/2015	Kumar et al.	N/A	N/A
2016/0149292	12/2015	Ganton	N/A	N/A
2016/0157744	12/2015	Wu et al.	N/A	N/A
2016/0166155	12/2015	Banet et al.	N/A	N/A
2016/0192852	12/2015	Bozza et al.	N/A	N/A
2016/0192855	12/2015	Geva et al.	N/A	N/A
2016/0192856	12/2015	Lee	N/A	N/A
2016/0198972	12/2015	Lee et al.	N/A	N/A
2016/0232807	12/2015	Ghaffari et al.	N/A	N/A
2016/0262619	12/2015	Marcus et al.	N/A	N/A
2016/0278658	12/2015	Bardy et al.	N/A	N/A
2016/0287177	12/2015	Huppert et al.	N/A	N/A
2016/0287207	12/2015	Xue	N/A	N/A
2016/0296132	12/2015	Bojovic et al.	N/A	N/A
2016/0302725	12/2015	Schultz et al.	N/A	N/A
2016/0302726	12/2015	Chang	N/A	N/A
2016/0317048	12/2015	Chan et al.	N/A	N/A
2016/0317057	12/2015	Li et al.	N/A	N/A
2016/0359150	12/2015	de Francisco Martin et al.	N/A	N/A
2016/0361015	12/2015	Wang et al.	N/A	N/A
2016/0367164	12/2015	Felix et al.	N/A	N/A
2016/0374583	12/2015	Cerruti et al.	N/A	N/A
2017/0042447	12/2016	Rossi	N/A	N/A
2017/0055896	12/2016	Al-Ali et al.	N/A	N/A
2017/0056682	12/2016	Kumar	N/A	N/A
2017/0065823	12/2016	Kaib et al.	N/A	N/A
2017/0076641	12/2016	Senanayake	N/A	N/A
2017/0188872	12/2016	Hughes et al.	N/A	N/A
2017/0188971	12/2016	Hughes et al.	N/A	N/A
2018/0049698	12/2017	Berg	N/A	N/A
2018/0049716	12/2017	Rajagopal et al.	N/A	N/A
2018/0064388	12/2017	Heneghan et al.	N/A	N/A

2018/0110266	12/2017	Lee et al.	N/A	N/A
2018/0125387	12/2017	Hadley et al.	N/A	N/A
2018/0144241	12/2017	Liu et al.	N/A	N/A
2018/0146875	12/2017	Friedman et al.	N/A	N/A
2018/0161211	12/2017	Beckey	N/A	N/A
2018/0242876	12/2017	Hughes et al.	N/A	N/A
2018/0257346	12/2017	Austin	N/A	N/A
2018/0260706	12/2017	Galloway et al.	N/A	N/A
2018/0289274	12/2017	Bahney et al.	N/A	N/A
2018/0374576	12/2017	Dettinger et al.	N/A	N/A
2019/0015008	12/2018	Alizadeh et al.	N/A	N/A
2019/0021671	12/2018	Kumar et al.	N/A	N/A
2019/0038148	12/2018	Valys	N/A	N/A
2019/0046066	12/2018	Hughes et al.	N/A	N/A
2019/0069788	12/2018	Coleman et al.	N/A	N/A
2019/0090769	12/2018	Boleyn et al.	N/A	N/A
2019/0097339	12/2018	Lim et al.	N/A	N/A
2019/0098758	12/2018	Hassemer et al.	N/A	N/A
2019/0099132	12/2018	Mulinti et al.	N/A	N/A
2019/0133468	12/2018	Aliamiri et al.	N/A	N/A
2019/0167143	12/2018	Li et al.	N/A	N/A
2019/0209022	12/2018	Sobol	N/A	N/A
2019/0246928	12/2018	Bahney et al.	N/A	N/A
2019/0274574	12/2018	Hughes et al.	N/A	N/A
2019/0282178	12/2018	Volosin et al.	N/A	N/A
2019/0290147	12/2018	Persen et al.	N/A	N/A
2019/0298201	12/2018	Persen et al.	N/A	N/A
2019/0298209	12/2018	Persen et al.	N/A	N/A
2019/0298272	12/2018	Persen	N/A	N/A
2019/0374163	12/2018	Faabaek et al.	N/A	N/A
2019/0378617	12/2018	Charles et al.	N/A	N/A
2020/0060563	12/2019	Boleyn	N/A	N/A
2020/0093388	12/2019	Bouguerra et al.	N/A	N/A
2020/0100693	12/2019	Velo	N/A	N/A
2020/0101278	12/2019	Freeman et al.	N/A	N/A
2020/0108260	12/2019	Haddad et al.	N/A	N/A
2020/0121209	12/2019	Kumar et al.	N/A	N/A
2020/0170529	12/2019	Bahney et al.	N/A	N/A
2020/0178825	12/2019	Lu	N/A	N/A
2020/0178828	12/2019	Bahney et al.	N/A	N/A
2020/0193597	12/2019	Fan et al.	N/A	N/A
2020/0196897	12/2019	Biswas et al.	N/A	N/A
2020/0214563	12/2019	Lin	N/A	N/A
2020/0214584	12/2019	McNamara et al.	N/A	N/A
2020/0237309	12/2019	Golda et al.	N/A	N/A
2020/0289014	12/2019	Park et al.	N/A	N/A
2020/0337608	12/2019	Garai et al.	N/A	N/A
2020/0352489	12/2019	Hoppe et al.	N/A	N/A
2020/0367779	12/2019	Korzinov et al.	N/A	N/A
2020/0397313	12/2019	Attia et al.	N/A	N/A

2021/0038102	12/2020	Boleyn et al.	N/A	N/A
2021/0059612	12/2020	Krebs et al.	N/A	N/A
2021/0085215	12/2020	Auerbach et al.	N/A	N/A
2021/0085255	12/2020	Vule et al.	N/A	N/A
2021/0125722	12/2020	Sherkat et al.	N/A	N/A
2021/0153761	12/2020	Jung et al.	N/A	N/A
2021/0217519	12/2020	Park et al.	N/A	N/A
2021/0244279	12/2020	Szabados et al.	N/A	N/A
2021/0269046	12/2020	Hashimoto et al.	N/A	N/A
2021/0298688	12/2020	Banerjee et al.	N/A	N/A
2021/0304855	12/2020	Ansari et al.	N/A	N/A
2021/0315470	12/2020	Wu et al.	N/A	N/A
2021/0315504	12/2020	Kumar et al.	N/A	N/A
2021/0361218	12/2020	Szabados et al.	N/A	N/A
2021/0369178	12/2020	Szabados et al.	N/A	N/A
2021/0374502	12/2020	Roth et al.	N/A	N/A
2021/0378579	12/2020	Doron et al.	N/A	N/A
2021/0393187	12/2020	Amos et al.	N/A	N/A
2022/0022798	12/2021	Soon-Shiong et al.	N/A	N/A
2022/0031223	12/2021	Li et al.	N/A	N/A
2022/0039719	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0039720	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0039721	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0039722	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0079497	12/2021	Bardy et al.	N/A	N/A
2022/0093247	12/2021	Park et al.	N/A	N/A
2022/0095982	12/2021	de Saint Victor et al.	N/A	N/A
2022/0142493	12/2021	Albert	N/A	N/A
2022/0142495	12/2021	De Marco et al.	N/A	N/A
2022/0160279	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0160285	12/2021	Szabados et al.	N/A	N/A
2022/0167905	12/2021	Szabados et al.	N/A	N/A
2022/0280093	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0296144	12/2021	Abercrombie, II et al.	N/A	N/A
2022/0330874	12/2021	Szabados et al.	N/A	N/A
2022/0330875	12/2021	Szabados et al.	N/A	N/A
2022/0361793	12/2021	Abercrombie, II et al.	N/A	N/A
2023/0056777	12/2022	Abercrombie, II et al.	N/A	N/A
2023/0172511	12/2022	Abercrombie, II et al.	N/A	N/A
2023/0172518	12/2022	Szabados et al.	N/A	N/A
2023/0200702	12/2022	Sepulveda et al.	N/A	N/A
2023/0207122	12/2022	Park et al.	N/A	N/A
2023/0248288	12/2022	Bahney et al.	N/A	N/A
2023/0371873	12/2022	Abercrombie, II et al.	N/A	N/A
2023/0371874	12/2022	Abercrombie, II et al.	N/A	N/A
2024/0145080	12/2023	Park et al.	N/A	N/A
2024/0321455	12/2023	Hytopoulos et al.	N/A	N/A
2024/0331875	12/2023	Hytopoulos et al.	N/A	N/A
2024/0358310	12/2023	Szabados et al.	N/A	N/A
2024/0382130	12/2023	Bahney et al.	N/A	N/A

2024/0382131	12/2023	Bahney et al.	N/A	N/A
2024/0398309	12/2023	Kumar et al.	N/A	N/A
2024/0398310	12/2023	Kumar et al.	N/A	N/A
2025/0009271	12/2024	Bahney et al.	N/A	N/A
2025/0057459	12/2024	Kumar et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2011252998	12/2014	AU	N/A
2014209376	12/2016	AU	N/A
2021218704	12/2023	AU	N/A
2 752 154	12/2009	CA	N/A
2 898 626	12/2013	CA	N/A
2 797 980	12/2014	CA	N/A
2 651 203	12/2016	CA	N/A
2 966 182	12/2019	CA	N/A
3 171 482	12/2023	CA	N/A
102038497	12/2011	CN	N/A
102883775	12/2013	CN	N/A
103997955	12/2015	CN	N/A
303936805	12/2015	CN	N/A
106456984	12/2016	CN	N/A
107205679	12/2016	CN	N/A
107708991	12/2017	CN	N/A
108113647	12/2017	CN	N/A
108135929	12/2017	CN	N/A
109363659	12/2018	CN	N/A
110491500	12/2018	CN	N/A
110766691	12/2019	CN	N/A
110890155	12/2019	CN	N/A
110974217	12/2019	CN	N/A
115426940	12/2021	CN	N/A
116322498	12/2022	CN	N/A
116530951	12/2022	CN	N/A
001857966-0001	12/2010	EM	N/A
003611714-0001	12/2016	EM	N/A
003611714-0002	12/2016	EM	N/A
003611714-0003	12/2016	EM	N/A
003611714-0004	12/2016	EM	N/A
003611714-0005	12/2016	EM	N/A
0509689	12/1991	EP	N/A
1738686	12/2005	EP	N/A
1782729	12/2006	EP	N/A
1981402	12/2007	EP	N/A
2262419	12/2009	EP	N/A
2395911	12/2010	EP	N/A
2568878	12/2012	EP	N/A
2635179	12/2012	EP	N/A
2635180	12/2012	EP	N/A
2948050	12/2014	EP	N/A

2983593	12/2015	EP	N/A
3165161	12/2016	EP	N/A
3212061	12/2016	EP	N/A
3753483	12/2019	EP	N/A
3387991	12/2021	EP	N/A
4103051	12/2021	EP	N/A
2 299 038	12/1995	GB	N/A
2 348 707	12/1999	GB	N/A
002592907-0001	12/2013	IN	N/A
S61-137539	12/1985	JP	N/A
H05-329123	12/1992	JP	N/A
H08-317913	12/1995	JP	N/A
H08-322952	12/1995	JP	N/A
2000-126145	12/1999	JP	N/A
2001-057967	12/2000	JP	N/A
2003-275186	12/2002	JP	N/A
2004-121360	12/2003	JP	N/A
2006-110180	12/2005	JP	N/A
2006-136405	12/2005	JP	N/A
2006-520657	12/2005	JP	N/A
2007-045967	12/2006	JP	N/A
2007-503910	12/2006	JP	N/A
2007-504917	12/2006	JP	N/A
2007-097822	12/2006	JP	N/A
2007-296266	12/2006	JP	N/A
2008-532596	12/2007	JP	N/A
2008-200120	12/2007	JP	N/A
2009-518099	12/2008	JP	N/A
2009-525816	12/2008	JP	N/A
2011-516110	12/2010	JP	N/A
2011-519583	12/2010	JP	N/A
2013-521966	12/2012	JP	N/A
5203973	12/2012	JP	N/A
2013-531512	12/2012	JP	N/A
1483906	12/2012	JP	N/A
2014-008166	12/2013	JP	N/A
5559425	12/2013	JP	N/A
2014-150826	12/2013	JP	N/A
2014-236982	12/2013	JP	N/A
2015-530225	12/2014	JP	N/A
2015-531954	12/2014	JP	N/A
2016-504159	12/2015	JP	N/A
2013-517053	12/2015	JP	N/A
2016-523139	12/2015	JP	N/A
2017-136380	12/2016	JP	N/A
6198849	12/2016	JP	N/A
2017-209482	12/2016	JP	N/A
2018-504148	12/2017	JP	N/A
2018-508325	12/2017	JP	N/A
2018-513702	12/2017	JP	N/A

6336640	12/2017	JP	N/A
D1596476	12/2017	JP	N/A
2018-153651	12/2017	JP	N/A
2018-174995	12/2017	JP	N/A
2019-503761	12/2018	JP	N/A
6491826	12/2018	JP	N/A
6495228	12/2018	JP	N/A
2019-140680	12/2018	JP	N/A
2019-528511	12/2018	JP	N/A
2020-058819	12/2019	JP	N/A
2020-509840	12/2019	JP	N/A
6766199	12/2019	JP	N/A
2021-003591	12/2020	JP	N/A
6901543	12/2020	JP	N/A
2021-525616	12/2020	JP	N/A
2021-166726	12/2020	JP	N/A
2022-501123	12/2021	JP	N/A
2022-037153	12/2021	JP	N/A
2022-038858	12/2021	JP	N/A
2022-126807	12/2021	JP	N/A
2023-508235	12/2022	JP	N/A
2023-074267	12/2022	JP	N/A
2023-100210	12/2022	JP	N/A
2023-536981	12/2022	JP	N/A
2023-536982	12/2022	JP	N/A
7406001	12/2022	JP	N/A
2024-009608	12/2023	JP	N/A
2024-502335	12/2023	JP	N/A
2024-021061	12/2023	JP	N/A
2024-026058	12/2023	JP	N/A
7431777	12/2023	JP	N/A
2024-050777	12/2023	JP	N/A
2024-521799	12/2023	JP	N/A
2024-087811	12/2023	JP	N/A
2024-104034	12/2023	JP	N/A
7551696	12/2023	JP	N/A
2024-164285	12/2023	JP	N/A
2025-000653	12/2024	JP	N/A
2025-500035	12/2024	JP	N/A
3003784570000	12/2004	KR	N/A
1020050055072	12/2004	KR	N/A
1020140050374	12/2013	KR	N/A
10-1513288	12/2014	KR	N/A
3008476060000	12/2015	KR	N/A
3008476090000	12/2015	KR	N/A
3008482960000	12/2015	KR	N/A
3008584120000	12/2015	KR	N/A
3008953750000	12/2016	KR	N/A
3008953760000	12/2016	KR	N/A
3008987790000	12/2016	KR	N/A

1020170133527	12/2016	KR	N/A
3009445870000	12/2017	KR	N/A
3009547690000	12/2017	KR	N/A
3009547710000	12/2017	KR	N/A
10-2019-0114694	12/2018	KR	N/A
10-2563372	12/2022	KR	N/A
10-2023-0119036	12/2022	KR	N/A
10-2024-0116830	12/2023	KR	N/A
WO 87/01024	12/1986	WO	N/A
WO 99/023943	12/1998	WO	N/A
WO 01/016607	12/2000	WO	N/A
WO 2003/043494	12/2002	WO	N/A
WO 2004/100785	12/2003	WO	N/A
WO 2005/025668	12/2004	WO	N/A
WO 2005/037946	12/2004	WO	N/A
WO 2005/084533	12/2004	WO	N/A
WO 2006/094513	12/2005	WO	N/A
WO 2007/049080	12/2006	WO	N/A
WO 2007/036748	12/2006	WO	N/A
WO 2007/063436	12/2006	WO	N/A
WO 2007/066270	12/2006	WO	N/A
WO 2007/071180	12/2006	WO	N/A
WO 2007/072069	12/2006	WO	N/A
WO 2007/092543	12/2006	WO	N/A
WO 2008/005015	12/2007	WO	N/A
WO 2008/005016	12/2007	WO	N/A
WO 2008/057884	12/2007	WO	N/A
WO 2008/120154	12/2007	WO	N/A
WO 2009/055397	12/2008	WO	N/A
WO 2009/074928	12/2008	WO	N/A
WO 2009/112972	12/2008	WO	N/A
WO 2009/112976	12/2008	WO	N/A
WO 2009/112979	12/2008	WO	N/A
WO 2009/134826	12/2008	WO	N/A
WO 2010/014490	12/2009	WO	N/A
WO 2010/104952	12/2009	WO	N/A
WO 2010/105203	12/2009	WO	N/A
WO 2010/107913	12/2009	WO	N/A
WO 2010/093900	12/2009	WO	N/A
WO 2011/077097	12/2010	WO	N/A
WO 2011/084636	12/2010	WO	N/A
WO 2011/112420	12/2010	WO	N/A
WO 2011/143490	12/2010	WO	N/A
WO 2011/149755	12/2010	WO	N/A
WO 2012/003840	12/2011	WO	N/A
WO 2012/009453	12/2011	WO	N/A
WO 2012/061509	12/2011	WO	N/A
WO 2012/061518	12/2011	WO	N/A
WO 2012/125425	12/2011	WO	N/A
WO 2012/140559	12/2011	WO	N/A

WO 2012/160550	12/2011	WO	N/A
WO 2013/065147	12/2012	WO	N/A
WO 2013/179368	12/2012	WO	N/A
WO 2014/047032	12/2013	WO	N/A
WO 2014/047205	12/2013	WO	N/A
WO 2014/051563	12/2013	WO	N/A
WO 2014/055994	12/2013	WO	N/A
WO 2014/116825	12/2013	WO	N/A
WO 2014/168841	12/2013	WO	N/A
WO 2014/197822	12/2013	WO	N/A
WO 2015/089484	12/2014	WO	N/A
WO 2016/044514	12/2015	WO	N/A
WO 2016/044515	12/2015	WO	N/A
WO 2016/044519	12/2015	WO	N/A
WO 2016/057728	12/2015	WO	N/A
WO 2016/070128	12/2015	WO	N/A
WO 2016/130545	12/2015	WO	N/A
WO 2016/172201	12/2015	WO	N/A
WO 2016/181321	12/2015	WO	N/A
WO 2017/039518	12/2016	WO	N/A
WO 2017/041014	12/2016	WO	N/A
WO 2017/043597	12/2016	WO	N/A
WO 2017/043603	12/2016	WO	N/A
WO 2017/108215	12/2016	WO	N/A
WO 2017/159635	12/2016	WO	N/A
WO 2018/164840	12/2017	WO	N/A
WO 2018/218310	12/2017	WO	N/A
WO 2019/070978	12/2018	WO	N/A
WO 2019/071201	12/2018	WO	N/A
WO 2019/188311	12/2018	WO	N/A
WO 2019/191487	12/2018	WO	N/A
WO 2019/233807	12/2018	WO	N/A
WO 2020/008864	12/2019	WO	N/A
WO 2020/013895	12/2019	WO	N/A
WO 2020/041363	12/2019	WO	N/A
WO 2020/058314	12/2019	WO	N/A
WO 2020/224041	12/2019	WO	N/A
WO 2020/0226852	12/2019	WO	N/A
WO 2020/262403	12/2019	WO	N/A
WO 2021/150122	12/2020	WO	N/A
WO 2021/163331	12/2020	WO	N/A
WO 2021/200245	12/2020	WO	N/A
WO 2021/200764	12/2020	WO	N/A
WO 2021/205788	12/2020	WO	N/A
WO 2021/210592	12/2020	WO	N/A
WO 2021/241308	12/2020	WO	N/A
WO 2021/245203	12/2020	WO	N/A
WO 2022/034045	12/2021	WO	N/A
WO 2022/093709	12/2021	WO	N/A
WO 2022/147520	12/2021	WO	N/A

WO 2022/251636	12/2021	WO	N/A
WO 2023/114742	12/2022	WO	N/A
WO 2024/102663	12/2023	WO	N/A

OTHER PUBLICATIONS

US 8,750,980 B2, 06/2014, Katra et al. (withdrawn) cited by applicant

AAMI, "Ambulatory electrocardiographs," American National Standards Institute, Inc. Oct. 29, 1998, in 67 pages. cited by applicant

AAMI, "Cardiac monitors, heart rate meters, and alarms," American National Standards Institute, Inc., May 6, 2002, in 87 pages. cited by applicant

ACLS Medical Training, "The Basics of ECG," retrieved from URL: <https://www.aclsmedicaltraining.com/basics-of-ecg/>, in 3 pages. cited by applicant

Adamec et al., "ECG Holter: Guide to Electrocardiographic Interpretation," Springer Science Business Media, LLC, in 9 pages. cited by applicant

AlGhatrif et al., "A brief review: history to understand fundamentals of electrocardiography," CoActrion, Apr. 30, 2012, in 5 pages. cited by applicant

Ashley et al., "Cardiology Explained," Remedica, 2004, retrieved from URL: <https://www.ncbi.nlm.nih.gov/books/NBK2204/?report=printable>, in 4 pages. cited by applicant

Cadogan, "Norman J. Holter," Life in the Fastlane, Jul. 27, 2022 in 8 pages. cited by applicant

Chung, "Ambulatory Electrocardiography," Springer-Verlag New York Inc., 1979 in 25 pages. cited by applicant

Crawford et al., "ACC/AHA Guidelines for Ambulatory Electrocardiography: Executive Summary and Recommendations," American College of Cardiology / American Heart Association, Aug. 24, 1999, in 20 pages. cited by applicant

Dexcom STS Sensor, "Instructions for Use," in 51 pages. cited by applicant

Grant, "Spatial Vector Electrocardiography: A method for Calculating the Spatial Electrical Vectors of the Heart from Conventional Leads," Circulation, vol. 11, Nov. 1950, in 20 pages. cited by applicant

Harland et al., "Electric potential probes—new directions in the remote sensing of the human body," Institute of Physics Publishing, Dec. 21, 2001, pp. 163-169. cited by applicant

Hubner, "Which Disposable Chest Electrode?" British Medical Journal, 1969, pp. 507-510. cited by applicant

Kalahasty et al., "A Brief History of Remote Cardiac Monitoring," Virginia Commonwealth University School of Medicine and VCUHS Medical Center, 2013 in 8 pages. cited by applicant

Khandpur, "Printed Circuit Boards: Design, Fabrication, Assembly and Testing," McGraw-Hill, 2006, in 43 pages. cited by applicant

Morganroth, "Ambulatory Holter Electrocardiography: Choice of Technologies and Clinical Uses," Annals of Internal Medicine, vol. 102, No. 1, Jan. 1985, in 9 pages. cited by applicant

National Library of Medicine, "In brief: What is an electrocardiogram (ECG)?" Jun. 6, 2023, retrieved from URL: <https://www.ncbi.nlm.nih.gov/books/NBK536878/> in 4 pages. cited by applicant

Prutchi et al., "Design and Development of Medical Electronic Instrumentation: A Practical Perspective of the Design, Construction, and Test of Medical Devices," Wiley-Interscience, 2005 in 6 pages. cited by applicant

Thakor, "From Holter Monitors to Automatic Defibrillators: Developments in Ambulatory Arrhythmia Monitoring," IEEE Transactions on Biomedical Engineering, vol. BME-31, No. 12, Dec. 1984, in 9 pages. cited by applicant

Trend et al., "Are ECG Welch cup electrodes effectively cleaned?" Journal of Hospital Infection, 1989, pp. 325-331. cited by applicant

Young et al., "University Physics," Sears & Zemansky, Fifteenth Edition, in 8 pages. cited by

applicant

3M Corporation, “3M Surgical Tapes—Choose the Correct Tape” quicksheet (2004). cited by applicant

Akram, Muhammad Usman, “Application of Prototype Based Fuzzy Classifiers for ECG based Cardiac Arrhythmia Recognition”, Jan. 1, 2008 retrieved from faculty.pieas.edu.pk/Fayyaz/_static/pubfiles/student/usman_thesis.pdf [retrieved on Feb. 17, 2015] in 93 pages. cited by applicant

Altini, et al., An ECG Patch Combining a Customized Ultra-Low-Power ECG SOC With bluetooth Low Energy for Long Term Ambulatory Monitoring, Conference: Proceedings of Wireless Health 2011, WH 2011, Oct. 10-13, 2011. cited by applicant

Behind the Design: How iRhythm Built Its New Zio Monitor. Online, published date Oct. 4, 2023. Retrieved on Jun. 18, 2024 from URL: <https://www.mddionline.com/cardiovascular/behind-the-design-how-irhythm-built-its-new-zio-monitor>. cited by applicant

British-Made Early Warning Monitor a “Game Changer”, healthcare-in-europe.com, Mar. 31, 2014. cited by applicant

Comstock, Proteus Digital Health Quietly Launches Consumer-Facing Wearable for Athletes, Mobile Health News, Oct. 29, 2014. cited by applicant

Coxworth, Small Adhesive Patch Outperforms Traditional Tech for Detecting Arrhythmia, Scripps, iRhythm Technologies, Jan. 3, 2014. cited by applicant

Del Mar et al.; The history of clinical holter monitoring; A.N.E.; vol. 10; No. 2; pp. 226-230; Apr. 2005. cited by applicant

Enseleit et al.; Long-term continuous external electrocardiographic recording: a review; Eurospace; vol. 8; pp. 255-266; 2006. cited by applicant

Feng-Tso Sun et al., “PEAR: Power efficiency through activity recognition (for ECG-based sensing)”, Pervasive Computing Technologies for Healthcare (PervasiveHealth) 2011 5th International Conference on, IEEE, May 23, 2011. pp. 115-122. cited by applicant

Hoefman et al.; Optimal duration of event recording for diagnosis of arrhythmias in patients with palpitations and light-headedness in the general practice; Family Practice; Dec. 7, 2006. cited by applicant

Huyett “Keystock & Shim Stock Catalog” p. Feb. 9, 2014. found at <https://issuu.com/glhuyett/docs/gl-huyett-keystock-catalog/20> (Year: 2014). cited by applicant

Ikeda Y. et al., “A Method for Transmission Data Reduction for Automated Monitoring System via CNN Distribution Process”, Proceedings of the Symposium of Multi-media, Distribution, Coordination, and Mobile (DOCOMO2019), Jul. 2019. cited by applicant

International Preliminary Report on Patentability and Written Opinion in PCT Application No. PCT/US2011/036335, dated Nov. 22, 2012. cited by applicant

International Search Report and Written Opinion in PCT Application No. PCT/US2011/036335, dated Oct. 31, 2011. cited by applicant

Kennedy et al.; The history, science, and innovation of holter technology; A.N.E.; vol. 11; No. 1; pp. 85-94; 2006. cited by applicant

“Mayo Alumni”, Mayo Clinic, Rochester, MN, Spring 2011, in 24 pages. cited by applicant

Medtronic Launches SEEQ Wearable Cardiac Monitoring System in United States, Diagnostic and Interventional Cardiology, Oct. 7, 2014. cited by applicant

Mundt et al. “A Multiparameter Wearable Physiologic Monitoring System for Space and Terrestrial Applications” IEEE Transactions on Information Technology in Biomedicine, vol. 9, No. 3, pp. 382-384, Sep. 2005. cited by applicant

Prakash, New Patch-Based Wearable Sensor Combines Advanced Skin Adhesives and Sensor Technologies, Advantage Business Marketing, Jul. 17, 2012. cited by applicant

Rajpurkar et al, “Cardiologist-Level Arrhythmia Detection with Convolutional Neural Networks,” ARXIV.org, <https://arxiv.org/abs/1707.01836>, Jul. 6, 2017 in 9 pages. cited by applicant

Redjem Bouhenguel et al, “A risk and Incidence Based Atrial Fibrillation Detection Scheme for Wearable Healthcare Computing Devices,” Pervasive Computer Technologies for Healthcare, 2012 6th International Conference on, IEEE, pp. 97-104, May 21, 2012. cited by applicant

Reiffel et al.; Comparison of autotriggered memory loop recorders versus standard loop recorders versus 24-hour holter monitors for arrhythmia detection; Am. J. Cardiology; vol. 95; pp. 1055-1059; May 1, 2005. cited by applicant

Request for Reexamination of U.S. Pat. No. 7,020,508 under 35 U.S.C. §§ 311-318 and 37 C.F.R. § 1.913 as submitted Sep. 14, 2012 in 78 pages. cited by applicant

Scapa Medical product listing and descriptions (2008) available at <http://www.caapana.com/productlist.jsp> and <http://www.metplus.co.rs/pdf/prospekti/Samolepljivemedicinsketrake.pdf>; retrieved via WayBack Machine Sep. 24, 2012. cited by applicant

Strong, Wearable Technologies Conference 2013 Europe—Notes and Roundup, Wearable Technologies Conference, Feb. 8, 2013. cited by applicant

Sumner, Stanford Engineers Monitor Heart Health Using Paper-Thin Flexible ‘Skin’, Stanford Report, May 14, 2013. cited by applicant

Ward et al.; Assessment of the diagnostic value of 24-hour ambulatory electrocardiographic monitoring; Biotelemetry Patient monitoring; vol. 7; 1980. cited by applicant

YouTube.com, “Demonstration of Nintendo controller repair,” <https://www.youtube.com/watch?v=hzybDNChNeU>, Aug. 2010. cited by applicant

Ziegler et al.; Comparison of continuous versus intermittent monitoring of atrial arrhythmias; Heart Rhythm; vol. 3; No. 12; pp. 1445-1452; Dec. 2006. cited by applicant

Zimetbaum et al.; The evolving role of ambulatory arrhythmia monitoring in general clinic practice; Ann. Intern. Med.; vol. 130; pp. 846-856; 1999. cited by applicant

Zimetbaum et al.; Utility of patient-activated cardiac event recorders in general clinical practice; The Amer. J. of Cardiology; vol. 79; Feb. 1, 1997. cited by applicant

Primary Examiner: Stoklosa; Joseph A

Assistant Examiner: Antiskay; Brian M

Attorney, Agent or Firm: Knobbe, Martens, Olson & Bear, LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of U.S. application Ser. No. 18/806,584, filed Aug. 15, 2024, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 17/304,811, filed Jun. 25, 2021, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 16/723,208, filed Dec. 20, 2019, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 16/138,819, filed Sep. 21, 2018, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 15/005,854, filed Jan. 25, 2016, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 13/890,144, filed May 8, 2013, titled “Device Features and Design Elements for Long-Term Adhesion” which claims priority to U.S. application Ser. No. 13/563,546, filed Jul. 31, 2012, titled “Device Features and Design Elements for Long-Term Adhesion”, which claims priority to U.S. patent application Ser. No. 13/106,750, filed May 12, 2011, which claims priority to U.S. Provisional Patent Application No. 61/334,081, filed May 12, 2010, entitled “Device Features

and Design Elements for Long-Term Adhesion.” All of the aforementioned applications are incorporated by reference as if fully set forth herein.

INCORPORATION BY REFERENCE

(1) All publications and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

FIELD OF THE INVENTION

(2) This application relates to devices worn on a body for monitoring, recording, reporting and/or treating the person wearing the device. Improvements in the device design elements and functionality are disclosed for maintaining the device in contact with and operational for extended periods of time, typically longer than 24 hours.

BACKGROUND OF THE INVENTION

(3) The ability to adhere a medical device to a human body for a long-period of time is dependent on a variety of factors. In addition to the type and nature of the adhesive chosen, another factor is the mechanical design of the device. By design, this refers to, but is not limited to, the device shape, size, weight, flexibility, and rigidity. These design elements are influenced by a number of additional factors, including, but not limited to, where on the body the device will attach and the duration of the attachment, moisture conditions in that area, movement conditions in that area, stretching and contraction in that area, interactions with external factors in that area such as clothing, and purposeful and/or inadvertent interaction between the person wearing the device and the device.

(4) As many are typically used on the body for less than 24 hours, devices have not been designed that can withstand longer-term adhesion. Hence, there is a need to implement device features and design elements that have the ability to enhance the likelihood of adhesion of a device to a human body for 24 hours or more, while accommodating the functionality, shape, size, weight, flexibility, and rigidity of a given device.

SUMMARY

(5) In one aspect of the invention, there is an electronic device for long-term adhesion to a mammal. The device has a housing containing an electronic component with a first wing and a second wing integrally formed with the housing. There is an electrode positioned on a bottom surface of each of the wings with the electrodes electrically connected to the electronic component. An adhesive layer is provided for adhesion to a surface of the mammal. The adhesive layer is coated on a portion of the bottom surface of the wings. The adhesive layer is not coated on the electrode or on a bottom surface of the housing.

(6) The electronic component in any of the devices described herein may include a processor having a memory with computer readable instructions to record signals from the first and second electrodes while the electronic device is attached to the mammal. The processor may be configured to only convert signals from the electrodes to digital signals, filter those signals and then store the signals in memory.

(7) In another aspect, the device includes a flap connected to each of the wings. The flaps may extend below the housing. Additionally or alternatively, the adhesive layer is coated on a bottom surface of the flaps.

(8) In another aspect, the device includes a connector segment. In one aspect, the connector segment is configured to connect the flaps together. In other aspects, the connector segment is located at least partially below the housing. Still further, the connector segment is not attached to the housing.

(9) In one alternative, the adhesive layer is coated on a bottom surface of the flap.

(10) In still another aspect, the adhesive for adhesion to a surface of the mammal is an adhesive that can absorb fluids. In another aspect, the adhesive that can absorb fluids is a hydrocolloid adhesive. In another aspect, the adhesive for adhesion to a surface of the mammal is a pressure-

sensitive adhesive. The pressure sensitive adhesive is selected from the group consisting of: a polyacrylate, a polyisobutylene, and a polysiloxane. In one alternative, the device includes a diffusion barrier between the adhesive layer and each of the wings. The device may also include an additional adhesive layer and material layer between the wing and the adhesive layer for adhesion to the mammal. The material layer is configured to prevent diffusion of adhesive components from the adhesive layer to the wing. The diffusion barrier may be made from polyester or other suitable synthetic material.

(11) In one aspect of the device, all or substantially all of the electronic components are within the housing. In another aspect, the wing is free from electronic components. In one aspect, the wing is more flexible than the housing. In one alternative, the wings and the housing are made from the same material. In another aspect, the wings and the housing are made from different materials. In another, the wings are made from a fabric. In still another aspect, the material used to make the wings includes a synthetic fiber. In another alternative, the wing and the flap are composed of the same material.

(12) In another alternative, the device includes a hinge portion between the housing and the wing. The hinge portion is configured to allow the device to bend between the housing and the wing. In one aspect, the hinge portion exists between a rigid portion of the device and a flexible portion of the device. In one alternative, the rigid portion of the device corresponds to the portion of the housing including the electronics and the flexible portion of the device includes a wing.

(13) In one aspect, the bottom surface of the wing and the bottom surface of the flap are contiguous. In another aspect, the bottom surfaces of the wings, the flap, and the connectors are contiguous. In still other aspects, the flaps and the connector are contiguous.

(14) In another aspect, the connector has at least one hole extending through it. The hole may have any of a number of shapes such as circular, oval, round, or triangular.

(15) In one aspect, the housing is thicker at a center of the housing than at edges of the housing.

(16) In another aspect of the device, the housing is unattached to the mammal when the electrodes are in contact with the mammal.

(17) In another alternative aspect of a device for long-term adhesion to a mammal, the device includes a housing with a first wing extending laterally from the housing and a second wing extending laterally from the housing without overlapping the first wing. There is a first electrode positioned on a bottom surface of the first wing and a second electrode positioned on a bottom surface of the second wing. An electronic memory is positioned within the housing. The electronic memory is configured to receive and store electronic signals from the first and second electrodes while the electronic device is attached to the mammal. There is also an adhesive layer on a portion of a bottom surface of the first wing and the second wing. The adhesive is not on a bottom surface of the housing. When the device is worn on the mammal, only the adhesive layer(s) are attached to the mammal.

(18) In one aspect, the portion of the bottom surface of the first wing and the second wing does not include the first and second electrodes. In one device aspect, the first wing, the second wing, and the housing are formed from the same material. In still another, the first wing, the second wing and the housing integrally form a monolithic structure. In other aspects, an angle formed by the first wing, the second wing, and the housing is between approximately 90° and 180° . In one variation, the angle is approximately 180° . In another variation, the angle is approximately 135° .

(19) In still other embodiments, there is a first hinged portion between the first electrode and the processor and a second hinged portion between the second electrode and the housing.

(20) In a further aspect, at least a portion of the body uncovered is not adhered to the mammal when signals from the electrodes are being recorded in memory.

(21) In another aspect, the device includes a first flap connected to the first wing medial to the first electrode and a second flap connected to the second wing medial to the second electrode. Each flap may extend below the housing.

(22) The device may also include a connector segment configured to connect the flaps together. In one aspect, the connector segment is located at least partially below the housing, but is not attached to the housing.

(23) In another aspect, there is an electronic device that has a patch including a housing containing an electronic component. There is an electrode positioned on a bottom surface of the patch, the electrode electrically connected to the electronic component. There is a first adhesive strip extending around the perimeter of the patch and a second adhesive strip extending around the perimeter of the first adhesive strip. In one aspect, the first adhesive cover over the first adhesive strip and a second adhesive cover over the second adhesive strip. The first and second adhesive covers may be configured to be separably removed from the first and second adhesive strips. In one alternative, the first adhesive strip extends between the first and second adhesive covers. In another alternative, the adhesive in the first and the second adhesive strips is an adhesive that can absorb fluids. In still another aspect, the adhesive that can absorb fluids is a hydrocolloid adhesive. In one alternative, the adhesive in the first and the second adhesive is a pressure-sensitive adhesive. In some aspects, the pressure-sensitive adhesive is a polyacrylate, a polyisobutylene, or a polysiloxane.

(24) In one alternative, the second adhesive strip partially overlaps the first adhesive strip. In another aspect, the second adhesive strip is attached to a shell, the shell overlapping the first adhesive strip.

(25) In still another alternative device for long-term adhesion to a mammal, the device includes a patch having a housing with an electronic component contained therein. There is an electrode positioned on a bottom surface of the patch. The electrode electrically connected to the electronic component. There is a porous foam pad configured to be positioned between the electronic component and the mammal. In one aspect, the porous foam pad comprises a biocompatible foam material. In one variation, the porous foam pad can absorb fluids. In still another aspect, the porous foam pad is attached to the housing. In another, the porous foam pad is configured to be attached to the mammal. In another request, the porous foam pad can absorb fluids.

(26) In one aspect of a method of applying an electronic device, there is a step of removing a first adhesive cover from the first wing of the electronic device to expose an electrode and an adhesive coated on a bottom surface of a first wing. There is a step of placing the exposed electrode into contact with the mammal by adhering the adhesive coated bottom of the first wing to the mammal. There is also a step of removing a second adhesive cover from the second wing of the electronic device to expose an adhesive coated on a bottom surface of the second wing and another exposed electrode. There is also a step of placing the another exposed electrode into contact with the mammal by adhering the adhesive coated bottom of the second wing to the mammal. After performing the removing and the placing steps, the housing is unattached to the mammal, but is held in position on the mammal using the adhesive coated bottoms of the first and the second wings.

(27) In one alternative method of attaching a device, the electronic device includes a first flap connected to the first wing and a second flap connected to the second wing. The first and second flaps each extend below the housing. The step of removing a first adhesive cover from the first wing may also include exposing an adhesive coated on a bottom surface of the first flap. The step of removing a second adhesive cover from the second wing may also include exposing an adhesive coated on a bottom surface of the second flap.

(28) In another alternative method of attaching a device, after performing the removing and the placing steps, the housing is held in position on the mammal using only the adhesive coated bottoms of the first wing, the second wing, the first flap and the second flap.

(29) In an alternative aspect of a method of applying an electronic device to a mammal for long-term adhesion, the method includes removing a first adhesive cover from the first wing of the electronic device to expose an electrode and an adhesive coated on a bottom surface of the first

wing. There is also a step of removing a second adhesive cover from the second wing of the electronic device to expose an adhesive coated on a bottom surface of the second wing and another exposed electrode. There is a step of placing the exposed electrodes into contact with the mammal by adhering the adhesive coated on the bottom of the first and the second wings to the mammal. After performing the removing and the placing steps, the housing is unattached to the mammal, but is held in position on the mammal using the adhesive coated bottoms of the first and the second wings.

(30) There is also provided a method of applying an electronic device to a mammal for long-term adhesion wherein the electronic device includes a patch. The patch includes an electronic component along with an electrode positioned on a bottom surface of the patch and electrically connected to the electronic component. There is a first adhesive strip extending around the perimeter of the patch and a second adhesive extending around the perimeter of the first adhesive strip. One aspect of a method of applying the device includes a step of removing an adhesive cover from the second adhesive strip of the electronic device. There is a step of applying pressure to the second adhesive strip to adhere the second adhesive strip to the mammal such that the electrode is in contact with the mammal. Then, after a period of time, removing an adhesive cover from the first adhesive strip of the electronic device. Next, there is the step of applying pressure to the first adhesive strip to adhere the first adhesive strip to the mammal such that the electrode remains in contact with the mammal.

(31) In another alternative method of applying an electronic device to a mammal for long-term adhesion, the electronic device includes a patch, an electronic component, and an electrode positioned on a bottom surface of the patch and electrically connected to the electronic component. There is a first adhesive strip extending around the perimeter of the patch. The method includes a step of applying pressure to a first adhesive strip to adhere the first adhesive strip to the mammal such that the electrode is in contact with the mammal. After a period of time, placing a second adhesive strip around the perimeter of the first adhesive strip. Then there is the step of applying pressure to the second adhesive strip to adhere the second adhesive strip to the mammal such that the electrode remains in contact with the mammal.

(32) Any of the above described devices may include additional aspects. A device may also include a first wire connecting the first electrode and the processor or an electronic memory and a second wire connecting the second electrode and the processor or an electronic memory. The first and second wires extend within the body and the first and second wings. In one aspect, the first and second wires extend within and are completely encapsulated within the body and the first and second wings. In one aspect, a conduit is provided within the body and the wings and the wires pass through the conduit. In one alternative, the conduit extends from the processor or electronic memory to an electrode so that the wire is completely within the conduit. In still other aspects of the devices described above, the first and second wires connecting the electrodes to the processor or electronics each include slack between the electrode and the processor. In one aspect, the slack is located in a portion of each wing that is configured to bend or flex. In another aspect, the slack is a portion of the wire within the wing and at least partially coiled about the first or the second electrode. In still other aspects, the slack is provided by a portion of the wire formed into a coil, a wave pattern, or a sinusoidal pattern along its length the connection point on the electronics to the connection point on the electrode.

(33) In still other alternatives, the devices described above may be applied to any of a wide variety of conventional physiological data monitoring, recording and/or transmitting devices. Any of the improved adhesion design features and aspects may also be applied to conventional devices useful in the electronically controlled and/or time released delivery of pharmacological agents or blood testing, such as glucose monitors or other blood testing devices. Additional alternatives to the devices described may include the specific components of a particular application such as electronics, antenna, power supplies or charging connections, data ports or connections for down

loading or off loading information from the device, adding or offloading fluids from the device, monitoring or sensing elements such as electrodes, probes or sensors or any other component or components needed in the device specific function. In still other aspects, the electronic component in any of the above devices is an electronic system configured for performing, with the electronic signals of the mammal detected by the electrodes, one or more or any combination of or the following electronic functions: monitoring, recording, analyzing, or processing using one or more algorithms electronic signals from the mammal. Still further, any of the devices described above may include appropriate components such that the device is used to detect, record, process or transmit signals or information related to signals generated by a mammal to which the device is attached including but not limited to signals generated by one or more of EKG, EEG and/or EMG.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The novel features of the invention are set forth with particularity in the claims that follow. A better understanding of the features and advantages of the present invention will be obtained by reference to the following detailed description that sets forth illustrative embodiments, in which the principles of the invention are utilized, and the accompanying drawings of which:

(2) FIG. 1 is a top view of a patch having two wings;

(3) FIG. 1A is a representative cross-section of an embodiment of the patch in FIG. 1;

(4) FIG. 1B is a representative cross-section of another embodiment of the patch in FIG. 1;

(5) FIG. 1C is a representative cross-section of another embodiment of the patch in

(6) FIG. 1;

(7) FIG. 1D is a representative cross-section of another embodiment of the patch in FIG. 1;

(8) FIG. 1E is a representative cross-section of another embodiment of the patch in FIG. 1;

(9) FIG. 1F is a top view of a patch having three wings illustrating an alternative electrode-electronics-electrode orientation;

(10) FIG. 2A is a schematic drawing of the electronics contained within a patch;

(11) FIG. 2B is a schematic drawing of a patch with wiring having slack in the form of undulations between electronics and electrodes;

(12) FIG. 2C is a schematic drawing of a patch with wiring having slack in the form of a coil between electronics and electrodes;

(13) FIG. 3 is the bottom view of a patch having adhesive thereon;

(14) FIG. 4A shows a patch as worn by a person rolled to the side;

(15) FIG. 4B shows a patch as worn by a person playing golf;

(16) FIG. 5A shows a patch in response to a concave bend of the skin;

(17) FIGS. 5B and 5C show a patch in response to a convex bend of the skin;

(18) FIG. 6A is a bottom view of a patch having a connector between two flaps;

(19) FIG. 6B is a cross-section of the patch of FIG. 6A;

(20) FIG. 7A is a bottom view of a patch having multiple covers forming strips of adhesive;

(21) FIG. 7B is a cross-section of the patch of FIG. 7A;

(22) FIG. 8A is a bottom view of a patching having multiple covers forming strip of adhesive around each electrode;

(23) FIG. 8B is a cross-section of the patch of FIG. 8A;

(24) FIGS. 9A and 9B show a patch having multiple layers formed thereon;

(25) FIGS. 10A and 10B show a patching having multiple layers formed thereon, each layer having multiple patches of adhesive;

(26) FIG. 11 shows a patch having an open cell support;

(27) FIG. 12 shows a patch having an annular open cell support;

(28) FIG. 13A shows a patch having a protective shell thereon; and

(29) FIG. 13B shows a cross-section of the patch of FIG. 13A.

DETAILED DESCRIPTION

(30) The following device features and design elements can be implemented into any device being adhered to the human body for a long-period of time, typically greater than 24 hours. As an example, the following device features and design elements can be used for long-term adhesion of a cardiac rhythm monitoring patch (“patch”) to the chest of a person.

(31) Referring to FIGS. 1 and 1A, a patch **100** for long term adhesion includes a housing **102**. The housing **102** can be formed from any flexible, durable material, such as a biocompatible polymer, for example silicone. The housing **102** can include electronic components **108** therein. As shown in FIG. 2, the electronics **108** can include a printed circuit board **220**, a battery **225**, and a communications port mounted on the printed circuit board **220**. The printed circuit board **220** can include analog circuits **210**, digital circuits **215**, and an activation or event notation button or switch **130**. The electronics **108** can be used, for example, to record continuous physiological signals from a mammal wearing the patch **100**. A system for continuously recording data is described further in co-owned U.S. application Ser. No. 11/703,428, filed Feb. 6, 2007, the entire contents of which are incorporated by reference herein.

(32) As shown in FIGS. 1 and 1A, wings **104**, **106** can be connected to the housing **102**. The wings **104**, **106** can be integral with the housing **102** and, in some embodiments, can be formed of the same material as the housing **102**. The wings **104**, **106** can be more flexible than the electronic components **108**, which can be substantially rigid. An electrode **124**, **126** can extend through a bottom surface of each wing **104**, **106**. The electrodes can be positioned to detect an ECG of a mammal wearing the patch **100** for processing by the electronics **108**. For example, the electrodes can be more than 2 cm apart, such as more than 3 cm apart, for example at least 6 cm apart. The electrodes **124**, **126** can be integral with the wings **104**, **106** so as to be inseparable from the wings **104**, **106** when the patch is in use.

(33) For a patch **100** that is entirely flexible and can conform, stretch, and adapt to the movement and conditions of the chest underneath the device, adhesive can be placed over the entire surface of the device that is in contact with the body, except for areas where sensors, electronics, or others elements such as electrodes are interacting with the body related to the functioning of the device may be incorporated. Thus, as shown in FIG. 3, an adhesive layer **166** can coat the bottom of the patch **100** for attachment to the skin. For a patch **100** in which there may be some areas that are not completely flexible and may not be able to stretch or contract (e.g., the electronics **108**), adhesive may be excluded from the portion of the patch **100** underneath these areas. Thus, for example, the bottom surface **302** of the housing **102**, which contains the electronics, can remain free from adhesive. As shown in FIG. 1A, by not coating adhesive on a bottom surface of the housing **102**, the housing **102** can float above the adhered portions, allowing for increased flexibility of the patch, as will be discussed further below. Further, as shown in FIG. 3 the bottom surface of the electrodes **124**, **126** can remain free of adhesive. For example, a ring **362** without adhesive can be formed around each electrode **124**, **126** to separate the electrodes from the adhesive **164**. The adhesive can be, for example, a pressure-sensitive adhesive, such as polyacrylate, polyisobutylene, or a polysiloxane. Alternatively, the adhesive can be a hydrocolloid which advantageously absorbs water.

(34) The wings **104**, **106** and the housing **102** can form a smooth, contiguous outer surface to the patch **100**. As shown in FIG. 1A, when viewed from the top, the housing **102** and wings **104**, **106** can together form an oblong substantially oval shape. Further, the housing **102** can have a thickness that is greater than the thickness of the wings **104**, **106**. The housing **102** and each of the wings **104**, **106** when viewed in profile, can each form a dome with a height that is greater at the center than at the ends of the respective component, i.e. some or all of the components can be tapered at the ends and/or sides.

(35) The electronics **108** can extend along only a portion of the distance between the electrodes **104, 106**. For example, the electronics can occupy less than 90% of the distance between the electrodes, for example less than 80%. By having the electronics **108** in a relatively limited space between the electrodes **124, 126**, the flexibility of the patch **100** can be increased

(36) The housing **102** can provide a watertight enclosure **110** for electronic components **108** of the patch **100**. The electronics **108** can be unattached to the housing **102** such that the electronics **108** are free to move within the watertight enclosure **110**. Allowing the relatively rigid electronics **108** to move freely within the flexible housing **102** advantageously enhances the overall flexibility of the patch **100**. The wings **104, 106** can each have a watertight enclosure **114, 116** formed therein, which can be contiguous with the watertight enclosure **110** of the housing **102**.

(37) Wiring **120** or other suitable electrical connections can connect the electrodes **124, 126** with the electrical components **108** of the housing. In some embodiments, as shown in FIGS. **1B-1E**, the contiguous nature of the enclosure **110** and the enclosures **114, 116** allows the wiring **120** to extend within the patch **100** from the electrodes **124, 126** to the electronic components **108**. In other embodiments, one or more channels, tubes, or conduits are provided between the housing **102** and the wings **104, 106**, to provide space for the wiring **120**. The tube or channel may be straight or curved. In use, the wire **120** positioned in the enclosures **110, 114, 116** or in the tube or channel may move relative thereto in order to remain flexible within the housing. In one aspect, the flexible channels or tubes are formed within the device housing so that the housing, as it is being stretched, does not affect the ability of the components, such as wires, that may connect more rigid structures, to move or elongate.

(38) As shown in FIG. **1**, the wire **120** is straight with a direct line of connection between the electrodes **124, 126** and the electronics **108**. FIG. **1** illustrates an embodiment where the length of the wires **120** connecting the electrodes **124, 126** to electronics **108** are about the same distance as the spacing between the electrode connection point on electronics **108** and the electrodes **124, 126**. FIG. **1F** also illustrates a straight line type connection where wire **120** length is nearly the same as the spacing between the electronics **108** and the electrodes **124, 126**. However, as a patient moves, the patch **100** flexes along with patient movement. As shown in FIGS. **4B** and **5C**, patch flexion may be severe and is likely to occur during long term monitoring. In order to address the possible dislocation or breakage of the wire **120**, the length or shape of the wire **120** may be selected to permit patch flexion to occur with little risk of wire **120** pulling from the electrode or electronics. Numerous alternatives are possible to compensate for patch flexion. Exemplary confirmations include undulations or zig-zags **231** as shown in FIG. **2B**, coils **233** as shown in FIG. **2e**, or a configuration that partially or fully wraps around an electrode. In some embodiments, other components, such as the circuit board or electrodes, can alternatively or additionally contain additional length to help accommodate stretch or displacement. When the patch **100** is attached to a mammal, the slack in the wiring **120** allows the patch **100** to flex while not placing stress on the wiring **120**.

(39) While the illustrated embodiments of FIGS. **1A-1D** show only two wings and show the electrodes and electronics in a direct line in an approximate 180 degree alignment of electrode **124** to electronics **108** to electrode **126**), other configurations are possible. For example, as shown in FIG. **1F**, the wings **104, 106** are arranged in an orientation less than 180 degrees. In the illustrated embodiment, the angle formed by the electrodes and the electronics is about 135 degrees. Other ranges are possible so long as electrode spacing is provided to permit ECG monitoring. The orientation of the wings **104, 106** to the housing **102** also illustrates the use of an additional adhesive tab **105**. Tab **105** is shown as a semicircular extension of the body **102**. The bottom of tab **105** can include adhesives as described herein and is used to provide additional anchoring of the patch to the patient. The tab **105** may be formed in any of a number of different shapes such as rectangles, ovals, loops or strips. Further, in some embodiments, the tab **105** can function similar to a wing, e.g., include an electrode therethrough that connects to the electronics **108**.

(40) Referring to FIGS. 1A-1D and 2B-2C, a hinge portion **194,196** in the patch **100** can extend between each electrode **124, 126** and the electronics **108**. The hinge portions **194, 196** can have a thickness less than the thickness of surrounding portions of the patch **100**. For example, if the hinge portions **194, 196** are in the wings **104, 106**, then the thickness can be less than adjacent portions of the wings. Likewise, the hinge portions **194, 196** can have a width less than adjacent portions of the patch **100**, e.g., less than adjacent portions of the wings **104, 106**. Alternatively, the hinged portion can be formed by the adjunct between a rigid portion, i.e. the electronics **108**, and a more flexible portion. The hinged portion allows the patch **100** to bend between the housing **102** and wings **104, 106** to compensate for any movement caused by the patient. As shown in FIGS. 2B and 2C, the slack in the wiring **120** can be placed at or proximal to the hinge portions **194, 196** to allow for bending at the hinge portions **194, 196** without pulling or breaking the wiring **120**.

(41) Referring to FIGS. 4A and 4B, having adhesive on the bottom of the patch **100** except in the areas substantially around the electrodes and directly underneath the housing **102** can create a floating section **455** over the skin of the mammal to which the patch **100** is attached. The floating section **455** can house the more rigid or less flexible electronic components while the flexible wings **104, 106** can be adhered to the skin and provide the flexibility necessary to hold the patch **100** in place. As a result of this selective use of adhesive areas and non-adhesive areas, the limitation on device flexibility imposed by the less flexible floating section can be mitigated or reduced by hounding the floating section with one or more adhered flexible areas. The flexible sections can thus adhere to the body if the underlying portion of the body is stretched and/or contracted while the floating section is free to move above the skin, for example if the person wearing the device rolls over (as shown in FIG. 4A) or is involved in activities that can otherwise cause movement of the skin (as shown in FIG. 4B).

(42) Referring back to FIGS. 1B-1E, each wing **104, 106** can include a material layer **214,216** between the adhesive **164, 166** and the wings **104, 106**. The material layer **214,216** can be, for example, a polyester layer. The material layer **214,216** can be attached to the patch **100** with a layer of adhesive **204,206**. The adhesive **204, 206** can be the same as the adhesive **164, 166** or different. For example, the adhesive **204, 206** could be a silicone adhesive. The material layer **214** can serve as a barrier to prevent diffusion or migration of adhesive components, such as a tackifier, from the adhesive **164, 166** into the wings **104, 106** or housing **102**. The material layer **214** can thus advantageously serve to maintain the strength of the adhesive **104, 106** over time.

(43) Referring still to FIGS. 1B-1E, the patch **100** can further include a first flap **154** connected to the first wing **104** and a second flap **156** connected to the second wing **106**. The flaps **154, 156** can both extend from a position on the wings **104, 106** medial to the electrodes to a position below the housing **102**, such as below the electronics **108**. The flaps **154, 156** can remain unattached to the housing **102**. As a result, gaps **144, 146** can be formed between the flaps **154, 156** and the housing **102**. The gaps can provide additional “floating” for the housing **102** and the relatively rigid components **108** contained therein.

(44) In some embodiments, shown in FIG. 1B, the flaps **154, 156** can be attached to the wings **104, 106** with adhesive **134, 136**. The adhesive **134, 136** can be the same as the adhesive **164, 166** or different. For example, the adhesive **134, 136** could be a silicone adhesive. In other embodiments, shown in FIGS. 1C-1E, the flaps **154, 156** can be integral with the wings **104, 106**. For example, the flaps **154, 156** can be solvent welded to and/or formed during the molding process of the wings **104, 105** such that hinges **194, 196** form below the wings **104, 106**. Additionally or alternatively, one or more of the flaps **154, 156** may be separably attached to the wings **104, 106**. In some embodiments, shown in FIGS. 1B and 1C, the materials making up the flaps **154, 156** can extend all the way to the lateral edge of the patch **100**. In other embodiments, shown in FIG. 1D, a flap can extend on each side of the electrodes, i.e. one flap can extend medially and the other laterally. In some embodiments, the lateral and medial—extending flaps are part of the same annular flap. In other embodiments, shown in FIG. 1E, the flaps and materials making up the flaps extend only

from a position medial to the electrodes underneath the housing.

(45) The Flaps **154**, **156** may be positioned in virtually any relationship to the adhered flexible area such that, when attached in use, the attachment of the flap or flaps effectively counteracts the expected external forces acting on the device, specifically those forces that may dislodge the adhered flexible areas. Further, in embodiments such as that shown in FIG. **1F** where there are more than two wings, there can be a flap corresponding to each additional wing.

(46) The adhesive layers **164**, **166** can coat all or a portion of the bottom of each of the flaps **154**, **156**. In some embodiments, the adhesive **164**, **166** extends continuously from the bottom surface of the wings **104**, **106** to the bottom surface of the flaps **154**, **156**, except for areas proximate to the electrodes **124**, **126**. Further, the top surface of the flaps **154**, **156**, i.e. the surface closest to the housing **102**, can remain free of adhesive to ensure that the housing **102** remains floating. In some embodiments, the only portion of the patch **100** including adhesive for adhesion to the skin can be the flaps **154**, **156**.

(47) Referring to FIGS. **5A-5C**, the naps **154**, **156**, can provide hinge-like behavior for the patch **100**. Thus, as shown in FIG. **5A**, if the skin **501** is stretched or bent in a concave manner, the gaps **144**, **146** between the flaps **154**, **156** and the housing **102** can approach zero such that the patch **100** can sit substantially flat on the skin **501**. As shown, the hinge portions **194**, **196** between the housing **102** and wings **104**, **106** can provide additional flexibility for concave bends by flattening as the patch **100** is stretched. In contrast, as shown in FIGS. **5B** and **5C**, as the skin **501** is bent in an increasingly convex manner, the gaps **144**, **146** between the flaps **154**, **156** and the housing **102** can increase, thereby allowing the flexible wings **104**, **106** to remain adhered to the skin and the rigid housing **102** to float above skin. As shown, the hinge portions **194**, **196** between the housing and the wings **104**, **106** can provide additional flexibility for convex bends by folding inward as the patch **100** is bent.

(48) When placed substantially flat on the skin **501**, the patch **100** can have a height that extends no more than 2 cm off of the skin, such as no more than 1.5 cm off of the skin, when lying flat on the patient and no more than 4 cm, such as no more than 1 cm off of the skin when floating above the skin. The relatively low height of the patch **100** can enhance long-term adhesion by reducing the potential for the patch **100** to snag or rip off of the skin.

(49) Advantageously, the flaps **154**, **156** can function as anchors for adhesion that mitigates shear force. The flaps **154**, **156** can provide a different direction for the acute and chronic forces being experienced by the device due to stretching, contraction, or torsion to be spread out over both the flap as well as the flexible adhesive areas. Further, by pre-aligning the orientation of the floating section, adhered flexible area and the flaps, the device may be better able to tolerate (i.e., remain attached to the body and in use) and/or tailor the interaction with the forces acting on the device in order to better withstand the acute or chronic forces being experienced by the device. Tailoring the response of the device to the expected forces is one

(50) Because the flaps can be used to counteract forces acting on a particular device, it is to be appreciated that the dimensions, flexibility, attachment technique, and/or orientation between a flap and another component may vary depending upon the purpose of a particular flap. Accordingly, a flap may have the same or different characteristics from another flap or component of the device. In one aspect, at least one flap is more flexible than the other flaps in a particular device. In another aspect, each of the flaps has similar flexibility. In still another aspect, at least one flap is more flexible than the device component to which it is attached or from which it originates. In still another aspect, at least one flap is less flexible than the device component to which it is attached or from which it originates.

(51) Referring to FIGS. **6A** and **6B**, in one embodiment, the flaps **154**, **156** may be augmented by a connector segment **607** used to join the flaps together. The connector segment **607** can extend below the housing **102**, but remain unattached to the housing **102**. As shown in FIG. **6A**, the flaps **154**, **156** and the connector **607** can together form a butterfly shape. In one embodiment, the

connector segment **607** and the flaps **154**, **156** are formed from a single piece of material. The connector segment **607** can be made of the same material as the flaps **154**, **156** or of different material. In one embodiment, the bottom surface of the connector is covered with adhesive. In another embodiment, the bottom surface of the connector does not include any adhesive. Further, as shown in FIG. **6B**, the connector segment **607** can be thicker in the middle, under the housing **102**, than near the edges, i.e., closer to the electrodes. The variable thickness can help prevent the connector segment **607** from capturing moisture thereunder. The connector segment **607** can advantageously prevent the device from flipping when attached to the patient

(52) The connector segment **607** can include one or more holes **614**, **616**. In some configurations, the connector segment may trap moisture and/or inadvertently stick to the body. The holes **614**, **616** can advantageously minimize the potential for undesired sticking or moisture collection. The size, shape and placement of the holes mitigate or reduce the collection of moisture and/or undesired adhesive still providing a connector with sufficient structural integrity (i.e. the connector allows the flaps to be connected to one another in order to prevent them from folding). Additionally or alternatively, the connector holes could also be made to preferentially allow forces to be distributed along certain axes of the connector in order to further maximize the ability of the device to adhere long-term in the face of significant acute and chronic forces due to stretching, contraction, and torsion.

(53) Adhesive can be selectively applied to the connector and/or naps to provide the desired body attachment locations depending upon the specific use of the device. For example, one piece of material including flaps and the connector can be adhered along two or more edges and/or with adhesive only covering certain areas. In another aspect, at least a portion of the skin-contacting surface of the unitary nap connector structure does not include any adhesive. Additionally or alternatively, the connector segment incorporating the flaps may be integral parts of the larger device housing (e.g. could be molded as part of the device housing or enclosure).

(54) In some embodiments, the patch **100** can include one or more release liners to cover parts of the adhesive prior to adhesion. As is particular to devices having multiple adhesive areas and/or multiple adhesive components (i.e., flaps and flexible sections), the manner of applying the device may be specifically detailed in order to ensure that the device and the adhesive portions are properly engaged. In one particular aspect, the release liners are removed in a particular order to minimize the likelihood that the device adhesive is misapplied. For example, a portion of the adhesive may be exposed first and used to affix the device to the body. Thereafter, a second set of adhesive liners may be removed to expose and affix one or more flaps to the body. A stepwise adhesive exposure method may be implemented during device application such that elements, such as the one or more flaps do not fold on themselves, for example.

(55) Breaking up the areas in which the adhesive is used to adhere the device, whether it be splitting it up to rigid areas, to create flaps, to create connector segments with holes, or any of the other techniques described above may also have benefits in terms of preventing moisture bridges that could act as conducting pathways between electrical sensing elements, such as electrodes. Bridges of moisture could short-circuit electrical connections and/or prevent the proper functioning of the device, particularly if the device has an electrical function, such as sensing via electrodes.

(56) In some applications, a long-duration patch may experience excessive forces due to acute (quick and/or rapid) or chronic (slow and/or prolonged) contraction, stretching, or torsion. In such applications, the hinge points between a floating rigid section and flexible adhered sections may be modified in order to align with and counteract or mitigate the predominant direction of the force acting on the patch. In some device situations or configurations, the strength and direction of the acute or chronic force may be so strong that the forces imparted on the device adhesive surfaces or components may be distributed differently in addition to or as an alternative to the hinge described above.

(57) Further, the device construction can be made in such a way that the housing is fashioned so

that the axes of the housing are structured and placed along or against the direction of various forces, possibly during certain states, such as sleeping, so that the device itself can help counteract these forces and improve long-term adhesion.

(58) Advantageously, the patch described herein can provide long-term adhesion to the skin. Having the various flexible portions and/or hinged portions can compensate for stressed caused as the skin stretches or bends, while allowing the rigid portion to float about the skin. As a result, the devices described herein can adhere to the skin substantially continuously for more than 24 hours, such as greater than 3 days, for example, greater than 7 days, greater than 14 days, or greater than 21 days.

(59) Another mechanism for adhering a patch to the skin long-term is described with respect to FIGS. 7-10. As shown in the embodiments of FIGS. 7-10, one or more parts of the patch are used in a temporary fashion in order to improve adhesion. The adhesive used in the embodiments described below can include a hydrocolloid or a pressure-sensitive adhesive, such as polyacrylate, polyisobutylenes, or polysiloxane.

(60) In one embodiment, shown in FIGS. 7A and 7B, the patch **700** can be surrounded with an adhesive **760** having multiple covers **701, 703, 705** thereon that can be peeled away in a sequence to expose strips of adhesive **760** underneath. The covers **701, 703, 705** can be concentric with one another and be configured to be pulled off separately and sequentially starting from the inside of the patch **700**. Each additional exposed area of adhesive **760** can increase the adhesion life of the patch **700**. Although only three covers are shown in FIG. 7A, other numbers, such as 2, 4, 5, or more are possible. Further, each electrode **124, 126** of the patch **700** can include a barrier **714, 716** to protect the electrodes **124, 126** from shortage.

(61) In another embodiment, shown in FIGS. 8A and 8B, each electrode **124, 126** can be surrounded by a patch of adhesive **864, 866**. Accordingly, a set of covers **801, 803, 805, 807** can be positioned sequentially around each of the electrodes **124, 126** over the adhesive **864, 866**. The covers **801, 803, 805, 807** can be concentric with one another and be configured to be pulled off sequentially starting from the inside. Each additional exposed strip of adhesive **864, 866** can increase the adhesion life of the patch **100**. Although only four covers are shown in FIG. 8A, other numbers, such as 2, 3, 5, or more are possible. Further, each electrode **124, 126** of the patch **800** can include a barrier **814, 816** to protect from shortage.

(62) Referring to FIGS. 9A-9B, in other embodiments, shells or layers **901, 902, 903** can extend over all or a portion of the patch **900**. Each layer **901, 902, 903** can include a strip of adhesive **962** on the bottom surface and an adhesion guard **982** protecting the adhesive. As shown in FIG. 913, as the patch **900** is worn over a period of time, the layers **901, 902, 903** can be sequentially removed. As a new layer is exposed, the adhesive guard **982** of that layer can be peeled away such that the adhesive **962** of the new layer can be used to adhere the patch **900** to the skin. In a similar embodiment, referring to FIGS. 10A-10B, each of the layers **1001, 1002, 1003** can include multiple portions of adhesive to help adhere the layer to both the skin and the patch itself. As with the embodiments of FIGS. 7-8, the number of layers in the embodiments of FIGS. 9 and 10 can vary. For example, there can be 2, 3, 4, or 5 or more layers.

(63) In some embodiments, the layers or covers of the embodiments described herein can be added to the device over time to improve adhesion. Further, the multiple layers or covers of the embodiments described herein can be partially overlapped. Further, in some embodiments, the strips of adhesive can be overlapped.

(64) Advantageously, the use of multiple covers or layers can assist in the adhesive performance of a base or core device because the added surface area or adhesive force of the combined outer layer aids in preventing layer pull away and/or may act to spread forces being experienced away from the core device by spreading those forces over a larger area.

(65) Referring to FIGS. 11 and 12, an open cell structured support **1330** or porous foam can be used to support a more rigid or less flexible portion **1302** of the patch **1300**. As shown in FIG. 11,

the open cell structured support **1330** can fully fill an area below the rigid portion **1302**. Alternatively, as shown in FIG. **12**, the open cell structured support **1330** can be an annular shape or have some other configuration that includes spaces between adjacent portions of the support. The open cell structured support **1302** may be attached to both the skin and to the rigid portion, to only the rigid portion, or to only the skin. Because of the open cell structure of the support, the flexible movement of the skin can be absorbed by the structure entirely or partially such that the rigid portion does not impact or has a reduced impact on the ability of the device to accommodate movement and remain affixed. In addition, the open cell support may have a thickness selected to enhance patient comfort so that the more rigid portion of a device does not push against the skin. In one aspect, the open cell structure is a biocompatible foam material. In another aspect, the open cell material is positioned between an electronics module on the device and the skin when worn by a patient. The open cell support can advantageously absorb fluids to keep the electrodes from shorting.

(66) Referring to FIG. **13**, the patch can have a shell design. Adhesive can be placed on the perimeter edge of the bottom ring. The circuit board and electrode unit can be dropped into the bottom ring, and a shell can be dropped on top of the circuit board and electrode. The perimeter adhesive can create a watertight chamber therein.

(67) The shape of a particular electronic device embodiment may vary. The shape, footprint, perimeter or boundary of the device may be a circle or circular (see FIG. **13A**), an oval (see FIG. **1A**, **2A**), a triangle or generally triangular (see FIG. **1F**) or a compound curve. Examples of a device embodiments having a compound curve shape are shown in FIGS. **2B**, **2B**, **3**, **6A**, **7A**, and **8A**. In some embodiments, the compound curve includes one or more concave curves and one or more convex curves. FIG. **3** illustrates a device having a convex surface along the top (where reference **102** indicates), a concave surface along the bottom and convex shaped edges around the electrodes **124**, **126**. FIGS. **2B** and **2C** illustrate a device embodiment having a convex shape on either side of the electronics **108** and around the electrodes **124**, **126**. The convex shapes are separated by a concave portion. The concave portion is between the convex portion on the electronics and the convex portion on the electrodes. In some embodiments, the concave portion corresponds at least partially with a hinge, hinge region or area of reduced.

(68) While described in the context of a heart monitor, the device adhesion improvements described herein are not so limited. The improvement described in this application may be applied to any of a wide variety of conventional physiological data monitoring, recording and/or transmitting devices. The improved adhesion design features may also be applied to conventional devices useful in the electronically controlled and/or time released delivery of pharmacological agents or blood testing, such as glucose monitors or other blood testing devices. As such, the description, characteristics and functionality of the components described herein may be modified as needed to include the specific components of a particular application such as electronics, antenna, power supplies or charging connections, data ports or connections for down loading or off loading information from the device, adding or offloading fluids from the device, monitoring or sensing elements such as electrodes, probes or sensors or any other component or components needed in the device specific function. In addition or alternatively, devices described herein may be used to detect, record, or transmit signals or information related to signals generated by a body including but not limited to one or more of EKG, EEG, and/or EMG.

Claims

1. A body-worn device configured to monitor cardiac rhythm data, the body-worn device comprising: a housing formed from a polymer material, in which at least some substantially rigid electronic components are disposed, including a printed circuit board and a battery connected to the printed circuit board; a flexible layer, wherein the flexible layer is adhered to the housing, the

flexible layer is made of material that is different from the polymer material of the housing, the flexible layer is more flexible than the housing, a portion of a skin contacting surface of the flexible layer is configured to bend independently from the housing, allowing for a gap between the housing and the flexible layer to facilitate adherence of the flexible layer to a body of a patient accommodating different positions and movements of the patient; a first electrode positioned on a bottom surface of the flexible layer at a distance from the housing, wherein the first electrode is embedded in the flexible layer and is electrically connected via a flexible material to the printed circuit board, and at least a portion of the electrical connection extends linearly between the first electrode and the printed circuit board, and the flexible layer comprises a first layer and a second layer, wherein the first layer is positioned over the first electrode and extends beyond a boundary of the first electrode, and wherein the second layer is positioned over the first layer extends horizontally beyond a boundary of the first layer; a second electrode positioned on the bottom of the device, wherein the first electrode and second electrode are more than 6 cm apart, the first electrode, the second electrode, the electrical connection, and the substantially rigid electronic components are centered in a line on the device, a portion of the electrical connection that extends linearly between the first electrode and a connection point at the printed circuit board shorter than the distance between the first electrode and second electrode, and the substantially rigid electronic components occupy less than 80% of the distance between the first and second electrodes, thereby increasing the ability of the flexible layer to conform to the patient during movement of the patient; and a removable release liner overlaps an electrode and an adhesive on a bottom surface of the flexible layer, the removable release liner configured to expose the electrode and the adhesive for connection to a skin of the patient when removed, and the removable release liner extending horizontally beyond a boundary of the flexible layer.

2. The body-worn device of claim 1, wherein the housing is substantially rigid.

3. The body-worn device of claim 1, further comprising a connecting adhesive layer adhering the first layer to the second layer.

4. The body-worn device of claim 1, wherein the adhesive comprises a hydrocolloid adhesive.

5. The body-worn device of claim 1, wherein the adhesive comprises a pressure-sensitive adhesive.

6. The body-worn device of claim 1, wherein the adhesive extends at least partially below the housing.

7. The body-worn device of claim 1, wherein the adhesive does not extend beneath the housing.

8. The body-worn device of claim 1, wherein the printed circuit board comprises a data collection circuit configured to collect cardiac rhythm data from the patient.

9. The body-worn device of claim 8, wherein the electrical connection extends linearly between the first electrode and the data collection circuit of the printed circuit board.

10. The body-worn device of claim 1, wherein the housing is configured to remain connected to the flexible layer when the housing is tilted at an angle relative to the bottom surface of the flexible layer in response to movement of the patient.

11. The body-worn device of claim 1, further comprising a hinge portion adjacent the housing.

12. The body-worn device of claim 1, wherein the housing provides a watertight enclosure for the printed circuit board.

13. The body-worn device of claim 1, wherein the first electrode is positioned in a wing that extends away from the housing.

14. The body-worn device of claim 1, wherein the adhesive can adhere to the skin of the patient for more than **24** hours.

15. The body-worn device of claim 14, wherein the adhesive can adhere to the skin of the patient for more than **3** days.

16. The body-worn device of claim 1, wherein the flexible layer comprises a third layer.

17. The body-worn device of claim 16, wherein the third layer is between the first layer and the second layer.

18. The body-worn device of claim 16, wherein the third layer extends beyond the boundary of the first layer.
 19. The body-worn device of claim 1, wherein the flexible layer is thinner at the edges than in the center.
 20. The body-worn device of claim 19, wherein the varying thickness of the flexible layer prevents the flexible layer from capturing moisture.
-