

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12409078
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Seitz; Bret Darren et al.

Waist-to-side silhouettes of adult disposable absorbent articles and arrays

Abstract

In one embodiment, an array of packages may comprise two or more different sizes of disposable absorbent articles. The Product Waist-to-Side Silhouette of a second absorbent article may be equal to or greater than a Product Waist-to-Side Silhouette of a first absorbent article. And, an Array Average Product Waist-to-Side Silhouette of first and second packages of the array may be from about 1.7 to about 6.0.

Inventors: Seitz; Bret Darren (Loveland, OH), LaVon; Gary Dean (Liberty Township, OH), Trygier; Jill (West Chester, OH), Melendez; Vanessa (Cincinnati, OH)

Applicant: The Procter & Gamble Company (Cincinnati, OH)

Family ID: 53177365

Assignee: The Procter & Gamble Company (Cincinnati, OH)

Appl. No.: 17/968076

Filed: October 18, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20230049444 A1	Feb. 16, 2023

Related U.S. Application Data

continuation parent-doc US 16059313 20180809 US 11504281 child-doc US 17968076
continuation parent-doc US 14805673 20150722 US 10143600 20181204 child-doc US 16059313
continuation parent-doc US 14699123 20150429 ABANDONED child-doc US 14805673
us-provisional-application US 61990358 20140508

Publication Classification

Int. Cl.: **A61F13/496** (20060101); **A61F13/49** (20060101); **A61F13/53** (20060101); **A61F13/551** (20060101); **A61F13/15** (20060101); **A61F13/491** (20060101)

U.S. Cl.:

CPC **A61F13/49** (20130101); **A61F13/49011** (20130101); **A61F13/49017** (20130101); **A61F13/49058** (20130101); **A61F13/496** (20130101); **A61F13/4963** (20130101); **A61F13/53** (20130101); **A61F13/55105** (20130101); **A61F2013/15365** (20130101); **A61F2013/49025** (20130101); **A61F2013/49041** (20130101); **A61F2013/49092** (20130101); **A61F2013/49098** (20130101); **A61F13/491** (20130101); **A61F2013/530343** (20130101)

Field of Classification Search

CPC: A61F (2013/15365); A61F (2013/1539); A61F (13/49); A61F (13/4963); A61F (13/49011); A61F (13/49017); A61F (13/49058); A61F (13/496); A61F (2013/49092); A61F (2013/49025); A61F (13/55105)

USPC: 604/358-392

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
414637	12/1888	Goodson	N/A	N/A
416794	12/1888	Mathieu et al.	N/A	N/A
421901	12/1889	Breher	N/A	N/A
421902	12/1889	Britz	N/A	N/A
437686	12/1889	Geddes	N/A	N/A
443451	12/1889	Hunter	N/A	N/A
443508	12/1889	Emmet	N/A	N/A
445329	12/1890	Kerr	N/A	N/A
451279	12/1890	Sailor	N/A	N/A
3815602	12/1973	Johns et al.	N/A	N/A
3967756	12/1975	Barish	N/A	N/A
3982659	12/1975	Ross	N/A	N/A
3994417	12/1975	Boedecker	N/A	N/A
4117187	12/1977	Adams	N/A	N/A
4230113	12/1979	Mehta	N/A	N/A
4299223	12/1980	Cronkrite	N/A	N/A
4471881	12/1983	Foster	N/A	N/A
4706845	12/1986	Schnurer	N/A	N/A
4743241	12/1987	Igaue et al.	N/A	N/A
4840270	12/1988	Caputo	N/A	N/A
4885155	12/1988	Parran, Jr. et al.	N/A	N/A
4940464	12/1989	Van Gompel	N/A	N/A
4966286	12/1989	Muckenfuhs	N/A	N/A

4971220	12/1989	Kaufman	N/A	N/A
5004597	12/1990	Majeti	N/A	N/A
5050737	12/1990	Joslyn	N/A	N/A
5065868	12/1990	Cornelissen	N/A	N/A
5151092	12/1991	Buell	N/A	N/A
5231266	12/1992	Warren	N/A	N/A
5242057	12/1992	Cook	N/A	N/A
5261901	12/1992	Guay	N/A	N/A
5284263	12/1993	Papciak	N/A	N/A
5322178	12/1993	Foos	N/A	N/A
5366104	12/1993	Armstrong	N/A	N/A
5368188	12/1993	Twardowski	N/A	N/A
5377853	12/1994	Papciak	N/A	N/A
5395358	12/1994	Lu	N/A	N/A
5413849	12/1994	Austin	N/A	N/A
5443161	12/1994	Jonese	N/A	N/A
5485919	12/1995	Samberg	N/A	N/A
5507736	12/1995	Clear	N/A	N/A
5569234	12/1995	Buell	N/A	N/A
5575783	12/1995	Clear	N/A	N/A
5591155	12/1996	Nishikawa	N/A	N/A
5599620	12/1996	Huskey	N/A	N/A
5647506	12/1996	Julius	N/A	N/A
5678727	12/1996	Rice	N/A	N/A
5685874	12/1996	Buell et al.	N/A	N/A
5690627	12/1996	Clear et al.	N/A	N/A
5695745	12/1996	Barton et al.	N/A	N/A
5715841	12/1997	Utecht	N/A	N/A
5732716	12/1997	Utecht	N/A	N/A
5733530	12/1997	Bacca et al.	N/A	N/A
5735839	12/1997	Kawaguchi et al.	N/A	N/A
5746730	12/1997	Suzuki et al.	N/A	N/A
5785179	12/1997	Buczwinski	N/A	N/A
5791465	12/1997	Niki	N/A	N/A
5817087	12/1997	Takabayashi et al.	N/A	N/A
5839585	12/1997	Miller	N/A	N/A
5865322	12/1998	Miller	N/A	N/A
5885264	12/1998	Matsushita	N/A	N/A
5938648	12/1998	Beck	N/A	N/A
5944237	12/1998	Gouldson	N/A	N/A
5947302	12/1998	Miller	N/A	N/A
6013590	12/1999	Noda	N/A	N/A
6024094	12/1999	Utecht	N/A	N/A
6050985	12/1999	Lavon et al.	N/A	N/A
6075178	12/1999	La	N/A	N/A
6092690	12/1999	Bitowft	N/A	N/A
6168022	12/2000	Ward	N/A	N/A
6190369	12/2000	Palumbo	N/A	N/A
6195800	12/2000	Gilmer	N/A	N/A
6229061	12/2000	Dragoo	N/A	N/A

6258077	12/2000	Buell et al.	N/A	N/A
6269969	12/2000	Huang	N/A	N/A
6269970	12/2000	Huang	N/A	N/A
6274218	12/2000	Shimizu	N/A	N/A
6296144	12/2000	Tanaka	N/A	N/A
6302871	12/2000	Nakao et al.	N/A	N/A
6315114	12/2000	Keck	N/A	N/A
6361784	12/2001	Brennan	N/A	N/A
6401968	12/2001	Huang	N/A	N/A
6412634	12/2001	Telesca	N/A	N/A
6454095	12/2001	Brisebois	N/A	N/A
6488202	12/2001	Seitz et al.	N/A	N/A
6491165	12/2001	Kuske	N/A	N/A
6500444	12/2001	Ferenc	N/A	N/A
6520946	12/2002	Krueger	N/A	N/A
6568530	12/2002	Takahashi	N/A	N/A
6581775	12/2002	Hagopian	N/A	N/A
6601705	12/2002	Molina	N/A	N/A
6612846	12/2002	Underhill	N/A	N/A
6648864	12/2002	Ronn	N/A	N/A
6649808	12/2002	Tao	N/A	N/A
6667464	12/2002	Ellis	N/A	N/A
6763944	12/2003	Ronn	N/A	N/A
6830755	12/2003	Librizzi	N/A	N/A
6837395	12/2004	Windorski	N/A	N/A
6911022	12/2004	Steger	N/A	N/A
7008685	12/2005	Groitzsch	N/A	N/A
7118558	12/2005	Wu	N/A	N/A
7222732	12/2006	Ronn	N/A	N/A
7549538	12/2008	Naoe	N/A	N/A
7572249	12/2008	Betts	N/A	N/A
7582075	12/2008	Betts	N/A	N/A
7770729	12/2009	Warren	N/A	N/A
7824389	12/2009	Veith	N/A	N/A
7863497	12/2010	Magee et al.	N/A	N/A
7931632	12/2010	Betts	N/A	N/A
7959621	12/2010	Ashton	N/A	N/A
7998127	12/2010	Betts	N/A	N/A
8069982	12/2010	Ronn	N/A	N/A
8079994	12/2010	Richlen et al.	N/A	N/A
8092438	12/2011	Betts	N/A	N/A
8220632	12/2011	Oi	N/A	N/A
8226625	12/2011	Turner	N/A	N/A
8273067	12/2011	Cohen	N/A	N/A
8388594	12/2012	Turner	N/A	N/A
8435222	12/2012	Ronn	N/A	N/A
8480642	12/2012	Betts	N/A	N/A
8518004	12/2012	Betts	N/A	N/A
8568566	12/2012	Jackels et al.	N/A	N/A
8834436	12/2013	Ronn et al.	N/A	N/A

9028462	12/2014	Poole et al.	N/A	N/A
9039669	12/2014	Lavon et al.	N/A	N/A
9216118	12/2014	Roe et al.	N/A	N/A
9254228	12/2015	Ashton	N/A	N/A
9474657	12/2015	Berrizbeitia et al.	N/A	N/A
9622922	12/2016	Nelson	N/A	N/A
9649232	12/2016	Hippe et al.	N/A	N/A
9867762	12/2017	Lynch et al.	N/A	N/A
9907709	12/2017	Seitz et al.	N/A	N/A
10568782	12/2019	Morimoto et al.	N/A	N/A
10583054	12/2019	Seitz et al.	N/A	N/A
10973709	12/2020	Seitz et al.	N/A	N/A
11357671	12/2021	Seitz et al.	N/A	N/A
11432973	12/2021	Lavon et al.	N/A	N/A
11432974	12/2021	Lavon et al.	N/A	N/A
2001/0021833	12/2000	Schmidt	N/A	N/A
2001/0055609	12/2000	Shantz	N/A	N/A
2002/0002358	12/2001	Durrance	N/A	N/A
2002/0004527	12/2001	Auestad	N/A	N/A
2002/0052588	12/2001	Otsubu	N/A	N/A
2002/0064323	12/2001	Chin	N/A	N/A
2002/0072023	12/2001	Shook	N/A	N/A
2002/0072723	12/2001	Ronn	N/A	N/A
2002/0138056	12/2001	Kuen et al.	N/A	N/A
2002/0148742	12/2001	Bisbal	N/A	N/A
2002/0151858	12/2001	Karami	N/A	N/A
2002/0164910	12/2001	Murray	N/A	N/A
2002/0173767	12/2001	Coenen	N/A	N/A
2002/0177829	12/2001	Fell	N/A	N/A
2002/0183712	12/2001	Datta	N/A	N/A
2003/0019508	12/2002	Tomarchio	N/A	N/A
2003/0073966	12/2002	Sosalla	N/A	N/A
2003/0084984	12/2002	Glaug et al.	N/A	N/A
2003/0097109	12/2002	Bruce	N/A	N/A
2003/0114808	12/2002	Underhill	N/A	N/A
2003/0120231	12/2002	Wang	N/A	N/A
2003/0135184	12/2002	Van Gompel et al.	N/A	N/A
2003/0135186	12/2002	Olson	N/A	N/A
2003/0136704	12/2002	Burgess	N/A	N/A
2003/0139713	12/2002	Olson	N/A	N/A
2003/0153889	12/2002	Gibbs	N/A	N/A
2003/0158532	12/2002	Magee	N/A	N/A
2003/0181883	12/2002	Olson	N/A	N/A
2003/0226266	12/2002	Ellis	N/A	N/A
2003/0229327	12/2002	Imsangjan	N/A	N/A
2004/0006323	12/2003	Hall	N/A	N/A
2004/0010240	12/2003	Ronn	N/A	N/A
2004/0030308	12/2003	Ronn	N/A	N/A
2004/0030317	12/2003	Torigoshi	N/A	N/A
2004/0052834	12/2003	West	N/A	N/A

2004/0064126	12/2003	Fletcher	N/A	N/A
2004/0087928	12/2003	Ducker	N/A	N/A
2004/0092904	12/2003	Macedo	N/A	N/A
2004/0097895	12/2003	Busam	N/A	N/A
2004/0097897	12/2003	Ronn	N/A	N/A
2004/0127865	12/2003	Mitsui	N/A	N/A
2004/0133180	12/2003	Mori	N/A	N/A
2004/0162536	12/2003	Becker	N/A	N/A
2004/0219854	12/2003	Groitzsch	N/A	N/A
2004/0243083	12/2003	Matsuda	N/A	N/A
2004/0243093	12/2003	Berenson	N/A	N/A
2004/0249354	12/2003	Matsuda	N/A	N/A
2005/0059943	12/2004	Suzuki	N/A	N/A
2005/0065492	12/2004	Cole	N/A	N/A
2005/0074483	12/2004	Lange	N/A	N/A
2005/0085782	12/2004	Popp	N/A	N/A
2005/0102735	12/2004	Coenen	N/A	N/A
2005/0121347	12/2004	Hanson	N/A	N/A
2005/0133387	12/2004	Cohen	N/A	N/A
2005/0142336	12/2004	Romano, III	N/A	N/A
2005/0148983	12/2004	Doverbo	N/A	N/A
2005/0210566	12/2004	Mortell	N/A	N/A
2005/0256493	12/2004	Datta	N/A	N/A
2005/0256758	12/2004	Sierra	N/A	N/A
2005/0267431	12/2004	Sasaki	N/A	N/A
2006/0052763	12/2005	Tachibana	N/A	N/A
2006/0069372	12/2005	Chakravarty	N/A	N/A
2006/0082133	12/2005	Naoe	N/A	N/A
2006/0116656	12/2005	Hendren et al.	N/A	N/A
2006/0173695	12/2005	Brandt	N/A	N/A
2006/0183086	12/2005	Brandt	N/A	N/A
2006/0186132	12/2005	Panning	N/A	N/A
2006/0193898	12/2005	Norman	N/A	N/A
2006/0195357	12/2005	Klofta	N/A	N/A
2006/0229581	12/2005	Ulas	N/A	N/A
2006/0240969	12/2005	Teyssedre	N/A	N/A
2006/0241558	12/2005	Ramshak	N/A	N/A
2007/0016158	12/2006	Endres	N/A	N/A
2007/0032766	12/2006	Liu	N/A	N/A
2007/0032768	12/2006	Cohen	N/A	N/A
2007/0043331	12/2006	Haruki	N/A	N/A
2007/0141311	12/2006	Mleziva	N/A	N/A
2007/0142798	12/2006	Goodlander	N/A	N/A
2007/0151182	12/2006	Ronn	N/A	N/A
2007/0235263	12/2006	Legault	N/A	N/A
2007/0255248	12/2006	Hendren	N/A	N/A
2007/0287975	12/2006	Fujimoto	N/A	N/A
2007/0287983	12/2006	Lodge	N/A	N/A
2007/0293833	12/2006	Wennerback	N/A	N/A
2008/0051747	12/2007	Cohen	N/A	N/A

2008/0082070	12/2007	Fell	N/A	N/A
2008/0110782	12/2007	Burgdorf	N/A	N/A
2008/0128308	12/2007	Betts	N/A	N/A
2008/0195070	12/2007	Ponomarenko	N/A	N/A
2008/0208155	12/2007	Lavon	N/A	N/A
2008/0234643	12/2007	Kaneda	N/A	N/A
2008/0269038	12/2007	Schneider et al.	N/A	N/A
2008/0294137	12/2007	Jansson	N/A	N/A
2008/0312624	12/2007	Hundorf	N/A	N/A
2009/0030389	12/2008	Ashton	N/A	N/A
2009/0088718	12/2008	Toyoshima	N/A	N/A
2009/0182298	12/2008	Kumasaka	N/A	N/A
2009/0240221	12/2008	Rothenberger	N/A	N/A
2009/0266733	12/2008	Betts	N/A	N/A
2009/0326504	12/2008	Kaneda	N/A	N/A
2010/0022151	12/2009	Malowaniec	N/A	N/A
2010/0057029	12/2009	Coenen	N/A	N/A
2010/0106123	12/2009	Fukae	N/A	N/A
2010/0108554	12/2009	Melius	N/A	N/A
2010/0130956	12/2009	Wennerbaeck	N/A	N/A
2010/0179495	12/2009	Roe	N/A	N/A
2010/0181223	12/2009	Warren	N/A	N/A
2010/0193110	12/2009	Eckstein et al.	N/A	N/A
2010/0280481	12/2009	Kline	N/A	N/A
2010/0292666	12/2009	Olson	N/A	N/A
2011/0077609	12/2010	Kuwano	N/A	N/A
2011/0088828	12/2010	Misek	N/A	N/A
2011/0098668	12/2010	Thorson	N/A	N/A
2011/0144602	12/2010	Long	N/A	N/A
2011/0160687	12/2010	Welch	N/A	N/A
2011/0178490	12/2010	Lavon et al.	N/A	N/A
2011/0288517	12/2010	Mori	N/A	N/A
2012/0083758	12/2011	Ronn	N/A	N/A
2012/0157959	12/2011	Kline	N/A	N/A
2012/0215191	12/2011	Takino	N/A	N/A
2012/0271267	12/2011	Love	N/A	N/A
2012/0296293	12/2011	Clifford	N/A	N/A
2013/0018351	12/2012	Desai	N/A	N/A
2013/0041340	12/2012	Kawakami	N/A	N/A
2013/0072887	12/2012	Lavon	N/A	N/A
2013/0138072	12/2012	Morimoto	N/A	N/A
2013/0165895	12/2012	Wennerbaeck	N/A	N/A
2013/0211355	12/2012	Nishikawa	N/A	N/A
2013/0211356	12/2012	Nishikawa	N/A	N/A
2013/0211357	12/2012	Nishikawa	N/A	N/A
2013/0211363	12/2012	Lavon	N/A	N/A
2013/0226127	12/2012	Takahashi	N/A	N/A
2013/0233749	12/2012	Ronn	N/A	N/A
2013/0281954	12/2012	Ishihara	N/A	N/A
2013/0289512	12/2012	Rhodes et al.	N/A	N/A

2013/0306226	12/2012	Zink	N/A	N/A
2013/0310795	12/2012	Glahn	N/A	N/A
2014/0005628	12/2013	Lavon et al.	N/A	N/A
2014/0013490	12/2013	Evenson	N/A	N/A
2014/0018759	12/2013	Jayasinghe	N/A	N/A
2014/0163506	12/2013	Roe	N/A	N/A
2014/0171892	12/2013	Ichikawa	N/A	N/A
2014/0224695	12/2013	Ronn	N/A	N/A
2014/0288519	12/2013	Schmitz	N/A	N/A
2014/0288523	12/2013	Hasse	N/A	N/A
2014/0350508	12/2013	Popp	N/A	N/A
2014/0371701	12/2013	Bianchi	N/A	N/A
2014/0378932	12/2013	Seitz	N/A	N/A
2015/0065982	12/2014	Hamilton	N/A	N/A
2015/0272787	12/2014	Seitz	N/A	N/A
2015/0283004	12/2014	Seitz	N/A	N/A
2015/0320611	12/2014	Seitz	N/A	N/A
2015/0320612	12/2014	Seitz	N/A	N/A
2015/0320613	12/2014	Seitz	N/A	N/A
2015/0320614	12/2014	Seitz	N/A	N/A
2015/0320619	12/2014	Seitz	N/A	N/A
2015/0320620	12/2014	Seitz	N/A	N/A
2015/0320621	12/2014	Seitz	N/A	N/A
2015/0320622	12/2014	Seitz	N/A	N/A
2015/0328056	12/2014	Een	N/A	N/A
2016/0058627	12/2015	Barnes	N/A	N/A
2016/0095764	12/2015	Seitz	N/A	N/A
2016/0100989	12/2015	Seitz	N/A	N/A
2016/0100995	12/2015	Seitz	N/A	N/A
2016/0100996	12/2015	Seitz	N/A	N/A
2016/0100997	12/2015	Seitz	N/A	N/A
2016/0100999	12/2015	Hamilton	N/A	N/A
2016/0136004	12/2015	Lavon	N/A	N/A
2017/0049637	12/2016	Mori	N/A	N/A
2017/0128285	12/2016	Seitz	N/A	N/A
2018/0147097	12/2017	Seitz et al.	N/A	N/A
2018/0311083	12/2017	Seitz et al.	N/A	N/A
2018/0344536	12/2017	Seitz et al.	N/A	N/A
2019/0000682	12/2018	Lavon et al.	N/A	N/A
2019/0000683	12/2018	Lavon et al.	N/A	N/A
2019/0000684	12/2018	Lavon et al.	N/A	N/A
2019/0000685	12/2018	Lavon et al.	N/A	N/A
2019/0029894	12/2018	Lavon et al.	N/A	N/A
2019/0374401	12/2018	Seitz et al.	N/A	N/A
2020/0030156	12/2019	Seitz et al.	N/A	N/A
2020/0054500	12/2019	Seitz et al.	N/A	N/A
2020/0229994	12/2019	Seitz et al.	N/A	N/A
2021/0059865	12/2020	Seitz et al.	N/A	N/A
2021/0212868	12/2020	Seitz et al.	N/A	N/A
2022/0257433	12/2021	Lavon et al.	N/A	N/A

2022/0257437	12/2021	Seitz et al.	N/A	N/A
2022/0331173	12/2021	Lavon et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
101330892	12/2007	CN	N/A
102361622	12/2011	CN	N/A
102647972	12/2011	CN	N/A
102647974	12/2011	CN	N/A
102917683	12/2012	CN	N/A
106038076	12/2015	CN	N/A
106659604	12/2016	CN	N/A
0067916	12/1981	EP	N/A
0309414	12/1988	EP	N/A
0816296	12/1997	EP	N/A
1174104	12/2001	EP	N/A
1447067	12/2003	EP	N/A
1695742	12/2005	EP	N/A
1795163	12/2006	EP	N/A
2314261	12/2010	EP	N/A
2623073	12/2012	EP	N/A
2813201	12/2013	EP	N/A
1603780	12/1980	GB	N/A
2245149	12/1991	GB	N/A
H01162802	12/1988	JP	N/A
H03202056	12/1990	JP	N/A
H1121702	12/1998	JP	N/A
3046066	12/1999	JP	N/A
2002520090	12/2001	JP	N/A
3386124	12/2002	JP	N/A
2003070838	12/2002	JP	N/A
2003285890	12/2002	JP	N/A
2003290279	12/2002	JP	N/A
2004057640	12/2003	JP	N/A
2008253290	12/2007	JP	N/A
2009142505	12/2008	JP	N/A
2009240694	12/2008	JP	N/A
2011050484	12/2010	JP	N/A
2011115229	12/2010	JP	N/A
2014508628	12/2013	JP	N/A
2017064235	12/2016	JP	N/A
9843579	12/1997	WO	N/A
9843580	12/1997	WO	N/A
9955213	12/1998	WO	N/A
9960967	12/1998	WO	N/A
9960974	12/1998	WO	N/A
0027268	12/1999	WO	N/A
0187206	12/2000	WO	N/A
0213749	12/2001	WO	N/A
0214172	12/2001	WO	N/A

0232361	12/2001	WO	N/A
0232363	12/2001	WO	N/A
02069865	12/2001	WO	N/A
02069866	12/2001	WO	N/A
2005039511	12/2004	WO	N/A
2005051263	12/2004	WO	N/A
2005110313	12/2004	WO	N/A
2006093439	12/2005	WO	N/A
2006115563	12/2005	WO	N/A
2006118214	12/2005	WO	N/A
2007016126	12/2006	WO	N/A
2007103097	12/2006	WO	N/A
2008023291	12/2007	WO	N/A
2008123348	12/2007	WO	N/A
2008135870	12/2007	WO	N/A
2008155702	12/2007	WO	N/A
2009013672	12/2008	WO	N/A
2010110250	12/2009	WO	N/A
2012054591	12/2011	WO	N/A
2012112279	12/2011	WO	N/A
2012154318	12/2011	WO	N/A
2013130665	12/2012	WO	N/A
2013161700	12/2012	WO	N/A
2014013242	12/2013	WO	N/A
2014205241	12/2013	WO	N/A
2014209753	12/2013	WO	N/A
2015023561	12/2014	WO	N/A
2015171377	12/2014	WO	N/A
2015171378	12/2014	WO	N/A
2015171382	12/2014	WO	N/A
2016057777	12/2015	WO	N/A
2016057857	12/2015	WO	N/A
2016057858	12/2015	WO	N/A
2017037958	12/2016	WO	N/A

OTHER PUBLICATIONS

All Office Actions; U.S. Appl. No. 18/211,664, filed Jun. 20, 2023. cited by applicant

Unpublished U.S. Appl. No. 18/211,664, filed Jun. 20, 2023 to Bret Darren Seitz et al. cited by applicant

All Office Actions; U.S. Appl. No. 18/106,020, filed Feb. 6, 2023. cited by applicant

Unpublished U.S. Appl. No. 18/106,020, filed Feb. 6, 2023, to Raymond Scott Hamilton et al. cited by applicant

All Office Actions, U.S. Appl. No. 14/698,968, filed Apr. 29, 2015. cited by applicant

“Amazon.com: Depend for Women Underwear, [Small/Medium], Moderate Absorbency, 20-Count Packages (Packof 4): Health & Personal Care”, XP055615440, <https://www.amazon.com/Depend-Underwear-ModerateAbsorbency-20-Count/dp/B001QCWT96?th=1>, dated Jan. 1, 2011. cited by applicant

“Relaxed.” Merriam-Webster.com Dictionary, Merriam-Webster, <https://www.merriam-webster.com/dictionary/relaxed>. Accessed dated Jun. 22, 2020. cited by applicant

13342 Extended EP Search Report and Written Opinion for 21152611.6 dated Jun. 4, 2021, 7

pages. cited by applicant

Advertisements: “Introducing Pampers Phases”, dated Sep. 1991; 1 page. cited by applicant

All Office Actions, U.S. Appl. No. 14/309,129, filed Jun. 19, 2014. cited by applicant

All Office Actions, U.S. Appl. No. 14/309,158, filed Jun. 19, 2014. cited by applicant

All Office Actions, U.S. Appl. No. 14/680,186, filed Apr. 7, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/698,924, filed Apr. 29, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/699,011, filed Apr. 29, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/699,097, filed Apr. 29, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/699,123, filed Apr. 29, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/699,145, filed Apr. 29, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/702,786, filed May 4, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/805,601, filed Jul. 22, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/805,673, filed Jul. 22, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/805,700, filed Jul. 22, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/809,324, filed Jul. 27, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/809,334, filed Jul. 27, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/878,037, filed Oct. 8, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/878,142, filed Oct. 8, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/878,156, filed Oct. 8, 2015. cited by applicant

All Office Actions, U.S. Appl. No. 14/996,683, filed Jan. 15, 2016. cited by applicant

All Office Actions, U.S. Appl. No. 15/185,105, filed Jun. 17, 2016. cited by applicant

All Office Actions, U.S. Appl. No. 15/267,742, filed Sep. 16, 2016. cited by applicant

All Office Actions, U.S. Appl. No. 15/343,787, filed Nov. 4, 2016. cited by applicant

All Office Actions, U.S. Appl. No. 16/022,885, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/023,487, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/023,569, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/023,766, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/023,809, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/023,830, filed Jun. 29, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 16/059,313, filed Aug. 9, 2018. cited by applicant

All Office Actions, U.S. Appl. No. 17/190,468, filed Mar. 3, 2021. cited by applicant

All Office Actions; U.S. Appl. No. 15/879,464, filed Jan. 25, 2018. cited by applicant

All Office Actions; U.S. Appl. No. 16/550,802, filed Aug. 26, 2019. cited by applicant

All Office Actions; U.S. Appl. No. 16/597,234, filed Oct. 9, 2019. cited by applicant

All Office Actions; U.S. Appl. No. 16/751,807, filed Jan. 24, 2020. cited by applicant

All Office Actions; U.S. Appl. No. 16/594,205, filed Oct. 7, 2019. cited by applicant

All Office Actions; U.S. Appl. No. 17/094,889, filed Nov. 11, 2020. cited by applicant

All Office Actions; U.S. Appl. No. 17/738,341, filed May 6, 2022. cited by applicant

All Office Actions; U.S. Appl. No. 17/739,276, filed May 9, 2022. cited by applicant

All Office Actions; U.S. Appl. No. 17/851,633, filed Jun. 28, 2022. cited by applicant

Amazon.com: Depend Underwear for Women, Moderate Absorbency, Large, 19: Health & Personal Care, XP055615424,

<https://www.amazon.com/DependUnderwearWomenModerateAbsorbency/dp/B004Y2RWF6>, dated Oct. 21, 2014. cited by applicant

Assurance Underwear, “Women's Size L, 54 Count—Walmart.com”, Walmart Personal Care/Incontinence/All Incontinence, :<https://www.walmart.com/ip/Assurance-Underwear-Women-s-SizeL-54-Count/28826871>, XP055618665, dated Nov. 3, 2013, 5 pages. cited by applicant

ASTM Committee on textiles, [https://compass.astm.org/download/05585-](https://compass.astm.org/download/05585-WITHDRAWN.24337.pdf)

WITHDRAWN.24337.pdf; ASTM international; edition 1, dated Aug. 2011, pp. 1-7. cited by applicant

Huggies Baby Steps Advertisement (copyrighted 1991). cited by applicant
Depend For Women Underwear, https://web.archive.org/web/20130329071618if_/http://www.depend.com/womens-solutions/products/19558, dated Mar. 29, 2013. cited by applicant
Dreiss Patent Attorneys, EP3139885B1—Opposition Brief from Paul Hartmann—Translation, EP3139885B1—Opposition Brief from Paul Hartmann—Translation, Sep. 7, 2021, 1-34, 1. cited by applicant
Dreiss Patent Attorneys, EP3139886B1—Opposition Brief from Paul Hartmann, EP3139886B1—Opposition Brief from Paul Hartmann, Sep. 9, 2021, 1-31, 1. cited by applicant
Dreiss Patent Attorneys, EP3139886B1—Opposition Brief from Paul Hartmann—Translation, EP3139886B1—Opposition Brief from Paul Hartmann—Translation, Sep. 9, 2021, 1-31, 1. cited by applicant
Dreiss Patentanwälte, EP3139885B1—Opposition Brief from Paul Hartmann, EP3139885B1—Opposition Brief from Paul Hartmann, Sep. 7, 2021, 1-34, 1. cited by applicant
Eidesstattliche Versicherung, EP3139885B1—Hartmann Opposition Brief Annex A5, EP3139885B1—Hartmann Opposition Brief Annex A5, 1-4, 1. cited by applicant
Eidesstattliche Versicherung, EP3139885B1—Hartmann Opposition Brief Annex A6, EP3139885B1—Hartmann Opposition Brief Annex A6, 1-2, 1. cited by applicant
Eidesstattliche Versicherung, EP3139885B1—Hartmann Opposition Brief Annex A7, EP3139885B1—Hartmann Opposition Brief Annex A7, 1-5, 1. cited by applicant
Eidesstattliche Versicherung, EP3139886B1—Hartmann Opposition Brief Annex-A4.4, EP3139886B1—Hartmann Opposition Brief Annex -A4.4, 1-2, 1. cited by applicant
Eidesstattliche Versicherung, EP3139886B1—Hartmann Opposition Brief Annex-A5, EP3139886B1—Hartmann Opposition Brief Annex-A5, 1-4, 1. cited by applicant
Eidesstattliche Versicherung, EP3139886B1—Hartmann Opposition Brief Annex-A6, EP3139886B1—Hartmann Opposition Brief Annex-A6, 1-2, 1. cited by applicant
Eidesstattliche Versicherung, EP3139886B1—Hartmann Opposition Brief Annex-A7, EP3139886B1—Hartmann Opposition Brief Annex-A7, 1-5, 1. cited by applicant
EP 3370674 B1—Declaration from Mr. Karl Karlsson, Declaration, Dec. 15, 2021, pp. 1-5. cited by applicant
EP3139885B1—Declaration of Karl Karlsson, Declaration, Sep. 30, 2021, 1-5, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A1.1-A1.11, 01/2212013, 1-33, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A10, 1, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A11, 1, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A2.1, Aug. 9, 2012, 1-100, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A2.2-A2.5, Oct. 30, 2021, 1-20, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A3.1-A3.6, Oct. 10, 2012, 1-37, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A4.1, Jul. 2009, 1-2, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A4.2, 1-2, 1. cited by applicant
EP3139885B1—Hartmann Opposition Brief Annex A4.3, 1-16, 1. cited by applicant
EP3139886B1—Hartmann Opposition Brief Annex-A11, EP3139886B1—Hartmann Opposition Brief Annex-A11, 1, 1. cited by applicant
EPO, EP3139885B1—Notice of Opposition from Bardehle, EP3139885B1 —Notice of Opposition from Bardehle, Oct. 19, 2021, 1-23, 1. cited by applicant
EPO, EP3139885B1—Notice of Opposition from Essity, EP3139885B1—Notice of Opposition

from Essity, Oct. 21, 2021, 1-34, 1. cited by applicant
EPO, EP3139886B1—Notice of Opposition from Bardehle, EP3139886B1 —Notice of Opposition from Bardehle, Oct. 22, 2021, 1-22, 1. cited by applicant
EPO, EP3139886B1—Notice of Opposition from Essity, EP3139886B1—Notice of Opposition from Essity, Oct. 21, 2021, 1-32, 1. cited by applicant
Hartmann Deutschland, EP3139886B1—Hartmann Opposition Brief Annex-A3.1-A3.6, EP3139886B1—Hartmann Opposition Brief Annex-A3.1-A3.6, Oct. 10, 2012, 1-37, 1. cited by applicant
Hartmann, EP3139885B1—Hartmann Opposition Brief Annex A8.1-A8.5, EP3139885B1—Hartmann Opposition Brief Annex A8.1-A8.5, Aug. 12, 2021, 1-68, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A2.1, EP3139886B1—Hartmann Opposition Brief Annex-A2.1, Aug. 29, 2021, 1-100, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A2.2-A2.5, EP3139886B1—Hartmann Opposition Brief Annex-A2.2-A2.5, Oct. 30, 2021, 1-20, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A4.1, EP3139886B1—Hartmann Opposition Brief Annex-A4.1, Jul. 2009, 1-2, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A4.2, EP3139886B1—Hartmann Opposition Brief Annex-A4.2, 1-2, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A4.3, EP3139886B1—Hartmann Opposition Brief Annex-A4.3, 1-16, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex-A8.1-A8.5, EP3139886B1—Hartmann Opposition Brief Annex-A8.1-A8.5, Aug. 12, 2021, 1-68, 1. cited by applicant
Hartmann, EP3139886B1—Hartmann Opposition Brief Annex A1.1-A1.11, EP3139886B1—Hartmann Opposition Brief Annex A1.1-A1.11, Jan. 16, 2013, 1-33, 1. cited by applicant
International Search Report and Written Opinion; Application Ser. No PCT/US2015/028170; dated Jul. 16, 2015, 13 pages. cited by applicant
Karl Karlsson, EP3139886B1—Declaration of Karl Karlsson, EP3139886B1—Declaration of Karl Karlsson, Oct. 11, 2021, 1-5, 1. cited by applicant
Photographs of Huggies Baby Steps Size 3,1990, 1 page. cited by applicant
Photographs of Huggies Baby Steps Size 3,1991, 1 page. cited by applicant
Photographs of Huggies Baby Steps Size 4,1991, 1 page. cited by applicant
Photographs of Huggies Baby Steps Size 4,1993, 1 page. cited by applicant
Photographs of Huggies Newborn (1996). cited by applicant
Photographs of Huggies Ultratrim Size 1 Small; dated 1996, 1 page. cited by applicant
Photographs of Huggies Ultratrim Size 2 SM/MED, dated 1996, 1 page. cited by applicant
Photographs of Huggies Ultratrim Size 4, 1992, 1 page. cited by applicant
Photographs of Huggies Ultratrim Size 4, 1996, 1 page. cited by applicant
Photographs of Kleenex Newborn, 1979, 1 page. cited by applicant
Photographs of Kleenex, 1980, 1 page. cited by applicant
Photographs of Pampers Custom Fit ,2001, 1 page. cited by applicant
Photographs of Pampers Phases Infant 1,1993, 1 page. cited by applicant
Photographs of Pampers Phases Medium, , 1994, 1 page. cited by applicant
Photographs of Pampers Phases Walker 2 , 1993, 1 page. cited by applicant
Third Party Opposition filed for European Patent Application Ser. No. 15722383.5, Dated Feb. 17, 2022; 06 pages. cited by applicant
Third Party Opposition filed for European Patent Application Ser. No. 15722383.5, Dated Feb. 25, 2022; 05 pages. cited by applicant
Übersicht Laborberichte Und Produkte, EP3139885B1—Hartmann Opposition Brief Annex A9, EP3139885B1—Hartmann Opposition Brief Annex A9, 1, 1. cited by applicant
Übersicht Laborberichte Und Produkte, EP3139886B1—Hartmann Opposition Brief Annex-A9,

EP3139886B1—Hartmann Opposition Brief Annex-A9, 1, 1. cited by applicant
Übersicht, EP3139886B1—Hartmann Opposition Brief Annex-A10, EP3139886B1—Hartmann
Opposition Brief Annex-A10, 1, 1. cited by applicant
“Brand Architecture Basics: What Is a Sub-Brand?” <https://distility.com/building-brand/brand-architecture-basics-what-is-an-overbrand/>, dated Sep. 27, 2011; 7 pages. cited by applicant
“Dial-A-Wheel”, dated Sep. 1991; 1 page. cited by applicant
“Introducing New! Luvs Phases”, dated Jan. 1992; 2 pages. cited by applicant
“Introducing! The First Specially Designed Diaper Made Just For Your Walker”, dated Sep. 1991; 1
page. cited by applicant
All Office Actions; U.S. Appl. No. 18/093, 112, filed Jan. 4, 2023. cited by applicant
Unpublished U.S. Appl. No. 18/093,112, filed Jan. 4, 2023, to Bret Darren Seitz et al. cited by
applicant

Primary Examiner: Su; Susan S

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of, and claims priority under 35 U.S.C. § 120 to, U.S. patent application Ser. No. 16/059,313, filed on Aug. 9, 2018, which is a continuation of U.S. patent application Ser. No. 14/805,673, filed on Jul. 22, 2015, which is a continuation of U.S. patent application Ser. No. 14/699,123, filed on Apr. 29, 2015, which claims the benefit, under 35 USC § 119(e), of U.S. Provisional Patent Application Ser. No. 61/990,358, filed on May 8, 2014, the entire disclosures of which are fully incorporated by reference herein.

FIELD OF THE INVENTION

(1) The present disclosure is directed to disposable absorbent articles and arrays of disposable absorbent articles which are designed to fit different adult body sizes, shapes and types, and as such are sized to fit a broad range of adult consumers.

BACKGROUND OF THE INVENTION

(2) The Waist Circumference and Side Length are illustrated in FIG. 1. The relationship of the Waist Circumference to Side Length (Waist Circumference-to-Side Length Ratio), as illustrated in FIG. 2, is an important product design parameter to ensure that the Relaxed Side Length of the article is not excessive nor too short. Excessive article Relaxed Side Length can result in material showing above the top of the clothing. And too short an article Relaxed Side length can result in too little coverage and product gapping, all of which can have a negative impact on performance and discretion. A proper side length will ensure the proper location of the product at the hip and or waist of the wearer. The Hip Circumference measurement, due to the relationship to the prominent point of the buttocks, generally establishes the primary anchoring point of the absorbent article as it often represents the maximum circumference around the body. This is especially true for women who have a more cylindrical body shape or a more apple-like body shape. In alternative embodiments the Waist Circumference measurement can be the primary anchoring point of the absorbent article as it can represent the minimum circumference around the body especially for women who have a more hourglass body shape or a more pear-like body shape. This is a function of fit at the minimum circumference, which means the product circumference and as a result force at the waist would have to increase to slide or sag due to the increased body dimension at the hip. The Waist Width and Side Length are illustrated in FIG. 3. The Body Waist-to-Side Silhouette, as illustrated in FIGS. 4 and 5, is correlated with the Waist Circumference-to-Side Length Ratio as the

values of both increase as BMI and Waist Circumference increase. This is shown in FIGS. 2, 4, and 5.

(3) As the Waist Circumference increases with BMI, Waist Circumference-to-Side Length Ratio and Body Waist-to-Side Silhouette both increase. A key benefit of having the Product Waist-to-Side Silhouette closer to that of the Body Waist-to-Side Silhouette and designed to change accordingly with BMI and Waist Circumference is that the product itself more closely matches the shape of the body. This results in the product being deformed to a significantly lesser degree during application than one that is generically designed to fit a bigger range as illustrated by the current marketed products. It also results in a product fit, which is more tailored to the body shape, providing more effective gasketing and better coverage and discretion. In fact, many of the current marketed products are designed to fit increments as large as 100 pounds and, as such do not provide adequate fit, gasketing, comfort and discretion across the entire range. Additionally, product designs which mimic the general shape of the body convey to consumers a better, more tailored fit as the Product Waist-to-Side Silhouettes are more similar to consumers' Body Waist-to-Side Silhouettes. The designs enabled by the present disclosure are more targeted by design, the product is located properly with respect to the waist and hip of the wearer and therefore provide a greater level of fit, gasketing, comfort and discretion.

(4) Adult incontinence ("AI") absorbent articles of the present disclosure may be used to absorb and contain liquid and other discharges from the human body to prevent the body and clothing from becoming soiled. For adults who suffer from urinary incontinence, urine voiding consists of two general types: stress urinary incontinence ("SUI") and urge urinary incontinence ("UI"). SUI is caused by high pressure on the bladder induced by coughing, sneezing, laughing, bending, etc., and can result in a high flow rate though at a smaller urine volume that is associated with UI. UI can result in a full bladder release, though at a lower flow rate than that associated with SUI.

(5) Adult Incontinence articles come in a variety of designs, each typically available in multiple sizes, including 2, 3 and 4 size arrays. The size of articles of the prior art typically affects, for example, the size of the waist opening, the size of the openings around the thighs, and the length or "pitch" of the article. Many of these prior art articles are designed to fit ranges up to 100 pounds. The prior art articles are typically sized and sold by waist circumference dimension. The various sizes can have a range in waist circumference of as much as 12 inches and in some cases up to 16 inches. If a consumer selects an adult incontinence article of the prior art which is size appropriate based on the waist circumference dimension of the wearer given the large ranges associated with the various sizes, the thigh openings or pitch of the article, for instance, may be too large for proper fit on the wearer, potentially leading to slipping, sliding, sagging, drooping, or a loss of gasketing effects that are designed to inhibit leakage. Alternatively, depending on where the wearer is within the large size range, the thigh opening or pitch of the article may be too small for proper fit, potentially leading to wearer discomfort, skin marking of the wearer's skin or improper application or positioning of the article on the wearer.

(6) Desirably, an adult absorbent article should be designed and sized to maintain contact with and conform as closely as possible to a wearer's body. Such a body-conforming design may increase the effectiveness of the adult absorbent article by reducing the possibility that urine, or the like, will spread or travel along the wearer's body and leak out of rather than be absorbed into the adult absorbent article. However, current adult absorbent articles on the market do not adequately address body shape or product shape and therefore do not fit a broad range of users adequately or provide the desired level of close fit. Typically AI packages of adult absorbent articles are labeled with a recommended wearer waist circumference range that the packaged article is intended to fit. As a result, the waist circumference is often the sole criteria used to identify the size of an AI article. The waist size does not in itself adequately describe the body shape of the individual and therefore does not help define the hip or thigh circumference nor the pitch that may be needed to provide the proper fit, comfort, coverage and gasketing of the article. This is the case even though

other characteristics and anthropometric attributes of potential wearers (for example, age, height, weight, thigh circumference, and rise) may vary widely within the recommended waist circumference range, and may result in an ill-fitting article even though a wearer's waist circumference falls within that range. There is a need for adult absorbent articles that conform well to various wearers' body shapes and sizes. While there is a wide range of body shapes and sizes among women, available products do not reflect this wide range; rather, absorbent articles available today within a given product array tend to be scaled versions of each other, and do not even follow the natural trend of body shape and dimensional changes across the range of consumers, i.e. smaller to larger women as well as women of varying shape.

(7) Body Mass Index (BMI) is on the rise globally for both men and women. In the U.S. alone, more than $\frac{1}{3}$ of adult females are now considered obese ($BMI > 30$). This has changed significantly over the past 30 years; in 1980 only about 16% of U.S. adult females were obese. Larger women exhibit different ratios of body anthropometrics than smaller women, i.e., all body dimensions do not simply scale-up as women get larger. In addition, women across the range of BMI may also have very different body shapes. There is a lack of recognition and understanding of this issue by current adult absorbent article manufacturers and as such consumers' needs are not being adequately met. Therefore, there is a need to develop adult absorbent articles for a wide variety of body shapes and sizes in order to provide an improved level of fit and contact between the body and the adult absorbent article to reduce the occurrence leakage and improve the overall fit, comfort, coverage and discretion of the article. There is a clear need for adult absorbent articles which are designed for variety of wearers based on their BMI and body shape. There is also a need to communicate to wearers the benefits of such customized adult absorbent articles in an easy-to-understand manner (e.g., some women may not understand what BMI is or know their BMI number), which is not off-putting (e.g., without stigmatizing or embarrassing women based on their BMI).

(8) These are all objects of the present disclosure; embodiments of the present disclosure may combine various objects mentioned. A particular embodiment may, but need not, embody every object as described.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 shows Waist Circumference and Side Length against a female body shape.
- (2) FIG. 2 is a chart which shows how the average ratio of Waist Circumference-to-Side Length Ratio changes as Waist Circumference increases.
- (3) FIG. 3 shows Waist Width and Side Length against a female body shape.
- (4) FIG. 4 is a chart which shows how the average Body Waist-to-Side Silhouette changes as BMI increases.
- (5) FIG. 5 is a chart which shows how the average Body Waist-to-Side Silhouette changes as waist circumference increases.
- (6) FIG. 6 shows an AI pant product in its laid out, relaxed, and unfolded state.
- (7) FIG. 7 shows how the general female body shape changes as BMI increases.
- (8) FIG. 8 depicts the variability of female body shapes within each BMI class.
- (9) FIG. 9 is a chart which shows examples of existing product arrays, and how their Product Waist-to-Side Silhouettes compare to the Body Waist-to-Side Silhouettes of the waist circumferences of the consumers each product is targeted to fit.
- (10) FIG. 10 is a chart which shows examples of inventive product arrays, and how their Product Waist-to-Side Silhouettes compare to the Body Waist-to-Side Silhouettes of the waist circumferences of the consumers each product is targeted to fit.

- (11) FIG. 11 is a chart which shows examples of inventive product arrays, and how their Product Waist-to-Side Silhouettes compare to the Body Waist-to-Side Silhouettes of the BMI of the consumers each product is targeted to fit.
- (12) FIG. 12 is a plan view of a pant diaper with a continuous belt in the front and back waist regions.
- (13) FIG. 13 is a partially cut away plan view of a pant diaper with a pair of flaps, wherein the wearer-facing interior of the diaper faces the viewer.
- (14) FIG. 14 is a partially cut away plan view a pant diaper with front and rear flaps, wherein the garment-facing exterior of the diaper faces the viewer.
- (15) FIG. 15 is a perspective view the pant diaper shown in FIG. 12 wherein belts connect opposing waist regions.
- (16) FIG. 16 is a perspective view the pant diaper shown in FIG. 13 wherein flaps connect opposing waist regions.
- (17) FIG. 17 is a perspective view the pant diaper shown in FIG. 14 wherein side seams connect the flaps and opposing waist regions.
- (18) FIG. 18 is a schematic cross section view taken along line 18-18 in FIG. 13 of an example of a folded outer leg cuff suitable in one embodiment of the invention.
- (19) FIG. 19 is a schematic cross section view of a back belt-like flap suitable in one embodiment of the invention, taken along line 19-19 of FIG. 12.
- (20) FIG. 20 shows Bar C (304) and Bar O (305) of the Sample Holder Apparatus FIG. 21 shows a flat, unfolded pant.
- (21) FIG. 22 shows a pant in the testing apparatus.

DETAILED DESCRIPTION OF THE INVENTION

- (22) “Pull-on garment” or “pant” means articles of wear which have a defined waist opening and a pair of leg openings and which are pulled onto the body of the wearer by inserting the legs into the leg openings and pulling the article up over the waist.
- (23) “Disposable” means garments, which are not intended to be laundered or otherwise restored or reused as a garment (i.e., they are intended to be discarded after a single use and to be recycled, composted or otherwise disposed of in an environmentally compatible manner). The pull-on garment may be “absorbent” such that it absorbs and contains the various exudates discharged from the body.
- (24) “Closed form” means opposing waist regions are joined to form a continuous waist opening and leg openings. See FIGS. 15-17.
- (25) “Array” means a display of packages comprising disposable articles of different sizes having like article constructions (e.g., same elastomeric materials [compositionally and/or structurally] in the flaps, graphic elements) said packages having the same brand and/or sub-brand, and said packages oriented in proximity to each other in a given area of a retail store. An array is marketed as a line-up of products normally having like packaging elements (e.g., packaging material type, film, paper, dominant color, design theme, etc.) that convey to consumers that the different individual packages are part of a larger line-up. Arrays often have the same brand, for example, “Depend,” and same sub-brand, for example, “for Women Underwear.” A different array may have the brand “Depend” and the sub-brand “Silhouette For Women.” The differences between the “for Women Underwear” array and the “Silhouette For Women” arrays include different elastomeric materials in the side flaps, where “for Women Underwear” comprises strands as the elastomeric material and “Silhouette For Women” comprises a film elastomeric material.” Furthermore, the packaging is distinctly different in that “for Women Underwear” is packaged in a predominately green, film bag and “Silhouette For Women” is packaged in a predominately maroon box.
- (26) Further regarding “Arrays,” as another example of two separate “arrays” having the same brand, “Certainty,” one line-up has the sub-brand “Women's Underwear.” A different array may have the same brand “Certainty” and the sub-brand “Smooth Shape Briefs for Women.” The

differences between the “Women's Underwear” array and the “Smooth Shape Briefs for Women” arrays include different elastomeric materials in the side flaps, where “Women's Underwear” comprises strands as the elastomeric material and “Smooth Shape Briefs for Women” comprises a film elastomeric material.” Furthermore, the packaging is distinctly different in that “Women's Underwear” is packaged in a predominately blue, film bag and “Smooth Shape Briefs for Women” is packaged in a predominately maroon box.

(27) Arrays also often have the same trademarks, including trademarks of the brand, sub-brand, and/or features and/or benefits across the line-up.

(28) “On-line Array” means an “Array” distributed by a common on-line source.

(29) “Waist Circumference” means the horizontal circumference of the waist at the level of the center of the navel (omphalion). See FIG. 1.

(30) “Waist Width” is defined as the width of the body measured horizontally in the front of the body at the omphalion (center of navel). See FIG. 3.

(31) “Side Length” means the vertical distance from the navel to the level of the hip (where the hips are defined at the maximum prominent point of the buttocks as seen from the side. See FIG. 3.

(32) “Waist Circumference-to-Side Length Ratio” means the Waist Circumference (mm) divided by the Side Length (mm). See FIG. 1.

(33) “Body Waist-to-Side Silhouette” means the Waist Width (mm) divided by the Side Length (mm). See FIG. 3.

(34) “Product Waist-to-Side Silhouette” means Relaxed Product Waist Width (302) (mm) divided by the Relaxed Product Side Length (303) (mm). See FIG. 6.

(35) “Array Average Product Waist-to-Side Silhouette” means the average Product Waist-to-Side Silhouette of each size offered in a product array. For example, the Depend Underwear for Women (Maximum Absorbency) is marketed and sold in an array of 3 sizes: Small/Medium; Large and Extra Large. The Array Average Product Waist-to-Side Silhouette is the average of:

(36) The Product Waist-to-Side Silhouette for size Small/Medium; the Product Waist-to-Side Silhouette for size Large; and the Product Waist-to-Side Silhouette for size Extra Large. Table 1 shows examples of the Product Waist-to-Side Silhouette for some currently marketed product arrays.

(37) “Relaxed Product Length” means the longitudinal distance between the longitudinally distal most point in the crotch region and the longitudinally distal most point along the front waist edge. The longitudinal distance is measured parallel to the longitudinal axis of the product. Refer to FIG. 6.

(38) “Relaxed Product Hip Width” means the lateral distance from the laterally distal most point of the left side edge of the product at the upper edge of the left leg opening to the laterally distal most point of the right side edge of the product at the upper edge of the right leg opening. Refer to FIG. 6. The lateral distance is measured perpendicular to the longitudinal axis of the product.

(39) “Relaxed Product Waist Width” means the lateral distance from the distal most point at the right side of the front waist edge to the distal most point at the left side of the front waist edge. The lateral distance is measured perpendicular to the longitudinal axis of the product. Refer to FIG. 6.

(40) “Relaxed Product Side Length” means the linear distance from the point of intersection between the waist edge and the side edge of the product to the point of intersection between the top of the leg opening and the same side edge of the product. The relaxed product side length measurement is the average of the measurements from the left and right sides of the product. Refer to FIG. 6.

(41) “Target Waist Range” means the waist range as defined on each product package. For example, the Depend for Women Moderate Absorbency S/M package indicates a waist of 28-40 in (71-102 cm).

(42) “Average Targeted Waist” means the average of the Target Waist Range. For example, the Depend for Women Moderate Absorbency S/M has a Target Waist Range (as defined on its

package) of 71-102 cm. The Average Targeted Waist for this product is 86.5 cm.

(43) Consumers who are urinary incontinent often are traumatized by the condition. Many aspects of the condition contribute to the trauma, like the fear of having an incontinent event in public. Even when wearing an absorbent article, there is still the fear of leaking, and the fear of her absorbent article being noticeable under her clothes. As such providing a product experience that helps normalize the condition by providing a more underwear-like, thin and body conforming structure across the entire BMI range is one of the objects of the present disclosure.

(44) The body mass index (BMI) is a classification system for body shapes based upon height and mass. BMI may be calculated as follows:

(45)
$$\text{BMI} = \frac{\text{weight(kg)}}{\text{height(m)}^2} = \frac{703 * \text{weight(lb)}}{\text{height(in)}^2}$$

(46) The BMI comprises different classes of body mass, including: underweight (BMI<20), normal weight (BMI 20-25), overweight (BMI 25-30), obese (BMI 30-40), and morbidly obese (BMI>40).

(47) FIG. 7 illustrates how the general female body shape changes as BMI increases. FIG. 8 illustrates a variety of specific shapes that may exist within each BMI class: rectangle (also known as cylindrical), hourglass, pear, and apple. The higher her BMI, the further to the right (toward the apple) a women typically is on this body shape scale. The prevalence of these shapes differs among BMI ranges, for instance, higher BMI women have a higher probability of being apple or pear shaped. Adult absorbent articles may be marketed to women of a particular body shape, such as apple, rather than focusing on exact BMI values (which may be off-putting to a consumer), in order to match a wearer with the article that will best fit her unique body shape or size.

(48) One region where the shape of the female body changes as BMI gets higher is in the Body Waist-to-Side Silhouette. The Body Waist-to-Side Silhouette gets larger on average for larger women. FIGS. 4 and 5 illustrate how the Body Waist-to-Side Silhouette changes as both BMI and Waist Circumference gets larger.

(49) It may be desirable to link the Product Waist-to-Side Silhouette to that of the targeted consumers Body Waist-to-Side Silhouette in order to achieve a better fitting, better conforming, better gasketing product. This may increase the wearing comfort for each consumer while reducing leakage. Additionally, a product array where the Product Waist-to-Side Silhouette of each subsequently larger size follows the same general trend as the Body Waist-to-Side Silhouette for each subsequently larger size may also deliver a better fitting, better conforming article to each consumer regardless of their respective BMI.

(50) While today's AI product arrays are not targeted toward the consumer's BMI, they are targeted toward their Waist Circumference. Table 1 details some of today's marketed product arrays ("comparative example arrays" or "existing product arrays"). FIG. 9 shows how the Product Waist-to-Side Silhouettes of these arrays compare to the consumers' Body Waist-to-Side Silhouettes. It can be seen that for these comparative example arrays, their Product Waist-to-Side Silhouettes not only fail to match those of their target consumers, but it can also be seen that the trend from size to size for the existing product arrays is that the Product Waist-to-Side Silhouettes get smaller rather than larger as do the Body Waist-to-Side Silhouettes of the consumers. The result of this mismatch is that the products provide an inferior level of fit, comfort, coverage and gasketing across much of the BMI range than products that are designed in line with the anthropometric measures across the same BMI range.

(51) TABLE-US-00001

TABLE 1 Examples of Product Waist-to-Side Silhouettes for Existing Product Arrays	Array	Average	Average	Relaxed	Relaxed	Product Waist-to-	Product Waist-to-
Minimum	Waist	Maximum	Waist	Targeted	Product	Side	Silhouette
Silhouette	Target (mm)	Target (mm)	Waist (mm)	Length (mm)	Width (mm)	(mm/mm)	(mm/mm)
Depend for Women Underwear	Moderate	Absorbency	size S/M	710	1020	865	179
size L	970	1270	1120	202	231	1.143	size XL
size XL	1220	1630	1425	175	249	1.423	Depend
Women Briefs	Maximum	Absorbency	size S/M	710	1020	865	164
size S/M	710	1020	865	164	274	1.665	1.629
size L/XL	970						

1270 210 335 1.592 Women's Assurance Underwear Maximum Absorbency size S/M 710 1020 865 149 220 1.470 1.316 size L 970 1270 1120 165 213 1.295 size XL 1220 1630 1425 161 207 1.286 size 2XL* 1730 2030 1880 221 269 1.214 Kroger Overnight Underwear Overnight Absorbency size S/M 710 1020 865 143 205 1.431 1.297 size L 970 1270 1120 171 199 1.161 size XL 1220 1630 1425 172 224 1.299 Certainty Women's Underwear Moderate Absorbency size S/M 710 1020 865 137 196 1.434 1.318 size L 970 1270 1120 176 204 1.160 size XL 1220 1630 1425 174 237 1.360 Certainty Smooth Shape Briefs for Women Maximum Absorbency Certainty Maximum S/M 710 1020 865 170 173 1.015 0.983 Certainty Maximum L/XL 970 1270 1120 211 201 0.952 *product not shown in chart on FIG. 9.

(52) Table 2 below illustrates several inventive arrays of 2, 3, and 4 packages, whose Product Waist-to-Side Silhouettes match the trends of the consumers that they are targeted to fit and thereby provide better fit & comfort while reducing the chance of leakage. These inventive arrays are provided simply as non-limiting examples. Other inventive arrays are possible within the scope of this disclosure. These inventive arrays are also shown in FIGS. 10 and 11.

(53) TABLE-US-00002 TABLE 2 Examples of Inventive Product Arrays

Array	Average Target	Average Relaxed	Product Waist-to-Targeted	Product Side	Product Waist Side Silhouette	Product Side Silhouette Range (mm)	Average Targeted BMI	Waist (mm)
1.sup.st Inventive Array (2 package array)	710-1020	865 22-32	27 152	221 1.448	1.538	2.sup.nd Package in Array	970-1270	1120 31-40
35 178	289 1.628	2.sup.nd Inventive Array (3 package array)	1.sup.st Package in Array	710-1020	865 22-32	27 71	221 3.102	4.086
2.sup.nd Package in Array	970-1270	1120 31-40	35 74	289 3.929	3.sup.rd Package in Array	1220-1630	1425 38-51	45 71
372 5.226	3.sup.rd Inventive Array (4 package array)	1.sup.st Package in Array	560-740	650 18-23	20 119	169 1.419	2.361	2.sup.nd Package in Array
720-1030	875 23-32	27 135	232 1.726	3.sup.rd Package in Array	1000-1350	1175 31-42	37 135	316 2.350
4.sup.th Package in Array	1300-1800	1550 41-57	49 107	421 3.950	4.sup.th Inventive Array (3 package array)	1.sup.st Package in Array	710-1020	865 22-32
27 76	221 2.896	3.333	2.sup.nd Package in Array	970-1270	1120 31-40	35 99	289 2.922	3.sup.rd Package in Array
1220-1630	1425 38-51	45 89	372 4.181	Absorbent Article				

(54) The absorbent articles of the present disclosure are generally designed and configured to manage bodily exudates such as urine, menses, feces or other vaginal discharges.

(55) In one embodiment, an absorbent article may comprise a chassis comprising a topsheet, a backsheet, and an absorbent core disposed at least partially between the topsheet and the backsheet. The absorbent chassis may comprise a waistband, leg cuffs and or elastic strands. In various embodiments, referring to FIGS. 12, an example absorbent article 10 is shown in its flat uncontracted state prior to joining the fastening components 53a and b.

(56) In one embodiment, referring to FIG. 12, one end portion of the absorbent article 10 may be configured as a front waist region 36 and the longitudinally opposing end portion may be configured as a back waist region 38. An intermediate portion of the absorbent article 10 extending longitudinally between the front waist region 36 and the back waist region 38 may be configured as a crotch region 37. In one embodiment, although not illustrated as such, the length of each of the front waist region 36, the back waist region 38 and the crotch region 37 may be about 1/3 of the length of the absorbent article 10, for example. In other embodiments, the length of each of the front waist region 36, the back waist region 38, and the crotch region 37 may have other dimensions. In various embodiments, the absorbent article 10 may have a laterally extending front waist end edge 136 in the front waist region 36 and a longitudinally opposing and laterally extending back waist end edge 138 in the back waist region 38.

(57) In one embodiment, referring to FIG. 12, a chassis 100 of the absorbent article 10 may comprise a first longitudinally extending side edge 137a and a laterally opposing and second longitudinally extending side edge 137b. Both of the side edges 137 may extend longitudinally

between the front waist end edge **136** and the back waist end edge **138**. The chassis **100** may form a portion of the laterally extending front waist end edge **136** in the front waist region **36** and a portion of the longitudinally opposing and laterally extending back waist end edge **138** in the back waist region **38**. Furthermore, the chassis **100** may comprise an interior surface **102**, an exterior surface **104**, a longitudinal axis **42**, and a lateral axis **44**. The longitudinal axis **42** may extend through a midpoint of the front waist end edge **136** and through a midpoint of the back waist end edge **138**, while the lateral axis **44** may extend through a midpoint of the first side edge **137a** and through a midpoint of the second side edge **137b**.

(58) In various embodiments, a portion of or the whole absorbent article **10** may be made to be laterally extensible. The extensibility of the absorbent article **10** may be desirable in order to allow the absorbent article **10** to conform to a body of a wearer during movement by the wearer. The extensibility may also be desirable, for example, in order to allow the caregiver to extend the front waist region **36**, the back waist region **38**, the crotch region **37**, and/or the chassis **100** to provide additional body coverage for wearers of differing size, i.e., to tailor the absorbent article **10** to the individual wearer. Such extension may provide the absorbent article **10** with a generally hourglass shape, so long as the crotch region **37** is extended to a relatively lesser degree than the waist regions **36** and/or **38**. This extension may also impart a tailored appearance to the absorbent article **10** during use.

(59) Any or all portions of the absorbent article may comprise a bacteriophage composition as described in U.S. Ser. No. 61/931,229, titled DISPOSABLE ABSORBENT ARTICLES COMPRISING BACTERIOPHAGES AND RELATED METHODS, and filed on Jan. 24, 2014.

(60) Topsheet

(61) In one embodiment, referring to FIGS. **12** and **19**, the absorbent article **10** may comprise a topsheet **81**. The topsheet **81** may be compliant, soft feeling, and non-irritating to the wearer's skin and may be elastically stretchable in one or more directions. Further, the topsheet **81** may be liquid pervious, permitting liquids (e.g., menses, urine, and/or runny feces) to penetrate through its thickness. Various topsheets may also comprise a hydrophilic material, for example, which is configured to draw bodily fluids into an absorbent core of the chassis **100** when these fluids are expelled from the body. A suitable topsheet **81** may be manufactured from a wide range of materials, such as woven and nonwoven materials, apertured or hydroformed thermoplastic films, apertured nonwovens, porous foams, reticulated foams, reticulated thermoplastic films, and/or thermoplastic scrims, for example. Suitable apertured films may comprise those described in U.S. Pat. Nos. 3,929,135, 4,324,246, 4,342,314, 4,463,045, 5,006,394, 5,628,097, 5,916,661, 6,545,197, and 6,107,539.

(62) Apertured film or nonwoven topsheets typically may be pervious to bodily exudates, yet non-absorbent, and have a reduced tendency to allow fluids to pass back through and rewet the wearer's skin. Suitable woven and nonwoven materials may comprise natural fibers, such as, for example, wood or cotton fibers, synthetic fibers, such as, for example, polyester, polypropylene, or polyethylene fibers, or combinations thereof. If the topsheet **81** comprises fibers, the fibers may be spunbond, carded, wet-laid, meltblown, hydroentangled, or otherwise processed, for example, as is generally known in the art.

(63) The topsheet may comprise a skin care lotion. Examples of suitable lotions include, but are not limited to, those described in U.S. Pat. Nos. 5,607,760; 5,609,587; 5,635,191; 5,643,588; and 5,968,025, and as described in U.S. Application No. 61/391,353.

(64) In one embodiment, the topsheet may comprise graphics (e.g., **116** in FIG. **15**) such that depth perception is created as described in U.S. Pat. No. 7,163,528.

(65) Backsheet

(66) In one embodiment, referring to FIGS. **18** and **19**, for example, the absorbent article **10** may comprise a backsheet **83**. The backsheet **83** may be impervious, or at least partially impervious, to fluids or body exudates (e.g., menses, urine, and/or runny feces) and may be manufactured from a

thin plastic film, although other flexible liquid impervious materials may also be used. The backsheet **83** may prevent the body exudates or fluids absorbed and contained in an absorbent core of the absorbent article **10** from wetting articles which contact the absorbent article **10**, such as bedsheets, pajamas, clothes, and/or undergarments. The backsheet **83** may comprise a woven or nonwoven material, polymeric films such as thermoplastic films of polyethylene or polypropylene, and/or a multi-layer or composite materials comprising a film and a nonwoven material (e.g., having an inner film layer and an outer nonwoven layer). A suitable backsheet may comprise a polyethylene film having a thickness of from about 0.012 mm (0.5 mils) to about 0.051 mm (2.0 mils). Examples of polyethylene films are manufactured by Clopay Corporation of Cincinnati, Ohio, under the designation BR-120 and BR-121, and by Tredegar Film Products of Terre Haute, Ind., under the designation XP-39385.

(67) One suitable material for the backsheet can be a liquid impervious thermoplastic film having a thickness of from about 0.012 mm (0.50 mil) to about 0.051 mm (2.0 mils), for example including polyethylene or polypropylene. Typically, the backsheet can have a basis weight of from about 5 g/m.^{sup.2} to about 35 g/m.^{sup.2}. The backsheet can be typically positioned adjacent the outer-facing surface of the absorbent core and can be joined thereto. For example, the backsheet may be secured to the absorbent core by a uniform continuous layer of adhesive, a patterned layer of adhesive, or an array of separate lines, spirals, or spots of adhesive. Illustrative, but non-limiting adhesives, include adhesives manufactured by H. B. Fuller Company of St. Paul, Minn., U.S.A., and marketed as HL-1358J. An example of a suitable attachment device including an open pattern network of filaments of adhesive is disclosed in U.S. Pat. No. 4,573,986. Another suitable attachment device including several lines of adhesive filaments swirled into a spiral pattern is illustrated by the apparatus and methods shown in U.S. Pat. Nos. 3,911,173; 4,785,996; and 4,842,666. Alternatively, the attachment device may include heat bonds, pressure bonds, ultrasonic bonds, dynamic mechanical bonds, or any other suitable attachment device or combinations of these attachment devices.

(68) In one embodiment, the backsheet **83** may be embossed and/or matte-finished to provide a more cloth-like appearance. Further, the backsheet **83** may permit vapors to escape from the absorbent core of the absorbent article **10** (i.e., the backsheet **83** is breathable) while still preventing, or at least inhibiting, fluids or body exudates from passing through the backsheet **83**. In one embodiment, the size of the backsheet **83** may be dictated by the size of the absorbent article **10** and the design or configuration of the absorbent article **10** to be formed, for example.

(69) Absorbent Core

(70) In various embodiments, referring to FIGS. **18** and **19**, the absorbent article **10** may comprise an absorbent core (also referred to as an “absorbent member” or “absorbent assembly” or “absorbent structure” or “absorbent composite”) **200** that is disposed between the topsheet **81** and the backsheet **83**. The absorbent core **200** may comprise a laterally extending front edge **236** in the front waist region **36**, a longitudinally opposing and laterally extending back edge **238** in the back waist region **38**, a first longitudinally extending side edge **237a**, and a laterally opposing and second longitudinally extending side edge **237b**. Both of the side edges **237** may extend longitudinally between the front edge **236** and the back edge **238**. In one embodiment, more than one absorbent core **200** or more than one absorbent core layer may be provided in an absorbent article **10**, for example. The absorbent core **200** may be any suitable size or shape that is compatible with the absorbent article **10**. Example absorbent structures for use as the absorbent core **200** of the present disclosure that have achieved acceptance and commercial success are described in U.S. Pat. Nos. 4,610,678; 4,673,402; 4,888,231; and 4,834,735.

(71) In one embodiment, suitable absorbent cores may comprise cellulosic airfelt material. For instance, such absorbent cores may comprise less than about 40%, 30%, 20%, 10%, 5%, or even 1% of the cellulosic airfelt material as determined by weight. Additionally, such an absorbent core may be primarily comprised of an absorbent gelling material in amounts of at least about 60%,

70%, 80%, 85%, 90%, 95%, or even about 100% as determined by weight. Furthermore, a portion of the absorbent core may comprise a microfiber glue (if applicable). Such absorbent cores, microfiber glues, and absorbent gelling materials are described in U.S. Pat. Nos. 5,599,335; 5,562,646; 5,669,894; 6,790,798; and 7,521,587 and in U.S. Pat. Publ. No. 2004/0158212.

(72) In one embodiment, the core, including multiple layers making up the core system, may be printed and embossed as described in U.S. Pat. No. 8,536,401.

(73) In one embodiment, the core may be separable from the chassis as disclosed in U.S. Pat. Nos. 6,989,006; 7,381,202; 7,175,613; 7,824,386; 7,766,887; and 6,989,005. In such embodiments, the measurements described in this disclosure may be made to the chassis alone or may be made to the chassis in combination with the separable core/absorbent assembly.

(74) In one embodiment, the absorbent article of the present disclosure, and particularly, a portion where the absorbent member is disposed, may have a body fluid absorption rate greater than 3 g/sec according to U.S. Pat. No. 6,649,810. According to U.S. Pat. No. 6,649,810, the expression “the portion (of the absorbent article) where the absorbent member is disposed” is intended to mean the portion occupied by the absorbent member when the absorbent article is flatly unfolded and seen in its plan view.

(75) In one embodiment, the absorbent structure may have an intake factor greater than 3 according to U.S. Pat. No. 7,073,373, wherein the intake factor is defined as the absorbent core permeability divided by the normalized retention capacity (which is defined by the Retention Capacity Test—also according to U.S. Pat. No. 7,073,373).

(76) In one embodiment, the absorbent composite has a body fluid absorption greater than 75 g/100 cm^{sup.2}, according to U.S. Pat. No. 6,649,810.

(77) In one embodiment, a target location of the absorbent article may have a wicking value greater than 36%, according to U.S. Pat. No. 6,383,960.

(78) In one embodiment, the absorbent article may have a bending stiffness between 0.05-1.0 gf, according to U.S. Pat. No. 5,810,796.

(79) In one embodiment, the absorbent article may have a crotch fluid absorption rate greater than 3 g/sec according to U.S. Pat. No. 6,649,810. In one embodiment, a freeze-dried composite of the absorbent composite may have an intake rate of at least about 1.9 cubic centimeters (cc) of liquid/second at 80% composite saturation according to U.S. Pat. No. 6,689,934.

(80) Leg Cuffs

(81) In one embodiment, referring to FIGS. **13** and **14**, the chassis **100** of the absorbent article **10** may comprise longitudinally extending and laterally opposing leg cuffs **147a** and **147b** that are disposed on the interior surface of the chassis **100** that faces inwardly toward the wearer and contacts the wearer. The leg cuffs **147a** and **147b** may comprise one or more elastic gathering members disposed at or adjacent the proximal edge of one or both of the leg cuffs **147**. In addition, the elastic gathering members of the leg cuff may also comprise one or more elastic strands **146** disposed at or adjacent the distal edge of one or both of the leg cuffs **147**. The elasticized leg cuffs **147** may comprise several embodiments for reducing the leakage of body exudates or fluids in the leg regions. The elasticized leg cuffs **147** are sometimes referred to as leg bands, barrier cuffs, elastic cuffs, or gasketing cuffs. Suitable elasticized leg cuffs **147** may comprise those described in U.S. Pat. Nos. 3,860,003, 4,909,803, 4,695,278, 4,795,454, 4,704,115, and 4,909,803, and U.S. Pat. Publ. No. 2009/0312730. The leg cuffs **147** may be formed by folding portions of the chassis **100** laterally inward, i.e., toward the longitudinal axis **42**, to form both the respective leg cuffs **147** and the side edges **137a** and **b** of the chassis **100**. In other embodiments, the leg cuffs **147** may be formed by attaching an additional layer or layers to the chassis **100** at or adjacent to each of the respective side edges **137a** and **137b** of the chassis **100**. In one embodiment, the chassis **100** may also comprise other elastics disposed adjacent the side edges **137** which may cause the article **10** to form into a “U” shape when allowed to relax thereby pulling the interior surface **102** of the front waist region **36** toward the interior surface **102** of the back waist region **38**.

(82) In one embodiment, each leg cuff **147** may comprise a proximal edge **157a** and **157b**. These edges **157a** and **157b** are positioned proximate to the longitudinal axis **42** compared to distal edges **139a** and **139b**. The leg cuffs **147** may overlap the absorbent core **200**, i.e., the proximal edges **157a** and **157b** lie laterally inward of the respective side edges **237a** and **237b** of the absorbent core **200**. Such an overlapped configuration may be desirable in order to impart a more finished appearance to the absorbent article **10** than that imparted by a non-overlapped configuration. In other embodiments, the leg cuffs **147** may not overlap the absorbent core **200**.

(83) In one embodiment, each leg cuff **147** may be attached to the interior surface **102** of the chassis **100** in a leg cuff attachment zone (not shown) adjacent to the front waist end edge **136** and in a longitudinally opposing leg cuff attachment zone (not shown) adjacent to the back waist end edge **138**. In one embodiment, between the leg cuff attachment zones, the proximal edge **157** of the leg cuff **147** remains free, i.e., not attached to the interior surface **102** of the chassis **100** or to the absorbent core **200**. Also, between the longitudinally opposing leg cuff attachment zones, each leg cuff **147** may comprise one or more (specifically including one, two, three, or four elastic strands per leg cuff **147**) longitudinally extensible cuff elastic gathering members **159** that may be disposed at or adjacent to the proximal edge **157** of the leg cuff **147** by any suitable methods. Each of such cuff elastic gathering members **159** may be attached over the leg cuff's entire length or over only a portion of the leg cuff's length. For example, such cuff elastic gathering members **159** may be attached only at or near the leg cuff's longitudinally opposing ends and may be unattached at the middle of the leg cuff's length. Such cuff elastic gathering members **159** may be disposed in the crotch region **37** and may extend into one or both of the front waist region **36** and the back waist region **38**. For example, an elastic gathering member **159** may be attached at or adjacent to the proximal edge **157** of each of the leg cuffs **147** and extends into both the front waist region **36** and the back waist region **38**.

(84) In various embodiments, each cuff elastic gathering member **159** may be enclosed inside a folded hem for example. In various embodiments, the cuff elastic gathering members **159** may be sandwiched between two layers forming the leg cuff **147**, by two layers of the chassis **100**, or may be attached on a surface of the chassis **100** or the leg cuff **147** and remain exposed.

(85) In one embodiment, when stretched, the cuff elastic gathering member **159** disposed adjacent to each leg cuff's proximal edge **157** allows the leg cuff proximal edge **157** to extend to the flat uncontracted length of the chassis **100**, e.g., the length of the chassis **100**. When allowed to relax, the cuff elastic gathering member **159** contracts to pull the front waist region **36** and the back waist region **38** toward each other and, thereby, bend the article **10** into a "U" shape in which the interior of the "U" shape may be formed by the portions of the article **10** that are intended to be placed toward the body of the wearer (i.e., interior surface **102**). Because each of the proximal edges **157** remains free between the longitudinally oriented leg cuff attachment zones, the contractive force of the elastic gathering member **159** may lift the proximal edge **157** of the leg cuff **147** away from the interior surface **102** of the chassis **100**. This lifting of the proximal edges **157** when the article **10** is in the relaxed condition lifts the leg cuffs **147** into a position to serve as side barriers to prevent, or at least inhibit, leakage of bodily exudates.

(86) Waistband

(87) In one embodiment, referring to FIG. **14**, the article **10** may comprise an elasticized waistband **112a** and **b**. The elasticized waistband may provide improved fit and containment and may be configured to elastically expand and contract laterally to dynamically fit a wearer's waist. The elasticized waistband may extend longitudinally outwardly from the waist edge of the absorbent article **10** toward the waist edge of the absorbent core **200**. In one embodiment, the absorbent article **10** may have two elasticized waistbands, one positioned in the back waist region **38** and one positioned in the front waist region **36**, although other pant embodiments may be constructed with a single elasticized waistband. The elasticized waistband may be constructed in a number of different configurations including those described in U.S. Pat. Nos. 4,515,595 and 5,151,092.

(88) In one embodiment, the elasticized waistbands may comprise materials that have been “prestrained” or “mechanically prestrained” (i.e., subjected to some degree of localized pattern mechanical stretching to permanently elongate the material). The materials may be prestrained using suitable deep embossing techniques. In other embodiments, the materials may be prestrained by directing the material through an incremental mechanical stretching system as described in U.S. Pat. No. 5,330,458. The materials may then be allowed to return to their substantially untensioned condition, thus forming a zero strain stretch material that is extensible, at least up to the point of initial stretching. Examples of zero strain materials are disclosed in U.S. Pat. Nos. 2,075,189, 3,025,199, 4,107,364, 4,209,563, 4,834,741, and 5,151,092.

(89) Flaps

(90) The flaps **189** (*a-d*) may be discrete from or integral with the chassis **100**. A discrete flap is formed as separate element, which is joined to the chassis **100**. In some embodiments, this includes a plurality of flaps, e.g. 2 or 4 (often referred to as ear panels or side flaps) being joined to the side edges **137 a** and **b** of the chassis in the front and/or rear waist regions **36** and **38** (see FIGS. **12-17**). In other embodiments this may include a front and/or back belt-like flaps (“belts”) being joined across the front and back (or rear) waist regions of the chassis **100**, at least across end edges of the chassis **136** and **138** (see FIGS. **12** and **19**). In some embodiments the waistbands **112** can overlap the flaps to create a continuous belt-like structure (see FIG. **14**).

(91) The belt-like flaps and may comprise an inner nonwoven layer and an outer nonwoven layer and elastics there between. The inner and outer nonwoven layers may be joined using adhesive or thermoplastic bonds. Various suitable belt-like flap configurations can be found in U.S. Pub. No. 2013-0211363.

(92) An integral flap is a portion, one or more layers, of the chassis that projects laterally outward from the longitudinal edge. The integral flap may be formed by cutting the chassis to include the shape of the flap projection.

(93) While many of the embodiments illustrated in this application having belt-like flaps are pant articles, taped articles may have belt-like flaps disposed in one or both waist regions as well.

(94) The structure of flaps play an important role in the functionality of the absorbent article and are fundamentally different than the elastics used in underwear. As mentioned above, incontinence events, such as SUI and UUI, can result in a high flow rate and/or a full bladder release. The amounts of urine expelled during the incontinence events can vary wildly given the type of urinary incontinence as well as other circumstances such as time since last bathroom visit, amount of fluid intake, day or night, etc. Loadings can range from as low as a few drops of urine to loadings as high as 600 mls. It is not unusual to have single loadings as high as 300, 400 and even 500 mls. These levels of loading present a significant downward force associated with the loading which can be a pound or more. This downward force must be compensated for by the absorbent article chassis in order to minimize sagging, gapping and leakage. In order to sustain the fit of the article even after loading the article comprises elastomeric element(s) **146**, including films and/or strands) that are disposed proximate to and along the side seams **280a** and **b** (see, for example, FIG. **15**, where the elastomeric elements **146** terminate proximate to and along the length of the seams **280a** and **b**) of the article and extend laterally from one side toward the other. These elastomeric element(s) should create a normal force against the body sufficient to anchor the article. The location of the elastomeric element(s), as well as the forces exerted by the elastomeric element(s) can be varied to ensure proper anchoring at the hips and along the body specifically across the front waist region and in the back waist region. One form of anchoring beneficial for sustaining the fit of a loaded article is disclosed in U.S. Pat. No. 5,358,500 Absorbent Articles Providing Sustained Dynamic Fit issued Oct. 25, 1994 to LaVon, et al. It should also be noted that regular underwear with elastic along the waist edge and leg edges would not typically provide sufficient support to sustain the fit of the underwear if a weight of 300-600 grams was applied to the crotch region of the underwear.

(95) Fastening System

(96) The absorbent article may also include a fastening system. When fastened, the fastening system interconnects the front waist region **36** and the rear waist region **38** resulting in a waist circumference that may encircle the wearer during wear of the absorbent article **10**. This may be accomplished by flaps **189 a** and **b** in the back waist region interconnecting with flaps **189 c** and **d** in the front waist region or by flaps in the back waist region interconnecting with the chassis **100** in the front waist region. The fastening system may comprises a fastener **53 a** and **b** such as tape tabs, hook and loop fastening components, interlocking fasteners such as tabs & slots, buckles, buttons, snaps, and/or hermaphroditic fastening components, although any other known fastening means are generally acceptable. The fasteners may releasably engage with a landing zone **118**, which may be a woven or nonwoven. Some exemplary surface fastening systems are disclosed in U.S. Pat. Nos. 3,848,594; 4,662,875; 4,846,815; 4,894,060; 4,946,527; 5,151,092; and 5,221,274. An exemplary interlocking fastening system is disclosed in U.S. Pat. No. 6,432,098. The fastening system may also provide a means for holding the article in a disposal configuration as disclosed in U.S. Pat. No. 4,963,140. The fastening system may also include primary and secondary fastening systems, as disclosed in U.S. Pat. No. 4,699,622. The fastening system may be constructed to reduce shifting of overlapped portions or to improve fit as disclosed in U.S. Pat. Nos. 5,242,436; 5,499,978; 5,507,736; and 5,591,152.

(97) Identical or Substantially Identical Chassis

(98) As disclosed in U.S. Pub. No. 2013-0211355, it may be desirable to offer an array of packages for fitting different sized wearers, but comprising identical or substantially identical chassis. For instance, an array may comprise a first package comprising a first size of absorbent articles and a second package may comprise a second size of absorbent articles, where the first and second packages comprise identical or substantially identical chassis as described in U.S. Pub. No. 2013-0211355. More particularly, the first package may comprise a first chassis and the second package may comprise a second chassis, where each of the first and second chassis comprise the same dimensions of one or more of: core width at the lateral centerline, core width at one of the front or rear core end, a distance from a left outer cuff distal edge to a right outer cuff distal edge, a distance from a left inner cuff distal edge to a left outer cuff distal edge, a distance from a left inner cuff proximal edge to a right inner cuff proximal edge, a distance from a left inner cuff proximal edge to a left outer cuff distal edge, a free height of the inner cuff, inner cuff hem fold width, inner cuff elastics length, outer cuff elastics length, core length, and backsheet width.

(99) Further, each of the first and second chassis may comprise identical chemical compositions of one or more of a topsheet, backsheet film, backsheet nonwoven, core super absorbent polymers, core pulp, core nonwoven, core tissue, leg cuff film, leg cuff nonwoven, super absorbent polymer adhesive, core nonwoven adhesive, leg cuff elastic adhesive, and backsheet nonwoven/film adhesive.

(100) And, each of the first and second chassis may comprise the same basis weight of one or more of the topsheet, backsheet film, backsheet nonwoven, core super absorbent polymers, core pulp, leg cuff nonwoven, leg cuff film, super absorbent polymer adhesive, leg cuff adhesive, and backsheet nonwoven/film adhesive.

(101) And, each of the first and second chassis may comprise compositionally identical core super absorbent polymers. The first and second chassis may have identical component cross sectional order and disposition in at least one of the front waist region, back waist region, and crotch region. The inner leg cuffs of the first and second chassis may be composed of the compositionally identical materials.

(102) And, the core adhesives of the first and second chassis may be the same adhesive(s). The first and second chassis may comprise core super absorbent polymers that are in the same chemical class and subclass.

(103) And, each of the first and second chassis may comprise first and second wetness indicators, respectively, and wherein the first and second wetness indicators are compositionally identical.

(104) Further, the inner leg cuffs of the first and second chassis may have identical component cross sectional order and disposition in at least one of the front waist region, back waist region, and crotch region. The distance from the left outer cuff distal edge to a right outer cuff distal edge may be the same. The distance from the left inner cuff proximal edge to left outer cuff distal edge may be the same. The distance from the left inner cuff proximal edge to the right inner cuff proximal edge is the same. The lengths of the inner and outer cuffs are the same.

(105) In some embodiments, different size offerings in an array may have identical or substantially identical chassis as the flaps or belts may be used to enable the absorbent article to fit different sized wearers. For example, first and second absorbent articles may have identical chassis (compositionally, dimensionally, cross-sectionally), but the first article may have a different length due to disposition of the belts, such that the first article may be targeted to fit a smaller wearer than the second article. As a second example, first and second absorbent articles may have identical chassis (compositionally, dimensionally, cross-sectionally), but the first article may have a different length and/or width due to the size of the belts, such that the first article may be targeted to fit a smaller wearer than the second article.

(106) In some embodiments, first and second absorbent articles may have identical chassis compositionally, but not dimensionally, and not cross-sectionally. In some embodiments, first and second absorbent articles may have identical chassis dimensionally, but not compositionally, and not cross-sectionally. In some embodiments, first and second absorbent articles may have identical chassis cross-sectionally, but not dimensionally, and not compositionally. In still other embodiments, first and second absorbent articles may have two, but not three of (1) compositionally, (2) dimensionally, and (3) cross-sectionally identical chassis.

(107) Test Methods

(108) Product Measurement Preparation

(109) All measurements are conducted at 22° C. +/- 2° and 50% RH +/- 20%.

(110) Purpose

(111) This method is used to prepare pant type products for subsequent dimensional measurement. The method provides a consistent means of opening a product that has been removed from a bag. This method is applicable to all forms of pant products. A constant rate of extension tensile testing machine with computer interface is used.

(112) A load cell is chosen so that the load cell capacity ensures accuracy of a 5N load to within 0.1N.

(113) Sample Holder Apparatus

(114) “C” (304) and “O” (305) Bar attachments each with a rod radius of 9.50 mm that extend longer than the length of the longest side seam. Refer to FIG. 20. The bars are mounted horizontally in the tensile tester with their longitudinal axes in the same vertical plane and with upper bar mounted directly above the lower bar.

(115) Equipment Set Up

(116) Calibrate tensile tester equipment according to the instrument manufacturer's recommendations.

(117) The initial gauge length is determined by removing 10 sample products from the bag, unfolding the pant products (307) and laying them flat as illustrated in FIG. 21, below and measuring the distance between the sides of the pant at the waist as shown (306). The average of the waist measurement will be used as the initial gauge length for the specific set of specimens. The initial gauge length is the distance from the uppermost edge of the upper bar to the lowermost edge of the lower bar.

(118) Apply the whole product (307) to the bars as shown in FIG. 22 while minimizing manipulation of the specimen.

(119) Pull Sample to 5N Force then hold for 10 seconds. Return to initial gauge length.

(120) Crosshead Speed=254.0 mm/min, Data acquisition rate=50 Hz.

(121) Cycles=1

(122) Remove the specimen from the bars while minimizing manipulation. Lay the specimen flat with the front side facing upward as shown in FIG. 6.

(123) Repeat for all 10 specimens

(124) Physical Measurements

(125) Each of the measurements below is to be conducted on 10 separate like specimens and the average of the 10 separate like specimens is considered to be the measurement for that specific specimen set.

(126) Relaxed Product Length (300)

(127) Relaxed Product Length is the longitudinal distance between the longitudinally distal most point in the crotch region and the longitudinally distal most point along the front waist edge. The longitudinal distance is measured parallel to the longitudinal axis of the product. Refer to FIG. 6.

(128) Relaxed Product Hip Width (301)

(129) Relaxed Product Hip Width is the lateral distance from the laterally distal most point of the left side edge of the product at the upper edge of the left leg opening to the laterally distal most point of the right side edge of the product at the upper edge of the right leg opening. Refer to FIG. 6. The lateral distance is measured perpendicular to the longitudinal axis of the product.

(130) Relaxed Product Waist Width (302)

(131) Relaxed Product Waist Width is the lateral distance from the distal most point at the right side of the front waist edge to the distal most point at the left side of the front waist edge. The lateral distance is measured perpendicular to the longitudinal axis of the product. Refer to FIG. 6.

(132) Relaxed Product Side Length (303)

(133) Relaxed Product Side Length is the linear distance from the point of intersection between the waist edge and the side edge of the product to the point of intersection between the top of the leg opening and the same side edge of the product. The relaxed product side length measurement is the average of the measurements from the left and right sides of the product. Refer to FIG. 6.

(134) Each of the measurements above is recorded to within ± 1.0 mm

Claims

1. A disposable absorbent article having a Product Waist-to-Side Silhouette from 1.7 to about 5.0, wherein the disposable absorbent article is in closed form; and wherein the disposable absorbent article comprises a topsheet, a backsheet, an absorbent core, a front belt, and a back belt, wherein the front belt and the back belt are joined at a pair of side seams to form a waist opening; and wherein each of the belts of the disposable absorbent article comprises a folded edge that extends longitudinally outboard of the absorbent core, wherein the folded edges of the front and back belts of the disposable absorbent article continuously form the waist opening of the disposable absorbent article.

2. The absorbent article of claim 1, having a Relaxed Product Length is at least about 640 mm.

3. The absorbent article of claim 1, having a Relaxed Product Length is at least about 500 mm.

4. The absorbent article of claim 1, having a Relaxed Product Length is at least about 380 mm.

5. The absorbent article of claim 1, having a Relaxed Product Length is at least about 250 mm.

6. An array of packages comprising two or more different sizes of disposable absorbent articles, the array comprising: at least two packages; wherein an Array Average Product Waist-to-Side Silhouette of the at least two packages is from about 1.7 to about 4.0; wherein the at least two packages comprise the same brand name and/or sub-brand name; wherein the at least two packages comprise disposable absorbent articles in closed form; and wherein each disposable absorbent article comprises a topsheet, a backsheet, an absorbent core, a front belt, and a back belt, wherein the front belt and the back belt are joined at a pair of side seams to form a waist opening; and wherein each of the belts of each disposable absorbent article comprise a folded edge that extends

longitudinally outboard of the absorbent core, wherein the folded edges of the front and back belts of each disposable absorbent article continuously form the waist opening of each disposable absorbent article.

7. The array of packages of claim 6, wherein the array further comprises a third package comprising a third disposable absorbent article, wherein an Array Average Product Waist-to-Side Silhouette of the first, second, and third packages is from about 1.7 to about 4.0.

8. The array of packages of claim 7, wherein the array further comprises a fourth package comprising a fourth disposable absorbent article, wherein an Array Average Product Waist-to-Side Silhouette of the first, second, third, and fourth packages is from about 1.7 to about 4.0.
