

# US Patent & Trademark Office

## Patent Public Search | Text View

---

|                      |                    |
|----------------------|--------------------|
| United States Patent | 12411990           |
| Kind Code            | B2                 |
| Date of Patent       | September 09, 2025 |
| Inventor(s)          | Huang; Xi et al.   |

---

### System function invoking method and apparatus, and terminal

---

#### Abstract

A system function invoking method includes acquiring an installation package of a first application program, granting a first permission of a system to the first application program according to the installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function. The method further includes running the first application program, and forbidding the second application program from invoking the at least one system function.

---

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| <b>Inventors:</b> | Huang; Xi (Shenzhen, CN), Wu; Huangwei (Shenzhen, CN) |
| <b>Applicant:</b> | Huawei Device Co., Ltd. (Guangdong, CN)               |
| <b>Family ID:</b> | 49135355                                              |
| <b>Assignee:</b>  | HUAWEI DEVICE CO., LTD. (Dongguan, CN)                |
| <b>Appl. No.:</b> | 17/961766                                             |
| <b>Filed:</b>     | October 07, 2022                                      |

#### Prior Publication Data

|                            |                         |
|----------------------------|-------------------------|
| <b>Document Identifier</b> | <b>Publication Date</b> |
| US 20230110179 A1          | Apr. 13, 2023           |

#### Foreign Application Priority Data

|    |                |               |
|----|----------------|---------------|
| CN | 201310201782.0 | May. 27, 2013 |
|----|----------------|---------------|

#### Related U.S. Application Data

continuation parent-doc US 16589598 20191001 ABANDONED child-doc US 17961766  
continuation parent-doc US 14936826 20151110 US 10452867 20191022 child-doc US 16589598  
continuation parent-doc WO PCT/CN2014/078260 20140523 PENDING child-doc US 14936826

---

#### Publication Classification

**Int. Cl.:** G06F21/62 (20130101); G06F8/61 (20180101); G06F21/51 (20130101); G06F21/52 (20130101); G06F21/60 (20130101); H04L9/40 (20220101)

**U.S. Cl.:**

**CPC** G06F21/629 (20130101); G06F8/61 (20130101); G06F21/51 (20130101); G06F21/52 (20130101); G06F21/604 (20130101); G06F21/62 (20130101); G06F21/6281 (20130101); H04L63/102 (20130101); G06F2221/033 (20130101)

## Field of Classification Search

**USPC:** None

---

## References Cited

### U.S. PATENT DOCUMENTS

| Patent No. | Issued Date | Patentee Name     | U.S. Cl. | CPC          |
|------------|-------------|-------------------|----------|--------------|
| 5057996    | 12/1990     | Cutler            | 719/315  | G06F 9/52    |
| 5535416    | 12/1995     | Feeney et al.     | N/A      | N/A          |
| 5941975    | 12/1998     | Park et al.       | N/A      | N/A          |
| 6029190    | 12/1999     | Oliver            | 718/107  | G06F 9/526   |
| 6101569    | 12/1999     | Miyamoto          | 710/200  | G06F 9/52    |
| 6339826    | 12/2001     | Hayes, Jr. et al. | N/A      | N/A          |
| 6345361    | 12/2001     | Jerger            | 713/323  | G06F 21/62   |
| 6473800    | 12/2001     | Jerger            | 709/224  | G06F 21/52   |
| 6895585    | 12/2004     | Smith             | N/A      | N/A          |
| 7287140    | 12/2006     | Asanovic          | 711/208  | G06F 12/1483 |
| 7712126    | 12/2009     | Andersson et al.  | N/A      | N/A          |
| 7793355    | 12/2009     | Little et al.     | N/A      | N/A          |
| 7815100    | 12/2009     | Adams et al.      | N/A      | N/A          |
| 8265595    | 12/2011     | Reeves            | 455/410  | H04M 1/72463 |
| 8321837    | 12/2011     | Broberg et al.    | N/A      | N/A          |
| 8387141    | 12/2012     | Zhukov            | 726/22   | H04W 12/128  |
| 8595489    | 12/2012     | Faaborg           | 713/166  | H04W 12/02   |
| 8656465    | 12/2013     | Fong-Jones        | N/A      | N/A          |
| 8826436    | 12/2013     | Kreiner et al.    | N/A      | N/A          |
| 8856859    | 12/2013     | Kirkup et al.     | N/A      | N/A          |
| 8887152    | 12/2013     | Chen              | 717/174  | G06F 9/45504 |
| 9075955    | 12/2014     | Schieman          | N/A      | G06F 21/00   |
| 9202049    | 12/2014     | Book              | N/A      | G06F 21/562  |
| 9203864    | 12/2014     | Luna              | N/A      | H04L 63/101  |
| 9208349    | 12/2014     | Miliefsky et al.  | N/A      | N/A          |
| 9280679    | 12/2015     | Nicolaou          | N/A      | N/A          |
| 9390294    | 12/2015     | Ali               | N/A      | G06F 9/468   |
| 9420432    | 12/2015     | Matthews, III     | N/A      | H04M 1/72463 |
| 9450958    | 12/2015     | Saylor            | N/A      | H04L 63/102  |
| 9665465    | 12/2016     | Jain et al.       | N/A      | N/A          |
| 9740852    | 12/2016     | Mahaffey et al.   | N/A      | N/A          |
| 9954975    | 12/2017     | Raleigh et al.    | N/A      | N/A          |
| 10013237   | 12/2017     | Snell             | N/A      | N/A          |
| 10044757   | 12/2017     | Qureshi et al.    | N/A      | N/A          |
| 10114932   | 12/2017     | Marion et al.     | N/A      | N/A          |
| 10303501   | 12/2018     | Ali et al.        | N/A      | N/A          |

|              |         |                  |             |              |
|--------------|---------|------------------|-------------|--------------|
| 10305937     | 12/2018 | Weiss et al.     | N/A         | N/A          |
| 10333967     | 12/2018 | Litva et al.     | N/A         | N/A          |
| 10904257     | 12/2020 | Li et al.        | N/A         | N/A          |
| 12111927     | 12/2023 | Thomas           | N/A         | H04L 63/1408 |
| 2002/0019887 | 12/2001 | Moore            | N/A         | N/A          |
| 2002/0178208 | 12/2001 | Hutchison et al. | N/A         | N/A          |
| 2004/0127190 | 12/2003 | Hansson          | 455/418     | H04W 4/50    |
| 2004/0255169 | 12/2003 | Little et al.    | N/A         | N/A          |
| 2005/0257209 | 12/2004 | Adams et al.     | N/A         | N/A          |
| 2007/0050369 | 12/2006 | Stiegler         | 707/999.009 | G06F 21/53   |
| 2007/0050781 | 12/2006 | Furuichi et al.  | N/A         | N/A          |
| 2007/0169071 | 12/2006 | Martin           | 717/166     | G06F 9/468   |
| 2007/0169129 | 12/2006 | Polivy           | 719/327     | G06F 9/44505 |
| 2008/0005741 | 12/2007 | Terrell          | 718/102     | G06F 9/526   |
| 2008/0034208 | 12/2007 | Mantere et al.   | N/A         | N/A          |
| 2009/0276071 | 12/2008 | Sim              | 700/99      | B25J 9/1666  |
| 2010/0100889 | 12/2009 | Labrie           | 718/106     | G06F 9/526   |
| 2011/0055841 | 12/2010 | Senno            | 718/103     | G06F 9/52    |
| 2011/0106777 | 12/2010 | Yospe            | 707/704     | G06F 16/2343 |
| 2012/0117615 | 12/2011 | Mackinnon et al. | N/A         | N/A          |
| 2012/0144138 | 12/2011 | Kandasamy        | 711/E12.001 | G06F 9/524   |
| 2012/0159570 | 12/2011 | Reierson et al.  | N/A         | N/A          |
| 2012/0209923 | 12/2011 | Mathur           | 709/229     | G06F 21/53   |
| 2012/0255015 | 12/2011 | Sahita           | 717/130     | G06F 21/54   |
| 2012/0291103 | 12/2011 | Cohen            | 726/4       | G06F 21/6218 |
| 2012/0311697 | 12/2011 | Swingler         | 726/17      | G06F 21/6218 |
| 2013/0055341 | 12/2012 | Cooper et al.    | N/A         | N/A          |
| 2013/0055378 | 12/2012 | Chang            | 726/17      | G06F 21/53   |
| 2013/0097354 | 12/2012 | Arges            | 718/1       | G06F 12/1458 |
| 2013/0160147 | 12/2012 | Draluk           | 726/30      | G06F 21/51   |
| 2013/0205385 | 12/2012 | Roesner          | 726/17      | G06F 21/6245 |
| 2013/0227636 | 12/2012 | Bettini          | 726/1       | H04L 63/1425 |
| 2013/0227641 | 12/2012 | White et al.     | N/A         | N/A          |
| 2013/0227652 | 12/2012 | Choi             | 726/4       | G06F 9/445   |
| 2013/0305259 | 12/2012 | Wang             | 718/106     | G06F 9/526   |
| 2013/0333039 | 12/2012 | Kelly            | N/A         | N/A          |
| 2014/0040870 | 12/2013 | Lynch            | 717/176     | G06F 8/61    |
| 2014/0075546 | 12/2013 | Zeng et al.      | N/A         | N/A          |
| 2014/0075574 | 12/2013 | Zheng et al.     | N/A         | N/A          |
| 2014/0082611 | 12/2013 | Li et al.        | N/A         | N/A          |
| 2014/0282465 | 12/2013 | Matenaar         | 717/168     | G06F 9/44536 |
| 2014/0304711 | 12/2013 | Tennant et al.   | N/A         | N/A          |
| 2014/0380414 | 12/2013 | Saidi et al.     | N/A         | N/A          |
| 2015/0121478 | 12/2014 | Huang et al.     | N/A         | N/A          |
| 2016/0191534 | 12/2015 | Mallozzi         | N/A         | N/A          |
| 2016/0248810 | 12/2015 | Majanemi         | N/A         | N/A          |
| 2017/0011206 | 12/2016 | Marion           | N/A         | G06F 8/61    |
| 2017/0177854 | 12/2016 | Gligor et al.    | N/A         | N/A          |
| 2018/0293389 | 12/2017 | Mahaffey et al.  | N/A         | N/A          |
| 2018/0302443 | 12/2017 | Weiss et al.     | N/A         | N/A          |
| 2019/0037049 | 12/2018 | Raleigh et al.   | N/A         | N/A          |
| 2022/0100849 | 12/2021 | Vandergeest      | N/A         | N/A          |

## FOREIGN PATENT DOCUMENTS

| Patent No. | Application Date | Country | CPC |
|------------|------------------|---------|-----|
| 1924814    | 12/2006          | CN      | N/A |
| 101119550  | 12/2007          | CN      | N/A |
| 100468343  | 12/2008          | CN      | N/A |
| 101977230  | 12/2010          | CN      | N/A |
| 102170495  | 12/2010          | CN      | N/A |
| 102200922  | 12/2010          | CN      | N/A |
| 102521548  | 12/2011          | CN      | N/A |
| 102592077  | 12/2011          | CN      | N/A |
| 102693394  | 12/2011          | CN      | N/A |
| 102737427  | 12/2011          | CN      | N/A |
| 102819715  | 12/2011          | CN      | N/A |
| 103049692  | 12/2012          | CN      | N/A |
| 103310149  | 12/2012          | CN      | N/A |

## OTHER PUBLICATIONS

SureLock; SureLock Kiosk Mode Lockdown; 2013; retrieved from the Internet

<https://web.archive.org/web/20130529200823/http://www.42gears.com/surelock/surelockandroid.html>; pp. 1-9, as printed. (Year: 2013). cited by examiner

Cooley; Metis: Mocking Data for Usability & privacy; 2013; retrieved from the Internet

<https://core.ac.uk/download/pdf/235417168.pdf>; pp. 1-27, as printed (Year: 2013). cited by examiner

“DevicePolicyManager | Android Developers,” XP055429842, Nov. 25, 2012, 28 pages. cited by applicant

“Memory Management in Android,” XP055429859, Jul. 5, 2010, 10 pages. cited by applicant

“Application Fundamentals | Android Developers,” Retrieved from the Internet: URL:

<https://web.archive.org/web/20130501113041/http://developer.android.com/guide/components/fundamentals.html> [retrieved on Feb. 29, 2016], May 2013, 6 pages. cited by applicant

Cooley; Metis: Mocking Data for Usability & Privacy; 2013; Retrieved from the Internet <URL:

<https://scholarworks.wm.edu/cgi/viewcontent.cgi?article=1587&context=honorstheses>>; pp. 1-27, as printed. (Year: 2013). cited by applicant

Henry; PDroid Gives You Control Over the Personal Information Your Android Apps Can Access; 2011;

Retrieved from the Internet <URL: <https://lifehacker.com/5866597/pdroid-gives-you-control-over-the-personal-information-your-android-apps-can-access>>; pp. 1-1, as printed. (Year: 2011). cited by applicant

Meehan; LBE Privacy Guard: How Safe Is Your Private Data ?; 2011 Retrieved from the Internet <URL:

<https://android.appstorm.net/reviews/security/lbe-privacy-guard-how-safe-is-your-private-data/>>; pp. 1-9, as printed. (Year: 2011). cited by applicant

Dube; Monitor Access & Guard Your Android Privacy With LBE Privacy Guard; 2011; Retrieved from the

Internet <URL: <https://www.makeuseof.com/tag/monitor-access-guard-android-privacy-lbe-privacy-guard/>>; 1-11, as printed (Year: 2011). cited by applicant

LBE Privacy Guard App for Android Review; 2012; Retrieved from the Internet <URL:

<HTTPS://youtu.be/PiGqmauOLNY?t=2m54s>>; pp. 1-5, as printed (Year 2012). cited by applicant

Jeon et al; Dr. Android and Mr. Hide: Fine-grained Permissions in Android Applications; 2012; Retrieved from the Internet <URL: <http://dl.acm.org/citation.cfm?id=2381938>>; pp. 1-12 as printed. cited by applicant

Herpich et al.; A Trusted Ecosystem for Android Applications Based on Context-Aware Access Control; 2012; Retrieved from the Internet <URL: <http://ieeexplore.ieee.org/abstract/document/6461011/>>; pp. 1-6 as printed. cited by applicant

Thangaraju, Dr. B., “Fail Safe Port Allocation for Linux Device Drivers,” LinuxFocus article No. 264, 2005, 6 pages. cited by applicant

Android Developers, “Camera,”

<https://web.archive.org/web/20130501143205/http://developer.android.com/guide/topics/media/camera.html>, May 1, 2013, 23 pages. cited by applicant

Poirier, G., “I Am Trying to Skype and My Computer is Blocking My Webcam,” Retrieved from the Internet:

<https://web.archive.org/web/20111225114059/http://smallbusiness.chron.com:80/am-trying-skype-computer-blocking-webcam-31455.html>, 2011, 1 page. cited by applicant

## Background/Summary

**CROSS-REFERENCE TO RELATED APPLICATIONS** (1) This application is a continuation application of U.S. patent application Ser. No. 16/589,598 filed on Oct. 1, 2019, which is a continuation of U.S. patent application Ser. No. 14/936,826 filed on Nov. 10, 2015, now U.S. Pat. No. 10,452,867, which is a continuation of International Patent Application No. PCT/CN2014/078260 filed on May 23, 2014, which claims priority to Chinese Patent Application No. 201310201782.0 filed on May 27, 2013. All of the aforementioned patent applications are hereby incorporated by reference in their entireties.

## TECHNICAL FIELD

(1) The present disclosure relates to the field of computer technologies, and in particular, to a system function invoking method and apparatus, and a terminal.

## BACKGROUND

(2) To perform control on security and stability of a system of a terminal, an invocation permission may be set for a system function provided by the system. Only an application program that has a permission to invoke the system function can invoke the system function, and the system function may be implemented by an application programming interface (API).

(3) In the prior art, a system function invoking method is provided. After acquiring a highest permission of the system, a management program may read permission information of each application program and present the read permission information to a user, so that the user performs disabling setting on some permissions in the permission information, and forms permissions for which disabling is set into a permission database, and the management program may forbid the application program from invoking a system function corresponding to a permission in the permission database.

(4) An existing management program needs to acquire the highest permission of the system, but the acquiring of the highest permission brings an insecure factor. In addition, disabling setting of a system function is applicable only to one application program, and if another application program also needs to disable the system function, the user needs to separately perform disabling setting for the system function in the other application program. When there are multiple application programs, the user needs to frequently perform disabling setting, which increases operation complexity of system function invocation and reduces efficiency of system function invocation.

## SUMMARY

(5) To resolve problems that acquiring of a highest permission brings an insecure factor, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced, embodiments of the present disclosure provide a system function invoking method and apparatus, and a terminal. The technical solutions are as follows.

(6) According to a first aspect, the present disclosure provides a system function invoking method, and the method includes acquiring an installation package of a first application program; granting a first permission of a system to the first application program according to the installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first application program, and forbidding the second application program from invoking the at least one system function.

(7) In a first possible implementation manner of the first aspect, before the granting a first permission of a system to the first application program according to the installation package, the method further includes acquiring a configuration file of the first application program from the installation package; and the granting a first permission of a system to the first application program according to the installation package includes reading configuration information of the first permission from the configuration file, and granting the first permission of the system to the first application program according to the configuration information.

(8) In a second possible implementation manner of the first aspect, the second application program is any

application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(9) With reference to the first aspect, or the first possible implementation manner of the first aspect, or the second possible implementation manner of the first aspect, in a third possible implementation manner of the first aspect, the forbidding the second application program from invoking the at least one system function includes for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspending or ending the invocation of the system function by the second application program; and for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbidding subsequent invocation of the system function by the second application program.

(10) According to a second aspect, the present disclosure provides a system function invoking method, and the method includes configuring a first mode in a system; when a first application program is installed, granting a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program, and forbidding the second application program from invoking the at least one system function.

(11) In a first possible implementation manner of the second aspect, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(12) In a second possible implementation manner of the second aspect, after the forbidding the second application program from invoking the at least one system function, the method further includes, if the first application program exits running, switching the first mode to a second mode, where the second mode is used to, when the system is in the second mode, allow the second application program to invoke the at least one system function.

(13) With reference to the second aspect, or the first possible implementation manner of the second aspect, or the second possible implementation manner of the second aspect, in a third possible implementation manner of the second aspect, the forbidding the second application program from invoking the at least one system function includes, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspending or ending the invocation of the system function by the second application program; and for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbidding subsequent invocation of the system function by the second application program.

(14) According to a third aspect, the present disclosure provides a system function invoking apparatus, and the apparatus includes a first acquiring module adapted to acquire an installation package of a first application program; an authorization module adapted to grant a first permission of a system to the first application program according to the installation package acquired by the first acquiring module, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and an invoking module adapted to run the first application program, and forbid, according to the first permission granted by the authorization module, the second application program from invoking the at least one system function.

(15) In a first possible implementation manner of the third aspect, the apparatus further includes a second acquiring module adapted to, before the authorization module grants the first permission of the system to the first application program according to the installation package, acquire a configuration file of the first application program from the installation package; and the authorization module includes a reading unit adapted to read configuration information of the first permission from the configuration file; and an

authorization unit adapted to grant the first permission of the system to the first application program according to the configuration information read by the reading unit.

(16) In a second possible implementation manner of the third aspect, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(17) With reference to the third aspect, or the first possible implementation manner of the third aspect, or the second possible implementation manner of the third aspect, in a third possible implementation manner of the third aspect, the invoking module includes a first invoking unit adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program; and a second invoking unit adapted to, for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(18) According to a fourth aspect, the present disclosure provides a system function invoking apparatus, and the apparatus includes a configuring module adapted to configure a first mode in a system; an authorization module adapted to, when a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode configured by the configuring module, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and an invoking module adapted to run the first application program, and forbid, according to the second permission granted by the authorization module, the second application program from invoking the at least one system function.

(19) In a first possible implementation manner of the fourth aspect, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(20) In a second possible implementation manner of the fourth aspect, the apparatus further includes a switching module adapted to, after the invoking module forbids the second application program from invoking the at least one system function, if the first application program exits running, switch the first mode to a second mode, where the second mode is used to, when the system is in the second mode, allow the second application program to invoke the at least one system function.

(21) With reference to the fourth aspect, or the first possible implementation manner of the fourth aspect, or the second possible implementation manner of the fourth aspect, in a third possible implementation manner of the fourth aspect, the invoking module includes a first invoking unit adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program, and a second invoking unit adapted to, for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(22) According to a fifth aspect, the present disclosure provides a terminal, and the terminal includes the system function invoking apparatus according to the third aspect, or includes the system function invoking apparatus according to the fourth aspect.

(23) Beneficial effects brought by the technical solutions provided in the embodiments of the present disclosure are as follows.

(24) By granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first

application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

---

## Description

### BRIEF DESCRIPTION OF DRAWINGS

- (1) To describe the technical solutions in the embodiments of the present disclosure more clearly, the following briefly introduces the accompanying drawings required for describing the embodiments. The accompanying drawings in the following description show merely some embodiments of the present disclosure, and a person of ordinary skill in the art may still derive other drawings from these accompanying drawings without creative efforts.
- (2) FIG. 1 is a method flowchart of a system function invoking method according to Embodiment 1 of the present disclosure;
- (3) FIG. 2 is a method flowchart of a system function invoking method according to Embodiment 2 of the present disclosure;
- (4) FIG. 3A and FIG. 3B are a schematic application diagram of the system function invoking method according to Embodiment 2 of the present disclosure;
- (5) FIG. 4 is a method flowchart of a system function invoking method according to Embodiment 3 of the present disclosure;
- (6) FIG. 5 is a method flowchart of a system function invoking method according to Embodiment 4 of the present disclosure;
- (7) FIG. 6A and FIG. 6B are a first schematic application diagram of the system function invoking method according to Embodiment 4 of the present disclosure;
- (8) FIG. 7A and FIG. 7B are a second schematic application diagram of the system function invoking method according to Embodiment 4 of the present disclosure;
- (9) FIG. 8 is a structural block diagram of a system function invoking apparatus according to Embodiment 5 of the present disclosure;
- (10) FIG. 9 is a structural block diagram of a system function invoking apparatus according to Embodiment 6 of the present disclosure;
- (11) FIG. 10 is a structural block diagram of a system function invoking apparatus according to Embodiment 7 of the present disclosure;
- (12) FIG. 11 is a structural block diagram of a system function invoking apparatus according to Embodiment 8 of the present disclosure;
- (13) FIG. 12 is a structural block diagram of a system function invoking apparatus according to Embodiment 9 of the present disclosure; and
- (14) FIG. 13 is a structural block diagram of a system function invoking apparatus according to Embodiment 11 of the present disclosure.

### DESCRIPTION OF EMBODIMENTS

- (15) To make the objectives, technical solutions, and advantages of the present disclosure clearer, the following further describes the embodiments of the present disclosure in detail with reference to the accompanying drawings.

#### Embodiment 1

- (16) Referring to FIG. 1, FIG. 1 shows a method flowchart of a system function invoking method according to Embodiment 1 of the present disclosure. The system function invoking method may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking method includes the following steps.
- (17) Step 101: Acquire an installation package of a first application program.
- (18) The first application program is an application program installed on a system. Therefore, the system needs to acquire the installation package of the first application program so as to install the first application



program according to the installation package.

(19) Multiple methods for acquiring the installation package of the first application program are available for the system. For example, the system may access a network using the terminal to download the installation package from the network; or the system may establish a wired or wireless connection to another terminal using the terminal to acquire the installation package from the other terminal, which is not limited in this embodiment.

(20) Step **102**: Grant a first permission of a system to the first application program according to the installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function.

(21) When installing the first application program according to the installation package of the first application program, the system may grant a first permission pre-recorded in the installation package to the first application program, and configures the at least one system function whose invocation is controlled by the first application program, such that when the first application program is in a running state, the system forbids the second application program from invoking the at least one system function. The second application program is an application program other than the first application program in the system.

(22) Step **103**: Run the first application program, and forbid the second application program from invoking the at least one system function.

(23) When running the first application program, the system sets the configured at least one system function to forbidding invocation of the second application program.

(24) In conclusion, according to the system function invoking method provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function, and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

## Embodiment 2

(25) Referring to FIG. 2, FIG. 2 shows a method flowchart of a system function invoking method according to Embodiment 2 of the present disclosure. The system function invoking method may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking method includes the following steps.

(26) Step **201**: Acquire an installation package of a first application program.

(27) The first application program is an application program installed on a system. Therefore, the system needs to acquire the installation package of the first application program so as to install the first application program according to the installation package.

(28) Multiple methods for acquiring the installation package of the first application program are available for the system. For example, the system may access a network using the terminal to download the installation package from the network; or the system may establish a wired or wireless connection to another terminal using the terminal to acquire the installation package from the other terminal, which is not limited in this embodiment.

(29) Step **202**: Acquire a configuration file of the first application program from the installation package.

(30) The installation package of the first application program includes the configuration file of the first application program, and the system may acquire the configuration file and configure the first application program according to information recorded in the configuration file. The configuration file may be edited by a developer as required when the first application program is developed.

(31) Step **203**: Read configuration information of a first permission from the configuration file, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function.

(32) The first application program may control the invocation of the at least one system function in the system and permission check is needed for invocation of a system function. Therefore configuration information of the permission may be set in the configuration file such that the system grants the

corresponding permission to the first application program according to the configuration information.

(33) The configuration information of the first permission may be set in the configuration file, and when installing the first application program according to the installation package, the system may read the configuration information, and perform processing on the first application program according to the configuration information. The first permission is used to, when the first application program is in a running state, forbid the second application program from invoking the at least one system function.

(34) The second application program may be any application program of all application programs except the first application program in the system, such that only the first application program in the system can invoke the at least one system function, thereby improving system security; or the second application program may be any application program of some application programs other than the first application program in the system, such that, besides the first application program, some application programs in the system can also invoke the at least one system function, thereby improving flexibility of system function invocation. The some application programs may be preset and modified, and a setting manner is not limited in this embodiment.

(35) In this embodiment, an Android system is used as an example for description. Then the configuration file may be an AndroidManifest.xml file, and the configuration information of the first permission in the configuration file may be <uses-permission android:

name="android.permission.PERMISSION\_DISABLE">.

(36) Step 204: Grant the first permission of the system to the first application program according to the configuration information.

(37) To improve system security, after reading configuration information of all permissions in the configuration file, the system may present a function introduction of each permission to a user, such that the user may determine whether the permission is granted to the first application program according to the function introduction. If the user determines to grant the permission to the first application program, the system grants the permission to the first application program according to the configuration information and acquires installation information of the first application program, for example, an application component of the first application program, to implement an installation process of the first application program. If the user forbids granting the permission to the first application program, the system exits the installation of the first application program and ends the process.

(38) After the installation process of the first application program is complete, the system may further record the configuration information of all permissions in an installation file of the system, such that when the system starts next time, the configuration information recorded in the installation file may be loaded into a memory, thereby implementing control of invocation of the system function according to the configuration information of the first permission in the installation file. In this embodiment, an Android system is used as an example for description. Then, the installation file of the system may be a/data/system/packages.xml file.

(39) After the installation process of the first application program is complete, the system also needs to configure the at least one system function whose invocation is controlled by the first application program, such that when the first application program is in a running state, the system forbids the second application program from invoking the at least one system function. One system function may be implemented by one API, and a permission needs to be checked for invocation of the API. Therefore, disabling information of the permission corresponding to the API may be preset in the configuration file. After reading the disabling information of the permission, the system sets the permission to be such a permission that when the first application program is in a running state, the second application program cannot pass system check, such that the second application program is forbidden to invoke the API corresponding to the permission, that is, the control of system function invocation is implemented. For example, the disabling information of the permission in the configuration file is disabling information of a Short Message Service (SMS) receiving permission. Then, when the first application program is in a running state, the second application program cannot pass a check of the SMS receiving permission and the system forbids the second application program from invoking an SMS receiving API, such that the second application program is forbidden to invoke an SMS receiving system function.

(40) In this embodiment, an Android system is still used as an example for description. Then, the disabling information of the permission in the configuration file may be <disable-permission android: name="android.permission.PERMISSION\_A"/>, or the like. After reading the disabling information of the

permission, the system sets permission A to be such a permission that when the first application program is in a running state, the second application program cannot pass system permission check.

(41) Further, the system may also record disabling information of all permissions in the installation file of the system, such that when the system starts next time, the disabling information of the permissions recorded in the installation file is loaded into a memory, thereby implementing control of invocation of a system function corresponding to an API by controlling invocation of the API corresponding a permission. Timing for recording API information in the installation file is not limited in this embodiment. For example, the API information is recorded after a primary application program is installed, or the API information is recorded after the system restarts.

(42) **Step 205:** Run the first application program, and forbid the second application program from invoking the at least one system function.

(43) The forbidding the second application program from invoking the at least one system function may include: for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspending or ending the invocation of the system function by the second application program; and for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbidding subsequent invocation of the system function by the second application program.

(44) For ease of understanding, in this embodiment, an example in which the system function is acquiring a geographic location of a terminal and the second application program is microblog is used for description. If microblog already invoked the service of acquiring the geographic location of the terminal before the first application program runs, and microblog is still using the service of acquiring the geographic location of the terminal when the first application program is in a running state, the terminal suspends or ends the service of acquiring the geographic location of the terminal by microblog. If microblog already invoked the service of acquiring the geographic location of the terminal before the first application program runs but microblog stops invocation of the service of acquiring the geographic location of the terminal when the first application program is in a running state, or microblog did not invoke the service of acquiring the geographic location of the terminal before the first application program runs, the terminal forbids microblog from invoking the service of acquiring the geographic location of the terminal when subsequently detecting by monitoring that microblog attempts to invoke the service of acquiring the geographic location of the terminal.

(45) Further, when the second application program invokes the at least one system function, the system may return a null value NULL to the second application program, or may return a false value FALSE to the second application program, which is not limited in this embodiment.

(46) It should be additionally noted that, if the first application program exits running, the system may allow the second application program to invoke the at least one system function. The system may determine the running state of the first application program by monitoring a system process, and the running state of the first application program may also be determined in another manner, which is not limited in this embodiment.

(47) Referring to FIG. 3A and FIG. 3B, this embodiment further provides a schematic application diagram of the system function invoking method, where a voice recorder is a second application program that invokes a disabled system function before the first application program runs and still uses the system function when the first application program runs, and microblog is a second application program that invokes the disabled system function after the first application program runs. The system function invoking method is as follows.

(48) **Step 301:** When a first application program is developed, add a “PERMISSION\_DISABLE” permission to the first application program, and configure at least one system function whose invocation needs to be forbidden in the system when the first application program is in a running state.

(49) **Step 302:** When the first application program is installed, the first application program applies for the “PERMISSION\_DISABLE” permission from the system.

(50) **Step 303:** The system grants the “PERMISSION\_DISABLE” permission to the first application program.

(51) Step **304**: The voice recorder invokes an API for which permission check is required. where the API corresponds to a system function that needs to be disabled.

(52) Step **305**: Start the first application program.

(53) Step **306**: The first application program requests the system to disable an API corresponding to the at least one system function.

(54) Step **307**: According to a record in the system, if the voice recorder is invoking the API for which permission check is required, suspend or end the at least one system function corresponding to the API.

(55) Step **308**: The system notifies the first application program that the system has disabled the API corresponding to the at least one system function.

(56) Step **309**: Run the first application program.

(57) Step **310**: Microblog invokes an API for which permission check is required.

(58) Step **311**: The system searches for disabling information of the invoked API.

(59) Step **312**: If the system finds the disabling information of the API, return a null value or a false value to microblog.

(60) Step **313**: The first application program exits running.

(61) Step **314**: The first application program notifies the system that the first application program exits running.

(62) Step **315**: The system allows the voice recorder or microblog to invoke the at least one system function.

(63) In conclusion, according to the system function invoking method provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and an effect that the flexibility of system function invocation is improved is achieved.

### Embodiment 3

(64) Referring to FIG. 4, FIG. 4 shows a method flowchart of a system function invoking method according to Embodiment 3 of the present disclosure. The system function invoking method may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking method includes the following steps.

(65) Step **401**. Configure a first mode in a system.

(66) When the system is in the first mode, the system forbids a second application program from invoking at least one system function of the system. In this embodiment, the system may configure at least one first mode, and may configure at least one system function for each mode. Therefore, when configuring the first mode, the system needs to configure the at least one system function.

(67) Step **402**: When a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function.

(68) When installing the first application program, the system may grant the second permission pre-recorded in an installation package to the first application program, such that when the first application program is in a running state, the system is in the first mode. The second application program is an application program other than the first application program in the system.

(69) Step **403**: Run the first application program, and forbid the second application program from invoking the at least one system function.

(70) When running the first application program runs, the system sets the at least one system function that

is configured during the configuration of the first mode to be forbidden to be invoked by the second application program.

(71) In conclusion, according to the system function invoking method provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

#### Embodiment 4

(72) Referring to FIG. 5, FIG. 5 shows a method flowchart of a system function invoking method according to Embodiment 4 of the present disclosure. The system function invoking method may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking method includes the following steps.

(73) Step **501**: Configure a first mode in a system.

(74) When the system is in the first mode, the system forbids a second application program from invoking at least one system function of the system. In this embodiment, the system may configure at least one first mode, and may configure at least one system function for each mode. For example, system functions of SMS receiving and calling may be configured in the first mode; or a system function of acquiring a geographic location of a terminal may be configured in the first mode. Therefore, when configuring the first mode, the system needs to configure the at least one system function.

(75) One system function may be implemented by one API, and a permission needs to be checked for invocation of the API. Therefore, disabling information of the permission corresponding to the API may be preset. After reading the disabling information of the permission, the system sets the permission to be such a permission that when the system is in the first mode, the second application program cannot pass system check, such that the second application program is forbidden to invoke the API corresponding to the permission, that is, control of system function invocation is implemented. For example, the disabling information of the permission is disabling information of an SMS receiving permission. Then, when the first application program is in a running state, the second application program cannot pass SMS receiving permission check and the system forbids the second application program from invoking an SMS receiving API, such that the second application program is forbidden to invoke an SMS receiving system function.

(76) Step **502**: When a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function.

(77) Because the first application program may enable the system to be in the first mode, and the second application program may be forbidden to invoke the at least one system function in the system when the system is in the first mode, while permission check is needed for invocation of a system function, the second permission of the first application program may be set.

(78) In a first setting manner, configuration information of the second permission is set in a configuration file in an installation package of the first application program, such that when installing the first application program, the system grants the second permission to the first application program according to the configuration information. The first application program may have at least one second permission, and each second permission may correspond to one first mode. Because a same second permission may exist, the first mode may correspond to at least one first application program.

(79) In this embodiment, an Android system is used as an example for description. Then, the configuration file may be an AndroidManifest.xml file, and the configuration information of the second permission in the configuration file may be `<need-permission android:name="android.name.PERMISSION_NEED_DISABLE"/>`. Further, a process in which the system acquires the configuration information of the second

permission is the same as the process in which the system acquires the configuration information of the first permission, and for details, refer to the description of step **203**. A process in which the system grants the second permission to the first application program according to the configuration information is the same as the process in which the system grants the first permission to the first application program according to the configuration information, and for details, refer to the description of step **204**, which is not described herein again.

(80) In a second setting manner, the system may present at least one first mode that is preset in the system to a user, such that the user selects, from the presented at least one first mode, at least one first mode that the system is in when the first application program is in a running state. A correspondence between the first application program and the at least one first mode may be set and modified by the user, which is not limited in this embodiment. If first application programs that select a same first mode exist, the first mode may correspond to at least one first application program.

(81) In this embodiment, the second application program may be any application program of all application programs except the first application program in the system, such that only the first application program in the system may invoke the at least one system function, thereby improving system security; or the second application program may be any application program of some application programs other than the first application program in the system, such that, besides the first application program, some application programs in the system can also invoke the at least one system function, thereby improving flexibility of system function invocation. The some application programs may be preset and modified, and a setting manner is not limited in this embodiment.

(82) If the second application program is an application program that the user trusts, for each first mode, presentation may be performed for at least one system function configured in the first mode, such that the user selects, from the at least one system function, a system function that allows invocation by the second application program. Further, whether the second application program is an application program that the user trusts may also be set, which is not limited in this embodiment.

(83) Step **503**: Run the first application program, and forbid the second application program from invoking the at least one system function.

(84) When the first application program runs in the system, the system may be enabled to be in the at least one first mode according to the setting in step **402**, and the second application program is forbidden to invoke the at least one system function.

(85) The forbidding the second application program from invoking the at least one system function may include: for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspending or ending the invocation of the system function by the second application program; and for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbidding subsequent invocation of the system function by the second application program.

(86) For a process in which the system forbids the second application program from invoking the at least one system function, refer to the description of step **205**, which is not described herein again.

(87) Step **504**: If the first application program exits running, switch the first mode to a second mode, where the second mode is used to, when the system is in the second mode, allow the second application program to invoke the at least one system function.

(88) In this embodiment, the system may also configure a second mode, where no system function is configured in the second mode. Then, after the first application program exits running, the system may switch the first mode to the second mode and allow the second application program to invoke the at least one system function. The system may determine the running state of the first application program by monitoring a system process, and the running state of the first application program may also be determined in another manner, which is not limited in this embodiment.

(89) It should be additionally noted that, if another first application program in a running state further exists in the system, the system may further be in a first mode corresponding to the other first application program, and only a system function configured in the first mode corresponding to the first application program that exits running is recovered.

(90) Referring to FIG. 6A and FIG. 6B, this embodiment further provides a first schematic application diagram of the system function invoking method. The system function invoking method is as follows.

(91) Step **601**: Configure at least one first mode in a system, and configure at least one system function for each first mode.

(92) Step **602**: When a first application program is developed, add a “PERMISSION\_NEED\_DISABLE” permission to the first application program, where the permission is used to, when the first application program is in a running state, enable the system to be in the first mode.

(93) Step **603**: When the first application program is installed, the first application program applies for the “PERMISSION\_NEED\_DISABLE” permission from the system.

(94) Step **604**: The system grants the “PERMISSION\_NEED\_DISABLE” permission to the first application program.

(95) Step **605**: Start the first application program.

(96) Step **606**: The system acquires a message that the first application program is started.

(97) Step **607**: According to a record in the system, the system is enabled to be in the first mode.

(98) Step **608**: The system notifies the first application program that the system has disabled an API corresponding to the at least one system function.

(99) Step **609**: Run the first application program.

(100) Step **610**: The second application program invokes an API for which permission check is required.

(101) Step **611**: The system searches for disabling information of the invoked API.

(102) Step **612**: If the system finds the disabling information of the API, return a null value or a false value to the second application program.

(103) Step **613**: The first application program exits running.

(104) Step **614**: The first application program notifies the system that the first application program exits running.

(105) Step **615**: The system exits the first mode, and allows the second application program to invoke the at least one system function.

(106) Referring to FIG. 7A and FIG. 7B, this embodiment further provides a second schematic application diagram of the system function invoking method. The system function invoking method is as follows.

(107) Step **701**: Configure at least one first mode in a system, configure at least one system function for each first mode, and present the at least one first mode.

(108) Step **702**: A user selects, from the at least one first mode presented by the system, a first mode that the system is in when a first application program is in a running state.

(109) Step **703**: Configure the system such that when the first application program is in a running state, the system is in the first mode.

(110) Step **704**: Start the first application program.

(111) Step **705**: The system acquires a message that the first application program is started.

(112) Step **706**: According to a record in the system, the system is enabled to be in the first mode.

(113) Step **707**: The system notifies the first application program that the system has disabled an API corresponding to the at least one system function.

(114) Step **708**: Run the first application program.

(115) Step **709**: The second application program invokes an API for which permission check is required.

(116) Step **710**: The system searches for disabling information of the invoked API.

(117) Step **711**: If the system finds the disabling information of the API, return a null value or a false value to the second application program.

(118) Step **712**: The first application program exits running.

(119) Step **713**: The first application program notifies the system that the first application program exits running.

(120) Step **714**: The system exits the first mode, and allows the second application program to invoke the at least one system function.

(121) In conclusion, according to the system function invoking method provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application

program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and a problem that the flexibility of system function invocation is improved is achieved.

#### Embodiment 5

(122) Referring to FIG. 8, FIG. 8 shows a structural block diagram of a system function invoking apparatus according to Embodiment 5 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a first acquiring module **810** adapted to acquire an installation package of a first application program; an authorization module **820** adapted to grant a first permission of a system to the first application program according to the installation package acquired by the first acquiring module **810**, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and an invoking module **830** adapted to run the first application program, and forbid, according to the first permission granted by the authorization module **820**, the second application program from invoking the at least one system function.

(123) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function, and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are that improved and that complexity of system function invocation is reduced are achieved.

#### Embodiment 6

(124) Referring to FIG. 9, FIG. 9 shows a structural block diagram of a system function invoking apparatus according to Embodiment 6 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a first acquiring module **810**, an authorization module **820**, and an invoking module **830**.

(125) The first acquiring module **810** is adapted to acquire an installation package of a first application program.

(126) The authorization module **820** is adapted to grant a first permission of a system to the first application program according to the installation package acquired by the first acquiring module **810**, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function.

(127) The invoking module **830** is adapted to run the first application program, and forbid, according to the first permission granted by the authorization module **820**, the second application program from invoking the at least one system function.

(128) The apparatus may further include a second acquiring module **840** adapted to, before the authorization module **820** grants the first permission of the system to the first application program according to the installation package, acquire a configuration file of the first application program from the installation package. The authorization module **820** may include a reading unit **821** adapted to read configuration information of the first permission from the configuration file and an authorization unit **822** adapted to grant the first permission of the system to the first application program according to the



configuration information read by the reading unit **821**.

(129) Further, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(130) Further, the invoking module **830** may include a first invoking unit **831** adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program; and a second invoking unit **832** adapted to, for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(131) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and a problem that the flexibility of system function invocation is improved is achieved.

#### Embodiment 7

(132) Referring to FIG. **10**, FIG. **10** shows a structural block diagram of a system function invoking apparatus according to Embodiment 7 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a configuring module **1010** adapted to configure a first mode in a system, an authorization module **1020** adapted to, when a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode configured by the configuring module **1010**, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and an invoking module **1030** adapted to run the first application program, and forbid, according to the second permission granted by the authorization module **1020**, the second application program from invoking the at least one system function.

(133) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

#### Embodiment 8

(134) Referring to FIG. **11**, FIG. **11** shows a structural block diagram of a system function invoking

apparatus according to Embodiment 8 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a configuring module **1010**, an authorization module **1020**, and an invoking module **1030**.

(135) The configuring module **1010** is adapted to configure a first mode in a system.

(136) The authorization module **1020** is adapted to, when a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode configured by the configuring module **1010**, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function.

(137) The invoking module **1030** is adapted to run the first application program, and forbid, according to the second permission granted by the authorization module **1020**, the second application program from invoking the at least one system function.

(138) Further, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(139) The apparatus may further include a switching module **1040** adapted to, after the invoking module **1030** forbids the second application program from invoking the at least one system function, if the first application program exits running, switch the first mode to a second mode, where the second mode is used to, when the system is in the second mode, allow the second application program to invoke the at least one system function.

(140) Further, the invoking module **1030** may include a first invoking unit **1031** adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program; and a second invoking unit **1032** adapted to, for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(141) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and a problem that the flexibility of system function invocation is improved is achieved.

#### Embodiment 9

(142) Referring to FIG. 12, FIG. 12 shows a structural block diagram of a system function invoking apparatus according to Embodiment 9 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a processor **1220** and a memory **1210**, and the processor **1220** is coupled with the memory **1210**.

(143) The memory **1210** stores a computer program, and the processor **1220** may execute the following operations by accessing the computer program.

(144) The processor **1220** is adapted to acquire an installation package of a first application program; grant a first permission of a system to the first application program according to the installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and run the first application program and forbid the second application program from invoking the at least one system function.

(145) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

#### Embodiment 10

(146) An embodiment of the present disclosure provides a system function invoking apparatus. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a processor **1220** and a memory **1210**, and the processor **1220** is coupled with the memory **1210**.

(147) The memory **1210** stores a computer program, and the processor **1220** may execute the following operations by accessing the computer program.

(148) The processor **1220** is adapted to acquire an installation package of a first application program, grant a first permission of a system to the first application program according to the installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and run the first application program and forbid the second application program from invoking the at least one system function.

(149) Further, the processor **1220** is further adapted to, before the first permission of the system is granted to the first application program according to the installation package, acquire a configuration file of the first application program from the installation package.

(150) The processor **1220** is further adapted to read configuration information of the first permission from the configuration file and grant the first permission of the system to the first application program according to the configuration information.

(151) Further, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(152) Further, the processor **1220** is adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program; and for each system function of the at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(153) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by granting a first permission of a system to a first application program according to an installation package, where the first permission is used to, when the first application program is in a running state, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program

of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and a problem that the flexibility of system function invocation is improved is achieved.

#### Embodiment 11

(154) Referring to FIG. 13, FIG. 13 shows a structural block diagram of a system function invoking apparatus according to Embodiment 11 of the present disclosure. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a processor **1320** and a memory **1310**, and the processor **1320** is coupled with the memory **1310**.

(155) The memory **1310** stores a computer program, and the processor **1320** may execute the following operations by accessing the computer program.

(156) The processor **1320** is adapted to configure a first mode in a system; when a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and run the first application program and forbid the second application program from invoking the at least one system function.

(157) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved.

#### Embodiment 12

(158) An embodiment of the present disclosure provides a system function invoking apparatus. The system function invoking apparatus may be applied to a terminal, and the terminal may be a smart television set, a smartphone, a tablet computer, or the like. The system function invoking apparatus includes a processor **1320** and a memory **1310**, and the processor **1320** is coupled with the memory **1310**.

(159) The memory **1310** stores a computer program, and the processor **1320** may execute the following operations by accessing the computer program.

(160) The processor **1320** is adapted to configure a first mode in a system; when a first application program is installed, grant a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and run the first application program and forbid the second application program from invoking the at least one system function.

(161) Further, the second application program is any application program of all application programs except the first application program in the system; or the second application program is any application program of some application programs other than the first application program in the system.

(162) Further, the processor **1320** is further adapted to, after the second application program is forbidden to invoke the at least one system function, if the first application program exits running, switch the first mode to a second mode, where the second mode is used to, when the system is in the second mode, allow the second application program to invoke the at least one system function.

(163) Further, the processor **1320** is adapted to, for each system function of the at least one system function, if the second application program invoked the system function and the system function is currently in an invoked state of being invoked by the second application program, suspend or end the invocation of the system function by the second application program; and for each system function of the

at least one system function, if the second application program did not invoke the system function or the second application program invoked the system function but the system function is currently not in the invoked state of being invoked by the second application program, forbid subsequent invocation of the system function by the second application program.

(164) In conclusion, according to the system function invoking apparatus provided in this embodiment of the present disclosure, by configuring a first mode in a system; granting, when a first application program is installed, a second permission of the system to the first application program, where the second permission is used to, when the first application program is in a running state, enable the system to be in the first mode, and the first mode is used to, when the system is in the first mode, forbid a second application program from invoking at least one system function; and running the first application program and forbidding the second application program from invoking the at least one system function, problems that acquiring of a highest permission brings an insecure factor, that a user needs to frequently perform disabling setting, that operation complexity of system function invocation is increased, and that efficiency of system function invocation is reduced are resolved, and effects that security and efficiency of system function invocation are improved and that complexity of system function invocation is reduced are achieved. In addition, the second application program is any application program of some application programs other than the first application program in the system, such that a problem that flexibility of system function invocation is reduced because all application programs except the first application program are forbidden to invoke the at least one system function is resolved and a problem that the flexibility of system function invocation is improved is achieved.

(165) It should be noted that, when the system function invoking apparatus provided in the foregoing embodiments performs system function invocation, division of the foregoing functional modules is merely used as an example for description. In actual application, the foregoing functions may be allocated to different functional modules for implementation as required, that is, an internal structure of the system function invoking apparatus is divided into different functional modules to complement all or some of the functions described above. In addition, the system function invoking apparatus and the system function invoking method that are provided in the foregoing embodiments are based on a same concept. For an implementation process of the system function invoking apparatus and the system function invoking method, refer to the method embodiments, which are not described herein again.

(166) The sequence numbers of the foregoing embodiments of the present disclosure are merely for illustrative purposes, and are not intended to indicate priorities of the embodiments.

(167) A person of ordinary skill in the art may understand that all or some of the steps of the embodiments may be implemented by hardware or a program instructing related hardware. The program may be stored in a computer-readable storage medium. The foregoing storage medium may be a read-only memory, a magnetic disk, an optical disc, or the like.

(168) The foregoing descriptions are merely exemplary embodiments of the present disclosure, but are not intended to limit the present disclosure. Any modification, equivalent replacement, and improvement made without departing from the spirit and principle of the present disclosure shall fall within the protection scope of the present disclosure.

## Claims

1. An apparatus, comprising: a storage device configured to store instructions; and one or more processors coupled to the storage device and configured to execute the instructions to: receive an installation package of a first application program, wherein the installation package comprises a first disable permission of the first application program pre-recorded in the installation package, wherein the first disable permission forbids a second application program from invoking a system function, and wherein the system function comprises a short message service (SMS) function; install, based on the installation package, the first application program by: applying for the first disable permission from a system that provides system functions to the apparatus; receiving a grant of the first disable permission from the system that provides the system functions to the apparatus; and configuring, in response to receiving the grant of the first disable permission, the first disable permission pre-recorded in the installation package, wherein the first disable permission is configured to forbid the second application program from invoking the system function when

the first application program is running: run the first application program; forbid, according to the first disable permission and in response to running the first application program, the second application program from invoking the system function by preventing the second application program from passing a permission check of the SMS function when the first application program is in a running state; exit the first application program; and permit, after exiting the first application program, the second application program to invoke the system function.

2. The apparatus of claim 1, wherein the one or more processors are further configured to execute the instructions to: store the first disable permission; and enable the first disable permission when running the first application program.

3. The apparatus of claim 1, wherein the one or more processors are further configured to execute the instructions to end an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

4. The apparatus of claim 1, wherein the one or more processors are further configured to execute the instructions to suspend an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

5. The apparatus of claim 1, wherein the second application program is one of a plurality of application programs in the apparatus other than the first application program.

6. The apparatus of claim 1, wherein the one or more processors are further configured to execute the instructions to forbid the second application program from invoking the system function by: searching, according to the first disable permission and in response to running the first application program, for disabling information; and returning, when the disabling information is found, a null value or a false value to the second application program.

7. The apparatus of claim 1, wherein the first disable permission comprises a PERMISSION\_DISABLE permission in the installation package.

8. The apparatus of claim 7, wherein the system comprises an ANDROID system.

9. The apparatus of claim 8, wherein the one or more processors are further configured to execute the instructions to: read configuration information of a plurality of permissions in a configuration file of the installation package, wherein the plurality of permissions comprises the first disable permission; present, to a user, a plurality of function introductions of the plurality of permissions, wherein the plurality of function introductions comprises a first function introduction corresponding to the first disable permission; implement an installation process of the first application program when the user grants permission to the first application program according to the first function introduction; and exit the installation process of the first application program when the user forbids granting permission to the second application program according to the first function introduction.

10. An apparatus, comprising: a storage device configured to store instructions; and one or more processors coupled to the storage device and configured to execute the instructions to: receive an installation package of a first application program, wherein the installation package comprises a first disable permission of the first application program pre-recorded in the installation package, wherein the first disable permission forbids a second application program from invoking a system function, and wherein the system function comprises a short message service (SMS) function; install, based on the installation package, the first application program by: applying for the first disable permission from a system that provides system functions to the apparatus: receiving a grant of the first disable permission from the system that provides the system functions to the apparatus; and configuring, in response to receiving the grant of the first disable permission and based on the first disable permission pre-recorded in the installation package, a first mode associated with the first application program, wherein the first mode is configured to forbid the second application program from invoking the system function: enter, in response to a second operation, the first mode; forbid, according to the first disable permission and in response to entering the first mode, the second application program from invoking the system function by preventing the second application program from passing a permission check of the SMS function when the first application program is in the first mode; exit, in response to a third operation, the first mode; and permit, after exiting the first application program, the second application program to invoke the system function.

11. The apparatus of claim 10, wherein the one or more processors are further configured to execute the

instructions to: store the first mode; and enable the first mode when running the first application program.

12. The apparatus of claim 10, wherein the one or more processors are further configured to execute the instructions to end an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

13. The apparatus of claim 10, wherein the one or more processors are further configured to execute the instructions to suspend an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

14. The apparatus of claim 10, wherein the one or more processors are further configured to execute the instructions to forbid the second application program from invoking the system function by: searching, according to the first disable permission and in response to entering the first mode, for disabling information; and returning, when the disabling information is found, a null value or a false value to the second application program.

15. An apparatus, comprising: a storage device configured to store instructions; and one or more processors coupled to the storage device and configured to execute the instructions to: receive an installation package of a first application program, wherein the installation package comprises a first disable permission of the first application program pre-recorded in the installation package, wherein the first disable permission forbids a second application program from invoking a system function, and wherein the system function comprises a short message service (SMS) function; install, based on the installation package, the first application program by: applying for the first disable permission from a system that provides system functions to the apparatus: receiving a grant of the first disable permission from the system that provides the system functions to the apparatus; and configuring, in response to receiving the grant of the first disable permission and based on the first disable permission pre-recorded in the installation package, a first mode, wherein the first mode is configured to forbid the second application program from invoking the system function when the first application program is running; run, in response to a second operation, the first application program; enter, in response to running the first application program, the first mode; forbid, according to the first disable permission and in response to entering the first mode, the second application program from invoking the system function by preventing the second application program from passing a permission check of the SMS function when the first application program is in a running state; exit the first application program; exit, in response to exiting the first application program, the first mode; and permit, after exiting the first mode, the second application program to invoke the system function.

16. The apparatus of claim 15, wherein the one or more processors are further configured to execute the instructions to: store the first mode; and enable the first mode when running the first application program.

17. The apparatus of claim 15, wherein the one or more processors are further configured to execute the instructions to end an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

18. The apparatus of claim 15, wherein the one or more processors are further configured to execute the instructions to suspend an invocation of the system function by the second application program when the second application program has invoked the system function and when the system function is currently in an invoked state of being invoked by the second application program.

19. The apparatus of claim 15, wherein the second application program is one of a plurality of application programs in the apparatus other than the first application program.

20. The apparatus of claim 15, wherein the one or more processors are further configured to execute the instructions to forbid the second application program from invoking the system function by: searching, according to the first disable permission and in response to entering the first mode, for disabling information; and returning, when the disabling information is found, a null value or a false value to the second application program.

---