



US0D1091967S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,967 S**
Rardin (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **HORSE CATCHING DEVICE**
(71) Applicant: **Danette K. Rardin**, Molalla, OR (US)
(72) Inventor: **Danette K. Rardin**, Molalla, OR (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/922,233**
(22) Filed: **Dec. 21, 2023**

555,087 A 2/1896 Garnier et al.
707,814 A 8/1902 Ahrendt
920,983 A 5/1909 Mudge
1,270,588 A 6/1918 Barger
1,487,555 A 3/1924 Germundson
1,535,679 A 4/1925 Neely et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2930433 A1 12/2016
CN 201730004760 * 5/2017
(Continued)

Related U.S. Application Data

(63) Continuation of application No. 17/993,816, filed on Nov. 23, 2022, now Pat. No. 11,851,317, which is a continuation of application No. 17/361,000, filed on Jun. 28, 2021, now abandoned.
(51) **LOC (15) Cl.** **30-04**
(52) **U.S. Cl.** **D30/151**
USPC **B68B 3/04** (2013.01)
(58) **Field of Classification Search**
USPC D30/151, 152, 153, 144, 199; D10/32, D10/104.1, 104.2; D2/628, 631, 894; D24/190
CPC .. A01K 27/001; A01K 27/006; A01K 27/004; A01K 27/005; A01K 13/006
See application file for complete search history.

OTHER PUBLICATIONS

Huachaoxiang—posted Nov. 28, 2020—retrieved May 19, 2025_ Retrieved from Internet _ <https://www.amazon.co.uk/Huachaoxiang-Automatic-Waterproof-Monitoring-Everywhere/dp/B08P8JV4M5> (Year: 2020).*

(Continued)

Primary Examiner — Leanne Was-Englehart
Assistant Examiner — Sherry L Jones
(74) *Attorney, Agent, or Firm* — Bold IP, PLLC; Christopher Mayle

(57) **CLAIM**

The ornamental design for a horse catching device as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

26,748 A 1/1860 Bullock
82,879 A 10/1868 Roberts et al.
122,020 A * 12/1871 Hughs A01K 27/001
D30/152
134,283 A * 12/1872 Holmes A01K 27/006
54/20
308,881 A 12/1884 Degnan et al.
336,964 A 3/1886 Turneaure
342,931 A 6/1886 Robbins
372,294 A 11/1887 Benoit
426,366 A 4/1890 Degnan et al.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the horse catching device in accordance with the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7