

# US Patent & Trademark Office

## Patent Public Search | Text View

---

|                             |                 |
|-----------------------------|-----------------|
| United States Design Patent | D1090342        |
| Kind Code                   | S               |
| Date of Patent              | August 26, 2025 |
| Inventor(s)                 | Gao; Xiaohui    |

---

### Transformable crutch

---

**Inventors:** Gao; Xiaohui (Beijing, CN)

**Applicant:** Gao; Xiaohui (Beijing, CN)

**(\*\*) Term:** 15 Years      **Appl. No.:**

D/956384

**Filed:**

August 07, 2024

### Foreign Application Priority Data

|    |                |               |
|----|----------------|---------------|
| CN | 202130842712.9 | Dec. 20, 2021 |
| CN | 202130843438.7 | Dec. 20, 2021 |

### Related U.S. Application Data

division parent-doc US 35517555 20220620 US D1057389 child-doc US 29956384

### Publication Classification

**LOC Cl.:** 0303

**U.S. Cl.:**

USPC      D3/7

### Field of Classification Search

**CPC:** A45B (1/00); A45B (1/04); A45B (3/00); A45B (5/00); A45B (9/00); A45B (9/02); A45B (9/04); A45B (2009/002); A45B (2009/005); A45B (2009/007); A61H (3/00); A61H (3/02); A61H (2003/0211); A61H (2003/0222); A61H (2003/0238); A61H (2003/0161)

**USPC:** D3/5-17; D24/183; D24/192; D24/171; D24/188; D24/231

---

## Description

- (1) FIG. 1 is a front view of a transformable crutch in a configuration of normal crutch, showing the new design;
- (2) FIG. 2 is a back view thereof;
- (3) FIG. 3 is a left view thereof;
- (4) FIG. 4 is a right view thereof;
- (5) FIG. 5 is a top view thereof;
- (6) FIG. 6 is a bottom view thereof;
- (7) FIG. 7 is a front perspective view thereof;
- (8) FIG. 8 is a rear perspective view thereof;
- (9) FIG. 9 is another front perspective view thereof showing a usage state with an extending support part;
- (10) FIG. 10 is another rear perspective view thereof showing the usage state with an extending support part;
- (11) FIG. 11 is a front view of the transformable crutch in a configuration for sitting;
- (12) FIG. 12 is a back view thereof;
- (13) FIG. 13 is a left view thereof;
- (14) FIG. 14 is a right view thereof;
- (15) FIG. 15 is a top view thereof;
- (16) FIG. 16 is a bottom view thereof;
- (17) FIG. 17 is a front, right perspective view thereof;
- (18) FIG. 18 is a rear, left perspective view thereof;
- (19) FIG. 19 is another front, right perspective view thereof showing a usage state with an extending handle;
- (20) FIG. 20 is another rear, left perspective view thereof showing the usage state with an extending handle;
- (21) FIG. 21 is another front, right perspective view thereof showing a usage state with a sitting part turned upward;
- (22) FIG. 22 is another rear, left perspective view thereof showing the usage state with a sitting part turned upward;
- (23) FIG. 23 is another front, right perspective view thereof showing a usage state with a sitting part turned further upward;
- (24) FIG. 24 is another rear, left perspective view thereof showing the usage state with a sitting part turned further upward;
- (25) FIG. 25 is a front view of the transformable crutch in a storage configuration;
- (26) FIG. 26 is a back view thereof;
- (27) FIG. 27 is a left view thereof;
- (28) FIG. 28 is a right view thereof;
- (29) FIG. 29 is a top view thereof;
- (30) FIG. 30 is a bottom view thereof;
- (31) FIG. 31 is a front, left perspective view thereof; and,
- (32) FIG. 32 is a rear, right perspective view thereof.
- (33) The broken lines illustrate portions of the crutch that form no part of the claimed design.

## Claims

The ornamental design for a transformable crutch as shown and described.

---

