



US0D1090711S

(12) **United States Design Patent**
An

(10) **Patent No.:** **US D1,090,711 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **HIGH-RISE THUMBSTICK**

(71) Applicant: **Shanghai ABXY Tech Co., Ltd.**,
Shanghai (CN)

(72) Inventor: **Linxuan An**, Shanghai (CN)

(73) Assignee: **Shanghai ABXY Tech Co., Ltd.**,
Shanghai (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/960,821**

(22) Filed: **Sep. 3, 2024**

(51) **LOC (15) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/333; D21/332; D14/401**

(58) **Field of Classification Search**

USPC D21/328, 329, 332, 333, 385, 453, 561,
D21/658, 753–758; D14/217, 218, 372,
D14/399–401, 412–418, 432, 443, 454,
D14/456, 511; D23/206, 208, 246,
D23/248–250, 262, 266; D13/162, 164,
D13/168, 169, 171, 174

CPC .. A63F 13/02; A63F 9/24; A63F 13/12; A63F
9/00; A63F 11/00; G06F 3/02; G06F
3/033; G09G 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D678,284	S	*	3/2013	Coulter		D14/412
D679,276	S	*	4/2013	Coulter		D14/412
D693,346	S	*	11/2013	Coulter		D14/412
D762,780	S	*	8/2016	Mistry		D14/401
D762,781	S	*	8/2016	Mistry		D14/401
D762,782	S	*	8/2016	Walker, II		D14/401
D868,163	S	*	11/2019	Mistry		D21/333
D890,262	S	*	7/2020	Mistry		D21/333
D900,226	S	*	10/2020	DeLille		D21/333

D955,504	S	*	6/2022	Mistry		D21/566
D970,626	S	*	11/2022	Liu		D21/333
D993,812	S	*	8/2023	Zhu		D11/16
D994,779	S	*	8/2023	Liu		D21/333
D1,001,897	S	*	10/2023	Guo		D21/333
D1,015,906	S	*	2/2024	Wright		D10/74
D1,022,043	S	*	4/2024	Chong		D21/333
D1,024,200	S	*	4/2024	Zhu		D14/218
D1,025,216	S	*	4/2024	Zhu		D14/218

(Continued)

Primary Examiner — Mehri F Bajoul

(74) *Attorney, Agent, or Firm* — Ricky Lam

(57) **CLAIM**


The ornamental design for a high-rise thumbstick, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a high-rise thumbstick, shown the first embodiment of my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a top perspective view, thereof, showing the second embodiment;
FIG. 10 is a bottom perspective view thereof;
FIG. 11 is a front view thereof;
FIG. 12 is a rear view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a top view thereof; and,
FIG. 16 is a bottom view thereof.

The broken lines in the drawings illustrate the portions of the high-rise thumbstick, which form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,030,765	S	*	6/2024	Wang	D21/333
D1,037,358	S	*	7/2024	Clarkson	D14/218
D1,069,796	S	*	4/2025	Yang	D21/333
D1,072,054	S	*	4/2025	Zhu	D21/333

* cited by examiner



FIG.1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG.7




FIG. 8



FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16