



US0D1091032S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,032 S**
Williams et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **VACUUM CONDUIT INCLUDING ILLUMINATION DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Emerson Electric Co.**, St. Louis, MO (US)

CN 1565341 A 1/2005
CN 201444537 U 4/2010
(Continued)

(72) Inventors: **Matthew A. Williams**, Bridgeton, MO (US); **Christopher Burch**, St. Louis, MO (US); **Narendra Gokulsingh Patil**, Pune (IN)

OTHER PUBLICATIONS

Adjustable Connector, posted Oct. 24, 2019 [online], [retrieved Jan. 15, 2025]. Retrieved from internet, <https://www.amazon.com/Fielect-Waterproof-Corrugated-Adjustable-Locknut/dp/B07ZHYYGHC> (Year: 2019).*

(Continued)

(73) Assignee: **Emerson Electric Co.**, St. Louis, MO (US)

(**) Term: **15 Years**

Primary Examiner — Leah Macchiarolo

(21) Appl. No.: **29/952,530**

Assistant Examiner — Taylor O Mortorff

(22) Filed: **Jul. 16, 2024**

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP

Related U.S. Application Data

(62) Division of application No. 29/873,451, filed on Mar. 31, 2023, now Pat. No. Des. 1,056,381.

(51) **LOC (15) Cl.** **15-05**

(52) **U.S. Cl.** **D32/32**
USPC **D32/32**

(58) **Field of Classification Search**

USPC D8/382, 394, 396, 499; D32/25, 31, 32, D32/39

CPC . A47L 9/00; A47L 9/02; A47L 9/0639; A47L 9/24; A47L 9/242; A47L 9/248; A47L 11/4094

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,605,163 A 7/1952 Lee
2,692,781 A * 10/1954 Langille A47L 9/1427
285/252
4,262,542 A * 4/1981 Freund, Jr. G01F 1/58
73/861.12

(Continued)

(57) **CLAIM**

The ornamental design for a vacuum conduit including illumination device as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vacuum conduit including an illumination device showing the new design.

FIG. 2 is a front view thereof.

FIG. 3 is rear view thereof.

FIG. 4 is a right-side view thereof.


FIG. 5 is a left-side view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

In these drawings, the solid lines illustrate the claimed ornamental design, whereas broken lines, if present, illustrate unclaimed subject matter and form no part of the claimed design. The dash-dot radiating lines emanating from the illumination device in FIGS. 1, 2, and 4-7 represent illumination.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D264,011	S	4/1982	Genoa	
4,557,535	A *	12/1985	Keane	A47L 9/246 439/13
4,669,755	A *	6/1987	Harris	A47L 9/242 285/12
D314,848	S	2/1991	Foldes	
5,129,579	A	7/1992	Conte	
D417,534	S *	12/1999	Holston	D32/31
D430,482	S	9/2000	Stout, Jr.	
D431,752	S *	10/2000	Brandel	241/46.013
D455,604	S *	4/2002	Brandel	D7/375
6,370,730	B1 *	4/2002	Young	A47L 9/242 15/327.1
6,648,252	B2 *	11/2003	Strutz	E03C 1/2665 241/101.2
D534,760	S *	1/2007	Patterson	D7/375
D534,761	S *	1/2007	Patterson	D7/375
7,300,172	B1	11/2007	Lefler	
7,328,479	B2	2/2008	Willenbring	
7,331,083	B2	2/2008	Overvaag et al.	
7,356,872	B2	4/2008	Jones et al.	
D610,760	S *	2/2010	Zugen	D32/31
7,780,307	B2	8/2010	Lin	
8,112,841	B2	2/2012	Garcia et al.	
8,161,596	B2	4/2012	Cheung et al.	
8,302,248	B2	11/2012	Chavana, Jr. et al.	
8,459,844	B2	6/2013	Lia et al.	
8,549,699	B1	10/2013	Domingo	
8,635,741	B2	1/2014	Peng et al.	
8,719,998	B1	5/2014	Huffman	
D729,926	S *	5/2015	Tomasiak	D23/388
9,101,190	B2	8/2015	Noble	
9,501,038	B2	11/2016	Tortora	
9,609,987	B2	4/2017	Christensen	
9,644,836	B1	5/2017	Field et al.	
D792,637	S	7/2017	Godlewski et al.	
9,791,145	B2	10/2017	Selfridge, Jr. et al.	
D803,493	S	11/2017	Lutz et al.	
D805,612	S	12/2017	Mursu et al.	
D809,723	S	2/2018	Pierzynski et al.	
D812,331	S	3/2018	LaBarbera et al.	
9,943,199	B2	4/2018	Grey et al.	
10,022,026	B2	7/2018	Price	
10,238,255	B2	3/2019	Schultz et al.	
D851,343	S	6/2019	Hinchliffe	
10,342,403	B2	7/2019	Fard Rahmani	
10,383,493	B2	8/2019	Tahara	
10,413,144	B2	9/2019	Burke et al.	
10,722,621	B2	7/2020	Swift	
10,876,316	B2	12/2020	Hui et al.	
D910,255	S *	2/2021	Bloemendaal	D32/31
D914,309	S	3/2021	Cole et al.	
10,973,218	B2	4/2021	Neal et al.	
11,248,821	B2	2/2022	Zhong et al.	
11,391,456	B2	7/2022	Jacobson	
11,464,381	B2	10/2022	Thorne et al.	
11,471,019	B2	10/2022	Howard et al.	
11,471,243	B2	10/2022	Silver et al.	
11,480,329	B2	10/2022	Edquist et al.	
11,484,163	B1	11/2022	Zuckerman	
11,548,765	B2	1/2023	Kim et al.	
2006/0075597	A1	4/2006	Overvaag et al.	
2013/0250545	A1	9/2013	Dial	
2016/0037989	A1	2/2016	Theising et al.	

2016/0309972	A1	10/2016	Price	
2018/0249695	A1	9/2018	Neal et al.	
2019/0223671	A1 *	7/2019	Tomasiak	A47L 9/02
2020/0008635	A1	1/2020	Burke et al.	
2020/0330657	A1	10/2020	Swift	
2021/0153709	A1	5/2021	Luyckx	
2021/0282910	A1	9/2021	Kerber	
2022/0018531	A1	1/2022	Mo et al.	
2022/0041140	A1	2/2022	Enning et al.	
2022/0082247	A1	3/2022	Jacobson	
2022/0183520	A1	6/2022	Reeder et al.	
2022/0249718	A1	8/2022	Rifkin	
2022/0265107	A1	8/2022	Knight	
2022/0322899	A1	10/2022	Reeder et al.	
2022/0346617	A1	11/2022	Yu	

FOREIGN PATENT DOCUMENTS

CN	202669468	U	1/2013	
CN	207748083	U *	8/2018	
CN	207777183	U *	8/2018	
CN	208335757	U	1/2019	
CN	216724408	U *	6/2022	
CN	217176830	U	8/2022	
CN	217898374	U *	11/2022	
CN	218325180	U	1/2023	
DE	20215373	U1	12/2002	
EP	666051	A1 *	8/1995	A47L 9/242
EP	1088624	A2	4/2001	
EP	1321088	A2	6/2003	
GB	2119046	A *	11/1983	A47L 9/242
IN	188211	B *	8/2022	
JP	2003049771	A *	2/2003	
JP	2003093293	A *	4/2003	
JP	2009170232	A *	7/2009	
KR	20010011665	A	2/2001	
KR	467383	Y1 *	6/2013	
KR	2015006137	A *	1/2015	
KR	20150006137	A	1/2015	
KR	20170001718	U	5/2017	
WO	2020264183	A1	12/2020	
WO	2020264205	A1	12/2020	

OTHER PUBLICATIONS

Tube Connector, posted Mar. 22, 2019 [online], [retrieved Jan. 15, 2025]. Retrieved from internet, <https://www.amazon.com/uxcell-Corrugated-Connector-AD34-5-Joints/dp/B07PYWR34L> (Year: 2019).*

Extractor Hose, posted Aug. 3, 2022 [online], [retrieved Jun. 11, 2024]. Retrieved from internet, <https://www.amazon.com/N409729-Extractor-Connector-DeWalt-DVWV010X/dp/B0B8H9QX1N> (Year: 2022).

Vacuum Hose Connector, posted Mar. 23, 2021 [online], [retrieved Jun. 11, 2024]. Retrieved from internet, <https://www.amazon.com/DWV9000-Plastic-Multi-Function-Connector-Extractors/dp/B09DCBK18H> (Year: 2021).

Shur-Line Lumi-Tech 4-ft to 7.5-ft Telescoping Threaded Extension Pole; retrieved online on Mar. 19, 2023 at URL: <https://www.lowes.com/pd/SHUR-LINE-LUMI-TECH-LED-Pro-Painter-s-Extension-Pole/5005833087>; 2 pgs.

Shur-Line Lumi-Tech to Threaded Extension Pole; retrieved online on Mar. 19, 2023 at URL: <https://www.lowes.com/pd/SHUR-LINE-LUMI-TECH-Pro-Painter-s-Pole-Light-For-Better-Visibility-And-Results/5005824459>; 3 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7