



US0D1090016S

(12) **United States Design Patent**
Chen

(10) **Patent No.:** **US D1,090,016 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **LACE TIGHTENING DEVICE DIAL**

(71) Applicant: **Chin-Chu Chen**, Taichung (TW)

(72) Inventor: **Chin-Chu Chen**, Taichung (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/869,277**

(22) Filed: **Dec. 28, 2022**

(30) **Foreign Application Priority Data**

Aug. 23, 2022 (TW) 111304194

(51) **LOC (15) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D2/978**

(58) **Field of Classification Search**

USPC D2/896, 900, 902, 904, 906–908,
D2/916–924, 925–945, 947–960,
D2/969–979; D8/312
CPC A43B 1/00; A43B 1/02; A43B 1/04; A43B
3/00; A43B 3/02; A43B 3/06; A43B 3/10;
A43B 3/12; A43B 3/14; A43B 5/00;
A43B 5/001; A43B 5/008; A43B 5/06;
A43B 5/10; A43B 5/12; A43B 23/00;
A43B 23/02; A43B 23/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,846 S	5/1983	Jolliffe	
D305,725 S	1/1990	Yung	
D545,664 S	7/2007	Fields	
D589,776 S	4/2009	Camp	
D735,987 S *	8/2015	Hsu	D2/978
D754,518 S	4/2016	Bahler	
D758,061 S *	6/2016	Whewell	D2/978
D788,446 S *	6/2017	Wiingaard-Madsen	D2/978
D897,661 S *	10/2020	Nickel	D2/978
D907,992 S *	1/2021	Kim	D2/978

D926,457 S *	8/2021	Swanson	D2/978
D926,458 S *	8/2021	Swanson	D2/978
D932,176 S *	10/2021	Swanson	D2/978
D983,510 S *	4/2023	Nickel	D2/978
D1,000,934 S *	10/2023	Büttner	D8/349
D1,009,401 S *	12/2023	Schaub	D34/35
D1,022,655 S *	4/2024	Chen	D8/312
D1,022,656 S *	4/2024	Chen	D8/312

(Continued)

FOREIGN PATENT DOCUMENTS

CN	306690064 S	7/2021
CN	306690065 S	7/2021

(Continued)

Primary Examiner — Amber R Stiles

Assistant Examiner — Christen Pilar Brown-Lorrig

(74) *Attorney, Agent, or Firm* — CKC & Partners Co.,
LLC

(57) **CLAIM**

The ornamental design for a lace tightening device dial as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lace tightening device dial showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is another perspective view thereof shown in a condition of use.

The evenly spaced broken lines shown in the drawings represent portions of the lace tightening device dial and form no part of the claimed design. The dot-dot-dash lines shown in FIG. 8 represent environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,031,239	S *	6/2024	Golden		D2/978
D1,039,260	S *	8/2024	Hong		D2/978
D1,047,400	S *	10/2024	Zaharakos		D2/978
D1,048,696	S *	10/2024	Swanson		D2/978
D1,059,993	S *	2/2025	Mo		D2/978
12,256,803	B2 *	3/2025	Trudel		A43C 11/165
D1,069,393	S *	4/2025	Lisec		D2/978
2017/0105489	A1 *	4/2017	Lovett		A43C 1/04
2018/0160775	A1 *	6/2018	Pollack		B65H 75/4449
2020/0268108	A1 *	8/2020	Fiedler		A43C 11/165
2022/0330660	A1 *	10/2022	Burt		A43C 11/165
2023/0248116	A1 *	8/2023	Duller		A43C 11/165
					24/68 SK
2023/0354965	A1 *	11/2023	Kim		A44B 99/00
2024/0032654	A1 *	2/2024	Chen		F16G 11/12
2024/0122302	A1 *	4/2024	Chen		A43C 11/165

FOREIGN PATENT DOCUMENTS

CN	306720877	S	7/2021
CN	307110586	S	2/2022
JP	D1561043	S	9/2016
JP	D1561074	S	9/2016
JP	D1743054	S	4/2023
TW	201723344	A	7/2017
TW	1593895	B	8/2017

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8