



US0D1090444S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D1,090,444 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **CONNECTOR**

(71) Applicant: **LS Mtron Ltd.**, Anyang-si (KR)

(72) Inventors: **Dong Wan Kim**, Anyang-si (KR); **Jung Hoon Choi**, Anyang-si (KR); **Hyun Joo Hwang**, Anyang-si (KR)

(73) Assignee: **LS MTRON LTD.**, Anyang-si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/891,263**

(22) Filed: **May 3, 2023**

(30) **Foreign Application Priority Data**

Nov. 7, 2022 (KR) 30-2022-0045636

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/147**

(58) **Field of Classification Search**

USPC ... D13/133, 101, 123, 146, 147, 153, 137.1,
D13/149, 139.8; D14/435.1, 433
CPC G02B 6/38; G02B 6/38875; G02B 6/4284;
H01R 13/40; H01R 13/58; H01R 13/627;
H01R 13/66; H01R 13/6335; H01R
13/6272; H01R 13/6397; H01R 13/639;
H01R 13/6275; H01R 31/06; H01R
24/00; H01R 24/46; H01R 43/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D703,146	S	*	4/2014	Takenaga		D13/147
D885,347	S	*	5/2020	Ishida		D13/147
D908,635	S	*	1/2021	Takenaga		D13/147
D916,663	S	*	4/2021	Yanase		D13/146
D917,399	S	*	4/2021	Yanase		D13/146
D922,959	S	*	6/2021	Oosaka		D13/147

D923,580	S	*	6/2021	Oosaka		D13/147
D923,581	S	*	6/2021	Oosaka		D13/147
D923,582	S	*	6/2021	Oosaka		D13/147
D951,203	S	*	5/2022	Kim		D13/147
D952,565	S	*	5/2022	Oosaka		D13/133
D953,991	S	*	6/2022	Oosaka		D13/133
D962,176	S	*	8/2022	Kim		D13/147
D985,509	S	*	5/2023	Yokoyama		D13/147
D995,441	S	*	8/2023	Oosaka		D13/133
D997,882	S	*	9/2023	Oosaka		D13/133
D1,017,551	S	*	3/2024	Yanase		D13/147
D1,018,471	S	*	3/2024	Yanase		D13/147
D1,067,190	S	*	3/2025	Lee		D13/146
D1,067,883	S	*	3/2025	Choi		D13/147
D1,069,718	S	*	4/2025	Lee		D13/133
D1,069,720	S	*	4/2025	Lee		D13/133
D1,069,723	S	*	4/2025	Choi		D13/147

(Continued)

Primary Examiner — Amber R Stiles

Assistant Examiner — Leah E Hoeferkamp

(74) *Attorney, Agent, or Firm* — K&L Gates LLP

(57) **CLAIM**

The ornamental design for a connector as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a connector showing the new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof based on FIG. 2;

FIG. 4 is a left-side view thereof based on FIG. 2;

FIG. 5 is a right-side view thereof based on FIG. 2;


FIG. 6 is a top plan view thereof based on FIG. 2;

FIG. 7 is a bottom view thereof based on FIG. 2; and,

FIG. 8 is a bottom perspective view thereof based on FIG. 2.

The broken lines in the drawings are for the purpose of illustrating portions of the connector that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0273587	A1 *	9/2014	Takenaga	H01R 13/20 439/345
2016/0064843	A1 *	3/2016	Hasegawa	H01R 12/716 439/65

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8