



US0D1090865S

(12) **United States Design Patent**
Kobayashi et al.

(10) **Patent No.:** **US D1,090,865 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **MOTION ASSISTING DEVICE**

(71) Applicant: **JTEKT CORPORATION**, Kariya (JP)

(72) Inventors: **Yuki Kobayashi**, Nara (JP); **Hiromichi Ohta**, Kariya (JP); **Takeshi Koyama**, Neyagawa (JP); **Yoshinori Wada**, Kashiba (JP); **Kaishu Miyanishi**, Shiki-gun (JP); **Masafumi Saihara**, Osaka (JP); **Madoka Hattori**, Nara (JP); **Kazuki Ota**, Tondabayashi (JP); **Katsuhide Kikuchi**, Asaka (JP)

(73) Assignee: **JTEKT CORPORATION**, Kariya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/866,110**

(22) Filed: **Aug. 29, 2022**

(30) **Foreign Application Priority Data**

Mar. 7, 2022 (JP) 2022-004601 D

(51) **LOC (15) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/190**

(58) **Field of Classification Search**
USPC D24/155, 171, 178, 183, 186, 190;
D29/101.1–101.5, 120.1, 121.2
CPC ... A63B 21/00; A63B 21/065; A63B 21/4007;
A63B 21/4009; A63B 23/405
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D784,547 S * 4/2017 Kwon D24/190
9,731,162 B2 * 8/2017 Martin A63B 21/0442
D887,013 S * 6/2020 Son D24/190
D889,672 S * 7/2020 Takama D24/190
D901,023 S * 11/2020 Park D24/190
D946,771 S * 3/2022 Sato D29/101.1
D947,388 S * 3/2022 Katoh D29/100

D958,374 S * 7/2022 Katoh D29/100
D960,381 S * 8/2022 Kobayashi D24/190
D992,122 S * 7/2023 Bae D24/190
D1,010,141 S * 1/2024 Simon D24/190
D1,022,221 S * 4/2024 Son D24/190
(Continued)

FOREIGN PATENT DOCUMENTS

EM 002299982 * 4/2014

OTHER PUBLICATIONS

Unilateral Exoskeleton, Online, Published date Oct. 8, 2022, Retrieved on Dec. 18, 2024 from URL: <https://jneuroengrehab.biomedcentral.com/articles/10.1186/s12984-022-01088-2>.*

Primary Examiner — Justin C Dodson

Assistant Examiner — Eric Eldone Tormanen

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.


(57) **CLAIM**

The ornamental design for a motion assisting device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a motion assisting device showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right view thereof, the left view thereof being a mirror image of the right view; FIG. 6 is another front view thereof showing a use state; and,
FIG. 7 is another rear view thereof showing a use state.
The broken lines shown in FIGS. 6 and 7 depicting a wearer represents environmental subject matter that forms no part of the claimed design. The remaining broken lines shown in the figures depict portions of the motion assisting device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,035,887	S *	7/2024	An	D24/190
2019/0015286	A1 *	1/2019	Glaister	A61F 2/604
2019/0091093	A1 *	3/2019	Lee	A61F 5/0102
2020/0078254	A1 *	3/2020	Uematsu	A61H 1/0244

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7