

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250268423

Kind Code

A1

Publication Date

August 28, 2025

Inventor(s)

Tuggle, JR.; David H.

STORAGE CONTAINER FOR GRILLING UTENSILS

Abstract

Implementations of a storage container for housing grilling utensils comprise a plurality of surfaces (or sides) configured in the form of a closed box with an open interior and one or more slotted flexible openings therethrough. In some implementations, a method of using the storage container for housing grilling utensils comprises inserting the head of a grilling (or other suitable cooking) utensil through a slotted flexible opening of the storage container for housing grilling utensils into the interior of the storage container for housing grilling utensils.

Inventors: Tuggle, JR.; David H. (Alpharetta, GA)

Applicant: Tuggle, JR.; David H. (Alpharetta, GA)

Family ID: 1000007709022

Appl. No.: 18/586185

Filed: February 23, 2024

Publication Classification

Int. Cl.: A47J37/07 (20060101); B65D25/00 (20060101); B65D25/04 (20060101)

U.S. Cl.:

CPC A47J37/0786 (20130101); A47J47/16 (20130101); B65D25/005 (20130101);
B65D25/04 (20130101);

Background/Summary

TECHNICAL FIELD

[0001] This disclosure relates to implementations of a storage container for grilling utensils.

BACKGROUND

[0002] Outdoor grilling is a popular pastime. However, flies can make this pastime unsanitary as flies may land on grilling utensils, such as shown in FIG. 1, particularly the head of a grilling utensil that makes contact with food items while the utensil is held by the handle.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0003] FIG. 1 illustrates example existing grilling utensils.

[0004] FIGS. 2-4 illustrate implementations of an example storage container for housing grilling utensils according to the present disclosure.

[0005] FIGS. 5-13 illustrate another implementation of an example storage container for housing grilling utensils according to the present disclosure.

[0006] FIGS. 14-19 illustrate implementations of example flexible material that fills (or covers) the openings of the storage container for housing grilling utensils of FIGS. 2-4 and FIGS. 5-13 according to the present disclosure.

DETAILED DESCRIPTION

[0007] Implementations of a storage container for housing grilling utensils are provided. In some implementations, the storage container for housing grilling utensils comprises a plurality of surfaces (or sides) configured in the form of a closed box with an open interior and one or more slotted flexible openings therethrough.

[0008] In some implementations, the storage container for housing grilling utensils is configured to keep grilling (or any other suitable cooking) utensils safe from flies and sanitary.

[0009] In some implementations, the storage container for housing grilling utensils is configured to receive the head of a grilling utensil within the interior through a slotted flexible opening of the storage container for housing grilling utensils to protect the utensil from contact by flies or other pests and keep the utensil sanitary.

[0010] In some implementations, the storage container for housing grilling utensils is configured to provide storage for any other suitable item, such as one or more condiments.

[0011] In some implementations, the storage container for housing grilling utensils is configured to provide a cutting board or similar surface.

[0012] In some implementations, a method of using the storage container for housing grilling utensils comprises inserting the head of a grilling (or other suitable cooking) utensil through a slotted flexible opening of the storage container for housing grilling utensils into the interior of the storage container for housing grilling utensils. In some implementations, a method of using the storage container for housing grilling utensils may comprise moving and/or removing the top side of the storage container for housing grilling utensils to access the interior of the storage container for housing grilling utensils (such as compartments formed therein) for storage use for condiments or other suitable items.

[0013] In some implementations, a method of using the storage container for housing grilling utensils may comprise removing the top side of the storage container for housing grilling utensils and using the top side as a cutting board or similar surface.

[0014] Outdoor grilling is a popular pastime. However, flies can make this pastime unsanitary as flies may land on grilling utensils **10**, such as shown in FIG. 1, particularly the head **11** of a grilling utensil **10** that makes contact with food items while the utensil **10** is held by the handle **12**.

[0015] FIGS. 2-4 illustrate implementations of an example storage container for housing grilling utensils **100** according to the present disclosure. As shown in FIGS. 2 and 4, in some implementations, the storage container for housing grilling utensils **100** comprises six surfaces (or sides) **102** configured in the form of a closed box with an open interior **104**. For example, in some

implementations, the storage container for housing grilling utensils **100** comprises a top **102a**, a bottom **102b**, and four sides (e.g., front, back, left, and right) **102c**, **102d**, **102e**, **102f**.

[0016] In some implementations, the storage container for housing grilling utensils **100** may comprise any other suitable number of surfaces (or sides) **102** configured in any other suitable closed form with an open interior.

[0017] As shown in FIGS. **2** and **4**, in some implementations, one side **102** (e.g., the front side **102c**) comprises a plurality of openings **110**. For example, in some implementations, the side **102** (**102c**) may comprise a small (e.g., circular shaped) opening **110a**, a medium (e.g., oval or stadium shaped) opening **110b**, and/or a large (e.g., elongated oval or stadium shaped) opening **110c**.

[0018] In some implementations, the openings **110** may be any other suitable size and/or shape.

[0019] In some implementations, the openings **110** are configured (e.g., sized and/or shaped) to receive the head of a utensil (e.g., a utensil **10** of FIG. **1**) to insert or remove the head **11** of the utensil **10** from the interior **104** of the storage container for housing grilling utensils **100**.

[0020] As shown in FIG. **4**, in some implementations, the openings **110** are filled with or comprise a flexible material (e.g., a flexible insert or grommet) **120**. FIGS. **14-19** illustrate implementations of example flexible material **120** that fills (or covers) the openings **110**, **110A** of the storage container for housing grilling utensils of FIGS. **2-4** and FIGS. **5-13** respectively according to the present disclosure.

[0021] As shown in FIGS. **4**, **14**, **16**, and **18**, in some implementations, the flexible material **120** may comprise a small sized (e.g., circular shaped) flexible material **120a**, a medium sized (e.g., oval or stadium shaped) flexible material **120b**, and/or a large sized (e.g., elongated oval or stadium shaped) flexible material **120c**. In some implementations, the flexible material **120** may be any other suitable size and/or shape.

[0022] As shown in FIGS. **14**, **16**, and **18**, in some implementations, the flexible material **120** (i.e., **120a**, **120b**, **120c**) comprises a slit **122** (i.e., **122a**, **122b**, **122c**) for receiving the head of a utensil **10**. In some implementations, the flexible material **120** comprises a “t” (e.g., a letter t) or “+” (e.g., a plus sign or plus symbol) shaped slit **122** thereby forming four flaps **124** in the opening **110**.

[0023] As shown in FIG. **3**, in some implementations, the top surface (or side) **102a** of the storage container for housing grilling utensils **100** is moveable to allow access to the interior **104** of the storage container for housing grilling utensils **100**.

[0024] In some implementations, the top surface **102a** of the storage container for housing grilling utensils **100** is removable. In this way, in some implementations, the top surface **102a** can also be used as a cutting board or for any other suitable use.

[0025] As shown in FIG. **4**, in some implementations, the interior **104** of the storage container for housing grilling utensils **100**, opposite the openings **110**, comprises one or more partitions forming one or more sections or compartments **106** (e.g., **106a**, **106b**) in the interior **104**.

[0026] In some implementations, one or more of the compartments **106a** are configured (e.g., sized and/or shaped) to receive the head (or at least the head portion) **11** of one or more utensils **10** inserted into the storage container for housing grilling utensils **100** through the openings **110**. In some implementations, one or more of the compartments **106b** are configured to provide storage for any other suitable item, such as one or more condiments.

[0027] In some implementations, the storage container for housing grilling utensils **100** is configured to keep grilling (or any other suitable cooking) utensils **10** safe from flies and sanitary.

[0028] In some implementations, the storage container for housing grilling utensils **100** is configured to receive the head **11** of a grilling utensil **10** within the interior **104** through an opening **110** of the storage container for housing grilling utensils **100** to protect the utensil **10** from contact by flies or other pests and keep the utensil **10** sanitary.

[0029] In some implementations, the storage container for housing grilling utensils **100** is configured (e.g., sized and/or shaped) to receive at least the head portion **11** of a grilling utensil **10** within the interior **104** of the storage container for housing grilling utensils **100** while allowing at

least the handle portion **12** of the utensil **10** to extend outside of the interior **104** through an opening **110** of the storage container for housing grilling utensils **100**.

[0030] In some implementations, the storage container for housing grilling utensils **100** is configured to provide storage for any other suitable item, such as one or more condiments.

[0031] In some implementations, the storage container for housing grilling utensils **100** is configured to provide a cutting board or similar surface.

[0032] FIGS. **5-13** illustrate another implementation of an example storage container for housing grilling utensils **100A** (collectively referred to below as the “storage container for housing grilling utensils **100**”) according to the present disclosure. FIG. **5** illustrates an exterior view of the front side **102Ac** of the storage container for housing grilling utensils **100A**. FIGS. **6** and **7** illustrate exterior and interior views respectively of the left and right sides **102Ae**, **102Af** of the storage container for housing grilling utensils **100A**. FIGS. **8** and **9** illustrate exterior and interior views respectively of the back side **102Ad** of the storage container for housing grilling utensils **100A**.

[0033] FIG. **10** illustrates an exterior, top view of the storage container for housing grilling utensils **100A**. FIG. **11** illustrates an exterior view of the top side **102Aa** of the storage container for housing grilling utensils **100A**. FIG. **12** illustrates a perspective view of the interior **104A** (without compartments **106A**) of the storage container for housing grilling utensils **100A**. FIG. **13** illustrates a top view of the interior **104A** (with compartments **106A**) of the storage container for housing grilling utensils **100A**.

[0034] In some implementations, the storage container for housing grilling utensils **100A** is the same or similar to the storage container for housing grilling utensils **100** described herein for FIGS. **2-4**. For example, as shown in FIGS. **5-10**, **12**, and **13**, in some implementations, the storage container for housing grilling utensils **100A** comprises six surfaces (or sides) **102A** configured in the form of a closed box with an open interior **104A** that are the same or similar respectively to the six surfaces (or sides) **102** configured in the form of a closed box with an open interior **104** of FIGS. **2-4**.

[0035] As shown in FIGS. **7** and **9**, in some implementations, the storage container for housing grilling utensils **100A** may further comprise a groove **130**. In some implementations, the groove **130** extends along the length of the inner surface of the left side **102Ae**, right side **102Af**, and/or back side **102Ac**. In some implementations, the groove **130** extends along the sides **102Ae**, **102Af**, **102Ac** at or near the upward facing edge of the sides **102Ae**, **102Af**, **102Ac**.

[0036] In some implementations, the groove **130** may extend in any other suitable configuration and/or position.

[0037] In some implementations, the groove **130** is configured to allow the top side **102Aa** to be moved and/or removed from the closed position adjacent to the sides **102Ae**, **102Af**, **102Ac**. For example, in some implementations, the groove **130** is configured to receive a portion (e.g., one or more edges) of the top side **102Aa** such that the top side **102Aa** can be moved and/or removed.

[0038] In some implementations, the top side **102Aa** may be movable and/or removable from the sides **102Ae**, **102Af**, **102Ac** in any other suitable way.

[0039] As shown in FIGS. **5**, **10**, and **11**, in some implementations, the storage container for housing grilling utensils **100A** may further comprise a knob or handle **140**. In some implementations, the knob **140** is attached to the top side **102A**.

[0040] In some implementations, the knob **140** may be attached to any other suitable part of the storage container for housing grilling utensils **100A**.

[0041] In some implementations, the knob **140** is configured to assist in moving (or removing) the top side **102A** of the storage container for housing grilling utensils **100A**. In some implementations, the knob **140** is configured to assist in positioning and/or securing the top side **102A**, such as for use of the top side **102A** as a cutting board or another suitable use.

[0042] As described above, FIGS. **14-19** illustrate implementations of example flexible material (e.g., a flexible insert or grommet) **120** that fills (or covers) the openings **110**, **110A** of the storage

container for housing grilling utensils of FIGS. 2-4 and FIGS. 5-13 respectively according to the present disclosure. FIGS. 14 and 15 illustrate views of an example small sized (e.g., circular shaped) flexible material 120a.

[0043] FIGS. 16 and 17 illustrate views of an example medium sized (e.g., oval or stadium shaped) flexible material 120b. FIGS. 18 and 19 illustrate views of an example large sized (e.g., elongated oval or stadium shaped) flexible material 120c.

[0044] As shown in FIGS. 14, 16, and 18, in some implementations, the flexible material 120a, 120b, 120c may further comprise a groove 126. In some implementations, the groove 126 extends around the perimeter of the flexible material 120a, 120b, 120c.

[0045] In some implementations, the groove 126 is configured to engage with the edge of the openings 110a, 110b, 110c of the storage container for housing grilling utensils 100 such that the flexible material 120a, 120b, 120c is secured in the opening 110a, 110b, 110c (e.g., similar to a grommet or insert).

[0046] In some implementations, the storage container for housing grilling utensils 100 comprises any suitable dimensions, such as the dimensions shown in FIGS. 5-13, 15, 17, and 19.

[0047] In some implementations, the storage container for housing grilling utensils 100 is composed of any suitable materials. For example, in some implementations, the storage container for housing grilling utensils 100 is composed of wood, plastic, and/or rubber materials.

[0048] In some implementations, the storage container for housing grilling utensils 100 can have any suitable appearance, such as the example appearance shown in the above-described figures.

[0049] In some implementations, an example method of using the storage container for housing grilling utensils 100, with respect to the above-described figures, comprises inserting the head of a cooking utensil (e.g., a grilling utensil 10 of FIG. 1) through an opening 110 of the storage container for housing grilling utensils 100 into the interior 104 of the storage container for housing grilling utensils 100.

[0050] In some implementations, the utensil 10 is inserted into the interior 104 such that at least the head portion 11 of the utensil is positioned in the interior 104 and at least the handle portion 12 of the utensil 10 extends outside of the interior 104, such as shown in FIGS. 2 and 4. In this way, in some implementations, the head 11 of the utensil 10 is protected from contact by flies or other pests and kept sanitary.

[0051] In some implementations, the utensil 10 is inserted by using the handle 12 of the utensil 10.

[0052] In some implementations, the method further comprises removing the head 11 of the utensil 10 from the interior 104 of the storage container for housing grilling utensils 100, such as to use the utensil 10. In some implementations, the utensil 10 is removed by using the handle 12 of the utensil 10.

[0053] In some implementations, a method of using the storage container for housing grilling utensils 100 may comprise moving and/or removing the top side 102a of the storage container for housing grilling utensils 100 to access the interior 104 (e.g., the compartments 106) of the storage container for housing grilling utensils 100, such as shown in FIGS. 3 and 4. In this way, in some implementations, other suitable items, such as condiments, can be stored and accessed from the interior 104 of the storage container for housing grilling utensils 100.

[0054] In some implementations, a method of using the storage container for housing grilling utensils 100 may comprise removing the top side 102a of the storage container for housing grilling utensils 100 and using the top side 102a as a cutting board or other suitable use.

[0055] The figures, including photographs and drawings, comprised herewith may represent one or more implementations of the storage container for housing grilling utensils.

[0056] Details shown in the figures, such as dimensions, descriptions, etc., are exemplary, and there may be implementations of other suitable details according to the present disclosure.

[0057] Reference throughout this specification to “an embodiment” or “implementation” or words of similar import means that a particular described feature, structure, or characteristic is comprised

in at least one embodiment of the present invention. Thus, the phrase “in some implementations” or a phrase of similar import in various places throughout this specification does not necessarily refer to the same embodiment.

[0058] Many modifications and other embodiments of the inventions set forth herein will come to mind to one skilled in the art to which these inventions pertain having the benefit of the teachings presented in the foregoing descriptions and the associated drawings.

[0059] The described features, structures, or characteristics may be combined in any suitable manner in one or more embodiments. In the above description, numerous specific details are provided for a thorough understanding of embodiments of the invention. One skilled in the relevant art will recognize, however, that embodiments of the invention can be practiced without one or more of the specific details, or with other methods, components, materials, etc. In other instances, well-known structures, materials, or operations may not be shown or described in detail.

[0060] While operations may be depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results.

Claims

1. A storage container for grilling utensils comprising: a bottom and a plurality of sides defining an open interior to form an open top container and a lid configured to form a closed container when placed on top of the open top container wherein: the sides comprise a right side, left side, a front side, a back side; the front side comprises a plurality of openings wherein each opening extends through the front side and comprises a flexible slotted material mounted inside the opening and wherein each opening is sized and shaped to receive a grilling utensil head through the opening and into the open interior such that the heads of the grilling utensils extend through the openings and into the open interior; and the open interior comprises one or more partitions forming at least two compartments wherein a first compartment is sized to receive the grilling utensil heads received through the plurality of openings and a second compartment located behind the first compartment and adjacent to the back side.
2. A method of using the storage container for grilling utensils of claim 1 comprising inserting a grilling utensil head horizontally into the open interior through a slotted flexible opening such that the grilling utensil head extends through the opening and into the open interior.
3. The storage container of claim 1 further comprising a handle extending from the lid.
4. A method of using the storage container for grilling utensils of claim 1 comprising using the lid as a cutting board.
5. A method of using the storage container for grilling utensils of claim 3 comprising moving the lid using the handle.
6. A method of using the storage container for grilling utensils of claim 2 comprising removing the lid from the storage container and using the lid as a cutting board.
7. The storage container of claim 1 wherein the plurality of openings comprise at least two different sizes.
8. A method of using the storage container of claim 1 comprising: inserting a grilling utensil head horizontally into the open interior through the slotted flexible opening such that the grilling utensil extends horizontally through the opening and the open interior in the first compartment; and moving the lid of the storage container to access the open interior; and storing condiments in the second compartment separate from the first compartment.
9. A method of using the storage container for grilling utensils of claim 1 comprising: inserting a grilling utensil head horizontally into the open interior through the slotted flexible opening such that the grilling utensil extends horizontally through the opening and the open interior; and using the lid as a cutting board.

- 10.** A storage container for grilling utensils comprising: a plurality of sides defining an open interior, wherein the sides comprise: a top side; a bottom side; a front side; a back side; a left side; and a right side; wherein the top side is removeable; and wherein the front side comprises a plurality of openings wherein each opening extends through the front side and comprises a flexible slotted material mounted inside the opening and wherein each opening is sized and shaped to receive a grilling utensil head through the opening and into the open interior such that the heads of the grilling utensils extend through the openings and into the open interior.
- 11.** A method of using the storage container for grilling utensils of claim 10 comprising inserting a plurality of grilling utensil heads into the open interior through the plurality of openings such that the heads of the grilling utensils extend through the openings and into the open interior.
- 12.** A method of using the storage container for grilling utensils of claim 10 comprising using the top side as a cutting board.
- 13.** A method of using the storage container for grilling utensils of claim 10 comprising moving the top side using the handle.
- 14.** A method of using the storage container for grilling utensils of claim 2 comprising removing the top side from the storage container and using the top side as a cutting board.
- 15.** A method of using the storage container of claim 10 comprising: inserting a plurality of grilling utensil heads horizontally into the open interior through the plurality of openings such that the grilling utensils extend horizontally through the openings and the open interior in a first compartment; and moving the top side of the storage container to access the open interior; and storing condiments in a second compartment separate from the first compartment.
- 16.** A method of using the storage container for grilling utensils of claim 10 comprising: inserting a plurality of grilling utensil heads horizontally into the open interior through the plurality of openings such that the grilling utensils extend horizontally through the openings and the open interior; and using the top side as a cutting board.
- 17.** A storage container for grilling utensils comprising: a plurality of sides defining an open interior, wherein the sides comprise: a top side; a bottom side; a front side; a back side; a left side; and a right side; wherein the front side comprises a plurality of openings each sized and shaped to receive a grilling utensil head through the opening and into the open interior such that the heads of grilling utensils extend through the openings and into the open interior.
-