



US012404505B2

(12) **United States Patent**
Kyratsous et al.

(10) **Patent No.:** **US 12,404,505 B2**

(45) **Date of Patent:** **Sep. 2, 2025**

(54) **DELIVERY OF A GENE-EDITING SYSTEM WITH A SINGLE RETROVIRAL PARTICLE AND METHODS OF GENERATION AND USE**

(71) Applicant: **Regeneron Pharmaceuticals, Inc.**,
Tarrytown, NY (US)

(72) Inventors: **Christos Kyratsous**, Irvington, NY (US); **Andrew J. Murphy**,
Croton-on-Hudson, NY (US); **Cheng Wang**, White Plains, NY (US)

(73) Assignee: **Regeneron Pharmaceuticals, Inc.**,
Tarrytown, NY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1583 days.

(21) Appl. No.: **16/644,411**

(22) PCT Filed: **Sep. 5, 2018**

(86) PCT No.: **PCT/US2018/049547**

§ 371 (c)(1),

(2) Date: **Mar. 4, 2020**

(87) PCT Pub. No.: **WO2019/050948**

PCT Pub. Date: **Mar. 14, 2019**

(65) **Prior Publication Data**

US 2020/0216860 A1 Jul. 9, 2020

Related U.S. Application Data

(60) Provisional application No. 62/554,500, filed on Sep. 5, 2017.

(51) **Int. Cl.**

C12N 15/113 (2010.01)

A61K 48/00 (2006.01)

C12N 7/02 (2006.01)

C12N 9/22 (2006.01)

C12N 11/00 (2006.01)

(52) **U.S. Cl.**

CPC **C12N 15/113** (2013.01); **C12N 9/22** (2013.01); **A61K 48/0091** (2013.01); **C12N 7/02** (2013.01); **C12N 11/00** (2013.01); **C12N 2310/20** (2017.05); **C12N 2740/15043** (2013.01); **C12Y 502/01008** (2013.01)

(58) **Field of Classification Search**

CPC **C12N 15/113**; **C12N 9/22**; **C12N 2310/20**; **C12N 7/02**; **C12N 2740/15043**; **A61K 48/0091**; **C12Y 502/01008**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,697,359 B1 4/2014 Zhang
8,945,839 B2 2/2015 Zhang
9,228,208 B2 1/2016 Frendewey et al.
9,546,384 B2 1/2017 Frendewey et al.

9,580,712 B2 2/2017 Schoenherr et al.
9,580,715 B2 2/2017 Schoenherr et al.
10,113,167 B2* 10/2018 Doudna A61P 43/00
2010/0251648 A1 10/2010 Wilson et al.
2014/0068797 A1 3/2014 Doudna et al.
2015/0152398 A1 6/2015 Doudna et al.
2015/0376628 A1 12/2015 Schoenherr et al.
2016/0251648 A1 9/2016 Wang et al.
2016/0298135 A1* 10/2016 Chen C12N 7/00
2017/0037432 A1 2/2017 Donohoue et al.
2017/0073674 A1 3/2017 Maeder et al.
2017/0145438 A1 5/2017 Kantor

FOREIGN PATENT DOCUMENTS

WO 2013/176772 A1 11/2013
WO 2014089290 A1 6/2014
WO 2014191128 A1 12/2014
WO 2016205749 A1 6/2016
WO 2016196655 A1 12/2016
WO 2017059241 A1 4/2017

OTHER PUBLICATIONS

Wang W, Ye C, Liu J, Zhang D, Kimata JT, Zhou P. CCR5 gene disruption via lentiviral vectors expressing Cas9 and single guided RNA renders cells resistant to HIV-1 infection. PLoS One. Dec. 26, 2014;9(12):e115987. (Year: 2014).*

Choi JG, Dang Y, Abraham S, Ma H, Zhang J, Guo H, Cai Y, Mikkelsen JG, Wu H, Shankar P, Manjunath N. Lentivirus pre-packed with Cas9 protein for safer gene editing. Gene Ther. Jul. 2016;23(7):627-33. (Year: 2016).*

Keene SE, Telesnitsky A. cis-Acting determinants of 7SL RNA packaging by HIV-1. J Virol. Aug. 2012;86(15):7934-42. (Year: 2012).*

Naoya Uchida, Anna Shvygin, Luke Skala, Lydia Raines, Josiah Ballantine, John Tisdale. Development of a Cas9 Protein Delivery System with Lentiviral Vectors for RNA-Guided Genome Editing. Molecular Therapy vol. 24, Supplement 1, May 2016. (Year: 2016).*

(Continued)

Primary Examiner — Janet L Andres

Assistant Examiner — Ruixue Wang

(74) *Attorney, Agent, or Firm* — Troutman Pepper Locke LLP

(57)

ABSTRACT

The invention provides a recombinant RNA molecule comprising (i) a sequence of a gene-editing molecule mRNA, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of a coding or non-coding enrichment RNA, or a sequence of a functional fragment or derivative thereof, wherein the enrichment RNA, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing molecule mRNA, or functional fragment or derivative thereof, into a retroviral particle. The invention provides a method of producing the retroviral particles of the invention, the method comprising culturing a packaging cell in conditions sufficient for the production of a plurality of retroviral particles.

28 Claims, 17 Drawing Sheets

Specification includes a Sequence Listing.

(56)

References Cited**OTHER PUBLICATIONS**

Naoya Uchida, Anna Shvygin, Luke Skala, Lydia Raines. Development of a Cas9 Protein Delivery System with Lentiviral Vectors for RNA-Guided Genome Editing. *RNA Virus Vectors* vol. 24, Supplement 1, S2, May 2016. (Year: 2016).*

Onafuwa-Nuga AA, Telesnitsky A, King SR. 7SL RNA, but not the 54-kd signal recognition particle protein, is an abundant component of both infectious HIV-1 and minimal virus-like particles. *RNA*. Apr. 2006;12(4):542-6. (Year: 2006).*

Keene SE, Telesnitsky A. cis-Acting determinants of 7SL RNA packaging by HIV-1. *J Virol*. Aug. 2012;86(15):7934-42. doi: 10.1128/JVI.00856-12. Epub May 16, 2012. (Year: 2012).*

Eckwahl MJ, Telesnitsky A, Wolin SL. Host RNA Packaging by Retroviruses: A Newly Synthesized Story. *mBio*. Feb. 9, 2016;7(1):e02025-15 (Year: 2016).*

Stu Borman. Improved route to single-base genome editing. *Biological Chemistry*, vol. 94, Issue 17, Apr. 21, 2016. (<https://cen.acs.org/articles/94/i17/Improved-route-single-base-genome.html>), (Year: 2016).*

Luban J, Bossolt KL, Franke EK, Kalpana GV, Goff SP. Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. *Cell*. Jun. 18, 1993;73(6):1067-78. (Year: 1993).*

Communication (International Search Report) issued by the International Searching Authority in International Application No. PCT/US2018/049547 dated Jan. 15, 2019, 5 pages total.

Communication (Written Opinion) issued by the International Searching Authority in International Application No. PCT/US2018/049547 dated Jan. 15, 2019, 4 pages total.

Wang, T. et al., "7SL RNA Mediates Virion Packaging of the Antiviral Cytidine Deaminase APOBEC3G" *Journal of Virology* (2007) vol. 81, No. 23, pp. 13112-13124.

Weninger, A. et al., "Combinatorial Optimization of CRISPR/Cas9 Expression Enables Precision Genome Engineering in the Methylophilic Yeast *Pichia Pastoris*" *Journal of Biotechnology* (2016) vol. 235, pp. 139-149.

Zhang, Z. et al., "A Multiplex CRISPR/Cas9 Platform for Fast and Efficient Editing of Multiple Genes in *Arabidopsis*" *Plant Cell Reports* (2015) vol. 35, No. 7, pp. 1519-1533.

Extended European Search Report from corresponding European application No. 18853626.2 dated Oct. 29, 2021.

Dana Carroll, "A Crispr Approach to Gene Targeting", *Molecular Therapy*, vol. 20, No. 9, Sep. 1, 2012, pp. 1658-1660.

Lei S. Qi et al., "Repurposing Crispr as an RNA-Guided Platform for Sequence-Specific Control of Gene Expression", *Cell*, vol. 152, No. 5, Feb. 1, 2013, pp. 1173-1183.

Choi, JG et al., "Lentivirus Pre-Packaged with Cas9 Protein for Safer Gene Editing" *Gene Therapy* (2016) vol. 23, pp. 627-633.

Eckwahl, M.J. et al., "Host RNA Packaging by Retroviruses: A Newly Synthesized Story" *mBio* (2016) vol. 7, Issue 1, 8 pages total.

Kabadi, A.M. et al., "Multiplex CRISPR/Cas9-based Genome Engineering from a Single Lentiviral Vector" *Nucleic Acids Research* (2014) vol. 42, No. 19, e147, 11 pages total.

Mout, R. et al., "Direct Cytosolic Delivery of CRISPR/Cas9-Ribonucleoprotein for Efficient Gene Editing" *ACS Nano* (2017) vol. 11, pp. 2452-2458.

Mout, R. et al., "In Vivo Delivery of CRISPR/Cas9 for Therapeutic Gene Editing: Progress and Challenges" *Bioconjugate Chemistry* (2017) vol. 28, pp. 880-884.

Onafuwa-Nuga, A.A. et al., "7SL RNA, but not the 54-kd Signal Recognition Particle Protein, is an Abundant Component of Both Infectious HIV-1 and Minimal Virus-like Particles" *RNA* (2006) vol. 12, pp. 542-546.

SBI System Biosciences, "Lenti-Cas9 SmartNuclease Systems: Ready-to-edit Cas9 packaged lentiviral particles & plasmids" (2014) 2 pages total.

Shalem, O. et al., "Genome-Scale CRISPR-Cas9 Knockout Screening in Human Cells" *Science* (2014) vol. 343, No. 6166, p. 84-87.

Tian, C. et al., "Virion Packaging Determinants and Reverse Transcription of SRP RNA in HIV-1 Particles" *Nucleic Acids Research* (2007) vol. 35, No. 21, pp. 7288-7302.

Transomic Technologies, "transEDIT CRISPR-Cas Reagents: Optimized gRNA Designs, Versatile Vectors and Flexible Formats for Efficient Gene Editing," (2011), 4 pages total.

Ali, L.M. et al., "Cross- and Co-Packaging of Retroviral RNAs and Their Consequences" *Viruses* (2016) vol. 8, No. 276, 26 pages total.

Bukrinsky, M. et al., "Viral Protein R of HIV-1" *Reviews in Medical Virology* (1999) vol. 9, pp. 39-49.

Keene, S.E. et al., "7SL RNA is Retained in HIV-1 Minimal Virus-Like Particles as an S-Domain Fragment" *Journal of Virology* (2010) vol. 84, No. 18, pp. 9070-9077.

Keene, S.E. et al., "cis-Acting Determinants of 7SL RNA Packaging by HIV-1" *Journal of Virology* (2012) vol. 86, No. 15, pp. 7934-7942.

Communication (International Preliminary Report on Patentability) issued by the International Searching Authority in International Application No. PCT/US2018/049547 dated Mar. 10, 2020, 5 pages total.

Wang, et al.; In Vivo Delivery Systems for Therapeutic Genome Editing; *International Journal of Molecular Sciences*; 2016; 17, 626; doi:10.3390/ijms17050626.

LentiCRISPR lentiviral CRISPR/Cas9 and single guide RNA, Lentiviral CRISPR Toolbox, Zhang Lab, MIT, rev20140208, 2014.

* cited by examiner

FIG. 1A




FIG. 1B







FIG. 1C










FIG. 2C




FIG. 2D




FIG. 2E




FIG. 2F




FIG. 2G




FIG. 3




FIG. 4

FIG. 5A





FIG. 5B






FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 6E




FIG. 6F




FIG. 6G

GCCCAGGAGUUC
GCCTGTGC

FIG. 6H

GTCCAGGAGUUC
GCCTGGGC

FIG. 6I

1

DELIVERY OF A GENE-EDITING SYSTEM WITH A SINGLE RETROVIRAL PARTICLE AND METHODS OF GENERATION AND USE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a National Stage application of International Application No. PCT/US2018/049547, filed Sep. 5, 2018, which claims priority to U.S. Provisional Patent Application No. 62/554,500 filed Sep. 5, 2017, all of which is hereby incorporated by reference in their entirety.

SEQUENCE LISTING

The instant application contains a Sequence Listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety. Said ASCII copy, created on Nov. 2, 2018, is named 250298_000061_SL.txt and is 337,425 bytes in size.

TECHNICAL FIELD

Described herein are retroviral particles for delivery of gene-editing molecules to a target cell.

BACKGROUND

The Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR)/CRISPR-associated (Cas) system is a powerful genome editing technique allowing for a permanent disruption, deletion, repair, mutation, addition, alteration, or modification of a gene sequence at a target locus in a gene after a single administration. Current methods rely on two essential elements: a component for targeted DNA recognition (e.g., guide RNA) and a component for nuclease activity to induce a single or double strand break at the specific site in the genomic DNA (e.g., Cas9 nucleases). See Mout et al., (2017) *Bioconjugate Chem* 25:880-884. In instances where there is a repair or genetic alteration to be made, a repair template with the desired repair/mutation may be present. Id. One way to deliver the CRISPR/Cas system to the cell of interest is by using a viral packaging system. Virol genomes, however, are compact and there is typically no room for a Cas protein coding sequence together with the guide RNA and repair template in the same viral particle genome. For example, the size limit of a cargo gene in adeno-associated viral particles is ~4.7 kbp, while the size of SpCas9 by itself is ~4.3 kbp. Id. For lentiviral particles, the packaging limit is ~8.5 kbp—however, inserts larger than ~3 kbp are packaged less efficiently. See e.g., Komor et al., (2017) *Cell* 168:20-36. Thus, the existing delivery systems suffer from inefficiencies because the different CRISPR/Cas components are split into different delivery units (e.g., via two viral particles or via a viral particle and a lipid nanoparticle) or smaller Cas proteins would need to be used. Moreover, many of the current systems require the CRISPR genes to remain in the target cells once delivered, resulting in unwanted gene editing and potential immunogenic reactions due to the constitutive expression. See e.g., Mout et al., (2017) *ACS Nano* 11:2452-2458.

SUMMARY

As specified in the Background section, above, there is a need in the art for a single recombinant viral particle system and methods for generating such particles that allow for the

2

efficient delivery of all components of a gene-editing system (e.g., the CRISPR/Cas system) required for gene modification at a target locus in a genome. The present invention addresses this and other needs by providing recombinant retroviral particles for delivery of gene-editing molecules to target cells. The retroviral particles described herein are capable of delivering together all components of a gene-editing system (e.g., the CRISPR/Cas system) required for gene modification in a target cell and for the treatment of various diseases.

In one aspect, the invention provides a recombinant RNA molecule comprising (i) a sequence of a gene-editing molecule mRNA, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of a coding or non-coding enrichment RNA, or a sequence of a functional fragment or derivative thereof, wherein the enrichment RNA, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing molecule mRNA, or functional fragment or derivative thereof, into a retroviral particle. In some embodiments, the gene-editing molecule mRNA, or a fragment or derivative thereof, is codon optimized for expression in a eukaryotic cell (e.g., a non-human mammalian cell, a human cell, a rodent cell, a pluripotent cell, a one-cell stage embryo, a differentiated cell, or a combination thereof). In some embodiments, the sequence of the gene-editing molecule mRNA, or a sequence of a fragment or derivative thereof, and the sequence of the small RNA, or a sequence of a fragment or derivative thereof are separated by a linker sequence. In some embodiments, the gene-editing molecule is a Cas protein (e.g., Cpf1, CasX, CasY, C2C2, Cas1, Cas1B, Cas2, Cas3, Cas4, Cas5, Cas5e (CasD), CasH, Cas6e, Cas6f, Cas7, Cas8a1, Cas8a2, Cas8b, Cas8c, Cas9 (Csn1 or Csx12), Cas10, Cas10d, CasF, CasG, CasH, Csy1, Csy2, Csy3, Cse1 (CasA), Cse2 (CasB), Cse3 (CasE), Cse4 (CasC), Csc1, Csc2, Csa5, Csn2, Csm2, Csm3, Csm4, Csm5, Csm6, Cmr1, Cmr3, Cmr4, Cmr5, Cmr6, Csb1, Csb2, Csb3, Csx17, Csx14, Csx10, Csx16, CsaX, Csx3, Csx1, Csx15, Csf1, Csf2, Csf3, Csf4, or Cu1966). In some embodiments, the Cas protein is a Cas9 protein (e.g., wild type Cas9, a Cas9 nickase, a dead Cas9 (dCas9), or a split Cas9). In some embodiments, the Cas9 protein is a *Streptococcus pyogenes* Cas9 protein or *Staphylococcus aureus* Cas9 protein. In some embodiments, the enrichment RNA is a small non-coding or coding RNA. In some embodiments, the small non-coding RNA is 7SL RNA, tRNA (including primer tRNAs), 5S rRNA, U1 snRNA, U2 snRNA, U6 snRNA, Y1 RNA, Y3 RNA, B1 RNA, VL30 RNA, 7SK RNA, Alu RNA, miRNA, snoRNA, or cytoplasmic vault ncRNA. In some embodiments, the small non-coding RNA is 7SL RNA. In some embodiments, the gene-editing molecule mRNA is Cas9 mRNA and the non-coding RNA is 7SL RNA. In some embodiments, the retroviral particle is a lentiviral particle.

In a related aspect, the invention provides nucleic acid molecules encoding the recombinant RNA molecules of the invention as well as vectors comprising the nucleic acid molecules, wherein the nucleic acid molecule encoding a recombinant RNA molecule is operably linked to a promoter.

In a further aspect, the invention provides host cells comprising the RNA molecules of the invention or the nucleic acid molecules encoding such RNA molecules or the vectors comprising the nucleic acid molecules.

In another aspect, the invention provides recombinant retroviral particles comprising the RNA molecules of the invention. In some embodiments, the retroviral particles are lentiviral particles. In some embodiments, the retroviral

particles further comprise a nucleic acid molecule encoding one or more guide RNAs (gRNA) and/or a nucleic acid molecule comprising one or more sequences corresponding to one or more repair templates (RT). In some embodiments, the nucleic acid sequence(s) encoding the gRNA and the nucleic acid sequence(s) corresponding to the RT are located within the same nucleic acid molecule. In some embodiments, in addition to the sequence(s) encoding the gRNA and/or the sequence(s) corresponding to the RT, the nucleic acid molecule comprises one or more retroviral elements. In some embodiments, the retroviral particles are replication deficient.

In some embodiments, the retroviral particles further comprise a gene-editing molecule fusion protein. In some embodiments, the gene-editing molecule fusion protein comprises (i) a sequence of a gene-editing protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of an enrichment protein, or a sequence of a functional fragment or derivative thereof, wherein the enrichment protein, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing protein, or functional fragment or derivative thereof, into the retroviral particle. In some embodiments, (i) the sequence of the gene-editing molecule, or a sequence of a fragment or derivative thereof, and (ii) the at least one sequence of the enrichment protein, or a sequence of a fragment or derivative thereof, are separated by a linker sequence (e.g., (G₄S)₃ (SEQ ID NO: 89)). In some embodiments, the gene-editing molecule is a Cas protein (e.g., Cpf1, CasX, CasY, C2C2, Cas1, Cas1B, Cas2, Cas3, Cas4, Cas5, Cas5e (CasD), CasH, Cas6e, Cas6f, Cas7, Cas8a1, Cas8a2, Cas8b, Cas8c, Cas9 (Csn1 or Csx12), Cas10, Cas10d, CasF, CasG, CasH, Csy1, Csy2, Csy3, Cse1 (CasA), Cse2 (CasB), Cse3 (CasE), Cse4 (CasC), Cse1, Cse2, Csa5, Csn2, Csm2, Csm3, Csm4, Csm5, Csm6, Cmr1, Cmr3, Cmr4, Cmr5, Cmr6, Csb1, Csb2, Csb3, Csx17, Csx14, Csx10, Csx16, CsaX, Csx3, Csx1, Csx15, Csf1, Csf2, Csf3, Csf4, Cu1966, or homologs or modified versions thereof). In some embodiments the Cas protein is a Cas9 protein (e.g., a wild type Cas9, a Cas9 nickase, a dead Cas9 (dCas9), or a split Cas9). In some embodiments, the Cas9 protein is a *Streptococcus pyogenes* Cas9 protein or *Staphylococcus aureus* Cas9 protein. In some embodiments, the enrichment protein is cyclophilin A (CypA) protein and/or a viral protein R (Vpr).

In another aspect, the invention provides a method of producing the retroviral particles of the invention, the method comprising culturing a packaging cell in conditions sufficient for the production of a plurality of retroviral particles, wherein the packaging cell comprises one or more plasmids comprising (i) one or more retroviral elements involved in the assembly of the retroviral particle, and (ii) at least one nucleic acid sequence encoding the RNA molecule of the invention. In some embodiments, the packaging cell further comprises a plasmid encoding one or more guide RNAs (gRNA) and/or comprising one or more sequences corresponding to one or more repair templates (RT). In some embodiments, the packaging cell comprises (a) GAG, (b) POL, and (c) TAT and/or REV retroviral (e.g., lentiviral) elements. In some embodiments, the method of producing the retroviral particles of the invention further comprises collecting the retroviral particles. In some embodiments, the method of producing the retroviral particles of the invention comprises one or more of the following steps: (a) clearing cell debris, (b) treating a supernatant containing the retro-

viral particles with DNase I and MgCl₂, (c) concentrating the retroviral particles, and (d) purifying the retroviral particles.

In a related embodiment, the invention provides the retroviral particle made by any of the above methods.

In another aspect, the invention provides pharmaceutical compositions comprising any of the retroviral particles of the invention and a pharmaceutically acceptable carrier or excipient.

In a further aspect, the invention provides pharmaceutical dosage forms comprising any of the retroviral particles of the invention.

In yet another aspect, the invention provides a method for modifying a genome of a target cell comprising introducing into the cell any of the retroviral particles of the invention. In some embodiments, the genome modification is a disruption, deletion, repair, mutation, addition, alteration, or modification of a gene.

In yet another aspect, the invention provides a method for modulating an activity of a gene in a target cell comprising introducing into the cell any of the retroviral particles of the invention. In some embodiments, the method inhibits, suppresses, down regulates, knocks down, knocks out, or silences the expression of a gene product. In some embodiments, the gene product is a protein or RNA.

In some embodiments of any of the above methods, the target cell is in a subject and the retroviral particle is administered to the subject.

In some embodiments of any of the above methods, the method further comprises harvesting the target cell from a subject prior to introducing the retroviral particle into the target cell, introducing the retroviral particle into the target cell ex vivo and returning the target cell to the subject.

In some embodiments of any of the above methods, the method further comprises introducing into the target cell one or more gRNA molecules (e.g., as a complex with proteins). In some embodiments, such separate introduction of gRNA molecules is conducted when retroviral particles comprise no gRNA. In some embodiments, retroviral particles comprise one or more gRNA and separately introduced gRNA provide additional gRNA molecules.

In a further aspect, the invention provides a method for treating a disease in a subject in need thereof, the method comprising administering to the subject a therapeutically effective amount of any of the retroviral particles of the invention or a pharmaceutical composition comprising such retroviral particles, wherein the retroviral particles target a cell in the subject.

In some embodiments of any of the above methods involving administration to the subject, the retroviral particle or the pharmaceutical composition is administered intravenously, subcutaneously, intramuscularly, transdermally, intranasally, orally, or mucosally.

In a further aspect, the invention provides a method for treating a disease in a subject in need thereof, the method comprising:

- a. harvesting a target cell from the subject;
- b. introducing into the target cell from step a) ex vivo a therapeutically effective amount of any of the retroviral particles of the invention or a pharmaceutical composition comprising such retroviral particles; and
- c. returning the target cell from step b) to the subject.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1A-C provide a schematic representation of concepts and four exemplary Cas9 constructs of the invention.

5

FIG. 1A shows recruiting the Cas9 fusion proteins or Cas9 mRNAs into lentiviral particles for transduction of functional Cas9 proteins into infected cells. The gRNA is contained in the retroviral genome. FIG. 1B shows 7SL RNA constructs, wherein 7SL RNA is fused before the start codon or after stop codon of Cas9 mRNA. FIG. 1C shows Cas9 protein constructs: cyclophilin A (CypA) fused to the N-terminus of Cas9 protein or viral protein R (Vpr) fused to the C-terminus of the Cas9 protein via a linker (e.g., (G₄S)₃ (SEQ ID NO: 89)).

FIG. 2 A-G show fluorescence-activated cell sorting (FACS) analysis evaluating expression upon infection of 293T pLVX EF1a eGFP IRES puro c12 cells with: (FIG. 2A) mock infection; (FIG. 2B) Cas9/non-gRNA: a lentiviral particle carrying randomly packaged Cas9 mRNA or proteins, but no gRNA on lentiviral genome; (FIG. 2C) Cas9/GFP gRNA: a lentiviral particle carrying randomly packaged Cas9 proteins and mRNAs and gRNA; (FIG. 2D) CypA-Cas9/GFP gRNA: a lentiviral particle carrying CypA-Cas9 fusion protein and gRNA; (FIG. 2E) Cas9-Vpr/GFP gRNA: a lentiviral particle carrying Cas9-Vpr fusion protein and gRNA; (FIG. 2F) a lentiviral particle carrying 7SL RNA-Cas9 mRNA fusion RNA and gRNA; and (FIG. 2G) a lentiviral particle carrying Cas9 mRNA-7SL RNA fusion RNA and gRNA. All gRNAs are on the lentiviral genome driven by hU6 promoter. Lentiviral particles are produced by transfecting corresponding plasmids in Tables 2 and 3 into 293T cells and harvested by ultracentrifugation. 1E9 vg of viruses were added to 50,000 of 293T pLVX EF1a eGFP IRES puro c12 cells. FACS was performed 7 days after infection.

FIG. 3 shows Sybr green quantitative PCR (qPCR) data (ThermoFisher scientific Cat #11762100) demonstrating the enrichment of Cas9 mRNA in the lentiviral particles upon fusion to 7SL RNA. Depicted are the qPCR results obtained using RNA extracted from: (i) a standard lentiviral RNA from the Lenti-X qPCR titration kit (Clontech #631235), lentiviral particles randomly packaged; (ii) Cas9 mRNA; and/or (iii) 7SL RNA-Cas9 mRNA fusion RNA molecule. Two primers detecting lentiviral genome and Cas9 mRNA were used (sequences: Cas9F GACAGGCACAGCAT-CAAGAA (SEQ ID NO: 69) Cas9R TTCTGGCGGTTCTCTTCAGT (SEQ ID NO: 70)). The Cas9 mRNA level was normalized to lentiviral genome level.

FIG. 4 is a schematic representation of a nucleic acid molecule comprising the wild type (WT) LacZ and Zombie LacZ (Q585E mutation), which has abolished enzymatic activity. A functional Cas9/gRNA system can convert the Zombie LacZ to WT LacZ. FIG. 4 discloses SEQ ID NOS 146-149, respectively, in order of appearance.

FIG. 5A is a schematic representation of LV gRNA/RT/Cas9 7SL, a lentivirus carrying Zombie LacZ gRNA and repair template on its genome and Cas9-7SL fusion RNA. FIG. 5B is a graph showing the results of luminescence assay analysis evaluating β -galactosidase expression (i.e., the ability to convert the Zombie LacZ to WT LacZ) upon infection of pShuttle CMV Zombie lacZ transfected 293T cells with (i) a mock lentiviral vector system; (ii) gRNA/RT: a lentiviral particle carrying Zombie lacZ gRNA and repair template (RT); and (iii) gRNA/RT/Cas9 7SL: a lentiviral particle carrying gRNA and RT in its genome and Cas9 mRNA-7SL RNA fusion RNA. Lentiviral particles are produced by transfecting corresponding plasmids in Table 4 into 293T cells and harvested by ultracentrifugation.

FIG. 6A shows the secondary structure of an exemplar 7SL RNA, including its Alu and S domains. FIG. 6A

6

discloses SEQ ID NO: 81. FIG. 6B shows an example of the Alu domain of a 7SL RNA. FIG. 6B discloses SEQ ID NO: 150. FIGS. 6C and 6D show non-limiting examples of fragments of the Alu domain of a 7SL RNA. FIG. 6C discloses SEQ ID NO: 151. FIG. 6D discloses SEQ ID NO: 152. FIG. 6E shows the S domain of a 7SL RNA. FIG. 6E discloses SEQ ID NO: 153. FIG. 6F shows a non-limiting example of a fragment of the S domain of a 7SL RNA. FIG. 6F discloses SEQ ID NO: 154. FIG. 6G shows a non-limiting example of a derivative of the S domain of a 7SL RNA. FIG. 6G discloses SEQ ID NO: 155. FIGS. 6H and 6I show non-limiting examples of the 5c domain of a 7SL RNA. FIG. 6H discloses SEQ ID NO: 156. FIG. 6I discloses SEQ ID NO: 90. The numbers in FIGS. 6A-6G represent established nomenclature for 7SL RNA helices and loops. See also Keene and Telesnitsky *J Virol.* 2012 August; 86(15): 7934-7942, incorporated by reference herein in its entirety for all purposes.

DETAILED DESCRIPTION

The present invention provides recombinant retroviral particles for the delivery of a gene-editing fusion molecule, and optionally a guide RNA (gRNA) and/or a repair template, in one retroviral particle. The retroviral particles described herein are capable of delivery of all components required for gene modification and/or modulating an activity of a gene in a target cell and are therefore useful for treatment of various diseases treatable by modification and/or modulating an activity of a gene.

I. Definitions

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs.

The terms "protein," "polypeptide," and "peptide," used interchangeably herein, include polymeric forms of amino acids of any length, including coded and non-coded amino acids and chemically or biochemically modified or derivatized amino acids. The terms also include polymers that have been modified, such as polypeptides having modified peptide backbones.

Proteins are said to have an "N-terminus" and a "C-terminus." The term "N-terminus" relates to the start of a protein or polypeptide, terminated by an amino acid with a free amine group ($-\text{NH}_2$). The term "C-terminus" relates to the end of an amino acid chain (protein or polypeptide), terminated by a free carboxyl group ($-\text{COOH}$).

The terms "nucleic acid" and "polynucleotide," used interchangeably herein, include polymeric forms of nucleotides of any length, including ribonucleotides, deoxyribonucleotides, or analogs or modified versions thereof. They include single-, double-, and multi-stranded DNA or RNA, genomic DNA, cDNA, DNA-RNA hybrids, and polymers comprising purine bases, pyrimidine bases, or other natural, chemically modified, biochemically modified, non-natural, or derivatized nucleotide bases.

Nucleic acids are said to have "5' ends" and "3' ends" because mononucleotides are reacted to make oligonucleotides in a manner such that the 5' phosphate of one mononucleotide pentose ring is attached to the 3' oxygen of its neighbor in one direction via a phosphodiester linkage. An end of an oligonucleotide is referred to as the "5' end" if its 5' phosphate is not linked to the 3 oxygen of a mononucleotide pentose ring. An end of an oligonucleotide is

referred to as the “3' end” if its 3' oxygen is not linked to a 5' phosphate of another mononucleotide pentose ring. A nucleic acid sequence, even if internal to a larger oligonucleotide, also may be said to have 5' and 3' ends. In either a linear or circular DNA molecule, discrete elements are referred to as being “upstream” or 5' of the “downstream” or 3' elements.

The term “wild type” includes entities having a structure and/or activity as found in a normal (as contrasted with mutant, diseased, altered, or so forth) state or context. Wild type genes and polypeptides often exist in multiple different forms (e.g., alleles).

“Exogenous” molecules or sequences include molecules or sequences that are not normally present in a cell in that form. Normal presence includes presence with respect to the particular developmental stage and environmental conditions of the cell. An exogenous molecule or sequence, for example, can include a mutated version of a corresponding endogenous sequence within the cell, such as a humanized version of the endogenous sequence, or can include a sequence corresponding to an endogenous sequence within the cell but in a different form (i.e., not within a chromosome). In contrast, endogenous molecules or sequences include molecules or sequences that are normally present in that form in a particular cell at a particular developmental stage under particular environmental conditions.

“Codon optimization” takes advantage of the degeneracy of codons, as exhibited by the multiplicity of three-base pair codon combinations that specify an amino acid, and generally includes a process of modifying a nucleic acid sequence for enhanced expression in particular host cells (e.g., packaging cells) and/or target cells by replacing at least one codon of the native sequence with a codon that is more frequently or most frequently used in the genes of the host cells and/or target cells while maintaining the native amino acid sequence. For example, a nucleic acid encoding a Cas9 protein can be modified to substitute codons having a higher frequency of usage in a given prokaryotic or eukaryotic cell, including a bacterial cell, a yeast cell, a human cell, a non-human cell, a mammalian cell, a rodent cell, a mouse cell, a rat cell, a hamster cell, or any other host and/or target cell, as compared to the naturally occurring nucleic acid sequence. Codon usage tables are readily available, for example, at the “Codon Usage Database.” These tables can be adapted in a number of ways. See Nakamura et al. (2000) *Nucleic Acids Research* 28:292, herein incorporated by reference in its entirety for all purposes. Computer algorithms for codon optimization of a particular sequence for expression in a particular host and/or target are also available (see, e.g., Gene Forge).

A “promoter” is a regulatory region of DNA usually comprising a TATA box capable of directing RNA polymerase II to initiate RNA synthesis at the appropriate transcription initiation site for a particular polynucleotide sequence. A promoter may additionally comprise other regions which influence the transcription initiation rate. As used herein, the term “promoter” encompasses enhancers. The promoter sequences disclosed herein modulate transcription of an operably linked polynucleotide. A promoter can be active in one or more of the cell types disclosed herein (e.g., a eukaryotic cell, a non-human mammalian cell, a human cell, a rodent cell, a pluripotent cell, a one-cell stage embryo, a differentiated cell, or a combination thereof). A promoter can be, for example, a constitutively active promoter, a conditional promoter, an inducible promoter, a temporally restricted promoter (e.g., a developmentally regulated promoter), or a spatially restricted promoter (e.g.,

a cell-specific or tissue-specific promoter). RNA Pol III promoters are frequently used to express small RNAs, such as small interfering RNA (siRNA)/short hairpin RNA (shRNA) and guide RNA sequences used in CRISPR-Cas9 systems. Examples of RNA Pol III promoters that can be used in the invention include, but are not limited to, the human U6 promoter, a rat U6 polymerase III promoter, or a mouse U6 polymerase III promoter, and the HI promoter, which are described in, for example Goomer and Kunkel, *Nucl. Acids Res.*, 20 (18): 4903-4912 (1992), and Myslinski et al., *Nucleic Acids Res.*, 29(12): 2502-9 (2001). Examples of promoters can be found, for example, in WO 2013/176772, herein incorporated by reference in its entirety for all purposes.

Examples of inducible promoters include, for example, chemically regulated promoters and physically-regulated promoters. Chemically regulated promoters include, for example, alcohol-regulated promoters (e.g., an alcohol dehydrogenase (alcA) gene promoter), tetracycline-regulated promoters (e.g., a tetracycline-responsive promoter, a tetracycline operator sequence (tetO), a tet-On promoter, or a tet-Off promoter), steroid regulated promoters (e.g., a rat glucocorticoid receptor, a promoter of an estrogen receptor, or a promoter of an ecdysone receptor), or metal-regulated promoters (e.g., a metalloprotein promoter). Physically regulated promoters include, for example temperature-regulated promoters (e.g., a heat shock promoter) and light-regulated promoters (e.g., a light-inducible promoter or a light-repressible promoter).

Tissue-specific promoters can be, for example, neuron-specific promoters, glia-specific promoters, muscle cell-specific promoters, heart cell-specific promoters, kidney cell-specific promoters, bone cell-specific promoters, endothelial cell-specific promoters, or immune cell-specific promoters (e.g., a B cell promoter or a T cell promoter).

Developmentally regulated promoters include, for example, promoters active only during an embryonic stage of development, or only in an adult cell.

“Operable linkage” or being “operably linked” includes juxtaposition of two or more components (e.g., a promoter and another sequence element) such that both components function normally and allow the possibility that at least one of the components can mediate a function that is exerted upon at least one of the other components. For example, a promoter can be operably linked to a coding sequence if the promoter controls the level of transcription of the coding sequence in response to the presence or absence of one or more transcriptional regulatory factors. Operable linkage can include such sequences being contiguous with each other or acting in trans (e.g., a regulatory sequence can act at a distance to control transcription of the coding sequence).

“Complementarity” or “complementary” of nucleic acids means that a nucleotide sequence in one strand of nucleic acid, due to orientation of its nucleobase groups, forms hydrogen bonds with another sequence on an opposing nucleic acid strand. The complementary bases in DNA are typically A with T and C with G. In RNA, they are typically C with G and U with A. Complementarity can be perfect or substantial/sufficient. Perfect complementarity between two nucleic acids means that the two nucleic acids can form a duplex in which every base in the duplex is bonded to a complementary base by Watson-Crick pairing. “Substantial” or “sufficient” complementarity means that a sequence in one strand is not completely and/or perfectly complementary to a sequence in an opposing strand, but that sufficient bonding occurs between bases on the two strands to form a stable hybrid complex in set of hybridization conditions (e.g., salt

concentration and temperature). Such conditions can be predicted by using the sequences and standard mathematical calculations to predict the T_m (melting temperature) of hybridized strands, or by empirical determination of T_m by using routine methods. T_m includes the temperature at which a population of hybridization complexes formed between two nucleic acid strands are 50% denatured (i.e., a population of double-stranded nucleic acid molecules becomes half dissociated into single strands). At a temperature below the T_m , formation of a hybridization complex is favored, whereas at a temperature above the T_m , melting or separation of the strands in the hybridization complex is favored. T_m may be estimated for a nucleic acid having a known G+C content in an aqueous 1 M NaCl solution by using, e.g., $T_m = 81.5 + 0.41(\% \text{ G+C})$, although other known T_m computations take into account nucleic acid structural characteristics.

"Hybridization condition" includes the cumulative environment in which one nucleic acid strand bonds to a second nucleic acid strand by complementary strand interactions and hydrogen bonding to produce a hybridization complex. Such conditions include the chemical components and their concentrations (e.g., salts, chelating agents, formamide) of an aqueous or organic solution containing the nucleic acids, and the temperature of the mixture. Other factors, such as the length of incubation time or reaction chamber dimensions may contribute to the environment. See, e.g., Sambrook et al., *Molecular Cloning, A Laboratory Manual*, 2.sup.nd ed., pp. 1.90-1.91, 9.47-9.51, 11.47-11.57 (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989), herein incorporated by reference in its entirety for all purposes.

Hybridization requires that the two nucleic acids contain complementary sequences, although mismatches between bases are possible. The conditions appropriate for hybridization between two nucleic acids depend on the length of the nucleic acids and the degree of complementation, variables which are well known. The greater the degree of complementation between two nucleotide sequences, the greater the value of the melting temperature (T_m) for hybrids of nucleic acids having those sequences. For hybridizations between nucleic acids with short stretches of complementarity (e.g. complementarity over 35 or fewer, 30 or fewer, 25 or fewer, 22 or fewer, 20 or fewer, or 18 or fewer nucleotides) the position of mismatches becomes important (see Sambrook et al., supra, 11.7-11.8). Typically, the length for a hybridizable nucleic acid is at least about 10 nucleotides. Illustrative minimum lengths for a hybridizable nucleic acid include at least about 15 nucleotides, at least about 20 nucleotides, at least about 22 nucleotides, at least about 25 nucleotides, and at least about 30 nucleotides. Furthermore, the temperature and wash solution salt concentration may be adjusted as necessary according to factors such as length of the region of complementation and the degree of complementation.

The sequence of polynucleotide need not be 100% complementary to that of its target nucleic acid/target locus to be specifically hybridizable. Moreover, a polynucleotide may hybridize over one or more segments such that intervening or adjacent segments are not involved in the hybridization event (e.g., a loop structure or hairpin structure). A polynucleotide (e.g., gRNA) can comprise at least 70%, at least 80%, at least 90%, at least 95%, at least 99%, or 100% sequence complementarity to a target region within the target nucleic acid/target locus sequence to which they are targeted. For example, a gRNA in which 18 of 20 nucleotides are complementary to a target region, and would therefore specifically hybridize, would represent 90%

complementarity. In this example, the remaining non-complementary nucleotides may be clustered or interspersed with complementary nucleotides and need not be contiguous to each other or to complementary nucleotides.

Percent complementarity between particular stretches of nucleic acid sequences within nucleic acids can be determined routinely using BLAST programs (basic local alignment search tools) and PowerBLAST programs (Altschul et al. (1990) *J Mol. Biol.* 215:403-410; Zhang and Madden (1997) *Genome Res.* 7:649-656) or by using the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison Wis.), using default settings, which uses the algorithm of Smith and Waterman (*Adv. Appl. Math.*, 1981, 2, 482-489).

The methods and compositions provided herein employ a variety of different components. Some components throughout the description can have active variants and fragments. Such components include, for example, Cas proteins, CRISPR RNAs, and guide RNAs. Biological activity for each of these components is described elsewhere herein. The term "functional" refers to the innate ability of a protein or nucleic acid (or a fragment or derivative thereof) to exhibit a biological activity or function. Such biological activities or functions can include, for example, the ability of a Cas protein, or functional fragment or derivative thereof, to bind to a guide RNA (gRNA), bind to a target DNA sequence, exhibit endonuclease activity, or to retain its ability to be incorporated into the retroviral particle. The biological functions of functional fragments or derivatives may be the same or may in fact be changed (e.g., with respect to their specificity or selectivity or efficacy) in comparison to the full-length wild type molecule or original counterpart, but with retention of the basic biological function of gene editing.

The term "fragment" when referring to a protein means a protein that is shorter or has fewer amino acids than the full-length protein. A fragment can be, for example, an N-terminal fragment (i.e., removal of a portion of the C-terminal end of the protein), a C-terminal fragment (i.e., removal of a portion of the N-terminal end of the protein), or an internal fragment. The term "fragment" when referring to a nucleic acid means a nucleic acid that is shorter or has fewer nucleotides than the full-length nucleic acid. A fragment can be, for example, a 5' fragment (i.e., removal of a portion of the 3' end of the nucleic acid), a 3' fragment (i.e., removal of a portion of the 5' end of the protein), or an internal fragment.

The term "derivative" as used herein refers to a nucleic acid, peptide, or protein or a variant or analog thereof comprising one or more mutations and/or chemical modifications as compared to a corresponding full-length wild type nucleic acid, peptide or protein. Non-limiting examples of chemical modifications involving nucleic acids include, for example, modifications to the base moiety, sugar moiety, phosphate moiety, phosphate-sugar backbone, or a combination thereof.

"Sequence identity" or "identity" in the context of two polynucleotides or polypeptide sequences makes reference to the residues in the two sequences that are the same when aligned for maximum correspondence over a specified comparison window. When percentage of sequence identity is used in reference to proteins, residue positions which are not identical often differ by conservative amino acid substitutions, where amino acid residues are substituted for other amino acid residues with similar chemical properties (e.g., charge or hydrophobicity) and therefore do not change the

11

functional properties of the molecule. When sequences differ in conservative substitutions, the percent sequence identity may be adjusted upwards to correct for the conservative nature of the substitution. Sequences that differ by such conservative substitutions are said to have “sequence similarity” or “similarity.” Means for making this adjustment are well known. Typically, this involves scoring a conservative substitution as a partial rather than a full mismatch, thereby increasing the percentage sequence identity. Thus, for example, where an identical amino acid is given a score of 1 and a non-conservative substitution is given a score of zero, a conservative substitution is given a score between zero and 1. The scoring of conservative substitutions is calculated, e.g., as implemented in the program PC/GENE (Intelligenetics, Mountain View, California).

“Percentage of sequence identity” includes the value determined by comparing two optimally aligned sequences (greatest number of perfectly matched residues) over a comparison window, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison, and multiplying the result by 100 to yield the percentage of sequence identity. Unless otherwise specified (e.g., the shorter sequence includes a linked heterologous sequence), the comparison window is the full length of the shorter of the two sequences being compared.

Unless otherwise stated, sequence identity/similarity values include the value obtained using GAP Version 10 using the following parameters: % identity and % similarity for a nucleotide sequence using GAP Weight of 50 and Length Weight of 3, and the nws gapdna.cmp scoring matrix; % identity and % similarity for an amino acid sequence using GAP Weight of 8 and Length Weight of 2, and the BLOSUM62 scoring matrix; or any equivalent program thereof “Equivalent program” includes any sequence comparison program that, for any two sequences in question, generates an alignment having identical nucleotide or amino acid residue matches and an identical percent sequence identity when compared to the corresponding alignment generated by GAP Version 10.

The term “conservative amino acid substitution” refers to the substitution of an amino acid that is normally present in the sequence with a different amino acid of similar size, charge, or polarity. Examples of conservative substitutions include the substitution of a non-polar (hydrophobic) residue such as isoleucine, valine, or leucine for another non-polar residue. Likewise, examples of conservative substitutions include the substitution of one polar (hydrophilic) residue for another such as between arginine and lysine, between glutamine and asparagine, or between glycine and serine. Additionally, the substitution of a basic residue such as lysine, arginine, or histidine for another, or the substitution of one acidic residue such as aspartic acid or glutamic acid for another acidic residue are additional examples of conservative substitutions. Examples of non-conservative substitutions include the substitution of a non-polar (hydrophobic) amino acid residue such as isoleucine, valine, leucine, alanine, or methionine for a polar (hydrophilic) residue such as cysteine, glutamine, glutamic acid or lysine and/or a polar

12

residue for a non-polar residue. Typical amino acid categorizations are summarized below.

5	Alanine	Ala	A	Nonpolar	Neutral	1.8
	Arginine	Arg	R	Polar	Positive	-4.5
	Asparagine	Asn	N	Polar	Neutral	-3.5
	Aspartic acid	Asp	D	Polar	Negative	-3.5
	Cysteine	Cys	C	Nonpolar	Neutral	2.5
	Glutamic acid	Glu	E	Polar	Negative	-3.5
10	Glutamine	Gln	Q	Polar	Neutral	-3.5
	Glycine	Gly	G	Nonpolar	Neutral	-0.4
	Histidine	His	H	Polar	Positive	-3.2
	Isoleucine	Ile	I	Nonpolar	Neutral	4.5
	Leucine	Leu	L	Nonpolar	Neutral	3.8
	Lysine	Lys	K	Polar	Positive	-3.9
15	Methionine	Met	M	Nonpolar	Neutral	1.9
	Phenylalanine	Phe	F	Nonpolar	Neutral	2.8
	Proline	Pro	P	Nonpolar	Neutral	-1.6
	Serine	Ser	S	Polar	Neutral	-0.8
	Threonine	Thr	T	Polar	Neutral	-0.7
	Tryptophan	Trp	W	Nonpolar	Neutral	-0.9
20	Tyrosine	Tyr	Y	Polar	Neutral	-1.3
	Valine	Val	V	Nonpolar	Neutral	4.2

The term “enriched” as used herein in relation to fusion gene-editing molecule RNA or protein of the invention indicates that the retroviral particle population comprises a higher number or higher percentage of gene-editing molecules than is found when the gene-editing molecule is not fused to an “enrichment” molecule (e.g., Vpr or CypA protein or 7SL RNA) or a fragment or derivative thereof. The “enrichment molecule” or fragment or derivative thereof is capable of effectively incorporating (i.e., enhancing inclusion of) the gene-editing molecule into a retroviral particle. In certain embodiments, the number of gene-editing fusion molecules incorporated into the retroviral particle is at least 1%, 2%, 3%, 4%, 5%, 7%, 10%, 15%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% higher than when compared to the same non-fused gene-editing molecule into the same type of retroviral particle.

The terms “retroviral element” or “retroviral component” are used herein to refer to retroviral genes (e.g., genes encoding polymerase or structural proteins) or other elements of the retroviral genome (e.g., packaging signals, regulatory elements, LTRs, etc.).

By “decreased” is intended any decrease in the level or activity of the gene/protein (e.g., encoded at the locus of interest). For example, a decrease in activity can comprise either (1) a statistically significant decrease in the overall level or activity of a given protein including, for example, a decreased level or activity of 0.5%, 1%, 5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 120% or greater when compared to an appropriate control.

By “increased” is intended any increase in the level or activity of the gene/protein (e.g., encoded at the locus of interest). For example, an increase in activity can comprise either (1) a statistically significant increase in the overall level or activity of a given protein including, for example, an increased level or activity of 0.5%, 1%, 5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 120% or greater when compared to an appropriate control.

The term “in vitro” includes artificial environments and to processes or reactions that occur within an artificial environment (e.g., a test tube). The term “in vivo” includes natural environments (e.g., a cell or organism or body) and to processes or reactions that occur within a natural environment. The term “ex vivo” includes cells that have been removed from the body of an individual and to processes or reactions that occur within such cells.

Compositions or methods “comprising” or “including” one or more recited elements may include other elements not specifically recited. For example, a composition that “comprises” or “includes” a protein may contain the protein alone or in combination with other ingredients. The transitional phrase “consisting essentially of” means that the scope of a claim is to be interpreted to encompass the specified elements recited in the claim and those that do not materially affect the basic and novel characteristic(s) of the claimed invention. Thus, the term “consisting essentially of” when used in a claim of this invention is not intended to be interpreted to be equivalent to “comprising.”

An “individual” or “subject” or “animal” refers to humans, veterinary animals (e.g., cats, dogs, cows, horses, sheep, pigs, etc.) and experimental animal models of diseases (e.g., mice, rats). In a preferred embodiment, the subject is a human.

The terms “treat” or “treatment” of a state, disorder or condition include: (1) preventing, delaying, or reducing the incidence and/or likelihood of the appearance of at least one clinical or sub-clinical symptom of the state, disorder or condition developing in a subject that may be afflicted with or predisposed to the state, disorder or condition, but does not yet experience or display clinical or subclinical symptoms of the state, disorder or condition; or (2) inhibiting the state, disorder or condition, i.e., arresting, reducing or delaying the development of the disease or a relapse thereof or at least one clinical or sub-clinical symptom thereof; or (3) relieving the disease, i.e., causing regression of the state, disorder or condition or at least one of its clinical or sub-clinical symptoms. The benefit to a subject to be treated is either statistically significant or at least perceptible to the patient or to the physician.

The term “effective” applied to dose or amount refers to that quantity of a compound or pharmaceutical composition that is sufficient to result in a desired activity upon administration to a subject in need thereof. Note that when a combination of active ingredients is administered, the effective amount of the combination may or may not include amounts of each ingredient that would have been effective if administered individually. The exact amount required will vary from subject to subject, depending on the species, age, and general condition of the subject, the severity of the condition being treated, the particular drug or drugs employed, the mode of administration, and the like.

The phrase “pharmaceutically acceptable”, as used in connection with compositions described herein, refers to molecular entities and other ingredients of such compositions that are physiologically tolerable and do not typically produce untoward reactions when administered to a mammal (e.g., a human). Preferably, the term “pharmaceutically acceptable” means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in mammals, and more particularly in humans.

In accordance with the disclosure herein, there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Sambrook, Fritsch & Maniatis, *Molecular Cloning: A Laboratory Manual*, Second Edition. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, 1989 (herein “Sambrook et al., 1989”); DNA Cloning: A Practical Approach, Volumes I and II (D. N. Glover ed. 1985); Oligonucleotide Synthesis (M. J. Gait ed. 1984); Nucleic Acid Hybridization [B. D. Hames & S. J. Higgins eds. (1985)]; Transcription And Translation [B. D. Hames & S.

J. Higgins, eds. (1984)]; *Animal Cell Culture* [R. I. Freshney, ed. (1986)]; *Immobilized Cells And Enzymes* [IRL Press, (1986)]; B. Perbal, *A Practical Guide To Molecular Cloning* (1984); Ausubel, F. M. et al. (eds.). *Current Protocols in Molecular Biology*. John Wiley & Sons, Inc., 1994. These techniques include site directed mutagenesis as described in Kunkel, *Proc. Natl. Acad. Sci. USA* 82: 488-492 (1985), U.S. Pat. No. 5,071,743, Fukuoka et al., *Biochem. Biophys. Res. Commun.* 263: 357-360 (1999); Kim and Maas, *BioTech.* 28: 196-198 (2000); Parikh and Guengerich, *BioTech.* 24: 428-431 (1998); Ray and Nickoloff, *BioTech.* 13: 342-346 (1992); Wang et al., *BioTech.* 19: 556-559 (1995); Wang and Malcolm, *BioTech.* 26: 680-682 (1999); Xu and Gong, *BioTech.* 26: 639-641 (1999), U.S. Pat. Nos. 5,789,166 and 5,932,419, Hogrefe, *Strategies* 14. 3: 74-75 (2001), U.S. Pat. Nos. 5,702,931, 5,780,270, and 6,242,222, Angag and Schutz, *Biotech.* 30: 486-488 (2001), Wang and Wilkinson, *Biotech.* 29: 976-978 (2000), Kang et al., *Biotech.* 20: 44-46 (1996), Ogel and McPherson, *Protein Engineer.* 5: 467-468 (1992), Kirsch and Joly, *Nucl. Acids. Res.* 26: 1848-1850 (1998), Rhem and Hancock, *J. Bacteriol.* 178: 3346-3349 (1996), Boles and Miogsa, *Curr. Genet.* 28: 197-198 (1995), Barrentino et al., *Nuc. Acids. Res.* 22: 541-542 (1993), Tessier and Thomas, *Meths. Molec. Biol.* 57: 229-237, and Pons et al., *Meth. Molec. Biol.* 67: 209-218.

“Optional” or “optionally” means that the subsequently described event or circumstance may or may not occur and that the description includes instances in which the event or circumstance occurs and instances in which it does not.

Designation of a range of values includes all integers within or defining the range, and all subranges defined by integers within the range.

The term “about” or “approximately” includes being within a statistically meaningful range of a value. Such a range can be within an order of magnitude, preferably within 50%, more preferably within 20%, still more preferably within 10%, and even more preferably within 5% of a given value or range. The allowable variation encompassed by the term “about” or “approximately” depends on the particular system under study, and can be readily appreciated by one of ordinary skill in the art.

The term “and/or” refers to and encompasses any and all possible combinations of one or more of the associated listed items, as well as the lack of combinations when interpreted in the alternative (“or”).

The term “or” refers to any one member of a particular list and also includes any combination of members of that list.

Singular forms “a”, “an”, and “the” include plural references unless the context clearly dictates otherwise. Thus, for example, a reference to “a method” includes one or more methods, and/or steps of the type described herein, and/or which will become apparent to those persons skilled in the art upon reading this disclosure.

II. Recombinant Retroviral Particles

In one aspect, described herein is a recombinant retroviral particle that is capable of introducing a gene-editing system (e.g., the CRISPR/Cas system) into a target cell, the recombinant retroviral particle comprising (i) a gene-editing fusion molecule and optionally (ii) a guide RNA (gRNA) and/or a repair template. In certain embodiments, the gene-editing molecule is a functional fragment or derivative thereof. In certain embodiments, the gene-editing fusion molecule is a recombinant RNA molecule. In certain embodiments, the recombinant RNA molecule is a fusion RNA molecule

which comprises (i) a sequence of a gene-editing molecule mRNA, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of an enrichment coding or non-coding RNA (e.g., a small coding or non-coding RNA), or a sequence of a functional fragment or derivative thereof, wherein the enrichment RNA, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing molecule mRNA, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the recombinant RNA molecule comprises one or more sequences of an enrichment coding or non-coding RNA, or functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of enrichment coding or non-coding RNA, or functional fragment or derivative thereof, each enrichment coding or non-coding RNA, or functional fragment or derivative thereof, is the same or different. In certain embodiments, the gene-editing fusion molecule is a recombinant protein molecule. In certain embodiments, the recombinant protein molecule is a fusion protein molecule which comprises (i) a sequence of a gene-editing protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one enrichment protein sequence, or a sequence of functional fragment or derivative thereof, wherein the enrichment protein, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the fusion protein molecule comprises one or more sequences of an enrichment protein, or functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of enrichment protein, or functional fragment or derivative thereof, each enrichment protein, or functional fragment or derivative thereof, is the same or different. In certain embodiments, the retroviral particle comprises both the fusion RNA molecule and the fusion protein molecule.

In certain embodiments, the recombinant retroviral particle comprises a sequence encoding gRNA. In certain embodiments, the recombinant retroviral particle comprises a sequence corresponding to a repair template (RT). In certain embodiments, the recombinant retroviral particle comprises both a sequence encoding gRNA and a sequence corresponding to a repair template (RT). In certain embodiments, upon introduction into a target cell of the recombinant retroviral particle, the sequence encoding the gRNA and/or the sequence corresponding to the repair template (RT) integrate into the cell genome. In certain embodiments, upon introduction into a target cell of the recombinant retroviral particle, the sequence encoding the gRNA and/or the sequence corresponding to the repair template (RT) do not integrate into the cell genome. In certain embodiments, the gRNA can comprise a single RNA molecule (single RNA polynucleotide). In certain embodiments, the gRNA can comprise two separate RNA molecules: an activator-RNA (e.g., tracrRNA) and a targeter-RNA (e.g., CRISPR RNA or crRNA).

In certain embodiments, the target cell for the retroviral particle is a eukaryotic cell, e.g., a mammalian cell (including, e.g., human, veterinary animal or rodent cell) or amphibian cell, avian cell, insect cell, and yeast.

The term "retroviral particle" as used herein refers to a recombinant retroviral particle generated in a packaging cell that is able to deliver a gene-editing fusion molecule, and optionally a guide RNA (gRNA) and/or a repair template into a suitable target cell. In one embodiment, the retroviral particles of the invention are replication deficient. In certain embodiments, the retroviral particle is a retroviral particle

(e.g., a lentiviral particle). In some embodiments, the retroviral particle is lacking one or more of the wild type envelope proteins. In some embodiments, the retroviral particle is a pseudotyped particle. The term "pseudotyped" in connection with enveloped retroviral particles described herein refers to retroviral particles comprising in their lipid envelope molecules, e.g., proteins, glycoproteins, etc., which are mutated and/or heterologous compared to molecules typically found on the surface of the retrovirus from which the particles are derived, and which may affect, contribute to, direct, redirect and/or completely change the tropism of the retroviral particle in comparison to a reference wild type retrovirus from which the retroviral particle is derived. In some embodiments, a retroviral particle is pseudotyped such that it recognizes, binds and/or infects a target (ligand or cell) that is different to that of a reference wild type retrovirus from which the retroviral particle is derived. In some embodiments, a retroviral particle is pseudotyped such that it does not recognize, bind, and/or infect a target (ligand or cell) of the reference wild type retrovirus from which the retroviral particle is derived.

A "gene-editing molecule" is a molecule (e.g., a protein or mRNA encoding such protein) used for modifying a genomic locus of interest (i.e., target) in a cell (e.g., eukaryotic, mammalian, human, or non-human cell). Such modifications include, but are not limited to a disruption, deletion, repair, mutation, addition, alteration, or modification of a gene sequence at a target locus in a gene. Examples of gene-editing molecules include, but are not limited to, endonucleases. Endonucleases are enzymes that cleave the phosphodiester bond within a polynucleotide chain, but they only break internal phosphodiester bonds. Examples of gene-editing endonucleases useful in the compositions and methods of the present invention include, but are not limited to, zinc finger nucleases (ZFNs), transcription activator-like effector nucleases (TALENs), meganucleases, restriction endonucleases, recombinases, and Clustered Regularly Interspersed Short Palindromic Repeats, (CRISPR)/CRISPR-associated (Cas) proteins.

A. Cas Fusion Molecule

The methods and compositions disclosed herein can utilize the Clustered Regularly Interspersed Short Palindromic Repeats (CRISPR)/CRISPR-associated (Cas) systems or components of such systems to modify a genome within a cell. CRISPR/Cas systems include transcripts and other elements involved in the expression of, or directing the activity of, Cas genes. A CRISPR/Cas system can be, for example, a type I, a type II, or a type III system. Alternatively, a CRISPR/Cas system can be a type V system (e.g., subtype V-A or subtype V-B). The methods and compositions disclosed herein can employ CRISPR/Cas systems by utilizing CRISPR complexes (comprising a guide RNA (gRNA) complexed with a Cas protein) for site-directed cleavage of nucleic acids.

CRISPR/Cas systems used in the compositions and methods disclosed herein can be non-naturally occurring. A "non-naturally occurring" system includes anything indicating the involvement of the hand of man, such as one or more components of the system being altered or mutated from their naturally occurring state, being at least substantially free from at least one other component with which they are naturally associated in nature, or being associated with at least one other component with which they are not naturally associated. For example, some CRISPR/Cas systems employ non-naturally occurring CRISPR complexes comprising a gRNA and a Cas protein that do not naturally occur

together, employ a Cas protein that does not occur naturally, or employ a gRNA that does not occur naturally.

In one aspect, described herein are Cas fusion molecules to be delivered to a target cell. In certain aspects, the Cas portion of the Cas fusion molecule is a Cas molecule, or a functional fragment or derivative thereof.

In certain embodiments, the Cas fusion molecule is a recombinant RNA molecule. In certain embodiments, the recombinant RNA molecule is a Cas fusion RNA which comprises (i) a sequence of a Cas mRNA, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of a coding or non-coding RNA, or a sequence of a functional fragment or derivative thereof, wherein the coding or non-coding RNA, or functional fragment or derivative thereof is capable of enhancing inclusion of the Cas mRNA, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas fusion RNA molecule comprises one or more sequences of an enrichment coding or non-coding RNA, or functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of enrichment coding or non-coding RNA, or functional fragment or derivative thereof, each enrichment coding or non-coding RNA, or functional fragment or derivative thereof, is the same or different. In certain embodiments, the coding or non-coding RNA is a small coding or non-coding RNA. The term “small RNA” as used herein refers to RNA molecules that are <350 nucleotides that can be coding or non-coding RNA molecules. The term “coding RNA” refers to a functional RNA molecule that can translate into a protein. The terms “non-coding RNA (ncRNA)”, “non-protein-coding RNA (npcRNA)”, “non-messenger RNA (nmRNA)”, and “functional RNA (fRNA)” refer to a functional RNA molecule that is not translated into a protein. The nucleic acid sequence from which a non-coding RNA is transcribed is often called an RNA gene. Non-limiting examples of non-coding RNAs include, e.g., 7SL RNA, tRNAs (including primer tRNAs), 5S rRNA, U1 snRNA, U2 snRNA, U6 snRNA, Y1 RNA, Y3 RNA, B1 RNA, VL30 RNA, 7SK RNA, Alu RNA, miRNA, snoRNA, and cytoplasmic vault ncRNA. Small coding or non-coding RNA are discussed in greater detail below.

In certain embodiments, the Cas fusion molecule is a recombinant protein molecule. In certain embodiments, the recombinant protein molecule is a Cas fusion protein which comprises (i) a sequence of a Cas protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one enrichment protein sequence, or a sequence of a functional fragment or derivative thereof, wherein the enrichment protein, or functional fragment or derivative thereof, is capable of enhancing inclusion of the gene-editing protein, or functional fragment or derivative thereof, into the retroviral particle. In certain embodiments, the Cas fusion protein comprises one or more sequences of an enrichment protein, or functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of and enrichment protein, or functional fragment or derivative thereof, each enrichment protein, or functional fragment or derivative thereof, is the same or different. In one embodiment, the enrichment protein is cyclophilin A (CypA) protein or a viral protein R (Vpr). Additional enrichment proteins are discussed in greater detail below.

In certain embodiments, the retroviral particle comprises at least one Cas fusion RNA. In certain embodiments, the retroviral particle comprises at least one Cas fusion protein.

In certain embodiments, the retroviral particle comprises at least one Cas fusion RNA and at least one Cas fusion protein.

The Cas fusion molecule, or functional fragment or derivative thereof, can be associated with a retroviral particle. The Cas fusion molecule, or functional fragment or derivative thereof, is “associated” with the retroviral particle if it is incorporated in, physically or chemically linked or bound to the retroviral particle, such that a complex between the Cas fusion molecule and retroviral particle is formed. The Cas fusion molecule can be associated with the retroviral particle using any suitable method for nucleic acid-nucleic acid, nucleic acid-protein, protein-protein linking, nucleic acid-virus, or protein-virus linking known in the art. In certain embodiments, the Cas fusion molecule is associated with a capsid protein of the retroviral particle. In certain embodiments, the Cas fusion molecule is associated with a nucleocapsid domain of the retroviral particle. In other embodiments, the Cas fusion molecule can be packaged into the retroviral particle.

(i) Cas Molecule

“Cas molecules”, “Cas proteins” or “Cas nucleases” useful in the compositions and methods of the invention generally comprise at least one RNA recognition or binding domain that can interact with guide RNAs (gRNAs, described in more detail below). Cas proteins can also comprise nuclease domains (e.g., DNase or RNase domains), DNA binding domains, helicase domains, protein-protein interaction domains, dimerization domains, and other domains. A nuclease domain possesses catalytic activity for nucleic acid cleavage, which includes the breakage of the covalent bonds of a nucleic acid molecule. Cleavage can produce blunt ends or staggered ends, and it can be single-stranded or double-stranded. For example, a wild type Cas9 protein will typically create a blunt cleavage product. Alternatively, a wild type Cpf1 protein (e.g., FnCpf1) can result in a cleavage product with a 5-nucleotide 5' overhang, with the cleavage occurring after the 18th base pair from the PAM sequence on the non-targeted strand and after the 23rd base on the targeted strand. A Cas protein can have full cleavage activity to create a double-strand break at a target genomic locus (e.g., a double-strand break with blunt ends), or it can be a nickase that creates a single-strand break at a target genomic locus.

Examples of Cas proteins useful in the compositions and methods of the invention include Cas1, Cas1B, Cas2, Cas3, Cas4, Cas5, Cas5e (CasD), CasH, Cas6e, Cas6f, Cas7, Cas8a1, Cas8a2, Cas8b, Cas8c, Cas9 (Csn1 or Csx12), Cas10, Cas10d, CasF, CasG, CasH, Csy1, Csy2, Csy3, Cse1 (CasA), Cse2 (CasB), Cse3 (CasE), Cse4 (CasC), Csc1, Csc2, Csa5, Csn2, Csm2, Csm3, Csm4, Csm5, Csm6, Cmr1, Cmr3, Cmr4, Cmr5, Cmr6, Csb1, Csb2, Csb3, Csx17, Csx14, Csx10, Csx16, CsaX, Csx3, Csx1, Csx15, Csf1, Csf2, Csf3, Csf4, and Cu1966, and homologs or modified versions thereof.

An exemplary Cas protein is a Cas9 protein or a protein derived from Cas9 from a type II CRISPR/Cas system. Cas9 proteins are from a type II CRISPR/Cas system and typically share four key motifs with a conserved architecture. Motifs 1, 2, and 4 are RuvC-like motifs, and motif 3 is an HNH motif. Exemplary Cas9 proteins are from *Streptococcus pyogenes*, *Streptococcus thermophilus*, *Streptococcus* sp., *Staphylococcus aureus*, *Nocardia dasonvillei*, *Streptomyces pristinaespiralis*, *Streptomyces viridochromogenes*, *Streptomyces viridochromogenes*, *Streptosporangium roseum*, *Streptosporangium roseum*, *Alicyclobacillus acidocaldarius*, *Bacillus pseudomycolides*, *Bacillus selenitire-*

ducens, *Exiguobacterium sibiricum*, *Lactobacillus delbrueckii*, *Lactobacillus salivarius*, *Microscilla marina*, *Burkholderiales bacterium*, *Polaromonas naphthalenivorans*, *Polaromonas* sp., *Crocospaera watsonii*, *Cyanothoe* sp., *Microcystis aeruginosa*, *Synechococcus* sp., *Acetohalobium arabaticum*, *Ammonifex degensii*, *Caldicelulosiruptor beccsii*, *Candidatus Desulfurudis*, *Clostridium botulinum*, *Clostridium difficile*, *Finegoldia magna*, *Natranaerobius thermophilus*, *Pelotomaculum thermopropionicum*, *Acidithiobacillus caldus*, *Acidithiobacillus ferrooxidans*, *Allochrochromatium vinosum*, *Marinobacter* sp *Nitrosococcus halophilus*, *Nitrosococcus watsoni*, *Pseudalteromonas haloplanktis*, *Ktedonobacter racemifer*, *Methanohalobium evestigatum*, *Anabaena variabilis*, *Nodularia spumigena*, *Nostoc* sp., *Arthrospira maxima*, *Arthrospira platensis*, *Arthrospira* sp., *Lyngbya* sp., *Microcoleus chthonoplastes*, *Oscillatoria* sp., *Petrotoga mobilis*, *Thermosiphon africanus*, *Acaryochloris marina*, *Neisseria meningitidis*, or *Campylobacter jejuni*. Additional examples of the Cas9 family members are described in WO 2014/131833, herein incorporated by reference in its entirety for all purposes. Cas9 from *S. pyogenes* (SpCas9) (assigned SwissProt accession number Q99ZW2) is an exemplary Cas9 protein. Cas9 from *S. aureus* (SaCas9) (assigned UniProt accession number J7RUA5) is another exemplary Cas9 protein. Cas9 from *Campylobacter jejuni* (CjCas9) (assigned UniProt accession number Q0P897) is another exemplary Cas9 protein. See, e.g., Kim et al. (2017) *Nat. Comm.* 8:14500, herein incorporated by reference in its entirety for all purposes. SaCas9 is smaller than SpCas9, and CjCas9 is smaller than both SpCas9 and SaCas9.

Another example of a Cas protein is a Cpf1 (CRISPR from *Prevotella* and *Francisella* 1) protein. Cpf1 is a large protein (about 1300 amino acids) that contains a RuvC-like nuclease domain homologous to the corresponding domain of Cas9 along with a counterpart to the characteristic arginine-rich cluster of Cas9. However, Cpf1 lacks the HNH nuclease domain that is present in Cas9 proteins, and the RuvC-like domain is contiguous in the Cpf1 sequence, in contrast to Cas9 where it contains long inserts including the HNH domain. See, e.g., Zetsche et al. (2015) *Cell* 163(3): 759-771, herein incorporated by reference in its entirety for all purposes. Exemplary Cpf1 proteins are from *Francisella tularensis* 1, *Francisella tularensis* subsp. *novicida*, *Prevotella albensis*, *Lachnospiraceae bacterium* MC2017 1, *Butyrivibrio proteoclasticus*, *Peregrinibacteria bacterium* GW2011_GWA2_33_10, *Parcubacteria bacterium* GW2011_GWC2_44_17, *Smithella* sp. *SCADC*, *Acidaminococcus* sp. BV3L6, *Lachnospiraceae bacterium* MA2020, *Candidatus Methanoplasma termitum*, *Eubacterium eligens*, *Moraxella bovoculi* 237, *Leptospira inadai*, *Lachnospiraceae bacterium* ND2006, *Porphyromonas crevioricanis* 3, *Prevotella disiens*, and *Porphyromonas macacae*. Cpf1 from *Francisella novicida* U112 (FnCpf1; assigned UniProt accession number A0Q7Q2) is an exemplary Cpf1 protein.

Cas proteins can be wild type proteins (i.e., those that occur in nature), modified Cas proteins (i.e., Cas protein variants), or fragments of wild type or modified Cas proteins. Cas proteins can also be active variants or fragments with respect to catalytic activity of wild type or modified Cas proteins. Active variants or fragments with respect to catalytic activity can comprise at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to the wild type or modified Cas protein or a portion thereof, wherein the active variants retain the ability to cut at a desired cleavage site and hence retain nick-inducing or double-strand-break-inducing activity.

Assays for nick-inducing or double-strand-break-inducing activity are known and generally measure the overall activity and specificity of the Cas protein on DNA substrates containing the cleavage site.

One example of a modified Cas protein is the modified SpCas9-HF1 protein, which is a high-fidelity variant of *Streptococcus pyogenes* Cas9 harboring alterations (N497A/R661A/Q695A/Q926A) designed to reduce non-specific DNA contacts. See, e.g., Kleinstiver et al. (2016) *Nature* 529(7587):490-495, herein incorporated by reference in its entirety for all purposes. Another example of a modified Cas protein is the modified eSpCas9 variant (K848A/K1003A/R1060A) designed to reduce off-target effects. See, e.g., Slaymaker et al. (2016) *Science* 351(6268):84-88, herein incorporated by reference in its entirety for all purposes. Other SpCas9 variants include K855A and K810A/K1003A/R1060A.

Cas proteins can be modified to increase or decrease one or more of nucleic acid binding affinity, nucleic acid binding specificity, and enzymatic activity. Cas proteins can also be modified to change any other activity or property of the protein, such as stability. For example, one or more nuclease domains of the Cas protein can be modified, deleted, or inactivated, or a Cas protein can be truncated to remove domains that are not essential for the function of the protein or to optimize (e.g., enhance or reduce) the activity of the Cas protein.

Cas proteins can comprise at least one nuclease domain, such as a DNase domain. For example, a wild type Cpf1 protein generally comprises a RuvC-like domain that cleaves both strands of target DNA, perhaps in a dimeric configuration. Cas proteins can also comprise at least two nuclease domains, such as DNase domains. For example, a wild type Cas9 protein generally comprises a RuvC-like nuclease domain and an HNH-like nuclease domain. The RuvC and HNH domains can each cut a different strand of double-stranded DNA to make a double-stranded break in the DNA. See, e.g., Jinek et al. (2012) *Science* 337:816-821, herein incorporated by reference in its entirety for all purposes.

One or more of the nuclease domains can be deleted or mutated so that they are no longer functional or have reduced nuclease activity. For example, if one of the nuclease domains is deleted or mutated in a Cas9 protein, the resulting Cas9 protein can be referred to as a nickase and can generate a single-strand break at a guide RNA recognition sequence within a double-stranded DNA but not a double-strand break (i.e., it can cleave the complementary strand or the non-complementary strand, but not both). If both of the nuclease domains are deleted or mutated, the resulting Cas protein (e.g., Cas9) will have a reduced ability to cleave both strands of a double-stranded DNA (e.g., a nuclease-null or nuclease-inactive Cas protein, or a catalytically dead Cas protein (dCas)). An example of a mutation that converts Cas9 into a nickase is a D10A (aspartate to alanine at position 10 of Cas9) mutation in the RuvC domain of Cas9 from *S. pyogenes*. Likewise, H939A (histidine to alanine at amino acid position 839), H840A (histidine to alanine at amino acid position 840), or N863A (asparagine to alanine at amino acid position N863) in the HNH domain of Cas9 from *S. pyogenes* can convert the Cas9 into a nickase. Other examples of mutations that convert Cas9 into a nickase include the corresponding mutations to Cas9 from *S. thermophilus*. See, e.g., Sapranaukas et al. (2011) *Nucleic Acids Research* 39:9275-9282 and WO 2013/141680, each of which is herein incorporated by reference in its entirety for all purposes. Such mutations can be generated using meth-

ods such as site-directed mutagenesis, PCR-mediated mutagenesis, or total gene synthesis. Examples of other mutations creating nickases can be found, for example, in WO 2013/176772 and WO 2013/142578, each of which is herein incorporated by reference in its entirety for all purposes. If all of the nuclease domains are deleted or mutated in a Cas protein (e.g., both of the nuclease domains are deleted or mutated in a Cas9 protein), the resulting Cas protein (e.g., Cas9) will have a reduced ability to cleave both strands of a double-stranded DNA (e.g., a nuclease-null or nuclease-inactive Cas protein). One specific example is a D10A/H840A *S. pyogenes* Cas9 double mutant or a corresponding double mutant in a Cas9 from another species when optimally aligned with *S. pyogenes* Cas9. Another specific example is a D10A/N863A *S. pyogenes* Cas9 double mutant or a corresponding double mutant in a Cas9 from another species when optimally aligned with *S. pyogenes* Cas9.

Examples of inactivating mutations in the catalytic domains of *Staphylococcus aureus* Cas9 proteins are also known. For example, the *Staphylococcus aureus* Cas9 enzyme (SaCas9) may comprise a substitution at position N580 (e.g., N580A substitution) and a substitution at position D10 (e.g., D10A substitution) to generate a nuclease-inactive Cas protein. See, e.g., WO 2016/106236, herein incorporated by reference in its entirety for all purposes.

Examples of inactivating mutations in the catalytic domains of Cpf1 proteins are also known. With reference to Cpf1 proteins from *Francisella novicida* U112 (FnCpf1), *Acidaminococcus* sp. BV3L6 (AsCpf1), Lachnospiraceae bacterium ND2006 (LbCpf1), and *Moraxella bovoculi* 237 (MbCpf1 Cpf1), such mutations can include mutations at positions 908, 993, or 1263 of AsCpf1 or corresponding positions in Cpf1 orthologs, or positions 832, 925, 947, or 1180 of LbCpf1 or corresponding positions in Cpf1 orthologs. Such mutations can include, for example one or more of mutations D908A, E993A, and D1263A of AsCpf1 or corresponding mutations in Cpf1 orthologs, or D832A, E925A, D947A, and D1180A of LbCpf1 or corresponding mutations in Cpf1 orthologs. See, e.g., US 2016/0208243, herein incorporated by reference in its entirety for all purposes.

Cas fusion proteins can also be tethered to labeled nucleic acids. Such tethering (i.e., physical linking) can be achieved through covalent interactions or noncovalent interactions, and the tethering can be direct (e.g., through direct fusion or chemical conjugation, which can be achieved by modification of cysteine or lysine residues on the protein or intein modification), or can be achieved through one or more intervening linkers or adapter molecules such as streptavidin or aptamers. See, e.g., Pierce et al. (2005) *Mini Rev. Med. Chem.* 5(1):41-55; Duckworth et al. (2007) *Angew. Chem. Int. Ed. Engl.* 46(46):8819-8822; Schaeffer and Dixon (2009) *Australian J. Chem.* 62(10): 1328-1332; Goodman et al. (2009) *Chembiochem.* 10(9): 1551-1557; and Khatwani et al. (2012) *Bioorg. Med. Chem.* 20(14):4532-4539, each of which is herein incorporated by reference in its entirety for all purposes. Noncovalent strategies for synthesizing protein-nucleic acid conjugates include biotin-streptavidin and nickel-histidine methods. Covalent protein-nucleic acid conjugates can be synthesized by connecting appropriately functionalized nucleic acids and proteins using a wide variety of chemistries. Some of these chemistries involve direct attachment of the oligonucleotide to an amino acid residue on the protein surface (e.g., a lysine amine or a cysteine thiol), while other more complex schemes require post-translational modification of the protein or the involvement of a catalytic or reactive protein domain. Methods for

covalent attachment of proteins to nucleic acids can include, for example, chemical cross-linking of oligonucleotides to protein lysine or cysteine residues, expressed protein-ligation, chemoenzymatic methods, and the use of photoaptamers. The labeled nucleic acid can be tethered to the C-terminus, the N-terminus, or to an internal region within the Cas protein. Preferably, the labeled nucleic acid is tethered to the C-terminus or the N-terminus of the Cas protein. Likewise, the Cas protein can be tethered to the 5' end, the 3' end, or to an internal region within the labeled nucleic acid. That is, the labeled nucleic acid can be tethered in any orientation and polarity. Preferably, the Cas protein is tethered to the 5' end or the 3' end of the labeled nucleic acid.

In some embodiments, the nucleic acids encoding the Cas proteins of the invention, or functional fragments or derivatives thereof, can be codon optimized for efficient translation into protein in a particular cell or organism. For example, the nucleic acid encoding a Cas protein, or functional fragment or derivative thereof, can be modified to substitute codons having a higher frequency of usage in a bacterial cell, a yeast cell, a human cell, a non-human cell, a mammalian cell, a rodent cell, a mouse cell, a rat cell, or any other host (e.g. packaging) and/or target cell of interest. When a fusion RNA encoding a Cas protein, or a functional fragment or derivative thereof, is introduced into the cell, the Cas protein, or functional fragment or derivative thereof, can be transiently or conditionally expressed in the cell.

(ii) Cas Fusion RNA

In one aspect, described herein is a recombinant RNA molecule that is capable of being translated into a gene-editing protein, or functional fragment or derivative thereof, in a target cell. In certain embodiments, the recombinant RNA molecule is a Cas fusion RNA that is capable of being translated into a Cas protein, or functional fragment or derivative thereof, in a target cell, the Cas fusion RNA, which comprises (i) a sequence of a Cas mRNA, or a sequence of a functional fragment or derivative thereof, and (ii) a sequence of at least one small coding or non-coding RNA, or a sequence of a functional fragment or derivative thereof, wherein the small coding or non-coding RNA, or functional fragment or derivative thereof, is capable of enhancing inclusion of the Cas mRNA, or functional fragment or derivative thereof, into a retroviral particle.

In certain embodiments, the Cas fusion RNA molecule comprises one or more sequences of an enrichment coding or non-coding RNA, or functional fragment or derivative thereof. In certain embodiments, the Cas fusion RNA comprises at least about 1, at least about 2, at least about 3, at least about 4, at least about 5, at least about 6, at least about 7, at least about 8, at least about 9, or at least about 10 sequences of a small coding or non-coding RNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas fusion RNA comprises multiple copies of the same sequence of the small coding or non-coding RNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas fusion RNA comprises different sequences of small coding or non-coding RNA, or sequences of functional fragments or derivatives thereof.

In certain embodiments, the Cas mRNA, or functional fragment or derivative thereof, is operably linked to at least one small coding or non-coding RNA molecule, or fragment or derivative thereof. In certain embodiments, the at least one sequence of small coding or non-coding RNA, or a sequence of a fragment or derivative thereof, is operably linked to the 5' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In

certain embodiments, the at least one sequence of small coding or non-coding RNA, or a sequence of a fragment or derivative thereof, is fused before the start codon of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of small coding or non-coding RNA, or a sequence of a fragment or derivative thereof, is operably linked to the 3' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of small coding or non-coding RNA, or a sequence of a fragment or derivative thereof, is fused after the stop codon of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of small coding or non-coding RNA, or a fragment or derivative thereof, at least one sequence of small coding or non-coding RNA, or a sequence of a fragment or derivative thereof, is operably linked to the 5' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof and at least one sequence of small coding or non-coding RNA, or a fragment or derivative thereof, is operably linked to the 3' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof.

The Cas mRNA and small coding or non-coding RNA are linked such that there is no interruption of the initiation, elongation, and/or termination of the translation of the Cas mRNA in the target cell. The Cas mRNA, or functional fragment or derivative thereof, and small coding or non-coding RNA, or functional fragment or derivative thereof, are linked such that there is no interruption of the packaging of the small coding or non-coding RNA, or functional fragment or derivative thereof, into the retroviral particle. In certain embodiments, the enhancement of inclusion in to the retroviral particle can occur by interaction or binding of the small coding or non-coding RNA, or functional fragment or derivative thereof, to a component of the retroviral particle. In certain embodiments, the enhancement or inclusion into the retroviral particle can occur by interaction or binding of the small coding or non-coding RNA, or functional fragment or derivative thereof, to a nucleocapsid (NC) domain of the retroviral particle. In certain embodiments, the NC domain is the NC domain of a Gag molecule.

In certain embodiments, the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof, and sequence of non-coding RNA, or a sequence of a functional fragment or derivative thereof, are separated by a linker. In certain embodiments, when there is more than one enrichment coding or non-coding RNA, or functional fragment or derivative thereof, each enrichment coding or non-coding RNA, or functional fragment or derivative thereof, can be separated by a linker. Suitable linkers used in the Cas fusion RNA can be of any of a number of suitable lengths, such as, e.g., from 1 to 200 nucleotides or even longer. In certain embodiments, the linker is not cleavable (e.g., by a restriction enzyme). In certain embodiments, the linker is cleavable. In certain embodiments, the linker is a selectively cleavable linker. A selectively cleavable linker is a linker that is cleaved under selected conditions, such as a photo-cleavable linker, a chemically cleavable linker and an enzymatically cleavable linker (i.e., a restriction endonuclease site or a ribonuclease/RNase digestion). The stability of a nucleic acid-based biodegradable linker molecule can be modulated by using various chemistries, for example combinations of ribonucleotides, deoxyribonucleotides, and chemically-modified nucleotides, such as 2'-O-methyl, 2'-fluoro, 2'-amino, 2'-O-amino, 2'-C-allyl, 2'-O-allyl, and other 2'-modified or base modified nucleotides. The linker

molecule can also comprise nucleic acid backbone, nucleic acid sugar, or nucleic acid base modifications.

The compositions and methods take advantage of the fact that small coding or non-coding RNA can be effectively incorporated ("enriched") from the packaging cell into the retroviral particle. As an example, retroviruses are ribonucleoprotein complexes produced by cells as orchestrated by genetic information contained in virion RNA. While the most abundant nucleic acid in a retroviral particle is its genomic RNA (>50% of the RNA mass), the remainder of the RNA in the retroviral particle is host (e.g., packaging cell) encoded. See Onafuwa-Nuga et al., (2006) *RNA* 12:542-546. One of the first host encoded RNA packaged into a retrovirus was a molecule with 7S sedimentation properties, identified as 7SL RNA. Id. 7SL is the non-coding RNA component of signal recognition particle (SRP), which is the ribonucleoprotein complex promoting co-translational protein transport into the endoplasmic reticulum. See Water and Blobel (1982) *Nature* 299:691-698 and Doudna and Batey (2004) *Annu. Rev. Biochem.* 74:3046-3057, both herein incorporated by reference in their entirety for all purposes. In fact, 7SL RNA is the most abundant non-viral derived RNA found in lentiviruses (Eckwahl et al., (2016) *mBio* 7:e02025-15) and it is 7SL RNA is found in higher copy number in HIV viral particles than its own viral genomic RNA (Onafuwa-Nuga et al., (2006) *RNA* 12:542-546). Such data indicates that 7SL RNA could be selectively enriched into retroviral particles, and it is possible that the 7SL RNAs are not passively included into budding particles, but are actively packaged via interactions with Gag molecules. See Tian et al., (2007) *Nucleic Acids Res.* 35:7288-7302, which is incorporated by reference in its entirety for all purposes. In addition to 7SL RNA, several other small coding or non-coding RNA molecules are known to be enriched into retroviral particles. Examples of such small coding or non-coding RNA useful in the compositions and methods of the present invention include, but are not limited to, tRNAs (including primer tRNAs, SEQ ID NO: GCCCG-GATAGCTCAGTCGGTAGAGCATCA GACTTT-TAATCTGAGGGTCCAGGGTT-CAAGTCCCTGTTCGGGCG), 5S rRNA, U1 snRNA, U2 snRNA, U6 snRNA, Y1 RNA, Y3 RNA, B1 RNA, VL30 RNA, 7SK RNA, Alu RNA, miRNA, snoRNA, and cytoplasmic vault ncRNA. See Linial and Miller (1990) *Curr. Top. Microbiol. Immunol* 157:125-152; Berkowitz et al., (1996) *Curr. Top. Microbiol. Immunol* 214:177-218; Giles et al., (2004) *RNA* 10:299-307; Onafuwa-Nuga et al., (2005) *J. Virol.* 79:13528-13537; Tian et al., (2007) *Nucleic Acids Res.* 35:7288-7302, each of which herein incorporated by reference in their entirety for all purposes. Enrichment into the retroviral particles can occur by any means. For example, Primer tRNAs are selectively enriched via an interaction with retroviral reverse transcriptase. See Levin and Seidman (1979) *J. Virol.* 29:328-335; Kleiman (2002) *IUBMB Life* 53:107-114, each of which are incorporated in their entirety for all purposes. tRNA(Lys₃) is also selected by forming a complex with the capsid domain of the Gag molecule. See Cen et al., (2002) *J. Virol.* 76:13111-13115, incorporated in its entirety for all purposes. At least some nascent RNAs (e.g., pre-tRNAs) are packaged as well. See Eckwahl et al., (2016) *mBio* 7:e02025-15, incorporated by reference in its entirety for all purposes.

In certain embodiments, the non-coding RNA can be, but is not limited to, 7SL RNA, tRNAs (including primer tRNAs), 5S rRNA, U1 snRNA, U2 snRNA, U6 snRNA, Y1 RNA, Y3 RNA, B1 RNA, VL30 RNA, 7SK RNA, Alu RNA, miRNA, snoRNA, cytoplasmic vault ncRNA, or a

functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas mRNA into a retroviral particle. In certain embodiments, primer tRNAs include, but are not limited to, tRNA(Trp), tRNA(Pro), tRNA(Lys_{1,2}), tRNA(Lys₃), tRNA(iMet), tRNA(Gln), tRNA(Leu), tRNA(Ser), tRNA(Asn), tRNA(Ile), and tRNA(Arg). In certain embodiments, the primer tRNA is tRNA(Lys₃). In certain

embodiments, the non-coding RNA is 7SL RNA. In certain embodiments, the Cas fusion RNA molecule comprises (i) a sequence of Cas mRNA encoding a Cas protein, or functional fragment or derivative thereof, and (ii) at least one sequence of 7SL RNA, or a sequence of a functional fragment or derivative thereof, that is capable of enhancing inclusion of the Cas mRNA, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the 7SL RNA fragment or derivative comprises the 7SLrem domain (e.g., see below; SEQ ID NO: 85); the Alu domain (e.g., see below; SEQ ID NOs: 83&87 and 86&88; and FIG. 6B), or fragment or derivative thereof (e.g., FIGS. 6C and 6D); the S domain (e.g., see below; SEQ ID NO: 84; and FIG. 6E), or fragment or derivative thereof (e.g., FIGS. 6F and 6G); or a fragment or derivative of 7SL RNA or Alu domain comprising the 5c helix (See FIGS. 6A, 6B, 6H, and 6I). See e.g., Keene et al., (2010) *J. of Virology* 84:9070-9077 and Keene and Telesnitsky *J Virol.* 2012 August; 86(15): 7934-7942, both incorporated by reference in their entirety for all purposes. In certain embodiments, fragments or derivatives can encompass a 7SL RNA sequence, 7SLrem domain, Alu domain, S domain, or 5c helix with the same or similar secondary structure. In certain embodiments, exemplar fragments or derivatives of 7SL RNA sequence, 7SLrem domain, Alu domain, S domain, or 5c helix are those disclosed above and/or below or similar sequences with additional or fewer nucleotides. In certain embodiments, the additional or fewer nucleotides are those present in the 7SL RNA sequence. In certain embodiments, the additional nucleotides are not those that normally appear next in the 7SL RNA sequence. Both the Alu domain and the S domain are sufficient on their own to mediate packaging when expressed as separate truncations of 7SL. Inclusion of the 5c helix aids in packaging efficiency. See Keene (2012). In certain embodiments, the 7SL RNA, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the 7SL RNA, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the Cas mRNA, or functional fragment or derivative thereof, is operably linked to at least one 7SL RNA, or fragment or derivative thereof. In certain embodiments, the at least one sequence of 7SL RNA, or the sequence of a functional fragment or derivative thereof, is operably linked to the 5' of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the 7SL RNA, or a sequence of fragment or derivative thereof, is fused before the start codon of the sequence encoding the Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of 7SL RNA, or a sequence of functional fragment or derivative thereof, is operably linked to the 3' of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the 7SL RNA, or a sequence of fragment or derivative thereof, is fused after the stop codon of the sequence encoding the Cas mRNA or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence

of 7SL RNA, or a fragment or derivative thereof, at least one sequence of 7SL RNA, or a fragment or derivative thereof, is operably linked to the 5' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof and at least one sequence of 7SL RNA, or a fragment or derivative thereof, is operably linked to the 3' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof.

In certain embodiments, the Cas fusion RNA comprises a linker between the Cas mRNA, or functional fragment or derivative thereof, and the 7SL RNA, or functional fragment or derivative thereof. The Cas mRNA, or functional fragment or derivative thereof, and 7SL RNA, or functional fragment or derivative thereof, are linked such that there is no interruption of the translation of the Cas mRNA into Cas protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, when there is more than one 7SL RNA, or functional fragment or derivative thereof, each 7SL RNA, or functional fragment or derivative thereof, can be separated by a linker. Suitable linkers are disclosed above.

In certain embodiments, the 7SL RNA is encoded by the nucleic acid sequence of SEQ ID NO: 1, SEQ ID NO: 81, or SEQ ID NO:82. In certain embodiments, the 7SL RNA fragment comprises the 7SLrem domain; or the Alu domain, or functional fragment or derivative thereof; the S domain, or functional fragment or derivative thereof or a fragment or derivative of 7SL RNA or Alu domain comprising the 5c helix. See e.g., FIGS. 6A-6I; SEQ ID NOs: 83&87 and 84-85; and Keene et al., (2010) *J. of Virology* 84:9070-9077 and Keene and Telesnitsky *J Virol.* 2012 August; 86(15): 7934-7942, both incorporated by reference in their entirety for all purposes. In certain embodiments, the 7SL RNA fragment is encoded by one of the following nucleic acid sequences:

(SEQ ID NO: 1)

GCCGGGGCGCGGTGGCGCGTGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGG
CTGGAGGATCGCTTGAGTCCAGGAGTTCTGGGCTGTAGTGCCTATGCCGA
TCGGGTGTCCGCACTAAGTTCGGCATCAATATGGTGACCTCCCGGAGCGG
GGGACCAACAGGTTGCCTAAGGAGGGGTGAACCGGCCAGGTCGGAACCG
AGCAGGTCAAACTCCCGTGTGATCAGTAGTGGGATCGCGCTGTGAATA
 GCCACTGCACTCCAGCCTGGGCAACATAGCGAGACCCCGTCTCT

(underlined is the sequence of the 7SLrem domain the sequences corresponding to the Alu domain are shown in bold; the sequence corresponding to the S domain is italicized).

In certain embodiments, the Cas mRNA, or functional fragment or derivative thereof, is operably linked to at least one tRNA(Lys₃), or fragment or derivative thereof. In certain embodiments, the at least one sequence of tRNA(Lys₃), or the sequence of a functional fragment or derivative thereof, is operably linked to the 5' of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the tRNA(Lys₃), or a sequence of fragment or derivative thereof, is fused before the start codon of the sequence encoding the Cas mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of tRNA(Lys₃), or a sequence of functional fragment or derivative thereof, is operably linked to the 3' of the sequence of Cas mRNA, or

a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the tRNA(Lys₃), or a sequence of fragment of derivative thereof, is fused after the stop codon of the sequence encoding the Cas mRNA or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of tRNA(Lys₃), or a fragment or derivative thereof, at least one sequence of tRNA(Lys₃), or a fragment or derivative thereof, is operably linked to the 5' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof and at least one sequence of tRNA(Lys₃), or a fragment or derivative thereof, is operably linked to the 3' end of the sequence of Cas mRNA, or a sequence of a functional fragment or derivative thereof.

In certain embodiments, the Cas fusion RNA comprises a linker between the Cas mRNA, or functional fragment or derivative thereof, and the tRNA(Lys₃), or functional fragment or derivative thereof. The Cas mRNA, or functional fragment or derivative thereof, and tRNA(Lys₃), or functional fragment or derivative thereof, are linked such that there is no interruption of the translation of the Cas mRNA into Cas protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, when there is more than one tRNA(Lys₃), or functional fragment or derivative thereof, each tRNA(Lys₃), or functional fragment or derivative thereof, can be separated by a linker. Suitable linkers are disclosed above.

In certain embodiments, the tRNA(Lys₃) is encoded by the nucleic acid sequence of SEQ ID NO: 80.

In certain embodiments, the Cas molecule is a Cas9 molecule, or a functional fragment or derivative thereof. In certain embodiments, the Cas9 can be wild type Cas9, a Cas9 nickase, a dead Cas9 (dCas9) a split Cas9, and a Cas9 fusion protein. In certain embodiments, the Cas9 is a *Streptococcus pyogenes* or *Staphylococcus aureus* Cas9. In certain embodiments, the sequence of the Cas9 mRNA is codon optimized for expression in a eukaryotic cell. In certain embodiments, the Cas9 mRNA molecule is encoded by the nucleic acid sequence of SEQ ID NO: 2 (mouse codon optimized).

In certain embodiments, the Cas fusion RNA molecule comprises (i) a sequence of Cas9 mRNA encoding a Cas9 protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of 7SL RNA, or a sequence of a functional fragment or derivative thereof, that is capable of enhancing inclusion of the Cas9 mRNA, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas9 mRNA, or functional fragment or derivative thereof, is operably linked to the at least one 7SL RNA molecule, or fragment or derivative thereof. In certain embodiments, the at least one sequence of 7SL RNA, or sequence of a functional fragment or derivative thereof, is operably linked to the 5' of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the 7SL RNA, or a sequence of fragment of derivative thereof, is fused before the start codon of the sequence encoding the Cas9 mRNA or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of 7SL RNA, or a sequence of a functional fragment or derivative thereof, is operably linked to the 3' of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the 7SL RNA, or a sequence of a fragment of derivative thereof, is fused after the stop codon of the sequence

encoding the Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of 7SL RNA, or a fragment or derivative thereof, at least one sequence of 7SL RNA, or a fragment or derivative thereof, is operably linked to the 5' end and at least one sequence 7SL RNA, or a fragment or derivative thereof, 3' end of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof.

In certain embodiments, the Cas9 fusion RNA comprises a linker between the Cas9 mRNA, or functional fragment or derivative thereof, and the 7SL RNA, or functional fragment or derivative thereof. The Cas9 mRNA and 7SL RNA are linked such that there is no interruption of the initiation, elongation, and/or termination of the translation of the Cas9 mRNA in the target cell. In certain embodiments, when there is more than one 7SL RNA, or functional fragment or derivative thereof, each 7SL RNA, or functional fragment or derivative thereof, can be separated by a linker.

In certain embodiments, the Cas9 mRNA, or functional fragment or derivative thereof, is operably linked to at least one tRNA(Lys₃), or fragment or derivative thereof. In certain embodiments, the at least one sequence of tRNA(Lys₃), or the sequence of a functional fragment or derivative thereof, is operably linked to the 5' of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the tRNA(Lys₃), or a sequence of fragment of derivative thereof, is fused before the start codon of the sequence encoding the Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of tRNA(Lys₃), or a sequence of functional fragment or derivative thereof, is operably linked to the 3' of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence encoding the tRNA(Lys₃), or a sequence of fragment of derivative thereof, is fused after the stop codon of the sequence encoding the Cas9 mRNA or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of tRNA(Lys₃), or a fragment or derivative thereof, at least one sequence of tRNA(Lys₃), or a fragment or derivative thereof, is operably linked to the 5' end of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof and at least one sequence of tRNA(Lys₃), or a fragment or derivative thereof, is operably linked to the 3' end of the sequence of Cas9 mRNA, or a sequence of a functional fragment or derivative thereof.

In certain embodiments, the Cas9 fusion RNA comprises a linker between the Cas9 mRNA, or functional fragment or derivative thereof, and the tRNA(Lys₃), or functional fragment or derivative thereof. The Cas9 mRNA, or functional fragment or derivative thereof, and tRNA(Lys₃), or functional fragment or derivative thereof, are linked such that there is no interruption of the translation of the Cas9 mRNA into Cas9 protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, when there is more than one tRNA(Lys₃), or functional fragment or derivative thereof, each tRNA(Lys₃), or functional fragment or derivative thereof, can be separated by a linker. Suitable linkers are disclosed above.

In certain embodiments, the nucleic acid sequence encoding Cas9 fusion RNA is SEQ ID NO: 3 (i.e., the nucleic acid sequence encoding 7SL attached to the 5' end of the Cas9 mRNA before the start codon). In certain embodiments, the nucleic acid sequence encoding Cas9 fusion RNA is SEQ ID

NO: 4 (i.e., the nucleic acid sequence encoding 7SL attached to the 3' end of the Cas9 mRNA after the stop codon).

The Cas fusion RNA can be produced using routine molecular biology techniques, such as those described in He et al., (2014) *Gene Therapy*, 21:759-766. Optionally, the Cas mRNA can be codon optimized for efficient translation into the Cas protein, or functional fragment or derivative thereof, in a particular cell or organism. For example, the nucleic acid sequence encoding the Cas protein, or a functional fragment or derivative thereof, can be modified to substitute codons having a higher frequency of usage in a bacterial cell, a yeast cell, a human cell, a non-human cell, a mammalian cell, a rodent cell, a mouse cell, a rat cell, or any other host (e.g., packaging) and/or target cell of interest, as compared to the naturally occurring polynucleotide sequence.

In certain embodiments, the nucleic acid molecule encoding the Cas fusion RNA further comprises a regulatory element, including for example, a promoter (e.g., including an enhancer), or a transcriptional repressor-binding element. Exemplary expression control sequences are known in the art and described in, for example, Goeddel, (1990) *Gene Expression Technology: Methods in Enzymology*, Vol. 185, Academic Press, San Diego, Calif., incorporated by reference in its entirety for all purposes.

(iii) Cas Fusion Protein

In one aspect, described herein is a recombinant Cas fusion protein that is capable of being delivered directly to a target cell via the recombinant retroviral particle, the Cas fusion protein comprising (i) a sequence of a Cas protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of an enrichment protein, or a sequence of a functional fragment or derivative thereof, that is capable of effectively incorporating (i.e., enhancing inclusion of) the Cas protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas protein, or functional fragment or derivative thereof, is operably linked to the enrichment protein, or fragment or derivative thereof. In certain embodiments, the Cas fusion protein comprises one or more sequences of an enrichment protein, or functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of enrichment protein, or functional fragment or derivative thereof, each enrichment protein, or functional fragment or derivative thereof, is the same or different.

In certain embodiments, the at least one sequence of the enrichment protein, or a sequence of a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of the enrichment protein, or a sequence of a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of enrichment protein, or a fragment or derivative thereof, at least one sequence of enrichment protein, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of enrichment protein, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof.

In certain embodiments, the Cas protein, or functional fragment or derivative thereof, and the at least one enrichment protein are separated by a linker. In certain embodi-

ments, when there is more than one enrichment protein, or functional fragment or derivative thereof, each enrichment protein, or functional fragment or derivative thereof, can be separated by a linker. In certain embodiments, the Cas fusion protein is associated with a capsid protein of the retroviral particle. In certain embodiments, the Cas fusion protein is associated with a nucleocapsid domain of the retroviral particle. In other embodiments, the Cas fusion protein can be packaged into the retroviral particle.

The Cas fusion protein can be provided as a fusion protein comprising a Cas protein, or functional fragment or derivative thereof, and a Viro Protein R (Vpr), or a functional fragment or derivative thereof, which is capable of enhancing inclusion of the Cas protein, or functional fragment or derivative thereof, into a retroviral particle. Vpr is a 96 amino acid 14-kDa protein within the HIV genome that plays a significant role in regulating nuclear import of the HIV-1 pre-integration complex. See Bukrinsky and Adzhubei (1999) *Rev. Med. Virol.* 9:39-49, incorporated by reference in its entirety for all purposes. Vpr is also required for retrovirus replication in non-dividing cells such as macrophages.

The Cas fusion protein can be provided as a fusion protein comprising a Cas protein, or functional fragment or derivative thereof, and a Viro Protein X (Vpx), or a functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas protein, or functional fragment or derivative thereof, into a retroviral particle. Vpx shares a close sequence similarity with Vpr. See Wu et al., (1994) *J. Virol.* 68:6161-6169, incorporated by reference in its entirety for all purposes.

Vpr and Vpx are packaged into retroviral particles in quantities comparable with retroviral Gag proteins. See Bukrinsky and Adzhubei, supra. The packaging is likely to occur via interaction with p6^{Gag} region of the Pr55^{Gag} precursor protein. See Lu et al., (1993) *J. Virol.* 67:6542-6550; Paxton et al., (1993) *J. Virol.* 67:7229-7237; Wu et al., (1994) *J. Virol.* 68:6161-6169, each of which incorporated by reference in their entirety for all purposes.

In certain embodiments, the Cas fusion protein molecule comprises (i) a sequence of Cas protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of Vpr, or a sequence of a functional fragment or derivative thereof, that is capable of enhancing inclusion of the Cas fusion protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas protein, or functional fragment or derivative thereof, is operably linked to at least one Vpr, or fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpr, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpr, or a sequence of functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of Vpr, or a fragment or derivative thereof, at least one sequence of Vpr, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of Vpr, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas fusion protein comprises a linker between the Cas protein, or

31

functional fragment or derivative thereof, and the Vpr, or functional fragment or derivative thereof. In certain embodiments, when there is more than one Vpr, or functional fragment or derivative thereof, each Vpr, or functional fragment or derivative thereof, can be separated by a linker. The Cas protein, or functional fragment or derivative thereof, and Vpr, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, the Vpr, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the Vpr, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the Vpr is encoded by the nucleic acid sequence of SEQ ID NO: 5. In certain embodiment, the amino acid sequence of Vpr is SEQ ID NO: 6.

In certain embodiments, the Cas fusion protein molecule comprises (i) a sequence of Cas protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas fusion protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas protein, or functional fragment or derivative thereof, is operably linked to at least one Vpx, or fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of Vpx, or a fragment or derivative thereof, at least one sequence of Vpx, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of Vpx, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas fusion protein comprises a linker between the Cas protein, or functional fragment or derivative thereof, and the Vpx, or functional fragment or derivative thereof. In certain embodiments, when there is more than one Vpx, or functional fragment or derivative thereof, each Vpx, or functional fragment or derivative thereof, can be separated by a linker. The Cas protein, or functional fragment or derivative thereof, and Vpx, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, the Vpx, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the Vpx, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the Vpx is encoded by the nucleic acid sequence of SEQ ID NO: 7. In certain embodiment, the amino acid sequence of Vpx is SEQ ID NO: 8.

The Cas fusion protein can be provided as a fusion protein comprising a Cas protein, or functional fragment or derivative thereof, and a Cyclophilin A (CypA), or a functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas protein, or functional fragment or

32

derivative thereof, into a retroviral particle. CypA is an 18 kDa, 165-amino acid long cytosolic protein that regulates many biological processes, including intracellular signaling, transcription, inflammation, and apoptosis. CypA can also interact with several HIV proteins, and has been shown to interact with lentiviral Gag proteins and become highly enriched in lentiviral particles. See e.g., Luban et al., (1993) *Cell* 73:1067-78, incorporated by reference in its entirety for all purposes.

In certain embodiments, the Cas fusion protein molecule comprises (i) a sequence of Cas protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of CypA or a sequence of a functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas fusion protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas protein, or functional fragment or derivative thereof, is operably linked to at least one CypA, or fragment or derivative thereof. In certain embodiments, the at least one sequence of CypA, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of CypA, or a sequence of a functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of CypA, or a fragment or derivative thereof, at least one sequence of CypA, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of CypA, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas fusion protein comprises a linker between the Cas protein, or functional fragment or derivative thereof, and the CypA, or functional fragment or derivative thereof. In certain embodiments, when there is more than one CypA, or functional fragment or derivative thereof, each CypA, or functional fragment or derivative thereof, can be separated by a linker. The Cas protein, or functional fragment or derivative thereof, and CypA, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, the CypA, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the CypA, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the CypA is encoded by the nucleic acid sequence of SEQ ID NO: 9. In certain embodiment, the amino acid sequence of CypA is SEQ ID NO: 10.

In certain embodiments, the Cas protein is Cas9, or functional fragment or derivative thereof. In certain embodiments, the Cas9 is selected from the group consisting of wild type Cas9, a Cas9 nickase, a dead Cas9 (dCas9), a split Cas9, an inducible Cas9, and a Cas9 fusion protein. In certain embodiments, the Cas9 is a *Streptococcus pyogenes* or *Staphylococcus aureus* Cas9. In certain embodiments, the sequence of the Cas9 mRNA is codon optimized for expression in a eukaryotic cell. In certain embodiments, the Cas9 protein is encoded by the nucleic acid sequence of SEQ ID NO: 2. In certain embodiments, the Cas9 protein is encoded by the nucleic acid sequence of SEQ ID NO: 11.

In certain embodiments, the Cas fusion protein molecule comprises (i) a sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of Vpr, or a sequence of a functional fragment or derivative thereof, that is capable of enhancing inclusion of the Cas9 fusion protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas9 protein, or functional fragment or derivative thereof, is operably linked to at least one Vpr, or fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpr, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpr, or a sequence of a functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of Vpr, or a fragment or derivative thereof, at least one sequence of Vpr, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of Vpr, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas9 fusion protein comprises a linker between the Cas9 protein, or functional fragment or derivative thereof, and the Vpr, or functional fragment or derivative thereof. In certain embodiments, when there is more than one Vpr, or functional fragment or derivative thereof, each Vpr, or functional fragment or derivative thereof, can be separated by a linker. The Cas9 protein, or functional fragment or derivative thereof, and Vpr, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas9 protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, the Vpr, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the Vpr, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the Cas fusion protein comprises (i) a sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof that is capable of enhancing inclusion of the Cas9 fusion protein, or functional fragment or derivative thereof, into a retroviral particle. In certain embodiments, the Cas9 protein, or functional fragment or derivative thereof, is operably linked to at least one Vpx, or fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of Vpx, or a sequence of a functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of Vpx, or a fragment or derivative thereof, at least one sequence of Vpx, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of Vpx, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas9

protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas9 fusion protein comprises a linker between the Cas9 protein, or functional fragment or derivative thereof, and the Vpx, or functional fragment or derivative thereof. In certain embodiments, when there is more than one Vpx, or functional fragment or derivative thereof, each Vpx, or functional fragment or derivative thereof, can be separated by a linker. The Cas9 protein, or functional fragment or derivative thereof, and Vpx, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas9 protein in the target cell. In certain embodiments, the Vpx, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the Vpx, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the Cas fusion protein molecule comprises (i) a sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof, and (ii) at least one sequence of CypA, or a sequence of a functional fragment or derivative thereof, that is capable of enhancing inclusion of the Cas9 fusion protein into a retroviral particle. In certain embodiments, the Cas9 protein, or functional fragment or derivative thereof, is operably linked to at least one CypA, or fragment or derivative thereof. In certain embodiments, the at least one sequence of CypA, or a sequence of a functional fragment or derivative thereof, is operably linked to the N-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the at least one sequence of CypA, or a sequence of a functional fragment or derivative thereof, is operably linked to the C-terminus of the sequence of the Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, when there is more than one sequence of CypA, or a fragment or derivative thereof, at least one sequence of CypA, or a fragment or derivative thereof, is operably linked to the N-terminus of the sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof and at least one sequence of CypA, or a fragment or derivative thereof, is operably linked to the C-terminus of the sequence of Cas9 protein, or a sequence of a functional fragment or derivative thereof. In certain embodiments, the Cas9 fusion protein comprises a linker between the Cas9 protein, or functional fragment or derivative thereof, and the CypA, or functional fragment or derivative thereof. In certain embodiments, when there is more than one CypA, or functional fragment or derivative thereof, each CypA, or functional fragment or derivative thereof, can be separated by a linker. The Cas9 protein, or functional fragment or derivative thereof, and CypA, or functional fragment or derivative thereof, are linked such that there is no decrease in activity of the Cas9 protein, or functional fragment or derivative thereof, in the target cell. In certain embodiments, the CypA, or fragment or derivative thereof, is able to interact or bind with an NC domain. In certain embodiments, the CypA, or fragment or derivative thereof, is able to interact or bind with a Gag molecule.

In certain embodiments, the nucleic acid sequence encoding Cas9 fusion protein can be SEQ ID NOs: 12, 14, 16, 18, 20, or 22. In certain embodiments, the amino acid sequence encoding Cas9 fusion protein can be SEQ ID NOs: 13, 15, 17, 19, 21, or 23.

In certain embodiments, the sequence of Cas protein, or a sequence of a functional fragment or derivative thereof, and the sequence of the enrichment protein (e.g., CypA, Vpr

35

and/or Vpx), or a sequence of a fragment or derivative thereof, are separated by a linker.

Suitable peptide linkers used in the Cas fusion proteins can be of any of a number of suitable lengths, such as, for example, from 1 amino acid (e.g., Gly) to 20 amino acids, from 2 amino acids to 15 amino acids, from 3 amino acids to 12 amino acids, including 4 amino acids to 10 amino acids, 5 amino acids to 9 amino acids, 6 amino acids to 8 amino acids, or 7 amino acids to 8 amino acids, and can be 1, 2, 3, 4, 5, 6, or 7 amino acids. Linkers can be cleavable or non-cleavable. Non-limiting examples of linkers include, e.g., glycine polymers (G)_n, glycine-serine polymers (including, for example, (GS)_n, (GSGGS) (SEQ ID NO: 91) and (GGGS) (SEQ ID NO: 92) (TABLE 1), where n is an integer of at least one), glycine-alanine polymers, alanine-serine polymers, and other flexible linkers known in the art. See, e.g., Chichili et al, (2013) *Protein Science*, 22:153-167. Glycine and glycine-serine polymers can be used; both Gly and Ser are relatively unstructured, and therefore can serve as a neutral tether between components. Glycine polymers can be used; glycine accesses significantly more phi-psi space than even alanine, and is much less restricted than residues with longer side chains. See Scheraga, (1992) *Rev. Computational Chem.* 1:1173-142. Exemplary linkers can comprise amino acid sequences including, but not limited to, GGSG (SEQ ID NO: 93), GSGGG (SEQ ID NO: 94), GSGSG (SEQ ID NO: 95), GSGGG (SEQ ID NO: 96), GGGSG (SEQ ID NO: 97), GSSSG (SEQ ID NO: 98), GCGASGGGSGGGGS (SEQ ID NO: 99), GCGASGGGSGGGGS (SEQ ID NO: 99), GGGASGGGSGGGGS (SEQ ID NO: 100), GGGASGGGGS (SEQ ID NO: 101), G₃S (SEQ ID NO: 92), (G₃S)₂ (SEQ ID NO: 102), (G₃S)₃ (SEQ ID NO: 103), G₄S (SEQ ID NO: 104), (G₄S)₂ (SEQ ID NO: 105), (G₄S)₃ (SEQ ID NO: 89), (G₄S)₄ (SEQ ID NO: 106), (TABLE 1), SGGSGGS (SEQ ID NO: 107); EFGNM (SEQ ID NO: 108); EFGGNNM (SEQ ID NO: 109); EFGNGGNNM (SEQ ID NO: 110); or GGSNMAG (SEQ ID NO: 111) and the like. In certain embodiments, the linker sequence is (G₄S)₃ (SEQ ID NO: 89).

TABLE 1

Linker amino acids sequence	Linker codon-optimized nucleotide sequence (human)	Linker codon-optimized nucleotide sequence (mouse)
GGGS (SEQ ID NO: 92)	GGGGGTGGTTCC (SEQ ID NO: 112)	GGTGGCGGTAGT (SEQ ID NO: 128)
GGSG (SEQ ID NO: 93)	GGTGGGTCTGGG (SEQ ID NO: 113)	GGGGGATCTGGT (SEQ ID NO: 129)
GSGGS (SEQ ID NO: 91)	GGGTCCGGGGCTCC (SEQ ID NO: 114)	GGCAGTGGCGGTAGC (SEQ ID NO: 130)
GSGGG (SEQ ID NO: 94)	GGTGGGAGCGGTGGT (SEQ ID NO: 115)	GGAGGGAGTGGAGG (SEQ ID NO: 131)
GSGSG (SEQ ID NO: 95)	GGCAGCGGAAGCGGA (SEQ ID NO: 116)	GGGTCTGGCTCAGGC (SEQ ID NO: 132)
GSGGG (SEQ ID NO: 96)	GGGAGTGGGGGAGGT (SEQ ID NO: 117)	GGTCTGGCGGAGGT (SEQ ID NO: 133)
GGGSG (SEQ ID NO: 97)	GGTGGGGGAAGTGA (SEQ ID NO: 118)	GGTGGTGGGAGTGA (SEQ ID NO: 134)

36

TABLE 1-continued

Linker amino acids sequence	Linker codon-optimized nucleotide sequence (human)	Linker codon-optimized nucleotide sequence (mouse)
GSSSG (SEQ ID NO: 98)	GGCAGCTCATCTGGT (SEQ ID NO: 119)	GGCTCAAGCAGTGA (SEQ ID NO: 135)
GCGASGGG (SEQ ID NO: 99)	GGATGTGGTGCATCTG (SEQ ID NO: 120)	GGCTGTGGGGCTAGTG (SEQ ID NO: 136)
GSGGGGS (SEQ ID NO: 99)	GAGGGGGAGGCTCTGG (SEQ ID NO: 121)	GGGAGGTGGTAGTGG (SEQ ID NO: 137)
GCGASGGG (SEQ ID NO: 99)	GGGTGTGGTCTAGTG (SEQ ID NO: 122)	GGATGTGGGGCTCAG (SEQ ID NO: 138)
GSGGGGS (SEQ ID NO: 99)	GGGTGGCGGATCAGG (SEQ ID NO: 123)	GTGGGGGTGGCAGCGG (SEQ ID NO: 139)
GSGGGGS (SEQ ID NO: 99)	TGGAGGCGGGAGC (SEQ ID NO: 124)	TGGTGGAGGTCA (SEQ ID NO: 140)
GGGGSGGG (SEQ ID NO: 100)	GGGGGCGGAGGATCTGGG (SEQ ID NO: 125)	GGTGGCGGGGGCTCTG (SEQ ID NO: 141)
GSGGGGS (SEQ ID NO: 100)	GAGGTGGAAGTGGTGGAG (SEQ ID NO: 126)	GGGGCGGGGGTAGTGG (SEQ ID NO: 142)
GSGGGGS (SEQ ID NO: 89)	GAGGT (SEQ ID NO: 127)	GGGTGGAGGTCA (SEQ ID NO: 143)
GGGGSGGG (SEQ ID NO: 89)	GGAGGGGGAGGTTCTGGCG (SEQ ID NO: 128)	GGTGGAGGTGGAAGTG (SEQ ID NO: 144)
GSGGGGS (SEQ ID NO: 89)	GCGGGGATCAGGAGGCG (SEQ ID NO: 129)	GAGGAGGGGATCAGG (SEQ ID NO: 145)
GGGGSGGG (SEQ ID NO: 89)	GGTGGGGGGCGTCAGGTG (SEQ ID NO: 130)	GGAGGGGGAGCCTCTG (SEQ ID NO: 146)
GSGGGGS (SEQ ID NO: 89)	GAGGCAGC (SEQ ID NO: 131)	GGGGGAGGAGGAGTGG (SEQ ID NO: 147)
GGGGSGGG (SEQ ID NO: 89)	GGAGGTGGAGGTAGTGGC (SEQ ID NO: 132)	GGGGGTGGAGGATCA (SEQ ID NO: 148)
GSGGGGS (SEQ ID NO: 89)	GTGGTGGGTGAGGGGAGG (SEQ ID NO: 133)	GGAGCGGTGGTCTCTG (SEQ ID NO: 149)
GGGS (SEQ ID NO: 106)	CGGGTCCGGTGGCGTGGG (SEQ ID NO: 134)	GGGGAGGTGGATCCGG (SEQ ID NO: 150)
	AGT (SEQ ID NO: 127)	CGGGGTGGTAGT (SEQ ID NO: 143)

In certain embodiments, the linker is a cleavable linker. Preferably, such cleavable linker is susceptible to cleavage under intracellular conditions in the target cell but not in the packaging cell. Suitable cleavable linkers include, for example, a peptide linker cleavable by an intracellular protease, such as lysosomal protease or an endosomal protease. In exemplar embodiments, the linker can be a dipeptide linker, such as a valine-citrulline (val-cit) or a phenyl-alanine-lysine (phe-lys) linker. Other suitable linkers include linkers hydrolyzable at a pH of less than 5.5, such as a hydrazone linker. Additional suitable cleavable linkers include disulfide linkers.

Cas proteins, or functional fragment or derivative thereof, also be operably linked to other heterologous polypeptides as fusion proteins. For example, a Cas protein, or functional fragment or derivative thereof, can be fused to a cleavage domain, an epigenetic modification domain, a transcriptional activation domain, or a transcriptional repressor domain. See WO 2014/089290, herein incorporated by reference in its entirety for all purposes. Examples of transcriptional activation domains include a herpes simplex virus VP16 activation domain, VP64 (which is a tetrameric derivative of VP16), a NFκB p65 activation domain, p53 activation domains 1 and 2, a CREB (cAMP response element binding protein) activation domain, an E2A activation domain, and an NFAT (nuclear factor of activated

T-cells) activation domain. Other examples include activation domains from Oct1, Oct-2A, SP1, AP-2, CTF1, P300, CBP, PCAF, SRC1, Pvalb, ERF-2, OsGAL, HALF-1, C1, AP1, ARF-5, ARF-6, ARF-7, ARF-8, CPRF1, CPRF4, MYC-RP/GP, TRAB1PC4, and HSF1. See, e.g., US 2016/0237456, EP3045537, and WO 2011/145121, each of which is incorporated by reference in its entirety for all purposes. In some cases, a transcriptional activation system can be used comprising a dCas9-VP64 fusion protein paired with MS2-p65-HSF1. Guide RNAs in such systems can be designed with aptamer sequences appended to sgRNA tetraloop and stem-loop 2 designed to bind dimerized MS2 bacteriophage coat proteins. See, e.g., Konermann et al. (2015) *Nature* 517(7536):583-588, herein incorporated by reference in its entirety for all purposes. Examples of transcriptional repressor domains include inducible cAMP early repressor (ICER) domains, Kruppel-associated box A (KRAB-A) repressor domains, YY1 glycine rich repressor domains, Sp1-like repressors, E(spl) repressors, IκB repressor, and MeCP2. Other examples include transcriptional repressor domains from A/B, KOX, TGF-beta-inducible early gene (TIEG), v-erbA, SID, SID4X, MBD2, MBD3, DNMT1, DNMG3A, DNMT3B, Rb, ROM2. See, e.g., EP3045537 and WO 2011/145121, each of which is incorporated by reference in its entirety for all purposes. Cas proteins can also be fused to a heterologous polypeptide providing increased or decreased stability. The fused domain or heterologous polypeptide can be located at the N-terminus, the C-terminus, or internally within the Cas protein, or functional fragment or derivative thereof.

As one example, a Cas protein, or functional fragment or derivative thereof, can be fused to one or more heterologous polypeptides that provide for subcellular localization. Such heterologous polypeptides can include, for example, one or more nuclear localization signals (NLS) such as the SV40 NLS and/or an alpha-importin NLS for targeting to the nucleus, a mitochondrial localization signal for targeting to the mitochondria, an ER retention signal, and the like. See, e.g., Lange et al. (2007) *J. Biol. Chem.* 282:5101-5105, herein incorporated by reference in its entirety for all purposes. Such subcellular localization signals can be located at the N-terminus, the C-terminus, or anywhere within the Cas protein, or functional fragment or derivative thereof. An NLS can comprise a stretch of basic amino acids, and can be a monopartite sequence or a bipartite sequence. Optionally, the Cas protein, or functional fragment or derivative thereof, comprises two or more NLSs, including an NLS (e.g., an alpha-importin NLS) at the N-terminus and/or an NLS (e.g., an SV40 NLS) at the C-terminus.

Cas proteins, or functional fragment or derivative thereof, can also be operably linked to a heterologous polypeptide for ease of tracking or purification, such as a fluorescent protein, a purification tag, or an epitope tag. Examples of fluorescent proteins include green fluorescent proteins (e.g., GFP, GFP-2, tagGFP, turboGFP, eGFP, Emerald, Azami Green, Monomeric Azami Green, CopGFP, AceGFP, ZsGreen1), yellow fluorescent proteins (e.g., YFP, eYFP, Citrine, Venus, YPet, PhiYFP, ZsYellow1), blue fluorescent proteins (e.g. eBFP, eBFP2, Azurite, mKalama1, GFPuv, Sapphire, T-sapphire), cyan fluorescent proteins (e.g. eCFP, Cerulean, CyPet, AmCyan1, Midoriishi-Cyan), red fluorescent proteins (mKate, mKate2, mPlum, DsRed monomer, mCherry, mRFP1, DsRed-Express, DsRed2, DsRed-Monomer, HcRed-Tandem, HcRed1, AsRed2, eqFP611, mRaspberry, mStrawberry, Jred), orange fluorescent proteins (mOrange, mKO, Kusabira-Orange, Monomeric Kusabira-Orange, mTangerine, tdTomato), and any other suitable

fluorescent protein. Examples of tags include glutathione-S-transferase (GST), chitin binding protein (CBP), maltose binding protein, thioredoxin (TRX), poly(NANP), tandem affinity purification (TAP) tag, myc, AcV5, AU1, AUS, E, ECS, E2, FLAG, hemagglutinin (HA), nus, Softag 1, Softag 3, Strep, SBP, Glu-Glu, HSV, KT3, S, 51, T7, V5, VSV-G, histidine (His), biotin carboxyl carrier protein (BCCP), and calmodulin.

The Cas fusion protein can be produced using routine molecular biology techniques, such as those described above or in He et al., supra. Alternatively, Cas fusion protein can be prepared by various other methods.

In certain embodiments, the nucleic acid encoding the Cas fusion protein comprises a regulatory element, including for example, a promoter, an enhancer, or a transcriptional repressor-binding element. Exemplary expression control sequences are known in the art and described in, for example, Goeddel, (1990) *Gene Expression Technology: Methods in Enzymology*, Vol. 185, Academic Press, San Diego, Calif., incorporated by reference in its entirety for all purposes.

B. Transcription Activator-Like Effector Nucleases, Zinc Finger Nucleases, Meganucleases, and Restriction Endonucleases

In certain embodiments, the gene-editing molecule can be zinc finger nucleases (ZFNs), transcription activator-like effector nucleases (TALENs), meganucleases, and/or restriction endonucleases. Fusion RNA and fusion protein molecules using these gene-editing molecules, or functional fragment or derivative thereof, for use in the compositions and methods of the invention can be made in the same fashion and structure as that disclosed above for Cas molecules, or functional fragment or derivative thereof.

Transcription activator-like effector nucleases (TALEN) are restriction enzymes that can be engineered to cut target sequences of DNA. They are made by fusing a TAL effector DNA-binding domain to a DNA cleavage domain (a nuclease which cuts DNA strands). TAL effector nucleases are a class of sequence-specific nucleases that can be used to make double-strand breaks at specific target sequences in the genome of a prokaryotic or eukaryotic organism. TAL effector nucleases are created by fusing a native or engineered transcription activator-like (TAL) effector, or functional part thereof, to the catalytic domain of an endonuclease, such as, for example, FokI. The unique, modular TAL effector DNA binding domain allows for the design of proteins with potentially any given DNA recognition specificity. Thus, the DNA binding domains of the TAL effector nucleases can be engineered to recognize specific DNA target sites and thus, used to make double-strand breaks at desired target sequences. See, WO 2010/079430; Morbitzer et al. (2010) *PNAS* 10.1073/pnas.1013133107; Scholze & Boch (2010) *Virulence* 1:428-432; Christian et al. *Genetics* (2010) 186:757-761; Li et al. (2010) *Nuc. Acids Res.* doi: 10.1093/nar/gkq704; and Miller et al. (2011) *Nature Biotechnology* 29:143-148; all of which are herein incorporated by reference in their entirety and for all purposes.

Examples of suitable TAL nucleases, and methods for preparing suitable TAL nucleases, are disclosed, e.g., in US Patent Application No. 2011/0239315 A1, 2011/0269234 A1, 2011/0145940 A1, 2003/0232410 A1, 2005/0208489 A1, 2005/0026157 A1, 2005/0064474 A1, 2006/0188987 A1, and 2006/0063231 A1 (each hereby incorporated by reference in their entirety and for all purposes). In various embodiments, TAL effector nucleases are engineered that cut in or near a target nucleic acid sequence in, e.g., a genomic locus of interest, wherein the target nucleic acid

sequence is at or near a sequence to be modified by a targeting vector. The TAL nucleases suitable for use with the various methods and compositions provided herein include those that are specifically designed to bind at or near target nucleic acid sequences to be modified by targeting vectors.

In one embodiment, each monomer of the TALEN comprises 12-25 TAL repeats, wherein each TAL repeat binds a 1 bp subsite. In certain embodiments, the gene-editing molecule is a chimeric protein comprising a TAL repeat-based DNA binding domain operably linked to an independent nuclease. In certain embodiments, the independent nuclease is a FokI endonuclease. In one embodiment, the gene-editing molecule comprises a first TAL-repeat-based DNA binding domain and a second TAL-repeat-based DNA binding domain, wherein each of the first and the second TAL-repeat-based DNA binding domain is operably linked to a FokI nuclease, wherein the first and the second TAL-repeat-based DNA binding domain recognize two contiguous target DNA sequences in each strand of the target DNA sequence separated by about 6 bp to about 40 bp cleavage site, and wherein the FokI nucleases dimerize and make a double strand break at a target sequence.

In certain embodiments, the gene-editing molecule comprises a first TAL-repeat-based DNA binding domain and a second TAL-repeat-based DNA binding domain, wherein each of the first and the second TAL-repeat-based DNA binding domain is operably linked to a FokI nuclease, wherein the first and the second TAL-repeat-based DNA binding domain recognize two contiguous target DNA sequences in each strand of the target DNA sequence separated by a 5 bp or 6 bp cleavage site, and wherein the FokI nucleases dimerize and make a double strand break.

The gene-editing molecule employed in the various methods and compositions disclosed herein can further comprise a zinc-finger nuclease (ZFN). Zinc finger nucleases (ZFNs) are a class of engineered DNA-binding proteins that assist targeted editing of the genome by creating double strand breaks (DSBs) in DNA at targeted locations. ZFNs comprise two functional domains: i) a DNA-binding domain comprising a chain of two-finger modules (each recognizing a unique hexamer (6 bp) sequence of DNA—two-finger modules are stitched together to form a Zinc Finger Protein, each with specificity of >24 bp) and ii) a DNA-cleaving domain comprising a nuclease domain of Fok I. When the DNA-binding and -cleaving domains are fused together, a highly-specific pair of “genomic scissors” are created.

In certain embodiments, each monomer of the ZFN comprises 3 or more zinc finger-based DNA binding domains, wherein each zinc finger-based DNA binding domain binds to a 3 bp subsite. In other embodiments, the ZFN is a chimeric protein comprising a zinc finger-based DNA binding domain operably linked to an independent nuclease. In certain embodiments, the independent endonuclease is a FokI endonuclease. In certain embodiments, the gene-editing molecule comprises a first ZFN and a second ZFN, wherein each of the first ZFN and the second ZFN is operably linked to a FokI nuclease, wherein the first and the second ZFN recognize two contiguous target DNA sequences in each strand of the target DNA sequence separated by about 6 bp to about 40 bp cleavage site or about a 5 bp to about 6 bp cleavage site, and wherein the FokI nucleases dimerize and make a double strand break. See, e.g., US20060246567; US20080182332; US20020081614; US20030021776; WO/2002/057308A2; US20130123484; 0520100291048; and, WO/2011/017293A2, each of which is herein incorporated by reference in their entirety for all purposes.

In certain embodiments of the compositions and methods provided herein, the gene-editing molecule comprises (a) a chimeric protein comprising a zinc finger-based DNA binding domain fused to a FokI endonuclease; or (b) a chimeric protein comprising a Transcription Activator-Like Effector Nuclease (TALEN) fused to a FokI endonuclease.

In still another embodiment, the gene-editing molecule is a meganuclease. Meganucleases have been classified into four families based on conserved sequence motifs, the families are the LAGLIDADG (SEQ ID NO: 24), GIY-YIG, H—N—H, and His-Cys box families. These motifs participate in the coordination of metal ions and hydrolysis of phosphodiester bonds. HEases are notable for their long recognition sites, and for tolerating some sequence polymorphisms in their DNA substrates. Meganuclease domains, structure and function are known, see e.g., Guhan and Muniyappa (2003) *Crit Rev Biochem Mol Biol* 38:199-248; Lucas et al., (2001) *Nucleic Acids Res* 29:960-9; Jurica and Stoddard, (1999) *Cell Mol Life Sci* 55:1304-26; Stoddard, (2006) *Q Rev Biophys* 38:49-95; and Moure et al., (2002) *Nat Struct Biol* 9:764. In some examples a naturally occurring variant, and/or engineered derivative meganuclease is used. Methods for modifying the kinetics, cofactor interactions, expression, optimal conditions, and/or recognition site specificity, and screening for activity are known, see e.g., Epinat et al., (2003) *Nucleic Acids Res* 31:2952-62; Chevalier et al., (2002) *Mol Cell* 10:895-905; Gimble et al., (2003) *Mol Biol* 334:993-1008; Seligman et al., (2002) *Nucleic Acids Res* 30:3870-9; Sussman et al., (2004) *J Mol Biol* 342:31-41; Rosen et al., (2006) *Nucleic Acids Res* 34:4791-800; Chames et al., (2005) *Nucleic Acids Res* 33:e178; Smith et al., (2006) *Nucleic Acids Res* 34:e149; Gruen et al., (2002) *Nucleic Acids Res* 30:e29; Chen and Zhao, (2005) *Nucleic Acids Res* 33:e154; WO2005105989; WO2003078619; WO2006097854; WO2006097853; WO2006097784; and WO2004031346.

Any meganuclease can be used herein, including, but not limited to, I-SceI, I-SceII, I-SceIII, I-SceIV, I-SceV, I-SceVI, I-SceVII, I-CeuI, I-CeuAIIIP, I-CreI, I-CrepsbIP, I-CrepsbIIIP, I-CrepsbIIIP, I-CrepsbIVP, I-TliI, I-PspI, I-PspII, F-SceII, F-SuvI, F-TeelI, F-TevII, I-Aural, I-AniI, I-ChuI, I-Cmoel, I-CpaI, I-CpaII, I-CsmI, I-CvuI, I-CvuAIP, I-DdiI, I-DdiII, I-Dirl, I-DmoI, I-Hmul, I-HmulI, I-HsNIP, I-LlaI, I-MsoI, I-NaaI, I-NanI, I-NclIP, I-NgrIP, I-NitI, I-NjaI, I-Nsp236IP, I-PakI, I-PboIP, I-PcuIP, I-PcuAI, I-PcuVI, I-PgrIP, I-PobIP, I-PorI, I-PorII, I-PbpIP, I-SpBetaIP, I-ScaI, I-SexIP, I-SnelP, I-SpomI, I-SpomCP, I-SpomIP, I-SpomIIP, I-SquIP, I-Ssp6803I, I-SthPhiJP, I-SthPhiST3P, I-SthPhiSTe3bIP, I-TdeIP, I-TeelI, I-TevII, I-TevIII, I-UarAP, I-UarHGPAIP, I-UarHGPA13P, I-VinIP, I-ZbiIP, PI-MtuI, PI-MtuHIIP, PI-MtuHIIIP, PI-PfuI, PI-PfuII, PI-PkoI, PI-PkoII, PI-Rma43812IP, PI-SpBetaIP, PI-SceI, PI-TfuI, PI-TfuII, PI-ThyI, PI-TliI, PI-TliII, or any active variants or fragments thereof.

In one embodiment, the meganuclease recognizes double-stranded DNA sequences of 12 to 40 base pairs. In one embodiment, the meganuclease recognizes one perfectly matched target sequence in the genome. In one embodiment, the meganuclease is a homing nuclease. In one embodiment, the homing nuclease is a LAGLIDADG (SEQ ID NO: 24) family of homing nuclease. In one embodiment, the LAGLIDADG (SEQ ID NO: 24) family of homing nuclease is selected from I-SceI, I-CreI, and I-DmoI.

Gene-editing molecules can further comprise restriction endonucleases, which include Type I, Type II, Type III, and Type IV endonucleases. Type I and Type III restriction endonucleases recognize specific recognition sites, but typi-

cally cleave at a variable position from the nuclease binding site, which can be hundreds of base pairs away from the cleavage site (recognition site). In Type II systems the restriction activity is independent of any methylase activity, and cleavage typically occurs at specific sites within or near to the binding site. Most Type II enzymes cut palindromic sequences, however Type IIa enzymes recognize non-palindromic recognition sites and cleave outside of the recognition site, Type IIb enzymes cut sequences twice with both sites outside of the recognition site, and Type IIc enzymes recognize an asymmetric recognition site and cleave on one side and at a defined distance of about 1-20 nucleotides from the recognition site. Type IV restriction enzymes target methylated DNA. Restriction enzymes are further described and classified, for example in the REBASE database (webpage at rebase.neb.com; Roberts et al., (2003) *Nucleic Acids Res* 31:418-20), Roberts et al., (2003) *Nucleic Acids Res* 31:1805-12, and Belfort et al., (2002) in *Mobile DNA II*, pp. 761-783, Eds. Craigie et al., (ASM Press, Washington, D.C.).

ZFNs and TALENs introduce DSBs in a target genomic sequence and activate non-homologous end-joining (NHEJ)-mediated DNA repair, which generates a mutant allele comprising an insertion or a deletion of a nucleic acid sequence at the genomic locus of interest and thereby causes disruption of the genomic locus of interest in a cell. DSBs also stimulate homology-directed repair (HDR) by homologous recombination if a repair template is provided. HDR can result in a perfect repair that restores the original sequence at the broken site, or it can be used to direct a designed modification, such as a deletion, insertion, or replacement of the sequence at the site of the double strand break.

C. Guide RNAs

In one aspect, the retroviral particle comprises a guide RNA (gRNA). In certain embodiments, the nucleic acid sequence of gRNA is incorporated into the genomic plasmid of the retroviral particle.

A "guide RNA" or "gRNA" is an RNA molecule that binds to a Cas protein (e.g., Cas9 protein), or functional fragment or derivative thereof, and targets the Cas protein to a specific location within a target DNA. Guide RNAs can comprise two segments: a "DNA-targeting segment" and a "protein-binding segment". "Segment" includes a section or region of a molecule, such as a contiguous stretch of nucleotides in an RNA. Some gRNAs, such as those for Cas9, can comprise two separate RNA molecules: an "activator-RNA" (e.g., tracrRNA) and a "targeter-RNA" (e.g., CRISPR RNA or crRNA). Other gRNAs are a single RNA molecule (single RNA polynucleotide), which can also be called a "single-molecule gRNA," a "single-guide RNA," or an "sgRNA". See, e.g., WO 2013/176772, WO 2014/065596, WO 2014/089290, WO 2014/093622, WO 2014/099750, WO 2013/142578, and WO 2014/131833, each of which is herein incorporated by reference in its entirety for all purposes. For Cas9, for example, a single-guide RNA can comprise a crRNA fused to a tracrRNA (e.g., via a linker). For Cpf1, for example, only a crRNA is needed to achieve binding to a target sequence. The terms "guide RNA" and "gRNA" include both double-molecule (i.e., modular) gRNAs and single-molecule gRNAs.

An exemplary two-molecule gRNA comprises a crRNA-like ("CRISPR RNA" or "targeter-RNA" or "crRNA" or "crRNA repeat") molecule and a corresponding tracrRNA-like ("trans-acting CRISPR RNA" or "activator-RNA" or "tracrRNA") molecule. A crRNA comprises both the DNA-targeting segment (single-stranded) of the gRNA and a

stretch of nucleotides that forms one half of the dsRNA duplex of the protein-binding segment of the gRNA.

A corresponding tracrRNA (activator-RNA) comprises a stretch of nucleotides that forms the other half of the dsRNA duplex of the protein-binding segment of the gRNA. A stretch of nucleotides of a crRNA are complementary to and hybridize with a stretch of nucleotides of a tracrRNA to form the dsRNA duplex of the protein-binding domain of the gRNA. As such, each crRNA can be said to have a corresponding tracrRNA.

In systems in which both a crRNA and a tracrRNA are needed, the crRNA and the corresponding tracrRNA hybridize to form a gRNA. In systems in which only a crRNA is needed, the crRNA can be the gRNA. The crRNA additionally provides the single-stranded DNA-targeting segment that hybridizes to a guide RNA recognition sequence. If used for modification within a cell, the exact sequence of a given crRNA or tracrRNA molecule can be designed to be specific to the species in which the RNA molecules will be used. See, e.g., Mali et al. (2013) *Science* 339:823-826; Jinek et al. (2012) *Science* 337:816-821; Hwang et al. (2013) *Nat. Biotechnol.* 31:227-229; Jiang et al. (2013) *Nat. Biotechnol.* 31:233-239; and Cong et al. (2013) *Science* 339:819-823, each of which is herein incorporated by reference in its entirety for all purposes.

The DNA-targeting segment (crRNA) of a given gRNA comprises a nucleotide sequence that is complementary to a sequence (i.e., the guide RNA recognition sequence) in a target DNA. The DNA-targeting segment of a gRNA interacts with a target DNA in a sequence-specific manner via hybridization (i.e., base pairing). As such, the nucleotide sequence of the DNA-targeting segment may vary and determines the location within the target DNA with which the gRNA and the target DNA will interact. The DNA-targeting segment of a subject gRNA can be modified to hybridize to any desired sequence within a target DNA. Naturally occurring crRNAs differ depending on the CRISPR/Cas system and organism but often contain a targeting segment of between 21 to 72 nucleotides length, flanked by two direct repeats (DR) of a length of between 21 to 46 nucleotides (see, e.g., WO 2014/131833, herein incorporated by reference in its entirety for all purposes). In the case of *S. pyogenes*, the DRs are 36 nucleotides long and the targeting segment is 30 nucleotides long. The 3' located DR is complementary to and hybridizes with the corresponding tracrRNA, which in turn binds to the Cas protein.

The DNA-targeting segment can have a length of at least about 12 nucleotides, at least about 15 nucleotides, at least about 17 nucleotides, at least about 18 nucleotides, at least about 19 nucleotides, at least about 20 nucleotides, at least about 25 nucleotides, at least about 30 nucleotides, at least about 35 nucleotides, or at least about 40 nucleotides. Such DNA-targeting segments can have a length from about 12 nucleotides to about 100 nucleotides, from about 12 nucleotides to about 80 nucleotides, from about 12 nucleotides to about 50 nucleotides, from about 12 nucleotides to about 40 nucleotides, from about 12 nucleotides to about 30 nucleotides, from about 12 nucleotides to about 25 nucleotides, or from about 12 nucleotides to about 20 nucleotides. For example, the DNA targeting segment can be from about 15 nucleotides to about 25 nucleotides (e.g., from about 17 nucleotides to about 20 nucleotides, or about 17 nucleotides, about 18 nucleotides, about 19 nucleotides, or about 20 nucleotides). See, e.g., US 2016/0024523, herein incorporated by reference in its entirety for all purposes. For Cas9 from *S. pyogenes*, a typical DNA-targeting segment is between 16 and 20 nucleotides in length or between 17 and

20 nucleotides in length. For Cas9 from *S. aureus*, a typical DNA-targeting segment is between 21 and 23 nucleotides in length. For Cpf1, a typical DNA-targeting segment is at least 16 nucleotides in length or at least 18 nucleotides in length.

TracrRNAs can be in any form (e.g., full-length tracrRNAs or active partial tracrRNAs) and of varying lengths. They can include primary transcripts or processed forms. For example, tracrRNAs (as part of a single-guide RNA or as a separate molecule as part of a two-molecule gRNA) may comprise or consist of all or a portion of a wild type tracrRNA sequence (e.g., about or more than about 20, 26, 32, 45, 48, 54, 63, 67, 85, or more nucleotides of a wild type tracrRNA sequence). Examples of wild type tracrRNA sequences from *S. pyogenes* include 171-nucleotide, 89-nucleotide, 75-nucleotide, and 65-nucleotide versions. See, e.g., Deltcheva et al. (2011) *Nature* 471:602-607; WO 2014/093661, each of which is herein incorporated by reference in its entirety for all purposes. Examples of tracrRNAs within single-guide RNAs (sgRNAs) include the tracrRNA segments found within +48, +54, +67, and +85 versions of sgRNAs, where “+n” indicates that up to the +n nucleotide of wild type tracrRNA is included in the sgRNA. See U.S. Pat. No. 8,697,359, herein incorporated by reference in its entirety for all purposes.

The percent complementarity between the DNA-targeting sequence and the guide RNA recognition sequence within the target DNA can be at least 60% (e.g., at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100%). The percent complementarity between the DNA-targeting sequence and the guide RNA recognition sequence within the target DNA can be at least 60% over about 20 contiguous nucleotides. As an example, the percent complementarity between the DNA-targeting sequence and the guide RNA recognition sequence within the target DNA is 100% over the 14 contiguous nucleotides at the 5' end of the guide RNA recognition sequence within the complementary strand of the target DNA and as low as 0% over the remainder. In such a case, the DNA-targeting sequence can be considered to be 14 nucleotides in length. As another example, the percent complementarity between the DNA-targeting sequence and the guide RNA recognition sequence within the target DNA is 100% over the seven contiguous nucleotides at the 5' end of the guide RNA recognition sequence within the complementary strand of the target DNA and as low as 0% over the remainder. In such a case, the DNA-targeting sequence can be considered to be 7 nucleotides in length. In some guide RNAs, at least 17 nucleotides within the DNA-target sequence are complementary to the target DNA. For example, the DNA-targeting sequence can be 20 nucleotides in length and can comprise 1, 2, or 3 mismatches with the target DNA (the guide RNA recognition sequence). Preferably, the mismatches are not adjacent to a protospacer adjacent motif (PAM) sequence (e.g., the mismatches are in the 5' end of the DNA-targeting sequence, or the mismatches are at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, or 19 base pairs away from the PAM sequence).

The protein-binding segment of a gRNA can comprise two stretches of nucleotides that are complementary to one another. The complementary nucleotides of the protein-binding segment hybridize to form a double-stranded RNA duplex (dsRNA). The protein-binding segment of a subject gRNA interacts with a Cas protein, or functional fragment or derivative thereof, and the gRNA directs the bound Cas

protein, or functional fragment or derivative thereof, to a specific nucleic acid sequence within target DNA via the DNA-targeting segment.

Guide RNAs can include modifications or sequences that provide for additional desirable features (e.g., modified or regulated stability; subcellular targeting; tracking with a fluorescent label; a binding site for a protein or protein complex; and the like). Examples of such modifications include, for example, a 5' cap (e.g., a 7-methylguanylate cap (m7G)); a 3' polyadenylated tail (i.e., a 3' poly(A) tail); a riboswitch sequence (e.g., to allow for regulated stability and/or regulated accessibility by proteins and/or protein complexes); a stability control sequence; a sequence that forms a dsRNA duplex (i.e., a hairpin); a modification or sequence that targets the RNA to a subcellular location (e.g., nucleus, mitochondria, chloroplasts, and the like); a modification or sequence that provides for tracking (e.g., direct conjugation to a fluorescent molecule, conjugation to a moiety that facilitates fluorescent detection, a sequence that allows for fluorescent detection, and so forth); a modification or sequence that provides a binding site for proteins (e.g., proteins that act on DNA, including transcriptional activators, transcriptional repressors, DNA methyltransferases, DNA demethylases, histone acetyltransferases, histone deacetylases, and the like); and combinations thereof. Other examples of modifications include engineered stem loop duplex structures, engineered bulge regions, engineered hairpins 3' of the stem loop duplex structure, or any combination thereof. See, e.g., US 2015/0376586, herein incorporated by reference in its entirety for all purposes. A bulge can be an unpaired region of nucleic acids within the duplex made up of the crRNA-like region and the minimum tracrRNA-like region. A bulge can comprise, on one side of the duplex, an unpaired 5'-XXXY-3' where X is any purine and Y can be a nucleotide that can form a wobble pair with a nucleotide on the opposite strand, and an unpaired nucleotide region on the other side of the duplex.

In some cases, a transcriptional activation system can be used comprising a dCas9-VP64 fusion protein paired with MS2-p65-HSF1. Guide RNAs in such systems can be designed with aptamer sequences appended to sgRNA tetraloop and stem-loop 2 designed to bind dimerized MS2 bacteriophage coat proteins. See, e.g., Konermann et al. (2015) *Nature* 517(7536):583-588, herein incorporated by reference in its entirety for all purposes.

Guide RNAs can be provided in any form. For example, the gRNA can be provided in the form of RNA, either as two molecules (separate crRNA and tracrRNA) or as one molecule (sgRNA). The gRNA can also be provided in the form of DNA encoding the gRNA. The DNA encoding the gRNA can encode a single RNA molecule (sgRNA) or separate RNA molecules (e.g., separate crRNA and tracrRNA). In the latter case, the DNA encoding the gRNA can be provided as one DNA molecule or as separate DNA molecules encoding the crRNA and tracrRNA, respectively.

When a gRNA is provided in the form of DNA, the gRNA can be transiently, conditionally, or constitutively expressed in the cell. DNAs encoding gRNAs can be stably integrated into the genome of the cell and operably linked to a promoter active in the cell. Alternatively, DNAs encoding gRNAs can be operably linked to a promoter in an expression construct. For example, the DNA encoding the gRNA can be in a vector comprising a heterologous nucleic acid. Promoters that can be used in such expression constructs include promoters active, for example, in one or more of a eukaryotic cell, a human cell, a non-human cell, a mammalian cell, a non-human mammalian cell, a rodent cell, a mouse cell, a

rat cell, a hamster cell, a rabbit cell, a pluripotent cell, an embryonic stem (ES) cell, an adult stem cell, a developmentally restricted progenitor cell, an induced pluripotent stem (iPS) cell, or a one-cell stage embryo. Such promoters can be, for example, conditional promoters, inducible promoters, constitutive promoters, or tissue-specific promoters. Such promoters can also be, for example, bidirectional promoters. In certain embodiments, an RNA Pol III promoter can be operatively linked to a gRNA sequence (if included in the lentivirus vector) to control expression of such sequence. RNA Pol III promoters are frequently used to express small RNAs, such as small interfering RNA (siRNA)/short hairpin RNA (shRNA) and guide RNA sequences used in CRISPR-Cas9 systems. Examples of RNA Pol III promoters that can be used in the invention include, but are not limited to, the human U6 promoter, a rat U6 polymerase III promoter, or a mouse U6 polymerase III promoter, and the H1 promoter, which are described in, for example Goomer and Kunkel, Nucl. Acids Res., 20 (18): 4903-4912 (1992), and Myslinski et al., Nucleic Acids Res., 29(12): 2502-9 (2001).

D. Guide RNA Recognition Sequences

The term “guide RNA recognition sequence” includes nucleic acid sequences present in a target DNA to which a DNA-targeting segment of a gRNA will bind, provided sufficient conditions for binding exist. For example, gRNA recognition sequences include sequences to which a gRNA is designed to have complementarity, where hybridization between a guide RNA recognition sequence and a DNA targeting sequence promotes the formation of a CRISPR complex. Full complementarity is not necessarily required, provided that there is sufficient complementarity to cause hybridization and promote formation of a CRISPR complex. Guide RNA recognition sequences also include cleavage sites for Cas proteins, described in more detail below. A gRNA recognition sequence can comprise any polynucleotide, which can be located, for example, in the nucleus or cytoplasm of a cell or within an organelle of a cell, such as a mitochondrion or chloroplast.

The gRNA recognition sequence within a target DNA can be targeted by (i.e., be bound by, or hybridize with, or be complementary to) a Cas protein or a gRNA. Suitable DNA/RNA binding conditions include physiological conditions normally present in a cell. Other suitable DNA/RNA binding conditions (e.g., conditions in a cell-free system) are known in the art (see, e.g., Molecular Cloning: A Laboratory Manual, 3rd Ed. (Sambrook et al., Harbor Laboratory Press 2001), herein incorporated by reference in its entirety for all purposes). The strand of the target DNA that is complementary to and hybridizes with the Cas protein or gRNA can be called the “complementary strand,” and the strand of the target DNA that is complementary to the “complementary strand” (and is therefore not complementary to the Cas protein or gRNA) can be called “noncomplementary strand” or “template strand.”

The Cas protein can cleave the nucleic acid at a site within or outside of the nucleic acid sequence present in the target DNA to which the DNA-targeting segment of a gRNA will bind. The “cleavage site” includes the position of a nucleic acid at which a Cas protein produces a single-strand break or a double-strand break. For example, formation of a CRISPR complex (comprising a gRNA hybridized to a guide RNA recognition sequence and complexed with a Cas protein) can result in cleavage of one or both strands in or near (e.g., within 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 20, 50, or more base pairs from) the nucleic acid sequence present in a target DNA to which a DNA-targeting segment of a gRNA will

bind. If the cleavage site is outside of the nucleic acid sequence to which the DNA-targeting segment of the gRNA will bind, the cleavage site is still considered to be within the “guide RNA recognition sequence.” The cleavage site can be on only one strand or on both strands of a nucleic acid. Cleavage sites can be at the same position on both strands of the nucleic acid (producing blunt ends) or can be at different sites on each strand (producing staggered ends (i.e., overhangs)). Staggered ends can be produced, for example, by using two Cas proteins, each of which produces a single-strand break at a different cleavage site on a different strand, thereby producing a double-strand break. For example, a first nickase can create a single-strand break on the first strand of double-stranded DNA (dsDNA), and a second nickase can create a single-strand break on the second strand of dsDNA such that overhanging sequences are created. In some cases, the guide RNA recognition sequence of the nickase on the first strand is separated from the guide RNA recognition sequence of the nickase on the second strand by at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 75, 100, 250, 500, or 1,000 base pairs.

Site-specific binding and cleavage of target DNA by Cas proteins can occur at locations determined by both (i) base-pairing complementarity between the gRNA and the target DNA and (ii) a short motif, called the protospacer adjacent motif (PAM), in the target DNA. The PAM can flank the guide RNA recognition sequence. Optionally, the guide RNA recognition sequence can be flanked on the 3' end by the PAM. Alternatively, the guide RNA recognition sequence can be flanked on the 5' end by the PAM. For example, the cleavage site of Cas proteins can be about 1 to about 10 or about 2 to about 5 base pairs (e.g., 3 base pairs) upstream or downstream of the PAM sequence. In some cases (e.g., when Cas9 from *S. pyogenes* or a closely related Cas9 is used), the PAM sequence of the non-complementary strand can be 5'-N₁GG-3', where N₁ is any DNA nucleotide and is immediately 3' of the guide RNA recognition sequence of the non-complementary strand of the target DNA. As such, the PAM sequence of the complementary strand would be 5'-CCN₂-3', where N₂ is any DNA nucleotide and is immediately 5' of the guide RNA recognition sequence of the complementary strand of the target DNA. In some such cases, N₁ and N₂ can be complementary and the N₁-N₂ base pair can be any base pair (e.g., N₁=C and N₂=G; N₁=G and N₂=C; N₁=A and N₂=T; or N₁=T, and N₂=A). In the case of Cas9 from *S. aureus*, the PAM can be NNGRRRT or NNGRRR, where N can be A, G, C, or T, and R can be G or A. In the case of Cas9 from *C. jejuni*, the PAM can be, for example, NNNNACAC or NNNNRYAC, where N can be A, G, C, or T, and R can be G or A. In some cases (e.g., for Fncpf1), the PAM sequence can be upstream of the 5' end and have the sequence 5'-TTN-3'.

Examples of gRNA recognition sequences include a DNA sequence complementary to the DNA-targeting segment of a gRNA, or such a DNA sequence in addition to a PAM sequence. For example, the target motif can be a 20-nucleotide DNA sequence immediately preceding an NGG motif recognized by a Cas9 protein, such as GN₁₉NGG (SEQ ID NO: 25) or N₂₀NGG (SEQ ID NO: 26). See, e.g., WO 2014/165825, herein incorporated by reference in its entirety for all purposes. The guanine at the 5' end can facilitate transcription by RNA polymerase in cells. Other examples of guide RNA recognition sequences can include two guanine nucleotides at the 5' end (e.g., GGN₂₀NGG; SEQ ID NO: 27) to facilitate efficient transcription by T7 polymerase in vitro. See, e.g., WO 2014/065596, herein incorporated by reference in its entirety for all purposes. Other guide RNA

recognition sequences can have between 4-22 nucleotides in length of SEQ ID NOS: 28-30, including the 5' G or GG and the 3' GG or NGG. Yet other guide RNA recognition sequences can have between 14 and 20 nucleotides in length of SEQ ID NOS: 31-58.

The gRNA recognition sequence can be any nucleic acid sequence endogenous or exogenous to a cell. The gRNA recognition sequence can be a sequence coding a gene product (e.g., a protein) or a non-coding sequence (e.g., a regulatory sequence) or can include both.

E. Repair Template

In one aspect, the retroviral particle comprises a sequence corresponding to a repair template.

As used herein, the terms "repair template", "RT", "recombination template", "donor nucleic acid molecule" or "donor polynucleotide", which can be used interchangeably, refer to a segment of DNA that one desires to integrate at the target locus. In certain embodiments, the repair template comprises one or more polynucleotides of interest. In other embodiments, the repair template can comprise one or more expression cassettes. A given expression cassette can comprise a polynucleotide of interest, a polynucleotide encoding a selection marker and/or a reporter gene along with the various regulatory components that influence expression.

In certain embodiments, the repair template can comprise a segment of genomic DNA, a cDNA, a regulatory region, or any portion or combination thereof. In certain embodiments, the repair template can comprise a nucleic acid from a eukaryote, a mammal, a human, a non-human mammal, a rodent, a rat, a non-rat rodent, a mouse, a hamster, a rabbit, a pig, a bovine, a deer, a sheep, a goat, a chicken, a cat, a dog, a ferret, a primate (e.g., marmoset, rhesus monkey), a domesticated mammal, or an agricultural mammal or any other organism of interest.

In certain embodiments, the repair template comprises a knock-in allele of at least one exon of an endogenous gene. In certain embodiments, the repair template comprises a knock-in allele of the entire endogenous gene (i.e., "gene-swap knock-in").

In further embodiments, the repair template comprises a conditional allele. In certain embodiments, the conditional allele is a multifunctional allele, as described in US 2011/0104799, which is incorporated by reference in its entirety. In certain embodiments, the conditional allele comprises: (a) an actuating sequence in sense orientation with respect to transcription of a target gene, and a drug selection cassette in sense or antisense orientation; (b) in antisense orientation a nucleotide sequence of interest (NSI) and a conditional by inversion module (COIN, which utilizes an exon-splitting intron and an invertible genetrap-like module; see, for example, US 2011/0104799, which is incorporated by reference in its entirety); and (c) recombinable units that recombine upon exposure to a first recombinase to form a conditional allele that (i) lacks the actuating sequence and the DSC, and (ii) contains the NSI in sense orientation and the COIN in antisense orientation.

In certain embodiments, the repair template is under 10 kb in size.

In certain embodiments, the repair template comprises a deletion of, for example, a eukaryotic cell, a mammalian cell, a human cell, or a non-human mammalian cell genomic DNA sequence.

In certain embodiments, the repair template comprises an insertion or a replacement of a eukaryotic, a mammalian, a human, or a non-human mammalian nucleic acid sequence with a homologous or orthologous human nucleic acid sequence. In certain embodiments, the repair template com-

prises an insertion or replacement of a DNA sequence with a homologous or orthologous human nucleic acid sequence at an endogenous locus that comprises the corresponding DNA sequence.

In certain embodiments, the genetic modification is an addition of a nucleic acid sequence.

In certain embodiments, repair template comprises a genetic modification in a coding sequence. In certain embodiments, the genetic modification comprises a deletion mutation of a coding sequence. In certain embodiments, the genetic modification comprises a fusion of two endogenous coding sequences.

In certain embodiments, the repair template comprises an insertion or a replacement of a eukaryotic, a non-rat eukaryotic, a mammalian, a human, or a non-human mammalian, nucleic acid sequence with a homologous or orthologous human nucleic acid sequence. In certain embodiments, the repair template comprises an insertion or replacement of a rat DNA sequence with a homologous or orthologous human nucleic acid sequence at an endogenous rat locus that comprises the corresponding rat DNA sequence.

In certain embodiments, the genetic modification comprises a deletion of a non-protein-coding sequence, but does not comprise a deletion of a protein-coding sequence. In certain embodiments, the deletion of the non-protein-coding sequence comprises a deletion of a regulatory element. In certain embodiments, the genetic modification comprises a deletion of a promoter. In certain embodiments, the genetic modification comprises an addition of a promoter or a regulatory element. In certain embodiments, the genetic modification comprises a replacement of a promoter or a regulatory element.

In certain embodiments, the nucleic acid sequence of the repair template can comprise a polynucleotide that when integrated into the genome will produce a genetic modification of a region of the mammalian, human, or a non-human mammalian target locus (e.g., ApoE, IL-2, Rag1, or Rag2), wherein the genetic modification at the target locus results in a decrease in activity, increase in activity, or a modulation of activity of the target gene. In certain embodiments, a knockout ("null allele") is generated.

In further embodiments, the repair template results in the replacement of a portion of the mammalian, human cell, or non-human mammalian target locus (e.g., ApoE locus, the interleukin-2 receptor gamma locus and/or Rag2 locus, and/or Rag1 locus and/or Rag2/Rag1 locus with the corresponding homologous or orthologous portion of an ApoE locus, an interleukin-2 receptor gamma locus, a Rag2 locus, a Rag1 locus and/or a Rag2/Rag1 locus from another organism).

Still in other embodiments, the repair template comprises a polynucleotide sharing across its full length at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% to a portion of the locus it is replacing (e.g., an ApoE locus, an IL-2 receptor gamma locus, a Rag2 locus, a Rag1 locus and/or a Rag2/Rag1 locus).

The given repair template and the corresponding region of the mammalian, human cell, or non-human mammalian locus being replaced can be a coding region, an intron, an exon, an untranslated region, a regulatory region, a promoter, or an enhancer or any combination thereof. Moreover, the given repair template and/or the region of the mammalian, human cell, or non-human mammalian locus being deleted can be of any desired length, including for example, between 10-100 nucleotides in length, 100-500 nucleotides in length, 500-1 kb nucleotides in length, 1 Kb to 1.5 kb nucleotides in length, 1.5 kb to 2 kb nucleotides in length,

2 kb to 2.5 kb nucleotides in length, 2.5 kb to 3 kb nucleotides in length, 3 kb to 5 kb nucleotides in length, 5 kb to 8 kb nucleotides in length, 8 kb to 10 kb nucleotides in length or more. In other instances, the size of the insertion or replacement is from about 5 kb to about 10 kb, from about 10 kb to about 20 kb, from about 20 kb to about 40 kb, from about 40 kb to about 60 kb, from about 60 kb to about 80 kb, from about 80 kb to about 100 kb, from about 100 kb to about 150 kb, from about 150 kb to about 200 kb, from about 200 kb to about 250 kb, from about 250 kb to about 300 kb, from about 300 kb to about 350 kb, from about 350 kb to about 400 kb, from about 400 kb to about 800 kb, from about 800 kb to 1 Mb, from about 1 Mb to about 1.5 Mb, from about 1.5 Mb to about 2 Mb, from about 2 Mb, to about 2.5 Mb, from about 2.5 Mb to about 2.8 Mb, from about 2.8 Mb to about 3 Mb. In other embodiments, the given repair template and/or the region of the mammalian, human cell, or non-human mammalian locus being deleted is at least 100, 200, 300, 400, 500, 600, 700, 800, or 900 nucleotides or at least 1 kb, 2 kb, 3 kb, 4 kb, 5 kb, 6 kb, 7 kb, 8 kb, 9 kb, 10 kb, 11 kb, 12 kb, 13 kb, 14 kb, 15 kb, 16 kb or greater.

DNA of the repair template can be stably integrated into the genome of the cell

In certain embodiments, the promoter is a tissue-specific promoter. In certain embodiments, the promoter is a hepatocyte-specific promoter. In certain embodiments, the promoter is a neuron-specific promoter. In certain embodiments, the promoter is a glia-specific promoter. In certain embodiments, the promoter is a muscle cell-specific promoter. In certain embodiments, the promoter is a heart cell-specific promoter. In certain embodiments, the promoter is a kidney cell-specific promoter. In certain embodiments, the promoter is a bone cell-specific promoter. In certain embodiments, the promoter is an endothelial cell-specific promoter. In certain embodiments, the promoter is an immune cell-specific promoter. In certain embodiments, the immune cell promoter is a B cell promoter. In certain embodiments, the immune cell promoter is a T cell promoter.

In certain embodiments, the promoter is a developmentally-regulated promoter. In certain embodiments, the developmentally-regulated promoter is active only during an embryonic stage of development. In certain embodiments, the developmentally-regulated promoter is active only in an adult cell.

In specific embodiments, the promoter may be selected based on the cell type. Thus the various promoters find use in a eukaryotic cell, a non-rat eukaryotic cell, a mammalian cell, a non-human mammalian cell, a pluripotent cell, a non-pluripotent cell, a non-human pluripotent cell, a human pluripotent cell, a human ES cell, a human adult stem cell, a developmentally-restricted human progenitor cell, a human iPS cell, a human cell, a rodent cell, a non-rat rodent cell, a rat cell, a mouse cell, a hamster cell, a fibroblast or a CHO cell.

In some embodiments, the repair template comprises a nucleic acid flanked with site-specific recombination target sequences. It is recognized that while the entire nucleic acid can be flanked by such site-specific recombination target sequences, any region or individual polynucleotide of interest within the insert nucleic acid can also be flanked by such sites. The site-specific recombinase can be introduced into the cell by any means, including by introducing the recombinase polypeptide into the cell or by introducing a polynucleotide encoding the site-specific recombinase into the target cell. The polynucleotide encoding the site-specific recombinase can be located within the repair template or

within a separate polynucleotide. The site-specific recombinase can be operably linked to a promoter active in the cell including, for example, an inducible promoter, a promoter that is endogenous to the cell, a promoter that is heterologous to the cell, a cell-specific promoter, a tissue-specific promoter, or a developmental stage-specific promoter. Site-specific recombination target sequences, which can flank the nucleic acid or any polynucleotide of interest in the nucleic acid can include, but are not limited to, loxP, lox511, lox2272, lox66, lox71, loxM2, lox5171, FRT, FRT11, FRT71, attP, att, FRT, rox, and a combination thereof.

In certain embodiments, the site-specific recombination sites flank a polynucleotide encoding a selection marker and/or a reporter gene contained within the repair template. In such instances following integration of the repair template the targeted locus the sequences between the site-specific recombination sites can be removed.

In certain embodiments, the repair template comprises a polynucleotide encoding a selection marker. The selection marker can be contained in a selection cassette. Such selection markers include, but are not limited to, neomycin phosphotransferase (neor), hygromycin B phosphotransferase (hygr), puromycin-N-acetyltransferase (puror), blasticidin S deaminase (bsrr), xanthine/guanine phosphoribosyl transferase (gpt), or herpes simplex virus thymidine kinase (HSV-k), or a combination thereof. In certain embodiments, the polynucleotide encoding the selection marker is operably linked to a promoter active in the cell, rat cell, pluripotent rat cell, the ES rat cell, a eukaryotic cell, a non-rat eukaryotic cell, a pluripotent cell, a non-pluripotent cell, a non-human pluripotent cell, a human pluripotent cell, a human ES cell, a human adult stem cell, a developmentally-restricted human progenitor cell, a human iPS cell, a mammalian cell, a non-human mammalian cell, a human cell, a rodent cell, a non-rat rodent cell, a mouse cell, a hamster cell, a fibroblast, or a CHO cell. When serially tiling polynucleotides of interest into a targeted locus, the selection marker can comprise a recognition site for a gene-editing molecule, as outlined above. In certain embodiments, the polynucleotide encoding the selection marker is flanked with a site-specific recombination target sequences.

The repair template can further comprise a reporter gene operably linked to a promoter, wherein the reporter gene encodes a reporter protein selected from the group consisting of or comprising LacZ, mPlum, mCherry, tdTomato, mStrawberry, J-Red, DsRed, mOrange, mKO, mCitrine, Venus, YPet, enhanced yellow fluorescent protein (eYFP), Emerald, enhanced green fluorescent protein (EGFP), CyPet, cyan fluorescent protein (CFP), Cerulean, T-Sapphire, luciferase, alkaline phosphatase, and/or a combination thereof. Such reporter genes can be operably linked to a promoter active in the cell. Such promoters can be an inducible promoter, a promoter that is endogenous to the reporter gene or the cell, a promoter that is heterologous to the reporter gene or to the cell, a cell-specific promoter, a tissue-specific promoter, or a developmental stage-specific promoter.

In certain embodiments, the repair template can comprise a mammalian nucleic acid comprising a genomic locus that encodes a protein expressed in the nervous system, the skeletal system, the digestive system, the circulatory system, the muscular system, the respiratory system, the cardiovascular system, the lymphatic system, the endocrine system, the urinary system, the reproductive system, or a combination thereof. In certain embodiments, the mammalian nucleic acid comprises a genomic locus that encodes a protein expressed in a bone marrow or a bone marrow-

derived cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a spleen cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a hepatocyte.

In certain embodiments, the mammalian nucleic acid comprises a genomic locus that encodes a protein expressed in the immune system, the lymphatic system, the endocrine system, the nervous system, the skeletal system, the digestive system, the circulatory system, the muscular system, the respiratory system, the cardiovascular system, the urinary system, the reproductive system, or a combination thereof. In certain embodiments, the mammalian nucleic acid comprises a genomic locus that encodes a protein expressed in a bone marrow or a bone marrow-derived cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a spleen cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a hepatocyte.

In certain embodiments, the genomic locus comprises a mouse genomic DNA sequence, a rat genomic DNA sequence, eukaryotic genomic DNA sequence, a non-rat eukaryotic genomic DNA sequence, a mammalian genomic DNA sequence, a human genomic DNA sequence, or non-human DNA sequence mammalian, or a combination thereof. In certain embodiments, the genomic locus comprises, in any order, rat and human genomic DNA sequences. In certain embodiments, the genomic locus comprises, in any order, mouse and human genomic DNA sequences. In certain embodiments, the genomic locus comprises, in any order, mouse and rat genomic DNA sequences. In certain embodiments, the genomic locus comprises, in any order, rat, mouse, and human genomic DNA sequences.

In certain embodiments, the genetic modification comprises at least one human disease allele of a human gene. In certain embodiments, the human disease is a neurological disease. In certain embodiments, the human disease is a cardiovascular disease. In certain embodiments, the human disease is a kidney disease. In certain embodiments, the human disease is a muscle disease. In certain embodiments, the human disease is a blood disease. In certain embodiments, the human disease is a bleeding disorder. In certain embodiments, the human disease is a cancer. In certain embodiments, the human disease is an immune system disease.

In certain embodiments, the human disease allele is a dominant allele. In certain embodiments, the human disease allele is a recessive allele. In certain embodiments, the human disease allele comprises a single nucleotide polymorphism (SNP) allele.

In certain embodiments, the genetic modification produces a mutant form of a protein with an altered binding characteristic, altered localization, altered expression, and/or altered expression pattern.

In certain embodiments, the repair template comprises a selection cassette. In certain embodiments, the selection cassette comprises a nucleic acid sequence encoding a selective marker, wherein the nucleic acid sequence is operably linked to a promoter active in rat ES cells. In certain embodiments, the selective marker is selected from or comprises a hygromycin resistance gene or a neomycin resistance gene.

In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a B cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in an

immature B cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a mature B cell.

In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a T cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in an immature T cell. In certain embodiments, the nucleic acid comprises a genomic locus that encodes a protein expressed in a mature T cell.

In certain embodiments, the repair template comprises a regulatory element. In certain embodiments, the regulatory element is a promoter. In certain embodiments, the regulatory element is an enhancer. In certain embodiments, the regulatory element is a transcriptional repressor-binding element.

In certain embodiments, the genetic modification comprises a deletion of a non-protein-coding sequence, but does not comprise a deletion of a protein-coding sequence. In certain embodiments, the deletion of the non-protein-coding sequence comprises a deletion of a regulatory element. In certain embodiments, the genetic modification comprises a deletion of a regulatory element. In certain embodiments, the genetic modification comprises an addition of a promoter or a regulatory element. In certain embodiments, the genetic modification comprises a replacement of a promoter or a regulatory element.

F. Retroviral Particles

The viral particles described herein are derived from viruses of the family Retroviridae. The viral particles described herein can be derived from retroviruses such as, but not limited to, rous sarcoma virus, human and bovine T-cell leukaemia virus (HTLV and BLV), lentiviruses (e.g., human and simian immunodeficiency viruses (HIV and SIV), Mason-Pfizer monkey virus), foamy viruses (e.g., Human Foamy Virus (HFV)), and herpes viruses (herpes simplex virus (HSV), varicella-zoster virus, VZV, HCMV, HHV). Compared to other gene transfer systems, retroviral vectors offer a wide range of advantages, including their ability to transduce a variety of cell types, to stably integrate transferred genetic material into the genome of the target cell, and to express the transduced gene at significant levels. Vectors derived from the gamma-retroviruses, for example, the murine leukemia virus (MLV), have been used in clinical gene therapy trials (Ross et al., Hum. Gen Ther. 7:1781-1790, 1996).

In one specific embodiment, the retroviral particles described herein are lentiviral particles. In one specific embodiment, the retroviral particle does not contain gp120 surface envelope protein and/or gp41 transmembrane envelope protein. In another specific embodiment, the retroviral particle contains a mutant gp120 surface envelope protein and/or a mutant gp41 transmembrane envelope protein and is not capable of binding to a cell in the absence of a targeting moiety.

In some embodiments, the retroviral particle described herein comprises components from a virus selected from the group consisting of Human Immunodeficiency Virus (e.g., HIV-1 or HIV-2), Bovine Immunodeficiency Virus (BIV), Feline Immunodeficiency Virus (FIV), Simian Immunodeficiency Virus (SIV), Equine Infectious Anemia Virus (EIAV), Murine Stem Cell Virus (MSCV), Murine Leukemia Virus (MLV), Avian leukosis virus (ALV), Feline leukemia virus (FLV), Bovine leukemia virus (BLV), Human T-lymphotropic virus (HTLV), feline sarcoma virus, avian reticuloendotheliosis virus, caprine arthritis encephalitis virus (CAEV), and Visna-Maedi virus (VMV). Retroviral

vectors encoding MLV are widely available to those skilled in the art, such as PINCO (Grignani et al., 1998) or the pBabe vector series (Morgenstern and Land, 1990).

In some embodiments, the retroviral particles described herein are replication deficient and only contain an incomplete genome of the virus from which they are derived. For example, in some embodiments, the retroviral particles do not comprise the genetic information of the gag, env, and/or pol genes (which may be involved in the assembly of the retroviral particle), which is a known minimal requirement for successful replication of a retrovirus. In these cases, the minimal set of retroviral proteins needed to assemble the vector particle are provided in trans by means of a packaging cell line. In one specific embodiment, for lentiviral particles derived from HIV-1, env, tat, vif, vpr and nef genes are lacking and are not provided in trans.

G. Target Cells

In certain embodiments, the invention provides a target cell comprising the system described herein. In certain embodiments, the invention provides a target cell transduced with the retroviral particles comprising a gene-editing molecule fusion RNA, and optionally a gene-editing molecule fusion protein and/or a gRNA, and/or a repair template (RT) as described herein or a composition comprising the aforementioned retroviral particles. In certain embodiments, target cells are those that have well characterized expression systems, have reasonably fast growth rates, and can be infected, transformed, transduced, or transduced easily and efficiently with a retroviral vector. The target cell can be any suitable eukaryotic cell known in the art including, for example, yeast cells, insect cells, and mammalian cells. In certain embodiments, the target cell is a mammalian cell.

Target cells can be "autologous" or "allogeneic". In certain embodiments, autologous target cells are removed from a subject, stored (and optionally modified), and returned back to the same subject. In certain embodiments, allogeneic target cells are removed from a donor, stored (and optionally modified), and transplanted into a genetically similar, but not identical, subject (i.e., recipient). Preferably, the target cells are autologous to the subject.

In certain embodiments, the target cell is a somatic cell. The term "somatic cell" refers to any cell of a living organism other than the reproductive cells (e.g., other than a gamete, germ line cell, gametocyte, or undifferentiated stem cell). Somatic cells can be harvested from the subject or donor and used as a target cell in the context of the invention. Examples of somatic cells include, but are not limited to, keratinizing epithelial cells (e.g., keratinized epidermal cells), mucosal epithelial cells (e.g., epithelial cells of the superficial layer of tongue), exocrine gland epithelial cells (e.g., mammary gland cells), hormone-secreting cells (e.g., adrenomedullary cells), cells for metabolism or storage (e.g., liver cells), intestinal epithelial cells constituting interfaces (e.g., type I alveolar cells), intestinal epithelial cells of the obturator canal (e.g., vascular endothelial cells), cells having cilia with transporting capability (e.g., airway epithelial cells), cells for extracellular matrix secretion (e.g., fibroblasts), contractile cells (e.g., smooth muscle cells), cells of the blood and the immune system (e.g., T lymphocytes), sense-related cells (e.g., bacillary cells), autonomic nervous system neurons (e.g., cholinergic neurons), sustentacular cells of sensory organs and peripheral neurons (e.g., satellite cells), nerve cells and glia cells of the central nervous system (e.g., astroglia cells), pigment cells (e.g., retinal pigment epithelial cells), and progenitor cells thereof (tissue progenitor cells). In certain embodiments, undifferentiated progenitor cells (including somatic

stem cells) and differentiated mature cells can be used as sources of somatic cells. Examples of undifferentiated progenitor cells include, but are not limited to, tissue stem cells (somatic stem cells) such as nerve stem cells, hematopoietic stem cells (discussed above), mesenchymal stem cells, and dental pulp stem cells.

III. Methods of Producing Retroviral Particles

In a related aspect, described herein is a method of producing a single retroviral particle that is capable of delivering a gene-editing fusion molecule and optionally a guide RNA (gRNA) and/or a repair template (RT). In certain embodiments, the gene-editing fusion molecule can be a Cas fusion molecule.

A. Methods of Generating and Purifying Retroviral Particles

Disclosed herein is a method of producing a single retroviral particle that is capable of delivering a gene-editing fusion molecule comprising culturing a packaging cell (described below) in conditions sufficient for the production of a plurality of retroviral particles, wherein the packaging cell comprises one or more plasmids comprising (i) one or more retroviral elements involved in the assembly of the retroviral particle and (ii) a nucleic acid sequence encoding a gene-editing fusion molecule. In certain embodiments, the packaging cell further comprises a plasmid encoding one or more gRNA and/or comprising a sequence corresponding to one or more repair templates (RT).

In certain embodiments, the method comprises culturing a packaging cell in conditions sufficient for the production of a plurality of retroviral particles, wherein the packaging cell comprises one or more plasmids comprising (i) one or more retroviral elements involved in the assembly of the retroviral particle and (ii) a nucleic acid sequence encoding a Cas fusion RNA and/or a Cas fusion protein. In certain embodiments, the packaging cell further comprises a plasmid encoding one or more gRNA and/or comprising a sequence corresponding to one or more repair templates (RT).

In some embodiments of any of the above methods, the method further comprises collecting the retroviral particles. In one specific embodiment, the collecting step comprises one or more of the following steps: clearing cell debris, treating the supernatant containing the retroviral particles with DNase I and MgCl₂, concentrating the retroviral particles, and purifying the retroviral particles.

In the methods described herein, plasmids/vectors used for retroviral particle production can be introduced into the packaging cells using methods well known in the art such as, e.g., electroporation (using for example Multiporator (Eppendorf), Genepulser (BioRad), MaxCyte Transfection Systems (Maxcyte)), PEI (Polysciences Inc. Warrington, Eppelheim), Ca²⁺-mediated transfection or via liposomes (for example: "Lipofectamine" (Invitrogen)), non-liposomal compounds (for example: "Fugene" (Roche) or nucleofection (Lonza)) into cells.

In certain embodiments, the packaging cells are present in an in vitro culture and can be cultured in a manner that allows for mass production of the retroviral particles so as to provide suitable titers useful for production of the retroviral particle preparations for various applications (e.g., for clinical application in gene therapy). In certain embodiments, where large-scale production of viral particles is desirable, the packaging cell is preferably easy to culture, stable in long term culture (e.g., healthy cells can be maintained at relatively high cell densities for several days to several weeks or months; the cells do not undergo any significant genetic changes during culturing), and allows easy isolation

of the viral particles from the cell culture (e.g., by collection and concentration of cell culture supernatant to provide a crude retroviral particle preparation of an acceptable viral titer).

In certain embodiments, retroviral particles can be generated by trans-complementation in packaging cells that are co-transfected with a plasmid containing the retroviral genome and the packaging constructs that encode only the proteins essential for lentiviral assembly and function. A self-inactivating (SIN) lentiviral vector can be generated by eliminating the intrinsic promoter/enhancer activity of the HIV-1 LTR, which reduces the likelihood of aberrant expression of cellular coding sequences located adjacent to the vector integration site. See e.g., Naldini et al., (1996) *Science* 272:263-267; and Matrai et al., (2010) *Molecular Therapy* 18:477-490. In certain embodiments, the method of producing a lentiviral particle comprising co-transfecting packaging cells (e.g., 293T human embryonic kidney cells) with a lentiviral vector plasmid and three packaging constructs encoding the viral Gag-Pol, Rev-Tat, and envelope (Env) proteins. In certain embodiments, the lentiviral vector can integrate its genome into a target cell genome. In certain embodiments, the lentiviral vector is not integrated its genome into a target cell genome. In such cases, the lentiviral vector particle does not integrate its genome into a target cell genome (also referred to as a “non-integrating” vector). Non-integrating lentiviral vectors typically are generated by mutating the lentiviral integrase gene or by modifying the attachment sequences of the LTRs. See e.g., Sarkis et al., (2008) *Curr. Gene. Ther.* 6:430-437. In certain embodiments, lentiviral vectors can be produced by co-transfecting 293T human embryonic kidney cells with several different plasmid constructs, which separately contain the lentiviral cis-acting sequences and trans-acting factors that are required for retroviral particle production, infection, and integration. Lentiviral production protocols are further described in, for example, Tiscornia et al., (2006) *Nature Protocols* 1:241-245; Stevenson, M., (2002) *Curr. Top. Microbiol. Immunol.* 261:1-30; Cronin et al., (2005) *Curr. Gene Ther.* 5:387-398; Sandrin et al., (2003) *Curr. Top. Microbiol. Immunol.* 281:137-178; Zufferey, R., (2002) *Curr. Top. Microbiol. Immunol.* 261:107-121; Sinn et al., (2005) *Gene Ther.* 12:1089-1098; and Saenz, D. T. and Poeschla, E. M., (2004) *J. Gene Med.* 6:S95-S104. Other methods for producing lentiviral vectors are known in the art and described in, for example, U.S. Patent Application Publications 2008/0254008 and 2010/0003746; and Yang et al., (2012) *Hum Gene Ther. Methods* 23:73-83.

For additional packaging techniques see, for example, Polo, et al, Proc Natl Acad Sci USA, (1999) 96:4598-4603. Methods of packaging include using packaging cells that permanently express the retroviral components, or by transiently transfecting cells with plasmids.

B. Packaging Cells and Vectors

Also disclosed herein is a packaging cell for producing the retroviral particles described herein comprising one or more plasmids comprising (i) one or more retroviral elements involved in assembly of the retroviral particles and (ii) a nucleic acid sequence encoding a gene-editing fusion molecule. In certain embodiments, the packaging cell further comprises one or more plasmids encoding one or more gRNA and/or comprising a sequence corresponding to one or more repair templates (RT).

In certain embodiments, the invention provides a packaging cell for producing the retroviral particles described herein comprising one or more plasmids comprising (i) one or more retroviral elements involved in assembly of the

retroviral particles and (ii) a nucleic acid sequence encoding a Cas fusion RNA and/or a Cas fusion protein. In certain embodiments, the packaging cell further comprises one or more plasmids encoding one or more gRNA and/or comprising one or more sequences corresponding to one or more repair templates (RT).

Packaging cells useful for production of the retroviral particles described herein include, e.g., animal cells permissive for the virus, or cells modified so as to be permissive for the virus; or the packaging cell construct, for example, with the use of a transformation agent such as calcium phosphate. Non-limiting examples of packaging cell lines useful for producing retroviral particles described herein include, e.g., human embryonic kidney 293 (HEK-293) cells (e.g., American Type Culture Collection [ATCC] No. CRL-1573), HEK-293 cells that contain the SV40 Large T-antigen (HEK-293T or 293T), HEK293T/17 cells, human sarcoma cell line HT-1080 (CCL-121), lymphoblast-like cell line Raj i (CCL-86), glioblastoma-astrocytoma epithelial-like cell line U87-MG (HTB-14), T-lymphoma cell line HuT78 (TIB-161), NIH/3T3 cells, Chinese Hamster Ovary cells (CHO) (e.g., ATCC Nos. CRL9618, CCL61, CRL9096), HeLa cells (e.g., ATCC No. CCL-2), Vero cells, NIH 3T3 cells (e.g., ATCC No. CRL-1658), Huh-7 cells, BHK cells (e.g., ATCC No. CCL10), PC12 cells (ATCC No. CRL1721), COS cells, COS-7 cells (ATCC No. CRL1651), RAT1 cells, mouse L cells (ATCC No. CCL1.3), HLHepG2 cells, CAP cells, CAP-T cells, and the like.

L929 cells, the FLY viral packaging cell system outlined in Cosset et al (1995) *J Virol* 69:7430-7436, NS0 (murine myeloma) cells, human amniocytic cells (e.g., CAP, CAP-T), yeast cells (including, but not limited to, *S. cerevisiae*, *Pichia pastoris*), plant cells (including, but not limited to, Tobacco NT1, BY-2), insect cells (including but not limited to SF9, S2, SF21, Tni (e.g. High 5)) or bacterial cells (including, but not limited to, *E. coli*).

When generating retroviral (e.g., lentiviral) particles of the invention, 2-4 basic components, usually (but not necessarily) provided on separate plasmids, are used: (i) sequences encoding molecules involved in assembly of the lentiviral particle (e.g., a psi-negative gag/pol gene) provided on a packaging plasmid, (ii) sequences encoding a retroviral env protein or a binding molecule to replace the env protein (or as a fusion molecule with a retroviral env protein) provided on an envelope expression plasmid, optionally (iii) sequence(s) encoding one or more gRNA and/or sequence(s) corresponding to one or more repair templates (RT), e.g., provided on a transfer vector together, optionally with one or more retroviral elements needed for facilitating transfer of the transfer vector (e.g., psi packaging signal and LTR), and, optionally, (iv) a sequence encoding a fusogen provided on a fusogen encoding plasmid. The term “fusogen” or “fusogenic molecule” is used herein to refer to any molecule that can trigger membrane fusion when present on the surface of a virus particle. A fusogen can be, for example, a protein (e.g., a viral glycoprotein) or a fragment, mutant or derivative thereof.

Nucleic acids encoding a gene-editing molecule fusion protein (e.g., a Cas fusion RNA) can be transiently expressed in a target cell. A nucleic acid encoding a gene-editing molecule fusion protein can be operably linked to a promoter in an expression construct. Promoters that can be used in an expression construct include promoters active, for example, in one or more of a eukaryotic cell, a human cell, a non-human cell, a mammalian cell, a non-human mammalian cell, a rodent cell, a mouse cell, a rat cell, a hamster cell, a rabbit cell, a pluripotent cell, an embryonic stem (ES)

cell, an adult stem cell, a developmentally restricted progenitor cell, an induced pluripotent stem (iPS) cell, or a one-cell stage embryo. Such promoters can be, for example, conditional promoters, inducible promoters, constitutive promoters, or tissue-specific promoters.

In certain embodiments of any of the described methods, the packaging cell comprises an expression plasmid for expressing the gene-editing fusion molecule. In some embodiments of any of the described methods, the packaging cell comprises an expression plasmid for expressing the Cas fusion RNA and/or Cas fusion protein. Suitable expression plasmids are known to those of skill in the art. In certain embodiments, the expression plasmid is pRG984.

In some embodiments of any of the described methods, the packaging cell further comprises one or more transfer vectors or an RNA molecule(s) encoded by the transfer vector, wherein the transfer vector or RNA molecule comprises at least one retroviral element and a sequence encoding one or more gRNA(s) and/or one or more sequences corresponding to one or more repair templates (RT) and, wherein the retroviral particles comprise the transfer vector (s) or RNA molecule(s). In another specific embodiment, the at least one retroviral element is a lentiviral element. In one specific embodiment, the at least one retroviral element is a Psi (ψ) packaging signal. In one specific embodiment, in addition to a Psi (ψ) packaging signal, the retroviral element further comprises a 5' Long Terminal Repeat (LTR) and/or a 3' LTR, or a derivative or mutant thereof. In one specific embodiment, the at least one retroviral element is selected from the group consisting of a 5' Long Terminal Repeat (LTR), a Psi (ψ) packaging signal, a Rev Response Element (RRE), a promoter that drives expression of a gRNA (e.g., H1 or U6), a Central Polypurine Tract (cPPT), a Woodchuck hepatitis virus post-transcriptional regulatory element (WPRE), a Unique 3' (U3), a Repeat (R) region, a Unique 5' (U5), a 3' LTR, a 3' LTR with the U3 element deleted (e.g., to make the lentivirus non-replicative), a Trans-activating response element (TAR), and any combination thereof.

In some embodiments the transfer vector preferably comprises at least one RNA Polymerase II or III promoter. The RNA Polymerase II or III promoter is operably linked to the nucleic acid sequence of interest and can also be linked to a termination sequence. RNA polymerase II and III promoters are well known to one of skill in the art. A suitable range of RNA polymerase III promoters can be found, for example, in Paule and White. *Nucleic Acids Research.*, Vol 28, pp 1283-1298 (2000); Ohkawa and Taira *Human Gene Therapy*, Vol. 11, pp 577-585 (2000); Meissner et al. *Nucleic Acids Research*, Vol. 29, pp 1672-1682 (2001). Non-limiting examples of useful promoters include, e.g., cytomegalovirus (CMV)-promoter, the spleen focus forming virus (SFFV)-promoter, the elongation factor 1 alpha (EF1a)-promoter (the 1.2 kb EF1a-promoter or the 0.2 kb EF1a-promoter), the chimeric EF 1 a/IF4-promoter, and the phospho-glycerate kinase (PGK)-promoter. An internal enhancer may also be present in the retroviral construct to increase expression of the gene of interest. For example, the CMV enhancer (Karasuyama et al. 1989. *J. Exp. Med.* 169:13) may be used. In some embodiments, the CMV enhancer can be used in combination with the chicken β -actin promoter. One of skill in the art will be able to select the appropriate enhancer based on the desired expression pattern. In addition, transfer vector may contain one or more genetic elements designed to enhance expression of the gene of interest. For example, a woodchuck hepatitis virus responsive element (WRE) may

be placed into the construct (Zufferey et al. 1999. *J. Virol.* 74:3668-3681; Deglon et al. 2000. *Hum. Gene Ther.* 11:179-190).

In some embodiments of any of the described methods, the packaging cell further comprises one or more packaging vectors. In certain embodiments, a packaging plasmid comprises (a) GAG, (b) POL, (c) TAT and/or REV retroviral (e.g., lentiviral) elements, each of which may be considered involved with the assembly of the retroviral particle. In certain embodiments, the packaging plasmid is psPAX2.

In some embodiments of any of the above methods, the one or more plasmids comprise an envelope plasmid. In certain embodiments, an envelope plasmid comprises (a) but not limit to VSV-G, Ebola virus envelope, MLV envelope, LCMV envelope, Rabies virus envelope and/or (b) PolyA. In certain embodiments, the envelope plasmid can be pMD2.G.

In certain embodiments, the envelope of the retroviral particle can be pseudotyped. Pseudotyping is to alter the tropism of the retroviral particle or for generating an increased or decreased stability of a retrovirus particle. As such, foreign viral envelope proteins (heterologous envelope proteins) are introduced into retroviral particle and are typically glycoproteins derived from portions of the membrane of the virus infected host cells or glycoproteins encoded by the virus genome. The structural envelope proteins (e.g., Env, VP1, VP2, or VP3) can determine the range of target cells that can ultimately be infected and transformed by recombinant retroviruses. In the case of lentiviruses, such as HIV-1, HIV-2, SIV, FIV and EIV, the Env proteins include gp41 and gp120. When producing recombinant retroviruses (e.g., recombinant lentiviruses), a wild type retroviral (e.g., lentiviral) env, vp1, vp2, or vp3 gene can be used, or can be substituted with any other viral env, vp1, vp2, or vp3 gene from another lentivirus or AAV or other virus (such as vesicular stomatitis virus GP (VSV-G)). Methods of pseudotyping recombinant viruses with envelope proteins from other viruses in this manner are well known in the art (see, e.g., WO 99/61639, WO 98/05759, Mebatsion et al., *Cell* 90:841-847 (1997); Cronin et al., *Curr. Gene Ther.* 5:387-398 (2005)).

In some embodiments of any of the above methods, the plasmids present in the packaging cell do not comprise a retroviral ENV gene or comprise a mutant non-functional ENV gene. In another embodiment, the one or more plasmids comprise a mutant lentiviral ENV gene, which does not produce gp120 surface envelope protein or gp41 transmembrane envelope or which encodes a mutant gp120 surface envelope protein and/or a mutant gp41 transmembrane envelope protein and wherein the resulting retroviral particle is not capable of binding to a target cell in the absence of an exogenous protein that specifically binds to the target cell.

In some embodiments of any of the above methods, retroviral particle further comprises a fusogen. Many different protein and non-protein fusogens can be used. In some embodiments, the fusogen is a protein. In one specific embodiment, the fusogen is a viral protein. Non-limiting examples of useful viral fusogens include, e.g., vesiculovirus fusogens (e.g., vesicular stomatitis virus G glycoprotein (VSVG)), alphavirus fusogens (e.g., a Sindbis virus glycoprotein), orthomyxovirus fusogens (e.g., influenza HA protein), paramyxovirus fusogens (e.g., a Nipah virus F protein or a measles virus F protein) as well as fusogens from Dengue virus (DV), Lassa fever virus, tick-borne encephalitis virus, Dengue virus, Hepatitis B virus, Rabies virus, Semliki Forest virus, Ross River virus, Aura virus, Borna disease virus, Hantaan virus, SARS-CoV virus, and various

fragments, mutants and derivatives thereof. Other exemplary fusogenic molecules and related methods are described, for example, in U.S. Pat. Appl. Pub. 2005/0238626 and 2007/0020238.

In one specific embodiment, the fusogen is heterologous to the virus from which the particle is derived. In one specific embodiment, the fusogen is a mutated protein which does not bind its natural ligand.

There are two recognized classes of viral fusogens and both can be used as targeting molecules (D. S. Dimitrov, *Nature Rev. Microbio.* 2, 109 (2004)). The class I fusogens trigger membrane fusion using helical coiled-coil structures, whereas the class II fusogens trigger fusion with 13 barrels. In some embodiments, class I fusogens are used. In other embodiments, class II fusogens are used. In still other embodiments, both class I and class II fusogens are used. See, e.g., Skehel and Wiley, *Annu. Rev. Biochem.* 69, 531-569 (2000); Smit, J. et al. *J. Virol.* 73, 8476-8484 (1999), Morizono et al. *J. Virol.* 75, 8016-8020 (2005), Mukhopadhyay et al. (2005) *Rev. Microbiol.* 3, 13-22.

In some specific embodiments, a form of hemagglutinin (HA) from influenza A/fowl plague virus/Rostock/34 (FPV), a class I fusogen, is used (Hatzioannou et al., *J. Virol.* 72, 5313 (1998)). In some specific embodiments, a form of FPV HA is used (Lin et al., *Hum. Gene. Ther.* 12, 323 (2001)). HA-mediated fusion is generally considered to be independent of receptor binding (Lavillette et al., *Cosset, Curr. Opin. Biotech.* 12, 461 (2001)).

In other embodiments, the Sindbis virus glycoprotein (a class II fusogen) from the alphavirus family is used (Wang et al., *J. Virol.* 66, 4992 (1992); Mukhopadhyay et al., *Nature Rev. Microbio.* 3, 13 (2005), Morizono et al., *Nature Med.* 11, 346 (2005)).

In some embodiments, mutant fusogens are used which maintain their fusogenic ability but have a decreased or eliminated binding ability or specificity. Functional properties of mutant fusogens can be tested, e.g., in cell culture or by determining their ability to stimulate an immune response without causing undesired side effects in vivo.

To select most effective and non-toxic combinations of pseudotyping protein and fusogens (either wild type or mutant), retroviral particles bearing these molecules can be tested for their selectivity and/or their ability to facilitate penetration of the target cell membrane. Retroviral particles that display wild type fusogens can be used as controls for examining titer effects in mutants. For example, cells can be transduced by the retroviral particles using a standard infection assay. After a specified time, for example 48 hours post-transduction, cells can be collected, and the percentage of transduced cells can be determined by, for example, monitoring reporter gene expression (e.g., using FACS analysis). The selectivity can be scored by calculating the percentage of cells infected by the retroviral particles. Similarly, the effect of mutations on viral titer can be quantified by dividing the percentage of cells infected by retroviral particles comprising a mutant targeting molecule by the percentage of cells infected by retrovirus comprising the corresponding wild type targeting molecule. The titers of retroviral particles can be determined, e.g., by limited dilution of the stock solution and transduction of cells expressing the proteins of interest. A preferred mutant will give the best combination of selectivity and infectious titer.

To investigate whether fusogen-mediated cell penetration is dependent upon pH, and select fusogens with the desired pH dependence, NH_4Cl or other compound that alters pH can be added at the infection step (NH_4Cl will neutralize the acidic compartments of endosomes). In the case of NH_4Cl ,

the disappearance of cells expressing the reporter will indicate that penetration of viruses is low pH-dependent. In addition, to confirm that the activity is pH-dependent, lysosomotropic agents, such as ammonium chloride, chloroquine, concanamycin, bafilomycin A1, monensin, nigericin, etc., may be added into the incubation buffer. These agents can elevate the pH within the endosomal compartments (Drose and Altendorf, *J. Exp. Biol.* 200, 1-8, 1997). The inhibitory effect of these agents will reveal the role of pH for viral fusion and entry. The different entry kinetics between retroviruses displaying different fusogenic molecules may be compared and the most suitable selected for a particular application.

PCR-based retroviral particle entry assays may be utilized to measure kinetics of viral DNA synthesis as an indication of the kinetics of retroviral particle entry. For example, retroviral particles comprising a particular pseudotyping molecule and fusogen can be incubated with target cells, unbound retroviruses can be then removed, and aliquots of the cells can be analyzed by extracting DNA and performing semi-quantitative PCR (e.g., using LTR-specific primers for retroviral particles). The appearance of LTR-specific DNA products will indicate the success of retroviral particle entry and uncoating.

In some embodiments, the pseudotyping molecule and a fusogen are two separate molecules. In other embodiments, they form a single fusion protein.

In preferred embodiments, the fusogen is a viral glycoprotein that mediates fusion or otherwise facilitates delivery of the nucleic acid of interest to the target cell. The fusogen preferably exhibits fast enough kinetics that the retroviral particle contents can empty into the cytosol before the degradation of the retroviral particle. In addition, the fusogen can be modified to reduce or eliminate any binding activity and thus reduce or eliminate any non-specific binding. That is, by reducing the binding ability of the fusogen, binding of the retroviral particles to the target cell is determined predominantly or entirely by the pseudotyping molecule, allowing for high target specificity and reducing undesired side-effects.

The measles virus (MeV), a prototype morbillivirus of the genus Paramyxoviridae, utilizes two envelope glycoproteins (the fusion protein (F) and the hemagglutinin protein (H)) to gain entry into the target cell. Protein F is a type I transmembrane protein, while protein H is a type II transmembrane domain, i.e., its amino-terminus is exposed directly to the cytoplasmic region. Both proteins thus comprise a transmembrane and a cytoplasmic region. One known function of the F protein is mediating the fusion of viral membranes with the cellular membranes of the target cell. Functions attributed to the H protein include recognizing the receptor on the target membrane and supporting F protein in its membrane fusion function. The direct and highly efficient membrane fusion at the cellular surface membrane is a particular property of measles virus and the morbilliviruses, thus distinguishing themselves from many other enveloped viruses that become endocytosed and will only fuse upon pH drop upon endocytosis. Both proteins are organized on the viral surface in a regular array of tightly packed spikes, H tetramers, and F trimers (Russell et al., *Virology* 199:160-168, 1994).

In certain embodiments, the fusogenic molecule is a Sindbis virus envelope protein (SIN). The SINdbis virus transfers its RNA into the cell by low pH mediated membrane fusion. SIN contains five structural proteins, E1, E2, E3, 6K and capsid. E2 contains the receptor binding sequence that allows the wild type SIN to bind, while E1 is

known to contain the properties necessary for membrane fusion (Konoochik et al., *Virology Journal* 2011, 8:304). E1, E2, and E3 are encoded by a polyprotein, the amino acid sequence of which is provided, e.g., by Accession No. VHWVB, VHWVB2, and P03316: the nucleic acid sequence is provided, e.g., by Accession No. SVU90536 and V01403 (see also Rice & Strauss, *Proc. Nat'l Acad. Sci USA* 78:2062-2066 (1981); and Strauss et al., *Virology* 133:92-110 (1984)).

In certain embodiments, the Sindbis virus envelope protein is mutated (SINmu). In certain embodiments, the mutation reduces the natural tropism of the Sindbis virus. In certain embodiments, a SINmu comprising SIN proteins E1, E2, and E3, wherein at least one of E1, E2, or E3 is mutated as compared to a wild type sequence. For example, one or more of the E1, E2, or E3 proteins can be mutated at one or more amino acid positions. In addition, combinations of mutations in E1, E2, and E3 are encompassed by fusogen as described herein, e.g., mutations in E1 and E2, or in E2 and E3, or E3 and E1, or E1, E2, and E3. In certain embodiments, at least E2 is mutated.

In certain embodiments, the SINmu comprises the following envelope protein mutations in comparison to wild type Sindbis virus envelope proteins: (i) deletion of E3 amino acids 61-64; (ii) E2 KE159-160AA; and (iii) E2 SLKQ68-71AAAA (SEQ ID NOS 144 and 145). In a further embodiment, the SINmu additionally comprises the envelope protein mutation E1 AK226-227SG. Examples of SINmu may be found in, for example, in U.S. Pat. No. 9,163,248; WO2011011584; Cronin et. al., *Curr Gene Ther.* 2005 August; 5(4): 387-398.

Other Togaviridae family envelopes, e.g., from the Alpha-virus genus, e.g., Semliki Forest Virus, Ross River Virus, and equine encephalitis virus, can also be used to pseudotype the vectors described herein. The envelope protein sequences for such Alphaviruses are known in the art.

In certain embodiments, the fusogen is a vesicular stomatitis virus (VSV) envelope protein. In certain embodiments, the fusogen is the G protein of VSV (VSV-G; Burns et al., *Proc. Natl. Acad. Sci. U.S.A.* 1993, vol. 90, no. 17, p. 1833-'7) or a fragment, mutant, derivative or homolog thereof. VSV-G interacts with a phospholipid component of the cell (e.g., T cell) membrane to mediate viral entry by membrane fusion (Mastromarino et al., *J Gen Virol.* 1998, vol. 68, no. 9, p. 2359-69; Marsh et al., *Adv Virus Res.* 1989, vol. 107, no. 36, p. 107-51. Examples of VSV-G may be found in, for example, WO2008058752.

The constructs described herein may also contain additional genetic elements. The types of elements that may be included in the constructs are not limited in any way and will be chosen by the skilled practitioner to achieve a particular result. For example, a signal that facilitates nuclear entry of the RNA corresponding to the transfer vector in the target cell may be included. An example of such a signal is the HIV-1 flap signal.

For additional packaging cells and systems and vectors for packaging the nucleic acid genome into the retroviral particle (including pseudotyped retroviral particles) see, for example, Polo, et al, *Proc Natl Acad Sci USA*, (1999) 96:4598-4603.

IV. Methods of Treatment and Use

The retroviral particles described herein can be used for various therapeutic applications (in vivo and ex vivo) and as research tools. In one aspect, described herein is a method for treating a disease in a subject in need thereof, the method

comprising administering to the subject a therapeutically effective amount of the retroviral particle of the invention or the pharmaceutical composition thereof.

In certain embodiments, target cells may be transduced with the lentiviral particle in vivo, ex vivo or in vitro.

In certain embodiments, the method is for targeted editing of a gene in a target cell comprising introducing into the target cell the retroviral particle of the invention by infection. In certain embodiments, the method is for targeted deletion or addition of a gene in a target cell comprising introducing into the target cell the retroviral particle of the invention. In certain embodiments, the method is for modulating an activity of a gene in a target cell comprising introducing into the target cell the retroviral particle of the invention. In certain embodiments, the method inhibits, suppresses, down regulates, knocks down, knocks out, or silences the expression of a gene product. In certain embodiments, the gene product is a protein. In certain embodiments, the gene product is an RNA. In certain embodiments, the retroviral particle is administered to a subject, wherein the target cell is in the subject. In certain embodiments, the target cell is harvested from the subject prior to introducing the retroviral particle into the target cell, wherein the retroviral particle is introduced to the target cell ex vivo.

In certain embodiments, the method is for treating a disease in a subject in need thereof, the method comprising administering to the subject a therapeutically effective amount of the retroviral particle of the invention or the pharmaceutical composition of the invention. In certain embodiments, the retroviral particle or the pharmaceutical composition is administered, by way of example and not limitation, intravenously, subcutaneously, intramuscularly, transdermally, intranasally, orally, or mucosally.

In certain embodiments, the method is for treating a disease in a subject in need thereof, the method comprising: a) harvesting a target cell from the subject; b) introducing into the target cell from step a) a therapeutically effective amount of the retroviral particle of the invention or the pharmaceutical composition of the invention; and c) returning the target cell from step b) to the subject.

In certain embodiments, the target cell is a HSC. In certain embodiments, the HSCs are transduced in vitro with the retroviral particle or composition comprising the retroviral particle followed by infusion of the transduced stem cells into the subject. For example, the subject's (e.g., human's) stem cell can be removed from the subject using methods well known in the art and transduced as described above. The transduced HSCs are then reintroduced into the same (autologous) or different subject (allogeneic).

Once harvested and transduced with the retroviral particle or composition in vitro, HSCs can be cultured under suitable conditions known in the art (e.g., Csaszar et al., *Cell Stem Cell*, 10(2): 218-29 (2012); Madlambayan et al., *Biol Blood Marrow Transplant.*, 72(10): 1020-1030 (2006); Woods et al., *Stem Cells*, 29(1): 1 158-1 164 (2011); U.S. Patent Application Publications 2002/0061293 and 2012/0071397; and International Patent Application Publication WO 2014/043131; or using commercially available systems (e.g., Life Technologies Corp. and Stem Cell Technologies, Inc.).

In certain embodiments, the target cell can be a somatic cell. In certain embodiments, the somatic cell can be transduced in vitro with the retroviral particle or composition comprising the retroviral particle and cultured under conditions to generate induced pluripotent stem cells (also known as iPS cells or iPSCs). An iPS cell is a type of pluripotent stem cell that can be generated directly from somatic (e.g., adult) cells by introducing appropriate reprogramming fac-

tors into somatic cells. A “reprogramming factor” refers to any substance(s) capable of inducing an iPS cell from a somatic cell, and can be a proteinaceous molecule, a nucleic acid sequence encoding same, or a low-molecular compound. Reprogramming factors typically used to generate iPS cells include, but are not limited to, the four genes Oct3/4, Sox2, Klf4, and c-Myc. See e.g., U.S. Pat. No. 8,951,801; International Patent Application Publication WO 2007/069666; and Takahashi, K. and Yamanaka, S., *Cell*, 126: 663-676 (2006)).

In certain embodiments, the target cell can be a mammalian induced pluripotent stem (iPS) cell that can be derived from various types of somatic cells. The iPS cell preferably is transduced in vitro with the inventive system or composition comprising the inventive system and can be differentiated into hematopoietic stem cells, red blood cells, or other suitable cell type.

In certain embodiments, the somatic cell is a hepatocyte. For example, the present invention also relates to the delivery to the liver, for gene therapy of liver conditions or the creation of liver models. Liver or liver tissue includes parenchymal cells commonly referred to as hepatocytes. Liver or Liver tissue can also be liver cells that are non-parenchymal cells (e.g., sinusoidal hepatic endothelial cells, upffer cells and hepatic stellate cells). Cells of the liver express one or more liver gene product(s). In certain embodiments, the invention is directed to the liver, whether that is the organ per se or a tissue within it or simply one or more liver cells, e.g., hepatocytes. Primary hepatocytes are preferred.

Hepatic targets include, but are not limited to amyloid neuropathy (TTR, PALB); Amyloidosis (APOA1, APP, AAA, CVAP, AD1, GSN, FGA, LYZ, TTR, PALB); Cirrhosis (RT18, T8, CIRH1A, NAIC, TEX292, KJAA1988); cystic fibrosis (CFTR, ABCC7, CF, MRP7); glycogen storage diseases (SLC2A2, GLUT2, G6PC, G6PT, G6PT1, GAA, LAMP2, LAMPB, AGL, GDE, GBE1, GYS2, PYGL, PFKM); hepatic adenoma, 142330 (TCF1, HNF1A, MODY3), hepatic failure, early onset, and neurologic disorder (SCOD1, SCO1), Hepatic lipase deficiency (LIPC), hepatoblastoma, cancer and carcinomas (CTNNB1, PDGFRL, PDGRL, PRLTS, AXIN1, AXFN, CTNNB1, TP53, P53, LFS1, IGF2R, MPRI, MET, CASP8, MCH5; Medullary cystic kidney disease (UMOD, HNFJ, FJHN, MCKD2, ADMCKD2); phenylketonuria (PAH, PKU1, QDPR, DHPR, PTS); Polycystic kidney and hepatic disease (FCYT, PKHD1, ARPKD, PKD1, PKD2, PKD4, PKDTS, PRKCSH, G19P1, PCLD, SEC63); blood clotting factors (factor V, factor VII, factor VIII, factor IX, factor X, factor XI, factor XII, factor XIII, prothrombin, fibrinogen, von Willebrand factor or recombinant soluble tissue factor (rsTF) or activated forms of any of the preceding); PCSK9; Hmgcr; SERPINA1; ApoB; and/or LDL.

In certain embodiments, the somatic cell is a lymphocyte. In certain embodiments, the lymphocyte is a T cell. In certain embodiments, the lymphocyte is a B cell. Non-limiting examples of lymphocyte targets include TCRs, BCRs, regulatory elements, artificial TCR like molecules, CARs, etc.

Somatic cells harvested from a subject such as human or mouse can be pre-cultured using any suitable medium known in the art, depending on the cell type. Examples of such media include, but are not limited to, a minimal essential medium (MEM) comprising about 5 to 20% fetal calf serum, Dulbecco’s modified Eagle medium (DMEM), RPMI1640 medium, 199 medium, F12 medium, and the like. Methods for culturing somatic cells to produce iPS cells

are described in, for example, U.S. Pat. No. 8,951,801, International Patent Application Publication WO 2007/069666; and Takahashi, K. and Yamanaka, S., *supra*.

In certain aspects, the invention provides a method of altering a DNA sequence in a target cell, the method comprising contacting a target cell comprising a DNA sequence comprising a target locus with the retroviral particle described herein. In certain embodiments, at least one gRNA sequence binds to the DNA sequence in the target cell genome, and the Cas9 protein, or functional fragment or derivative thereof, induces a double strand break in the DNA sequence, thereby altering a DNA sequence in a target cell. In certain embodiments, at least one ZFNs and/or TALENs, or functional fragments or derivatives thereof, induces a double strand break in the DNA sequence, thereby altering a DNA sequence in a target cell. In certain embodiments, the method further comprises a repair template. Descriptions of the retroviral particle, the guide RNA sequence, repair template, the target cell, target locus, and gene-editing molecules, or functional fragment or derivative thereof, (e.g., Cas protein, or functional fragment or derivative thereof) are set forth above.

In certain embodiments, the gene-editing molecule cleaves a target locus, to produce double strand DNA breaks. The double strand breaks can be repaired by the target cell by either non-homologous end joining (NHEJ) or homologous recombination. For example, in NHEJ, the double-strand breaks can be repaired by direct ligation of the broken ends to one another. As such, no new nucleic acid material is inserted into the target locus—although, some nucleic acid material may be lost, resulting in a deletion. Homologous recombination entails a repair in which a repair template comprising a second DNA sequence with homology to the cleaved target locus sequence is used as a template for repair of the cleaved target locus sequence, resulting in the transfer of genetic information from the repair template to the target locus. As a result, new nucleic acid material is inserted/copied into the DNA break site. These methods lead to, for example but not limited to, gene correction, gene replacement, gene tagging, transgene insertion, nucleotide deletion, gene disruption, gene mutation, and/or gene knockdown.

In certain embodiments, the invention further comprises a repair template comprising a second DNA sequence, which can be different from the first DNA sequence of the target locus. For example, the first DNA sequence of the target cell can be replaced with the second DNA sequence by homologous recombination following gene-editing-induced cleavage of the first DNA sequence of the target locus. When the retroviral particles are used to correct one or more mutations or defects in a gene, the target locus contains a first DNA sequence that encodes a defective protein and the repair template contains a second DNA sequence that encodes a wild type or corrective version of the defective protein. For example, the first DNA sequence can be a gene associated with a disease, which refers to any gene or polynucleotide whose gene products are expressed at an abnormal level or in an abnormal form in the cells obtained from a subject affected by the disease. In certain embodiments, the disease-associated gene may be expressed at an abnormally high level, where the altered expression correlates with the occurrence and/or progression of the disease. In certain embodiments, the disease-associated gene may be expressed at an abnormally low level, where the altered expression correlates with the occurrence and/or progression of the disease. In certain embodiments, a disease-associated gene can be a mutation or genetic variation of the gene, which is directly or indirectly responsible for the etiology of a disease.

In certain embodiments, the method can be used to delete nucleic acids from a target locus in a target cell by cleaving the target sequence and allowing the target cell to repair the cleaved sequence in the absence of a repair template. Deletion of a nucleic acid sequence in this manner can be used to, as an example but not a limitation, create gene knock-outs or knock-downs, knock-ins and generate mutations for disease models in research.

In certain embodiments, the method can be used to knock-in a nucleic acid that encodes by way of example but not limitation, a protein, an siRNA, an miRNA, etc or a tag (e.g., FLAG, HA, His, GFP), a regulatory sequence to a gene (e.g., a promoter, polyadenylation signal, internal ribosome entry sequence (IRES), 2A peptide, start codon, stop codon, splice signal, localization signal, etc.), or to modify a nucleic acid sequence (e.g., introduce a mutation).

V. Pharmaceutical Compositions, Dosage Forms and Administration

Also disclosed herein are pharmaceutical compositions comprising the retroviral particles described herein and a pharmaceutically acceptable carrier and/or excipient. In addition, disclosed herein are pharmaceutical dosage forms comprising the retroviral particle described herein.

Pharmaceutical compositions based on the vector particles disclosed herein can be formulated in any conventional manner using one or more physiologically acceptable carriers and/or excipients. The vector particles may be formulated for administration by, for example, injection, inhalation or insulation (either through the mouth or the nose) or by oral, buccal, parenteral or rectal administration, or by administration directly to a tumor.

The pharmaceutical compositions can be formulated for a variety of modes of administration, including systemic, topical or localized administration. Techniques and formulations can be found in, for example, Remington's Pharmaceutical Sciences, Meade Publishing Co., Easton, Pa. For systemic administration, injection is preferred, including intramuscular, intravenous, intraperitoneal, and subcutaneous. For the purposes of injection, the pharmaceutical compositions can be formulated in liquid solutions, preferably in physiologically compatible buffers, such as Hank's solution or Ringer's solution. In addition, the pharmaceutical compositions may be formulated in solid form and redissolved or suspended immediately prior to use. Lyophilized forms of the pharmaceutical composition are also suitable.

For oral administration, the pharmaceutical compositions may take the form of, for example, tablets or capsules prepared by conventional means with pharmaceutically acceptable excipients such as binding agents (e.g. pregelatinized maize starch, polyvinylpyrrolidone or hydroxypropyl methylcellulose); fillers (e.g. lactose, microcrystalline cellulose or calcium hydrogen phosphate); lubricants (e.g. magnesium stearate, talc or silica); disintegrants (e.g. potato starch or sodium starch glycolate); or wetting agents (e.g. sodium lauryl sulfate). The tablets can also be coated by methods well known in the art. Liquid preparations for oral administration may take the form of, for example, solutions, syrups or suspensions, or they may be presented as a dry product for constitution with water or other suitable vehicle before use. Such liquid preparations may be prepared by conventional means with pharmaceutically acceptable additives such as suspending agents (e.g. sorbitol syrup, cellulose derivatives or hydrogenated edible fats); emulsifying agents (e.g. lecithin or acacia); non-aqueous vehicles (e.g. ationd oil, oily esters, ethyl alcohol or fractionated vegetable

oils); and preservatives (e.g. methyl or propyl-p-hydroxybenzoates or sorbic acid). The preparations can also contain buffer salts, flavoring, coloring and sweetening agents as appropriate.

The pharmaceutical compositions can be formulated for parenteral administration by injection, e.g. by bolus injection or continuous infusion. Formulations for injection can be presented in a unit dosage form, e.g. In ampoules or in multi-dose containers, with an optionally added preservative. The pharmaceutical compositions can further be formulated as suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain other agents including suspending, stabilizing and/or dispersing agents.

Additionally, the pharmaceutical compositions can also be formulated as a depot preparation. These long acting formulations can be administered by implantation (e.g. subcutaneously or intramuscularly) or by intramuscular injection. Thus, for example, the compounds may be formulated with suitable polymeric or hydrophobic materials (e.g. as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives, for example, as a sparingly soluble salt. Other suitable delivery systems include microspheres, which offer the possibility of local noninvasive delivery of drugs over an extended period of time. This technology can include microspheres having a precapillary size, which can be injected via a coronary catheter into any selected part of an organ without causing inflammation or ischemia. The administered therapeutic is men slowly released from the microspheres and absorbed by the surrounding cells present in the selected tissue.

Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, bile salts, and fusidic acid derivatives. In addition, detergents may be used to facilitate permeation. Transmucosal administration can occur using nasal sprays or suppositories. For topical administration, the vector particles described herein can be formulated into ointments, salves, gels, or creams as generally known in the art. A wash solution can also be used locally to treat an injury or inflammation in order to accelerate healing.

Pharmaceutical forms suitable for injectable use can include sterile aqueous solutions or dispersions; formulations including sesame oil, peanut oil or aqueous propylene glycol; and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions. In all cases, the form must be sterile and must be fluid. It must be stable under the conditions of manufacture and certain storage parameters (e.g. refrigeration and freezing) and must be preserved against the contaminating action of microorganisms, such as bacteria and fungi.

If formulations disclosed herein are used as a therapeutic to boost an immune response in a subject, a therapeutic agent can be formulated into a composition in a neutral or salt form. Pharmaceutically acceptable salts, include the acid addition salts (formed with the free amino groups of the protein) and which are formed with inorganic acids such as, for example, hydrochloric or phosphoric acids, or such organic acids as acetic, oxalic, tartaric, mandelic, and the like. Salts formed with the free carboxyl groups can also be derived from inorganic bases such as, for example, sodium, potassium, ammonium, calcium, or ferric hydroxides, and such organic bases as isopropylamine, trimethylamine, histidine, procaine and the like.

A carrier can also be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), suitable mixtures thereof, and vegetable oils. The proper fluidity can be maintained, for example, by the use of a coating, such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. The prevention of the action of microorganisms can be brought about by various antibacterial and antifungal agents known in the art. In many cases, it will be preferable to include isotonic agents, for example, sugars or sodium chloride. Prolonged absorption of the injectable compositions can be brought about by the use in the compositions of agents delaying absorption, for example, aluminum monostearate and gelatin.

Sterile injectable solutions can be prepared by incorporating the active compounds or constructs in the required amount in the appropriate solvent with various of the other ingredients enumerated above, as required, followed by filtered sterilization.

Upon formulation, solutions can be administered in a manner compatible with the dosage formulation and in such amount as is therapeutically effective. The formulations are easily administered in a variety of dosage forms, such as the type of injectable solutions described above, but slow release capsules or microparticles and microspheres and the like can also be employed.

For parenteral administration in an aqueous solution, for example, the solution should be suitably buffered if necessary and the liquid diluent first rendered isotonic with sufficient saline or glucose. These particular aqueous solutions are especially suitable for intravenous, intratumorally, intramuscular, subcutaneous and intraperitoneal administration. In this context, sterile aqueous media that can be employed will be known to those of skill in the art in light of the present disclosure. For example, one dosage could be dissolved in 1 ml of isotonic NaCl solution and either added to 1000 ml of hypodermoclysis fluid or injected at the proposed site of infusion.

The person responsible for administration will, in any event, determine the appropriate dose for the individual subject. For example, a subject may be administered retroviral particles described herein on a daily or weekly basis for a time period or on a monthly, bi-yearly or yearly basis depending on need or exposure to a pathogenic organism or to a condition in the subject (e.g. cancer).

In addition to the compounds formulated for parenteral administration, such as intravenous, intratumorally, intradermal or intramuscular injection, other pharmaceutically acceptable forms include, e.g., tablets or other solids for oral administration; liposomal formulations; time release capsules; biodegradable and any other form currently used.

One may also use intranasal or inhalable solutions or sprays, aerosols or inhalants. Nasal solutions can be aqueous solutions designed to be administered to the nasal passages in drops or sprays. Nasal solutions can be prepared so that they are similar in many respects to nasal secretions. Thus, the aqueous nasal solutions usually are isotonic and slightly buffered to maintain a pH of 5.5 to 7.5. In addition, antimicrobial preservatives, similar to those used in ophthalmic preparations, and appropriate drug stabilizers, if required, may be included in the formulation. Various commercial nasal preparations are known and can include, for example, antibiotics and antihistamines and are used for asthma prophylaxis.

Oral formulations can include excipients as, for example, pharmaceutical grades of mannitol, lactose, starch, magne-

sium stearate, sodium saccharine, cellulose, magnesium carbonate and the like. These compositions take the form of solutions, suspensions, tablets, pills, capsules, sustained release formulations or powders. In certain defined embodiments, oral pharmaceutical compositions will include an inert diluent or assimilable edible carrier, or they may be enclosed in hard or soft shell gelatin capsule, or they may be compressed into tablets, or they may be incorporated directly with the food of the diet. For oral therapeutic administration, the active compounds may be incorporated with excipients and used in the form of ingestible tablets, buccal tablets, troches, capsules, elixirs, suspensions, syrups, wafers, and the like.

The tablets, troches, pills, capsules and the like may also contain the following: a binder, as gum tragacanth, acacia, cornstarch, or gelatin; excipients, such as dicalcium phosphate; a disintegrating agent, such as corn starch, potato starch, alginic acid and the like; a lubricant, such as magnesium stearate; and a sweetening agent, such as sucrose, lactose or saccharin may be added or a flavoring agent, such as peppermint, oil of wintergreen, or cherry flavoring. When the dosage unit form is a capsule, it may contain, in addition to materials of the above type, a liquid carrier. Various other materials may be present as coatings or to otherwise modify the physical form of the dosage unit. For instance, tablets, pills, or capsules may be coated with shellac, sugar or both. A syrup of elixir may contain the active compounds sucrose as a sweetening agent methyl and propylparabens as preservatives, a dye and flavoring, such as cherry or orange flavor.

Further embodiments disclosed herein can concern kits for use with methods and compositions. Kits can also include a suitable container, for example, vials, tubes, mini- or microfuge tubes, test tube, flask, bottle, syringe or other container. Where an additional component or agent is provided, the kit can contain one or more additional containers into which this agent or component may be placed. Kits herein will also typically include a means for containing the retroviral particles and any other reagent containers in close confinement for commercial sale. Such containers may include injection or blow-molded plastic containers into which the desired vials are retained. Optionally, one or more additional active agents such as, e.g., anti-inflammatory agents, anti-viral agents, anti-fungal or anti-bacterial agents or anti-tumor agents may be needed for compositions described.

Dose ranges and frequency of administration can vary depending on the nature of the retroviral particles and the medical condition as well as parameters of a specific patient and the route of administration used. In some embodiments, retroviral particle compositions can be administered to a subject at a dose ranging from about 1×10^5 plaque forming units (pfu) to about 1×10^{15} pfu, depending on mode of administration, the route of administration, the nature of the disease and condition of the subject. In some cases, the retroviral particle compositions can be administered at a dose ranging from about 1×10^6 pfu to about 1×10^8 pfu, or from about 1×10^8 pfu to about 1×10^{12} pfu. A more accurate dose can also depend on the subject in which it is being administered. For example, a lower dose may be required if the subject is juvenile, and a higher dose may be required if the subject is an adult human subject. In certain embodiments, a more accurate dose can depend on the weight of the subject.

Compositions disclosed herein may be administered by any means known in the art.

For example, compositions may include administration to a subject intravenously, intratumorally, intradermally, intraarterially, intraperitoneally, intralesionally, intracranially, intraarticularly, intraprostatically, intrapleurally, intratracheally, intranasally, intravitreally, intravaginally, intrarectally, topically, intratumorally, intramuscularly, intrathecally, subcutaneously, subconjunctival, intravesicularly, mucosally, intrapericardially, intraumbilically, intraocularly, orally, locally, by inhalation, by injection, by infusion, by continuous infusion, by localized perfusion, via a catheter, via a lavage, in a cream, or in a lipid composition.

Any method known to one skilled in the art may be used for large scale production of retroviral particles, packaging cells and vector constructs described herein. For example, master and working seed stocks may be prepared under GMP conditions in qualified primary CEFs or by other methods. Packaging cells may be plated on large surface area flasks, grown to near confluence and retroviral particles purified. Cells may be harvested, and retroviral particles released into the culture media isolated and purified, or intracellular retroviral particles released by mechanical disruption (cell debris can be removed by large-pore depth filtration and packaging cell DNA digested with endonuclease). retrovirus particles may be subsequently purified and concentrated by tangential-flow filtration, followed by diafiltration. The resulting concentrated bulk maybe formulated by dilution with a buffer containing stabilizers, filled into vials, and lyophilized. Compositions and formulations may be stored for later use. For use, lyophilized retroviral particles may be reconstituted by addition of diluent.

Certain additional agents used in the combination therapies can be formulated and administered by any means known in the art.

Compositions as disclosed herein can also include adjuvants such as aluminum salts and other mineral adjuvants, tensoactive agents, bacterial derivatives, vehicles and cytokines. Adjuvants can also have antagonizing immunomodulating properties. For example, adjuvants can stimulate Th1 or Th2 immunity. Compositions and methods as disclosed herein can also include adjuvant therapy.

EXAMPLES

The present invention is also described and demonstrated by way of the following examples. However, the use of these and other examples anywhere in the specification is illustrative only and in no way limits the scope and meaning of the invention or of any exemplified term. Likewise, the invention is not limited to any particular preferred embodiments described here. Indeed, many modifications and variations of the invention may be apparent to those skilled in the art upon reading this specification, and such variations can be made without departing from the invention in spirit or in scope. The invention is therefore to be limited only by the terms of the appended claims along with the full scope of equivalents to which those claims are entitled.

Example 1: Analysis of the Ability of CypA and Vpr Fusions to Effectively Enrich Cas9 Protein into Lentiviral Particles

This example investigated the ability of CyclophilinA (CypA) and Vpr fusions to effectively enrich Cas9 protein into lentiviral particles. FIG. 1A depicts retroviral particle structure with Cas9 protein fusions and lentiviral genome carrying a gRNA that targets the GFP nucleotide sequence (SEQ ID NO: 59) driven by hU6 promoter (pLVX hU6 GFP

gRNA IRES puro, SEQ ID NO: 60). CypA is a host protein interacting with lentivirus Gag proteins and highly enrich in lentiviral particles (Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B Cell. 1993 Jun. 18; 73(6):1067-78). Vpr is a lentiviral accessory protein. Two Cas9 constructs, pRG984 CypA-Cas9 (SEQ ID NO: 61) and pRG984 Cas9-Vpr (SEQ ID NO: 62) were made to express CypA-Cas9 and Cas9-Vpr fusion proteins. The ability of CypA and Vpr to enrich functional Cas9 proteins into lentiviral particles was assayed by measuring the level of eGFP knockout in a cell, wherein eGFP was introduced by lentivirus and named 293 T pLVX EF1a eGFP IRES puro c12 cell (SEQ ID NO: 63). Once the functional Cas9/GFP gRNA targets the GFP nucleotide sequence, the cells modified to express GFP will not fluoresce when detected by FACS. Constructs

pLVX EF1a eGFP IRES puro (SEQ ID NO: 63). The eGFP DNA was inserted into pLVX EF1a IRES puro (Clontech) vector using Spe1 and Not 1 restriction sites.

pLVX hU6 GFP gRNA EF1a IRES puro (SEQ ID NO: 60). Gblock containing the hU6 promoter and GFP guide RNA (gRNA) sequence (GGGCGAGGAGCTGTT-CACCG; SEQ ID NO: 59) was ordered and cloned into pLVX EF1a IRES puro plasmid at the Cla1 restriction site using sequence and ligation independent cloning.

pRG984 Cas9 (SEQ ID NO: 64). 5 g blocks (from Integrated DNA technologies) of Cas9 gene with overhangs were ordered from IDT and cloned into pRG984 plasmid using Gibson assembly methods.

pRG984 CypA-Cas9 (SEQ ID NO: 61). Gblock containing CypA nucleotide sequences was ordered from IDT and inserted into pRG984 Cas9 plasmid using Xho1 restriction site and sequence and ligation-independent cloning (Methods Mol Biol., 2012; 852:51-9).

pRG984 Cas9-Vpr (SEQ ID NO: 62). Gblock containing Vpr nucleotide sequences were ordered from IDT and inserted into pRG984 Cas9 plasmid using Not1 restriction site and sequence and ligation-independent cloning.

Plasmids used in making lentiviral particles in FIG. 2

Panel	Envelope	Helper	Genome	Cas9
B	pMD2.G	psPAX2	pLVX EF1a IRES puro SEQ ID NO: 68 (Clontech Cat# 631988)	pRG984 Cas9 SEQ ID NO: 64
C	pMD2.G	psPAX2	pLVX hU6 gGFP EF1a IRES puro SEQ ID NO: 60	pRG984 Cas9 SEQ ID NO: 64
D	pMD2.G	psPAX2	pLVX hU6 gGFP EF1a IRES puro SEQ ID NO: 60	pRG984 CypA-Cas9 SEQ ID NO: 61
E	pMD2.G	psPAX2	pLVX hU6 gGFP EF1a IRES puro SEQ ID NO: 60	pRG984 Cas9-Vpr SEQ ID NO: 62

Lentiviral Particle Production

Lentiviral production was performed using three- or four-plasmid transfection method. Cells are plated one day prior to PEFpro (Polyplus transfection, New York, NY)-mediated transfection with appropriate vectors, one envelope plasmid, pMD2.G, one plasmid containing lentiviral gag/pol psPAX2 and one genome plasmid. When preparing a lentivirus carrying Cas9 mRNA, one more plasmid expressing Cas9 was added. For each 10 cm plate, 4 µg of envelope and gag/pol plasmids, 8 µg of genome plasmid and 8 µg of Cas9 plasmid (if required) were mixed with PEIpro at 1:1 ratio (1 µg DNA: 1 µg PEIpro). 48 hours after transfection, the culture

medium was collected, filtered through 0.45 μ m filter, and treated with DNase I at 37° C. for 1 hour. Then the medium was ultra-centrifuged at 25000 rpm for 90 min. Pellet was suspended with PBS buffer. Virol titer was measured by quantitative PCR (qPCR) using Lenti-X™ qRT-PCR Titration Kit (Takara) according to the manufacturer's protocol. Construction of 293T pLVX EF1a eGFP IRES Puro c12 Cell Line

Lentivirus with LVX EF1a eGFP IRES (SEQ ID NO: 60) puro genome was produced and titrated. 1E7 vg of virus was added to 1E7 cells in 15 cm cells. 24 hours after infection, cells were put in 1 μ g/ml selection for 7 days. Single colonies were picked and analyzed by FACS. Clone 12 with low GFP intensity was used in the following experiment.

1E10 vg of lentiviral particles were added to 50,000 293T pLVX EF1a eGFP IRES puro c12 cells. Six days after infection, the GFP signal was analyzed by FACS. Without GFP gRNA, Cas9/non-gRNA lentiviral particles did not knock out GFP (FIG. 2B). In cells infected with Cas9/GFP gRNA lentiviral particles, about 16.4% of cells were GFP negative which indicates that Cas9 protein could be randomly packaged into lentiviral particles. Cells infected with CypA-Cas9/GFP gRNA lentiviral particles were 82.2% GFP negative (FIG. 2D), which indicates that fusion to CypA sequence enriches Cas9 protein in lentiviral particles. Cells infected with Cas9-Vpr/GFP gRNA lentiviral particles were 94.9% GFP negative (FIG. 2E), which indicates that fusion to Vpr sequence enriches Cas9 protein in lentiviral particles.

Example 2: Recruitment of Cas9 Proteins and mRNAs in Lentiviral Particles

This example investigated the use of 7SL RNA-Cas9 mRNA fusion RNA molecules (FIGS. 1A and B) to enrich Cas9 mRNA in lentiviral particles. This study took advantage of the fact that 7SL RNA, highly enriched in retroviral particles via interacting with Gag protein (J Virol. 2010 September; 84(18): 9070-9077), is the most abundant non-viral RNA found in lentiviruses (see, e.g., Eckwahl et al., mBio, 2016, 7(1):e02025-15). In particular, lentiviral particles were produced in a cell culture in the presence of the Cas9 mRNA (SEQ ID NO: 2), 7SL RNA-Cas9 mRNA fusion RNA (SEQ ID NO: 3) or Cas9 mRNA-7SL RNA fusion RNA (SEQ ID NO: 4). The ability of 7SL RNA to enrich Cas9 mRNA into lentiviral particles was assayed by measuring the level of eGFP knockout in a cell, wherein eGFP was introduced by lentivirus and named 293 T pLVX EF1a GFP IRES puro c12 cell (SEQ ID NO: 63). Once the functional Cas9/GFP gRNA targets the GFP nucleotide sequence, the cells modified to express GFP will not fluoresce when detected by FACS.

Constructs

pRG984 7SL RNA-Cas9 (SEQ ID NO: 66). Gblocks containing 7SL RNA sequence were ordered and inserted into pRG984 Cas9 plasmid using SpeI restriction site and sequence and ligation-independent cloning (SLIC) to make pRG984 7SL RNA-Cas9, in which the 7SL sequence is located before the start codon of Cas9.

pRG984 Cas9-7SL RNA (SEQ ID NO: 67). Gblocks containing 7SL RNA sequence were ordered and inserted into pRG984 Cas9 plasmid using NotI restriction site and sequence and ligation-independent cloning (SLIC) to make pRG984 Cas9-7SL RNA, in which the 7SL sequence is located at after the stop codon of Cas9.

TABLE 3

Plasmids used in making lentiviral particles in FIG. 2				
Panels	Envelope	Helper	Genome	Cas9
5 B	pMD2.G	psPAX2	pLVX EF1a IRES puro SEQ ID NO: 68	pRG984 Cas9 SEQ ID NO: 64
C	pMD2.G	psPAX2	pLVX hU6 gGFPEF1a IRES puro SEQ ID NO: 60	pRG984 Cas9 SEQ ID NO: 64
10 F	pMD2.G	psPAX2	pLVX hU6 gGFPEF1a IRES puro SEQ ID NO: 60	pRG984 7SL-Cas9 SEQ ID NO: 66
G	pMD2.G	psPAX2	pLVX hU6 gGFPEF1a IRES puro SEQ ID NO: 60	pRG984 Cas9-7SL SEQ ID NO: 67

The amount of Cas9 mRNA recruited in the lentiviral particles was assayed using qPCR and primers specific for Cas9 [Cas9F GACAGGCACAGCATCAAGAA (SEQ ID NO: 69) Cas9R TTCTGGCGTTCTCTTCAGT (SEQ ID NO: 70)]. Assembly of lentiviral particles in the presence of the Cas9 mRNA-7SL RNA fusion RNA surprisingly resulted in a 4-fold increase in the amount of Cas9 mRNA in lentiviral particles as compared to the amount of Cas9 mRNA in lentiviral particles assembled in the presence of Cas9 mRNA without 7SL RNA fusion (FIG. 3).

1E10 vg of lentiviral particles were added to 50,000 293T pLVX EF1a eGFP IRES puro c12 cells. Six days after infection, the GFP signal was analyzed by FACS. Without GFP gRNA, Cas9/non-gRNA lentiviral particles did not knock out GFP (FIG. 2B). In cells infected with Cas9/GFP gRNA lentiviral particles, about 17% of cells were GFP negative, which indicates that Cas9 proteins or mRNA could be randomly packaged into lentiviral particles. Cells infected with 7SL Cas9/GFP gRNA or Cas9 7SL/GFP gRNA lentiviral particles were 93% or 97% GFP negative (FIGS. 2F and G), which indicates that fusion to 7SL RNA sequence enriches Cas9 mRNA in lentiviral particles.

Example 3: Testing of Functionality of the Cas9 mRNA 7SL RNA Fusions Incorporated in Lentiviral Particles by Assaying Rescue of Zombie LacZ

Zombie LacZ is a defective lacZ which contains a mutation of Q530E (FIG. 4). 293T cells were transfected with pShuttle CMV zombie lacZ (SEQ ID NO: 71). 24 hours after transfection, lentiviral particles which contain zombie lacZ gRNA (SEQ ID NO: 72 and repair template (SEQ ID NO: 73) in their genome and Cas9 mRNA-7SL RNA fusion RNA (SEQ ID NO: 4) were added to the cells (FIG. 5A). 96 hours after infection, cells were lysed and lacZ activity was analyzed by the Beta-Glo® Assay System (Promega). Infection with lentiviral particles carrying lacZ gRNA and repair template resulted in slightly higher lacZ activity than the background which indicates background recombination between repair template and zombie lacZ. Infection with lentiviral particles carrying zombie lacZ gRNA and repair template (RT) in their genome and Cas9 mRNA-7SL RNA fusion RNA significantly increased the lacZ activity.

Constructs

pShuttle CMV Zombie lacZ (SEQ ID NO: 71). LacZ gene was cloned into pShuttle CMV vector using XhoI and HindIII restriction site to make pShuttle CMV lacZ. Mutation Q530 (GAA) was introduced into pShuttle CMV lacZ to make pShuttle CMV zombie lacZ by SLIC methods. Two fragments with overhangs were amplified by PCR using

73

primers listed below and put back into pShuttle CMV lacZ vector digested by XhoI and HindIII site.

lacZF (SEQ ID NO: 74)
CGACGCGGCCGCTCGAG (XhoI)

QtoER (SEQ ID NO: 75)
TGGGCGTATTGGCAAAGGAT

QtoEF (SEQ ID NO: 76)
ATCCTTTGCCAATACGCCCA

lacZR (SEQ ID NO: 77)
CGGATATCTTACTAGAAGCTT

pLVX hU6 gZlacZ repair template (RT) (SEQ ID NO: 78). Gblock containing hU6 promoter and zombie lacZ gRNA was ordered from IDT and cloned into pLVX EF1a IRES Puro vector at ClaI site. 2.8 kb of lacZ repair template with PAM site mutated was synthesized and replaced the EF1a promoter in pLVX EF1a IRES puro.

TABLE 4

Plasmids used in making lentiviral particles				
Construct	Envelope	Helper	Genome	Cas9
(ii)	pMD2.G	psPAX2	pLVX hU6 zombie lacZ gRNA repair template SEQ ID NO: 78	N/A
(iii)	pMD2.G	psPAX2	pLVX hU6 zombie lacZ gRNA repair template SEQ ID NO: 78	pRG984 Cas9-7SL SEQ ID NO: 67
(iv) - gRNA/RT/Cas9 7S particle	pMD2.G	psPAX2	pLVX hU6 zombie lacZ gRNA repair template SEQ ID NO: 78	pRG984 Cas9-7SL SEQ ID NO: 67
(iv) - Cas9 particle	pMD2.G	psPAX2	pLVX CAGG Cas9 SEQ ID NO: 79	

Example 4: Dual Enrichment Methods to Enrich Cas9 Proteins and mRNA

As described in example 3, providing Cas9 in trans could increase homologous recombination activity. To introduce more Cas9 into a target cell, dual enrichment methods could be used. CypA-Cas9-7SL RNA fusion or Cas9-Vpr-7SL RNA fusion is made to enrich both Cas9 proteins and mRNA in lentiviral particles to introduce more Cas9 into a target cell. Such a method can provide extended Cas9 activity in the host cell by providing two phases of Cas9 protein—direct from the Cas9 fusion protein and a second phase of Cas9 protein via translation from the Cas9 fusion mRNA.

Example 5: Engineering T Cells for Immunotherapy of Cancer

This example outlines the use of the lentiviral particles of the invention for cancer immunotherapy by engineering T cells to express chimeric antigen receptors (CARs) while eliminating the T cells' native T cell receptor (TCR) and/or programmed cell death-1 (PD1) receptor. To promote the specific targeting of cancer cells, T cells can be transduced with CARs which redirect the T cells against antigens

74

expressed at the surface of target cancer cells. The native TCR can be eliminated from the engineered T cells to prevent recondition of host tissue as foreign by the TCR and to avoid graft versus host disease. The PD1 expressed in the transduced T cell can be eliminated to prevent suppression of the T cell's anti-tumor activity. T cells are harvested from a blood sample from an individual patient or from a blood bank and activated using anti-CD3/CD28 activator beads. The cells are then transduced with lentiviral particles containing a multi-chain CAR derived from FcεRI directed towards cancer antigen CD20 driven by EF1α promoter in their genome and CypA-Cas9 fusion protein and CypA-Cas9-7SL RNA fusion RNA and a gRNA targeting TCRα, a gRNA targeting PD1, or both. 96 hours after infection, the TCR inactivated and CAR positive T cells are sorted using FACS and expanded in vitro prior to administration to the patient (or in vivo following administration to the patient) through stimulation of CD3 complex and are administered to the patient for the treatment of cancer.

T cells could also be transduced with lentiviral particles containing gRNA targeting TCRα and/or PD1 and a homologous recombination template with a multi-chain CAR derived from FcεRI directed towards cancer antigen CD20 flanked by homologous arms targeting TCRα in their genome and CypA-Cas9 fusion protein and CypA-Cas9-7SL RNA fusion RNA. CAR is integrated into TCRα locus and expressed by endogenous TCR promoter. The expression of TCRα is disrupted simultaneously. 96 hours after infection, the TCR inactivated and CAR positive T cells are sorted using FACS and expanded in vitro prior to administration to the patient (or in vivo following administration to the patient) through stimulation of CD3 complex and are administered to the patient for the treatment of cancer.

Example 6: Treatment of Sickle Cell Disease

This example outlines the use of the lentiviral particles of the invention for repairing sickle cell anemia-causing mutations within the β-globin (HBB) gene. The presence of atypical HBB gene cluster haplotypes within the red blood cells results in sickle cell anemia. Subject derived haematopoietic stem cells are harvested and incubated with lentiviral particles which contain HBB gRNA and repair template in their genome and CypA-Cas9 fusion protein and CypA-Cas9-7SL RNA fusion RNA. 96 hours after infection, cells are tested for the presence of anemia-causing mutations (or their reparation) by sequencing. Upon achieving 90% or more mutation reparation, the cells are transplanted back into the subject. Subject's bone marrow is tested for the presence of the repaired cells after 16 weeks.

The claimed subject matter is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the claimed subject matter in addition to those described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

All patents, applications, publications, test methods, literature, and other materials cited herein are hereby incorporated by reference in their entirety as if physically present in this specification.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 156

<210> SEQ ID NO 1

<211> LENGTH: 299

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 1

```
gccccggcgcg gtggcgcggtg cctgtagtcc cagctactcg ggaggctgag gctggaggat    60
cgcttgagtc caggagttct ggctgtagt gcgctatgcc gatcgggtgt ccgcactaag    120
ttcggcatac atatggtgac ctcccgggag cggggggacca ccagggtgccc taaggagggg    180
tgaaccggcc caggtcggaa acggagcagg tcaaaactcc cgtgctgac agtagtgga    240
tcgcgcctgt gaatagccac tgcactccag cctgggcaac atagcgagac cccgtctct    299
```

<210> SEQ ID NO 2

<211> LENGTH: 4176

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 2

```
atggacaagc ccaagaaaaa gcggaaagtg aagtacagca tcggcctgga catcggcacc    60
aactctgtgg gctgggccgt gatcacggac gagtacaagg tgcccagcaa gaaattcaag    120
gtgctgggca acaccgacag gcacagcatc aagaagaacc tgatcggcgc cctgctgttc    180
gacagcggcg aaacagccga gggcaccaga ctgaagagaa ccgccagaag aagatacacc    240
aggcgggaaga acaggatctg ctatctgcaa gagatcttca gcaacgagat ggccaaggtg    300
gacgacagct tcttccacag actggaagag tccttctctg tggaagagga caagaagcac    360
gagagacacc ccattctctg caacatcgtg gacgaggtgg cctaccacga gaagtacccc    420
accatctacc acctgagaaa gaaactgggt gacagcaccg acaaggccga cctgagactg    480
atctacctgg ccctggccca catgatcaag ttcagaggcc acttctctgat cgagggcgac    540
ctgaaccccg acaacagcga cgtggacaag ctgttcatcc agctgggtgca gacctacaac    600
cagctgttgc aggaaaaacc catcaacgcc agcggcgtgg acgccaaggc tatcctgtct    660
gccagactga gcaagagcag aaggctggaa aatctgatcg ccagctgcc cgcgagagaag    720
aagaacggcc tgttcggcaa cctgattgcc ctgagcctgg gcctgacccc caacttcaag    780
agcaacttcg acctggccga ggatgccaaa ctgcagctga gcaaggacac ctacgacgac    840
gacctggaca acctgctggc ccagatcggc gaccagtacg ccgacctgtt cctggccgcc    900
aagaacctgt ctgacgccat cctgctgagc gacatcctga gagtgaacac cgagatcacc    960
aaggccccc tgagcgctc tatgatcaag agatacgacg agcaccacca ggacctgacc    1020
ctgctgaaag ctctcgtgcg gcagcagctg cctgagaagt acaaagaaat cttctctgac    1080
cagagcaaga acggctacgc cggctacatc gatggcggcg ctagccagga agagttctac    1140
aagttcatca agcccatcct ggaaaagatg gacggcaccg aggaactgct cgtgaagctg    1200
aacagagagg acctgctgag aaagcagaga accttcgaca acggcagcat cccccaccag    1260
atccacctgg gagagctgca cgctatcctg agaaggcagg aagattttta cccattcctg    1320
aaggacaacc gggaaaagat cgagaagatc ctgaccttca ggatccccta ctacgtgggc    1380
cccctggcca gaggcaacag cagattcgcc tggatgacca gaaagagcga ggaaaccatc    1440
```

-continued

accccttgga	acttcgagga	agtgggtggac	aaggcgccca	gcgcccagag	cttcatecgag	1500
agaatgacaa	acttcgataa	gaacctgccc	aacgagaagg	tgctgcccac	gcacagcctg	1560
ctgtacgagt	acttcaccgt	gtacaacgag	ctgaccaaag	tgaatacgt	gaccgaggga	1620
atgagaaagc	cgccttcct	gagcgcgag	cagaaaaagg	ccatcgtgga	cctgctgttc	1680
aagaccaaca	gaaaagtgc	cgtgaagcag	ctgaaagagg	actacttcaa	gaaaatcgag	1740
tgcttcgact	cgtggaaat	ctccggcgtg	gaagatagat	tcaacgcctc	cctgggcaca	1800
taccacgac	tgctgaaaat	tatcaaggac	aaggacttcc	tgataacga	agagaacgag	1860
gacattctgg	aagatatcgt	gctgacccctg	acactgtttg	aggaccgcga	gatgatcgag	1920
gaaaggctga	aaacctacgc	tcacctgttc	gacgacaaag	tgatgaagca	gctgaagaga	1980
aggcgggtaca	cggcgtgggg	caggctgagc	agaaagctga	tcaacggcat	cagagacaag	2040
cagagcggca	agacaatcct	ggatttcctg	aagtccgacg	gcttcgcccac	ccggaacttc	2100
atgcagctga	tccacgacga	cagcctgaca	ttcaaaggagg	acatccagaa	agcccagggtg	2160
tcggccaggg	gcgactctct	gcacgagcat	atcgctaacc	tgccggcgag	ccccgctatc	2220
aagaagggca	tcctgcagac	agtgaagggtg	gtggacgagc	tcgtgaaagt	gatgggcaga	2280
cacaagcccc	agaacatcgt	gatcgagatg	gctagagaga	accagaccac	ccagaaggga	2340
cagaagaact	cccgcgagag	gatgaagaga	atcgaagagg	gcatacaaga	gctgggcagc	2400
cagatcctga	aagaacaccc	cgtggaaaac	accagctgc	agaacgagaa	gctgtacctg	2460
tactacctgc	agaatggcgg	ggatatgtac	gtggaccagg	aactggacat	caacagactg	2520
tcgactacg	atgtggacca	tatcgtgcct	cagagcttcc	tgaaggacga	ctccatcgat	2580
aacaaagtgc	tgactcggag	cgacaagaac	agaggcaaga	gcgacaacgt	gccctccgaa	2640
gaggtcgtga	agaagatgaa	gaactactgg	cgacagctgc	tgaacgcccac	gctgattacc	2700
cagaggaagt	tcgataacct	gaccaaggcc	gagagaggcg	gcctgagcga	gctggataag	2760
gccggcttca	tcaagaggca	gctggtggaa	accagacaga	tcacaaagca	cgtggcacag	2820
atcctggact	cccgatgaa	cactaagtac	gacgaaaacg	ataagctgat	ccgggaagtg	2880
aaagtgatca	ccctgaagtc	caagctgggtg	tcgattttcc	ggaaggattt	ccagttttac	2940
aaagtgcg	agatcaacaa	ctaccaccac	gccacgacg	cctacctgaa	cgccgctgtg	3000
ggaaccgccc	tgatcaaaaa	gtaccctaag	ctggaaagcg	agttcgtgta	cgccgactac	3060
aaggtgtacg	acgtgcggaa	gatgatcgcc	aagagcgagc	aggaaatcgg	caaggctacc	3120
gccaaagtact	tctctacag	caacatcatg	aactttttca	agaccgaaat	cacctgggcc	3180
aacggcgaga	tcagaaaagcg	ccctctgac	gagacaaaag	gcgaaaccgg	ggagatcgtg	3240
tggtgataagg	gcagagactt	cgccacagtg	cgaaagggtg	tgagcatgcc	ccaagtgaat	3300
atcgtgaaaa	agaccgaggt	gcagacaggc	ggcttcagca	aagagtctat	cctgcccacg	3360
aggaacacg	acaagctgat	cgccagaaaag	aaggactggg	acccaagaa	gtacggcggc	3420
ttcgacagcc	ctaccgtggc	ctactctgtg	ctggtggtgg	ctaagggtgga	aaaggccaag	3480
tccaagaaac	tgaagagtgt	gaaagagctg	ctggggatca	ccatcatgga	aagaagcagc	3540
tttgagaaga	accctatcga	ctttctggaa	gccaaaggct	acaaagaagt	gaaaaaggac	3600
ctgatcatca	agctgcctaa	gtactccctg	ttcgagctgg	aaaacggcag	aaagagaatg	3660
ctggcctctg	cggcggaact	gcagaaggga	aacgagctgg	ccctgcctag	caaatatgtg	3720
aacttcctgt	acctggcctc	ccactatgag	aagctgaagg	gcagccctga	ggacaacgaa	3780
cagaaacagc	tgtttgtgga	acagcataag	cactacctgg	acgagatcat	cgagcagatc	3840

-continued

```

agcgagttct ccaagagagt gatcctggcc gacgccaatc tggacaaggt gctgtctgcc 3900
tacaacaagc acagggacaa gcctatcaga gagcaggccg agaatatcat ccacctgttc 3960
accctgacaa acctgggcgc tctgcccgc ttcaagtact ttgacaccac catcgaccgg 4020
aagaggtaca ccagcaccaa agaggtgctg gacgccaccc tgatccacca gagcatcacc 4080
ggcctgtacg agacaagaat cgacctgtct cagctgggag gcgacaagag acctgcccgc 4140
actaagaagg ccggacaggc caaaaagaag aagtga 4176

```

<210> SEQ ID NO 3

<211> LENGTH: 4487

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 3

```

gccggggcgc gtggcgctg cctgtagtcc cagctactcg ggaggctgag gctggaggat 60
cgcttgatgc caggagtctt gggctgtagt gcgctatgcc gatcgggtgt ccgcactaag 120
ttcggcatca atatggtgac ctcccgggag cggggggacca ccagggtgcc taaggagggg 180
tgaaccggcc caggtcggaa acggagcagg tcaaaactcc cgtgctgac agtagtggga 240
tcgcgcctgt gaatagccac tgactccag cctgggcaac atagcgagac cccgtctcta 300
ctagtgccac catggacaag ccaagaaaa agcgaaaagt gaagtacagc atcggcctgg 360
acatcggcac caactctgtg ggctgggccc tgatcaccga cgagtacaag gtgccagca 420
agaaattcaa ggtgctgggc aacaccgaca ggcacagcat caagaagaac ctgatcggcg 480
ccctgctgtt cgacagcggc gaaacagccg agggccaccag actgaagaga accgccagaa 540
gaagatacac caggcgggaag aacaggatct gctatctgca agagatcttc agcaacgaga 600
tggccaaggt ggacgacagc ttcttcacca gactggaaga gtccttctcg gtggaagagg 660
acaagaagca cgagagacac cccatcttcg gcaacatcgt ggacgagggt gcctaccacg 720
agaagtacc caccatctac cacctgagaa agaaactggg ggacagcacc gacaaggccg 780
acctgagact gatctacctg gcctggccc acatgatcaa gttcagaggc cacttcttga 840
tcgagggcga cctgaacccc gacaacagcg acgtggacaa gctgttcac cagctggtgc 900
agacctacaa ccagctgttc gagaaaaacc ccatcaacgc cagcggcgtg gacgccaagg 960
ctatcctgtc tgccagactg agcaagagca gaaggctgga aaatctgac gccagctgc 1020
ccggcgagaa gaagaacggc ctgttcggca acctgattgc cctgagcctg ggcccgaccc 1080
ccaaactcaa gagcaacttc gacctggccg aggatgccaa actgcagctg agcaaggaca 1140
cctacgacga cgacctggac aacctgctgg ccagatcgg cgaccagtac gccgacctgt 1200
tcctggccgc caagaacctg tctgacgcca tcctgctgag cgacatcctg agagtgaaca 1260
ccgagatcac caaggccccc ctgagcgcc ctatgatcaa gagatacgac gagcaccacc 1320
aggacctgac cctgctgaaa gctctctgtc ggcagcagct gcctgagaag tacaaagaaa 1380
tcttcttcga ccagagcaag aacggctacg ccggctacat cgatggcggc gctagccagg 1440
aagagttcta caagttcatc aagcccatcc tggaaaagat ggacggcacc gaggaactgc 1500
tcgtgaagct gaacagagag gacctgctga gaaagcagag aaccttcgac aacggcagca 1560
tccccacca gatccacctg ggagagctgc acgctatcct gagaaggcag gaagattttt 1620
acccattcct gaaggacaac cgggaaaaga tcgagaagat cctgaccttc aggatccctt 1680

```

-continued

actacgtggg	ccccctggcc	agaggcaaca	gcagattcgc	ctggatgacc	agaaagagcg	1740
aggaaccat	cacccctgg	aacttcgagg	aagtgggtga	caagggcgcc	agcgcccaga	1800
gcttcacga	gagaatgaca	aacttcgata	agaacctgcc	caacgagaag	gtgctgccc	1860
agcacagcct	gctgtacgag	tacttcaccg	tgtacaacga	gctgacaaa	gtgaaatacg	1920
tgaccgagg	aatgagaaag	cccgcttcc	tgagcggcga	gcagaaaaag	gccatcgtgg	1980
acctgctgtt	caagaccaac	agaaaagtga	ccgtgaagca	gctgaaagag	gactacttca	2040
agaaaatcga	gtgcttcgac	tccgtggaaa	tctccggcgt	ggaagataga	ttcaacgcct	2100
ccctgggcac	ataccacgat	ctgctgaaaa	ttatcaagga	caaggacttc	ctggataacg	2160
aagagaacga	ggacattctg	gaagatatcg	tgctgaccct	gacctgttt	gaggaccgcg	2220
agatgatcga	ggaaggtcg	aaaacctacg	ctcacctgtt	cgacgacaaa	gtgatgaagc	2280
agctgaagag	aaggcgttac	accggtctgg	gcaggtgag	cagaaagctg	atcaacggca	2340
tcagagacaa	gcagagcggc	aagacaatcc	tggatttcct	gaagtccgac	ggcttcgcca	2400
accggaactt	catgcagctg	atccacgacg	acagcctgac	attcaaagag	gacatccaga	2460
aagcccaggt	gtccggccag	ggcgactctc	tgcacgagca	tatcgctaac	ctggccggca	2520
gccccgctat	caagaagggc	atcctgcaga	cagtgaaggt	ggtggacgag	ctcgtgaaa	2580
tgatgggcag	acacaagccc	gagaacatcg	tgatcgagat	ggctagagag	aaccagacca	2640
cccagaagg	acagaagaac	tcccgcgaga	ggatgaagag	aatcgaagag	ggcatcaaag	2700
agctgggcag	ccagatcctg	aaagaacacc	ccgtggaaaa	caccagctg	cagaacgaga	2760
agctgtacct	gtactacctg	cagaatggcc	gggatatgta	cgtggaccag	gaactggaca	2820
tcaacagact	gtccgactac	gatgtggacc	atatcgtgcc	tcagagcttt	ctgaaggacg	2880
actccatcga	taacaaagt	ctgactcgga	gcgacaagaa	cagaggcaag	agcgacaacg	2940
tgccctccga	agaggtcgtg	aagaagatga	agaactactg	gcgacagctg	ctgaacgcca	3000
agctgattac	ccagaggaag	ttcgataacc	tgaccaaggc	cgagagaggc	ggcctgagcg	3060
agctggataa	ggcggcttc	atcaagaggc	agctgggtga	aaccagacag	atcacaaagc	3120
acgtggcaca	gatcctggac	tcccgatga	acactaagta	cgacgaaaa	gataagctga	3180
tccgggaagt	gaaagtgatc	accctgaagt	ccaagctggt	gtccgatttc	cggaaggatt	3240
tccagtttta	caaagtgcgc	gagatcaaca	actaccacca	cgccacgac	gcctacctga	3300
acgcgctcgt	gggaaccgcc	ctgatcaaaa	agtaccctaa	gctggaaagc	gagttcgtgt	3360
acggcgacta	caaggtgtac	gacgtgcgga	agatgatcgc	caagagcgag	caggaaatcg	3420
gcaaggctac	cgccaagtac	ttcttctaca	gcaacatcat	gaactttttc	aagaccgaaa	3480
tcacctggc	caacggcgag	atcagaaaagc	gccctctgat	cgagacaaa	ggcgaaaaccg	3540
gggagatcgt	gtgggataag	ggcagagact	tcgccacagt	gcgaaagggtg	ctgagcatgc	3600
cccaagtga	tatcgtgaaa	aagaccgagg	tgacagacag	cggcttcagc	aaagagtcta	3660
tcctgcccaa	gaggaacagc	gacaagctga	tcgccagaaa	gaaggactgg	gacccaaga	3720
agtacggcgg	cttcgacagc	cctaccgtgg	cctactctgt	gctgggtggg	gctaagggtgg	3780
aaaagggcaa	gtccaagaaa	ctgaagagt	tgaaagagct	gctggggatc	accatcatgg	3840
aaagaagcag	ctttgagaag	aacctatcg	actttctgga	agccaagggc	tacaaagaag	3900
tgaaaaagga	cctgatcatc	aagctgccta	agtactccct	gttcgagctg	gaaaacggca	3960
gaaagagaat	gctggcctct	gccggcgaac	tcgagaagg	aaacgagctg	gccctgccta	4020

-continued

```

gcaaatatgt gaacttcttg tacctggcct cccactatga gaagctgaag ggcagccctg 4080
aggacaacga acagaaacag ctgtttgtgg aacagcataa gcactacctg gacgagatca 4140
tcgagcagat cagcgagttc tccaagagag tgatcctggc cgacgccaat ctggacaagg 4200
tgctgtctgc ctacaacaag cacagggaca agcctatcag agagcaggcc gagaatatca 4260
tccacctgtt caccctgaca aacctgggcg ctctgcccgc cttcaagtac tttgacacca 4320
ccatcgaccg gaagaggtag accagcacca aagagggtgt ggacgccacc ctgatccacc 4380
agagcatcac cggcctgtac gagacaagaa tcgacctgtc tcagctggga ggcgacaaga 4440
gacctgcccg cactaagaag gccggacagg ccaaaaagaa gaagtga 4487

```

<210> SEQ ID NO 4

<211> LENGTH: 4481

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 4

```

atggacaagc ccaagaaaaa gcggaagtg aagtacagca tcggcctgga catcggcacc 60
aactctgtgg gctggggcgt gatcaccgac gagtacaagg tgcccagcaa gaaattcaag 120
gtgtctggga acaccgacag gcacagcatc aagaagaacc tgatcggcgc cctgtgttc 180
gacagcggcg aaacagccga ggccaccaga ctgaagagaa ccgccagaag aagatacacc 240
aggcggaaga acaggatctg ctatctgcaa gagatcttca gcaacgagat ggccaagggtg 300
gacgacagct tcttcacag actggaagag tcttctctgg tggaagagga caagaagcac 360
gagagacacc ccatcttcgg caacatcgtg gacgaggtag cctaccacga gaagtacccc 420
accatctacc acctgagaaa gaaactggtg gacagcaccg acaaggccga cctgagactg 480
atctacctgg ccttggccca catgatcaag ttcagaggcc acttctgat cgaggcgac 540
ctgaaccccg acaacagcga cgtggacaag ctgttcatcc agctggtgca gacctacaac 600
cagctgttgc aggaaaaacc catcaacgcc agcggcgtgg acgccaaggc tatectgtct 660
gccagactga gcaagagcag aaggctggaa aatctgatcg ccagctgcc cggcgagaag 720
aagaacggcc tgttcggcaa cctgattgcc ctgagcctgg gcctgacccc caacttcaag 780
agcaacttcg acctggccga ggatgccaaa ctgcagctga gcaaggacac ctacgacgac 840
gacctggaca acctgtgtgg ccagatcggc gaccagtacg ccgacctgtt cctggccgcc 900
aagaacctgt ctgacgccat cctgttgagc gacatcctga gagtgaacac cgagatcacc 960
aagggccccc tgagcgctc tatgatcaag agatacgacg agcaccacca ggacctgacc 1020
ctgctgaaag ctctcgtgcg gcagcagctg cctgagaagt acaaagaaat cttcttcgac 1080
cagagcaaga acggtacgc cggtacatc gatggcggcg ctagccagga agagttctac 1140
aagttcatca agcccatcct ggaaaagatg gacggcaccg aggaactgct cgtgaagctg 1200
aacagagagg acctgtgtg aaagcagaga accttcgaca acggcagcat cccccaccag 1260
atccacctgg gagagctgca cgtatcctg agaaggcagg aagattttta cccattcctg 1320
aaggacaacc gggaaaagat cgagaagatc ctgaccttca ggatccccta ctacgtgggc 1380
cccttgccca gaggaacag cagattcgcc tggatgacca gaaagagcga ggaaaccatc 1440
acccctgga acttcagga agtggtggac aagggcgcca gcgccagag cttcatcgag 1500
agaatgacaa acttcgataa gaacctgccc aacgagaagg tgctgcccc a gcacgcctg 1560

```

-continued

ctgtacgagt	acttcaccgt	gtacaacgag	ctgacccaaag	tgaaatacgt	gaccgagggga	1620
atgagaaaagc	ccgccttct	gagcggcgag	cagaaaaagg	ccatcggtga	cctgctgttc	1680
aagaccaaca	gaaaagtgc	cgtgaagcag	ctgaaagagg	actacttcaa	gaaaatcgag	1740
tgcctcgact	ccgtggaaat	ctccggcgtg	gaagatagat	tcaacgcctc	cctgggcaca	1800
taccacgato	tgtgtgaaat	tatcaaggac	aaggacttcc	tggataacga	agagaacgag	1860
gacattctgg	aagatatcgt	gctgacccctg	acactgtttg	aggaccgcga	gatgatcgag	1920
gaaaggctga	aaacctacgc	tcacctgttc	gacgacaaaag	tgatgaagca	gctgaagaga	1980
aggcgggtaca	ccggtggggg	caggctgagc	agaaagctga	tcaacggcat	cagagacaag	2040
cagagcggca	agacaatcct	ggatttctctg	aagtcgcgacg	gcttcgccaa	ccggaacttc	2100
atgcagctga	tccacgacga	cagcctgaca	ttcaaaggag	acatccagaa	agcccagggtg	2160
tccggccagg	gcgactctct	gcacgagcat	atcgctaacc	tggccggcag	ccccgctatc	2220
aagaagggca	tcctgcagac	agtgaagggtg	gtggacgagc	tcgtgaaagt	gatgggcaga	2280
cacaagcccg	agaacatcgt	gatcgagatg	gctagagaga	accagaccac	ccagaaggga	2340
cagaagaact	cccgcgagag	gatgaagaga	atcgaagagg	gcatcaaaga	gctgggcagc	2400
cagatcctga	aagaacaccc	cgtggaaaac	accagctgc	agaacgagaa	gctgtacctg	2460
tactacctgc	agaatggccg	ggatatgtac	gtggaccagg	aactggacat	caacagactg	2520
tccgactacg	atgtggacca	tatcgtgcct	cagagctttc	tgaaggacga	ctccatcgat	2580
aacaaagtgc	tgactcggag	cgacaagaac	agaggcaaga	gcgacaacgt	gccctccgaa	2640
gaggtcgtga	agaagatgaa	gaactactgg	cgacagctgc	tgaacgccaa	gctgattacc	2700
cagaggaagt	tcgataacct	gaccaaggcc	gagagaggcg	gcctgagcga	gctggataag	2760
gccggcttca	tcaagaggca	gctgggtggaa	accagacaga	tcacaaagca	cgtggcacag	2820
atcctggact	cccggatgaa	cactaagtac	gacgaaaacg	ataagctgat	ccgggaagtg	2880
aaagtgatca	ccctgaagtc	caagctgggtg	tccgatttcc	ggaaggatth	ccagttttac	2940
aaagtgcgcg	agatcaacaa	ctaccaccac	gccacgacg	cctacctgaa	cgccgtcgtg	3000
ggaaccgccc	tgatcaaaaa	gtaccctaag	ctggaaagcg	agttcgtgta	cgcgactac	3060
aaggtgtacg	acgtgcggaa	gatgatcgcc	aagagcgcgc	aggaaatcgg	caaggctacc	3120
gccaaagtact	tctttctacg	caacatcatg	aactttttca	agaccgaaat	caccctggcc	3180
aacggcgaga	tcagaaagcg	ccctctgac	gagacaaacg	gcgaaaccgg	ggagatcgtg	3240
tgggataagg	gcagagactt	cgccacagtg	cgaaagggtc	tgagcatgcc	ccaagtgaat	3300
atcgtgaaaa	agaccgaggt	gcagacaggc	ggcttcagca	aagagtctat	cctgcccgaag	3360
aggaaacagc	acaagctgat	cgccagaaaag	aaggactggg	acccaagaa	gtacggcggc	3420
ttcgacagcc	ctaccgtggc	ctactctgtg	ctgggtgggtg	ctaagggtgga	aaagggcaag	3480
tccaagaaac	tgaagagtgt	gaaagagctg	ctgggggatca	ccatcatgga	aagaagcagc	3540
tttgagaaga	accctatcga	ctttctggaa	gccaagggct	acaaagaagt	gaaaaaggac	3600
ctgatcatca	agctgcctaa	gtactccctg	ttcgagctgg	aaaacggcag	aaagagaatg	3660
ctggcctctg	ccggcgaaact	gcagaaggga	aacgagctgg	ccctgcctag	caaatatgtg	3720
aacttcctgt	acctggcctc	ccactatgag	aagctgaagg	gcagccctga	ggacaacgaa	3780
cagaaacagc	tgtttgtgga	acagcataag	cactacctgg	acgagatcat	cgagcagatc	3840
agcgagttct	ccaagagagt	gatcctggcc	gacgccaatc	tggacaagggt	gctgtctgcc	3900
tacaacaagc	acagggacaa	gcctatcaga	gagcaggccg	agaatatcat	ccacctgttc	3960

-continued

```

acccgacaa acctgggcgc tctgcccgc tccaagtact ttgacaccac catcgaccgg 4020
aagagggtaca ccagcaccaa agagggtgtg gacgccaccc tgateccacca gagcatcacc 4080
ggcctgtacg agacaagaat cgacctgtct cagctgggag gcgacaagag acctgccgcc 4140
actaagaagg cgggacaggc caaaaagaag aagtgtacta gagccgggag cgggtggcgcg 4200
tgctgtagt cccagctact cgggagggtg aggtggagg atcgcttgag tccaggagtt 4260
ctgggctgta gtgcgctatg ccgatcgggt gtccgcacta agttcgcat caatatggtg 4320
acctcccgag agcgggggac caccagggtg cctaaggagg ggtgaaccgg cccaggtcgg 4380
aaacggagca ggtcaaaact cccgtgctga tcagtagtgg gatcgccct gtgaatagcc 4440
actgcactcc agcctgggca acatagcgag acccgtctc t 4481

```

```

<210> SEQ ID NO 5
<211> LENGTH: 288
<212> TYPE: DNA
<213> ORGANISM: Human immunodeficiency virus

```

```

<400> SEQUENCE: 5
atggaacaag cccagaaga ccaagggcca cagagggagc cacacaatga atggacacta 60
gagcttttag aggagcttaa gaatgaagct gttagacatt ttcctaggat ttggctccat 120
ggcttagggc aacatatcta tgaaacttat ggggatactt gggcaggagt ggaagccata 180
ataagaattc tgcaacaact gctgtttatc catttcagaa ttgggtgtcg acatagcaga 240
ataggcggtta ctgcacagag gagagcaaga aatggagcca gtagatcc 288

```

```

<210> SEQ ID NO 6
<211> LENGTH: 96
<212> TYPE: PRT
<213> ORGANISM: Human immunodeficiency virus

```

```

<400> SEQUENCE: 6
Met Glu Gln Ala Pro Glu Asp Gln Gly Pro Gln Arg Glu Pro His Asn
1          5          10          15
Glu Trp Thr Leu Glu Leu Leu Glu Glu Leu Lys Asn Glu Ala Val Arg
20          25          30
His Phe Pro Arg Ile Trp Leu His Gly Leu Gly Gln His Ile Tyr Glu
35          40          45
Thr Tyr Gly Asp Thr Trp Ala Gly Val Glu Ala Ile Ile Arg Ile Leu
50          55          60
Gln Gln Leu Leu Phe Ile His Phe Arg Ile Gly Cys Arg His Ser Arg
65          70          75          80
Ile Gly Val Thr Arg Gln Arg Arg Ala Arg Asn Gly Ala Ser Arg Ser
85          90          95

```

```

<210> SEQ ID NO 7
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Human immunodeficiency virus

```

```

<400> SEQUENCE: 7
atgacagacc ccagagaaag ggtaccgcca ggaacagtg gagaagagac cattggagag 60
gccttcgagt ggctagagag gaccatagaa gccttaaaca gggaggcagt gaaccatctg 120
ccccgagagc tcattttcca ggtgtggcaa aggtcctgga gatattggca tgatgaacaa 180
gggatgtcag caagctacac aaagtataga tatttgtgcc taatgcaaaa agctatattt 240

```

-continued

```
acacatttca agagaggggtg cacttgctgg ggggaggaca tgggccggga aggattggaa 300
gaccaaggac ctccccctcc tccccctcca ggtctagtc 339
```

```
<210> SEQ ID NO 8
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Human immunodeficiency virus
```

```
<400> SEQUENCE: 8
```

```
Met Thr Asp Pro Arg Glu Arg Val Pro Pro Gly Asn Ser Gly Glu Glu
1          5          10          15
Thr Ile Gly Glu Ala Phe Glu Trp Leu Glu Arg Thr Ile Glu Ala Leu
20        25        30
Asn Arg Glu Ala Val Asn His Leu Pro Arg Glu Leu Ile Phe Gln Val
35        40        45
Trp Gln Arg Ser Trp Arg Tyr Trp His Asp Glu Gln Gly Met Ser Ala
50        55        60
Ser Tyr Thr Lys Tyr Arg Tyr Leu Cys Leu Met Gln Lys Ala Ile Phe
65        70        75        80
Thr His Phe Lys Arg Gly Cys Thr Cys Trp Gly Glu Asp Met Gly Arg
85        90        95
Glu Gly Leu Glu Asp Gln Gly Pro Pro Pro Pro Pro Pro Gly Leu
100       105       110
Val
```

```
<210> SEQ ID NO 9
<211> LENGTH: 495
<212> TYPE: DNA
<213> ORGANISM: Human immunodeficiency virus
```

```
<400> SEQUENCE: 9
```

```
atggttaate cgaccgtttt ttttgatate gcagttgatg gcgaaccgtt gggcagggtt 60
tccttcgagc tcttcgccga taaagtgccg aaaaccgcag aaaactttcg cgcgctcagt 120
acgggtgaaa aggggttttg ttacaaaggg agctgttttc atcgaatcat tcttggtttc 180
atgtgtcagg gcggagattt caccgcacat aacgggactg gcgggaagag tatatatgga 240
gagaagttag aggatgagaa ctttatactg aaacacaccg gacccggaat tttagtatg 300
gcaaatgcag ggcctaacac caatggctcc cagttcttta tttgtacggc caagacagag 360
tggttcgacg ggaagcacgt tgtgttcgga aaggtcaaag aaggtatgaa tatagtagag 420
gcgatggaac gggttggttc acgcaatggc aagacatcca aaaaaatcac aatagctgac 480
tgtggccaat tggag 495
```

```
<210> SEQ ID NO 10
<211> LENGTH: 165
<212> TYPE: PRT
<213> ORGANISM: Human immunodeficiency virus
```

```
<400> SEQUENCE: 10
```

```
Met Val Asn Pro Thr Val Phe Phe Asp Ile Ala Val Asp Gly Glu Pro
1          5          10          15
Leu Gly Arg Val Ser Phe Glu Leu Phe Ala Asp Lys Val Pro Lys Thr
20        25        30
Ala Glu Asn Phe Arg Ala Leu Ser Thr Gly Glu Lys Gly Phe Gly Tyr
35        40        45
Lys Gly Ser Cys Phe His Arg Ile Ile Pro Gly Phe Met Cys Gln Gly
```

-continued

50	55	60	
Gly Asp Phe Thr Arg His Asn Gly Thr Gly Gly Lys Ser Ile Tyr Gly			
65	70	75	80
Glu Lys Phe Glu Asp Glu Asn Phe Ile Leu Lys His Thr Gly Pro Gly			
	85	90	95
Ile Leu Ser Met Ala Asn Ala Gly Pro Asn Thr Asn Gly Ser Gln Phe			
	100	105	110
Phe Ile Cys Thr Ala Lys Thr Glu Trp Leu Asp Gly Lys His Val Val			
	115	120	125
Phe Gly Lys Val Lys Glu Gly Met Asn Ile Val Glu Ala Met Glu Arg			
	130	135	140
Phe Gly Ser Arg Asn Gly Lys Thr Ser Lys Lys Ile Thr Ile Ala Asp			
145	150	155	160
Cys Gly Gln Leu Glu			
	165		

<210> SEQ ID NO 11
 <211> LENGTH: 1391
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 11

Met Asp Lys Pro Lys Lys Lys Arg Lys Val Lys Tyr Ser Ile Gly Leu			
1	5	10	15
Asp Ile Gly Thr Asn Ser Val Gly Trp Ala Val Ile Thr Asp Glu Tyr			
	20	25	30
Lys Val Pro Ser Lys Lys Phe Lys Val Leu Gly Asn Thr Asp Arg His			
	35	40	45
Ser Ile Lys Lys Asn Leu Ile Gly Ala Leu Leu Phe Asp Ser Gly Glu			
	50	55	60
Thr Ala Glu Ala Thr Arg Leu Lys Arg Thr Ala Arg Arg Arg Tyr Thr			
65	70	75	80
Arg Arg Lys Asn Arg Ile Cys Tyr Leu Gln Glu Ile Phe Ser Asn Glu			
	85	90	95
Met Ala Lys Val Asp Asp Ser Phe Phe His Arg Leu Glu Glu Ser Phe			
	100	105	110
Leu Val Glu Glu Asp Lys Lys His Glu Arg His Pro Ile Phe Gly Asn			
	115	120	125
Ile Val Asp Glu Val Ala Tyr His Glu Lys Tyr Pro Thr Ile Tyr His			
	130	135	140
Leu Arg Lys Lys Leu Val Asp Ser Thr Asp Lys Ala Asp Leu Arg Leu			
145	150	155	160
Ile Tyr Leu Ala Leu Ala His Met Ile Lys Phe Arg Gly His Phe Leu			
	165	170	175
Ile Glu Gly Asp Leu Asn Pro Asp Asn Ser Asp Val Asp Lys Leu Phe			
	180	185	190
Ile Gln Leu Val Gln Thr Tyr Asn Gln Leu Phe Glu Glu Asn Pro Ile			
	195	200	205
Asn Ala Ser Gly Val Asp Ala Lys Ala Ile Leu Ser Ala Arg Leu Ser			
	210	215	220
Lys Ser Arg Arg Leu Glu Asn Leu Ile Ala Gln Leu Pro Gly Glu Lys			
225	230	235	240

-continued

Lys	Asn	Gly	Leu	Phe	Gly	Asn	Leu	Ile	Ala	Leu	Ser	Leu	Gly	Leu	Thr	245	250	255
Pro	Asn	Phe	Lys	Ser	Asn	Phe	Asp	Leu	Ala	Glu	Asp	Ala	Lys	Leu	Gln	260	265	270
Leu	Ser	Lys	Asp	Thr	Tyr	Asp	Asp	Asp	Leu	Asp	Asn	Leu	Leu	Ala	Gln	275	280	285
Ile	Gly	Asp	Gln	Tyr	Ala	Asp	Leu	Phe	Leu	Ala	Ala	Lys	Asn	Leu	Ser	290	295	300
Asp	Ala	Ile	Leu	Leu	Ser	Asp	Ile	Leu	Arg	Val	Asn	Thr	Glu	Ile	Thr	305	310	315
Lys	Ala	Pro	Leu	Ser	Ala	Ser	Met	Ile	Lys	Arg	Tyr	Asp	Glu	His	His	325	330	335
Gln	Asp	Leu	Thr	Leu	Leu	Lys	Ala	Leu	Val	Arg	Gln	Gln	Leu	Pro	Glu	340	345	350
Lys	Tyr	Lys	Glu	Ile	Phe	Phe	Asp	Gln	Ser	Lys	Asn	Gly	Tyr	Ala	Gly	355	360	365
Tyr	Ile	Asp	Gly	Gly	Ala	Ser	Gln	Glu	Glu	Phe	Tyr	Lys	Phe	Ile	Lys	370	375	380
Pro	Ile	Leu	Glu	Lys	Met	Asp	Gly	Thr	Glu	Glu	Leu	Leu	Val	Lys	Leu	385	390	395
Asn	Arg	Glu	Asp	Leu	Leu	Arg	Lys	Gln	Arg	Thr	Phe	Asp	Asn	Gly	Ser	405	410	415
Ile	Pro	His	Gln	Ile	His	Leu	Gly	Glu	Leu	His	Ala	Ile	Leu	Arg	Arg	420	425	430
Gln	Glu	Asp	Phe	Tyr	Pro	Phe	Leu	Lys	Asp	Asn	Arg	Glu	Lys	Ile	Glu	435	440	445
Lys	Ile	Leu	Thr	Phe	Arg	Ile	Pro	Tyr	Tyr	Val	Gly	Pro	Leu	Ala	Arg	450	455	460
Gly	Asn	Ser	Arg	Phe	Ala	Trp	Met	Thr	Arg	Lys	Ser	Glu	Glu	Thr	Ile	465	470	475
Thr	Pro	Trp	Asn	Phe	Glu	Glu	Val	Val	Asp	Lys	Gly	Ala	Ser	Ala	Gln	485	490	495
Ser	Phe	Ile	Glu	Arg	Met	Thr	Asn	Phe	Asp	Lys	Asn	Leu	Pro	Asn	Glu	500	505	510
Lys	Val	Leu	Pro	Lys	His	Ser	Leu	Leu	Tyr	Glu	Tyr	Phe	Thr	Val	Tyr	515	520	525
Asn	Glu	Leu	Thr	Lys	Val	Lys	Tyr	Val	Thr	Glu	Gly	Met	Arg	Lys	Pro	530	535	540
Ala	Phe	Leu	Ser	Gly	Glu	Gln	Lys	Lys	Ala	Ile	Val	Asp	Leu	Leu	Phe	545	550	555
Lys	Thr	Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe	565	570	575
Lys	Lys	Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp	580	585	590
Arg	Phe	Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile	595	600	605
Lys	Asp	Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu	610	615	620
Asp	Ile	Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu	625	630	635
Glu	Arg	Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys	645	650	655
Gln	Leu	Lys	Arg	Arg	Arg	Tyr	Thr	Gly	Trp	Gly	Arg	Leu	Ser	Arg	Lys			

-continued

660	665	670
Leu Ile Asn Gly Ile Arg Asp 675	Lys Gln Ser Gly Lys Thr 680	Ile Leu Asp 685
Phe Leu Lys Ser Asp Gly 690	Phe Ala Asn Arg Asn 695	Phe Met Gln Leu Ile 700
His Asp Asp Ser Leu Thr 705	Phe Lys Glu Asp Ile 710	Gln Lys Ala Gln Val 715
Ser Gly Gln Gly Asp Ser 725	Leu His Glu His Ile 730	Ala Asn Leu Ala Gly 735
Ser Pro Ala Ile Lys Lys Gly 740	Ile Leu Gln Thr Val 745	Lys Val Val Asp 750
Glu Leu Val Lys Val Met Gly 755	Arg His Lys Pro Glu 760	Asn Ile Val Ile 765
Glu Met Ala Arg Glu Asn 770	Gln Thr Thr Gln Lys 775	Gly Gln Lys Asn Ser 780
Arg Glu Arg Met Lys Arg 785	Ile Glu Glu Gly Ile 790	Lys Glu Leu Gly Ser 795
Gln Ile Leu Lys Glu His 805	Pro Val Glu Asn Thr 810	Gln Leu Gln Asn Glu 815
Lys Leu Tyr Leu Tyr Tyr 820	Leu Gln Asn Gly Arg 825	Asp Met Tyr Val Asp 830
Gln Glu Leu Asp Ile Asn 835	Arg Leu Ser Asp Tyr 840	Asp Val Asp His Ile 845
Val Pro Gln Ser Phe Leu 850	Lys Asp Asp Ser Ile 855	Asp Asn Lys Val Leu 860
Thr Arg Ser Asp Lys Asn 865	Arg Gly Lys Ser Asp 870	Asn Val Pro Ser Glu 875
Glu Val Val Lys Lys Met 885	Lys Asn Tyr Trp Arg 890	Gln Leu Leu Asn Ala 895
Lys Leu Ile Thr Gln Arg 900	Lys Phe Asp Asn Leu 905	Thr Lys Ala Glu Arg 910
Gly Gly Leu Ser Glu Leu 915	Asp Lys Ala Gly Phe 920	Ile Lys Arg Gln Leu 925
Val Glu Thr Arg Gln Ile 930	Thr Lys His Val Ala 935	Gln Ile Leu Asp Ser 940
Arg Met Asn Thr Lys Tyr 945	Asp Glu Asn Asp Lys 950	Leu Ile Arg Glu Val 955
Lys Val Ile Thr Leu Lys 965	Ser Lys Leu Val Ser 970	Asp Phe Arg Lys Asp 975
Phe Gln Phe Tyr Lys Val 980	Arg Glu Ile Asn Asn 985	Tyr His His Ala His 990
Asp Ala Tyr Leu Asn Ala 995	Val Val Gly Thr Ala 1000	Leu Ile Lys Lys Tyr 1005
Pro Lys Leu Glu Ser Glu 1010	Phe Val Tyr Gly Asp 1015	Tyr Lys Val Tyr 1020
Asp Val Arg Lys Met Ile 1025	Ala Lys Ser Glu Gln 1030	Glu Ile Gly Lys 1035
Ala Thr Ala Lys Tyr Phe 1040	Phe Tyr Ser Asn Ile 1045	Met Asn Phe Phe 1050
Lys Thr Glu Ile Thr Leu 1055	Ala Asn Gly Glu Ile 1060	Arg Lys Arg Pro 1065
Leu Ile Glu Thr Asn Gly 1070	Glu Thr Gly Glu Ile 1075	Val Trp Asp Lys 1080

-continued

Gly Arg Asp Phe Ala Thr Val Arg Lys Val Leu Ser Met Pro Gln	
1085	1090 1095
Val Asn Ile Val Lys Lys Thr Glu Val Gln Thr Gly Gly Phe Ser	
1100	1105 1110
Lys Glu Ser Ile Leu Pro Lys Arg Asn Ser Asp Lys Leu Ile Ala	
1115	1120 1125
Arg Lys Lys Asp Trp Asp Pro Lys Lys Tyr Gly Gly Phe Asp Ser	
1130	1135 1140
Pro Thr Val Ala Tyr Ser Val Leu Val Val Ala Lys Val Glu Lys	
1145	1150 1155
Gly Lys Ser Lys Lys Leu Lys Ser Val Lys Glu Leu Leu Gly Ile	
1160	1165 1170
Thr Ile Met Glu Arg Ser Ser Phe Glu Lys Asn Pro Ile Asp Phe	
1175	1180 1185
Leu Glu Ala Lys Gly Tyr Lys Glu Val Lys Lys Asp Leu Ile Ile	
1190	1195 1200
Lys Leu Pro Lys Tyr Ser Leu Phe Glu Leu Glu Asn Gly Arg Lys	
1205	1210 1215
Arg Met Leu Ala Ser Ala Gly Glu Leu Gln Lys Gly Asn Glu Leu	
1220	1225 1230
Ala Leu Pro Ser Lys Tyr Val Asn Phe Leu Tyr Leu Ala Ser His	
1235	1240 1245
Tyr Glu Lys Leu Lys Gly Ser Pro Glu Asp Asn Glu Gln Lys Gln	
1250	1255 1260
Leu Phe Val Glu Gln His Lys His Tyr Leu Asp Glu Ile Ile Glu	
1265	1270 1275
Gln Ile Ser Glu Phe Ser Lys Arg Val Ile Leu Ala Asp Ala Asn	
1280	1285 1290
Leu Asp Lys Val Leu Ser Ala Tyr Asn Lys His Arg Asp Lys Pro	
1295	1300 1305
Ile Arg Glu Gln Ala Glu Asn Ile Ile His Leu Phe Thr Leu Thr	
1310	1315 1320
Asn Leu Gly Ala Pro Ala Ala Phe Lys Tyr Phe Asp Thr Thr Ile	
1325	1330 1335
Asp Arg Lys Arg Tyr Thr Ser Thr Lys Glu Val Leu Asp Ala Thr	
1340	1345 1350
Leu Ile His Gln Ser Ile Thr Gly Leu Tyr Glu Thr Arg Ile Asp	
1355	1360 1365
Leu Ser Gln Leu Gly Gly Asp Lys Arg Pro Ala Ala Thr Lys Lys	
1370	1375 1380
Ala Gly Gln Ala Lys Lys Lys Lys	
1385	1390

<210> SEQ ID NO 12

<211> LENGTH: 4506

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 12

atggaacaag cccagaaga ccaagggcca cagagggagc cacacaatga atggacacta 60

gagcttttag aggagcttaa gaatgaagct gttagacatt ttctaggat ttggctccat 120

-continued

ggcttagggc aacatatcta tgaacttat ggggatactt gggcaggagt ggaagccata	180
ataagaatto tgcaacaact gctgtttatc catttcagaa ttgggtgtcg acatagcaga	240
ataggcggtta ctgcacagag gagagcaaga aatggagcca gtagatccgg tggaggtgga	300
agtggaggag gcggtcagg tggaggtggt tccgacaagc ccaagaaaa gcgaaagtg	360
aagtacagca tcggcctgga catcggcacc aactctgtgg gctgggccgt gatcaccgac	420
gagtacaagg tgcccagcaa gaaattcaag gtgctgggca acaccgacag gcacagcatc	480
aagaagaacc tgatcggcgc cctgtgttgc gacagcggcg aaacagccga ggccaccaga	540
ctgaagagaa ccgccagaag aagatacacc aggcggaaga acaggatctg ctatctgcaa	600
gagatcttca gcaacgagat ggccaagggtg gacgacagct tcttcacag actggaagag	660
tccttctctg tggaagagga caagaagcac gagagacacc ccatcttcgg caacatcgtg	720
gacgaggtgg cctaccacga gaagtacccc accatctacc acctgagaaa gaaactggtg	780
gacagcaccg acaaggccga cctgagactg atctacctgg ccctggccca catgatcaag	840
ttcagaggcc acttctgat cgagggcgac ctgaaccccg acaacagcga cgtggacaag	900
ctgttcatcc agctgggtgca gacctacaac cagctgttcg aggaaaaacc catcaacgcc	960
agcggcgtgg acgccaaggc tatectgtct gccagactga gcaagagcag aaggctggaa	1020
aatctgatcg ccagctgcc cggcgagaag aagaacggcc tgttcggcaa cctgattgcc	1080
ctgagcctgg gcctgacccc caacttcaag agcaacttcg acctggccga ggatgccaaa	1140
ctgcagctga gcaaggacac ctacgacgac gacctggaca acctgctggc ccagatcggc	1200
gaccagtacg ccgacctgtt cctggccgcc aagaacctgt ctgacgccat cctgctgagc	1260
gacatcctga gagtgaacac cgagatcacc aaggccccc tgagcgcctc tatgatcaag	1320
agatacgacg agcaccacca ggacctgacc ctgctgaaag ctctcgtgcg gcagcagctg	1380
cctgagaagt acaaagaat cttcttcgac cagagcaaga acggtacgc cggtacatc	1440
gatggcggcg ctagccagga agagtctctc aagttcatca agcccatcct ggaaaagatg	1500
gacggcaccg aggaactgct cgtgaagctg aacagagagg acctgctgag aaagcagaga	1560
accttcgaca acggcagcat cccccaccag atccacctgg gagagctgca cgctatcctg	1620
agaaggcagg aagattttta cccattcctg aaggacaacc gggaaaagat cgagaagatc	1680
ctgaccttca ggatccccta ctacgtgggc cccctggcca gaggcaacag cagattcgcc	1740
tggatgacca gaaagagcga ggaaaccatc accccctgga acttcgagga agtgggtggc	1800
aagggcgcca gcgcccagag cttcatcgag agaatgacaa acttcgataa gaacctgccc	1860
aacgagaagg tgctgcccaa gcacagcctg ctgtacgagt acttcaccgt gtacaacgag	1920
ctgaccaaag tgaaatacgt gaccgaggga atgagaaagc ccgccttcct gagcggcgag	1980
cagaaaaagg ccctcgtgga cctgctgttc aagaccaaca gaaaagtacg cgtgaagcag	2040
ctgaaagagg actacttcaa gaaaatcgag tgcttcgact ccgtggaaat ctccggcgtg	2100
gaagatagat tcaacgcctc cctgggcaca taccacgacg tgctgaaat tatcaaggac	2160
aaggacttcc tggataacga agagaacgag gacattctgg aagatatcgt gctgacctg	2220
acactgtttg aggaccgcga gatgatcgag gaaaggctga aaacctacgc tcacctgttc	2280
gacgacaaa tgatgaagca gctgaagaga aggcggtaca ccggctgggg caggctgagc	2340
agaaagctga tcaacggcat cagagacaag cagagcggca agacaatcct ggatttctcg	2400
aagtccgacg gcttcgcaa ccggaacttc atgcagctga tccacgacga cagcctgaca	2460
ttcaaagagg acatccagaa agcccagggtg tccggccagg gcgactctct gcacgagcat	2520

-continued

```

atcgctaacc tggcggcag ccccgctatc aagaaggga tctgcagac agtgaagggtg 2580
gtggacgagc tegtgaagt gatgggcaga cacaagcccg agaacatcgt gatcgagatg 2640
gctagagaga accagaccac ccagaaggga cagaagaact cccgcgagag gatgaagaga 2700
atcgaagagg gcatcaaaga gctgggcagc cagatcctga aagaacaccc cgtggaaaac 2760
acccagctgc agaacgagaa gctgtacctg tactacctgc agaattggccg ggatatgtac 2820
gtggaccagg aactggacat caacagactg tccgactacg atgtggacca tatcgtgcct 2880
cagagctttc tgaaggacga ctccatcgat aacaaagtgc tgactcggag cgacaagaac 2940
agaggcaaga ggcacaacgt gccctccgaa gaggtcgtga agaagatgaa gaactactgg 3000
cgacagctgc tgaacgcaa gctgattacc cagagggaagt tcgataacct gaccaaggcc 3060
gagagaggcg gcctgagcga gctggataag gccggttca tcaagaggca gctggtgga 3120
accagacaga tcacaaagca cgtggcacag atcctggact cccggatgaa cactaagtac 3180
gacgaaaacg ataagctgat ccgggaagtg aaagtgatca ccctgaagtc caagctggtg 3240
tccgatattc ggaaggatth ccagttttac aaagtgcgag agatcaacaa ctaccaccac 3300
gcccacgacg cctacctgaa cgccgtcgtg ggaaccgccc tgatcaaaaa gtaccctaag 3360
ctggaaaagc agttcgtgta cggcgactac aagggtgacg acgtgcggaa gatgatcgcc 3420
aagagcgagc aggaatcgg caaggctacc gccaaagtact tcttctacag caacatcatg 3480
aactttttca agaccgaaat caccctggcc aacggcgaga tcagaaagcg ccctctgatc 3540
gagacaaacg gcgaaaccgg ggagatcgtg tgggataaag gcagagactt cgccacagtg 3600
cgaaaggtgc tgagcatgcc ccaagtgaat atcgtgaaaa agaccgaggt gcagacaggc 3660
ggcttcagca aagagtctat cctgccaag aggaacagcg acaagctgat cgccagaaag 3720
aaggactggg accccaagaa gtacggcggc ttcgacagcc ctaccgtggc ctactctgtg 3780
ctggtggtgg ctaaggtgga aaagggaag tccaagaaac tgaagagtgt gaaagagtgt 3840
ctggggatca ccatcatgga aagaagcagc ttgagaaga accctatcga ctttctggaa 3900
gccaaaggct acaagaagt gaaaaaggac ctgatcatca agctgcctaa gtactccctg 3960
ttcgagctgg aaaacggcag aaagagaatg ctggcctctg ccggcgaaact gcagaaggga 4020
aacgagctgg ccctgcctag caaatatgtg aacttctgt acctggcctc ccactatgag 4080
aagctgaagg gcagccctga ggacaacgaa cagaacacgc tgtttgtgga acagcataag 4140
cactacctgg acgagatcat cgagcagatc agcgagttct ccaagagagt gatcctggcc 4200
gacgccaatc tggacaagggt gctgtctgcc tacaacaagc acagggacaa gcctatcaga 4260
gagcaggccg agaatatcat ccacctgttc accctgacaa acctgggcgc tctgcccgc 4320
ttcaagtact ttgacaccac catcgaccgg aagaggatca ccagcaccaa agagggtgtg 4380
gacgccccc tgatccacca gagcatcacc ggctgtacg agacaagaat cgacctgtct 4440
cagctgggag gcgacaagag acctgccgac actaagaagg ccggacaggc caaaaagaag 4500
aagtga 4506

```

<210> SEQ ID NO 13

<211> LENGTH: 1501

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 13

-continued

Met	Glu	Gln	Ala	Pro	Glu	Asp	Gln	Gly	Pro	Gln	Arg	Glu	Pro	His	Asn	
1				5					10					15		
Glu	Trp	Thr	Leu	Glu	Leu	Leu	Glu	Glu	Leu	Lys	Asn	Glu	Ala	Val	Arg	
			20					25					30			
His	Phe	Pro	Arg	Ile	Trp	Leu	His	Gly	Leu	Gly	Gln	His	Ile	Tyr	Glu	
		35					40				45					
Thr	Tyr	Gly	Asp	Thr	Trp	Ala	Gly	Val	Glu	Ala	Ile	Ile	Arg	Ile	Leu	
	50					55					60					
Gln	Gln	Leu	Leu	Phe	Ile	His	Phe	Arg	Ile	Gly	Cys	Arg	His	Ser	Arg	
65					70					75					80	
Ile	Gly	Val	Thr	Arg	Gln	Arg	Arg	Ala	Arg	Asn	Gly	Ala	Ser	Arg	Ser	
				85					90					95		
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	
			100					105					110			
Lys	Pro	Lys	Lys	Lys	Arg	Lys	Val	Lys	Tyr	Ser	Ile	Gly	Leu	Asp	Ile	
		115					120					125				
Gly	Thr	Asn	Ser	Val	Gly	Trp	Ala	Val	Ile	Thr	Asp	Glu	Tyr	Lys	Val	
	130					135					140					
Pro	Ser	Lys	Lys	Phe	Lys	Val	Leu	Gly	Asn	Thr	Asp	Arg	His	Ser	Ile	
145					150					155					160	
Lys	Lys	Asn	Leu	Ile	Gly	Ala	Leu	Leu	Phe	Asp	Ser	Gly	Glu	Thr	Ala	
			165						170					175		
Glu	Ala	Thr	Arg	Leu	Lys	Arg	Thr	Ala	Arg	Arg	Arg	Tyr	Thr	Arg	Arg	
			180					185					190			
Lys	Asn	Arg	Ile	Cys	Tyr	Leu	Gln	Glu	Ile	Phe	Ser	Asn	Glu	Met	Ala	
	195						200					205				
Lys	Val	Asp	Asp	Ser	Phe	Phe	His	Arg	Leu	Glu	Glu	Ser	Phe	Leu	Val	
	210					215					220					
Glu	Glu	Asp	Lys	Lys	His	Glu	Arg	His	Pro	Ile	Phe	Gly	Asn	Ile	Val	
225					230					235					240	
Asp	Glu	Val	Ala	Tyr	His	Glu	Lys	Tyr	Pro	Thr	Ile	Tyr	His	Leu	Arg	
			245						250					255		
Lys	Lys	Leu	Val	Asp	Ser	Thr	Asp	Lys	Ala	Asp	Leu	Arg	Leu	Ile	Tyr	
		260						265					270			
Leu	Ala	Leu	Ala	His	Met	Ile	Lys	Phe	Arg	Gly	His	Phe	Leu	Ile	Glu	
	275						280				285					
Gly	Asp	Leu	Asn	Pro	Asp	Asn	Ser	Asp	Val	Asp	Lys	Leu	Phe	Ile	Gln	
	290					295					300					
Leu	Val	Gln	Thr	Tyr	Asn	Gln	Leu	Phe	Glu	Glu	Asn	Pro	Ile	Asn	Ala	
305					310					315					320	
Ser	Gly	Val	Asp	Ala	Lys	Ala	Ile	Leu	Ser	Ala	Arg	Leu	Ser	Lys	Ser	
			325						330					335		
Arg	Arg	Leu	Glu	Asn	Leu	Ile	Ala	Gln	Leu	Pro	Gly	Glu	Lys	Lys	Asn	
			340					345					350			
Gly	Leu	Phe	Gly	Asn	Leu	Ile	Ala	Leu	Ser	Leu	Gly	Leu	Thr	Pro	Asn	
	355						360					365				
Phe	Lys	Ser	Asn	Phe	Asp	Leu	Ala	Glu	Asp	Ala	Lys	Leu	Gln	Leu	Ser	
	370					375					380					
Lys	Asp	Thr	Tyr	Asp	Asp	Leu	Asp	Asn	Leu	Leu	Ala	Gln	Ile	Gly		
385				390					395					400		
Asp	Gln	Tyr	Ala	Asp	Leu	Phe	Leu	Ala	Ala	Lys	Asn	Leu	Ser	Asp	Ala	
			405					410						415		

Ile	Leu	Leu	Ser	Asp	Ile	Leu	Arg	Val	Asn	Thr	Glu	Ile	Thr	Lys	Ala
			420					425						430	
Pro	Leu	Ser	Ala	Ser	Met	Ile	Lys	Arg	Tyr	Asp	Glu	His	His	Gln	Asp
		435					440					445			
Leu	Thr	Leu	Leu	Lys	Ala	Leu	Val	Arg	Gln	Gln	Leu	Pro	Glu	Lys	Tyr
		450					455				460				
Lys	Glu	Ile	Phe	Phe	Asp	Gln	Ser	Lys	Asn	Gly	Tyr	Ala	Gly	Tyr	Ile
		465			470					475					480
Asp	Gly	Gly	Ala	Ser	Gln	Glu	Glu	Phe	Tyr	Lys	Phe	Ile	Lys	Pro	Ile
				485					490					495	
Leu	Glu	Lys	Met	Asp	Gly	Thr	Glu	Glu	Leu	Leu	Val	Lys	Leu	Asn	Arg
			500					505					510		
Glu	Asp	Leu	Leu	Arg	Lys	Gln	Arg	Thr	Phe	Asp	Asn	Gly	Ser	Ile	Pro
		515					520					525			
His	Gln	Ile	His	Leu	Gly	Glu	Leu	His	Ala	Ile	Leu	Arg	Arg	Gln	Glu
		530				535					540				
Asp	Phe	Tyr	Pro	Phe	Leu	Lys	Asp	Asn	Arg	Glu	Lys	Ile	Glu	Lys	Ile
		545			550					555					560
Leu	Thr	Phe	Arg	Ile	Pro	Tyr	Tyr	Val	Gly	Pro	Leu	Ala	Arg	Gly	Asn
				565					570					575	
Ser	Arg	Phe	Ala	Trp	Met	Thr	Arg	Lys	Ser	Glu	Glu	Thr	Ile	Thr	Pro
			580					585					590		
Trp	Asn	Phe	Glu	Glu	Val	Val	Asp	Lys	Gly	Ala	Ser	Ala	Gln	Ser	Phe
		595					600					605			
Ile	Glu	Arg	Met	Thr	Asn	Phe	Asp	Lys	Asn	Leu	Pro	Asn	Glu	Lys	Val
		610				615					620				
Leu	Pro	Lys	His	Ser	Leu	Leu	Tyr	Glu	Tyr	Phe	Thr	Val	Tyr	Asn	Glu
		625			630					635					640
Leu	Thr	Lys	Val	Lys	Tyr	Val	Thr	Glu	Gly	Met	Arg	Lys	Pro	Ala	Phe
				645					650					655	
Leu	Ser	Gly	Glu	Gln	Lys	Lys	Ala	Ile	Val	Asp	Leu	Leu	Phe	Lys	Thr
			660					665					670		
Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe	Lys	Lys
		675					680					685			
Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp	Arg	Phe
		690				695					700				
Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile	Lys	Asp
		705			710					715				720	
Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu	Asp	Ile
				725					730					735	
Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu	Glu	Arg
			740					745					750		
Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys	Gln	Leu
		755					760					765			
Lys	Arg	Arg													

-continued

835	840	845
Ala Ile Lys Lys Gly Ile	Leu Gln Thr Val Lys	Val Val Asp Glu Leu
850	855	860
Val Lys Val Met Gly Arg His Lys Pro Glu Asn Ile Val Ile Glu Met		
865	870	875 880
Ala Arg Glu Asn Gln Thr Thr Gln Lys Gly Gln Lys Asn Ser Arg Glu		
	885	890 895
Arg Met Lys Arg Ile Glu Glu Gly Ile Lys Glu Leu Gly Ser Gln Ile		
	900	905 910
Leu Lys Glu His Pro Val Glu Asn Thr Gln Leu Gln Asn Glu Lys Leu		
	915	920 925
Tyr Leu Tyr Tyr Leu Gln Asn Gly Arg Asp Met Tyr Val Asp Gln Glu		
	930	935 940
Leu Asp Ile Asn Arg Leu Ser Asp Tyr Asp Val Asp His Ile Val Pro		
945	950	955 960
Gln Ser Phe Leu Lys Asp Asp Ser Ile Asp Asn Lys Val Leu Thr Arg		
	965	970 975
Ser Asp Lys Asn Arg Gly Lys Ser Asp Asn Val Pro Ser Glu Glu Val		
	980	985 990
Val Lys Lys Met Lys Asn Tyr Trp Arg Gln Leu Leu Asn Ala Lys Leu		
	995	1000 1005
Ile Thr Gln Arg Lys Phe Asp Asn Leu Thr Lys Ala Glu Arg Gly		
	1010	1015 1020
Gly Leu Ser Glu Leu Asp Lys Ala Gly Phe Ile Lys Arg Gln Leu		
	1025	1030 1035
Val Glu Thr Arg Gln Ile Thr Lys His Val Ala Gln Ile Leu Asp		
	1040	1045 1050
Ser Arg Met Asn Thr Lys Tyr Asp Glu Asn Asp Lys Leu Ile Arg		
	1055	1060 1065
Glu Val Lys Val Ile Thr Leu Lys Ser Lys Leu Val Ser Asp Phe		
	1070	1075 1080
Arg Lys Asp Phe Gln Phe Tyr Lys Val Arg Glu Ile Asn Asn Tyr		
	1085	1090 1095
His His Ala His Asp Ala Tyr Leu Asn Ala Val Val Gly Thr Ala		
	1100	1105 1110
Leu Ile Lys Lys Tyr Pro Lys Leu Glu Ser Glu Phe Val Tyr Gly		
	1115	1120 1125
Asp Tyr Lys Val Tyr Asp Val Arg Lys Met Ile Ala Lys Ser Glu		
	1130	1135 1140
Gln Glu Ile Gly Lys Ala Thr Ala Lys Tyr Phe Phe Tyr Ser Asn		
	1145	1150 1155
Ile Met Asn Phe Phe Lys Thr Glu Ile Thr Leu Ala Asn Gly Glu		
	1160	1165 1170
Ile Arg Lys Arg Pro Leu Ile Glu Thr Asn Gly Glu Thr Gly Glu		
	1175	1180 1185
Ile Val Trp Asp Lys Gly Arg Asp Phe Ala Thr Val Arg Lys Val		
	1190	1195 1200
Leu Ser Met Pro Gln Val Asn Ile Val Lys Lys Thr Glu Val Gln		
	1205	1210 1215
Thr Gly Gly Phe Ser Lys Glu Ser Ile Leu Pro Lys Arg Asn Ser		
	1220	1225 1230
Asp Lys Leu Ile Ala Arg Lys Lys Asp Trp Asp Pro Lys Lys Tyr		
	1235	1240 1245

-continued

Gly	Gly	Phe	Asp	Ser	Pro	Thr	Val	Ala	Tyr	Ser	Val	Leu	Val	Val
1250						1255					1260			
Ala	Lys	Val	Glu	Lys	Gly	Lys	Ser	Lys	Lys	Leu	Lys	Ser	Val	Lys
1265						1270					1275			
Glu	Leu	Leu	Gly	Ile	Thr	Ile	Met	Glu	Arg	Ser	Ser	Phe	Glu	Lys
1280						1285					1290			
Asn	Pro	Ile	Asp	Phe	Leu	Glu	Ala	Lys	Gly	Tyr	Lys	Glu	Val	Lys
1295						1300					1305			
Lys	Asp	Leu	Ile	Ile	Lys	Leu	Pro	Lys	Tyr	Ser	Leu	Phe	Glu	Leu
1310						1315					1320			
Glu	Asn	Gly	Arg	Lys	Arg	Met	Leu	Ala	Ser	Ala	Gly	Glu	Leu	Gln
1325						1330					1335			
Lys	Gly	Asn	Glu	Leu	Ala	Leu	Pro	Ser	Lys	Tyr	Val	Asn	Phe	Leu
1340						1345					1350			
Tyr	Leu	Ala	Ser	His	Tyr	Glu	Lys	Leu	Lys	Gly	Ser	Pro	Glu	Asp
1355						1360					1365			
Asn	Glu	Gln	Lys	Gln	Leu	Phe	Val	Glu	Gln	His	Lys	His	Tyr	Leu
1370						1375					1380			
Asp	Glu	Ile	Ile	Glu	Gln	Ile	Ser	Glu	Phe	Ser	Lys	Arg	Val	Ile
1385						1390					1395			
Leu	Ala	Asp	Ala	Asn	Leu	Asp	Lys	Val	Leu	Ser	Ala	Tyr	Asn	Lys
1400						1405					1410			
His	Arg	Asp	Lys	Pro	Ile	Arg	Glu	Gln	Ala	Glu	Asn	Ile	Ile	His
1415						1420					1425			
Leu	Phe	Thr	Leu	Thr	Asn	Leu	Gly	Ala	Pro	Ala	Ala	Phe	Lys	Tyr
1430						1435					1440			
Phe	Asp	Thr	Thr	Ile	Asp	Arg	Lys	Arg	Tyr	Thr	Ser	Thr	Lys	Glu
1445						1450					1455			
Val	Leu	Asp	Ala	Thr	Leu	Ile	His	Gln	Ser	Ile	Thr	Gly	Leu	Tyr
1460						1465					1470			
Glu	Thr	Arg	Ile	Asp	Leu	Ser	Gln	Leu	Gly	Gly	Asp	Lys	Arg	Pro
1475						1480					1485			
Ala	Ala	Thr	Lys	Lys	Ala	Gly	Gln	Ala	Lys	Lys	Lys	Lys		
1490						1495					1500			

<210> SEQ ID NO 14

<211> LENGTH: 4506

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 14

atggacaagc ccaagaaaaa gcggaaagtg aagtacagca tcggcctgga catcggcacc	60
aactctgtgg gctggggcgt gatcaccgac gagtacaagg tgcccagcaa gaaattcaag	120
gtgctgggca acaccgacag gcacagcatc aagaagaacc tgatcggcgc cctgctgttc	180
gacagcggcg aaacagccga ggccaccaga ctgaagagaa ccgccagaag aagatacacc	240
agggcggaaga acaggatctg ctatctgcaa gagatcttca gcaacgagat ggccaaggtg	300
gacgacagct tcttccacag actggaagag tccttcctgg tggaagagga caagaagcac	360
gagagacacc ccattctcgg caacatcgtg gacgaggtgg cctaccacga gaagtacccc	420
accatctacc acctgagaaa gaaactggtg gacagcaccg acaaggccga cctgagactg	480

-continued

atctacctgg ccttggccca catgatcaag ttcagaggcc acttctctgat cgaggggcgac	540
ctgaaccccg acaacagcga cgtggacaag ctgttcaccc agctgggtgca gacctacaac	600
cagctgttcg aggaaaaacc catcaacgcc agcggcgtgg acgccaaggc tatcctgtct	660
gccagactga gcaagagcag aaggctggaa aatctgatcg ccagctgcc cggcgagaag	720
aagaacggcc tgttcggcaa cctgattgcc ctgagcctgg gcctgacccc caacttcaag	780
agcaacttcg acctggccga ggatgccaaa ctgcagctga gcaaggacac ctacgacgac	840
gacctggaca acctgctggc ccagatcggc gaccagtacg ccgacctgtt cctggccgcc	900
aagaacctgt ctgacgccat cctgctgagc gacatcctga gagtgaacac cgagatcacc	960
aaggccccc tgagcgctc tatgatcaag agatacgacg agcaccacca ggacctgacc	1020
ctgctgaaa ctctcgtgcg gcagcagctg cctgagaagt acaaagaaat cttcttcgac	1080
cagagcaaga acggtacgc cggctacatc gatggcggcg ctagccagga agagttctac	1140
aagttcatca agcccatcct ggaaaagatg gacggcaccg aggaactgct cgtgaagctg	1200
aacagagagg acctgctgag aaagcagaga accttcgaca acggcagcat cccccaccag	1260
atccacctgg gagagctgca cgctatcctg agaaggcagg aagattttta cccattcctg	1320
aaggacaacc gggaaaagat cgagaagatc ctgaccttca ggatccctca ctacgtgggc	1380
cccttgcca gaggcaacag cagattcgcc tggatgacca gaaagagcga ggaaaccatc	1440
acccctgga acttcgagga agtggtgagc aaggggccca gcgccagag cttcatcgag	1500
agaatgacaa acttcgataa gaacctgccc aacgagaagg tgctgcccc gcacagcctg	1560
ctgtacgagt acttcaccgt gtacaacgag ctgaccaaag tgaaatacgt gaccgagggg	1620
atgagaaagc ccgcttctct gagcggcgag cagaaaaagg ccatcgtgga cctgctgttc	1680
aagaccaaca gaaaagtgc cgtgaagcag ctgaaagagg actacttcaa gaaaatcgag	1740
tgcttcgact ccgtggaat ctccggcgtg gaagatagat tcaacgcctc cctgggcaca	1800
taccacgac tgctgaaaat tatcaaggac aaggacttcc tggataacga agagaacgag	1860
gacattctgg aagatatcgt gctgacctg acactgtttg aggaccgcga gatgatcgag	1920
gaaaggctga aaacctacgc tcacctgttc gacgacaaag tgatgaagca gctgaagaga	1980
aggcgggtaca ccggtgggg caggctgagc agaaagctga tcaacggcat cagagacaag	2040
cagagcggca agacaatcct ggatttctct aagtcgcagc gcttcgccaa ccggaacttc	2100
atgcagctga tccacgacga cagcctgaca ttcaaaggg acatccagaa agcccagggtg	2160
tccggccagg gcgactctct gcacgagcat atcgctaacc tggccggcag ccccgctatc	2220
aagaagggca tcctgcagac agtgaagggt gtggacgagc tcgtgaaagt gatgggcaga	2280
cacaagcccg agaacatcgt gatcgagatg gctagagaga accagaccac ccagaaggga	2340
cagaagaact cccgcgagag gatgaagaga atcgaagagg gcatcaaaga gctgggcagc	2400
cagatcctga aagaacaccc cgtggaaaac acccagctgc agaacgagaa gctgtacctg	2460
tactacctgc agaatggccg ggatatgtac gtggaccagg aactggacat caacagactg	2520
tccgactacg atgtggacca tatcgtgcct cagagctttc tgaaggacga ctccatcgat	2580
aacaaagtgc tgactcggag cgacaagaac agaggcaaga gcgacaacgt gccctccgaa	2640
gaggtcgtga agaagatgaa gaactactgg cgacagctgc tgaacgcca gctgattacc	2700
cagaggaagt tcgataacct gaccaaggcc gagagaggcg gcctgagcga gctggataag	2760
gccggcttca tcaagaggca gctggtggaa accagacaga tcacaaagca cgtggcacag	2820
atcctggact cccgatgaa cactaagtac gacgaaaacg ataagctgat ccgggaagtg	2880

-continued

```

aaagtgatca cctgaagtc caagctggtg tccgatttcc ggaaggattt ccagttttac 2940
aaagtgcgcy agatcaacaa ctaccaccac gcccacgacg cctacctgaa cgccgctgtg 3000
ggaaccgccc tgatcaaaaa gtaccctaag ctggaaagcg agttcgtgta cggcgactac 3060
aaggtgtacg acgtgcggaa gatgatcgcc aagagcgagc aggaaatcgg caaggctacc 3120
gccaaagtact tcttctacag caacatcatg aactttttca agaccgaaat caccctggcc 3180
aacggcgaga tcagaaagcg ccctctgac gagacaaacg gcgaaaccgg ggagatcgty 3240
tggtgataag gcagagactt cgccacagtg cgaaaggtgc tgagcatgcc ccaagtgaat 3300
atcgtgaaaa agaccgaggt gcagacaggc ggcttcagca aagagtctat cctgcccag 3360
aggaacagcg acaagctgat cgccagaaag aaggactggg accccaagaa gtacggcggc 3420
ttcgacagcc ctaccgtggc ctactctgtg ctggtggtgg ctaaggtgga aaagggcaag 3480
tccaagaaac tgaagagtgt gaaagagctg ctggggatca ccatcatgga aagaagcagc 3540
tttgagaaga accctatcga ctttctggaa gccaaagggt acaagaagt gaaaaaggac 3600
ctgatcatca agctgcctaa gtactccttg ttcgagctgg aaaacggcag aaagagaatg 3660
ctggcctctg cggcggaact gcagaaggga aacgagctgg ccctgcctag caaatatgtg 3720
aacttctctg acctggcctc ccactatgag aagctgaagg gcagccctga ggacaacgaa 3780
cagaaacagc tgtttgtgga acagcataag cactacctgg acgagatcat cgagcagatc 3840
agcgagttct ccaagagagt gatcctggcc gacgccaatc tggacaaggt gctgtctgcc 3900
tacaacaagc acaggggcaa gcctatcaga gagcaggccg agaatatcat ccacctgttc 3960
accttgacaa acctgggcgc tctgcccgc ttcaagtact ttgacaccac catcgaccgg 4020
aagaggtaca ccagcaccaa agaggtgctg gacgccacc tgatccacca gagcatcacc 4080
ggcctgtacg agacaagaat cgacctgtct cagctgggag gcgacaagag acctgccgcc 4140
actaagaagg cgggacagcg caaaaagaag aagggtggag gtggaagtgg aggaggcggc 4200
tcaggtggag gtggttccga acaagcccca gaagaccaag ggccacagag ggagccacac 4260
aatgaatgga cactagagct tttagaggag cttaagaatg aagctgttag acattttcct 4320
aggatttggc tccatggctt agggcaacat atctatgaaa cttatgggga tacttgggca 4380
ggagtggaag ccataataag aattctgcaa caactgctgt ttatccattt cagaattggg 4440
tgtcgacata gcagaatagg cgttactcga cagaggagag caagaaatgg agccagtaga 4500
tcctag 4506

```

<210> SEQ ID NO 15

<211> LENGTH: 1501

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 15

```

Met Asp Lys Pro Lys Lys Lys Arg Lys Val Lys Tyr Ser Ile Gly Leu
1           5           10          15

```

```

Asp Ile Gly Thr Asn Ser Val Gly Trp Ala Val Ile Thr Asp Glu Tyr
20           25           30

```

```

Lys Val Pro Ser Lys Lys Phe Lys Val Leu Gly Asn Thr Asp Arg His
35           40           45

```

```

Ser Ile Lys Lys Asn Leu Ile Gly Ala Leu Leu Phe Asp Ser Gly Glu
50           55           60

```


-continued

Thr	Ala	Glu	Ala	Thr	Arg	Leu	Lys	Arg	Thr	Ala	Arg	Arg	Arg	Tyr	Thr	65	70	75	80
Arg	Arg	Lys	Asn	Arg	Ile	Cys	Tyr	Leu	Gln	Glu	Ile	Phe	Ser	Asn	Glu	85	90	95	
Met	Ala	Lys	Val	Asp	Asp	Ser	Phe	Phe	His	Arg	Leu	Glu	Glu	Ser	Phe	100	105	110	
Leu	Val	Glu	Glu	Asp	Lys	Lys	His	Glu	Arg	His	Pro	Ile	Phe	Gly	Asn	115	120	125	
Ile	Val	Asp	Glu	Val	Ala	Tyr	His	Glu	Lys	Tyr	Pro	Thr	Ile	Tyr	His	130	135	140	
Leu	Arg	Lys	Lys	Leu	Val	Asp	Ser	Thr	Asp	Lys	Ala	Asp	Leu	Arg	Leu	145	150	155	160
Ile	Tyr	Leu	Ala	Leu	Ala	His	Met	Ile	Lys	Phe	Arg	Gly	His	Phe	Leu	165	170	175	
Ile	Glu	Gly	Asp	Leu	Asn	Pro	Asp	Asn	Ser	Asp	Val	Asp	Lys	Leu	Phe	180	185	190	
Ile	Gln	Leu	Val	Gln	Thr	Tyr	Asn	Gln	Leu	Phe	Glu	Glu	Asn	Pro	Ile	195	200	205	
Asn	Ala	Ser	Gly	Val	Asp	Ala	Lys	Ala	Ile	Leu	Ser	Ala	Arg	Leu	Ser	210	215	220	
Lys	Ser	Arg	Arg	Leu	Glu	Asn	Leu	Ile	Ala	Gln	Leu	Pro	Gly	Glu	Lys	225	230	235	240
Lys	Asn	Gly	Leu	Phe	Gly	Asn	Leu	Ile	Ala	Leu	Ser	Leu	Gly	Leu	Thr	245	250	255	
Pro	Asn	Phe	Lys	Ser	Asn	Phe	Asp	Leu	Ala	Glu	Asp	Ala	Lys	Leu	Gln	260	265	270	
Leu	Ser	Lys	Asp	Thr	Tyr	Asp	Asp	Asp	Leu	Asp	Asn	Leu	Leu	Ala	Gln	275	280	285	
Ile	Gly	Asp	Gln	Tyr	Ala	Asp	Leu	Phe	Leu	Ala	Ala	Lys	Asn	Leu	Ser	290	295	300	
Asp	Ala	Ile	Leu	Leu	Ser	Asp	Ile	Leu	Arg	Val	Asn	Thr	Glu	Ile	Thr	305	310	315	320
Lys	Ala	Pro	Leu	Ser	Ala	Ser	Met	Ile	Lys	Arg	Tyr	Asp	Glu	His	His	325	330	335	
Gln	Asp	Leu	Thr	Leu	Leu	Lys	Ala	Leu	Val	Arg	Gln	Gln	Leu	Pro	Glu	340	345	350	
Lys	Tyr	Lys	Glu	Ile	Phe	Phe	Asp	Gln	Ser	Lys	Asn	Gly	Tyr	Ala	Gly	355	360	365	
Tyr	Ile	Asp	Gly	Gly	Ala	Ser	Gln	Glu	Glu	Phe	Tyr	Lys	Phe	Ile	Lys	370	375	380	
Pro	Ile	Leu	Glu	Lys	Met	Asp	Gly	Thr	Glu	Glu	Leu	Leu	Val	Lys	Leu	385	390	395	400
Asn	Arg	Glu	Asp	Leu	Leu	Arg	Lys	Gln	Arg	Thr	Phe	Asp	Asn	Gly	Ser	405	410	415	
Ile	Pro	His	Gln	Ile	His	Leu	Gly	Glu	Leu	His	Ala	Ile	Leu	Arg	Arg	420	425	430	
Gln	Glu	Asp	Phe	Tyr	Pro	Phe	Leu	Lys	Asp	Asn	Arg	Glu	Lys	Ile	Glu	435	440	445	
Lys	Ile	Leu	Thr	Phe	Arg	Ile	Pro	Tyr	Tyr	Val	Gly	Pro	Leu	Ala	Arg	450	455	460	
Gly	Asn	Ser	Arg	Phe	Ala	Trp	Met	Thr	Arg	Lys	Ser	Glu	Glu	Thr	Ile	465	470	475	480

Thr	Pro	Trp	Asn	Phe	Glu	Glu	Val	Val	Asp	Lys	Gly	Ala	Ser	Ala	Gln
				485					490					495	
Ser	Phe	Ile	Glu	Arg	Met	Thr	Asn	Phe	Asp	Lys	Asn	Leu	Pro	Asn	Glu
			500					505					510		
Lys	Val	Leu	Pro	Lys	His	Ser	Leu	Leu	Tyr	Glu	Tyr	Phe	Thr	Val	Tyr
		515					520					525			
Asn	Glu	Leu	Thr	Lys	Val	Lys	Tyr	Val	Thr	Glu	Gly	Met	Arg	Lys	Pro
						535					540				
Ala	Phe	Leu	Ser	Gly	Glu	Gln	Lys	Lys	Ala	Ile	Val	Asp	Leu	Leu	Phe
545					550					555					560
Lys	Thr	Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe
				565					570					575	
Lys	Lys	Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp
			580					585					590		
Arg	Phe	Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile
		595					600					605			
Lys	Asp	Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu
						615					620				
Asp	Ile	Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu
625					630					635					640
Glu	Arg	Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys
				645					650					655	
Gln	Leu	Lys	Arg	Arg	Arg	Tyr	Thr	Gly	Trp	Gly	Arg	Leu	Ser	Arg	Lys
			660					665					670		
Leu	Ile	Asn	Gly	Ile	Arg	Asp	Lys	Gln	Ser	Gly	Lys	Thr	Ile	Leu	Asp
		675					680					685			
Phe	Leu	Lys	Ser	Asp	Gly	Phe	Ala	Asn	Arg	Asn	Phe	Met	Gln	Leu	Ile
	690					695					700				
His	Asp	Asp	Ser	Leu	Thr	Phe	Lys	Glu	Asp	Ile	Gln	Lys	Ala	Gln	Val
705					710					715					720
Ser	Gly	Gln	Gly	Asp	Ser	Leu	His	Glu	His	Ile	Ala	Asn	Leu	Ala	Gly
				725					730					735	
Ser	Pro	Ala	Ile	Lys	Lys	Gly	Ile	Leu	Gln	Thr	Val	Lys	Val	Val	Asp
			740					745					750		
Glu	Leu	Val	Lys	Val	Met	Gly	Arg	His	Lys	Pro	Glu	Asn	Ile	Val	Ile
		755					760					765			
Glu	Met	Ala	Arg	Glu	Asn	Gln	Thr	Thr	Gln	Lys	Gly	Gln	Lys	Asn	Ser
						775					780				
Arg	Glu	Arg	Met	Lys	Arg	Ile	Glu	Glu	Gly	Ile	Lys	Glu	Leu	Gly	Ser
785					790					795					800
Gln	Ile	Leu	Lys	Glu	His	Pro	Val	Glu	Asn	Thr	Gln	Leu	Gln	Asn	Glu
				805					810					815	
Lys	Leu	Tyr	Leu	Tyr	Tyr	Leu	Gln	Asn	Gly	Arg	Asp	Met	Tyr	Val	Asp
			820					825					830		
Gln	Glu	Leu	Asp	Ile											

-continued

900						905					910				
Gly	Gly	Leu	Ser	Glu	Leu	Asp	Lys	Ala	Gly	Phe	Ile	Lys	Arg	Gln	Leu
		915					920					925			
Val	Glu	Thr	Arg	Gln	Ile	Thr	Lys	His	Val	Ala	Gln	Ile	Leu	Asp	Ser
	930					935					940				
Arg	Met	Asn	Thr	Lys	Tyr	Asp	Glu	Asn	Asp	Lys	Leu	Ile	Arg	Glu	Val
945					950					955					960
Lys	Val	Ile	Thr	Leu	Lys	Ser	Lys	Leu	Val	Ser	Asp	Phe	Arg	Lys	Asp
				965					970					975	
Phe	Gln	Phe	Tyr	Lys	Val	Arg	Glu	Ile	Asn	Asn	Tyr	His	His	Ala	His
			980					985					990		
Asp	Ala	Tyr	Leu	Asn	Ala	Val	Val	Gly	Thr	Ala	Leu	Ile	Lys	Lys	Tyr
		995					1000					1005			
Pro	Lys	Leu	Glu	Ser	Glu	Phe	Val	Tyr	Gly	Asp	Tyr	Lys	Val	Tyr	
	1010					1015						1020			
Asp	Val	Arg	Lys	Met	Ile	Ala	Lys	Ser	Glu	Gln	Glu	Ile	Gly	Lys	
	1025					1030						1035			
Ala	Thr	Ala	Lys	Tyr	Phe	Phe	Tyr	Ser	Asn	Ile	Met	Asn	Phe	Phe	
	1040					1045						1050			
Lys	Thr	Glu	Ile	Thr	Leu	Ala	Asn	Gly	Glu	Ile	Arg	Lys	Arg	Pro	
	1055					1060						1065			
Leu	Ile	Glu	Thr	Asn	Gly	Glu	Thr	Gly	Glu	Ile	Val	Trp	Asp	Lys	
	1070					1075						1080			
Gly	Arg	Asp	Phe	Ala	Thr	Val	Arg	Lys	Val	Leu	Ser	Met	Pro	Gln	
	1085					1090						1095			
Val	Asn	Ile	Val	Lys	Lys	Thr	Glu	Val	Gln	Thr	Gly	Gly	Phe	Ser	
	1100					1105						1110			
Lys	Glu	Ser	Ile	Leu	Pro	Lys	Arg	Asn	Ser	Asp	Lys	Leu	Ile	Ala	
	1115					1120						1125			
Arg	Lys	Lys	Asp	Trp	Asp	Pro	Lys	Lys	Tyr	Gly	Gly	Phe	Asp	Ser	
	1130					1135						1140			
Pro	Thr	Val	Ala	Tyr	Ser	Val	Leu	Val	Val	Ala	Lys	Val	Glu	Lys	
	1145					1150						1155			
Gly	Lys	Ser	Lys	Lys	Leu	Lys	Ser	Val	Lys	Glu	Leu	Leu	Gly	Ile	
	1160					1165						1170			
Thr	Ile	Met	Glu	Arg	Ser	Ser	Phe	Glu	Lys	Asn	Pro	Ile	Asp	Phe	
	1175					1180						1185			
Leu	Glu	Ala	Lys	Gly	Tyr	Lys	Glu	Val	Lys	Lys	Asp	Leu	Ile	Ile	
	1190					1195						1200			
Lys	Leu	Pro	Lys	Tyr	Ser	Leu	Phe	Glu	Leu	Glu	Asn	Gly	Arg	Lys	
	1205					1210						1215			
Arg	Met	Leu	Ala	Ser	Ala	Gly	Glu	Leu	Gln	Lys	Gly	Asn	Glu	Leu	
	1220					1225						1230			
Ala	Leu	Pro	Ser	Lys	Tyr	Val	Asn	Phe	Leu	Tyr	Leu	Ala	Ser	His	
	1235					1240						1245			
Tyr	Glu	Lys	Leu	Lys	Gly	Ser	Pro	Glu	Asp	Asn	Glu	Gln	Lys	Gln	
	1250					1255						1260			
Leu	Phe	Val	Glu	Gln	His	Lys	His	Tyr	Leu	Asp	Glu	Ile	Ile	Glu	
	1265					1270						1275			
Gln	Ile	Ser	Glu	Phe	Ser	Lys	Arg	Val	Ile	Leu	Ala	Asp	Ala	Asn	
	1280					1285						1290			
Leu	Asp	Lys	Val	Leu	Ser	Ala	Tyr	Asn	Lys	His	Arg	Asp	Lys	Pro	
	1295					1300						1305			

-continued

Ile Arg	Glu Gln Ala Glu Asn	Ile Ile His Leu Phe	Thr Leu Thr
1310	1315	1320	
Asn Leu	Gly Ala Pro Ala Ala	Phe Lys Tyr Phe Asp	Thr Thr Ile
1325	1330	1335	
Asp Arg	Lys Arg Tyr Thr Ser	Thr Lys Glu Val Leu	Asp Ala Thr
1340	1345	1350	
Leu Ile	His Gln Ser Ile Thr	Gly Leu Tyr Glu Thr	Arg Ile Asp
1355	1360	1365	
Leu Ser	Gln Leu Gly Gly Asp	Lys Arg Pro Ala Ala	Thr Lys Lys
1370	1375	1380	
Ala Gly	Gln Ala Lys Lys Lys	Lys Gly Gly Gly Gly	Ser Gly Gly
1385	1390	1395	
Gly Gly	Ser Gly Gly Gly Gly	Ser Glu Gln Ala Pro	Glu Asp Gln
1400	1405	1410	
Gly Pro	Gln Arg Glu Pro His	Asn Glu Trp Thr Leu	Glu Leu Leu
1415	1420	1425	
Glu Glu	Leu Lys Asn Glu Ala	Val Arg His Phe Pro	Arg Ile Trp
1430	1435	1440	
Leu His	Gly Leu Gly Gln His	Ile Tyr Glu Thr Tyr	Gly Asp Thr
1445	1450	1455	
Trp Ala	Gly Val Glu Ala Ile	Ile Arg Ile Leu Gln	Gln Leu Leu
1460	1465	1470	
Phe Ile	His Phe Arg Ile Gly	Cys Arg His Ser Arg	Ile Gly Val
1475	1480	1485	
Thr Arg	Gln Arg Arg Ala Arg	Asn Gly Ala Ser Arg	Ser
1490	1495	1500	

<210> SEQ ID NO 16

<211> LENGTH: 4557

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 16

atgacagacc ccagagaaag ggtaccgcca ggaaacagtg gagaagagac cattggagag	60
gccttcgagt ggctagagag gaccatagaa gccttaaaca gggaggcagt gaaccatctg	120
ccccgagagc tcattttcca ggtgtggcaa aggtcctgga gatattggca tgatgaacaa	180
gggatgtcag caagctacac aaagtataga tatttgtgcc taatgcaaaa agctatattt	240
acacatttca agagaggggtg cacttgctgg ggggaggaca tgggccggga aggattggaa	300
gaccaaggac ctcctctcc tccccctcca ggtctagtcg gtggaggtgg aagtggagga	360
ggcggtcag gtggaggtgg ttccgacaag cccaagaaaa agcggaaagt gaagtacagc	420
atcggcctgg acatcggcac caactctgtg ggctgggccc tgatcaccga cgagtacaag	480
gtgcccagca agaaattcaa ggtgctgggc aacaccgaca ggcacagcat caagaagaac	540
ctgatcggcg ccctgctgtt cgacagcggc gaaacagccg aggccaccag actgaagaga	600
accgccagaa gaagatacac caggcggaag aacaggatct gctatctgca agagatcttc	660
agcaacgaga tggccaaggt ggacgacagc ttcttcacac gactggaaga gtccttctg	720
gtggaagagg acaagaagca cgagagacac cccatcttcg gcaacatcgt ggacgaggtg	780
gcctaccacg agaagtaccc caccatctac cacctgagaa agaaaactggt ggacagcacc	840

-continued

gacaaggccg	acctgagact	gatctacctg	gccctggccc	acatgatcaa	gttcagaggc	900
cacttctctga	tcgagggcga	cctgaacccc	gacaacagcg	acgtggacaa	gctgttcac	960
cagctggtgc	agacotacaa	ccagctgttc	gaggaaaacc	ccatcaacgc	cagcggcgtg	1020
gacgccaagg	ctatctctgtc	tgccagactg	agcaagagca	gaaggctgga	aaatctgatc	1080
gcccagctgc	ccggcgagaa	gaagaacggc	ctgttcggca	acctgattgc	cctgagcctg	1140
ggcctgaccc	ccaacttcaa	gagcaacttc	gacctggccg	aggatgccaa	actgcagctg	1200
agcaaggaca	cctacgacga	cgacctggac	aacctgctgg	cccagatcgg	cgaccagtac	1260
gcccagctgt	tcctggccgc	caagaacctg	tctgacgcca	tcctgctgag	cgacatcctg	1320
agagtgaaca	ccgagatcac	caaggccccc	ctgagcgcc	ctatgatcaa	gagatacgac	1380
gagcaccacc	aggacctgac	cctgctgaaa	gctctcgtgc	ggcagcagct	gcctgagaag	1440
tacaaagaaa	tcttcttcga	ccagagcaag	aacggctacg	ccggctacat	cgatggcggc	1500
gctagccagg	aagagttcta	caagttcacc	aagcccatcc	tggaaaagat	ggacggcacc	1560
gaggaaactgc	tcgtgaagct	gaacagagag	gacctgctga	gaaagcagag	aaccttcgac	1620
aacggcagca	tccccacca	gatccacctg	ggagagctgc	acgctatcct	gagaaggcag	1680
gaagattttt	accattctct	gaaggacaac	cgggaaaaga	tcgagaagat	cctgaccttc	1740
aggatccct	actacgtggg	ccccctggcc	agaggcaaca	gcagattcgc	ctggatgacc	1800
agaaagagcg	aggaaacat	caccctctgg	aacttcgagg	aagtgggtgga	caaggcgcc	1860
agcgcccgaga	gcttcacga	gagaatgaca	aacttcgata	agaacctgcc	caacgagaag	1920
gtgctgccc	agcacagcct	gctgtacgag	tacttcaccg	tgtacaacga	gctgacccaa	1980
gtgaaatacg	tgaccgaggg	aatgagaaa	cccgccttcc	tgagcggcga	gcagaaaaag	2040
gccatcgtgg	acctgctgtt	caagaccaac	agaaaagtga	ccgtgaagca	gctgaaagag	2100
gactacttca	agaaaatcga	gtgcttcgac	tccgtggaaa	tctccggcgt	ggaagataga	2160
ttcaacgcct	ccctgggcac	ataccacgat	ctgctgaaaa	ttatcaagga	caaggacttc	2220
ctggataacg	aagagaacga	ggacattctg	gaagatatcg	tgctgacct	gacactgttt	2280
gaggaccgcg	agatgatcga	ggaaaggctg	aaaacctacg	ctcacctgtt	cgacgacaaa	2340
gtgatgaagc	agctgaagag	aaggcggtag	accggctggg	gcaggctgag	cagaaagctg	2400
atcaacggca	tcagagacaa	gcagagcggc	aagacaatcc	tggatttctc	gaagtccgac	2460
ggcttcgcca	accggaactt	catgcagctg	atccacgacg	acagcctgac	attcaaagag	2520
gacatccaga	aagcccaggt	gtccggccag	ggcgactctc	tgacgagca	tatcgctaac	2580
ctggccggca	gccccgctat	caagaagggc	atcctgcaga	cagtgaagg	ggtggacgag	2640
ctcgtgaaa	tgatgggcag	acacaagccc	gagaacatcg	tgatcgagat	ggctagagag	2700
aaccagacca	cccagaagg	acagaagaac	tcccgcgaga	ggatgaagag	aatcgaaag	2760
ggcatcaaa	agctgggcag	ccagatcctg	aaagaacacc	ccgtggaaaa	caccagctg	2820
cagaacgaga	agctgtacct	gtactacctg	cagaatggcc	gggatatgta	cgtggaccag	2880
gaactggaca	tcaacagact	gtccgactac	gatgtggacc	atatcgtgcc	tcagagcttt	2940
ctgaaggacg	actccatcga	taacaaagt	ctgactcgga	gcgacaagaa	cagaggcaag	3000
agcgacaacg	tgccctccga	agaggtcgtg	aagaagatga	agaactactg	gcgacagctg	3060
ctgaacgcca	agctgattac	ccagaggaag	ttcgataacc	tgaccaaggc	cgagagaggc	3120
ggcctgagcg	agctggataa	ggccggcttc	atcaagaggc	agctggtgga	aaccagacag	3180
atcacaaaag	acgtggcaca	gatcctggac	tcccgatga	acactaagta	cgacgaaaac	3240

-continued

```

gataagctga tccgggaagt gaaagtgtac accctgaagt ccaagctggt gtccgatttc 3300
cggaaggatt tccagtttta caaagtgcgc gagatcaaca actaccacca cgcccacgac 3360
gcctacctga acgccgtcgt ggggaaccgcc ctgatcaaaa agtaccctaa gctggaaagc 3420
gagttcgtgt acggcgacta caaggtgtac gacgtgcgga agatgatcgc caagagcgag 3480
caggaaatcg gcaaggctac cgccaagtac ttcttctaca gcaacatcat gaactttttc 3540
aagaccgaaa tcaccctggc caacggcgag atcagaaagc gccctctgat cgagacaaac 3600
ggcgaaaccg gggagatcgt gtgggataag ggcagagact tcgccacagt gcgaaaggtg 3660
ctgagcatgc cccaagttaa tctcgtgaaa aagaccgagg tgcagacagg cggtctcagc 3720
aaagagtcta tcctgcccaa gaggaacagc gacaagctga tcgccagaaa gaaggactgg 3780
gacccaaga agtacggcgg cttcgacagc cctaccgtgg cctactctgt gctggtggtg 3840
gctaaggtgg aaaagggcaa gtccaagaaa ctgaagagtg tgaaagagct gctggggatc 3900
accatcatgg aaagaagcag ctttgagaag aacctatcg actttctgga agccaagggc 3960
tacaaagaag tgaaaaagga cctgatcacc aagctgccta agtactccct gttcgagctg 4020
gaaaacggca gaaagagaat gctggcctct gccggcgaac tgcagaaggg aaacgagctg 4080
gccctgccta gcaaatatgt gaacttctct tacctggcct cccactatga gaagctgaag 4140
ggcagccctg aggacaacga acagaaacag ctgtttgtgg aacagcataa gcactacctg 4200
gacgagatca tcgagcagat cagcgagttc tccaagagag tgatcctggc cgacgccaat 4260
ctggacaagg tgctgtctgc ctacaacaag cacagggaca agcctatcag agagcaggcc 4320
gagaatatca tccacctgtt cacctgaca aacctgggcg ctctgccgc cttcaagtac 4380
tttgacacca ccatcgaccg gaagaggtac accagcacca aagaggtgct ggacgccacc 4440
ctgateccac agagcatcac cggcctgtac gagacaagaa tcgacctgtc tcagctggga 4500
ggcgacaaga gacctgccgc cactaagaag gccggacagg ccaaaaagaa gaagtga 4557

```

```

<210> SEQ ID NO 17
<211> LENGTH: 1518
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polypeptide

```

```

<400> SEQUENCE: 17

```

```

Met Thr Asp Pro Arg Glu Arg Val Pro Pro Gly Asn Ser Gly Glu Glu
1           5           10           15

Thr Ile Gly Glu Ala Phe Glu Trp Leu Glu Arg Thr Ile Glu Ala Leu
20          25          30

Asn Arg Glu Ala Val Asn His Leu Pro Arg Glu Leu Ile Phe Gln Val
35          40          45

Trp Gln Arg Ser Trp Arg Tyr Trp His Asp Glu Gln Gly Met Ser Ala
50          55          60

Ser Tyr Thr Lys Tyr Arg Tyr Leu Cys Leu Met Gln Lys Ala Ile Phe
65          70          75          80

Thr His Phe Lys Arg Gly Cys Thr Cys Trp Gly Glu Asp Met Gly Arg
85          90          95

Glu Gly Leu Glu Asp Gln Gly Pro Pro Pro Pro Pro Pro Pro Gly Leu
100         105         110

Val Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
115         120         125

```

Asp 130	Lys	Pro	Lys	Lys	Lys	Arg 135	Lys	Val	Lys	Tyr	Ser 140	Ile	Gly	Leu	Asp
Ile 145	Gly	Thr	Asn	Ser	Val 150	Gly	Trp	Ala	Val	Ile 155	Thr	Asp	Glu	Tyr	Lys 160
Val	Pro	Ser	Lys	Lys 165	Phe	Lys	Val	Leu	Gly 170	Asn	Thr	Asp	Arg	His 175	Ser
Ile	Lys	Lys	Asn	Leu 180	Ile	Gly	Ala	Leu	Leu 185	Phe	Asp	Ser	Gly	Glu	Thr
Ala	Glu 195	Ala	Thr	Arg	Leu	Lys	Arg 200	Thr	Ala	Arg	Arg	Arg 205	Tyr	Thr	Arg
Arg 210	Lys	Asn	Arg	Ile	Cys	Tyr 215	Leu	Gln	Glu	Ile	Phe 220	Ser	Asn	Glu	Met
Ala 225	Lys	Val	Asp	Asp	Ser 230	Phe	Phe	His	Arg	Leu 235	Glu	Glu	Ser	Phe	Leu 240
Val	Glu	Glu	Asp	Lys 245	Lys	His	Glu	Arg	His 250	Pro	Ile	Phe	Gly	Asn	Ile 255
Val	Asp	Glu	Val	Ala 260	Tyr	His	Glu	Lys	Tyr 265	Pro	Thr	Ile	Tyr	His	Leu
Arg 275	Lys	Lys	Leu	Val	Asp	Ser 280	Thr	Asp	Lys	Ala	Asp 285	Leu	Arg	Leu	Ile
Tyr 290	Leu	Ala	Leu	Ala	His 295	Met	Ile	Lys	Phe	Arg	Gly 300	His	Phe	Leu	Ile
Glu 305	Gly	Asp	Leu	Asn 310	Pro	Asp	Asn	Ser	Asp 315	Val	Asp	Lys	Leu	Phe	Ile 320
Gln	Leu	Val	Gln	Thr 325	Tyr	Asn	Gln	Leu	Phe 330	Glu	Glu	Asn	Pro	Ile	Asn 335
Ala	Ser	Gly	Val	Asp 340	Ala	Lys	Ala	Ile	Leu 345	Ser	Ala	Arg 350	Leu	Ser	Lys
Ser	Arg 355	Arg	Leu	Glu	Asn	Leu 360	Ile	Ala	Gln	Leu	Pro	Gly 365	Glu	Lys	Lys
Asn 370	Gly	Leu	Phe	Gly	Asn 375	Leu	Ile	Ala	Leu	Ser	Leu 380	Gly	Leu	Thr	Pro
Asn 385	Phe	Lys	Ser	Asn 390	Phe	Asp	Leu	Ala	Glu	Asp 395	Ala	Lys	Leu	Gln	Leu 400
Ser	Lys	Asp	Thr	Tyr 405	Asp	Asp	Asp	Leu	Asp 410	Asn	Leu	Leu	Ala	Gln	Ile 415
Gly	Asp	Gln	Tyr	Ala 420	Asp	Leu	Phe	Leu	Ala 425	Ala	Lys	Asn	Leu	Ser	Asp 430
Ala	Ile 435	Leu	Leu	Ser	Asp	Ile	Leu	Arg	Val 440	Asn	Thr	Glu 445	Ile	Thr	Lys
Ala 450	Pro	Leu	Ser	Ala	Ser	Met 455	Ile	Lys	Arg	Tyr	Asp 460	Glu	His	His	Gln
Asp 465	Leu	Thr	Leu	Leu 470	Lys	Ala	Leu	Val	Arg	Gln	Gln 475	Leu	Pro	Glu	Lys 480
Tyr	Lys	Glu	Ile	Phe 485	Phe	Asp	Gln	Ser	Lys 490	Asn	Gly	Tyr	Ala	Gly	Tyr 495
Ile	Asp	Gly	Gly 500	Ala	Ser	Gln	Glu	Glu	Phe 505	Tyr	Lys	Phe	Ile	Lys	Pro 510
Ile	Leu 515	Glu	Lys	Met	Asp	Gly	Thr	Glu	Glu 520	Leu	Leu	Val	Lys	Leu	Asn
Arg 530	Glu	Asp	Leu	Leu	Arg	Lys 535	Gln	Arg	Thr	Phe	Asp 540	Asn	Gly	Ser	Ile

-continued

Pro	His	Gln	Ile	His	Leu	Gly	Glu	Leu	His	Ala	Ile	Leu	Arg	Arg	Gln	545	550	555	560
Glu	Asp	Phe	Tyr	Pro	Phe	Leu	Lys	Asp	Asn	Arg	Glu	Lys	Ile	Glu	Lys	565	570	575	
Ile	Leu	Thr	Phe	Arg	Ile	Pro	Tyr	Tyr	Val	Gly	Pro	Leu	Ala	Arg	Gly	580	585	590	
Asn	Ser	Arg	Phe	Ala	Trp	Met	Thr	Arg	Lys	Ser	Glu	Glu	Thr	Ile	Thr	595	600	605	
Pro	Trp	Asn	Phe	Glu	Glu	Val	Val	Asp	Lys	Gly	Ala	Ser	Ala	Gln	Ser	610	615	620	
Phe	Ile	Glu	Arg	Met	Thr	Asn	Phe	Asp	Lys	Asn	Leu	Pro	Asn	Glu	Lys	625	630	635	640
Val	Leu	Pro	Lys	His	Ser	Leu	Leu	Tyr	Glu	Tyr	Phe	Thr	Val	Tyr	Asn	645	650	655	
Glu	Leu	Thr	Lys	Val	Lys	Tyr	Val	Thr	Glu	Gly	Met	Arg	Lys	Pro	Ala	660	665	670	
Phe	Leu	Ser	Gly	Glu	Gln	Lys	Lys	Ala	Ile	Val	Asp	Leu	Leu	Phe	Lys	675	680	685	
Thr	Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe	Lys	690	695	700	
Lys	Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp	Arg	705	710	715	720
Phe	Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile	Lys	725	730	735	
Asp	Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu	Asp	740	745	750	
Ile	Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu	Glu	755	760	765	
Arg	Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys	Gln	770	775	780	
Leu	Lys	Arg	Arg	Arg	Tyr	Thr	Gly	Trp	Gly	Arg	Leu	Ser	Arg	Lys	Leu	785	790	795	800
Ile	Asn	Gly	Ile	Arg	Asp	Lys	Gln	Ser	Gly	Lys	Thr	Ile	Leu	Asp	Phe	805	810	815	
Leu	Lys	Ser	Asp	Gly	Phe	Ala	Asn	Arg	Asn	Phe	Met	Gln	Leu	Ile	His	820	825	830	
Asp	Asp	Ser	Leu	Thr	Phe	Lys	Glu	Asp	Ile	Gln	Lys	Ala	Gln	Val	Ser	835	840	845	
Gly	Gln	Gly	Asp	Ser	Leu	His	Glu	His	Ile	Ala	Asn	Leu	Ala	Gly	Ser	850	855	860	
Pro	Ala	Ile	Lys	Lys	Gly	Ile	Leu	Gln	Thr	Val	Lys	Val	Val	Asp	Glu	865	870	875	880
Leu	Val	Lys	Val	Met	Gly	Arg	His	Lys	Pro	Glu	Asn	Ile	Val	Ile	Glu	885	890	895	
Met	Ala	Arg	Glu	Asn	Gln	Thr	Thr	Gln	Lys	Gly	Gln	Lys	Asn	Ser	Arg	900	905	910	
Glu	Arg	Met	Lys	Arg	Ile	Glu	Glu	Gly	Ile	Lys	Glu	Leu	Gly	Ser	Gln	915	920	925	
Ile	Leu	Lys	Glu	His	Pro	Val	Glu	Asn	Thr	Gln	Leu	Gln	Asn	Glu	Lys	930	935	940	
Leu	Tyr	Leu	Tyr	Tyr	Leu	Gln	Asn	Gly	Arg	Asp	Met	Tyr	Val	Asp	Gln	945	950	955	960
Glu	Leu	Asp	Ile	Asn	Arg	Leu	Ser	Asp	Tyr	Asp	Val	Asp	His	Ile	Val				

-continued

965						970						975					
Pro	Gln	Ser	Phe	Leu	Lys	Asp	Asp	Ser	Ile	Asp	Asn	Lys	Val	Leu	Thr		
			980						985			990					
Arg	Ser	Asp	Lys	Asn	Arg	Gly	Lys	Ser	Asp	Asn	Val	Pro	Ser	Glu	Glu		
			995						1000			1005					
Val	Val	Lys	Lys	Met	Lys	Asn	Tyr	Trp	Arg	Gln	Leu	Leu	Asn	Ala			
			1010						1015			1020					
Lys	Leu	Ile	Thr	Gln	Arg	Lys	Phe	Asp	Asn	Leu	Thr	Lys	Ala	Glu			
			1025						1030			1035					
Arg	Gly	Gly	Leu	Ser	Glu	Leu	Asp	Lys	Ala	Gly	Phe	Ile	Lys	Arg			
			1040						1045			1050					
Gln	Leu	Val	Glu	Thr	Arg	Gln	Ile	Thr	Lys	His	Val	Ala	Gln	Ile			
			1055						1060			1065					
Leu	Asp	Ser	Arg	Met	Asn	Thr	Lys	Tyr	Asp	Glu	Asn	Asp	Lys	Leu			
			1070						1075			1080					
Ile	Arg	Glu	Val	Lys	Val	Ile	Thr	Leu	Lys	Ser	Lys	Leu	Val	Ser			
			1085						1090			1095					
Asp	Phe	Arg	Lys	Asp	Phe	Gln	Phe	Tyr	Lys	Val	Arg	Glu	Ile	Asn			
			1100						1105			1110					
Asn	Tyr	His	His	Ala	His	Asp	Ala	Tyr	Leu	Asn	Ala	Val	Val	Gly			
			1115						1120			1125					
Thr	Ala	Leu	Ile	Lys	Lys	Tyr	Pro	Lys	Leu	Glu	Ser	Glu	Phe	Val			
			1130						1135			1140					
Tyr	Gly	Asp	Tyr	Lys	Val	Tyr	Asp	Val	Arg	Lys	Met	Ile	Ala	Lys			
			1145						1150			1155					
Ser	Glu	Gln	Glu	Ile	Gly	Lys	Ala	Thr	Ala	Lys	Tyr	Phe	Phe	Tyr			
			1160						1165			1170					
Ser	Asn	Ile	Met	Asn	Phe	Phe	Lys	Thr	Glu	Ile	Thr	Leu	Ala	Asn			
			1175						1180			1185					
Gly	Glu	Ile	Arg	Lys	Arg	Pro	Leu	Ile	Glu	Thr	Asn	Gly	Glu	Thr			
			1190						1195			1200					
Gly	Glu	Ile	Val	Trp	Asp	Lys	Gly	Arg	Asp	Phe	Ala	Thr	Val	Arg			
			1205						1210			1215					
Lys	Val	Leu	Ser	Met	Pro	Gln	Val	Asn	Ile	Val	Lys	Lys	Thr	Glu			
			1220						1225			1230					
Val	Gln	Thr	Gly	Gly	Phe	Ser	Lys	Glu	Ser	Ile	Leu	Pro	Lys	Arg			
			1235						1240			1245					
Asn	Ser	Asp	Lys	Leu	Ile	Ala	Arg	Lys	Lys	Asp	Trp	Asp	Pro	Lys			
			1250						1255			1260					
Lys	Tyr	Gly	Gly	Phe	Asp	Ser	Pro	Thr	Val	Ala	Tyr	Ser	Val	Leu			
			1265						1270			1275					
Val	Val	Ala	Lys	Val	Glu	Lys	Gly	Lys	Ser	Lys	Lys	Leu	Lys	Ser			
			1280						1285			1290					
Val	Lys	Glu	Leu	Leu	Gly	Ile	Thr	Ile	Met	Glu	Arg	Ser	Ser	Phe			
			1295						1300			1305					
Glu	Lys	Asn	Pro	Ile	Asp	Phe	Leu	Glu	Ala	Lys	Gly	Tyr	Lys	Glu			
			1310						1315			1320					
Val	Lys	Lys	Asp	Leu	Ile	Ile	Lys	Leu	Pro	Lys	Tyr	Ser	Leu	Phe			
			1325						1330			1335					
Glu	Leu	Glu	Asn	Gly	Arg	Lys	Arg	Met	Leu	Ala	Ser	Ala	Gly	Glu			
			1340						1345			1350					
Leu	Gln	Lys	Gly	Asn	Glu	Leu	Ala	Leu	Pro	Ser	Lys	Tyr	Val	Asn			
			1355						1360			1365					

-continued

Phe Leu Tyr Leu Ala Ser His Tyr Glu Lys Leu Lys Gly Ser Pro	
1370 1375 1380	
Glu Asp Asn Glu Gln Lys Gln Leu Phe Val Glu Gln His Lys His	
1385 1390 1395	
Tyr Leu Asp Glu Ile Ile Glu Gln Ile Ser Glu Phe Ser Lys Arg	
1400 1405 1410	
Val Ile Leu Ala Asp Ala Asn Leu Asp Lys Val Leu Ser Ala Tyr	
1415 1420 1425	
Asn Lys His Arg Asp Lys Pro Ile Arg Glu Gln Ala Glu Asn Ile	
1430 1435 1440	
Ile His Leu Phe Thr Leu Thr Asn Leu Gly Ala Pro Ala Ala Phe	
1445 1450 1455	
Lys Tyr Phe Asp Thr Thr Ile Asp Arg Lys Arg Tyr Thr Ser Thr	
1460 1465 1470	
Lys Glu Val Leu Asp Ala Thr Leu Ile His Gln Ser Ile Thr Gly	
1475 1480 1485	
Leu Tyr Glu Thr Arg Ile Asp Leu Ser Gln Leu Gly Gly Asp Lys	
1490 1495 1500	
Arg Pro Ala Ala Thr Lys Lys Ala Gly Gln Ala Lys Lys Lys Lys	
1505 1510 1515	

<210> SEQ ID NO 18

<211> LENGTH: 4557

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 18

atggacaagc ccaagaaaaa gcggaagtg aagtacagca tcggcctgga catcggcacc	60
aactctgtgg gctgggccgt gatcaccgac gagtacaagg tgcccagcaa gaaattcaag	120
gtgctgggca acaccgacag gcacagcatc aagaagaacc tgatcggcgc cctgctgttc	180
gacagcggcg aaacagccga ggccaccaga ctgaagagaa ccgccagaag aagatacacc	240
aggcggaaga acaggatctg ctatctgcaa gagatcttca gcaacgagat ggccaagggtg	300
gacgacagct tcttccacag actggaagag tcttctctgg tggaagagga caagaagcac	360
gagagacacc ccatcttcgg caacatcgtg gacgaggtgg cctaccacga gaagtacccc	420
accatctacc acctgagaaa gaaactgggtg gacagcaccg acaaggccga cctgagactg	480
atctacctgg ccttggccca catgatcaag ttcagaggcc acttctctgat cgagggcgac	540
ctgaaccccc acaacagcga cgtggacaag ctgttcatcc agctggtgca gacctacaac	600
cagctgtttc agggaaaacc catcaacgcc agcggcgtgg acgccaaggc tatectgtct	660
gccagactga gcaagagcag aaggctggaa aatctgatcg ccagctgcc cggcgagaag	720
aagaacggcc tgttcggcaa cctgattgcc ctgagcctgg gcctgacccc caacttcaag	780
agcaacttcg acctggccga ggatgccaaa ctgcagctga gcaaggacac ctacgacgac	840
gacctggaca acctgctggc ccagatcggc gaccagtacg ccgacctgtt cctggccgcc	900
aagaacctgt ctgacgcat cctgctgagc gacatcctga gagtgaacac cgagatcacc	960
aaggccccc tgagcgctc tatgatcaag agatacgacg agcaccacca ggacctgacc	1020
ctgctgaaag ctctcgtgcg gcagcagctg cctgagaagt acaaagaaat cttcttcgac	1080
cagagcaaga acggctacgc cggctacatc gatggcggcg ctagccagga agagttctac	1140

-continued

aagttcatca agcccatcct ggaaaagatg gacggcacccg aggaactgct cgtgaagctg	1200
aacagagagg acctgctgag aaagcagaga accttcgaca acggcagcat cccccaccag	1260
atccacctgg gagagctgca cgctatcctg agaaggcagg aagattttta cccattcctg	1320
aaggacaacc gggaaaagat cgagaagatc ctgaccttca ggatccccta ctacgtgggc	1380
ccccctggcca gaggcaacag cagattcgcc tggatgacca gaaagagcga ggaaaccatc	1440
accccctgga acttcgagga agtgggtggac aaggggcgcca gcgcccagag cttcatcgag	1500
agaatgacaa acttcgataa gaacctgccc aacgagaagg tgctgcccga gcacagcctg	1560
ctgtacgagt acttcaccgt gtacaacgag ctgaccaaag tgaaatacgt gaccgagggga	1620
atgagaaaagc ccgccttcct gagcggcgag cagaaaaagg ccatcgtgga cctgctgttc	1680
aagaccaaca gaaaagtgc cgtgaagcag ctgaaagagg actacttcaa gaaaatcgag	1740
tgcttcgact ccgtggaaat ctccggcgtg gaagatagat tcaacgcctc cctgggcaca	1800
taccacgato tgctgaaaat tatcaaggac aaggacttcc tggataacga agagaacgag	1860
gacattctgg aagatatcgt gctgacctg acactgtttg aggaccgcga gatgatcgag	1920
gaaaggctga aaacctacgc tcacctgttc gacgacaaag tgatgaagca gctgaagaga	1980
aggcgggtaca ccggtgggg caggctgagc agaaagctga tcaacggcat cagagacaag	2040
cagagcggca agacaatcct ggatttcctg aagtccgacg gcttcgccaa ccggaacttc	2100
atgcagctga tccacgacga cagcctgaca ttcaaaggagg acatccagaa agcccagggtg	2160
tccggccagg gcgactctct gcacgagcat atcgctaacc tggccggcag ccccgctatc	2220
aagaagggca tcctgcagac agtgaagggtg gtggacgagc tcgtgaaagt gatgggcaga	2280
cacaagcccg agaacatcgt gatcgagatg gctagagaga accagaccac ccagaaggga	2340
cagaagaact ccgcgagag gatgaagaga atcgaagagg gcatcaaaga gctgggcagc	2400
cagatcctga aagaacaccc cgtggaaaac acccagctgc agaacgagaa gctgtacctg	2460
tactacctgc agaatggccg ggatatgtac gtggaccagg aactggacat caacagactg	2520
tccgactacg atgtggacca tatcgtgcct cagagcttcc tgaaggacga ctccatcgat	2580
aacaaagtgc tgactcggag cgacaagaac agaggcaaga gcgacaacgt gccctccgaa	2640
gaggtcgtga agaagatgaa gaactactgg cgacagctgc tgaacgcca gctgattacc	2700
cagaggaagt tcgataacct gaccaaggcc gagagaggcg gcctgagcga gctggataag	2760
gccggcttca tcaagaggca gctgggtggaa accagacaga tcacaaagca cgtggcacag	2820
atcctggact cccggatgaa cactaagtac gacgaaaacg ataagctgat ccgggaagtg	2880
aaagtgatca cctggaagtc caagctgggtg tccgatttcc ggaaggatct ccagttttac	2940
aaagtgcgag agatcaacaa ctaccaccac gccacgacg cctacctgaa cgccgtcgtg	3000
ggaaccgccc tgatcaaaaa gtaccctaag ctggaaaagc agttcgtgta cggcgactac	3060
aaggtgtacg acgtgcggaa gatgatcgcc aagagcagc aggaaatcgg caaggctacc	3120
gccaaagtact tctttctacg caacatcatg aactttttca agaccgaaat caccctggcc	3180
aacggcgaga tcagaaaagc ccctctgac gagacaaaag gcgaaaccgg ggagatcgtg	3240
tgggataaag gcagagactt cgccacagtg cgaaagggtc tgagcatgcc ccaagtgaat	3300
atcgtgaaaa agaccgaggt gcagacaggc ggcttcagca aagagtctat cctgcccag	3360
aggaacagcg acaagctgat cgccagaaag aaggactggg accccaagaa gtacggcggc	3420
ttcgacagcc ctaccgtggc ctactctgtg ctggtgggtg ctaagggtgga aaagggcaag	3480

-continued

```

tccaagaaac tgaagagtgt gaaagagctg ctgggggatca ccatcatgga aagaagcagc 3540
tttgagaaga accctatcga ctttctggaa gccaagggct acaagaagt gaaaaaggac 3600
ctgatcatca agctgcctaa gtactccctg ttcgagctgg aaaacggcag aaagagaatg 3660
ctggcctctg cgggcgaact gcagaaggga aacgagctgg ccctgcctag caaatatgtg 3720
aacttctctg acctggcctc ccactatgag aagctgaagg gcagccctga ggacaacgaa 3780
cagaaacagc tgtttgtgga acagcataag cactacctgg acgagatcat cgagcagatc 3840
agcgagttct ccaagagagt gatectggcc gacgccaatc tggacaaggt gctgtctgcc 3900
tacaacaagc acagggacaa gcctatcaga gagcaggccg agaatatcat ccacctgttc 3960
accttgacaa acctgggcgc tctgcccgc ttcaagtact ttgacaccac catcgaccgg 4020
aagagggtaca ccagcaccaa agagggtgctg gacgccaccc tgatccacca gagcatcacc 4080
ggcctgtacg agacaagaat cgacctgtct cagctgggag gcgacaagag acctgccgcc 4140
actaagaagg cgggacaggc caaaaagaag aagggtggag gtggaagtgg aggaggcggc 4200
tcaggtggag gtggtttcac agaccccaga gaaagggtac cgccaggaaa cagtggagaa 4260
gagaccattg gagaggcctt cgagtggcta gagaggacca tagaagcctt aaacagggag 4320
gcagtgaacc atctgccccg agagctcatt ttccaggtgt ggcaaaggtc ctggagatat 4380
tgcatgatg aacaagggat gtcagcaagc tacacaaagt atagatattt gtgcctaata 4440
caaaaagcta tatttacaca ttcaagaga ggggtgcactt gctgggggga ggacatgggc 4500
cgggaaggat tggaagacca aggacctccc cctcctcccc ctccaggtct agtctaa 4557

```

<210> SEQ ID NO 19

<211> LENGTH: 1518

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 19

```

Met Asp Lys Pro Lys Lys Lys Arg Lys Val Lys Tyr Ser Ile Gly Leu
1      5      10      15
Asp Ile Gly Thr Asn Ser Val Gly Trp Ala Val Ile Thr Asp Glu Tyr
20     25     30
Lys Val Pro Ser Lys Lys Phe Lys Val Leu Gly Asn Thr Asp Arg His
35     40     45
Ser Ile Lys Lys Asn Leu Ile Gly Ala Leu Leu Phe Asp Ser Gly Glu
50     55     60
Thr Ala Glu Ala Thr Arg Leu Lys Arg Thr Ala Arg Arg Arg Tyr Thr
65     70     75     80
Arg Arg Lys Asn Arg Ile Cys Tyr Leu Gln Glu Ile Phe Ser Asn Glu
85     90     95
Met Ala Lys Val Asp Asp Ser Phe Phe His Arg Leu Glu Glu Ser Phe
100    105    110
Leu Val Glu Glu Asp Lys Lys His Glu Arg His Pro Ile Phe Gly Asn
115    120    125
Ile Val Asp Glu Val Ala Tyr His Glu Lys Tyr Pro Thr Ile Tyr His
130    135    140
Leu Arg Lys Lys Leu Val Asp Ser Thr Asp Lys Ala Asp Leu Arg Leu
145    150    155    160
Ile Tyr Leu Ala Leu Ala His Met Ile Lys Phe Arg Gly His Phe Leu
165    170    175

```

-continued

Ile	Glu	Gly	Asp	Leu	Asn	Pro	Asp	Asn	Ser	Asp	Val	Asp	Lys	Leu	Phe	180	185	190
Ile	Gln	Leu	Val	Gln	Thr	Tyr	Asn	Gln	Leu	Phe	Glu	Glu	Asn	Pro	Ile	195	200	205
Asn	Ala	Ser	Gly	Val	Asp	Ala	Lys	Ala	Ile	Leu	Ser	Ala	Arg	Leu	Ser	210	215	220
Lys	Ser	Arg	Arg	Leu	Glu	Asn	Leu	Ile	Ala	Gln	Leu	Pro	Gly	Glu	Lys	225	230	235
Lys	Asn	Gly	Leu	Phe	Gly	Asn	Leu	Ile	Ala	Leu	Ser	Leu	Gly	Leu	Thr	245	250	255
Pro	Asn	Phe	Lys	Ser	Asn	Phe	Asp	Leu	Ala	Glu	Asp	Ala	Lys	Leu	Gln	260	265	270
Leu	Ser	Lys	Asp	Thr	Tyr	Asp	Asp	Asp	Leu	Asp	Asn	Leu	Leu	Ala	Gln	275	280	285
Ile	Gly	Asp	Gln	Tyr	Ala	Asp	Leu	Phe	Leu	Ala	Ala	Lys	Asn	Leu	Ser	290	295	300
Asp	Ala	Ile	Leu	Leu	Ser	Asp	Ile	Leu	Arg	Val	Asn	Thr	Glu	Ile	Thr	305	310	315
Lys	Ala	Pro	Leu	Ser	Ala	Ser	Met	Ile	Lys	Arg	Tyr	Asp	Glu	His	His	325	330	335
Gln	Asp	Leu	Thr	Leu	Leu	Lys	Ala	Leu	Val	Arg	Gln	Gln	Leu	Pro	Glu	340	345	350
Lys	Tyr	Lys	Glu	Ile	Phe	Phe	Asp	Gln	Ser	Lys	Asn	Gly	Tyr	Ala	Gly	355	360	365
Tyr	Ile	Asp	Gly	Gly	Ala	Ser	Gln	Glu	Glu	Phe	Tyr	Lys	Phe	Ile	Lys	370	375	380
Pro	Ile	Leu	Glu	Lys	Met	Asp	Gly	Thr	Glu	Glu	Leu	Leu	Val	Lys	Leu	385	390	395
Asn	Arg	Glu	Asp	Leu	Leu	Arg	Lys	Gln	Arg	Thr	Phe	Asp	Asn	Gly	Ser	405	410	415
Ile	Pro	His	Gln	Ile	His	Leu	Gly	Glu	Leu	His	Ala	Ile	Leu	Arg	Arg	420	425	430
Gln	Glu	Asp	Phe	Tyr	Pro	Phe	Leu	Lys	Asp	Asn	Arg	Glu	Lys	Ile	Glu	435	440	445
Lys	Ile	Leu	Thr	Phe	Arg	Ile	Pro	Tyr	Tyr	Val	Gly	Pro	Leu	Ala	Arg	450	455	460
Gly	Asn	Ser	Arg	Phe	Ala	Trp	Met	Thr	Arg	Lys	Ser	Glu	Glu	Thr	Ile	465	470	475
Thr	Pro	Trp	Asn	Phe	Glu	Glu	Val	Val	Asp	Lys	Gly	Ala	Ser	Ala	Gln	485	490	495
Ser	Phe	Ile	Glu	Arg	Met	Thr	Asn	Phe	Asp	Lys	Asn	Leu	Pro	Asn	Glu	500	505	510
Lys	Val	Leu	Pro	Lys	His	Ser	Leu	Leu	Tyr	Glu	Tyr	Phe	Thr	Val	Tyr	515	520	525
Asn	Glu	Leu	Thr	Lys	Val	Lys	Tyr	Val	Thr	Glu	Gly	Met	Arg	Lys	Pro	530	535	540
Ala	Phe	Leu	Ser	Gly	Glu	Gln	Lys	Lys	Ala	Ile	Val	Asp	Leu	Leu	Phe	545	550	555
Lys	Thr	Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe	565	570	575
Lys	Lys	Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp	580	585	590

-continued

Arg	Phe	Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile	
		595					600					605				
Lys	Asp	Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu	
	610					615					620					
Asp	Ile	Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu	
	625				630					635					640	
Glu	Arg	Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys	
			645						650					655		
Gln	Leu	Lys	Arg	Arg	Arg	Tyr	Thr	Gly	Trp	Gly	Arg	Leu	Ser	Arg	Lys	
			660					665					670			
Leu	Ile	Asn	Gly	Ile	Arg	Asp	Lys	Gln	Ser	Gly	Lys	Thr	Ile	Leu	Asp	
		675					680					685				
Phe	Leu	Lys	Ser	Asp	Gly	Phe	Ala	Asn	Arg	Asn	Phe	Met	Gln	Leu	Ile	
	690					695					700					
His	Asp	Asp	Ser	Leu	Thr	Phe	Lys	Glu	Asp	Ile	Gln	Lys	Ala	Gln	Val	
	705				710					715					720	
Ser	Gly	Gln	Gly	Asp	Ser	Leu	His	Glu	His	Ile	Ala	Asn	Leu	Ala	Gly	
			725					730						735		
Ser	Pro	Ala	Ile	Lys	Lys	Gly	Ile	Leu	Gln	Thr	Val	Lys	Val	Val	Asp	
		740						745					750			
Glu	Leu	Val	Lys	Val	Met	Gly	Arg	His	Lys	Pro	Glu	Asn	Ile	Val	Ile	
		755					760					765				
Glu	Met	Ala	Arg	Glu	Asn	Gln	Thr	Thr	Gln	Lys	Gly	Gln	Lys	Asn	Ser	
	770					775					780					
Arg	Glu	Arg	Met	Lys	Arg	Ile	Glu	Glu	Gly	Ile	Lys	Glu	Leu	Gly	Ser	
	785				790					795					800	
Gln	Ile	Leu	Lys	Glu	His	Pro	Val	Glu	Asn	Thr	Gln	Leu	Gln	Asn	Glu	
			805					810						815		
Lys	Leu	Tyr	Leu	Tyr	Tyr	Leu	Gln	Asn	Gly	Arg	Asp	Met	Tyr	Val	Asp	
		820						825					830			
Gln	Glu	Leu	Asp	Ile	Asn	Arg	Leu	Ser	Asp	Tyr	Asp	Val	Asp	His	Ile	
		835					840					845				
Val	Pro	Gln	Ser	Phe	Leu	Lys	Asp	Asp	Ser	Ile	Asp	Asn	Lys	Val	Leu	
	850					855					860					
Thr	Arg	Ser	Asp	Lys	Asn	Arg	Gly	Lys	Ser	Asp	Asn	Val	Pro	Ser	Glu	
	865				870					875					880	
Glu	Val	Val	Lys	Lys	Met	Lys	Asn	Tyr	Trp	Arg	Gln	Leu	Leu	Asn	Ala	
			885					890						895		
Lys	Leu	Ile	Thr	Gln	Arg	Lys	Phe	Asp	Asn	Leu	Thr	Lys	Ala	Glu	Arg	
		900						905					910			
Gly	Gly	Leu	Ser	Glu	Leu	Asp	Lys	Ala	Gly	Phe	Ile	Lys	Arg	Gln	Leu	
		915					920					925				
Val	Glu	Thr	Arg	Gln	Ile	Thr	Lys	His	Val	Ala	Gln	Ile	Leu	Asp	Ser	
	930					935					940					
Arg	Met	Asn	Thr	Lys	Tyr	Asp	Glu	Asn	Asp	Lys	Leu	Ile	Arg	Glu	Val	
	945				950					955					960	
Lys	Val	Ile	Thr	Leu	Lys	Ser	Lys	Leu	Val	Ser	Asp	Phe	Arg	Lys	Asp	
			965					970						975		
Phe	Gln	Phe	Tyr	Lys	Val	Arg	Glu	Ile	Asn	Asn	Tyr	His	His	Ala	His	
			980					985					990			
Asp	Ala	Tyr	Leu	Asn	Ala	Val	Val	Gly	Thr	Ala	Leu	Ile	Lys	Lys	Tyr	
	995						1000					1005				
Pro	Lys	Leu	Glu	Ser	Glu	Phe	Val	Tyr	Gly	Asp	Tyr	Lys	Val	Tyr		

-continued

1010	1015	1020
Asp Val Arg Lys Met Ile Ala Lys Ser Glu Gln Glu Ile Gly Lys		
1025	1030	1035
Ala Thr Ala Lys Tyr Phe Phe Tyr Ser Asn Ile Met Asn Phe Phe		
1040	1045	1050
Lys Thr Glu Ile Thr Leu Ala Asn Gly Glu Ile Arg Lys Arg Pro		
1055	1060	1065
Leu Ile Glu Thr Asn Gly Glu Thr Gly Glu Ile Val Trp Asp Lys		
1070	1075	1080
Gly Arg Asp Phe Ala Thr Val Arg Lys Val Leu Ser Met Pro Gln		
1085	1090	1095
Val Asn Ile Val Lys Lys Thr Glu Val Gln Thr Gly Gly Phe Ser		
1100	1105	1110
Lys Glu Ser Ile Leu Pro Lys Arg Asn Ser Asp Lys Leu Ile Ala		
1115	1120	1125
Arg Lys Lys Asp Trp Asp Pro Lys Lys Tyr Gly Gly Phe Asp Ser		
1130	1135	1140
Pro Thr Val Ala Tyr Ser Val Leu Val Val Ala Lys Val Glu Lys		
1145	1150	1155
Gly Lys Ser Lys Lys Leu Lys Ser Val Lys Glu Leu Leu Gly Ile		
1160	1165	1170
Thr Ile Met Glu Arg Ser Ser Phe Glu Lys Asn Pro Ile Asp Phe		
1175	1180	1185
Leu Glu Ala Lys Gly Tyr Lys Glu Val Lys Lys Asp Leu Ile Ile		
1190	1195	1200
Lys Leu Pro Lys Tyr Ser Leu Phe Glu Leu Glu Asn Gly Arg Lys		
1205	1210	1215
Arg Met Leu Ala Ser Ala Gly Glu Leu Gln Lys Gly Asn Glu Leu		
1220	1225	1230
Ala Leu Pro Ser Lys Tyr Val Asn Phe Leu Tyr Leu Ala Ser His		
1235	1240	1245
Tyr Glu Lys Leu Lys Gly Ser Pro Glu Asp Asn Glu Gln Lys Gln		
1250	1255	1260
Leu Phe Val Glu Gln His Lys His Tyr Leu Asp Glu Ile Ile Glu		
1265	1270	1275
Gln Ile Ser Glu Phe Ser Lys Arg Val Ile Leu Ala Asp Ala Asn		
1280	1285	1290
Leu Asp Lys Val Leu Ser Ala Tyr Asn Lys His Arg Asp Lys Pro		
1295	1300	1305
Ile Arg Glu Gln Ala Glu Asn Ile Ile His Leu Phe Thr Leu Thr		
1310	1315	1320
Asn Leu Gly Ala Pro Ala Ala Phe Lys Tyr Phe Asp Thr Thr Ile		
1325	1330	1335
Asp Arg Lys Arg Tyr Thr Ser Thr Lys Glu Val Leu Asp Ala Thr		
1340	1345	1350
Leu Ile His Gln Ser Ile Thr Gly Leu Tyr Glu Thr Arg Ile Asp		
1355	1360	1365
Leu Ser Gln Leu Gly Gly Asp Lys Arg Pro Ala Ala Thr Lys Lys		
1370	1375	1380
Ala Gly Gln Ala Lys Lys Lys Lys Gly Gly Gly Gly Ser Gly Gly		
1385	1390	1395
Gly Gly Ser Gly Gly Gly Gly Ser Thr Asp Pro Arg Glu Arg Val		
1400	1405	1410

-continued

Pro	Pro	Gly	Asn	Ser	Gly	Glu	Glu	Thr	Ile	Gly	Glu	Ala	Phe	Glu
1415						1420					1425			
Trp	Leu	Glu	Arg	Thr	Ile	Glu	Ala	Leu	Asn	Arg	Glu	Ala	Val	Asn
1430						1435					1440			
His	Leu	Pro	Arg	Glu	Leu	Ile	Phe	Gln	Val	Trp	Gln	Arg	Ser	Trp
1445						1450					1455			
Arg	Tyr	Trp	His	Asp	Glu	Gln	Gly	Met	Ser	Ala	Ser	Tyr	Thr	Lys
1460						1465					1470			
Tyr	Arg	Tyr	Leu	Cys	Leu	Met	Gln	Lys	Ala	Ile	Phe	Thr	His	Phe
1475						1480					1485			
Lys	Arg	Gly	Cys	Thr	Cys	Trp	Gly	Glu	Asp	Met	Gly	Arg	Glu	Gly
1490						1495					1500			
Leu	Glu	Asp	Gln	Gly	Pro	Pro	Pro	Pro	Pro	Pro	Gly	Leu	Val	
1505						1510					1515			

<210> SEQ ID NO 20

<211> LENGTH: 4713

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 20

atgggtaatc cgaccgtttt ttttgatata gcagttgatg gcgaaccgtt gggcagggtt	60
tccttcgagc tcttcgccga taaagtgcg aaaaccgcag aaacttttcg cgcgctcagt	120
acgggtgaaa aggggttttg ttacaaaggg agctgttttc atcgaatcat tcttggtttc	180
atgtgtcagg gcggagatth caccgcacat aacgggactg gcgggaagag tatatatgga	240
gagaagttcg aggatgagaa ctttatactg aaacacaccg gacccggaat tttgagtatg	300
gcaaatgcag ggccctaacac caatggctcc cagttcttta tttgtacggc caagacagag	360
tggctcgacg ggaagcacgt tgtgttcgga aaggtaaaag aaggtagtaa tatagtagag	420
gcgatggaac ggtttggctc acgcaatggc aagacatcca aaaaaatcac aatagctgac	480
tgtggccaat tggagggttg aggtggaagt ggaggaggcg gctcagggtg aggtggttcc	540
gacaagccca agaaaaagcg gaaagtgaag tacagcatcg gcctggacat cggcaccaac	600
tctgtgggct gggccgtgat caccgcagag tacaagggtc ccagcaagaa attcaagggtg	660
ctgggcaaca ccgacaggca cagcatcaag aagaacctga tcggcgccct gctgttcgac	720
agcggcgaaa cagccgaggc caccgactg aagagaaccg ccagaagaag atacaccagg	780
cggagaagaa ggatctgcta tctgcaagag atcttcagca acgagatggc caagggtggac	840
gacagcttct tccacagact ggaagagtcc ttcctggttg aagaggacaa gaagcacgag	900
agacacccca tcttcggcaa catcgtggac gaggtggcct accacgagaa gtacccacc	960
atctaccacc tgagaaagaa actggtggac agcaccgaca aggccgacct gagactgatc	1020
tacctggccc tggcccatat gatcaagttc agaggccact tctgatcga gggcgacctg	1080
aaacccgaca acagcgacgt ggacaagctg ttcacccagc tgggtgcagac ctacaaccag	1140
ctgttcgagg aaaaccccat caacgccagc ggcgtggacg ccaaggctat cctgtctgcc	1200
agactgagca agagcagaag gctggaaaat ctgatcgccc agctgcccgg cgagaagaag	1260
aacggcctgt tcggcaacct gattgccctg agcctgggac tgacccccaa cttcaagagc	1320
aacttcgacc tggccgagga tgccaaactg cagctgagca aggcaccta cgacgacgac	1380

-continued

ctggacaacc	tgctggccca	gatcggcgac	cagtacgccg	acctgttcct	ggcgcgcaag	1440
aacctgtctg	acgccatcct	gctgagcgac	atcctgagag	tgaacaccga	gatcaccaag	1500
gccccctga	gcgcctctat	gatcaagaga	tacgacgagc	accaccagga	cctgacctg	1560
ctgaaagctc	tcgtgcggca	gcagctgcct	gagaagtaca	aagaaatctt	cttcgaccag	1620
agcaagaacg	gctacgccgg	ctacatcgat	ggcggcgcta	gccaggaaga	gttctacaag	1680
ttcatcaagc	ccatcctgga	aaagatggac	ggcacgcgag	aactgctcgt	gaagctgaac	1740
agagaggacc	tgctgagaaa	gcagagaacc	ttcgacaacg	gcagcatccc	ccaccagatc	1800
cacctgggag	agctgcacgc	tatcctgaga	aggcagggaag	atTTTTTacc	attcctgaag	1860
gacaaccggg	aaaagatcga	gaagatcctg	accttcagga	ttccctacta	cgtgggcccc	1920
ctggccagag	gcaacagcag	attcgccctg	atgaccagaa	agagcgagga	aaccatcacc	1980
ccctggaact	tcgagggaag	ggtggacaag	ggcgccagcg	cccagagctt	catcgagaga	2040
atgacaaaact	tcgataagaa	cctgccccac	gagaaggtgc	tgccccagca	cagcctgctg	2100
tacgagtact	tcacogtgta	caacgagctg	accaaagtga	aatacgtgac	cgagggaatg	2160
agaaagcccc	ccttcctgag	cggcgagcag	aaaaaggcca	tcgtggacct	gctgttcaag	2220
accaacagaa	aagtgcacct	gaagcagctg	aaagaggact	acttcaagaa	aatcgagtgc	2280
ttcgactccg	tggaaatctc	cgcgctggaa	gatagattca	acgcctccct	gggcacatac	2340
cacgatctgc	tgaaaattat	caaggacaag	gacttcctgg	ataacgaaga	gaacgaggac	2400
attctggaag	atategtgct	gaccttgaca	ctgtttgagg	accgcgagat	gatcgaggaa	2460
aggctgaaaa	cctacgctca	cctgttcgac	gacaaagtga	tgaagcagct	gaagagaagg	2520
cggtagaccg	gctggggcag	gctgagcaga	aagctgatca	acggcatcag	agacaagcag	2580
agcggcaaga	caatcctgga	tttctgaag	tcgcacggct	tcgccaaccg	gaacttcctg	2640
cagctgatcc	acgacgacag	cctgacattc	aaagaggaca	ttcagaaagc	ccagggtgtcc	2700
ggccaggggc	actctctgca	cgagcatatc	gctaacctgg	ccggcagccc	cgctatcaag	2760
aagggcatcc	tgacagacgt	gaaggtggtg	gacgagctcg	tgaaagtgat	gggcagacac	2820
aagcccagag	acatcgtgat	cgagatggct	agagagaacc	agaccaccca	gaagggacag	2880
aagaactccc	gcgagaggat	gaagagaatc	gaagagggca	tcaaagagct	gggcagccag	2940
atcctgaaag	aacacccccg	ggaaaacacc	cagctgcaga	acgagaagct	gtacctgtac	3000
tacctgcaga	atggccggga	tatgtacgtg	gaccaggaac	tggaatcaa	cagactgtcc	3060
gactacgatg	tggaccatat	cgtgcctcag	agctttctga	aggacgactc	catcgataac	3120
aaagtgtctg	ctcggagcga	caagaacaga	ggcaagagcg	acaacgtgcc	ctccgaagag	3180
gtcgtgaaga	agatgaagaa	ctactggcga	cagctgctga	acgccaagct	gattaccacg	3240
aggaagtctg	ataacctgac	caaggccgag	agaggcggcc	tgagcgagct	ggataaggcc	3300
ggcttcatca	agaggcagct	ggtggaaaacc	agacagatca	caaagcacgt	ggcacagatc	3360
ctggactccc	ggatgaacac	taagtacgac	gaaaacgata	agctgatccg	ggaagtgaag	3420
gtgatcacc	tgaagtccaa	gctggtgtcc	gatttccgga	aggatttcca	gttttacaaa	3480
gtgcgcgaga	tcaacaacta	ccaccacgcc	cacgacgcct	acctgaacgc	cgctgtggga	3540
accgccctga	tcaaaaagta	ccctaagctg	gaaagcgagt	tcgtgtacgg	cgactacaag	3600
gtgtacgagc	tgcggaagat	gatcgccaag	agcgagcagg	aaatcgcaa	ggctaccgcc	3660
aagtacttct	tctacagcaa	catcatgaac	tttttcaaga	ccgaaatcac	cctggccaac	3720
ggcgagatca	gaaagcgccc	tctgatcgag	acaaacggcg	aaaccgggga	gatcgtgtgg	3780

-continued

```

gataaggcca gagacttcgc cacagtgcga aagggtgcta gcatgcccc agtgaatatc 3840
gtgaaaaaga ccgaggtgca gacaggcggc ttcagcaaag agtctatcct gcccagagg 3900
aacagcgaca agctgatcgc cagaaagaag gactgggacc ccaagaagta cggcggcttc 3960
gacagcccta ccgtggccta ctctgtgctg gtggtggcta aggtggaaaa gggcaagtcc 4020
aagaaactga agagtgtgaa agagctgctg gggatcacca tcatggaaag aagcagcttt 4080
gagaagaacc ctatcgactt tctggaagcc aagggtaca aagaagtga aaaggacctg 4140
atcatcaagc tgcctaagta ctccctgttc gagctggaaa acggcagaaa gagaatgctg 4200
gcctctgccg gcgaactgca gaagggaac gagctggccc tgcctagcaa atatgtgaac 4260
ttcctgtacc tggcctccca ctatgagaag ctgaagggca gccctgagga caacgaacag 4320
aaacagctgt ttgtggaaca gcataagcac tacctggacg agatcatcga gcagatcagc 4380
gagttctcca agagagtgat cctggccgac gccaatctgg acaagggtgt gtctgcctac 4440
aacaagcaca gggacaagcc tatcagagag caggccgaga atatcatcca cctgttcacc 4500
ctgacaaaacc tgggcgctcc tgcgccttc aagtactttg acaccaccat cgaccggaag 4560
aggtacacca gcaccaaaga ggtgctggac gccaccctga tccaccagag catcacggc 4620
ctgtacgaga caagaatcga cctgtctcag ctgggaggcg acaagagacc tgccgccact 4680
aagaaggccg gacaggccaa aaagaagaag tga 4713

```

```

<210> SEQ ID NO 21
<211> LENGTH: 1570
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide

```

```

<400> SEQUENCE: 21

```

```

Met Val Asn Pro Thr Val Phe Phe Asp Ile Ala Val Asp Gly Glu Pro
1      5      10      15
Leu Gly Arg Val Ser Phe Glu Leu Phe Ala Asp Lys Val Pro Lys Thr
20     25     30
Ala Glu Asn Phe Arg Ala Leu Ser Thr Gly Glu Lys Gly Phe Gly Tyr
35     40     45
Lys Gly Ser Cys Phe His Arg Ile Ile Pro Gly Phe Met Cys Gln Gly
50     55     60
Gly Asp Phe Thr Arg His Asn Gly Thr Gly Gly Lys Ser Ile Tyr Gly
65     70     75     80
Glu Lys Phe Glu Asp Glu Asn Phe Ile Leu Lys His Thr Gly Pro Gly
85     90     95
Ile Leu Ser Met Ala Asn Ala Gly Pro Asn Thr Asn Gly Ser Gln Phe
100    105    110
Phe Ile Cys Thr Ala Lys Thr Glu Trp Leu Asp Gly Lys His Val Val
115    120    125
Phe Gly Lys Val Lys Glu Gly Met Asn Ile Val Glu Ala Met Glu Arg
130    135    140
Phe Gly Ser Arg Asn Gly Lys Thr Ser Lys Lys Ile Thr Ile Ala Asp
145    150    155    160
Cys Gly Gln Leu Glu Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
165    170    175
Gly Gly Gly Ser Asp Lys Pro Lys Lys Lys Arg Lys Val Lys Tyr Ser
180    185    190

```

-continued

Ile Gly Leu Asp Ile Gly Thr Asn Ser Val Gly Trp Ala Val Ile Thr	195	200	205
Asp Glu Tyr Lys Val Pro Ser Lys Lys Phe Lys Val Leu Gly Asn Thr	210	215	220
Asp Arg His Ser Ile Lys Lys Asn Leu Ile Gly Ala Leu Leu Phe Asp	225	230	235 240
Ser Gly Glu Thr Ala Glu Ala Thr Arg Leu Lys Arg Thr Ala Arg Arg	245	250	255
Arg Tyr Thr Arg Arg Lys Asn Arg Ile Cys Tyr Leu Gln Glu Ile Phe	260	265	270
Ser Asn Glu Met Ala Lys Val Asp Asp Ser Phe Phe His Arg Leu Glu	275	280	285
Glu Ser Phe Leu Val Glu Glu Asp Lys Lys His Glu Arg His Pro Ile	290	295	300
Phe Gly Asn Ile Val Asp Glu Val Ala Tyr His Glu Lys Tyr Pro Thr	305	310	315 320
Ile Tyr His Leu Arg Lys Lys Leu Val Asp Ser Thr Asp Lys Ala Asp	325	330	335
Leu Arg Leu Ile Tyr Leu Ala Leu Ala His Met Ile Lys Phe Arg Gly	340	345	350
His Phe Leu Ile Glu Gly Asp Leu Asn Pro Asp Asn Ser Asp Val Asp	355	360	365
Lys Leu Phe Ile Gln Leu Val Gln Thr Tyr Asn Gln Leu Phe Glu Glu	370	375	380
Asn Pro Ile Asn Ala Ser Gly Val Asp Ala Lys Ala Ile Leu Ser Ala	385	390	395 400
Arg Leu Ser Lys Ser Arg Arg Leu Glu Asn Leu Ile Ala Gln Leu Pro	405	410	415
Gly Glu Lys Lys Asn Gly Leu Phe Gly Asn Leu Ile Ala Leu Ser Leu	420	425	430
Gly Leu Thr Pro Asn Phe Lys Ser Asn Phe Asp Leu Ala Glu Asp Ala	435	440	445
Lys Leu Gln Leu Ser Lys Asp Thr Tyr Asp Asp Asp Leu Asp Asn Leu	450	455	460
Leu Ala Gln Ile Gly Asp Gln Tyr Ala Asp Leu Phe Leu Ala Ala Lys	465	470	475 480
Asn Leu Ser Asp Ala Ile Leu Leu Ser Asp Ile Leu Arg Val Asn Thr	485	490	495
Glu Ile Thr Lys Ala Pro Leu Ser Ala Ser Met Ile Lys Arg Tyr Asp	500	505	510
Glu His His Gln Asp Leu Thr Leu Leu Lys Ala Leu Val Arg Gln Gln	515	520	525
Leu Pro Glu Lys Tyr Lys Glu Ile Phe Phe Asp Gln Ser Lys Asn Gly	530	535	540
Tyr Ala Gly Tyr Ile Asp Gly Gly Ala Ser Gln Glu Glu Phe Tyr Lys	545	550	555 560
Phe Ile Lys Pro Ile Leu Glu Lys Met Asp Gly Thr Glu Glu Leu Leu	565	570	575
Val Lys Leu Asn Arg Glu Asp Leu Leu Arg Lys Gln Arg Thr Phe Asp	580	585	590
Asn Gly Ser Ile Pro His Gln Ile His Leu Gly Glu Leu His Ala Ile	595	600	605

Leu 610	Arg	Arg	Gln	Glu	Asp	Phe 615	Tyr	Pro	Phe	Leu	Lys 620	Asp	Asn	Arg	Glu
Lys 625	Ile	Glu	Lys	Ile	Leu 630	Thr	Phe	Arg	Ile	Pro 635	Tyr	Tyr	Val	Gly	Pro 640
Leu	Ala	Arg	Gly	Asn 645	Ser	Arg	Phe	Ala	Trp 650	Met	Thr	Arg	Lys	Ser 655	Glu
Glu	Thr	Ile	Thr 660	Pro	Trp	Asn	Phe	Glu 665	Glu	Val	Val	Asp	Lys 670	Gly	Ala
Ser	Ala	Gln	Ser	Phe	Ile	Glu	Arg 680	Met	Thr	Asn	Phe	Asp 685	Lys	Asn	Leu
Pro	Asn 690	Glu	Lys	Val	Leu	Pro 695	Lys	His	Ser	Leu	Leu 700	Tyr	Glu	Tyr	Phe
Thr 705	Val	Tyr	Asn	Glu	Leu 710	Thr	Lys	Val	Lys	Tyr 715	Val	Thr	Glu	Gly	Met 720
Arg	Lys	Pro	Ala	Phe 725	Leu	Ser	Gly	Glu	Gln 730	Lys	Lys	Ala	Ile	Val 735	Asp
Leu	Leu	Phe	Lys 740	Thr	Asn	Arg	Lys	Val 745	Thr	Val	Lys	Gln	Leu 750	Lys	Glu
Asp	Tyr	Phe 755	Lys	Lys	Ile	Glu	Cys 760	Phe	Asp	Ser	Val	Glu 765	Ile	Ser	Gly
Val 770	Glu	Asp	Arg	Phe	Asn	Ala 775	Ser	Leu	Gly	Thr	Tyr 780	His	Asp	Leu	Leu
Lys 785	Ile	Ile	Lys	Asp	Lys 790	Asp	Phe	Leu	Asp	Asn 795	Glu	Glu	Asn	Glu	Asp 800
Ile	Leu	Glu	Asp 805	Ile	Val	Leu	Thr	Leu 810	Thr	Leu	Phe	Glu	Asp	Arg 815	Glu
Met	Ile	Glu	Glu 820	Arg	Leu	Lys	Thr	Tyr 825	Ala	His	Leu	Phe	Asp 830	Asp	Lys
Val	Met 835	Lys	Gln	Leu	Lys	Arg	Arg 840	Arg	Tyr	Thr	Gly	Trp 845	Gly	Arg	Leu
Ser	Arg 850	Lys	Leu	Ile	Asn	Gly 855	Ile	Arg	Asp	Lys	Gln 860	Ser	Gly	Lys	Thr
Ile 865	Leu	Asp	Phe	Leu	Lys 870	Ser	Asp	Gly	Phe	Ala 875	Asn	Arg	Asn	Phe	Met 880
Gln	Leu	Ile	His 885	Asp	Asp	Ser	Leu	Thr	Phe 890	Lys	Glu	Asp	Ile	Gln 895	Lys
Ala	Gln	Val	Ser 900	Gly	Gln	Gly	Asp	Ser 905	Leu	His	Glu	His	Ile 910	Ala	Asn
Leu	Ala 915	Gly	Ser	Pro	Ala	Ile	Lys 920	Lys	Gly	Ile	Leu	Gln 925	Thr	Val	Lys
Val 930	Val	Asp	Glu	Leu	Val	Lys 935	Val	Met	Gly	Arg	His 940	Lys	Pro	Glu	Asn
Ile 945	Val	Ile	Glu	Met	Ala 950	Arg	Glu	Asn	Gln	Thr	Thr 955	Gln	Lys	Gly	Gln 960
Lys	Asn	Ser	Arg 965	Glu	Arg	Met	Lys	Arg	Ile 970	Glu	Glu	Gly	Ile	Lys 975	Glu
Leu	Gly	Ser	Gln 980	Ile	Leu	Lys	Glu	His 985	Pro	Val	Glu	Asn	Thr 990	Gln	Leu
Gln	Asn 995	Glu	Lys	Leu	Tyr	Leu	Tyr	Tyr 1000	Leu	Gln	Asn	Gly	Arg 1005	Asp	Met
Tyr 1010	Val	Asp	Gln	Glu	Leu	Asp 1015	Ile	Asn	Arg	Leu	Ser	Asp 1020	Tyr	Asp	
Val	Asp	His	Ile	Val	Pro	Gln	Ser	Phe	Leu	Lys	Asp	Asp	Ser	Ile	

-continued

1025	1030	1035
Asp Asn Lys Val Leu Thr Arg Ser Asp Lys Asn Arg Gly Lys Ser		
1040	1045	1050
Asp Asn Val Pro Ser Glu Glu Val Val Lys Lys Met Lys Asn Tyr		
1055	1060	1065
Trp Arg Gln Leu Leu Asn Ala Lys Leu Ile Thr Gln Arg Lys Phe		
1070	1075	1080
Asp Asn Leu Thr Lys Ala Glu Arg Gly Gly Leu Ser Glu Leu Asp		
1085	1090	1095
Lys Ala Gly Phe Ile Lys Arg Gln Leu Val Glu Thr Arg Gln Ile		
1100	1105	1110
Thr Lys His Val Ala Gln Ile Leu Asp Ser Arg Met Asn Thr Lys		
1115	1120	1125
Tyr Asp Glu Asn Asp Lys Leu Ile Arg Glu Val Lys Val Ile Thr		
1130	1135	1140
Leu Lys Ser Lys Leu Val Ser Asp Phe Arg Lys Asp Phe Gln Phe		
1145	1150	1155
Tyr Lys Val Arg Glu Ile Asn Asn Tyr His His Ala His Asp Ala		
1160	1165	1170
Tyr Leu Asn Ala Val Val Gly Thr Ala Leu Ile Lys Lys Tyr Pro		
1175	1180	1185
Lys Leu Glu Ser Glu Phe Val Tyr Gly Asp Tyr Lys Val Tyr Asp		
1190	1195	1200
Val Arg Lys Met Ile Ala Lys Ser Glu Gln Glu Ile Gly Lys Ala		
1205	1210	1215
Thr Ala Lys Tyr Phe Phe Tyr Ser Asn Ile Met Asn Phe Phe Lys		
1220	1225	1230
Thr Glu Ile Thr Leu Ala Asn Gly Glu Ile Arg Lys Arg Pro Leu		
1235	1240	1245
Ile Glu Thr Asn Gly Glu Thr Gly Glu Ile Val Trp Asp Lys Gly		
1250	1255	1260
Arg Asp Phe Ala Thr Val Arg Lys Val Leu Ser Met Pro Gln Val		
1265	1270	1275
Asn Ile Val Lys Lys Thr Glu Val Gln Thr Gly Gly Phe Ser Lys		
1280	1285	1290
Glu Ser Ile Leu Pro Lys Arg Asn Ser Asp Lys Leu Ile Ala Arg		
1295	1300	1305
Lys Lys Asp Trp Asp Pro Lys Lys Tyr Gly Gly Phe Asp Ser Pro		
1310	1315	1320
Thr Val Ala Tyr Ser Val Leu Val Val Ala Lys Val Glu Lys Gly		
1325	1330	1335
Lys Ser Lys Lys Leu Lys Ser Val Lys Glu Leu Leu Gly Ile Thr		
1340	1345	1350
Ile Met Glu Arg Ser Ser Phe Glu Lys Asn Pro Ile Asp Phe Leu		
1355	1360	1365
Glu Ala Lys Gly Tyr Lys Glu Val Lys Lys Asp Leu Ile Ile Lys		
1370	1375	1380
Leu Pro Lys Tyr Ser Leu Phe Glu Leu Glu Asn Gly Arg Lys Arg		
1385	1390	1395
Met Leu Ala Ser Ala Gly Glu Leu Gln Lys Gly Asn Glu Leu Ala		
1400	1405	1410
Leu Pro Ser Lys Tyr Val Asn Phe Leu Tyr Leu Ala Ser His Tyr		
1415	1420	1425

-continued

Glu Lys	Leu Lys	Gly Ser	Pro	Glu Asp	Asn Glu	Gln Lys	Gln Leu
1430			1435			1440	
Phe Val	Glu Gln	His Lys	His	Tyr Leu	Asp Glu	Ile Ile	Glu Gln
1445			1450			1455	
Ile Ser	Glu Phe	Ser Lys	Arg	Val Ile	Leu Ala	Asp Ala	Asn Leu
1460			1465			1470	
Asp Lys	Val Leu	Ser Ala	Tyr	Asn Lys	His Arg	Asp Lys	Pro Ile
1475			1480			1485	
Arg Glu	Gln Ala	Glu Asn	Ile	Ile His	Leu Phe	Thr Leu	Thr Asn
1490			1495			1500	
Leu Gly	Ala Pro	Ala Ala	Phe	Lys Tyr	Phe Asp	Thr Thr	Ile Asp
1505			1510			1515	
Arg Lys	Arg Tyr	Thr Ser	Thr	Lys Glu	Val Leu	Asp Ala	Thr Leu
1520			1525			1530	
Ile His	Gln Ser	Ile Thr	Gly	Leu Tyr	Glu Thr	Arg Ile	Asp Leu
1535			1540			1545	
Ser Gln	Leu Gly	Gly Asp	Lys	Arg Pro	Ala Ala	Thr Lys	Lys Ala
1550			1555			1560	
Gly Gln	Ala Lys	Lys Lys	Lys				
1565			1570				

<210> SEQ ID NO 22
 <211> LENGTH: 4716
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 22

atggacaagc ccaagaaaaa gcggaagtg aagtacagca tcggcctgga catcggcacc	60
aactctgtgg gctgggccgt gatcaccgac gagtacaagg tgcccagcaa gaaattcaag	120
gtgctgggca acaccgacag gcacagcatc aagaagaacc tgatcggcgc cctgctgttc	180
gacagcggcg aaacagccga ggccaccaga ctgaagagaa ccgccagaag aagatacacc	240
aggcggaaga acaggatctg ctatctgcaa gagatcttca gcaacgagat ggccaagggtg	300
gacgacagct tcttccacag actggaagag tcttctctgg tggaagagga caagaagcac	360
gagagacacc ccatcttcgg caacatcgtg gacgaggtgg cctaccacga gaagtacccc	420
accatctacc acctgagaaa gaaactgggtg gacagcaccg acaaggccga cctgagactg	480
atctacctgg ccttggccca catgatcaag ttcagaggcc acttctctgat cgagggcgac	540
ctgaaccccc acaacagcga cgtggacaag ctgttcatcc agctggtgca gacctacaac	600
cagctgttct aggaaaaacc catcaacgcc agcggcgtgg acgccaaggc tatectgtct	660
gccagactga gcaagagcag aaggctggaa aatctgatcg ccagctgcc cggcgagaag	720
aagaacggcc tgttcggcaa cctgattgcc ctgagcctgg gcctgacccc caacttcaag	780
agcaacttcg acctggccga ggatgccaaa ctgcagctga gcaaggacac ctacgacgac	840
gacctggaca acctgctggc ccagatcggc gaccagtacg ccgacctgtt cctggccgcc	900
aagaacctgt ctgacgcat cctgctgagc gacatcctga gagtgaacac cgagatcacc	960
aaggccccc tgagcgctc tatgatcaag agatacgacg agcaccacca ggacctgacc	1020
ctgctgaaag ctctcgtgcg gcagcagctg cctgagaagt acaaagaaat cttcttcgac	1080
cagagcaaga acggctacgc cggtacatc gatggcggcg ctagccagga agagttctac	1140

-continued

aagttcac	agcccatc	ggaaaagat	gacggcac	aggaactg	cgtagagct	1200
aacagagag	acctgctg	aaagcagag	accttcgac	acggcagcat	ccccaccag	1260
atccacctg	gagagctg	cgctatcct	agaaggcag	aagattttta	cccatctctg	1320
aaggacaacc	gggaaaag	cgagaagat	ctgaccttca	ggatccccta	ctacgtgggc	1380
cccttgcca	gaggcaac	cagattcgcc	tggatgacca	gaaagagcga	ggaaaccatc	1440
acccctgga	acttcgag	agtgggtgg	aaggggcca	gcgcccagag	cttcacgcag	1500
agaatgacaa	acttcgata	gaacctgccc	aacgagaagg	tgctgccc	gcacagcctg	1560
ctgtacgagt	acttcaccgt	gtacaacgag	ctgaccaaag	tgaaatacgt	gaccgaggg	1620
atgagaaa	ccgccttct	gagcggcgag	cagaaaaagg	ccatcgtgga	cctgctgttc	1680
aagaccaaca	gaaaagtgc	cgtagagcag	ctgaaagagg	actacttcaa	gaaaatcgag	1740
tgcttcgact	ccgtggaaat	ctccggcgtg	gaagatagat	tcaacgcctc	cctgggcaca	1800
taccacgac	tgctgaaaat	tatcaaggac	aaggacttcc	tggataacga	agagaacgag	1860
gacattctg	aagatatcgt	gctgacctg	acactgtttg	aggaccgcga	gatgatcgag	1920
gaaaggctga	aaacctacgc	tcacctgttc	gacgacaaag	tgatgaagca	gctgaagaga	1980
aggcgggtaca	ccggtgggg	caggctgagc	agaaagctga	tcaacggcat	cagagacaag	2040
cagagcggca	agacaatcct	ggatttctct	aagtccgacg	gcttcgccaa	ccggaacttc	2100
atgcagctga	tccacgacga	cagcctgaca	ttcaaagagg	acatccagaa	agcccagggtg	2160
tccggccagg	gcgactctct	gcacgagcat	atcgctaacc	tggccggcag	ccccgctatc	2220
aagaagggca	tcctgcagac	agtgaagggtg	gtggacgagc	tcgtgaaagt	gatgggcaga	2280
cacaagcccc	agaacatcgt	gatcgagatg	gctagagaga	accagaccac	ccagaaggga	2340
cagaagaact	cccgcgagag	gatgaagaga	atcgaagagg	gcatcaaaga	gctgggcagc	2400
cagatcctga	aagaacaccc	cgtggaaaac	accagctgc	agaacgagaa	gctgtacctg	2460
tactacctgc	agaatggccg	ggatatgtac	gtggaccagg	aactggacat	caacagactg	2520
tccgactacg	atgtggacca	tatcgtgcct	cagagcttct	tgaaggacga	ctccatcgat	2580
aacaaagtgc	tgactcggag	cgacaagaac	agaggcaaga	gcgacaacgt	gccctccgaa	2640
gaggtcgtga	agaagatgaa	gaactactgg	cgacagctgc	tgaacgccaa	gctgattacc	2700
cagaggaagt	tcgataacct	gaccaaggcc	gagagaggcg	gcctgagcga	gctggataag	2760
gccggcttca	tcaagaggca	gctgggtggaa	accagacaga	tcacaaagca	cgtaggcacag	2820
atcctggact	cccggatgaa	cactaagtac	gacgaaaacg	ataagctgat	ccgggaagtg	2880
aaagtgatca	ccctgaagtc	caagctgggtg	tccgatttcc	ggaaggat	ccagttttac	2940
aaagtgcgcg	agatcaacaa	ctaccaccac	gcccacgacg	cctacctgaa	cgccgtcgtg	3000
ggaaccgccc	tgatcaaaaa	gtaccctaag	ctggaaaagcg	agttcgtgta	cggcgactac	3060
aaggtgtacg	acgtgcggaa	gatgatcgcc	aagagcagc	aggaatcgg	caaggctacc	3120
gccaaagtact	tcttctacag	caacatcatg	aactttttca	agaccgaaat	caccctggcc	3180
aacggcgaga	tcagaaaagc	ccctctgac	gagacaaaac	gcgaaaccgg	ggagatcgtg	3240
tgggataaag	gcagagactt	cgccacagtg	cgaaagggtc	tgagcatgcc	ccaagtgaat	3300
atcgtgaaaa	agaccgaggt	gcagacaggc	ggcttcagca	aagagtctat	cctgccc	3360
aggaacagcg	acaagctgat	cgccagaaa	aaggactggg	accccaagaa	gtacggcggc	3420
ttcgacagcc	ctaccgtggc	ctactctgtg	ctgggtgggtg	ctaagggtgga	aaagggcaag	3480

-continued

```

tccaagaaac tgaagagtgt gaaagagctg ctgggggatca ccatcatgga aagaagcagc 3540
tttgagaaga accctatcga ctttctggaa gccaaagggt acaagaagt gaaaaaggac 3600
ctgatcatca agctgcctaa gtactccctg ttcgagctgg aaaacggcag aaagagaatg 3660
ctggcctctg cgggcgaact gcagaaggga aacgagctgg ccctgcctag caaatatgtg 3720
aacttctctg acctggcctc ccactatgag aagctgaagg gcagccctga ggacaacgaa 3780
cagaaacagc tgtttgtgga acagcataag cactacctgg acgagatcat cgagcagatc 3840
agcgagtctt ccaagagagt gatectggcc gacgccaatc tggacaagggt gctgtctgcc 3900
tacaacaagc acagggacaa gcctatcaga gagcaggccg agaatatcat ccacctgttc 3960
accttgacaa acctgggcgc tctgcccgc ttcaagtact ttgacaccac catcgaccgg 4020
aagagggtaca ccagcaccaa agagggtgctg gacgccaccc tgatccacca gagcatcacc 4080
ggcctgtacg agacaagaat cgacctgtct cagctgggag gcgacaagag acctgccgcc 4140
actaagaagg ccggacaggc caaaaagaag aagggtggag gtggaagtgg aggaggcggc 4200
tcaggtggag gtggttccat ggtaatccg accgtttttt ttgatatcgc agttgatggc 4260
gaaccgttgg gcagggttct ctcgagctc ttcgccgata aagtgccgaa aaccgcagaa 4320
aactttcgcg cgctcagtac gggtgaaaag gggtttggtt acaaggaggag ctgttttcat 4380
cgaatcattc ctggtttcat gtgtcagggc ggagatttca cccgacataa cgggactggc 4440
gggaagagta tatatggaga gaagtctgag gatgagaact ttatactgaa acacaccgga 4500
cccggaattt tgagtatggc aaatgcaggg cctaacacca atggctccca gttctttatt 4560
tgtacggcca agacagagtg gctcgacggg aagcacgttg tgttcggaaa ggtcaaagaa 4620
ggtatgaata tagtagaggc gatggaacgg tttggctcac gcaatggcaa gacatccaaa 4680
aaaatcacia tagctgactg tggccaattg gagtaa 4716

```

<210> SEQ ID NO 23

<211> LENGTH: 1570

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 23

```

Met Asp Lys Pro Lys Lys Lys Arg Lys Val Lys Tyr Ser Ile Gly Leu
1      5      10      15
Asp Ile Gly Thr Asn Ser Val Gly Trp Ala Val Ile Thr Asp Glu Tyr
20     25     30
Lys Val Pro Ser Lys Lys Phe Lys Val Leu Gly Asn Thr Asp Arg His
35     40     45
Ser Ile Lys Lys Asn Leu Ile Gly Ala Leu Leu Phe Asp Ser Gly Glu
50     55     60
Thr Ala Glu Ala Thr Arg Leu Lys Arg Thr Ala Arg Arg Arg Tyr Thr
65     70     75     80
Arg Arg Lys Asn Arg Ile Cys Tyr Leu Gln Glu Ile Phe Ser Asn Glu
85     90     95
Met Ala Lys Val Asp Asp Ser Phe Phe His Arg Leu Glu Glu Ser Phe
100    105    110
Leu Val Glu Glu Asp Lys Lys His Glu Arg His Pro Ile Phe Gly Asn
115    120    125
Ile Val Asp Glu Val Ala Tyr His Glu Lys Tyr Pro Thr Ile Tyr His
130    135    140

```


Leu 145	Arg	Lys	Lys	Leu	Val 150	Asp	Ser	Thr	Asp	Lys 155	Ala	Asp	Leu	Arg	Leu 160
Ile	Tyr	Leu	Ala	Leu 165	Ala	His	Met	Ile	Lys 170	Phe	Arg	Gly	His	Phe 175	Leu
Ile	Glu	Gly	Asp 180	Leu	Asn	Pro	Asp	Asn	Ser 185	Asp	Val	Asp	Lys 190	Leu	Phe
Ile	Gln	Leu	Val 195	Gln	Thr	Tyr	Asn 200	Gln	Leu	Phe	Glu	Glu 205	Asn	Pro	Ile
Asn 210	Ala	Ser	Gly	Val	Asp	Ala 215	Lys	Ala	Ile	Leu	Ser 220	Ala	Arg	Leu	Ser
Lys 225	Ser	Arg	Arg	Leu	Glu 230	Asn	Leu	Ile	Ala	Gln 235	Leu	Pro	Gly	Glu	Lys 240
Lys	Asn	Gly	Leu	Phe 245	Gly	Asn	Leu	Ile	Ala 250	Leu	Ser	Leu	Gly	Leu 255	Thr
Pro	Asn	Phe	Lys 260	Ser	Asn	Phe	Asp	Leu	Ala 265	Glu	Asp	Ala	Lys 270	Leu	Gln
Leu	Ser	Lys	Asp 275	Thr	Tyr	Asp	Asp	Asp	Leu	Asp	Asn	Leu 285	Leu	Ala	Gln
Ile	Gly	Asp 290	Gln	Tyr	Ala	Asp 295	Leu	Phe	Leu	Ala	Ala 300	Lys	Asn	Leu	Ser
Asp 305	Ala	Ile	Leu	Leu	Ser	Asp 310	Ile	Leu	Arg	Val 315	Asn	Thr	Glu	Ile	Thr 320
Lys	Ala	Pro	Leu	Ser 325	Ala	Ser	Met	Ile	Lys 330	Arg	Tyr	Asp	Glu	His 335	His
Gln	Asp	Leu	Thr 340	Leu	Leu	Lys	Ala	Leu	Val 345	Arg	Gln	Gln	Leu 350	Pro	Glu
Lys	Tyr	Lys 355	Glu	Ile	Phe	Phe 360	Asp	Gln	Ser	Lys	Asn	Gly 365	Tyr	Ala	Gly
Tyr 370	Ile	Asp	Gly	Gly	Ala	Ser 375	Gln	Glu	Glu	Phe	Tyr 380	Lys	Phe	Ile	Lys
Pro 385	Ile	Leu	Glu	Lys	Met 390	Asp	Gly	Thr	Glu	Glu 395	Leu	Leu	Val	Lys	Leu 400
Asn	Arg	Glu	Asp 405	Leu	Leu	Arg	Lys	Gln	Arg 410	Thr	Phe	Asp	Asn	Gly 415	Ser
Ile	Pro	His	Gln 420	Ile	His	Leu	Gly	Glu	Leu 425	His	Ala	Ile	Leu 430	Arg	Arg
Gln	Glu	Asp 435	Phe	Tyr	Pro	Phe	Leu 440	Lys	Asp	Asn	Arg	Glu 445	Lys	Ile	Glu
Lys 450	Ile	Leu	Thr	Phe	Arg	Ile 455	Pro	Tyr	Tyr	Val	Gly 460	Pro	Leu	Ala	Arg
Gly 465	Asn	Ser	Arg	Phe	Ala 470	Trp	Met	Thr	Arg	Lys 475	Ser	Glu	Glu	Thr	Ile 480
Thr	Pro	Trp	Asn 485	Phe	Glu	Glu	Val	Val	Asp 490	Lys	Gly	Ala	Ser	Ala 495	Gln
Ser	Phe	Ile	Glu 500	Arg	Met	Thr	Asn	Phe	Asp 505	Lys	Asn	Leu	Pro	Asn	Glu
Lys	Val	Leu 515	Pro	Lys	His	Ser	Leu	Leu	Tyr 520	Glu	Tyr	Phe 525	Thr	Val	Tyr
Asn 530	Glu	Leu	Thr	Lys	Val	Lys 535	Tyr	Val	Thr	Glu	Gly 540	Met	Arg	Lys	Pro
Ala 545	Phe	Leu	Ser	Gly	Glu 550	Gln	Lys	Lys	Ala	Ile 555	Val	Asp	Leu	Leu	Phe 560

-continued

Lys	Thr	Asn	Arg	Lys	Val	Thr	Val	Lys	Gln	Leu	Lys	Glu	Asp	Tyr	Phe		
				565					570					575			
Lys	Lys	Ile	Glu	Cys	Phe	Asp	Ser	Val	Glu	Ile	Ser	Gly	Val	Glu	Asp		
			580					585					590				
Arg	Phe	Asn	Ala	Ser	Leu	Gly	Thr	Tyr	His	Asp	Leu	Leu	Lys	Ile	Ile		
		595					600					605					
Lys	Asp	Lys	Asp	Phe	Leu	Asp	Asn	Glu	Glu	Asn	Glu	Asp	Ile	Leu	Glu		
	610					615					620						
Asp	Ile	Val	Leu	Thr	Leu	Thr	Leu	Phe	Glu	Asp	Arg	Glu	Met	Ile	Glu		
	625				630					635					640		
Glu	Arg	Leu	Lys	Thr	Tyr	Ala	His	Leu	Phe	Asp	Asp	Lys	Val	Met	Lys		
			645						650					655			
Gln	Leu	Lys	Arg	Arg	Arg	Tyr	Thr	Gly	Trp	Gly	Arg	Leu	Ser	Arg	Lys		
			660					665					670				
Leu	Ile	Asn	Gly	Ile	Arg	Asp	Lys	Gln	Ser	Gly	Lys	Thr	Ile	Leu	Asp		
		675					680					685					
Phe	Leu	Lys	Ser	Asp	Gly	Phe	Ala	Asn	Arg	Asn	Phe	Met	Gln	Leu	Ile		
	690					695					700						
His	Asp	Asp	Ser	Leu	Thr	Phe	Lys	Glu	Asp	Ile	Gln	Lys	Ala	Gln	Val		
	705				710					715					720		
Ser	Gly	Gln	Gly	Asp	Ser	Leu	His	Glu	His	Ile	Ala	Asn	Leu	Ala	Gly		
			725						730					735			
Ser	Pro	Ala	Ile	Lys	Lys	Gly	Ile	Leu	Gln	Thr	Val	Lys	Val	Val	Asp		
		740						745					750				
Glu	Leu	Val	Lys	Val	Met	Gly	Arg	His	Lys	Pro	Glu	Asn	Ile	Val	Ile		
		755					760					765					
Glu	Met	Ala	Arg	Glu	Asn	Gln	Thr	Thr	Gln	Lys	Gly	Gln	Lys	Asn	Ser		
	770					775					780						
Arg	Glu	Arg	Met	Lys	Arg	Ile	Glu	Glu	Gly	Ile	Lys	Glu	Leu	Gly	Ser		
	785				790					795					800		
Gln	Ile	Leu	Lys	Glu	His	Pro	Val	Glu	Asn	Thr	Gln	Leu	Gln	Asn	Glu		
			805						810					815			
Lys	Leu	Tyr	Leu	Tyr	Tyr	Leu	Gln	Asn	Gly	Arg	Asp	Met	Tyr	Val	Asp		
		820						825					830				
Gln	Glu	Leu	Asp	Ile	Asn	Arg	Leu	Ser	Asp	Tyr	Asp	Val	Asp	His	Ile		
		835					840					845					
Val	Pro	Gln	Ser	Phe	Leu	Lys	Asp	Asp	Ser	Ile	Asp	Asn	Lys	Val	Leu		
	850					855					860						
Thr	Arg	Ser	Asp	Lys	Asn	Arg	Gly	Lys	Ser	Asp	Asn	Val	Pro	Ser	Glu		
	865				870					875					880		
Glu	Val	Val	Lys	Lys	Met	Lys	Asn	Tyr	Trp	Arg	Gln	Leu	Leu	Asn	Ala		
			885						890					895			
Lys	Leu	Ile	Thr	Gln	Arg	Lys	Phe	Asp	Asn	Leu	Thr	Lys	Ala	Glu	Arg		
		900						905					910				
Gly	Gly	Leu	Ser	Glu	Leu	Asp	Lys	Ala	Gly	Phe	Ile	Lys	Arg	Gln	Leu		
		915					920					925					
Val	Glu	Thr	Arg	Gln	Ile	Thr	Lys	His	Val	Ala	Gln	Ile	Leu	Asp	Ser		
	930					935					940						
Arg	Met	Asn	Thr	Lys	Tyr	Asp	Glu	Asn	Asp	Lys	Leu	Ile	Arg	Glu	Val		
	945			950						955					960		
Lys	Val	Ile	Thr	Leu	Lys	Ser	Lys	Leu	Val	Ser	Asp	Phe	Arg	Lys	Asp		
		965						970						975			
Phe	Gln	Phe	Tyr	Lys	Val	Arg	Glu	Ile	Asn	Asn	Tyr	His	His	Ala	His		

-continued

980						985					990				
Asp	Ala	Tyr	Leu	Asn	Ala	Val	Val	Gly	Thr	Ala	Leu	Ile	Lys	Lys	Tyr
	995						1000					1005			
Pro	Lys	Leu	Glu	Ser	Glu	Phe	Val	Tyr	Gly	Asp	Tyr	Lys	Val	Tyr	
	1010					1015					1020				
Asp	Val	Arg	Lys	Met	Ile	Ala	Lys	Ser	Glu	Gln	Glu	Ile	Gly	Lys	
	1025					1030					1035				
Ala	Thr	Ala	Lys	Tyr	Phe	Phe	Tyr	Ser	Asn	Ile	Met	Asn	Phe	Phe	
	1040					1045					1050				
Lys	Thr	Glu	Ile	Thr	Leu	Ala	Asn	Gly	Glu	Ile	Arg	Lys	Arg	Pro	
	1055					1060					1065				
Leu	Ile	Glu	Thr	Asn	Gly	Glu	Thr	Gly	Glu	Ile	Val	Trp	Asp	Lys	
	1070					1075					1080				
Gly	Arg	Asp	Phe	Ala	Thr	Val	Arg	Lys	Val	Leu	Ser	Met	Pro	Gln	
	1085					1090					1095				
Val	Asn	Ile	Val	Lys	Lys	Thr	Glu	Val	Gln	Thr	Gly	Gly	Phe	Ser	
	1100					1105					1110				
Lys	Glu	Ser	Ile	Leu	Pro	Lys	Arg	Asn	Ser	Asp	Lys	Leu	Ile	Ala	
	1115					1120					1125				
Arg	Lys	Lys	Asp	Trp	Asp	Pro	Lys	Lys	Tyr	Gly	Gly	Phe	Asp	Ser	
	1130					1135					1140				
Pro	Thr	Val	Ala	Tyr	Ser	Val	Leu	Val	Val	Ala	Lys	Val	Glu	Lys	
	1145					1150					1155				
Gly	Lys	Ser	Lys	Lys	Leu	Lys	Ser	Val	Lys	Glu	Leu	Leu	Gly	Ile	
	1160					1165					1170				
Thr	Ile	Met	Glu	Arg	Ser	Ser	Phe	Glu	Lys	Asn	Pro	Ile	Asp	Phe	
	1175					1180					1185				
Leu	Glu	Ala	Lys	Gly	Tyr	Lys	Glu	Val	Lys	Lys	Asp	Leu	Ile	Ile	
	1190					1195					1200				
Lys	Leu	Pro	Lys	Tyr	Ser	Leu	Phe	Glu	Leu	Glu	Asn	Gly	Arg	Lys	
	1205					1210					1215				
Arg	Met	Leu	Ala	Ser	Ala	Gly	Glu	Leu	Gln	Lys	Gly	Asn	Glu	Leu	
	1220					1225					1230				
Ala	Leu	Pro	Ser	Lys	Tyr	Val	Asn	Phe	Leu	Tyr	Leu	Ala	Ser	His	
	1235					1240					1245				
Tyr	Glu	Lys	Leu	Lys	Gly	Ser	Pro	Glu	Asp	Asn	Glu	Gln	Lys	Gln	
	1250					1255					1260				
Leu	Phe	Val	Glu	Gln	His	Lys	His	Tyr	Leu	Asp	Glu	Ile	Ile	Glu	
	1265					1270					1275				
Gln	Ile	Ser	Glu	Phe	Ser	Lys	Arg	Val	Ile	Leu	Ala	Asp	Ala	Asn	
	1280					1285					1290				
Leu	Asp	Lys	Val	Leu	Ser	Ala	Tyr	Asn	Lys	His	Arg	Asp	Lys	Pro	
	1295					1300					1305				
Ile	Arg	Glu	Gln	Ala	Glu	Asn	Ile	Ile	His	Leu	Phe	Thr	Leu	Thr	
	1310					1315					1320				
Asn	Leu	Gly	Ala	Pro	Ala	Ala	Phe	Lys	Tyr	Phe	Asp	Thr	Thr	Ile	
	1325					1330					1335				
Asp	Arg	Lys	Arg	Tyr	Thr	Ser	Thr	Lys	Glu	Val	Leu	Asp	Ala	Thr	
	1340					1345					1350				
Leu	Ile	His	Gln	Ser	Ile	Thr	Gly	Leu	Tyr	Glu	Thr	Arg	Ile	Asp	
	1355					1360					1365				
Leu	Ser	Gln	Leu	Gly	Gly	Asp	Lys	Arg	Pro	Ala	Ala	Thr	Lys	Lys	
	1370					1375					1380				

-continued

Ala Gly Gln Ala Lys Lys Lys Lys Gly Gly Gly Gly Ser Gly Gly
 1385 1390 1395

Gly Gly Ser Gly Gly Gly Gly Ser Val Asn Pro Thr Val Phe Phe
 1400 1405 1410

Asp Ile Ala Val Asp Gly Glu Pro Leu Gly Arg Val Ser Phe Glu
 1415 1420 1425

Leu Phe Ala Asp Lys Val Pro Lys Thr Ala Glu Asn Phe Arg Ala
 1430 1435 1440

Leu Ser Thr Gly Glu Lys Gly Phe Gly Tyr Lys Gly Ser Cys Phe
 1445 1450 1455

His Arg Ile Ile Pro Gly Phe Met Cys Gln Gly Gly Asp Phe Thr
 1460 1465 1470

Arg His Asn Gly Thr Gly Gly Lys Ser Ile Tyr Gly Glu Lys Phe
 1475 1480 1485

Glu Asp Glu Asn Phe Ile Leu Lys His Thr Gly Pro Gly Ile Leu
 1490 1495 1500

Ser Met Ala Asn Ala Gly Pro Asn Thr Asn Gly Ser Gln Phe Phe
 1505 1510 1515

Ile Cys Thr Ala Lys Thr Glu Trp Leu Asp Gly Lys His Val Val
 1520 1525 1530

Phe Gly Lys Val Lys Glu Gly Met Asn Ile Val Glu Ala Met Glu
 1535 1540 1545

Arg Phe Gly Ser Arg Asn Gly Lys Thr Ser Lys Lys Ile Thr Ile
 1550 1555 1560

Ala Asp Cys Gly Gln Leu Glu
 1565 1570

<210> SEQ ID NO 24
 <211> LENGTH: 9
 <212> TYPE: PRT
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Unknown:
 LAGLIDADG family peptide motif sequence

<400> SEQUENCE: 24

Leu Ala Gly Leu Ile Asp Ala Asp Gly
 1 5

<210> SEQ ID NO 25
 <211> LENGTH: 23
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide
 <220> FEATURE:
 <221> NAME/KEY: modified_base
 <222> LOCATION: (2)..(21)
 <223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 25

gnnnnnnnnn nnnnnnnnnn ngg

23

<210> SEQ ID NO 26
 <211> LENGTH: 23
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

-continued

<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (1)..(21)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 26

nnnnnnnnnn nnnnnnnnnn ngg 23

<210> SEQ ID NO 27
<211> LENGTH: 25
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (3)..(23)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 27

ggnnnnnnnnn nnnnnnnnnn nnngg 25

<210> SEQ ID NO 28
<211> LENGTH: 23
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (2)..(21)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 28

gnnnnnnnnnn nnnnnnnnnn ngg 23

<210> SEQ ID NO 29
<211> LENGTH: 13
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (1)..(11)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 29

nnnnnnnnnn ngg 13

<210> SEQ ID NO 30
<211> LENGTH: 25
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (3)..(23)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 30

ggnnnnnnnnn nnnnnnnnnn nnngg 25

<210> SEQ ID NO 31

-continued

<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 31

atcacaaacc agttaaccgg 20

<210> SEQ ID NO 32
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 32

tttcagacga gccgaccgg 20

<210> SEQ ID NO 33
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 33

tgtgtgtcat agcgatgtcg 20

<210> SEQ ID NO 34
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 34

aacaggtacc ctatcctcac 20

<210> SEQ ID NO 35
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 35

ggcccgacc tagtctctct 20

<210> SEQ ID NO 36
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 36

tcgtggttgc atgcgcactg 20

<210> SEQ ID NO 37
<211> LENGTH: 20

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 37

gggaaccac agcatactcc 20

<210> SEQ ID NO 38
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 38

gaatcatgca cggctacccc 20

<210> SEQ ID NO 39
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 39

tgctcctatg gggaggcgcg 20

<210> SEQ ID NO 40
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 40

actgagatca atgaccccg 20

<210> SEQ ID NO 41
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 41

gggtcgcccg gaacctctac 20

<210> SEQ ID NO 42
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 42

cttgataac attgataccc 20

<210> SEQ ID NO 43
<211> LENGTH: 20
<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 43

ggggcagagc cttatatca 20

<210> SEQ ID NO 44
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 44

tcgctcacat taatccctag 20

<210> SEQ ID NO 45
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 45

tgtgggcctt tgctgacac 20

<210> SEQ ID NO 46
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 46

aatctatgat cctatggcct 20

<210> SEQ ID NO 47
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 47

tgccaatagc agtgacttga 20

<210> SEQ ID NO 48
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 48

gggaagaatg ggctattgtc 20

<210> SEQ ID NO 49
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 49

ggttggttgt gctgatgacg 20

<210> SEQ ID NO 50
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 50

ccgtcctagg ccttctacgt 20

<210> SEQ ID NO 51
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 51

gtactgggga atcggtggtc 20

<210> SEQ ID NO 52
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 52

cacgcactcc aaatttatcc 20

<210> SEQ ID NO 53
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 53

ctaagtgtgt atcagtacat 20

<210> SEQ ID NO 54
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 54

tgccctgcac aataagcgca 20

<210> SEQ ID NO 55
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 55

actcattgaa acgttatggc 20

<210> SEQ ID NO 56
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 56

agtaagggtg gattaaattc 20

<210> SEQ ID NO 57
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 57

gccatctaga ttcattgaac 20

<210> SEQ ID NO 58
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 58

gactagaaat gttctgcacc 20

<210> SEQ ID NO 59
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 59

gggcgaggag ctgttcaccg 20

<210> SEQ ID NO 60
<211> LENGTH: 9198
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polynucleotide

<400> SEQUENCE: 60

tggaagggtc aattcactcc caaagaagac aagatattcct tgatctgtgg atctaccaca 60

cacaaggcta cttccctgat tagcagaact acacaccagg gccaggggtc agatatccac 120

tgacctttgg atggtgtctac aagctagtag cagttgagcc agataaggta gaagaggcca 180

ataaaggaga gaacaccagc ttgttacacc ctgtgagcct gcatgggatg gatgaccggg 240

agagagaagt gttagagtgg aggtttgaca gccgcctagc atttcattcac gtggcccgag 300

-continued

agctgcatcc ggagtacttc aagaactgct gatatcgagc ttgctacaag ggactttccg	360
ctgggggactt tccagggagg cgtggcctgg gcgggactgg ggagtggcga gccctcagat	420
cctgcatata agcagctgct ttttgctgt actgggtctc tctgggtaga ccagatctga	480
gcctgggagc tctctggeta actagggaa ccaactgctta agcctcaata aagcttgctt	540
tgagtgtctc aagtagtgtg tgcccgtctg ttgtgtgact ctggtaacta gagatccctc	600
agaccctttt agtcagtgtg gaaaatctct agcagtggcg cccgaacagg gacttgaaag	660
cgaaaggga accagaggag ctctctcgac gcaggactcg gcttgctgaa gcgcgcacgg	720
caagaggcga ggggcggcga ctgggtagta cgccaaaaat tttgactagc ggaggctaga	780
aggagagaga tgggtgcgag agcgtcagta ttaagcgggg gagaattaga tcgcatggg	840
aaaaaattcg gttaaggcca gggggaaaga aaaaataaa attaaaacat atagtatggg	900
caagcaggga gctagaacga ttcgcagtta atcctggcct gttagaaca tcagaaggct	960
gtagacaaat actgggacag ctacaacat cccttcagac aggatcagaa gaacttagat	1020
cattatataa tacagtagca accctctatt gtgtgcatca aaggatagag ataaaagaca	1080
ccaaggaagc tttagacaag atagaggaag agcaaaacaa aagtaagacc accgcacagc	1140
aagcggcccg ccgctgatct tcagacctg aggaggagat atgagggaca attggagaag	1200
tgaattatat aaatataaag tagtaaaat tgaaccatta ggagtagcac ccaccaaggc	1260
aaagagaaga gtggtgcaga gagaaaaag agcagtggga ataggagctt tgttccttgg	1320
gttcttggga gcagcaggaa gcactatggg cgcagcgtca atgacgctga cggtagaggc	1380
cagacaatta ttgtctggta tagtgcagca gcagaacaat ttgtgaggg ctattgaggc	1440
gcaacagcat ctgttgcaac tcacagtctg gggcatcaag cagctccagg caagaatcct	1500
ggctgtggaa agatcacaa aggatcaaca gctcctgggg atttgggggt gctctggaaa	1560
actcatttgc accactgctg tgccctggaa tgctagtgtg agtaataaat ctctggaaca	1620
gatttggaat cacacgacct ggatggagtg ggacagagaa attaacaatt acacaagctt	1680
aatacactcc ttaattgaag aatcgcaaaa ccagcaagaa aagaatgaac aagaattatt	1740
ggaattagat aaatgggcaa gtttgtggaa ttgggttaac ataacaaatt ggctgtggta	1800
tataaaatta ttcataatga tagtaggagg cttggtaggt ttaagaatag tttttgctgt	1860
actttctata gtgaatagag ttaggcaggg atattcacca ttatcgttcc agaccacct	1920
cccaaccccg agggggaccg acaggcccga aggaatagaa gaagaagggt gagagagaga	1980
cagagacaga tccattcgat tagtgaacgg atctcgacgg tatcgctttt aaaagaaaag	2040
gggggattgg ggggtacagt gcaggggaaa gaatagtaga cataatagca acagacatac	2100
aaactaaaga attacaaaa caaattacaa aaattcaaaa ttttcgggtt tattacaggg	2160
acagcagaga tccagttttg tacaaaggtc gggcaggaag agggcctatt tcccatgatt	2220
ccttcatatt tgcataatcg atacaaggct gttagagaga taattagaat taatttgact	2280
gtaaacacaa agatattagt acaaaatacg tgacgtagaa agtaataatt tcttgggtag	2340
tttgagttt taaaattatg ttttaaaatg gactatcata tgcttacgtt aacttgaaag	2400
tatttcgatt tcttggcttt atatatcttg tggaaaggac gaaacaccgg gcgaggagct	2460
gttcaccggt tttagageta gaaatagcaa gttaaaataa ggctagtccg ttatcaactt	2520
gaaaaagtgg caccgagtcg gtgctttttt tatcgatgag taattcatac aaaaggactc	2580
gcccctgctt tggggaatcc cagggaccgt cgttaaaact cactaacgt agaaccaga	2640

-continued

gatcgctgcg	ttcccccccc	ctcaccgcgc	cgetctcgtc	atcactgagg	tggagaagag	2700
catgcgtgag	gctccgggtgc	ccgtcagtg	gcagagcgca	catcgcccac	agtccccgag	2760
aagttggggg	gaggggtcgg	caattgaacc	ggtgcctaga	gaaggtggcg	cggggtaaac	2820
tgggaaagt	atgtcgtgta	ctggctccgc	ctttttcccg	aggggtgggg	agaaccgtat	2880
ataagtgcag	tagtcgccgt	gaacgttctt	tttcgcaacg	ggtttgccgc	cagaacacag	2940
gtaagtgcg	tgtgtggttc	cgcggggcct	ggcctcttta	cgggttatgg	ccettgcgtg	3000
ccttgaatta	cttccacgcc	cctggctgca	gtacgtgatt	cttgatcccc	agcttcgggt	3060
tgggaagtgg	tgggagagtt	cgaggccttg	cgtttaagga	gccccctcgc	ctcgtgcttg	3120
agttgaggcc	tggcttgggc	gctggggcgc	cgcggtgcga	atctgggtgc	acettcgcgc	3180
ctgtctcgct	gctttcgata	agtctctagc	catttaaaat	ttttgatgac	ctgctgcgac	3240
gcttttttct	tggcaagata	gtcttgtaaa	tgcgggcca	gatctgcaca	ctggtatttc	3300
ggttttttgg	gcccgggg	gcgacggggc	ccgtgcgtcc	cagcgcacat	gttcggcgag	3360
gcggggcctg	cgagcgcggc	caccgagaat	cggacggggg	tagtctcaag	ctggccggcc	3420
tgctctggtg	cctggcctcg	cgcgcgcgtg	tatcgccccg	ccctgggcgg	caaggctggc	3480
ccggtcggca	ccagttgcgt	gagcggaaa	atggccgctt	cccgccctg	ctgcagggag	3540
ctcaaatgg	aggacgcggc	gctcgggaga	gcgggcgggt	gagtcacca	cacaaaggaa	3600
aagggccttt	ccgtcctcag	ccgtcgtctc	atgtgactcc	acggagtacc	gggcgcgcgc	3660
caggcacctc	gattagttct	cgagcttttg	gagtacgtcg	tctttagggt	ggggggagg	3720
gttttatg	atggagtttc	cccacactga	gtgggtggag	actgaagtta	ggccagcttg	3780
gcacttgatg	taattctcct	tggaaattgc	cctttttgag	tttggatctt	ggttcattct	3840
caagcctcag	acagtgtgtc	aaagtttttt	tcttccattt	caggtgtcgt	gaggatctat	3900
ttccggtgaa	ttcctcgaga	ctagttctag	agcggccgcg	gatccccccc	ctctccctcc	3960
cccccccta	acgttaactg	ccgaagccgc	ttggaataag	gccggtgtgc	gtttgtctat	4020
atgttatttt	ccaccatatt	gccgtctttt	ggcaatgtga	gggcccggaa	acctggccct	4080
gtctctctga	cgagcattcc	taggggtctt	tcccctctcg	ccaaaggaat	gcaaggtctg	4140
ttgaatgtcg	tgaaggaa	agttcctctg	gaagcttctt	gaagacaaac	aacgtctgta	4200
gcgacccctt	gcaggcagcg	gaacccccca	cctggcgaca	ggtgcctctg	cggccaaaag	4260
ccacgtgtat	aagatacacc	tgcaaaaggc	gcacaacccc	agtgccacgt	tgtgagttgg	4320
atagttgtgg	aaagagtcaa	atggctctcc	tcaagcgtat	tcaacaagg	gctgaaggat	4380
gcccagaagg	tacccatttg	tatgggatct	gatctggggc	ctcgggtgcac	atgctttaca	4440
tgtgtttagt	cgagggtaaa	aaaacgtcta	ggccccccga	accacgggga	cgtgggtttc	4500
ctttgaaaaa	cacgatgata	agcttgccac	aaccacaaag	gagacgacct	tccatgaccg	4560
agtacaagcc	cacggtgcgc	ctcgccaccc	gcgacgacgt	ccccggggcc	gtacgcaccc	4620
tcgcccgcgc	gttcgcccgc	taccccgcga	cgcgccacac	cgtcgacccg	gaccgccaca	4680
tcgagcgggt	caccgagctg	caagaactct	tcctcacgcg	cgtcgggctc	gacatcgga	4740
aggtgtgggt	cgcggacgac	ggcgccgcgg	tggcggtctg	gaccacgccg	gagagcgtcg	4800
aagcgggggc	ggtgttcgcc	gagatcgggc	cgcgcattgg	cgagttgagc	ggttcccggc	4860
tggccgcgca	gcaacagatg	gaaggcctcc	tggcgccgca	ccggcccaag	gagcccgct	4920
ggttcctggc	caccgtcggc	gtctcgcccc	accaccagg	caagggtctg	ggcagcgccg	4980
tcgtgctccc	cggagtggag	gcggccgagc	gcgcgggggt	gcccgccttc	ctggagacct	5040

-continued

ccgcgccccg	caacctcccc	ttctacgagc	ggctcggcctt	caccgtcacc	gcgcacgtcg	5100
agggtgccga	aggaccgcgc	acctggtgca	tgacccgcaa	gcccgggtgcc	tagacgcgtc	5160
tggaacaato	aacctctgga	ttacaaaatt	tgtgaaagat	tgactggtat	tcttaactat	5220
gttgctcctt	ttacgctatg	tgatacgcct	gctttaatgc	ctttgtatca	tgtattgtct	5280
tcccgtatgg	ctttcatttt	ctcctccttg	tataaatcct	gggtgctgtc	tctttatgag	5340
gagttgtggc	cgttgctcag	gcaacgtggc	gtggtgtgca	ctgtggttgc	tgacgcaacc	5400
cccactggtt	ggggcattgc	caccacctgt	cagctccttt	cggggacttt	cgttttcccc	5460
ctccctattg	ccacggcgga	actcctcgcc	gcctgccttg	cccgtgctg	gacaggggct	5520
cggctgtttg	gcactgacaa	ttcgtgggtg	ttgtcgggga	agctgacgtc	ctttccatgg	5580
ctgctcgctt	gtgttgccac	ctggattctg	cgcgggacgt	ccttctgcta	cgtcccttcg	5640
gcctcctaat	cagcggacct	tccttcccgc	ggcctgctgc	cggctctgcg	gcctcttccg	5700
cgtcttcgcc	ttcgcctcca	gacgagtcgg	atctcccttt	gggcgccttc	cccgcctgga	5760
attaattctg	cagtcgagac	ctagaaaaac	atggagcaat	cacaagtagc	aatacagcag	5820
ctaccaatgc	tgattgtgcc	tggttagaag	cacaagagga	ggaggagggtg	ggttttccag	5880
tcacacctca	ggtaccttta	agaccaatga	cttacaaggc	agctgtagat	cttagccact	5940
ttttaaaaga	aaagagggga	ctggaagggc	taattcactc	ccaacgaaga	caagatatcc	6000
ttgatctgtg	gatctaccac	acacaaggct	acttcctga	ttagcagaac	tacacaccag	6060
ggccaggggt	cagatatcca	ctgacctttg	gatggtgcta	caagctagta	ccagttgagc	6120
cagataagggt	agaagaggcc	aataaaggag	agaacaccag	cttggttacac	cctgtgagcc	6180
tgcatgggat	ggatgaccgc	gagagagaag	tgtagagtgc	gaggtttgac	agccgcctag	6240
catttcctca	cgtggcccca	gagctgcctc	cggagtactt	caagaactgc	tgatctcgag	6300
cttgctacaa	gggactttcc	gctggggact	ttccaggag	gcgtggcctg	ggcgggactg	6360
gggagtggcg	agccctcaga	tcctgcatac	aagcagctgc	tttttgccctg	tactgggtct	6420
ctctgggttag	accagatctg	agcctgggag	ctctctggct	aactagggaa	cccactgctt	6480
aagcctcaat	aaagcttgcc	ttgagtgcct	caagtagtgt	gtgcccgctt	gttggtgtgac	6540
tctggtaact	agagatccct	cagacccttt	tagtcagtgt	ggaaaatctc	tagcagtagt	6600
agttcatgct	atcttattat	tcagtattta	taacttgcaa	agaaatgaat	atcagagagt	6660
gagaggcctt	gacattgcta	gcgtttaccg	tcgacctcta	gctagagctt	ggcggtaatca	6720
tggtcatagc	tggttctctg	gtgaaattgt	tatccgctca	caattccaca	caacatacga	6780
gccggaagca	taaagtgtaa	agcctgggggt	gcctaataag	tgagctaact	cacattaatt	6840
gcgttgcgct	cactgccccg	ttccagctcg	ggaaacctgt	cgtgccagct	gcattaatga	6900
atcgcccaac	gcgcggggag	aggcgggttg	cgtattgggc	gctcttccgc	ttcctcgctc	6960
actgactcgc	tgcgctcggg	cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	7020
gtaatacggg	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaggc	7080
cagcaaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	7140
ccccctgacg	agcatcacaa	aaatcgacgc	tcaagtcaga	gggtggcgaaa	cccgcacagga	7200
ctataaagat	accaggcggt	ttccccctga	agctccctcg	tgcgctctcc	tggtccgacc	7260
ctgcgcgtta	cggataacct	gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcat	7320
agctcacgct	gtaggatctc	cagttcgggtg	taggtcgctc	gctccaagct	gggctgtgtg	7380

-continued

cacgaacccc cegttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc	7440
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga	7500
gcgaggtatg tagcggtgac tacagagttc ttgaagtggg ggctaacta cggctacact	7560
agaagaacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt	7620
ggtagctctt gatccggcaa acaaacccacc gctggtagcg gtgggttttt tgtttgcaag	7680
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg	7740
tctgacgctc agtggaaaca aaactcacgt taagggaattt tggtcatgag attatcaaaa	7800
aggatcttca cctagatcct tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata	7860
tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg	7920
atctgtctat ttcgttcacg catagttgcc tgactccccg tcgtgtagat aactacgata	7980
cgggagggct taccatctgg cccagtgct gcaatgatac cgcgagaccc acgctcaccg	8040
gtccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggctct	8100
gcaactttat ccgcctccat ccagtcattt aattgttgcc gggaagctag agtaagtagt	8160
tcgccagtta atagtttgcg caacgttggt gccattgcta caggcatcgt ggtgtcacgc	8220
tcgtcgtttg gtatggcttc attcagctcc ggttcccaac gatcaaggcg agttacatga	8280
tcccccatgt tgtgcaaaaa agcgggttagc tccttcggtc ctccgatcgt tgtcagaagt	8340
aagttggccg cagtgttacc actcatgggt atggcagcac tgcataattc tcttactgtc	8400
atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa	8460
tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca	8520
catagcagaa ctttaaaagt gctcatcatt ggaaaacggt cttcggggcg aaaaactctca	8580
aggatcttac cgctgttgag atccagttcg atgtaaccca ctctgcacc caactgatct	8640
tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc	8700
gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa	8760
tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt	8820
tagaaaaata aacaaatagg ggttccgcgc acatttcccc gaaaagtgcc acctgacgtc	8880
gacggatcgg gagatcaact tgtttattgc agcttataat gggtacaaat aaagcaatag	8940
catcacaaat ttcacaaata aagcattttt ttactgcat tctagttgtg gtttgtccaa	9000
actcatcaat gtatottatc atgtctggat caactggata actcaagcta accaaaaatca	9060
tccccaaact cccaccccat accctattac cactgccaat tacctgtggg ttcatctact	9120
ctaaacctgt gattcctctg aattattttc attttaaaga aattgtattt gttaaatatg	9180
tactacaaac ttagtagt	9198

<210> SEQ ID NO 61

<211> LENGTH: 10661

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 61

aaagcttatc tcgagctcta gattgggaac ccgggtctct cgaattcgcc accatggtta	60
atccgaccgt tttttttgat atcgagttg atggcgaacc gttgggcagg gtttccttcg	120
agctcttcgc cgataaagtg ccgaaaaccg cagaaaactt tcgcgcgctc agtacgggtg	180

-continued

aaaaggggtt	tggttacaaa	gggagctgtt	tccatcgaat	cattcctggt	ttcatgtgtc	240
agggcggaga	tttcacccga	cataacggga	ctggcgggaa	gagtatatat	ggagagaagt	300
tcgaggatga	gaactttata	ctgaaacaca	ccggaccggg	aattttgagt	atggcaaatg	360
cagggcctaa	caccaatggc	tcccagttct	ttatttgtac	ggccaagaca	gagtggctcg	420
acgggaagca	cgttgtgttc	ggaaaggtca	aagaaggtat	gaatatagta	gaggcgatgg	480
aacggtttgg	ctcacgcaat	ggcaagacat	ccaaaaaat	cacaatagct	gactgtggcc	540
aattggaggg	tggaggtgga	agtggaggag	gcggctcagg	tggaggtggt	tccgacaagc	600
ccaagaaaaa	gcggaaagtg	aagtacagca	tcggcctgga	catcggcacc	aactctgtgg	660
gctgggccgt	gatcaccgac	gagtacaagg	tgcccagcaa	gaaattcaag	gtgctgggca	720
acaccgacag	gcacagcatc	aagaagaacc	tgatcggcgc	cctgctgttc	gacagcggcg	780
aaacagccga	ggccaccaga	ctgaagagaa	ccgccagaag	aagatacacc	aggcggaaga	840
acaggatctg	ctatctgcaa	gagatcttca	gcaacgagat	ggccaagggtg	gacgacagct	900
tcttccacag	actggaagag	tccttcctgg	tggaagagga	caagaagcac	gagagacacc	960
ccatcttcgg	caacatcgtg	gacgaggtgg	cctaccacga	gaagtacccc	accatctacc	1020
acctgagaaa	gaaactgggtg	gacagcaccg	acaaggccga	cctgagactg	atctacctgg	1080
ccctggccca	catgatcaag	ttcagaggcc	acttcctgat	cgagggcgac	ctgaaccccg	1140
acaacagcga	cgtggacaag	ctgttcatcc	agctggtgca	gacctacaac	cagctgttcg	1200
agggaaaacc	catcaacgcc	agcggcgtgg	acgccaaagg	tatcctgtct	gccagactga	1260
gcaagagcag	aaggctggaa	aatctgatcg	cccagctgcc	cggcgagaag	aagaacggcc	1320
tgctcgccaa	cctgattgcc	ctgagcctgg	gcctgacccc	caacttcaag	agcaacttcg	1380
acctggccga	ggatgccaaa	ctgcagctga	gcaaggacac	ctacgacgac	gacctggaca	1440
acctgctggc	ccagatcggc	gaccagtacg	ccgacctgtt	cctggccggc	aagaacctgt	1500
ctgacgccat	cctgctgagc	gacatcctga	gagtgaacac	cgagatcacc	aaggccccc	1560
tgagcgcttc	tatgatcaag	agatacgacg	agcaccacca	ggacctgacc	ctgctgaaag	1620
ctctcgtgcg	gcagcagctg	cctgagaagt	acaaagaaat	cttcttcgac	cagagcaaga	1680
acggctacgc	cggctacatc	gatggcggcg	ctagccagga	agagttctac	aagttcatca	1740
agcccatcct	ggaaaagatg	gacggcaccg	aggaactgct	cgtgaagctg	aacagagagg	1800
acctgctgag	aaagcagaga	accttcgaca	acggcagcat	ccccaccag	atccacctgg	1860
gagagctgca	cgctatcctg	agaaggcagg	aagattttta	cccatctctg	aaggacaacc	1920
gggaaaagat	cgagaagatc	ctgaccttca	ggatccccta	ctacgtgggc	ccccctggca	1980
gaggcaacag	cagattcgcc	tggatgacca	gaaagagcga	ggaaaccatc	accccctgga	2040
acttcgagga	agtggtggac	aagggcgcca	gcgccagag	cttcacagag	agaatgacaa	2100
acttcgataa	gaacctgccc	aacgagaagg	tgctgcccga	gcacagcctg	ctgtacgagt	2160
acttcaccgt	gtacaacgag	ctgaccaaa	tgaaatacgt	gaccgaggga	atgagaaagc	2220
ccgccttcct	gagcggcgag	cagaaaaagg	ccatcgtgga	cctgctgttc	aagaccaaca	2280
gaaaagtgc	cgtgaagcag	ctgaaagagg	actacttcaa	gaaaatcgag	tgcttcgact	2340
ccgtggaaat	ctccggcgtg	gaagatagat	tcaacgcctc	cctgggcaca	taccacgac	2400
tgctgaaaat	tatcaaggac	aaggacttcc	tggataacga	agagaacgag	gacattctgg	2460
aagatatcgt	gctgaccctg	acactgtttg	aggaccgcga	gatgatcgag	gaaaggctga	2520
aaacctacgc	tcacctgttc	gacgacaaag	tgatgaagca	gctgaagaga	aggcgggtaca	2580

-continued

ccggctgggg	caggctgagc	agaaagctga	tcaacggcat	cagagacaag	cagagcggca	2640
agacaatcct	ggatttcctg	aagtccgacg	gcttcgcca	ccggaacttc	atgcagctga	2700
tccacgacga	cagcctgaca	ttcaaagagg	acatccagaa	agcccagggtg	tccggccagc	2760
gcgactctct	gcacgagcat	atcgtaacc	tggccggcag	ccccgctatc	aagaaggcca	2820
tcctgcagac	agtgaagggtg	gtggacgagc	tcgtgaaagt	gatgggcaga	cacaagccc	2880
agaacatcgt	gatcgagatg	gctagagaga	accagaccac	ccagaaggga	cagaagaact	2940
cccgcgagag	gatgaagaga	atcgaagagg	gcataaaga	gctgggcagc	cagatcctga	3000
aagaacaccc	cgtggaaaac	accagctgc	agaacgagaa	gctgtacctg	tactacctgc	3060
agaatggccc	ggatatgtac	gtggaccagg	aactggacat	caacagactg	tccgactacg	3120
atgtggacca	tatcgtgcct	cagagctttc	tgaaggacga	ctccatcgat	aacaaagtgc	3180
tgactcggag	cgacaagaac	agaggcaaga	gcgacaacgt	gccctccgaa	gaggtcgtga	3240
agaagatgaa	gaactactgg	cgacagctgc	tgaacgcca	gctgattacc	cagaggaagt	3300
tcgataacct	gaccaaggcc	gagagaggcg	gcctgagcga	gctggataag	gccggcttca	3360
tcaagaggca	gctggtggaa	accagacaga	tcacaaagca	cgtggcacag	atcctggact	3420
cccgatgaa	cactaagtac	gacgaaaacg	ataagctgat	ccgggaagtg	aaagtgatca	3480
ccctgaagtc	caagctgggtg	tccgatttcc	ggaaggattt	ccagttttac	aaagtgcgcg	3540
agatcaacaa	ctaccaccac	gcccacgacg	cctacctgaa	cgccgctcgtg	ggaaccgccc	3600
tgatcaaaaa	gtaccctaag	ctggaagcgc	agttcgtgta	cgccgactac	aaggtgtacg	3660
acgtgcggaa	gatgatcgcc	aagagcgagc	aggaaatcgc	caaggctacc	gccaaagtact	3720
tcttctacag	caacatcatg	aactttttca	agaccgaaat	caccctggcc	aacggcgaga	3780
tcagaaagcg	ccctctgatc	gagacaaaacg	gcgaaaccgc	ggagatcgtg	tgggataaag	3840
gcagagactt	cgccacagtg	cgaaagggtgc	tgagcatgcc	ccaagtgaat	atcgtgaaaa	3900
agaccgaggt	gcagacaggc	ggcttcagca	aagagtctat	cctgcccaag	aggaacagcg	3960
acaagctgat	cgccagaaag	aaggactggg	acccaagaa	gtacggcggc	ttcgacagcc	4020
ctaccgtggc	ctactctgtg	ctgggtgggtg	ctaagggtga	aaagggcaag	tccaagaaac	4080
tgaagagtgt	gaaagagctg	ctggggatca	ccatcatgga	aagaagcagc	tttgagaaga	4140
accctatcga	ctttctggaa	gccaaagggt	acaaagaagt	gaaaaaggac	ctgatcatca	4200
agctgcctaa	gtactccctg	ttcgagctgg	aaaacggcag	aaagagaatg	ctggcctctg	4260
ccggcgaaact	gcagaaggga	aacgagctgg	ccctgcctag	caaatatgtg	aacttcctgt	4320
acctggcctc	ccactatgag	aagctgaagg	gcagccctga	ggacaacgaa	cagaaacagc	4380
tgtttggtga	acagcataag	cactacctgg	acgagatcat	cgagcagatc	agcgagtctt	4440
ccaagagagt	gatcctggcc	gacgccaatc	tggacaaggt	gctgtctgcc	tacaacaagc	4500
acagggacaa	gcctatcaga	gagcaggccg	agaatatcat	ccacctgttc	accctgacaa	4560
acctgggcgc	tcctgccgcc	ttcaagtact	ttgacaccac	catcgaccgg	aagaggtaca	4620
ccagcaccaa	agaggtgctg	gacgccaccc	tgatccacca	gagcatcacc	ggcctgtacg	4680
agacaagaat	cgacctgtct	cagctgggag	gcgacaagag	acctgccgcc	actaagaagg	4740
ccggacaggc	caaaaagaag	aagtgagcgg	ccgctaata	gccataccac	atttgtagag	4800
gttttacttg	ctttaaaaaa	cctcccacac	ctccccctga	acctgaaaca	taaaatgaat	4860
gcaattgttg	ttgttaactt	gtttattgca	gcttataatg	gttacaataa	aagcaatagc	4920

-continued

atcacaaatt tcacaaataa agcatttttt tcaactgcatt ctagtgtgtg tttgtccaaa	4980
ctcatcaatg tatcttatca tgtctaccgg tagggccct ctcttcatgt gagcaaaagg	5040
ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgctg gcgtttttcc ataggctccg	5100
ccccctgac gagcatcaca aaaatcgacg ctcaagtcag aggtggcgaa acccgacagg	5160
actataaaga taccaggcgt tccccctgg aagctccctc gtgcgtcttc ctgttccgac	5220
cctgcccgtt accggatacc tgtccgctt tctcccttcg ggaagcgtgg cgttttctca	5280
atgctcacgc tgtaggatc tcagttcggg ttaggtcgtt cgctccaagc tgggctgtgt	5340
gcacgaaccc ccggttcagc ccgaccgctg cgccttatcc ggtaactatc gtcttgagtc	5400
caaccggta agacacgact tatcgccact ggcagcagcc actggtaaca ggattagcag	5460
agcgaggatg tagggcgtg ctacagagtt ctggaagtgg tggcctaact acggctacac	5520
tagaaggaca gtatttggtg tctgcgtctt gctgaagcca gttaccttcg gaaaaagagt	5580
tggtagctct tgatccggca aacaaaccac cgtgggtagc ggtgggtttt ttgtttgcaa	5640
gcagcagatt acgcgcagaa aaaaaggatc tcaagaagat cctttgatct tttctacggg	5700
gtctgacgct cagtggaaacg aaaactcacg ttaagggtt ttggtcatgg gcgcgcctca	5760
tactcctgca ggcagagat tatcaaaaag gatcttcacc tagatccttt taaattaaaa	5820
atgaagtttt aaatcaatct aaagtatata tgagtaaact tggctcgaca gttaccaatg	5880
cttaatcagt gaggcacctc tctcagcgat ctgtctatct cgttcaccca tagttgcctg	5940
actccccgct gtgtagataa ctacgatacg ggagggtta ccatctggcc ccagtgtgc	6000
aatgataccg cgagaccac gctcaccggc tccagattta tcagcaataa accagccagc	6060
cgggaaggcc gagcgcagaa gtgggtcctgc aactttatcc gcctccatcc agtctattaa	6120
ttgttgccgg gaagctagag taagtagtgc gccagttaat agtttgcgca acgttggtgc	6180
cattgttaca ggcacgtgg tgcacgctc gtcgtttggg atggcttcat tcagctccgg	6240
ttcccaacga tcaaggcgag ttacatgatc ccccatgttg tgcaaaaaag cggttagctc	6300
cttcgggtcct ccgatcgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat	6360
ggcagcactg cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg	6420
tgagtactca accaagtcac tctgagaata gtgtatgcgg cgaccgagtt gctcttgccc	6480
ggcgtcaata cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg	6540
aaaacgttct tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat	6600
gtaaccctc cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg	6660
gtgagcaaaa acaggaaggc aaaatgccgc aaaaaaggga ataaggcgca cacggaaatg	6720
ttgaatactc atactcttcc tttttcaata ttattgaagc atttatcagg gttattgtct	6780
catgagcgga tacatatctg aatgtattta gaaaaataa caaatagggg ttccgcgcac	6840
atttccccga aaagtgccac ctgacgtcag gtaccaagcc taggcctcca aaaaagcctc	6900
ctcactactt ctggaatagc tcagaggcag aggcggcctc ggctctgca taaataaaaa	6960
aaattagtca gccatggggc ggagaatggg cggaactggg cgaggttagg ggcgggatgg	7020
gcggagttag gggcgggact atgggtgctg actaattgag atgcatgctt tgcatacttc	7080
tgctgctgg ggagcctggg gactttccac acctgggttc tgactaattg agatgcatgc	7140
tttgatact tctgctgct ggggagcctg gggactttcc acaccggatc caccatggga	7200
tcggccattg aacaagatgg attgcacgca ggttctccgg ccgcttgggt ggagaggcta	7260
ttcggtatg actgggcaca acagacaatc ggctgctctg atgcgcgcgt gttccggctg	7320

-continued

tcagcgcagg	ggcgcccggt	tctttttgtc	aagaccgacc	tgctcgggtgc	cctgaatgaa	7380
ctgcaggacg	aggcagcgcg	gctatcgtgg	ctggccacga	cgggcgttcc	ttgcgcagct	7440
gtgctcgacg	ttgtcactga	agcgggaagg	gactggctgc	tattgggcga	agtgcggggg	7500
caggatctcc	tgctcatctca	ccttgctcct	gccgagaaag	tatccatcat	ggctgatgca	7560
atgcggcggc	tgcatacgtc	tgatccggct	acctgcccac	tcgaccacca	agcgaaacat	7620
cgcacgcagc	gagcacgtac	tcggatggaa	gccggtcttg	tcgatcagga	tgatctggac	7680
gaagagcatc	aggggctcgc	gccagccgaa	ctgttcgcca	ggctcaaggc	gcgcctgccc	7740
gacggcgatg	atctcgtcgt	gacccatggc	gatgcctgct	tgccgaatat	catggtggaa	7800
aatggccgct	tttctggatt	catcgactgt	ggccggctgg	gtgtggcgga	ccgctatcag	7860
gacatagcgt	tggctaccgc	tgatattgct	gaagagcttg	gcggcgaatg	ggctgaccgc	7920
ttcctcgtgc	tttaagggtat	cgcgcgtccc	gattcgcagc	gcacgccttc	ctatcgcttc	7980
cttgacgagt	tctctgaac	gcgtgctgta	agtctgcaga	aattgatgat	ctattaacaa	8040
ataaagatgt	ccactaaaat	ggaagttttt	cctgtcatac	tttgtaaga	agggtgagaa	8100
cagagtacct	acattttgaa	tggaaggatt	ggagctacgg	gggtgggggt	ggggtgggat	8160
tagataaatg	cctgctcttt	actgaaggct	ctttactatt	gctttatgat	aatgtttcat	8220
agttggatat	cataatttaa	acaagcaaaa	ccaaattaag	ggccagctca	ttcctcccac	8280
tcgatgatcta	tggatctata	gatctctcgt	gcagctgggg	ctctaggggg	tatcccacg	8340
cgcctcttag	cggcgcatca	agcgcggcgg	gtgtgggtgt	tacgcgcagc	gtgaccgcta	8400
cacttgccag	cgccttagcg	cccgtccttc	tcgctttctt	cccttccttt	ctcgccacgt	8460
tcgcggcgtt	tcccgcgtca	gctctaaatc	gggggctccc	tttagggttc	cgatttagtg	8520
ctttacggca	cctcgacccc	aaaaaacttg	attaggggtga	tggttcacgt	agtgggcat	8580
cgcctgata	gacggttttt	cgccttttga	cgttgaggtc	cacgttcttt	aatagtggac	8640
tcttgttcca	aactggaaca	acaactcaacc	ctatctcggc	ctattctttt	gatttataag	8700
ggattttgcc	gatttcggcc	tattggttaa	aaaatgagct	gatttaacaa	aaatttaacg	8760
cgaattaatt	ctgtggaatg	tgtgtcagtt	agtcgcgagg	cctccgcgcc	gggttttggc	8820
gcctcccgcg	ggcgccccc	tcctcacggc	gagcgtgcc	acgtcagacg	aaggcgcgag	8880
cgcgcgtcct	gatccttcgc	cccgacgct	caggacagcg	gcccgctgct	cataagactc	8940
ggccttagaa	ccccagtatc	agcagaagga	catttttaga	cgggacttgg	gtgactctag	9000
ggcactggtt	ttctttccag	agagcggaac	aggcgaggaa	aagtagtccc	ttctcggcga	9060
ttctgcggag	ggatctccgt	ggggcggtga	acgccgatga	ttatataagg	acgcgcgggg	9120
tgtggcacag	ctagtcccg	cgcagccggg	atttgggtcg	cggttcttgt	ttgtggatcg	9180
ctgtgatcgt	cacttggtga	gtagcgggct	gctgggctgg	ccggggcttt	cgtggccgcc	9240
gggcgcgtcg	gtgggacgga	agcgtgtgga	gagaccgcca	agggctgtag	tctgggtccg	9300
cgcgcaagg	tgccctgaac	tgggggttgg	ggggagcgca	gcaaaatggc	ggctgttccc	9360
gagtcctgaa	tggaagacgc	ttgtgaggcg	ggctgtgagg	tcgttgaaac	aagggtggggg	9420
gcatggtggg	cggcaagaac	ccaaggtctt	gaggccttcg	ctaatacggg	aaagctctta	9480
ttcgggtgag	atgggctggg	gcaccatctg	gggaccctga	cgtgaagttt	gtcactgact	9540
ggagaactcg	gtttgtcgtc	tgttcggggg	gcggcagtta	tggcggtgcc	gttgggcagt	9600
gcacccgtac	ctttgggagc	gcgcgccttc	gtcgtgtcgt	gacgtcacc	gttctgttgg	9660

-continued

```

cttataatgc aggggtggggc cacctgccgg taggtgtgcg gtaggctttt ctccgtcgca 9720
ggacgcaggg ttcgggccta gggtaggctc tectgaatcg acaggcgccg gacctctggt 9780
gaggggaggg ataagtgagg cgtcagtttc tttggtcgg tttatgtacc tatcttotta 9840
agtagctgaa gctccggttt tgaactatgc gctcgggggtt ggcgagtgtg tttgtgaag 9900
tttttttaggc accttttgaa atgtaatcat ttgggtcaat atgtaatttt cagtgttaga 9960
ctagtaaatt gtccgctaaa ttctggccgt ttttggtttt tttgttagac gtcgaccgat 10020
cctgagaact tcagggtgag tttggggacc cttgattgtt ctttcttttt cgctattgta 10080
aaattcatgt tatatggagg gggcaaagtt ttcagggtgt tgtttagaat gggaagatgt 10140
cccttgatc accatggacc ctcatgataa ttttgtttct ttcactttct actctgttga 10200
caaccattgt ctctctttat tttcttttca ttttctgtaa ctttttcgtt aaactttagc 10260
ttgcatttgt aacgaatttt taaattcact tttgtttatt tgtcagattg taagtacttt 10320
ctctaatcac ttttttttca aggcaatcag ggtatattat attgtacttc agcacagttt 10380
tagagaacaa ttgttataat taaatgataa ggtagaatat ttctgcatat aaattctggc 10440
tggcgtggaa atattcttat tggtagaaac aactacacc tggtcatcat cctgcctttc 10500
tctttatggt tacaatgata tacactgttt gagatgagga taaaatactc tgagtccaaa 10560
ccgggccct ctgctaacca tgttcatgcc ttcttctttt tctacagct cctgggcaac 10620
gtgctggttg ttgtgctgtc tcatcatttt ggcaagaat t 10661

```

<210> SEQ ID NO 62

<211> LENGTH: 10417

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 62

```

aagcttatac tcgagctcta gaattggacaa gccaagaaa aagcggaaa gtaagtacag 60
catcggcctg gacatcgcca ccaactctgt gggctgggcc gtgatcaccg acgagtacaa 120
ggtgcccagc aagaaattca aggtgctggg caacaccgac aggcacagca tcaagaagaa 180
cctgatcggc gccctgctgt tcgacagcgg cgaaacagcc gaggcacca gactgaagag 240
aaccgccaga agaagataca ccaggcggaa gaacaggatc tgctatctgc aagagatctt 300
cagcaacgag atggccaagg tggacgacag cttcttccac agactggaag agtccttctt 360
ggtggaagag gacaagaagc acgagagaca ccccatcttc ggcaacatcg tggacgaggt 420
ggcctaccac gagaagtacc ccaccatcta ccacctgaga aagaaactgg tggacagcac 480
cgacaaggcc gacctgagac tgatctacct ggcctgggcc cacatgatca agttcagagg 540
ccacttcttg atcgagggcg acctgaacct cgacaacagc gacgtggaca agctgttcat 600
ccagctggtg cagacctaca accagctgtt cgaggaaaac cccatcaacg ccagcggcgt 660
ggacgccaa gctatcctgt ctgccagact gagcaagagc agaaggctgg aaaatctgat 720
cgccagctg cccggcgaga agaagaacgg cctgttcggc aacctgattg cctgagcct 780
gggctgacc ccaacttca agagcaactt cgacctggcc gaggatgcca aactgcagct 840
gagcaaggac acctacgacg acgacctgga caacctgctg gccagatcg gcgaccagta 900
cgccgacctg ttcttgccg ccaagaacct gtctgacgcc atcctgctga gcgacatcct 960
gagagtgaac accgagatca ccaaggcccc cctgagcgcc tctatgatca agagatacga 1020

```

-continued

cgagcaccac	caggacctga	cctgtctgaa	agctctctgtg	cggcagcagc	tgcttgagaa	1080
gtacaaagaa	atcttctctg	accagagcaa	gaacggctac	gccggctaca	tcgatggcgg	1140
cgctagccag	gaagagttct	acaagttcat	caagcccatc	ctggaaaaga	tgacgggcac	1200
cgaggaactg	ctcgtgaagc	tgaacagaga	ggacctgctg	agaaagcaga	gaaccttcga	1260
caacggcagc	atccccacc	agatccacct	gggagagctg	cacgctatcc	tgagaaggca	1320
ggaagattht	taccatttcc	tgaaggacaa	ccgggaaaag	atcgagaaga	tcctgacctt	1380
caggatcccc	tactacgtgg	gccccctggc	cagaggcaac	agcagattcg	cctggatgac	1440
cagaaagagc	gaggaaacca	tcacccctcg	gaacttcgag	gaagtgggtg	acaagggcgc	1500
cagcgccccg	agcttcatcg	agagaatgac	aaacttcgat	aagaacctgc	ccaacgagaa	1560
ggtgctgccc	aagcacagcc	tgctgtacga	gtacttcacc	gtgtacaacg	agctgaccaa	1620
agtgaataac	gtgaccgagg	gaatgagaaa	gcccgccttc	ctgagcggcg	agcagaaaaa	1680
ggccatcgtg	gacctgctgt	tcaagaccaa	cagaaaagtg	accgtgaagc	agctgaaaga	1740
ggactacttc	aagaaaatcg	agtgtctcga	ctccgtggaa	atctccggcg	tggaagatag	1800
attcaacgcc	tccttgggca	cataccacga	tctgctgaaa	attatcaagg	acaaggactt	1860
cctggataac	gaagagaacg	aggacattct	ggaagatata	gtgctgacct	tgacactgtt	1920
tgaggaccgc	gagatgatcg	aggaaaggct	gaaaacctac	gctcacctgt	tcgacgacaa	1980
agtgatgaag	cagctgaaga	gaaggcggta	caccggctgg	ggcaggctga	gcagaaagct	2040
gatcaacggc	atcagagaca	agcagagcgg	caagacaatc	ctggatttcc	tgaagtccga	2100
cggttctgcc	aaccggaact	tcattgcagct	gatccacgac	gacagcctga	cattcaaaga	2160
ggacatccag	aaagcccagg	tgtccggcca	gggcgactct	ctgcacgagc	atatcgctaa	2220
cctggccggc	agccccgcta	tcaagaaggg	catcctgcag	acagtgaagg	tggtggacga	2280
gctcgtgaaa	gtgatgggca	gacacaagcc	cgagaacatc	gtgatcgaga	tggttagaga	2340
gaaccagacc	accagaagg	gacagaagaa	ctcccgcgag	aggatgaaga	gaatcgagaa	2400
gggcatcaaa	gagctgggca	gccagatcct	gaaagaacac	cccgtggaaa	acaccagct	2460
gcagaacgag	aagctgtacc	tgtactacct	gcagaatggc	cggtgatgtg	acgtggacca	2520
ggaactggac	atcaacagac	tgtccgacta	cgatgtggac	catatcgtgc	ctcagagctt	2580
tctgaaggac	gactccatcg	ataacaaagt	gctgactcgg	agcgacaaga	acagaggcaa	2640
gagcgacaac	gtgcccctcg	aagaggtcgt	gaagaagatg	aagaactact	ggcgacagct	2700
gctgaacgcc	aagctgatta	cccagaggaa	gttcgataac	ctgaccaagg	ccgagagagg	2760
cggtcgtgag	gagctggata	aggccgggct	catcaagagg	cagctgggtg	aaaccagaca	2820
gatcacaaag	cacgtggcac	agatcctgga	ctcccgatg	aactactaag	acgacgaaaa	2880
cgataagctg	atccgggaag	tgaagtgtat	caccctgaag	tccaagctgg	tgtccgattt	2940
ccggaaggat	ttccagtttt	acaaagtgcg	cgagatcaac	aactaccacc	acgcccacga	3000
cgctacctg	aacgcccgtc	tgggaaccgc	cctgatcaaa	aagtacccta	agctggaaaag	3060
cgagttcgtg	tacggcgact	acaaggtgta	cgacgtgcgg	aagatgatcg	ccaagagcga	3120
gcaggaaatc	ggcaaggcta	ccgccaaagta	cttcttctac	agcaacatca	tgaacttttt	3180
caagaccgaa	atcaccctgg	ccaacggcga	gatcagaaaag	cgccctctga	tcgagacaaa	3240
cgccgaaaac	ggggagatcg	tgtgggataa	gggcagagac	ttcgccacag	tcgaaaaggt	3300
gctgagcatg	ccccaaagtga	atatcgtgaa	aaagaccgag	gtgcagacag	gcggcttcag	3360
caaagagtct	atcctgcccc	agaggaaacag	cgacaagctg	atcgccagaa	agaaggactg	3420

-continued

ggaccccaag aagtacggcg gcttcgacag ccctaccgtg gcctactctg tgctggtggt	3480
ggctaagggtg gaaaagggca agtccaagaa actgaagagt gtgaaagagc tgctggggat	3540
caccatcatg gaaagaagca gctttgagaa gaaccctatc gactttcttg aagccaagg	3600
ctacaaagaa gtgaaaaagg acctgatcat caagctgcct aagtactccc tgttcgagct	3660
ggaaaacggc agaaagagaa tgctggcctc tgccggcgaa ctgcagaagg gaaacgagct	3720
ggccctgcct agcaaatatg tgaacttcct gtacctggcc toccactatg agaagctgaa	3780
ggcgagccct gaggacaacg aacagaaaca gctgtttgtg gaacagcata agcactacct	3840
ggacgagatc atcgagcaga tcagcgagtt ctccaagaga gtgatcctgg ccgacgcaa	3900
tctggacaag gtgctgtctg cctacaacaa gcacagggac aagcctatca gagagcaggc	3960
cgagaatatc atccacctgt tcacctgac aaacctggcg gctcctgccg cettcaagta	4020
ctttgacacc accatcgacc ggaagaggta caccagcacc aaagagggtg tggaagccac	4080
cctgatccac cagagcatca ccggcctgta cgagacaaga atcgacctgt ctgagctggg	4140
agggcacaag agacctgccg ccactaagaa ggccggacag gccaaaaaga agaagggagg	4200
tggagggttca ggtgggggtg ggtcaggagg aggtggttca gaacaagccc cagaagacca	4260
agggccacag agggagccac acaatgaatg gacactagag ctttttagagg agcttaagaa	4320
tgaagctgtt agacattttc ctaggatttg gctccatggc ttagggcaac atatctatga	4380
aaattatggg gatacttggg caggagtgga agccataata agaattctgc aacaactgct	4440
gtttatccat ttccagaatt ggggtgtcgc atagcagaat aggcgttact cgacagagga	4500
gagcaagaaa tggagccagt aggcggccgc taatcagcca taccacattt gtagaggttt	4560
tacttgcttt aaaaaacctc ccacacctcc cctgaacct gaaacataaa atgaatgcaa	4620
ttgttggtgt taacttgttt attgcagctt ataattggta caaataaagc aatagcatca	4680
caaatttcac aaataaagca tttttttcac tgcattctag ttgtggtttg tccaaactca	4740
tcaatgtatc ttatcatgtc taccggtagg gccctctctc tcatgtgagc aaaaggccag	4800
caaaaggcca ggaaccgtaa aaaggccgcg ttgctggcgt tttccatag gctccgcccc	4860
cctgacgagc atcacaaaaa tcgacgctca agtcagaggg ggcgaaaccc gacaggacta	4920
taaagatacc aggcgtttcc ccttggaagc tccctcgtgc gctctcctgt tccgacctg	4980
cgcttacccg gataacctgc cgcctttctc ccttcgggaa gcgtggcgct ttctcaatgc	5040
tcacgctgta ggtatctcag ttccgtgtag gtcgttcgct ccaagctggg ctgtgtgcac	5100
gaaccccccg ttcagcccca ccgctgcgcc ttatccggtg actatcgtct tgagtccaac	5160
ccggttaagc acgacttatc gccactggca gcagccactg gtaacaggat tagcagagcg	5220
aggtatgtag gcggtgtcac agagttcttg aagtgggtggc ctaactacgg ctacactaga	5280
aggacagtat ttggtatctg cgctctgctg aagccagtta ccttcggaaa aagagttggt	5340
agctcttgat ccggcaaaaca aaccaccgct ggtagcgggt gtttttttgt ttgcaagcag	5400
cagattacgc gcagaaaaaa aggatctcaa gaagatcctt tgatcttttc tacggggtct	5460
gacgctcagt ggaacgaaaa ctcacgttaa gggattttgg tcatgggcgc gcctcatact	5520
cctgcaggca tgagattatc aaaaaggatc ttcacctaga tccttttaaa ttaaaaatga	5580
agttttaaat caatctaaag tatatatgag taaacttggg ctgacagtta ccaatgctta	5640
atcagtgagg cacctatctc agcgatctgt ctatttcgtt catccatagt tgectgactc	5700
cccgtcgtgt agataactac gatacgggag ggcttaccat ctggccccag tgctgcaatg	5760

-continued

ataccgagag	accacgctc	accggctcca	gattttacag	caataaacca	gccagccgga	5820
agggccgagc	gcagaagtgg	tcttgcaact	ttatccgcct	ccatccagtc	tattaattgt	5880
tgccgggaag	ctagagtaag	tagttcgcca	gttaaatagt	tgcgcaacgt	tgttgccatt	5940
gctacaggca	tcggtggtgc	acgctcgctc	tttggtatgg	cttcattcag	ctccggttcc	6000
caacgatcaa	ggcgagtac	atgatcccc	atggtgtgca	aaaaagcgg	tagctccttc	6060
ggtcctccga	tcggtgtcag	aagtaagttg	gccgcagtg	tatcactcat	ggttatggca	6120
gcactgcata	attctcttac	tgtcatgcca	tccgtaagat	gcttttctgt	gactggtgag	6180
tactcaacca	agtcattctg	agaatagtgt	atgcggcgac	cgagttgctc	ttgccggcg	6240
tcaatcggg	ataataccgc	gccacatagc	agaacttta	aagtgtcat	cattggaaaa	6300
cgttcttcgg	ggcgaaaact	ctcaaggatc	ttaccgctgt	tgagatccag	ttcgatgtaa	6360
ccactcgtg	cacccaactg	atcttcagca	tcttttactt	tcaccagcgt	ttctgggtga	6420
gcaaaaacag	gaaggcaaaa	tgcgcacaaa	aagggaataa	ggcgacacg	gaaatgttga	6480
atactcatac	tcttctttt	tcaatattat	tgaagcattt	atcaggggta	ttgtctcatg	6540
agcggataca	tatttgaatg	tatttagaaa	aataaacaaa	taggggttcc	gcgcacattt	6600
ccccgaaaag	tgccacctga	cgtcaggtag	caagcctagg	cctccaaaaa	agcctcctca	6660
ctacttctgg	aatagctcag	aggcagaggc	ggcctcggcc	tctgcataaa	taaaaaaat	6720
tagtcagcca	tggggcgag	aatggcgga	actggcgga	gttagggcg	ggatggcg	6780
agttaggggc	gggactatgg	ttgctgacta	attgagatgc	atgcttgcga	tacttctgcc	6840
tgctggggag	cctggggact	ttccacacct	ggttgctgac	taattgagat	gcatgctttg	6900
catacttctg	cctgctgggg	agcctgggga	ctttccacac	cggatccacc	atgggatcgg	6960
ccattgaaca	agatggattg	cacgcagggt	ctccggcgcc	ttgggtggag	aggctattcg	7020
gctatgactg	ggcacaacag	acaatcggct	gctctgatgc	cgccgtgttc	cggtgtcag	7080
cgcaggggag	cccggttctt	tttgtcaaga	cgcacctgtc	cggtgccctg	aatgaactgc	7140
aggacgaggc	agcgcggcta	tcttggtctg	ccacgacggg	cgttccttgc	gcagctgtgc	7200
tcgacgttgt	cactgaagcg	ggaagggaact	ggctgctatt	gggcgaagtg	ccggggcagg	7260
atctcctgtc	atctcacctt	gctcctgccg	agaaagtatc	catcatggct	gatgcaatgc	7320
ggcggctgca	tacgcttgat	ccggctacct	gccattcga	ccaccaagcg	aaacatcgca	7380
tcgagcgagc	acgtactcgg	atggaagccg	gtcttgctga	tcaggatgat	ctggacgaag	7440
agcatcaggg	gctcgcgcca	gccgaactgt	tcgccaggct	caaggcgcg	atgcccgacg	7500
gcgatgatct	cgtcgtgacc	catggcgatg	cctgcttgcc	gaatatcatg	gtggaaaatg	7560
gccgcttttc	tggattcatc	gactgtggcc	ggctgggtgt	ggcggaccgc	tatcaggaca	7620
tagcgttggc	taccgctgat	attgctgaag	agcttggcgg	cgaatgggct	gaccgcttcc	7680
tcggtcttta	cggtatcgcc	gctcccga	cgcagcgcat	cgccttctat	cgccttcttg	7740
acgagttctt	ctgaacgcgt	gctgtaagtc	tgcagaaatt	gatgatctat	taaacataaa	7800
agatgtccac	taaaaatggaa	gtttttcctg	tcatactttg	ttaagaaggg	tgagaacaga	7860
gtacctacat	tttgaatgga	aggattggag	ctacgggggt	gggggtgggg	tgggattaga	7920
taaatgcctg	ctctttactg	aaggctcttt	actattgctt	tatgataatg	tttcatagtt	7980
ggatatcata	atttaaacaa	gcaaaaccaa	attaagggcc	agctcattcc	tcccactcat	8040
gatctatgga	tctatagatc	tctcgtgcag	ctggggctct	agggggatc	cccacgcgcc	8100
ctgtagcgcc	gcattaagcg	cggcgggtgt	ggtggttacg	cgcagcgtga	ccgtacact	8160

-continued

tgccagcgcc	ctagcgcccg	ctcctttcgc	tttcttccct	tcctttctcg	ccacgttcgc	8220
cggtttccc	cgtcaagctc	taaatacggg	gctcccttta	gggttccgat	ttagtgcttt	8280
acggcacctc	gacccccaaa	aacttgatta	gggtgatggg	tcacgtagt	ggccatcgcc	8340
ctgatatagc	gtttttcgcc	ctttgacgtt	ggagtccacg	ttctttaata	gtggactctt	8400
gttccaaact	ggaacaacac	tcaaccctat	ctcggtctat	tcttttgatt	tataagggat	8460
tttgccgatt	tcggcctatt	ggttaaaaaa	tgagctgatt	taacaaaaat	ttaacgcgaa	8520
ttaattctgt	ggaatgtgtg	tcagtttagt	gcgaggcctc	cgcgccgggt	tttggcgctt	8580
cccgcgggcg	ccccctcct	cacggcgagc	gctgccacgt	cagacgaagg	gcgcagcgag	8640
cgtcctgato	cttcgccccg	gacgtctcag	acagcggccc	gctgctcata	agactcggcc	8700
ttagaacccc	agtatcagca	gaaggacatt	ttaggacggg	acttgggtga	ctctagggca	8760
ctggttttct	ttccagagag	cgaacaggc	gaggaaaagt	agtccttctt	cggcgattct	8820
gcggagggat	ctccgtgggg	cgggtgaacgc	cgatgattat	ataaggacgc	gccgggtgtg	8880
gcacagctag	ttccgtcgca	gccgggattt	gggtcgcggg	tcttgtttgt	ggatcgctgt	8940
gatcgtcact	tggtgagtag	cgggctgctg	ggctggccgg	ggctttctgt	gccgcggggc	9000
cgtcgggtgg	gacggaagcg	tgtggagaga	ccgccaaagg	ctgtagtctg	ggtccgcgag	9060
caaggttgcc	ctgaactggg	ggttgggggg	agcgcagcaa	aatggcggct	gttcccagat	9120
cttgaatgga	agacgcttgt	gaggcgggct	gtgaggtcgt	tgaaacaagg	tggggggcat	9180
ggtggggcgg	aagaacccaa	ggtcttgagg	ccttcgctaa	tgccggaaaag	ctcttattcg	9240
ggtgagatgg	gctggggcac	catctgggga	ccctgacgtg	aagtttgtca	ctgactggag	9300
aaactcggtt	gtcgtctgtt	gcggggggcg	cagttatggc	ggtgccgttg	ggcagtgcac	9360
ccgtaccttt	gggagcgcgc	gcctcgtcgc	tgtcgtgacg	tcacccgctc	tgttggttta	9420
taatgcaggg	tggggccacc	tgccggtagg	tgtgcggtag	gcttttctcc	gtcgcaggac	9480
gcagggttcg	ggcctagggt	aggtctctct	gaatcgacag	gcgcgggacc	tctggtgagg	9540
ggagggataa	gtgaggcgtc	agtttctttg	gtcggtttta	tgtacctatc	ttcttaagta	9600
gctgaagctc	cggttttgaa	ctatgcgctc	gggggtggcg	agtggttttt	gtgaagtttt	9660
ttaggcacct	tttgaaatgt	aatcatttgg	gtcaatatgt	aattttcagt	gttagactag	9720
taaatgttcc	gctaaattct	ggcggttttt	ggcttttttg	ttagacgtcg	accgatcctg	9780
agaacttcag	ggtgagtttg	gggacccttg	attgttcttt	ctttttcgtc	attgtaaaat	9840
tcatgttata	tggagggggc	aaagttttca	gggtgttggt	tagaatggga	agatgtccct	9900
tgtatcacca	tggaccctca	tgataatttt	gtttctttca	ctttctactc	tgttgacaac	9960
cattgtctcc	tcttattttc	ttttcatttt	ctgtaacttt	ttcgttaaac	tttagcttgc	10020
atttgaacg	aatttttaaa	ttcacttttg	tttatttgtc	agattgtaag	tactttctct	10080
aatcactttt	ttttcaaggc	aatcagggtg	tatttatattg	tacttcagca	cagtttttaga	10140
gaacaattgt	tataattaaa	tgataaggta	gaatatttct	gcataataat	tctggctggc	10200
gtggaaatat	tcttattggg	agaaacaact	acaccctggg	catcatcctg	cctttctctt	10260
tatggttaca	atgatataca	ctgtttgaga	tgaggataaa	atactctgag	tccaaaccgg	10320
gcccctctgc	taaccatgtt	catgccttct	tctttttcct	acagctcctg	ggcaacgtgc	10380
tggttggtgt	gctgtctcat	cattttggca	aagaatt			10417

-continued

```

<211> LENGTH: 9539
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide

<400> SEQUENCE: 63

tggaagggct aattcactcc caaagaagac aagatatacct tgatctgtgg atctaccaca    60
cacaaggcta cttccctgat tagcagaact acacaccagg gccagggggtc agatatccac    120
tgaccttttg atggtgtctac aagctagtag cagttgagcc agataaggta gaagaggcca    180
ataaaggaga gaacaccagc ttgttacacc ctgtgagcct gcatgggatg gatgaccggg    240
agagagaagt gttagagtgg aggtttgaca gccgcctagc atttcacac gtggcccgag    300
agctgcatcc ggagtacttc aagaactgct gatatacgagc ttgtacaag ggactttccg    360
ctggggactt tccagggagg cgtggccttg gcgggactgg ggagtggcga gccctcagat    420
cctgcatata agcagctgct ttttgctgt actgggtctc tctgggtaga ccagatctga    480
gcctgggagc tctctggcta actaggggaa ccaactgctta agcctcaata aagcttgctt    540
tgagtgtctc aagtagtgtg tgcccgctctg ttgtgtgact ctggtaacta gagatccctc    600
agaccctttt agtcagtgtg gaaaatctct agcagtggcg cccgaacagg gacttgaaag    660
cgaaagggaa accagaggag ctctctcgac gcaggactcg gcttgcgtgaa gcgcgcacgg    720
caagaggcga ggggcggcga ctggtgagta cgccaaaaat ttgactagc ggaggctaga    780
aggagagaga tgggtgcgag agcgtcagta ttaagcgggg gagaattaga tcgcgatggg    840
aaaaaattcg gtttaaggcca gggggaaaga aaaaatataa attaaaacat atagtatggg    900
caagcaggga gctagaacga ttcgcagtta atcctggcct gttagaacaa tcagaaggct    960
gtagacaaat actgggacag ctacaacat cccttcagac aggatcagaa gaacttagat   1020
cattatataa tacagtagca accctctatt gtgtgcacaa aaggatagag ataaaagaca   1080
ccaaggaagc tttagacaag atagaggaag agcaaaacaa aagtaagacc accgcacagc   1140
aagcggcccg ccgctgatct tcagacctgg aggaggagat atgagggaca attggagaag   1200
tgaattatat aaatataaag tagtaaaaat tgaaccatta ggagtagcac ccaccaaggc   1260
aaagagaaga gtggtgcaga gagaaaaaag agcagtggga ataggagctt tgttccttgg   1320
gttcttggga gcagcaggaa gcactatggg gcagcgtca atgacgctga cggtagaggc   1380
cagacaatta ttgtctggta tagtgagca gcagaacaat ttgtgaggg ctattgaggc   1440
gcaacagcat ctgttgcaac tcacagtctg gggcatcaag cagctccagg caagaatcct   1500
ggctgtggaa agatacctaa aggatcaaca gctcctgggg atttggggtt gctctggaaa   1560
actcatttgc accactgctg tgccctggaa tgctagttag agtaataaat ctctggaaca   1620
gatttggaat cacacgacct ggatggagtg ggacagagaa attaacaatt acacaagctt   1680
aatacactcc ttaattgaag aatcgcaaaa ccagcaagaa aagaatgaac aagaattatt   1740
ggaattagat aaatgggcaa gtttgggaa ttggtttaac ataacaatt ggctgtggta   1800
tataaaatta ttcataatga tagtaggagg cttggttagt ttaagaatag tttttgctgt   1860
actttctata gtgaatagag ttaggcaggg atattcacca ttatcgtttc agaccacct   1920
cccaaccccg aggggacccg acaggcccg aggaatagaa gaagaagggt gagagagaga   1980
cagagacaga tccattcgat tagtgaacgg atctcgacgg tatcgctttt aaaagaaaag   2040
gggggattgg ggggtacagt gcaggggaaa gaatagtaga cataatagca acagacatac   2100

```


-continued

aaactaaaga attacaaaaa caaattacaa aaattcaaaa ttttcgggtt tattacaggg	2160
acagcagaga tccagtttat cgatgagtaa ttcatacaaa aggactcgcc cctgccttgg	2220
ggaatcccag ggacgctcgt taaactccca ctaacgtaga acccagagat cgtgcggttc	2280
ccgccccctc acccgccccg tctcgtcctc actgaggtgg agaagagcat gcgtgaggct	2340
ccggtgcccc tcagtgggca gagcgacat cggccacagt ccccgagaag ttggggggag	2400
gggtcggcaa ttgaaccggt gctagagaa ggtggcgcg ggtaaaactgg gaaagtgatg	2460
tcgtgtactg gctccgcctt tttcccagg gtgggggaga accgtatata agtgcagtag	2520
tcgccgtgaa cgttcttttt cgcaacgggt ttgccgcag aacacaggta agtgcctgtt	2580
gtggttcccg cgggcctggc ctctttacgg gttatggccc ttgcgtgctt tgaattactt	2640
ccacgccctt ggctgcagta cgtgattctt gatcccgagc ttcgggttgg aagtgggtgg	2700
gagagttcga ggccttcgct ttaaggagcc ccttcgcctc gtgcttgagt tgaggcctgg	2760
cttgggcgct ggggcgcgct cgtgcgaatc tgggtggacc ttgcgcctg tctcgtgct	2820
ttcgataagt ctctagccat ttaaaatttt tgatgacctg ctgcgacgt tttttctgg	2880
caagatagtc ttgtaaatgc gggccaagat ctgcacactg gtatttcggt ttttggggcc	2940
gctggcgcg acggggcccg tgcgtcccag cgcacatgtt cggcgaggcg gggcctgcga	3000
gcgccccac cgagaatcgg acgggggtag tctcaagctg gccggcctgc tctggtgctt	3060
ggcctcgcgc cgccgtgtat cggcccgccc tgggcggcaa ggctggcccc gtcggcacca	3120
gttgctgtag cggaaagatg gccgcttccc ggccctgctg caggagctc aaaatggagg	3180
acgcggcgct cgggagagcg ggcgggtgag tccccacac aaaggaaaag ggccttccg	3240
tcctcagccg tcgcttcagt tgactccacg gagtaccggg cgccgtccag gcacctcgat	3300
tagttctcga gcttttgtag tacgtcgtct ttaggttggg gggaggggtt ttatgcgatg	3360
gagtttcccc aactgagtg ggtggagact gaagttaggc cagcttgga cttgatgtaa	3420
ttctccttgg aatttgccct ttttgagttt ggatcttggc tcattctcaa gcctcagaca	3480
gtggttcaaa gtttttttct tccatttcag gtgtcgtgag gatctatttc cgtggaattc	3540
ctcgagacta gtatggtgag caaggcgag gagctgttca ccgggggtgg gccatcctg	3600
gtcgagctgg acggcgacgt aaacggccac aagttcagcg tgtccggcga gggcgagggc	3660
gatgccacct acggcaagct gacctgaag ttcactctga ccaccggcaa gctgcccgtg	3720
ccctggccca cctcgtgac cacctgacc tacggcgtgc agtgcttcag ccgtacccc	3780
gaccacatga agcagcagca cttcttcaag tccgccatgc ccgaaggcta cgtccaggag	3840
cgcacctct tcttcaagga cgacggcaac tacaagacct gcgccgaggt gaagtctgag	3900
ggcgacacct tggggaaccg catcgagctg aagggcacgc acttcaagga ggacggcaac	3960
atcctggggc acaagctgga gtacaactac aacagccaca acgtctatat catggccgac	4020
aagcagaaga acggcatcaa ggtgaacttc aagatccgcc acaacatcga ggacggcagc	4080
gtgcagctcg ccgaccacta ccagcagaac acccccatcg gcgacggccc cgtgctgctg	4140
cccgacaacc actaectgag caccagctcc gccctgagca aagaccccaa cgagaagcgc	4200
gatcacatgg tctgtctgga gttcgtgacc gccgcggga tcaactctcg catggacgag	4260
ctgtacaagt aagcggcgcg ggatcccgcc cctctccctc cccccccct aacgttactg	4320
gccgaagcgg cttggaataa ggcgggtgtg cgtttgtcta tatgttattt tccaccatat	4380
tgccgtcttt tggcaatgtg agggcccggg aacctggccc tgtcttcttg acgagcattc	4440
ctaggggtct tccccctc gccaaaggaa tgcaaggtct gttgaatgct gtgaaggag	4500

-continued

cagttcctct	ggaagcttct	tgaagacaaa	caacgtctgt	agcgaccctt	tgcaggcagc	4560
ggaaccccc	acctggcgac	aggtgcctct	gcggccaaaa	gccacgtgta	taagatacac	4620
ctgcaaaggc	ggcacaacc	cagtgccacg	ttgtgagttg	gatagttggt	gaaagagtca	4680
aatggctctc	ctcaagcgta	ttcaacaagg	ggctgaagga	tgccagaag	gtacccatt	4740
gtatgggatc	tgatctgggg	cctcggtgca	catgctttac	atgtgtttag	tcgaggttaa	4800
aaaaacgtct	aggccccccg	aaccacgggg	acgtggtttt	cctttgaaaa	acacgatgat	4860
aagcttgcca	caaccacaaa	ggagacgacc	ttccatgacc	gagtacaagc	ccacggcgcg	4920
cctcgccacc	cgcgacgacg	tccccgggc	cgtacgcacc	ctcgcccgcg	cgttcgccga	4980
ctaccccgcc	acgcgccaca	ccgtcgaccc	ggaccgccac	atcgagcggg	tcaccgagct	5040
gcaagaactc	ttcctcacgc	gcgtcgggct	cgacatcgcc	aagtggtggg	tcgcgacga	5100
cggcgccgcg	gtggcggctc	ggaccacgcc	ggagagcgtc	gaagcggggg	cggtgttcgc	5160
cgagatcgcc	cgcgcgatgg	ccgagttgag	cggttcccg	ctggccgcgc	agcaacagat	5220
ggaaggcctc	ctggcgccgc	accggcccaa	ggagcccgcg	tggttccctg	ccaccgtcgg	5280
cgtctcgccc	gaccaccagg	gcaagggtct	gggcagcgcc	gtcgtgctcc	ccggagtgga	5340
ggcggccgag	cgcgcggggg	tgcccgcctt	cctggagacc	tccgcgcccc	gcaacctccc	5400
cttctacgag	cggtctggct	tcaccgtcac	cgcgcagctc	gaggtgcccg	aaggaccgcg	5460
caactgggtc	atgacccgca	agcccggtgc	ctagacgctg	ctggaacaat	caacctctgg	5520
attacaaaat	ttgtgaaaga	ttgactggta	ttcttaacta	tggtgctcct	tttacgctat	5580
gtggatacgc	tgtcttaaat	cctttgtatc	atgctattgc	ttcccgatg	gctttcattt	5640
tctctcctt	gtataaatcc	tggttgcctg	ctctttatga	ggagttgtgg	cccgttgtca	5700
ggcaacgtgg	cgtgggtgtc	actgtgtttg	ctgacgcaac	ccccactggt	tggggcattg	5760
ccaccacctg	tcagctcctt	tccgggactt	tcgctttccc	cctccctatt	gccacggcgg	5820
aaactcatgc	cgctgcctt	gcccgctgct	ggacaggggc	tcggtgtgtg	ggcactgaca	5880
attccgtggt	gttgctgggg	aagctgacgt	cctttccatg	gctgctcgcc	tgtgttgcca	5940
cctggattct	cgcggggacg	tccttctgct	acgtcccttc	ggccctcaat	ccagcggacc	6000
ttccttccc	cggcctgctg	ccggctctgc	ggcctcttcc	gcgtcttcgc	cttcgccttc	6060
agacgagtcg	gatctccctt	tgggcgcct	ccccgcctgg	aattaattct	gcagtcgaga	6120
cctagaaaaa	catggagcaa	tcacaagtag	caatacacga	gctaccaatg	ctgattgtgc	6180
ctggctagaa	gcacaagagg	aggaggaggt	gggttttcca	gtcacacctc	aggtaccttt	6240
aagaccaatg	acttacaagg	cagctgtaga	tcttagccac	tttttaaaag	aaaagagggg	6300
actggaaggg	ctaattcact	cccaacgaag	acaagatatc	cttgatctgt	ggatctacca	6360
cacacaaggc	tacttccctg	attagcagaa	ctacacacca	gggccagggg	tcagatatcc	6420
actgaccttt	ggatgggtgt	acaagctagt	accagttgag	ccagataagg	tagaagaggc	6480
caataaagga	gagaacacca	gcttggtaca	ccctgtgagc	ctgcatggga	tggatgacct	6540
ggagagagaa	gtgtagaggt	ggaggtttga	cagccgccta	gcatttcata	acgtggcccg	6600
agagctgcat	ccggagtact	tcaagaactg	ctgatatcga	gcttgctaca	agggactttc	6660
cgtctggggc	tttccaggga	ggcgtggcct	gggcgggact	ggggagtggc	gagccctcag	6720
atcctgcata	taagcagctg	ctttttgcct	gtactgggtc	tctctgggta	gaccagatct	6780
gagcctggga	gctctctggc	taactaggga	accactgct	taagcctcaa	taaagcttgc	6840

-continued

cttgagtgtc	tcaagtagtg	tgtgcccgtc	tggtgtgtga	ctctggtaac	tagagatccc	6900
tcagaccctt	ttagtcagtg	tggaaaatct	ctagcagtag	tagttcatgt	catcttatta	6960
ttcagtat	ataacttgca	aagaaatgaa	tatcagagag	tgagaggcct	tgacattgct	7020
agcgtttacc	gtcgacctct	agctagagct	tggcgtaatc	atggtcatag	ctgtttctctg	7080
tgtgaaattg	ttatccgctc	acaattccac	acaacatacg	agccggaagc	ataaagtgtg	7140
aagcctgggg	tgctaata	gtgagctaac	tcacattaat	tgcgttgcgc	tcactgcccg	7200
ctttccagtc	gggaaacctg	tctgtccagc	tgcattaatg	aatcggccaa	cgcgcgggga	7260
gaggcggtt	cggtattggg	cgctcttccg	cttctctcgt	cactgactcg	ctgcgctcgg	7320
tcggttcggct	gcggcgagcg	gtatcagctc	actcaaagcg	ggtaatacgg	ttatccacag	7380
aatcagggga	taacgcagga	aagaacatgt	gagcaaaagg	ccagcaaaag	gccaggaacc	7440
gtaaaaagcg	cgcgttgctg	cgctttttcc	ataggctccg	ccccctgac	gagcatcaca	7500
aaaatcgagc	ctcaagtcag	agggtggcgaa	acccgacagg	actataaaga	taccaggcgt	7560
ttccccctgg	aagctccctc	gtgcgctctc	ctgttccgac	cctgccgctt	accggatacc	7620
tgtccgcctt	tctcccttcg	ggaagcgtgg	cgctttctca	tagctcacgc	tgtaggtatc	7680
tcagttcggg	gtaggtcgtt	cgctccaagc	tgggctgtgt	gcacgaaccc	cccgttcagc	7740
ccgaccgctg	cgcttatcc	ggtaactatc	gtcttgagtc	caaccggta	agacacgact	7800
tatcgccact	ggcagcagcc	actggtaaca	ggattagcag	agcgaggat	gtaggcggtg	7860
ctacagagtt	cttgaagtgg	tggcctaact	acggctacac	tagaagaaca	gtatttggtg	7920
tctgcgctct	gctgaagcca	gttaccttcg	gaaaaagagt	tggtagctct	tgatccggca	7980
aacaaaccac	cgctggtagc	gggtggtttt	ttgtttgcaa	gcagcagatt	acgcgcagaa	8040
aaaaaggatc	tcaagaagat	cctttgatct	tttctacggg	gtctgacgct	cagtgaacg	8100
aaaactcacg	ttaagggatt	ttggtcatga	gattatcaaa	aaggatcttc	acctagatcc	8160
ttttaaatta	aaaatgaagt	tttaaatcaa	tctaaagtat	atatgagtaa	acttggtctg	8220
acagttacca	atgcttaatc	agtgaggcac	ctatctcagc	gatctgtcta	tttcgttcac	8280
ccatagttgc	ctgactcccc	gtcgtgtaga	taactacgat	acgggagggc	ttaccatctg	8340
gccccagtcg	tgcaatgata	ccgcgagacc	cacgctcacc	ggctccagat	ttatcagcaa	8400
taaacccagc	agccggaagg	gccgagcgca	gaagtggctc	tgcaacttta	tcgcctcca	8460
tccagtctat	taattgttgc	cggaagcta	gagtaagtag	ttcgccagtt	aatagtttgc	8520
gcaacgttgt	tgccattgct	acaggcatcg	tggtgtcacg	ctcgctgttt	ggtagggctt	8580
cattcagctc	cggttcccaa	cgatcaaggc	gagttacatg	atccccatg	ttgtgcaaaa	8640
aagcggttag	ctccttcggg	cctccgacgc	ttgtcagaag	taagttggcc	gcagtgttat	8700
cactcatggt	tatggcagca	ctgcataatt	ctcttactgt	catgccatcc	gtaagatgct	8760
tttctgtgac	tggtgagtac	tcaaccaagt	cattctgaga	atagtgtatg	cggcgaccga	8820
gttgcctctg	cccggcgctc	atacgggata	ataccgcgcc	acatagcaga	actttaaaag	8880
tgctcatcat	tggaaaacgt	tcttcggggc	gaaaactctc	aaggatctta	ccgctgttga	8940
gatccagttc	gatgtaaccc	actcgtgcac	ccaactgac	ttcagcatct	tttactttca	9000
ccagcgtttc	tgggtgagca	aaaacaggaa	ggcaaaatgc	cgcaaaaaag	ggaataaggg	9060
cgacacggaa	atgttgaaata	ctcatactct	tcctttttca	atattattga	agcatttatc	9120
agggttattg	tctcatgagc	ggatacatat	ttgaatgtat	ttagaaaaat	aaacaaatag	9180
gggttcgcgc	cacatttccc	cgaaaagtgc	cacctgacgt	cgacggatcg	ggagatcaac	9240

-continued

ttgtttattg cagcttataa tggttacaaa taaagcaata gcatcacaaa tttcacaaat	9300
aaagcatttt ttctactgca ttctagttgt ggtttgcca aactcatcaa tgtatcttat	9360
catgtctgga tcaactggat aactcaagct aacccaaaac atcccaaact tcccacccca	9420
taccctatta ccactgccaa ttacctgtgg ttctatttac tctaaacctg tgattcctct	9480
gaattatttt cattttaag aaattgtatt tgtaaatat gtactacaaa cttagtagt	9539

<210> SEQ ID NO 64

<211> LENGTH: 10098

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 64

aagcttatac tcgagactag tgccaccatg gacaagccca agaaaaagcg gaaagtgaag	60
tacagcatcg gcctggacat cggcaccaac tctgtgggct gggccgtgat caccgacgag	120
tacaagggtc ccagcaagaa attcaagggtg ctgggcaaca ccgacaggca cagcatcaag	180
aagaacctga tcggcgccct gctgttcgac agcggcgaaa cagccgaggc caccagactg	240
aagagaaccg ccagaagaag atacaccagg cggaagaaca ggatctgcta tctgcaagag	300
atcttcagca acgagatggc caagggtggac gacagcttct tccacagact ggaagagtcc	360
ttctcggtgg aagaggacaa gaagcacgag agacacccca tcttcggcaa catcgtggac	420
gaggtggcct accacgagaa gtaccccacc atctaccacc tgagaaagaa actggtggac	480
agcaccgaca aggcgcacct gagactgatc tacctggccc tggcccatat gatcaagttc	540
agaggccact tcctgatcga gggcgacctg aaccccgaca acagcgacgt ggacaagctg	600
ttcatccagc tgggtcgagc ctacaaccag ctgttcgagg aaaaccccat caacgccagc	660
ggcgtggacg ccaaggctat cctgtctgcc agactgagca agagcagaag gctggaaaat	720
ctgatcgccc agctgcccgg cgagaagaag aacggcctgt tcggcaacct gattgccctg	780
agcctgggcc tgacccccaa cttcaagagc aacttcgacc tggccgagga tgccaaactg	840
cagctgagca aggacaccta cgacgacgac ctggacaacc tgctggccca gatcggcgac	900
cagtacgcgg acctgttctc ggcgcgcaag aacctgtctg acgccatcct gctgagcgac	960
atcctgagag tgaacaccga gatcaccaag gccccctga gcgcctctat gatcaagaga	1020
tacgacgagc accaccagga cctgacctcg ctgaaagctc tcgtgcggca gcagctgcct	1080
gagaagtaca aagaaatctt cttcgaccag agcaagaacg gctacgccgg ctacatcgat	1140
ggcggcgcta gccaggaaga gttctacaag ttcataaagc ccatcctgga aaagatggac	1200
ggcaccgagg aactgctcgt gaagctgaac agagaggacc tgctgagaaa gcagagaacc	1260
ttcgacaacg gcagcatccc ccaccagatc cacctgggag agctgcacgc tatcctgaga	1320
aggcaggaag atttttacc atctctgaag gacaaccggg aaaagatcga gaagatcctg	1380
accttcagga tccctacta cgtgggcccc ctggccagag gcaacagcag attcgctcgtg	1440
atgaccagaa agagcgagga aaccatcacc ccctggaact tcgaggaagt ggtggacaag	1500
ggcgcagcgg cccagagctt catcgagaga atgacaaact tcgataagaa cctgcccac	1560
gagaagggtc tgcccaagca cagcctgctg tacgagtact tcaccgtgta caacgagctg	1620
accaaagtga aatacgtgac cgagggaatg agaaagcccg ccttcctgag cggcgagcag	1680
aaaaaggcca tcgtggacct gctgttcaag accaacagaa aagtgacctg gaagcagctg	1740

-continued

aaagaggact	acttcaagaa	aatcgagtgc	ttcgactccg	tggaaatctc	cgcgctggaa	1800
gatagattca	acgcctccct	gggcacatac	cacgatctgc	tgaaaattat	caaggacaag	1860
gacttcctgg	ataacgaaga	gaacgaggac	attctggaag	atatcgtgct	gaccctgaca	1920
ctgtttgagg	accgcgagat	gatcgaggaa	aggctgaaaa	cctacgctca	cctgttcgac	1980
gacaaagtga	tgaagcagct	gaagagaagg	cggtacaccg	gctggggcag	gctgagcaga	2040
aagctgatca	acggcatcag	agacaagcag	agcggcaaga	caatcctgga	tttctgaaag	2100
tccgacggct	tcgccaaccg	gaacttcacg	cagctgatcc	acgacgacag	cctgacattc	2160
aaagaggaca	tccagaaaagc	ccagggtgtcc	ggccagggcg	actctctgca	cgagcatatc	2220
gctaacctgg	ccggcagccc	cgctatcaag	aagggtcatcc	tgcagacagt	gaagggtggtg	2280
gacgagctcg	tgaaagtgat	gggcagacac	aagcccgaga	acatcgtgat	cgagatggct	2340
agagagaacc	agaccacca	gaagggacag	aagaactccc	gcgagaggat	gaagagaatc	2400
gaagagggca	tcaagagct	gggcagccag	atcctgaaag	aacccccgt	ggaaaacacc	2460
cagctgcaga	acgagaagct	gtacctgtac	tacctgcaga	atggccggga	tatgtacgtg	2520
gaccaggaac	tggacatcaa	cagactgtcc	gactacgatg	tggaccatat	cgtagcctcag	2580
agctttctga	aggacgactc	catcgataac	aaagtgtga	ctcggagcga	caagaacaga	2640
ggcaagagcg	acaacgtgcc	ctccgaagag	gtcgtgaaga	agatgaagaa	ctactggcga	2700
cagctgctga	acgccaagct	gattaccacg	aggaagtctg	ataacctgac	caaggccgag	2760
agaggcggcc	tgagcgagct	ggataaggcc	ggcttcatca	agaggcagct	ggtggaaacc	2820
agacagatca	caaagcacgt	ggcacagatc	ctggactccc	ggatgaacac	taagtacgac	2880
gaaaacgata	agctgatccg	ggaagtgaag	gtgatcacc	tgaagtccaa	gctggtgtcc	2940
gatttcggga	aggatttcca	gtttttacaaa	gtgcgcgaga	tcaacaacta	ccaccacgcc	3000
cacgacgcct	acctgaacgc	cgctgtggga	accgccccta	tcaaaaagta	ccctaagctg	3060
gaaagcgagt	tcgtgtacgg	cgactacaag	gtgtacgacg	tgcggaagat	gatcgccaag	3120
agcgagcagg	aatcggcga	ggctaccgcc	aagtacttct	tctacagcaa	catcatgaac	3180
tttttcaaga	ccgaaatcac	cctggccaac	ggcgagatca	gaaagcgccc	tctgatcgag	3240
acaaacggcg	aaacggggga	gatcgtgtgg	gataagggca	gagacttcgc	cacagtgcga	3300
aagggtgtga	gcctgcccga	agtgaatatc	gtgaaaaaga	ccgaggtgca	gacaggcggc	3360
ttcagcaaag	agtctatcct	gccccagagg	aacagcgaca	agctgatcgc	cagaaagaag	3420
gactgggacc	ccaagaagta	cgcgcgcttc	gacagcccta	ccgtggccta	ctctgtgctg	3480
gtggtggcta	agggtgaaaa	gggcaagtcc	aagaaactga	agagtgtgaa	agagtgtgctg	3540
gggatcacca	tcattgaaag	aagcagcttt	gagaagaacc	ctatcgactt	tctggaagcc	3600
aagggttaca	aagaagtga	aaaggacctg	atcatcaagc	tgcctaagta	ctccctgttc	3660
gagctggaag	acggcagaaa	gagaatgtgt	gcctctgccc	gcgaactgca	gaagggaaac	3720
gagctggccc	tgcttagcaa	atatgtgaac	ttcctgtacc	tggcctccca	ctatgagaag	3780
ctgaagggca	gccctgagga	caacgaacag	aaacagctgt	ttgtggaaca	gcataagcac	3840
tacctggacg	agatcatcga	gcagatcagc	gagttctcca	agagagtgat	cctggccgac	3900
gccaatctgg	acaagggtgct	gtctgcctac	aacaagcaca	gggacaagcc	tatcagagag	3960
caggccgaga	atatcatcca	cctgttcacc	ctgacaaaac	tgggcgctcc	tgcgccttc	4020
aagtactttg	acaccacccat	cgaccggaag	aggtagacca	gcaccaaaga	ggtgctggac	4080

-continued

gccaccctga tccaccagag catcaccggc ctgtacgaga caagaatcga cctgtctcag	4140
ctgggaggcg acaagagacc tgccgccact aagaaggccg gacaggccaa aaagaagaag	4200
tgagcggcgg ctaatcagcc ataccacatt tgtagagggt ttacttgctt taaaaaacct	4260
cccacacctc cccctgaacc tgaaacataa aatgaatgca attgttggtg ttaacttgtt	4320
tattgcagct tataatgggt acaataaag caatagcatc acaatttca caataaagc	4380
atTTTTTtca ctgcattcta gttgtgggtt gtccaaactc atcaatgtat cttatcatgt	4440
ctaccggtag ggccctctc ttcattgtgag caaaaggcca gcaaaaggcc aggaaccgta	4500
aaaaggccgc gttgctggcg tttttccata ggctccggcc cctgacgag catcacaaaa	4560
atcgacgctc aagtcagagg tggcgaaacc cgacaggact ataaagatac caggcgtttc	4620
ccctggaag ctccctcgtg cgctctctg ttcggaccct gccgcttacc ggatacctgt	4680
cgccctttct cccttcggga agcgtggcgc tttctcaatg ctacgctgt aggtatctca	4740
gttcgggtga ggtcgctgc tccaagctgg gctgtgtgca cgaacccccc gttcagcccg	4800
accgctgcgc cttatccggt aactatcgtc ttgagtccaa cccggaaga cacgacttat	4860
cgccactggc agcagccact ggtaacagga ttagcagagc gaggtatgta ggcggtgcta	4920
cagagtctct gaagtggtag cctaactacg gctacactag aaggacagta tttggtatct	4980
gcgctctgct gaagccagtt accttcggaa aaagagttgg tagctcttga tccggcaaac	5040
aaaccaccgc tggtagcggg ggtttttttg tttgcaagca gcagattacg cgcagaaaaa	5100
aaggatctca agaagatcct ttgatctttt ctacggggtc tgacgctcag tggaacgaaa	5160
actcacgtta agggattttg gtcattggcg cgctcctac tcctgcaggc atgagattat	5220
caaaaaggat cttcacctag atccttttaa attaaaaatg aagttttaaa tcaatctaaa	5280
gtatatatga gtaaaacttg tctgacagtt accaatgctt aatcagttag gcacctatct	5340
cagcgatctg tctatttctg tcatccatag ttgctgact ccccgctcgt tagataacta	5400
cgatacggga gggcttacca tctggcccca gtgctgcaat gataccgcga gacccacgct	5460
caccggctcc agatttatca gcaataaacc agccagccgg aaggggccgag cgcagaagtg	5520
gtcctgcaac tttatccgcc tccatccagt ctattaattg ttgcccggaa gctagagtaa	5580
gtagtccgcc agttaatagt ttgcgcaacg ttgttgccat tgctacaggc atcgtgggtg	5640
cacgctcgtc gtttggtagt gcttcattca gctccggttc ccaacgatca aggcgagtta	5700
catgatcccc catgttgtgc aaaaaagcgg ttagctcctt cggctcctcg atcgttgtca	5760
gaagtaagtt ggccgcagtg ttatcactca tggttatggc agcactgcat aattctctta	5820
ctgtcatgcc atccgtaaga tgcctttctg tgactgggtg gtactcaacc aagtattct	5880
gagaatagtg tatgcggcga ccgagttgct cttgcccggc gtcaatacgg gataataccg	5940
cgccacatag cagaacttta aaagtgtcga tcattggaaa acgttcttcg gggcgaaaaa	6000
tctcaaggat cttaccgctg ttgagatcca gttcgatgta acccactcgt gcaccaact	6060
gatcttcagc atcttttact ttcaccagcg tttctgggtg agcaaaaaa ggaaggcaaa	6120
atgccgcaaa aaagggaata agggcgacac ggaatgttg aatactcata ctcttccttt	6180
ttcaatatta ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat	6240
gtatttagaa aaataaaca atagggggtc cgcgcacatt tccccgaaaa gtgccacctg	6300
acgtcaggta ccaagcctag gctccaaaa aagcctctc actacttctg gaatagctca	6360
gaggcagagg cggcctcggc ctctgcataa ataaaaaaaa ttagtcagcc atggggcgga	6420
gaatgggcgg aactgggcgg agttaggggc gggatggcg gagttagggg cgggactatg	6480

-continued

gttgctgact aattgagatg catgctttgc atactttctgc ctgctgggga gctggggac	6540
tttccacacc tgggtgctga ctaattgaga tgcattgttt gcatacttct gctgctggg	6600
gagcttggg actttccaca ccggatccac catgggatcg gccattgaac aagatggatt	6660
gcacgcaggt tctcggcgcc cttgggtgga gaggtattc ggctatgact gggcacaaca	6720
gacaatcggc tgctctgatg ccgctgtgtt ccggctgtca gcgcaggggc gcccggttct	6780
ttttgtcaag accgacctgt ccggtgcctt gaatgaactg caggacgagg cagcgcggt	6840
atcgtggctg gccacgacgg gcgttccttg ccgagctgtg ctgcagcttg tcaactgaagc	6900
gggaagggac tggctgctat tgggcgaagt gccggggcag gatctcctgt catctcacct	6960
tgctcctgcc gagaagtat ccatcatggc tgatgcaatg cggcggtctgc atacgcttga	7020
tccggctacc tgccattcg accaccaagc gaaacatcgc atcgagcgag cactactcg	7080
gatggaagcc ggtcttgctg atcaggatga tctggacgaa gagcatcagg ggctcgcgcc	7140
agccgaactg ttcgccaggc tcaaggcgcg catgcccgcg ggcgatgatc tcgtcgtgac	7200
ccatggcgat gctgcttgc cgaatatcat ggtggaaaat ggccgctttt ctggattcat	7260
cgactgtggc cggctgggtg tggcggaccg ctatcaggac atagcgttgg ctaccctga	7320
tattgctgaa gagcttgcg gcgaatgggc tgaccgcttc ctctgctttt acggtatcgc	7380
cgtccccgat tcgcagcgca tcgccttcta tcgccttctt gacgagttct tctgaacgcg	7440
tgctgtaagt ctgcagaaat tgatgatcta ttaacaata aagatgtcca ctaaaatgga	7500
agtttttctt gtcatacttt gttaagaagg gtgagaacag agtacctaca ttttgaatgg	7560
aaggattgga gctacggggg tgggggtggg gtgggattag ataaatgcct gctctttact	7620
gaaggtctt tactattgct ttatgataat gtttcatagt tggatatcat aatttaaaca	7680
agcaaaaacca aattaagggc cagctcattc ctccactca tgatctatgg atctatagat	7740
ctctcgtgca gctggggctc taggggggtat cccacgcgc cctgtagcgg cgcattaagc	7800
gcggcgggtg tgggtggttac gcgcagcgtg accgctacac ttgccagcgc cctagcgccc	7860
gctcctttcg ctttcttccc ttctcttctc gccacgttcg ccgcttctcc cgtcaagct	7920
ctaaatcggg ggctcccttt aggggtccga tttagtgtt tacggcacct cgaccccaaa	7980
aaacttgatt aggggtgatg ttcacgtagt gggccatcgc cctgatagac ggtttttcgc	8040
cctttgacgt tggagtccac gttctttaat agtggactct tgttccaaac tggaacaaca	8100
ctcaacccta tctcggctcta ttcttttgat ttataaggga ttttgccgat ttcgccctat	8160
tggttaaaaa atgagctgat ttaacaaaaa tttaacgcga attaatctg tggaatgtgt	8220
gtcagttagt cgcgaggcct ccgcgcggg ttttggcgcc tcccgcgggc gccccctcc	8280
tcacggcgag cgctgccacg tcagacgaag ggcgcagcga gcgtcctgat ccttcgccc	8340
ggacgctcag gacagcggcc cgctgctcat aagactcggc cttagaacc cagtatcagc	8400
agaaggacat tttaggacgg gacttgggtg actctagggc actgggtttc tttccagaga	8460
gcggaacagg cgaggaaaag tagtccttc tcggcgattc tcgggaggga tctccgtggg	8520
gcggtgaacg ccgatgatta tataaggacg ccgcgggtgt ggcacagcta gttccgtcgc	8580
agccgggatt tgggtcgcgg ttcttggttg tggatcgctg tgatcgctac ttggtgagta	8640
gcgggctgct gggctggccg gggctttcgt ggccgcggg ccgctcggtg ggacggaagc	8700
gtgtggagag accgcaagg gctgtagtct gggtcgcga gcaagggtgc cctgaactgg	8760
gggttggggg gagcgcagca aaatggcggc tgttcccag tcttgaatgg aagacgcttg	8820

-continued

tgaggcgggc tgtgaggtcg ttgaaacaag gtggggggca tgggtggcgg caagaacca	8880
aggtcttgag gccttcgcta atgcgggaaa gctcttatto gggtagagatg ggctggggca	8940
ccatctgggg accctgacgt gaagtttgtc actgactgga gaactcgggt tgcgtctgt	9000
tgcgggggcg gcagttatgg cggtgccgtt gggcagtgca cccgtacctt tgggagcgcg	9060
cgccctcgtc gtgtcgtgac gtcaccggtt ctggtggctt ataatgcagg gtggggccac	9120
ctgccggtag gtgtgcggtt ggcttttctc cgtcgcagga cgcagggttc gggcctaggg	9180
taggtctccc tgaatcgaca ggcgcgggac ctctgggtgag gggagggata agtgaggcgt	9240
cagtttcttt ggtcggtttt atgtacctat cttcttaagt agctgaagct ccggttttga	9300
actatgcgct cgggggtggc gagtgtgttt tgtgaagttt tttaggcacc ttttgaatg	9360
taatcatttg ggtcaatatg taattttcag tgtagacta gtaaattgtc cgctaaattc	9420
tggccgtttt tggctttttt gttagacgtc gaccgatcct gagaactca gggtagtatt	9480
ggggaccctt gattgttctt tctttttctc tattgtaaaa ttcattgttat atggaggggg	9540
caaagttttc aggggtgtgt ttagaatggg aagatgtccc ttgtatcacc atggaccctc	9600
atgataattt tgtttctttc actttctact ctgttgacaa ccattgtctc ctcttatttt	9660
cttttcattt tctgtaactt tttcgtaaaa ctttagcttg catttgtaac gaatttttaa	9720
attcactttt gtttatttgt cagattgtaa gtactttctc taatcacttt ttttcaagg	9780
caatcagggt atattatatt gtacttcagc acagttttag agaacaattg ttataattaa	9840
atgataaggt agaataattc tgcataataa ttctggctgg cgtggaaata ttcttattgg	9900
tagaaacaac tacaccctgg tcatcctct gcctttctct ttatgggtac aatgatatac	9960
actgtttgag atgaggataa aatactctga gtccaaaccg ggccctctcg ctaaccatgt	10020
tcatgccttc ttcttttttc tacagctcct gggcaacgtg ctggtgtgtg tgetgtctca	10080
tcattttggc aaagaatt	10098

<210> SEQ ID NO 65

<211> LENGTH: 73

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 65

gcccggatag ctcagtcggt agagcatcag acttttaate tgagggtcca gggttcaagt	60
ccctgttcgg gcg	73

<210> SEQ ID NO 66

<211> LENGTH: 10435

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 66

aagcttatac tcgagctcta gattgggaac ccgggtctct cgaattcctc gaggcggggc	60
gcggtgggcg gtgcctgtag tccagctac tcgggaggct gaggctggag gatcgcttga	120
gtccaggagt tctgggctgt agtgcgctat gccgatcggg tgtccgcact aagttcgga	180
tcaatatggt gacctcccg gagcggggga ccaccagggt gcctaaggag gggatgaaccg	240
gcccaggtcg gaaacggagc aggtcaaaac tcccgctgtg atcagtagtg ggatcgcgcc	300

-continued

tgtgaatagc	cactgcactc	cagcctgggc	aacatagcga	gaccccgtct	ctactagtgc	360
caccatggac	aagcccaaga	aaaagcggaa	agtgaagtac	agcatcggcc	tgacatcgg	420
caccaactct	gtgggctggg	ccgtgatcac	cgacgagtac	aaggtgccca	gcaagaaatt	480
caaggtgctg	ggcaacaccg	acaggcacag	catcaagaag	aaectgatcg	gcgcctgct	540
gttcgacagc	ggcgaaacag	ccgaggccac	cagactgaag	agaaccgccca	gaagaagata	600
caccaggcgg	aagaacagga	tctgtatctt	gcaagagatc	ttcagcaacg	agatggccaa	660
ggtggacgac	agcttcttcc	acagactgga	agagtccttc	ctggtggaag	aggacaagaa	720
gcacgagaga	caccccatct	tccgcaacat	cgtggacgag	gtggcctacc	acgagaagta	780
ccccaccatc	taccacctga	gaaagaaact	ggtggacagc	accgacaagg	ccgacctgag	840
actgatctac	ctggccctgg	cccacatgat	caagttcaga	ggccacttcc	tgatcgaggg	900
cgacctgaac	cccgacaaca	gcgacgtgga	caagctgttc	atccagctgg	tgcagacctt	960
caaccagctg	ttcgaggaaa	accccatcaa	cgccagcggc	gtggacgccca	aggctatcct	1020
gtctgccaga	ctgagcaaga	gcagaaggct	ggaaaatctg	atcgcccagc	tgcgcggcga	1080
gaagaagaac	ggcctgttcg	gcaacctgat	tgcctgagc	ctgggcctga	cccccaactt	1140
caagagcaac	ttcgacctgg	ccgaggatgc	caaactgcag	ctgagcaagg	acacctacga	1200
cgacgacctg	gacaacctgc	tggcccagat	cgccgaccag	tacgccgacc	tgttctctggc	1260
cgccaagaac	ctgtctgacg	ccatcctgct	gagcgacatc	ctgagagtga	acaccgagat	1320
caccaaggcc	cccctgagcg	cctctatgat	caagagatac	gacgagcacc	accaggacct	1380
gacctgctg	aaagctctcg	tgcggcagca	gctgcctgag	aagtacaaag	aaatcttctt	1440
cgaccagagc	aagaacggct	acgccggcta	catcgatggc	ggcgctagcc	aggaagagtt	1500
ctacaagttc	atcaagccca	tcttgaaaaa	gatggacggc	accgaggaaac	tgctcgtgaa	1560
gctgaacaga	gaggacctgc	tgagaaagca	gagaaccttc	gacaacggca	gcatccccca	1620
ccagatccac	ctgggagagc	tgcacgctat	cctgagaagg	caggaagatt	tttaccatt	1680
cctgaaggac	aaccgggaaa	agatcgagaa	gatcctgacc	ttcaggatcc	cctactactgt	1740
gggccccctg	gccagaggca	acagcagatt	cgcctggatg	accagaaaga	gcgaggaaac	1800
catcaccccc	tggaacttcg	aggaagtgg	ggacaagggc	gccagcgccc	agagcttcat	1860
cgagagaatg	acaaacttcg	ataagaacct	gcccacagag	aaggtgctgc	ccaagcacag	1920
cctgctgtac	gagtacttca	ccgtgtacaa	cgagctgacc	aaagtgaat	acgtgaccga	1980
gggaatgaga	aagcccgcct	tctgagcgg	cgagcagaaa	aaggccatcg	tggaacctgct	2040
gttcaagacc	aacagaaaag	tgaccgtgaa	gcagctgaaa	gaggactact	tcaagaaaat	2100
cgagtgtctc	gactccgtgg	aaatctccgg	cgtggaagat	agattcaacg	cctccctggg	2160
cacataccac	gatctgtgta	aaattatcaa	ggacaaggac	ttcctggata	acgaagagaa	2220
cgaggacatt	ctggaagata	tctgtctgac	cctgacactg	tttaggacc	gcgagatgat	2280
cgaggaaaag	ctgaaaacct	acgctcacct	gttcgacgac	aaagtgatga	agcagctgaa	2340
gagaaggcgg	tacaccggct	ggggcaggct	gagcagaaa	ctgatcaacg	gcatcagaga	2400
caagcagagc	ggcaagacaa	tcttgattt	cctgaagtcc	gacggcttcg	ccaaccggaa	2460
cttcatgcag	ctgatccacg	acgacagcct	gacattcaaa	gaggacatcc	agaaagccca	2520
ggtgtccggc	cagggcgact	ctctgcacga	gcatatcgct	aacctggccg	gcagccccgc	2580
tatcaagaag	ggcatcctgc	agacagtga	ggtggtggac	gagctcgtga	aagtgatggg	2640

-continued

cagacacaag	cccgagaaca	tctgtgatcga	gatggctaga	gagaaccaga	ccaccagaa	2700
gggacagaag	aactcccgcg	agaggatgaa	gagaatcgaa	gagggcatca	aagagctggg	2760
cagccagatc	ctgaaagaac	accccgtgga	aaacacccag	ctgcagaacg	agaagctgta	2820
cctgtactac	ctgcagaatg	gccgggatat	gtacgtggac	caggaactgg	acatcaacag	2880
actgtccgac	tacgatgtgg	accatatcgt	gcctcagagc	tttctgaagg	acgactccat	2940
cgataacaaa	gtgctgactc	ggagcgacaa	gaacagaggc	aagagcgaca	acgtgccttc	3000
cgaagaggtc	gtgaagaaga	tgaagaacta	ctggcgacag	ctgtgaaacg	ccaagctgat	3060
taccagagg	aagttcgata	acctgaccaa	ggccgagaga	ggcggcctga	gcgagctgga	3120
taaggccggc	ttcatcaaga	ggcagctggt	ggaaaccaga	cagatcacia	agcacgtggc	3180
acagatcctg	gactcccgga	tgaacactaa	gtacgacgaa	aacgataagc	tgatccggga	3240
agtgaagtgt	atcaccctga	agtccaagct	ggtgtccgat	ttccggaagg	atttccagtt	3300
ttacaaagtgt	cgcgagatca	acaactacca	ccacgcccac	gacgcctacc	tgaacgccgt	3360
cgtgggaacc	gccctgatca	aaaagtaccc	taagctggaa	agcgagttcg	tgtacggcga	3420
ctacaaggtg	tacgacgtgc	ggaagatgat	cgccaagagc	gagcaggaaa	tcggcaaggc	3480
taccgccaag	tactttctct	acagcaacat	catgaacttt	ttcaagaccg	aaatcaccct	3540
ggccaacggc	gagatcagaa	agcgcctctc	gatcgagaca	aacggcgaaa	ccggggagat	3600
cgtgtgggat	aagggcgag	acttcgccac	agtcggaag	gtgctgagca	tgccccaagt	3660
gaatatcgtg	aaaaagaccg	agggtcgagc	aggcggtctc	agcaaagagt	ctatcctgcc	3720
caagaggaa	agcgacaagc	tgatcgccag	aaagaaggac	tgggacccca	agaagtacgg	3780
cggcttcgac	agccctaccg	tggcctactc	tgtgctggtg	gtggctaagg	tggaaaaggg	3840
caagtccaag	aaactgaaga	gtgtgaaaga	gctgctgggg	atcaccatca	tggaaagaag	3900
cagctttgag	aagaacccta	tcgactttct	ggaagccaag	ggctacaaag	aagtgaaaaa	3960
ggacctgac	atcaagctgc	ctaagtactc	cctgttcgag	ctggaaaacg	gcagaaagag	4020
aatgctggcc	tctgccggcg	aactgcagaa	gggaaacgag	ctggccctgc	ctagcaaata	4080
tgtgaacttc	ctgtacctgg	cctcccacta	tgagaagctg	aagggcagcc	ctgaggacaa	4140
cgaacagaaa	cagctgtttg	tggaaacagc	taagcactac	ctggacgaga	tcacgagca	4200
gatcagcgag	ttctccaaga	gagtgatcct	ggccgacgcc	aatctggaca	aggtgctgtc	4260
tgcttacaac	aagcacaggg	acaagcctat	cagagagcag	gccgagaata	tcatccacct	4320
gttcaccctg	acaaacctgg	gcgctcctgc	cgccttcaag	tactttgaca	ccaccatcga	4380
ccggaagagg	tacaccagca	ccaagaggt	gctggacgcc	accctgatcc	accagagcat	4440
caccggcctg	tacgagacaa	gaatcgacct	gtctcagctg	ggaggcgaca	agagacctgc	4500
cgccactaag	aaggccggac	aggccaaaaa	gaagaagtga	gcggccgcta	atcagccata	4560
ccacatttgt	agagggttta	cttgctttaa	aaaacctccc	acacctcccc	ctgaacctga	4620
aacataaaat	gaatgcaatt	gttggtgtta	acttgtttat	tgcagcttat	aatggttaca	4680
aataaagcaa	tagcatcaca	aatttcacaa	ataaagcatt	tttttcaactg	cattctagtt	4740
gtggtttgtc	caaaactcatc	aatgtatctt	atcatgtcta	ccggtagggc	ccctctcttc	4800
atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	aggccgcggt	gctggcggtt	4860
ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	gacgctcaag	tcagagggtg	4920
cgaaacccga	caggactata	aagataccag	gcgtttcccc	ctggaagctc	cctcgtgcgc	4980
tctcctgttc	cgacctgtcc	gcttacccga	tacctgtccg	cctttctccc	ttcggaagc	5040

-continued

gtggcgcttt ctcaatgctc acgctgtagg tatctcagtt cgggtgtaggt cgttcgctcc	5100
aaagtgggct gtgtgcacga acccccgtt cagcccgacc gctgcgcctt atccggtaac	5160
tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc agccactggt	5220
aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa gtgggtggcct	5280
aactacggct aactagaag gacagtattt ggtatctgcg ctctgctgaa gccagttacc	5340
ttcggaaaaa gagttgtag ctcttgatcc ggcaaaaaa ccaccgctgg tagcggtggt	5400
ttttttgttt gcaagcagca gattacgcgc agaaaaaag gatctcaaga agatcctttg	5460
atcttttcta cggggctctga cgctcagtggt aacgaaaact cactgtaagg gattttggtc	5520
atgggcgcgc ctcatactcc tgcaggcatg agattatcaa aaaggatctt cacttagatc	5580
cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct	5640
gacagttacc aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca	5700
tccatagttg cctgactccc cgctcgttag ataactacga tacgggaggg cttaccatct	5760
ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggtccaga tttatcagca	5820
ataaaccagc cagccggaag ggcgcgagcg agaagtggtc ctgcaacttt atccgcctcc	5880
atccagtcta ttaattgttg ccgggaagct agagtaagta gttcggcagt taatagtgtg	5940
cgcaacgttg ttgccattgc tacaggcatc gtgggtgtcac gctcgtcgtt tggtaggct	6000
tcattcagct ccggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa	6060
aaagcgggta gctccttcgg tcctccgacg gttgtcagaa gtaagttggc cgcagtgtta	6120
tcactcatgg ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc	6180
ttttctgtga ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg	6240
agttgctctt gccccggctc aatacgggat aataccgcgc cacatagcag aactttaaaa	6300
gtgctcatca ttggaaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg	6360
agatccagtt cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc	6420
accagcggtt ctgggtgagc aaaaacagga agggcaaatg ccgcaaaaaa ggggaataagg	6480
gcgacacgga aatgttgaat actcactatc ttcccttttc aatattattg aagcatttat	6540
caggggtatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taacaaata	6600
ggggttcgcg gcacatttcc ccgaaaagtg ccacctgacg tcaggtagca agcctaggcc	6660
tccaaaaaag cctcctcact acttctggaa tagctcagag gcagaggcgg cctcggcctc	6720
tgcataaata aaaaaaatta gtcagccatg gggcggagaa tgggcggaac tgggcggagt	6780
tagggggcgg atgggcggag tttagggcgg gactatggtt gctgactaat tgagatgcat	6840
gctttgcata cttctgcctg ctggggagcc tggggacttt ccacacctgg ttgctgacta	6900
attgagatgc atgctttgca tacttctgcc tgctggggag cctggggact ttccacaccg	6960
gatccaccat gggatcggcc attgaacaag atggattgca cgcagggtct ccggccgctt	7020
gggtggagag gctattcggc tatgactggg cacaacagac aatcggctgc tctgatgccg	7080
ccgtgttccg gctgtcagcg caggggcgcc cggttctttt tgtcaagacc gacctgtccg	7140
gtgccctgaa tgaactgcag gacgaggcag cgcggctatc gtggtggcc acgacgggcg	7200
ttccttgccg agctgtgctc gacgttgta ctgaagcggg aagggaactgg ctgctattgg	7260
gcgaagtgcc gggcaggat ctctgtcat ctcaccttgc tcctgccgag aaagtatcca	7320
tcatggctga tgcaatgcgg cggctgcata cgcttgatcc ggctacctgc ccattcgacc	7380

-continued

accaagcgaa acatcgcatc gagegagcac gtactcggat ggaagccggt cttgtcgatc	7440
aggatgatct ggacgaagag catcaggggc tcgcgccagc cgaactgttc gccaggetca	7500
aggcgcgcat gcccgacggc gatgatctcg tcgtgaccca tggcgatgcc tgcttgccga	7560
atatcatggt ggaaaatggc cgcttttctg gattcatcga ctgtggccgg ctgggtgtgg	7620
cggaccgcta tcaggacata gcgttggtta cccgtgatat tgctgaagag cttggcggcg	7680
aatgggtga ccgcttcctc gtgctttacg gtatcgccgc tcccgattcg cagcgcatcg	7740
ccttctatcg ccttcttgac gagttcttct gaacgcgtgc tgtaagtctg cagaaattga	7800
tgatctatta aacaataaag atgtccacta aaatggaagt ttttctctgc atactttgtt	7860
aagaagggtg agaacagagt acctacattt tgaatggaag gattggagct acgggggtgg	7920
gggtgggggtg ggattagata aatgcctgct ctttactgaa ggctctttac tattgcttta	7980
tgataatggt tcatagttgg atatcataat ttaacaagc aaaaccaa taagggccag	8040
ctcattcctc ccaactcatga tctatggatc tatagatctc tcgtgcagct ggggctctag	8100
ggggtatccc cagcgccctc gtagcggcgc attaagcgcg gcgggtgtgg tggttacgcg	8160
cagcgtgacc gctacacttg ccagcgccct agcgcgccgt ccttctcgctt tcttcccttc	8220
ctttctcgcc acgttcgcgc gctttccccc tcaagctcta aatcgggggtc tccctttagg	8280
gttccgattt agtgccttac ggcacctcga cccccaaaaa cttgattagg gtgatggttc	8340
acgtagtggg ccacgcgcct gatagacggt ttttcgccct ttgacgttgg agtccacgtt	8400
ctttaatagt ggactcttgt tccaaactgg aacaacactc aacctatctc cgtctctatc	8460
ttttgattta taagggattt tgccgatttc ggccatttgg ttaaaaaatg agctgattta	8520
acaaaaattt aacgcgaatt aattctgtgg aatgtgtgtc agttagtgcg gaggcctccg	8580
cgcggggttt tggcgccctc cgcgggcgcg cccctctca cggcgagcgc tgccacgtca	8640
gacgaagggc gcagcgagcg tcttgatcct tccgcccga cgcacaggac agcggccgcg	8700
tgctcataag actcggcctt agaaccccag tatcagcaga aggacatttt aggacgggac	8760
ttgggtgact ctagggcact ggttttcttt ccagagagcg gaacaggcga ggaaaagtag	8820
tcccttctcg gcgattctgc ggagggatct ccgtggggcg gtgaacgccg atgattatat	8880
aaggacgcgc cgggtgtggc acagctagtt ccgtcgccgc cgggatttgg gtcgcgggtc	8940
ttgtttgtgg atcgctgtga tcgtcacttg gtgagtacgc ggctgctggg ctggcggggg	9000
ctttcgtggc cgcggggcgc ctccgtggga cggaaagcgtg tggagagacc gccaaaggct	9060
gtagtctggg tcccgagca aggttgccct gaactggggg ttggggggag cgcagcaaaa	9120
tggcggctgt tcccaggtct tgaatggaag acgcttgtga ggcgggctgt gaggtcgttg	9180
aaacaagggtg gggggcatgg tgggcggcaa gaacccaagg tcttgaggcc ttcgctaattg	9240
cgggaaagct cttattcggg tgagatgggc tggggcacca tctggggacc ctgacgtgaa	9300
gtttgtcact gactggagaa ctccggtttgt cgtctgttgc gggggcgcca gttatggcgg	9360
tgccgttggg cagtgcaccc gtacctttgg gagcgccgc cctcgtcgtg tcgtgacgtc	9420
acccgttctg ttggettata atgcagggtg gggccacctg ccgtaggtg tgcggtaggc	9480
ttttctccgt cgcaggacgc agggttcggg cctagggtag gctctcctga atcgacaggc	9540
gccggacctc tggtaggggg agggataagt gaggcgtcag tttctttggt cggttttatg	9600
tacctatctt cttaagtagc tgaagctccg gttttgaact atgcgctcgg ggttgccgag	9660
tgtgttttgt gaagtttttt aggcaccttt tgaaatgtaa tcatttgggt caatatgtaa	9720
ttttcagtgt tagactagta aattgtccgc taaattctgg ccgtttttgg cttttttgtt	9780

-continued

```

agacgtcgac cgatcctgag aacttcaggg tgagtttggg gacccttgat tgttctttct 9840
ttttcgetat tgtaaaattc atgttatatg gagggggcaa agttttcagg gtgttgttta 9900
gaatgggaag atgtcccttg taccaccatg gaccctcatg ataattttgt ttctttcact 9960
ttctactctg ttgacaacca ttgtctctc ttattttctt ttcattttct gtaacttttt 10020
cgtaaaactt tagcttgcat ttgtaacgaa tttttaaatt cacttttggt tatttgtcag 10080
attgtaagta ctttctctaa tcactttttt ttcaaggcaa tcagggtata ttatattgta 10140
cttcagcaca gttttagaga acaattgta taattaaatg ataaggtaga atatttctgc 10200
atataaattc tggctggcgt ggaaatattc ttattggtag aaacaactac accctgggta 10260
tcacctctgc tttctcttta tggttacaat gatatacact gtttgagatg aggataaaat 10320
actctgagtc caaacgggc cctctgcta accatgttca tgccttcttc ttttctctac 10380
agctcctggg caacgtgctg gttgttggtc tgtctcatca ttttgcaaa gaatt 10435

```

<210> SEQ ID NO 67

<211> LENGTH: 10441

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 67

```

aagcttatac tcgagcteta gattgggaac cgggtctct cgaattcctc gagactagt 60
ccaccatgga caagccaag aaaaagcgga aagtgaagta cagcatcggc ctggacatcg 120
gcaccaactc tgtgggctgg gccgtgatca ccgacgagta caagggtccc agcaagaaat 180
tcaagggtgt gggcaacacc gacaggcaca gcatcaagaa gaacctgatc ggcgcctctc 240
tgttcgacag cggcgaaaca gccgaggcca ccagactgaa gagaaccgcc agaagaagat 300
acaccaggcg gaagaacagg atctgctatc tgcaagagat cttcagcaac gagatggcca 360
aggtggagca cagcttcttc cacagactgg aagagtcctt cctgggtgga gaggacaaga 420
agcacgagag acaccccatc ttgggcaaca tcgtggacga ggtggcctac cagcagaagt 480
acccacccat ctaccacctg agaagaaac tgggtggacg caccgacaag gccgacctga 540
gactgatcta cctggccctg gccccatga tcaagttcag agggccactc ctgatcgagg 600
gcgacctgaa ccccgacaac agcgacgtgg acaagctgtt catccagctg gtgcagacct 660
acaaccagct gttcgaggaa aaccccatca acgccagcgg cgtggacgcc aaggctatcc 720
tgtctgccag actgagcaag agcagaaggc tggaaaatct gatcgcccag ctgccggcg 780
agaagaagaa cggcctgttc ggcaacctga ttgccctgag cctgggcctg accccaact 840
tcaagagcaa cttcgacctg gccgaggatg ccaaactgca gctgagcaag gacacctacg 900
acgacgacct ggacaacctg ctggcccaga tcggcgacca gtacgccgac ctgttctctg 960
ccgccaagaa cctgtctgac gccatcctgc tgagcgacat cctgagagtg aacaccgaga 1020
tcaccaaggc cccctgagc gcctctatga tcaagagata cgacgagcac caccaggacc 1080
tgacctgtct gaaagctctc gtgcggcagc agctgcctga gaagtacaa gaaatcttct 1140
tcgaccagag caagaacggc tacgccggct acatcgatgg cggcgctagc cagggaagagt 1200
tctacaagtt catcaagccc atcctggaaa agatggacgg caccgaggaa ctgctcgtga 1260
agctgaacag agaggacctg ctgagaaagc agagaacctt cgacaacggc agcatcccc 1320
accagatcca cctgggagag ctgcacgcta tcctgagaag gcaggaagat ttttaccat 1380

```

-continued

tcttgaagga	caaccgggaa	aagatcgaga	agatcctgac	cttcaggatc	cctactacg	1440
tggtccccc	ggccagaggc	aacagcagat	tcgcctggat	gaccagaaag	agcgaggaaa	1500
ccatcacccc	ctggaacttc	gaggaagtgg	tggaacaagg	cgccagcgcc	cagagcttca	1560
tcgagagaat	gacaaacttc	gataagaacc	tgcccaacga	gaaggtgctg	cccaagcaca	1620
gcctgctgta	cgagtacttc	accgtgtaca	acgagctgac	caaagtgaag	tacgtgaccg	1680
agggaaatga	aaagcccgcc	ttcttgagcg	gcgagcagaa	aaagggcatc	gtggacctgc	1740
tggtcaagac	caacagaaaa	gtgacctgta	agcagctgaa	agaggactac	ttcaagaaaa	1800
tcgagtgtct	cgactccgtg	gaaatctccg	gcgtggaaga	tagattcaac	gcctccctgg	1860
gcacatacca	cgatctgctg	aaaattatca	aggacaagga	cttcctggat	aacgaagaga	1920
acgaggacat	tctggaagat	atcgtgctga	ccttgacact	gtttgaggac	cgcgagatga	1980
tcgaggaaa	gctgaaaacc	tacgtccacc	tggtcgacga	caaagtgatg	aagcagctga	2040
agagaaggcg	gtacaccggc	tggtggcagg	tgagcagaaa	gctgatcaac	ggcatcagag	2100
acaagcagag	cggaagaca	atcctggatt	tcttgaagtc	cgacggcttc	gccaaccgga	2160
acttcacgca	gctgatccac	gacgacagcc	tgacattcaa	agaggacatc	cagaaagccc	2220
aggtgtccgg	ccaggcgac	tctctgcacg	agcatatcgc	taacctggcc	ggcagccccg	2280
ctatcaagaa	gggcatcctg	cagacagtga	aggtgggtga	cgagctcgtg	aaagtgatgg	2340
gcagacacaa	gcccagaaac	atcgtgatcg	agatggctag	agagaaccag	accaccaga	2400
agggacagaa	gaactcccg	gagaggatga	agagaatcga	agagggcatc	aaagagctgg	2460
gcagccagat	cctgaaagaa	caccccggtg	aaaacaccca	gctgcagaac	gagaagctgt	2520
acctgtacta	cctgcagaat	ggccgggata	tgtacgtgga	ccaggaaactg	gacatcaaca	2580
gactgtccga	ctacagtgtg	gaccatatcg	tgccctcagag	ctttctgaag	gacgactcca	2640
tcgataacaa	agtgtgact	cgagagcgaca	agaacagagg	caagagcgac	aacgtgccct	2700
ccgaagaggt	cgtgaagaag	atgaagaact	actggcgaca	gctgctgaac	gccaagctga	2760
ttaccagag	gaagtccgat	aacctgacca	aggccgagag	aggcgccctg	agcgagctgg	2820
ataaggccgg	cttcacaaag	aggcagctgg	tggaaccag	acagatcaca	aagcacgtgg	2880
cacagatcct	ggactcccg	atgaacacta	agtacgacga	aaacgataag	ctgatccggg	2940
aagtgaaggt	gatcacctcg	aagtccaagc	tggtgtccga	tttccggaag	gatttccagt	3000
tttacaaggt	gcgcgagatc	aacaactacc	accacgcccc	cgacgcctac	ctgaacgccc	3060
tcgtgggaac	cgccctgac	aaaaagtacc	ctaagctgga	aagcgagttc	gtgtacggcg	3120
actacaaggt	gtacgacgtg	cgaagatga	tcgccaagag	cgagcaggaa	atcggaagg	3180
ctaccgcaa	gtacttcttc	tacagcaaca	tcatgaactt	tttcaagacc	gaaatcacc	3240
tggtcaacgg	cgagatcaga	aagcgccctc	tgatcgagac	aaacggcgaa	accggggaga	3300
tcgtgtggga	taagggcaga	gacttcgcca	cagtgcgaaa	ggtgctgagc	atgccccaa	3360
tgaatatcgt	gaaaaagacc	gaggtgcaga	caggcggtt	cagcaaagag	tctatcctgc	3420
ccaagaggaa	cagcgacaag	ctgatcgcca	gaaagaagga	ctgggacccc	aagaagtacg	3480
gcggcttcga	cagccctacc	gtggcctact	ctgtgctggt	ggtggctaag	gtggaaaagg	3540
gcaagtccaa	gaaactgaag	agtgtgaaag	agctgctggg	gatcaccatc	atggaaagaa	3600
gcagctttga	gaagaacctc	atcgactttc	tggaagccaa	gggctacaaa	gaagtgaaaa	3660
aggacctgat	catcaagctg	cctaagtact	cctgtttcga	gctggaaaaa	ggcagaaaga	3720

-continued

gaatgctggc	ctctgccggc	gaactgcaga	agggaaacga	gctggccctg	cctagcaaat	3780
atgtgaactt	cctgtacctg	gcctcccact	atgagaagct	gaagggcagc	cctgaggaca	3840
acgaacagaa	acagctgttt	gtggaacagc	ataagcacta	cctggacgag	atcatcgagc	3900
agatcagcga	gttctccaag	agagtgatcc	tggccgacgc	caatctggac	aaggtgctgt	3960
ctgcctacaa	caagcacagg	gacaagccta	tcagagagca	ggccgagaat	atcatccacc	4020
tgttcacctt	gacaaacctg	ggcgctcctg	ccgccttcaa	gtactttgac	accaccatcg	4080
accggaagag	gtacaccagc	accaaagagg	tgttggacgc	cacctgatc	caccagagca	4140
tcaccggcct	gtacgagaca	agaatcgacc	tgtctcagct	gggagggcgc	aagagacctg	4200
ccgcactaa	gaaggccgga	caggccaaaa	agaagaagtg	atctagagcc	gggcgcggtg	4260
gcgctgcct	gtagtccag	ctactcggga	ggctgaggct	ggaggatcgc	ttgagtcag	4320
gagttctggg	ctgtagtgcg	ctatgccgat	cgggtgtccg	cactaagttc	ggcatcaata	4380
tggtgacctc	ccgggagcgg	gggaccacca	ggttgccata	ggaggggtga	accggcccag	4440
gtcgaaacg	gagcaggta	aaactcccgt	gctgatcagt	agtgggatcg	cgctgtgaa	4500
tagccactgc	actccagcct	gggcaacata	gcgagacccc	gtctctgcgg	ccgctaata	4560
gccataccac	attttagtag	gttttacttg	ctttaaaaaa	cctcccacac	ctccccctga	4620
acctgaaaca	taaaaatga	gcaattgttg	ttgttaactt	gtttattgca	gcttataatg	4680
gttacaata	aagcaatagc	atcacaaatt	tcacaaataa	agcatttttt	tactgcatt	4740
ctagttgtgg	tttgtccaaa	ctcatcaatg	tatcttatca	tgtctacggg	tagggccctt	4800
ctcttcatgt	gagcaaaagg	ccagcaaaag	gccaggaacc	gtaaaaaggc	cgcgttgctg	4860
gcgtttttcc	ataggctccg	ccccctgac	gagcatcaca	aaaatcgacg	ctcaagtcag	4920
aggtggcgaa	acccgacagg	actataaaga	taccaggcgt	ttccccctgg	aagctccctc	4980
gtgcgtcttc	ctgttccgac	cctgccgctt	accggatacc	tgtccgcctt	tctcccttcg	5040
ggaagcgtgg	cgtcttctca	atgctcacgc	tgtaggatcc	tcagttcggg	gtaggctcgt	5100
cgtcccaagc	tgggtgtgtg	gcacgaaccc	ccggttcagc	ccgaccgctg	cgccttatcc	5160
ggtaactatc	gtcttgagtc	caaccgggta	agacacgact	tatcgccact	ggcagcagcc	5220
actggttaaca	ggattagcag	agcgagggtat	gtaggcgggtg	ctacagagtt	cttgaagtgg	5280
tggcctaact	acggctacac	tagaaggaca	gtatttggtg	tctgcgctct	gctgaagcca	5340
gttaccttcg	gaaaaagagt	tggtagctct	tgatccggca	aacaaaccac	cgctggtagc	5400
ggtggttttt	ttgtttgcaa	gcagcagatt	acgcgcagaa	aaaaaggatc	tcaagaagat	5460
cctttgatct	tttctacggg	gtctgacgct	cagtggaaacg	aaaactcacg	ttaagggatt	5520
ttggtcatgg	gcgcgcctca	tactcctgca	ggcatgagat	tatcaaaaag	gatcttcacc	5580
tagatccttt	taaattaaaa	atgaagtgtt	aatcaatct	aaagtatata	tgagtaaact	5640
tggctgaca	gttaccatag	cttaatcagt	gaggcaccta	tctcagcgat	ctgtctatct	5700
cgttcattca	tagttgcctg	actccccgtc	gtgtagataa	ctacgatacg	ggagggctta	5760
ccatctggcc	ccagtgtgtc	aatgataccg	cgagaccac	gctcaccggc	tccagattta	5820
tcagcaataa	accagccagc	cgggaaggcc	gagcgcagaa	gtggtcctgc	aactttatcc	5880
gcctccatcc	agtctattaa	ttgttgccgg	gaagctagag	taagtagttc	gccagttaat	5940
agtttgcgca	acgttggtgc	cattgctaca	ggcatcgtgg	tgtcacgctc	gtcgtttggt	6000
atggtctcat	tcagctccgg	ttcccaacga	tcaaggcgag	ttacatgac	ccccatgttg	6060
tgcaaaaaag	cggttagctc	cttcggtcct	ccgatcgttg	tcagaagtaa	gttggccgca	6120

-continued

gtgttatcac	tcatggttat	ggcagcactg	cataattctc	ttactgtcat	gcatccgta	6180
agatgctttt	ctgtgactgg	tgagtactca	accaagtcac	tctgagaata	gtgtatgcgg	6240
cgaccgagtt	gctcttgccc	ggcgtcaata	cgggataata	ccgcgccaca	tagcagaact	6300
ttaaaagtgc	tcatcattgg	aaaacgttct	tcggggcgaa	aactctcaag	gatcttaccg	6360
ctgttgagat	ccagttcgat	gtaacccact	cgtgcaccca	actgatcttc	agcatctttt	6420
actttcacca	gcgtttctgg	gtgagcaaaa	acaggaaggc	aaaatgccgc	aaaaaaggga	6480
ataagggcga	cacggaaatg	ttgaatactc	atactcttcc	tttttcaata	ttattgaagc	6540
atztatcagg	gttattgtct	catgagcgga	tacatatattg	aatgtattta	gaaaaataaa	6600
caaatagggg	ttccgcgcac	atttccccga	aaagtgccac	ctgacgtcag	gtaccaagcc	6660
taggcctcca	aaaaagcctc	ctcactactt	ctggaatagc	tcagaggcag	aggcggcctc	6720
ggcctctgca	taaataaaaa	aaattagtca	gccatggggc	ggagaatggg	cggaactggg	6780
cggagtttag	ggcgggatgg	gcggagttag	ggcggggact	atggttgctg	actaattgag	6840
atgcatgctt	tgcatacttc	tgcttgcctg	ggagcctggg	gaactttccac	acctggttgc	6900
tgactaattg	agatgcatgc	ttgcatact	tctgcctgct	ggggagcctg	gggactttcc	6960
acaccggatc	caccatggga	tcggccattg	aacaagatgg	attgcacgca	ggttctccgg	7020
ccgcttgggt	ggagaggcta	ttcggtctatg	actgggcaca	acagacaatc	ggctgctctg	7080
atgccgccgt	gttccggctg	tcagcgcagg	ggcgcccggt	tctttttgtc	aagaccgacc	7140
tgtccggtgc	cctgaatgaa	ctgcaggacg	aggcagcgcg	gctatcgtgg	ctggccacga	7200
cgggcgttcc	ttgcgcagct	gtgctcgacg	ttgtcactga	agcgggaagg	gactggctgc	7260
tattgggcga	agtgcggggg	caggatctcc	tgatcatctca	ccttgctcct	gccgagaaag	7320
tatccatcat	ggctgatgca	atgcggcggc	tgcatacgct	tgatccggct	acctgcccat	7380
tcgaccacca	agcgaaacat	cgcacgcagc	gagcacgtac	tcggatggaa	gccgggtctg	7440
tcgatcagga	tgatctggac	gaagagcatc	aggggctcgc	gccagccgaa	ctgttcgcca	7500
ggctcaaggc	gcgcgatccc	gacggcgatg	atctcgtcgt	gacccatggc	gatgcctgct	7560
tgccgaatat	catgggtggaa	aatggccgct	tttctggatt	catcgactgt	ggccggctgg	7620
gtgtggcgga	ccgctatcag	gacatagcgt	tggtaccctg	tgatattgct	gaagagcttg	7680
gcggcgaaatg	ggctgaccgc	ttcctcgtgc	tttacgggat	cgcgcgtccc	gattcgcagc	7740
gcatcgctct	ctatgcctct	cttgacgagt	tcttctgaac	gcgtgctgta	agtctgcaga	7800
aattgatgat	ctattaaaca	ataaagatgt	ccactaaaat	ggaagttttt	cctgtcatac	7860
tttgttaaga	agggtgagaa	cagagtacct	acattttgaa	tggaaggatt	ggagctacgg	7920
gggtgggggt	gggtggggat	tagataaatg	cctgctcttt	actgaaggct	ctttactatt	7980
gctttatgat	aatgtttcat	agttggatat	cataatttaa	acaagcaaaa	ccaaattaag	8040
ggccagctca	ttcctcccac	tcatgatcta	tggatctata	gatctctcgt	gcagctgggg	8100
ctctaggggg	tatccccacg	cgcctctgtg	cggcgcatca	agcgcgccgg	gtgtggtggt	8160
tacgcgcagc	gtgaccgcta	cacttgccag	cgccttagcg	cccgtcctct	tcgctttctt	8220
cccttctctt	ctcgcacagt	tcgcggctt	tccccgtcaa	gctctaaatc	gggggctccc	8280
tttaggggtc	cgatttagtg	ctttacggca	cctcgacccc	aaaaaacttg	attaggggtga	8340
tggttcacgt	agtgggccat	cgccttgata	gacggttttt	cgccttttga	cgttgaggct	8400
cacgttcttt	aatagtggac	tctgtttcca	aactggaaca	acactcaacc	ctatctcggt	8460

-continued

```

ctattctttt gatttataag ggattttgcc gatttcggcc tattgggttaa aaaatgagct 8520
gatttaacaa aaattttaacg cgaattaatt ctgtggaatg tgtgtcagtt agtcgcgagg 8580
cctccgcgcc gggttttggc gcctccgcgc ggcgcccccc tctcacggc gagcgctgcc 8640
acgtcagacg aagggcgacg cgagcgctct gatccttccg cccggacgct caggacagcg 8700
gcccgtgctc cataagactc ggcccttagaa ccccgatgc agcagaagga catttttagga 8760
cgggacttgg gtgactctag ggcactgggt ttctttccag agagcggaa aggcgaggaa 8820
aagtagtccc ttctcggcga ttctgcggag ggatctccgt gggcggtga acgccgatga 8880
ttatataagg acgcgcggg tgtggcacag ctagtccgt cgcagccggg atttgggtcg 8940
cggttcttgt ttgtggatcg ctgtgatcgt cacttggtga gtagcgggt gctgggctgg 9000
ccggggcttt cgtggccgcc gggccgctcg gtgggacgga agcgtgtgga gagaccgcca 9060
agggctgtag tctgggtccg cgagcaaggt tgccctgaac tgggggttgg ggggagcgca 9120
gcaaaatggc ggctgttccc gagtcttgaa tgggaagcgc ttgtgaggcg ggctgtgagg 9180
tcgttgaaac aaggtggggg gcattggtgg cggaagaac ccaaggtctt gaggccttcg 9240
ctaattcggg aaagctctta ttccgggtgag atgggctggg gcacatctg gggaccctga 9300
cgtgaagttt gtcactgact ggagaactcg gtttgcgtc tgttgcgggg gcggcagtta 9360
tggcggtgcc gttgggcagt gcaccgctac ctttgggagc gcgcgcctc gtcgtgtcgt 9420
gacgtcaccg gttctgttgg cttataatgc aggggtgggc cacctgccgg taggtgtgcg 9480
gtaggctttt ctcctgcga ggacgcaggg ttccgggcta gggtaggctc tctgaatcg 9540
acaggcgccg gacctctggt gaggggaggg ataagtgagg cgtcagtttc ttgggtcgtt 9600
tttatgtacc tatcttctta agtagctgaa gctccggttt tgaactatgc gctcgggggt 9660
ggcgagtgtg ttttgtgaag ttttttaggc accttttgaa atgtaatcat ttgggtcaat 9720
atgtaatttt cagtgttaga ctagtaaatt gtccgctaaa ttctggccgt ttttggtttt 9780
tttgttagac gtcgaccgat cctgagaact tcagggtgag tttggggacc cttgattgtt 9840
ctttcttttt cgctattgta aaattcatgt tatatggagg gggcaagtt ttcagggtgt 9900
tgtttagaat gggaagatgt cccttgtatc accatggacc ctcatgataa tttgtttct 9960
ttcactttct actctgttga caaccattgt ctcctcttat tttctttca tttctgttaa 10020
ctttttcgtt aaacttttagc ttgcatttgt aacgaatttt taaattcact ttgttttatt 10080
tgtcagattg taagtacttt ctctaatac tttttttca aggcaatcag ggtatattat 10140
attgtacttc agcacagttt tagagaacaa ttgttataat taaatgataa ggtagaatat 10200
ttctgcataa aaattctggc tggcgtggaa atattcttat tggtagaaac aactacacc 10260
tggatcatcat cctgccttcc tctttatggt tacaatgata tacactgttt gagatgagga 10320
taaaatactc tgagtccaaa ccgggccccct ctgctaacca tggtcatgcc ttcttctttt 10380
tcctacagct cctgggcaac gtgctgggtt ttgtgctgtc tcatcatttt ggcaaagaat 10440
t 10441

```

<210> SEQ ID NO 68

<211> LENGTH: 8825

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 68

-continued

tggaagggct aattcactcc caaagaagac aagatatcct tgatctgtgg atctaccaca	60
cacaaggcta cttccctgat tagcagaact acacaccagg gccaggggtc agatatccac	120
tgacctttgg atggtgtctac aagctagtag cagttgagcc agataaggta gaagaggcca	180
ataaaggaga gaacaccagc ttgttacacc ctgtgagcct gcatgggatg gatgaccgg	240
agagagaagt gttagagtgg aggtttgaca gccgcctagc atttcacac gtggcccgag	300
agctgcatcc ggagtacttc aagaactgct gatatcgagc ttgctacaag ggactttccg	360
ctggggactt tccagggagg cgtggcctgg gcgggactgg ggagtggcga gccctcagat	420
cctgcatata agcagctgct ttttgctgt actgggtctc tctgggtaga ccagatctga	480
gcctgggagc tctctggcta actagggaa ccaactgctta agcctcaata aagcttgct	540
tgagtgttc aagtagtgtg tgcccgctctg ttgtgtgact ctggtaacta gagatccctc	600
agaccctttt agtcagtgtg gaaaatctct agcagtggcg cccgaacagg gacttgaaag	660
cgaaaggga accagaggag ctctctcgac gcaggactcg gcttgcctgaa gcgcgcacgg	720
caagaggcga ggggcggcga ctgggtgagta cgccaaaaat ttgactagc ggaggctaga	780
aggagagaga tgggtgcgag agcgtcagta ttaagcgggg gagaattaga tcgcgatggg	840
aaaaaattcg gttaaaggca gggggaaaga aaaaatataa attaaacat atagtatggg	900
caagcaggga gctagaacga ttcgcagtta atcctggcct gttagaaca tcagaaggct	960
gtagacaaat actgggacag ctacaacat cccttcagac aggatcagaa gaacttagat	1020
cattatataa tacagtagca accctctatt gtgtgcatca aaggatagag ataaaagaca	1080
ccaaggaagc tttagacaag atagaggaag agcaaaacaa aagtaagacc accgcacagc	1140
aagcggccgg ccgctgatct tcagacctgg aggaggagat atgagggaca attggagaag	1200
tgaattatat aaatataaag tagtaaaaat tgaaccatta ggagtagcac ccaccaaggc	1260
aaagagaaga gtggtgcaga gagaaaaag agcagtggga ataggagctt tgttccttgg	1320
gttcttggga gcagcaggaa gcactatggg cgcagcgtca atgacgctga cggtagaggc	1380
cagacaatta ttgtctggta tagtgagca gcagaacaat ttgtgaggg ctattgaggc	1440
gcaacagcat ctgttgcaac tcacagtctg gggcatcaag cagctccagg caagaatcct	1500
ggctgtggaa agatcacaa aggatcaaca gctcctgggg atttgggggt gctctggaaa	1560
actcatttgc accactgctg tgccctggaa tgctagttag agtaataaat ctctggaaca	1620
gatttggaat cacacgacct ggatggagtg ggacagagaa attaacaatt acacaagctt	1680
aatacactcc ttaattgaag aatcgcaaaa ccagcaagaa aagaatgaac aagaattatt	1740
ggaattagat aaatgggcaa gtttgggaa ttggtttaac ataacaatt ggctgtggta	1800
tataaaatta ttcataatga tagtaggagg cttggtaggt ttaagaatag tttttgtgt	1860
actttctata gtgaatagag ttaggcaggg atattcacca ttatcgtttc agaccacct	1920
cccaaccccg agggggaccg acaggcccg aggaatagaa gaagaagggt gagagagaga	1980
cagagacaga tccattcgat tagtgaacgg atctcgacgg tatcgctttt aaaagaaaag	2040
gggggattgg ggggtacagt gcaggggaaa gaatagtaga cataatagca acagacatac	2100
aaactaaaga attacaaaa caaattacaa aaattcaaaa ttttcgggtt tattacaggg	2160
acagcagaga tccagtttat cgatgagtaa ttcatacaaa aggactcgcc cctgccttgg	2220
ggaatccag ggacgtctg taaactccca ctaacgtaga acccagagat cgtgcgttc	2280
ccgccccctc acccgcccg tctcgatc actgaggtgg agaagagcat gcgtgaggct	2340
ccggtgccg tcagtgggca gagcgacat cgcccacag ccccgagaag ttggggggag	2400

-continued

gggtcggcaa ttgaaccggt gctagagaa ggtggcgcgg ggtaaaactgg gaaagtgatg	2460
tcgtgtactg gctccgcctt tttcccagag gtgggggaga accgtatata agtgcagtag	2520
tcgccgtgaa cgttcttttt cgcaacgggt ttgccgccag aacacaggta agtgcctgtt	2580
gtggttcccg cgggcctggc ctctttacgg gttatggccc ttgcgtgect tgaattactt	2640
ccacgccctt ggctgcagta cgtgattctt gatcccgagc ttccgggttg aagtgggtgg	2700
gagagttcga ggccttgcgc ttaaggagcc ccttcgcctc gtgcttgagt tgaggcctgg	2760
cttgggcgct ggggccgcgc cgtgcgaatc tggggccacc ttccgcctg tctcgtgct	2820
ttcgataagt ctctagccat ttaaaatttt tgatgacctg ctgcgacgct tttttctgg	2880
caagatagtc ttgtaaatgc gggccaagat ctgcacactg gtatttcggt ttttggggcc	2940
gcgggcggcg acggggcccg tgcgtcccag cgcacatgtt cggcgaggcg gggcctgcga	3000
gcgcggccac cgagaatcgg acgggggtag tctcaagctg gccggcctgc tctggtgcct	3060
ggcctcgcgc cgccgtgtat cgcgccgccc tgggcggcaa ggctggcccc gtcggcacca	3120
gttgctgtag cggaaagatg gccgcttccc ggcctgctg caggagctc aaaatggagg	3180
acgcggcgct cgggagagcg ggcgggtgag tccccacac aaaggaaaag ggccttccg	3240
tcctcagccg tcgcttcattg tactccacg gactaccggg cgccgtccag gcacctcgat	3300
tagttctcga gcttttgtag tacgtcgtct ttaggttggg gggaggggtt ttatgcgatg	3360
gagtttcccc aactgagtg ggtggagact gaagttaggc cagcttgga cttgatgtaa	3420
ttctccttgg aatttgccct ttttgagttt ggatcttggg tcattctcaa gcctcagaca	3480
gtggttcaaa gtttttttct tccatttcag gtgtcgtgag gatctatttc cggtgaaatc	3540
ctcgagacta gttctagagc ggcgcgggat cccgcccctc tccctcccc cccctaacc	3600
ttactggcgc aagccgcttg gaataaggcc ggtgtgcgtt tgtctatatg ttattttcca	3660
ccatattgcc gtcttttggc aatgtgaggg cccgaaaacc tggccctgctc ttcttgacga	3720
gcattcctag ggggttttcc cctctcgcca aaggaatgca aggtctgttg aatgtcgtga	3780
aggaagcagt tcctctggaa gcttcttgaa gacaaacaac gtctgtagcg accctttgca	3840
ggcagcggaa cccccacct ggcgacaggt gcctctgcgg ccaaaagcca cgtgtataag	3900
atacacctgc aaaggcggca caacccagc gccacgttgt gagttggata gttgtggaaa	3960
gagtcaaatg gctctctca agcgtattca acaaggggct gaaggatgcc cagaaggtag	4020
cccattgtat gggatctgat ctggggcctc ggtgcacatg ctttacatgt gtttagtcga	4080
ggttaaaaaa acgtctaggg cccccgaacc acggggacgt ggttttcctt tgaaaaacac	4140
gatgataagc ttgccacaac ccacaaggag acgaccttcc atgaccgagt acaagccac	4200
ggtgcgcctc gccacccgcg acgacgtccc ccgggccgta cgcacctcg ccgcccgctt	4260
cgcgcactac cccgccacgc gccacaccgt cgacccggac cgccacatcg agcgggtcac	4320
cgagctgcaa gaactcttcc tcacgcgcgt cgggctcgac atcggaagg tgtgggtcgc	4380
ggacgacggc gcccggttgg cggtctggac cacgcggag agcgtcgaag cggggcggt	4440
gttcgccgag atcggcccg gcctggccga gttgagcggg tcccggttgg ccgcgcagca	4500
acagatggaa ggcctcctgg cgcgcgaccg gcccaaggag cccgcgtggg tcttgccac	4560
cgtcggcgctc tcgcccagc accagggcaa gggcttgggc agcgcgctcg tgctccccg	4620
agtggaggcg gccgagcgcg ccgggggtgcc cgccttctcg gagacctcg cgcgccgcaa	4680
cctccccctc tacgagcggc tcggcttcac cgtcacccgc gacgtcgagg tgccgaagg	4740

-continued

accgcgcacc	tgggtgcatga	cccgcgaagcc	cggtgcctag	acgcgtctgg	aacaatcaac	4800
ctctggatta	caaaatttgt	gaaagattga	ctggtattct	taactatgtt	gtccctttta	4860
cgctatgtgg	atacgcgtct	ttaatgcctt	tgtatcatgc	tattgcttcc	cgtatggctt	4920
tcattttctc	ctccttgat	aaatcctgg	tgtgtctct	ttatgaggag	ttgtggcccg	4980
ttgtcaggca	acgtggcgtg	gtgtgcactg	tgtttgtga	cgcaaccccc	actggttggg	5040
gcattgccac	cacctgtcag	ctcctttccg	ggactttcgc	tttccccctc	cctattgcca	5100
cggcggaact	catcgccgcc	tgccttgccc	gctgctggac	aggggctcgg	ctgttgggca	5160
ctgacaattc	cgtggtgttg	tccggggaagc	tgacgtcctt	tccatggctg	ctcgctgtg	5220
ttgccacctg	gattctgcgc	gggacgtcct	tctgctacgt	cccttcggcc	ctcaatccag	5280
cggaccttcc	ttcccgcgcc	ctgctgccgg	ctctgcggcc	tcttcgcgt	cttcgccttc	5340
gccctcagac	gagtcggatc	tccttttggg	cgcctcccc	gcctggaatt	aattctgcag	5400
tcgagacctc	gaaaaacatg	gagcaatcac	aagtagcaat	acagcagcta	ccaatgctga	5460
ttgtgctcgg	ctagaagcac	aagaggagga	ggaggtgggt	tttccagtca	cacctcaggt	5520
acctttaaga	ccaatgactt	acaaggcagc	tgtagatctt	agccactttt	taaaagaaaa	5580
gaggggactg	gaagggctaa	ttcactccca	acgaagacaa	gatatccttg	atctgtggat	5640
ctaccacaca	caaggctact	tccttgatta	gcagaactac	acaccagggc	caggggtcag	5700
atatccactg	accttttgat	ggtgtacaaa	gctagtacca	gttgagccag	ataaggtaga	5760
agaggccaat	aaaggagaga	acaccagctt	gttacaccct	gtgagcctgc	atgggatgga	5820
tgacccgag	agagaagtgt	tagagtggag	gtttgacagc	cgcctagcat	ttcatcacgt	5880
ggcccgagag	ctgcatccgg	agtacttcaa	gaactgctga	tatcgagctt	gctacaaggg	5940
actttccgct	ggggactttc	cagggaggcg	tggcctgggc	gggactgggg	agtggcgagc	6000
cctcagatcc	tgcataatag	cagctgcttt	ttgcctgtac	tgggtctctc	tggttagacc	6060
agatctgagc	ctgggagctc	tctggctaac	tagggaaccc	actgcttaag	cctcaataaa	6120
gcttgccctg	agtgttcaa	gtagtgtgtg	cccgctctgt	gtgtgactct	ggtaactaga	6180
gatccctcag	acccttttag	tcagtgtgga	aaatctctag	cagtagtagt	tcatgtcatc	6240
ttattattca	gtatttataa	cttgcaaaaga	aatgaatata	agagagtggag	aggccttgac	6300
attgctagcg	tttaccgtcg	acctctagct	agagcttggc	gtaatcatgg	tcatagctgt	6360
ttcctgtgtg	aaattgttat	ccgctcacia	ttccacacaa	catacgagcc	ggaagcataa	6420
agtgtaaagc	ctggggtgcc	taatgagtga	gctaactcac	attaattgcg	ttgcgctcac	6480
tgcccgcttt	ccagtcggga	aacctgtcgt	gccagctgca	ttaatgaatc	ggccaacgcg	6540
cggggagagg	cggtttgctg	attgggcgct	cttcgccttc	ctcgtcact	gactcgtgc	6600
gctcggctgt	tgcgtgcgg	cgagcgggtat	cagctcactc	aaaggcggta	atacggttat	6660
ccacagaatc	aggggataac	gcaggaaaga	acatgtgagc	aaaaggccag	caaaaggcca	6720
ggaaccgtaa	aaaggccgcg	ttgctggcgt	ttttccatag	gctccgcccc	cctgacgagc	6780
atcacaaaaa	tcgacgtca	agtcagaggt	ggcgaaaccc	gacaggacta	taaagatacc	6840
aggcggtttc	ccctggaagc	tcctcgtgc	gctctcctgt	tccgacctg	ccgcttaccg	6900
gatacctgtc	cgcctttctc	ccttcgggaa	gcgtggcgct	ttctcatagc	tcacgctgta	6960
ggtatctcag	ttcgggtgtag	gtcgttcgct	ccaagctggg	ctgtgtgcac	gaaccccccg	7020
ttcagcccg	ccgctgcgcc	ttatccggta	actatcgtct	tgagtccaac	ccgtaagac	7080
acgacttatc	gccactggca	gcagccactg	gtaacaggat	tagcagagcg	aggtatgtag	7140

-continued

```

gcgggtgtac agagttcttg aagtgggtgc ctaactacgg ctacactaga agaacagtat 7200
ttggtatctg cgctctgctg aagccagtta ccttcggaaa aagagttggg agctcttgat 7260
ccggcaaaaca aaccaccgct ggtagcgggtg gtttttttgt ttgcaagcag cagattacgc 7320
gcagaaaaaa aggatctcaa gaagatcctt tgatcttttc tacgggggtct gacgctcagt 7380
ggaacgaaaa ctacagttaa gggatttttg tcatgagatt atcaaaaagg atcttcacct 7440
agatcctttt aaattaaaaa tgaagtttta aatcaatcta aagtatatat gagtaaaactt 7500
ggtctgacag ttaccaatgc ttaatcagtg aggcacctat ctacgcgacg tgtctatttc 7560
gttcatccat agttgctga cccccgctg tgtagataac tacgatacgg gagggcttac 7620
catctggccc cagtgtgca atgataccgc gagaccacg ctacccggct ccagatttat 7680
cagcaataaa ccagccagcc ggaagggcgg agcgcagaag tggctcgtca actttatccg 7740
cctccatcca gtctattaat tgttgccggg aagctagagt aagtagttcg ccagttaata 7800
gtttgcgcaa cggtgttgcc attgtacag gcatcgtggt gtcacgctcg tcgtttggta 7860
tggttcatt cagctccggt tcccaacgat caaggcgagt tacatgatcc cccatgttgt 7920
gcaaaaaagc ggtagctcc ttcggtctc cgatcgttgt cagaagtaag ttggccgcag 7980
tgttatcact catggttatg gcagcactgc ataattctct tactgtcatg ccacccgtaa 8040
gatgcttttc tgtgactggt gagtactcaa ccaagtcatt ctgagaatag tgtatgcggc 8100
gaccgagttg ctcttgcctg gcgtcaatac gggataatac cgcgccacat agcagaactt 8160
taaaagtgtc catcattgga aaacgttctt cggggcgaaa actctcaagg atcttaccgc 8220
tgttgagatc cagttcgatg taaccactc gtgcacccaa ctgatcttca gcatctttta 8280
ctttcaccag cgtttctggg tgagcaaaaa caggaaggca aaatgccgca aaaaagggaa 8340
taagggcgac acggaaatgt tgaatactca tactcttcct tttcaatat tattgaagca 8400
tttatcaggg ttattgtctc atgagcggat acatatgtga atgtatttag aaaaataaac 8460
aaataggggt tccgcgcaca tttcccga aagtgccacc tgacgtcgac ggatcgggag 8520
atcaacttgt ttattgcagc ttataatgt tacaataaa gcaatagcat cacaaatttc 8580
acaaataaag cattttttct actgcattct agttgtggtt tgtccaaact catcaatgta 8640
tcttatcatg tctggatcaa ctggataact caagctaacc aaaatcatcc caaacttccc 8700
acccataacc ctattaccac tgccaattac ctgtggttct atttactcta aacctgtgat 8760
tcctctgaat tattttcatt ttaagaaat tgtatttgtt aaatatgtac tacaaactta 8820
gtagt 8825

```

```

<210> SEQ ID NO 69
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 69

```

```

gacaggcaca gcatcaagaa 20

```

```

<210> SEQ ID NO 70
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic

```

-continued

```

    primer
<400> SEQUENCE: 70
ttctggcggg tctcttcagt                20

<210> SEQ ID NO 71
<211> LENGTH: 10736
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (341)..(344)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (4525)..(4528)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

<400> SEQUENCE: 71
catcatcaat aatatacctt attttggatt gaagccaata tgataatgag ggggtggagt    60
ttgtgacgtg gcgcggggcg tgggaacggg gcgggtgacg tagtagtggt gcggaagtgt    120
gatgttgcaa gtgtggcgga acacatgtaa gcgacggatg tggcaaaagt gacgtttttg    180
gtgtgcgcgc gtgtacacag gaagtacaaa ttttcgcgcg gttttaggcg gatgtttag    240
taaatttggg cgtaaccgag taagatttgg ccattttcgc gggaaaactg aataagagga    300
agtgaaatct gaataatttt gtgttactca tagcgcgtaa nnnntaatag taatcaatta    360
cggggtcatt agttcatagc ccatatatgg agttccgcgt tacataactt acggtaaatg    420
gcccgcctgg ctgaccgccc aacgaccccc gcccatgac gtcaataatg acgtatgttc    480
ccatagtaac gccaataggg actttccatt gacgtcaatg ggtggagtat ttacggtaaa    540
ctgcccactt ggcagtacat caagtgtatc atatgccaag tacgcccctt attgacgtca    600
atgacggtaa atggcccgcc tggcattatg cccagtacat gaccttatgg gactttccta    660
cttggcagta catctacgta ttagtcatcg ctattacat ggtgatgcgg ttttggcagt    720
acatcaatgg gcgtggatag cggtttgact cacggggatt tccaagtctc cacccttg    780
acgtcaatgg gagtttggtt tggcaccaaa atcaacggga ctttcacaaa tgcgtaaca    840
actccgcccc attgacgcaa atgggcggtg ggcgtgtacg gtgggagggtc tatataagca    900
gagctgggtt agtgaaccgt cagatccgct agagatctgg taccgtcgac gcggcgcgtc    960
gagaccatgg tcgttttaca acgtcgtgac tgggaaaacc ctggcggtac ccaacttaat    1020
cgccttgacg cacatcccc tttcgccagc tggcgtaata gcgaagaggc ccgcaccgat    1080
cgcccttccc aacagttgag cagcctgaat ggcgaaatgg gctttgcctg gtttcgggca    1140
ccagaagcgg tgccggaaag ctggctggag tgcgatcttc ctgaggccga tactgtcgtc    1200
gtcccctcaa actggcagat gcacgggtac gatgcgcccc tctacaccaa cgtgacctat    1260
cccattacgg tcaatccgcc gtttgttccc acggagaatc cgacgggttg ttactcgctc    1320
acatttaatg ttgatgaaag ctggctacag gaaggccaga cgcaattat ttttgatggc    1380
gttaactcgg cgtttcatct gtggtgcaac gggcgctggg tcggttacgg ccaggacagt    1440
cgtttgccgt ctgaatttga cctgagcgca tttttacgcg ccgagaaaaa ccgcctcgcg    1500
gtgatgggtg tgcgttgag tgacggcagt tatctggaag atcaggatat gtggcggatg    1560
agcggcattt tccgtgacgt ctcggtgctg cataaacga ctacacaaat cagcgatttc    1620

```

-continued

catgttgcca ctcgctttaa tgatgatttc agccgcgctg tactggaggc tgaagttcag	1680
atgtgcggcg agttgcgtga ctacctacgg gtaacagttt ctttatggca gggtgaaacg	1740
caggtcgcca gcggcacgcg gcctttcggc ggtgaaatta tcgatgagcg tggtggttat	1800
gccgatcgcg tcacactacg tctgaacgtc gaaaaccga aactgtggag cgccgaaatc	1860
ccgaatctct atcgtgcggg ggttgaactg cacaccgcg acggcacgct gattgaagca	1920
gaagcctcg atgtcggttt ccgcgaggcg cggattgaaa atggtctgct gctgctgaac	1980
ggcaagccgt tgctgattcg aggcgttaac cgtcacgagc atcatcctct gcatggtcag	2040
gtcatggatg agcagacgat ggtgcaggat atcctgctga tgaagcagaa caactttaac	2100
gccgtgcgct gttcgcatta tccgaacct cecgtgtggt acacgctgtg cgaccgtac	2160
ggcctgtatg tggtgatga agccaatatt gaaaccacg gcctggtgcc aatgaatcgt	2220
ctgaccgatg atccgcgctg gctaccggcg atgagcgaac gcgtaacgcg aatggtgcag	2280
cgcgatcgta atcacccgag tgtgatcctc tggtcgctgg ggaatgaatc aggccacggc	2340
gctaatacag acgcgctgta tcgctggatc aaatctgtcg atccttcccg cccggtgcag	2400
tatgaaggcg gcggagccga caccacggcc accgatatta tttgccgat gtacgcgcgc	2460
gtggatgaag accagccctt cccggtgtg ccgaaatggt ccatcaaaaa atggctttcg	2520
ctacctggag agacgcgcc gctgatcctt tgcgaatacg cccacgcgat gggtaacagt	2580
cttgccggtt tcgctaaata ctggcaggcg tttcgtcagt atccccgtt acaggcgcg	2640
ttcgtctggg actgggtgga tcagtcgctg attaaatatg atgaaacgg caaccgtgg	2700
tcggcttacg gcggtgattt tggcgatacg ccgaacgac gccagttctg tatgaacgg	2760
ctggtctttg ccgaccgcac gccgcacca gcgctgacgg aagcaaaaca ccagcagcag	2820
ttttccagt tccgtttatc cgggcaaac atcgaagtga ccagcgaata cctgttccgt	2880
catagcgata acgagctcct gcaactggatg gtggcgctgg atggtgaagc gctggcaagc	2940
ggtgaagtgc ctctggatgt cgtccacaa ggtaaacagt tgattgaact gcctgaacta	3000
ccgcagccgg agagcgccgg gcaactctgg ctcacagtac gcgtagtga accgaacgcg	3060
accgatggt cagaagccgg gcacatcagc gcctggcagc agtggcgctt ggcggaaaac	3120
ctcagtgtga cgtcccccgc cgcgtccac gccatcccgc atctgaccac cagcgaaatg	3180
gatttttgca tcgagctggg taataagcgt tggcaattta accgccagtc aggccttctt	3240
tcacagatgt ggattggcga taaaaaaca ctgctgacgc cgtgcgcga tcagttcacc	3300
cgtgcaccgc tggataacga cattggcgta agtgaagcga cccgcattga ccctaacgcc	3360
tgggtcgaa cgtggaaggc ggcggggccat taccaggccg aagcagcgtt gttgcagtgc	3420
acggcagata cacttctgta tgcggtgctg attacgaccg ctcacgcgtg gcagcatcag	3480
gggaaaacct tatztatcag ccggaaaacc taccggattg atggtagtgg tcaaattggc	3540
attaccgttg atgttgaagt ggcgagcgat acaccgcac cggcgcggtt tggcctgaac	3600
tgccagctgg cgcaggtagc agagcgggta aactggctcg gattagggc gcaagaaaac	3660
tatcccgaac gccttaactg cgcctgtttt gaccgctggg atctgccatt gtcagacatg	3720
tataccccgt acgtcttccc gagcgaaaac ggtctgcgct gcgggacgcg cgaattgaat	3780
tatggccac accagtggcg cggcgacttc cagtcaaca tcagccgcta cagtcaacag	3840
caactgatgg aaaccagcca tcgccatctg ctgcacgcgg aagaaggcac atggctgaat	3900
atcgacgggt tccatatggg gattggtggc gacgactcct ggagcccgtc agtatcggcg	3960
gaattccagc tgagcgccgg tcgtaccat taccagttgg tctggtgtca aaaataagga	4020

-continued

tcccgcacct	ctccctcccc	ccccctaac	gttactggcc	gaagccgctt	ggaataaggc	4080
cgggtgtcgt	ttgtctatat	gttatcttcc	accatattgc	cgtcttttgg	caatgtgagg	4140
gcccggaaac	ctggccctgt	cttcttgacg	agcattccta	ggggtctttc	ccctctcgcc	4200
aaaggaatgc	aaggctctgt	gaatgtcgtg	aaggaagcag	ttectctgga	agcttctaga	4260
taagatatcc	gatccaccgg	atctagataa	ctgatcataa	tcagccatac	cacatttgta	4320
gagggtttac	ttgctttaaa	aaacctccca	cacctccccc	tgaacctgaa	acataaaatg	4380
aatgcaattg	ttgttgtaa	cttgtttatt	gcagcttata	atggttacaa	ataaagcaat	4440
agcatcacia	atttcacaaa	taaagcattt	ttttcactgc	attctagtgt	tggtttgtcc	4500
aaactcatca	atgtatctta	acgcnnnnta	aggggtggga	agaatatata	aggtgggggt	4560
cttatgtagt	tttgtatctg	ttttgcagca	gccgcgcgcg	ccatgagcac	caactcgttt	4620
gatggaagca	ttgtgagctc	atatctgaca	acgcgcattc	ccccatgggc	cggggtgcgt	4680
cagaatgtga	tgggctccag	cattgatggg	cgccccgtcc	tgcccgcaaa	ctctactacc	4740
ttgacctacg	agaccgtgtc	tggaaacgcg	ttggagactg	cagcctccgc	cgcgcttca	4800
gccgctgcag	ccaccgcccg	cgggattgtg	actgactttg	ctttcctgag	cccgcttgca	4860
agcagtgcag	cttcccgttc	atccgcccgc	gatgacaagt	tgacggctct	ttgggcacaa	4920
ttggattctt	tgaccgggga	acttaatgtc	gtttctcagc	agctgttgga	tctgcgccag	4980
cagggtttctg	ccctgaaggc	ttcctccctc	cccaatgcgg	tttaaaacat	aaataaaaaa	5040
ccagactctg	tttgattttg	gatcaagcaa	gtgtcttgct	gtctttatct	aggggttttg	5100
cgcgcgcggg	aggcccgggg	ccagcgggtc	cggctgttga	gggtcctgtg	tattttttcc	5160
aggacgtggg	aaaggtgact	ctggatgttc	agatacatgg	gcataagccc	gtctctgggg	5220
tggaggtagc	accactgcag	agcttcatgc	tgcgggggtg	tggtgtagat	gatccagtcg	5280
tagcaggagc	gctgggcgtg	gtgcctaaaa	atgtctttca	gtagcaagct	gattgccagg	5340
ggcaggccct	tgggtgaagt	gtttacaaag	cgggttaagc	gggatgggtg	catacgtggg	5400
gatatgagat	gcaccttgga	ctgtatcttt	aggttggcta	tggtccagc	catatccctc	5460
cggggattca	tggtgtgcag	aaccaccagc	acagtgtatc	cgggtgcactt	gggaaatttg	5520
tcatgtagct	tagaaggaaa	tgcgtggaag	aacttggaag	cgcctctgtg	acctccaaga	5580
ttttccatgc	attcgtccat	aatgatggca	atgggcccac	gggcggcggc	ctgggcgaag	5640
atatttctgg	gatcactaac	gtcatagtgt	tggtccagga	tgagatcgtc	ataggccatt	5700
tttacaagc	gcgggcggag	ggtgccagac	tgcggtataa	tggttccatc	cggcccaggg	5760
gcgtagttac	cctcacagat	ttgcatttcc	cacgctttga	gttcagatgg	ggggatcatg	5820
tctacctcgc	gggcgatgaa	gaaaacgggt	tccggggtag	gggagatcag	ctgggaagaa	5880
agcaggttcc	tgagcagctg	cgacttaccg	cagccgggtg	gcccgtaaat	cacacctatt	5940
accgggtgca	actggtagtt	aagagagctg	cagctgccgt	catccctgag	cagggggggc	6000
acttcgttaa	gcattgtcct	gactcgcatt	ttttccctga	ccaaatccgc	cagaaggcgc	6060
tgcgcgccca	gcgatagcag	ttcttgcaag	gaagcaaagt	ttttcaacgg	tttgagaccg	6120
tccgcgtag	gcattgtttt	gagcgtttga	ccaagcagtt	ccaggcgggc	ccacagctcg	6180
gtcacctgct	ctacggcatc	tcgatccagc	atatctcctc	gtttcgcggg	ttggggcggc	6240
tttcctgtga	cggcagtagt	cgggtgctct	ccagacgggc	cagggtcatg	tctttccacg	6300
ggcgcagggt	cctcgtcagc	gtagtctggg	tcacggtgaa	ggggtgcgct	ccgggctgcg	6360

-continued

cgctggccag ggtgcgcttg aggetgggtcc tgetgggtgct gaagcgctgc cggctcttcgc	6420
cctgcgcgtc ggccaggtag catttgacca tgggtgcata gtccagcccc tccgcggcgt	6480
ggcccttggc gcgcagcttg cccttgagg aggcgccgca cgaggggcag tgcagacttt	6540
tgagggcgta gagcttgggc gcgagaaata ccgattccgg ggagtaggca tccgcgccgc	6600
agggccccga gacggtctcg cattccacga gccaggtgag ctctggccgt tcgggggtcaa	6660
aaaccaggtt tccccatgc tttttgatgc gtttcttacc tctgggttcc atgagccggt	6720
gtccacgctc ggtgacgaaa aggetgtccg tgtccccgta tacagacttg agaggaggtt	6780
taaacgaatt caatagcttg ttgcatgggc ggcatataa aatgcaaggt gctgctcaaa	6840
aaatcaggca aagcctcgcg caaaaaagaa agcacatcgt agtcatgctc atgcagataa	6900
aggcaggtaa gctccggaac caccacagaa aaagacacca tttttctctc aaacatgtct	6960
gcggtgtttc gcataaacac aaaataaaat aacaaaaaaa catttaaaca ttagaagcct	7020
gtcttacaac aggaaaaaca acccttataa gcataagacg gactacggcc atgccggcgt	7080
gaccgtaaaa aaactggta cctgtattaa aaagcaccac cgacagctcc tcggtcatgt	7140
ccggagtcac aatgtaagac tcggtaaaca catcaggttg attcatcggc cagtgtctaaa	7200
aagcgaccga aatagcccg ggaatacat acccgaggc gtagagacaa cattacagcc	7260
cccataggag gtataacaaa attaatagga gagaaaaaca cataaacacc tgaaaaacc	7320
tcctgcctag gcaaaatagc accctcccg tccagaacaa catcacgccc ttcacagcgg	7380
cagcctaaca gtcagcctta ccagtaaaaa agaaaaaccta ttaaaaaaac accactcgac	7440
acggcaccag ctcaatcagt cacagtgtaa aaaagggcca agtgcagagc gagtatatat	7500
aggactaaaa aatgacgtaa cggttaaagt ccacaaaaaa caccagaaa accgcacgcg	7560
aacctacgcc cagaaacgaa agccaaaaaa cccacaactt cctcaaactg tcaactccgt	7620
tttcccacgt tacgtaactt cccattttaa gaaaactaca attcccaaca catacaagtt	7680
actccgcctt aaaacctacg tcaccgcgcc cgttcccacg ccccgcgcca cgtcacaaa	7740
tcacccccct cattatcata ttgggttcaa tccaaaataa ggtatattat tgatgatgtt	7800
aattaacatg catggatcca tatgcggtgt gaaataccgc acagatgcgt aaggagaaaa	7860
taccgcatca ggcgctcttc cgcttcctcg ctcaactgact cgctgcgctc ggtcgctcgg	7920
ctgcggcgag cggtatcagc tcaactcaaag gcggtaatat gggtatccac agaatacagg	7980
gataacgcag gaaagaacat gtgagcaaaa gccagcaaaa aggccaggaa ccgtaaaaag	8040
gccgcgttgc tggcggtttt ccataggctc cgccccctcg acgagcatca caaaaatcga	8100
cgctcaagtc agaggtggcg aaaccgcaca ggactataaa gataaccagg gtttccccct	8160
ggaagctccc tcgtgcgctc tcctgttccg accctgccgc ttaccggata cctgtccgcc	8220
tttctccctt cgggaagcgt ggcgctttct catagctcac gctgtaggta tctcagttcg	8280
gtgtaggtcg ttcgtccaa gctgggctgt gtgcacgaac ccccggttca gcccagccgc	8340
tgccgcttat ccggtacta tcgtcttgag tccaaccgg taagacacga cttatcgcca	8400
ctggcagcag ccaactgtaa caggattagc agagcgaggt atgtaggcgg tgctacagag	8460
ttcttgaaat ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct	8520
ctgctgaagc cagttacctt cggaaaaaga gttggtagct cttgatccgg caaacaacc	8580
accgctggta gcggtggttt tttgtttgc aagcagcaga ttacgcgcag aaaaaaggga	8640
tctcaagaag atcctttgat cttttctacg gggctctgacg ctcaagtggaa cgaaaactca	8700
cgtaaggga ttttggctcat gagattatca aaaaggatct tcacctagat ctttttaaat	8760

-continued

taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac	8820
caatgcttaa tcagttaggc acctatctca gcgatctgtc tatttcgttc atccatagtt	8880
gcctgactcc cgcgtgtgta gataactacg atacgggagc gcttaccatc tggccccagt	8940
gctgcaatga taccgcgaga ccacgctca ccggctccag atttatcagc aataaaccag	9000
ccagccggaa gggccgagcg cagaagtggc cctgcaactt tatccgcctc catccagtct	9060
attaattggt gccgggaagc tagagtaagt agttcgccag ttaatagttt gcgcaacggt	9120
gttgccattg ctgcagccat gagattatca aaaaggatct tcacctagat ccttttcacg	9180
tagaaagcca gtccgcagaa acggtgctga ccccgatga atgtcagcta ctgggctatc	9240
tggacaaggc aaaacgcaag cgcaaagaga aagcaggtag cttgcagtgg gcttacatgg	9300
cgatagctag actggcggtt tttatggaca gcaagcgaac cggaattgcc agctggggcg	9360
ccctctggta aggttgggaa gccctgcaaa gtaaaactgga tggctttctt gccgccaagg	9420
atctgatggc gcaggggacg aagctctgat caagagacag gatgaggatc gtttcgcatg	9480
attgaacaag atggattgca cgcaggttct ccggccgctt ggggtggagag gctattcggc	9540
tatgactggg cacaacagac aatcggtgc tctgatgccg ccgtgttccg gctgtcagcg	9600
caggggcgcc cggttctttt tgcaagacc gacctgtccg gtgccctgaa tgaactgcaa	9660
gacgaggcag cgcggtatc gtgggtggcc acgacggcg ttccttgccg agctgtgctc	9720
gacgttgtca ctgaagcggg aagggaactg ctgctattgg gcgaagtgcc ggggcaggat	9780
ctcctgtcat ctcacctgc tctgcccag aaagtatcca tcatggctga tgcaatgcgg	9840
cggtgcata cgcttgatcc ggctacctgc ccattcgacc accaagcgaa acatcgcatc	9900
gagcgagcac gtactcggt ggaagccggt cttgtcgatc aggatgatct ggacgaagag	9960
catcaggggc tcgcgccagc cgaactgttc gccaggctca aggcgagcat gccgcagcgc	10020
gaggatctcg tcgtgaccca tggcgatgcc tgcctgccga atatcatggt ggaaaatggc	10080
cgttttctg gattcatcga ctgtggccgg ctgggtgtgg cggaccgcta tcaggacata	10140
gcgttggtca ccggtgatat tgctgaagag cttggcggcg aatgggctga ccgcttctc	10200
gtgctttacg gtatcgccgc tccgattcgc cagcgcacgc ccttctatcg ccttcttgac	10260
gagttcttct gaattttgtt aaaatttttg ttaaatcagc tcatttttta accaataggc	10320
cgaaatcgcc aacatccctt ataaatcaaa agaataagacc gcgatagggt tgagtgttgt	10380
tcaggtttgg aacaagagtc cactattaaa gaacgtggac tccaacgtca aaggcgcaaa	10440
aaccgtctat cagggcgatg gccactacg tgaaccatca cccaaatcaa gttttttgcg	10500
gtcgagggtc cgtaaaagtc taaatcgga ccctaaaggg agccccgat ttagagcttg	10560
acgggggaaag ccggcgcaacg tggcgagaaa ggaagggaag aaagcgaaag gagcgggcgc	10620
tagggcgctg gcaagtgtag cgttcacgct gcgcgtaacc accacaccgc cgcgcttaat	10680
gcgcgcgtac agggcgcgtc cattcgccat tcaggatcga attaattctt aattaa	10736

<210> SEQ ID NO 72

<211> LENGTH: 97

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 72

tcgctggggc gtattggcaa gttttagagc tagaaatagc aagttaaaat aaggctagtc	60
---	----

-continued

cgttatcaac ttgaaaaagt ggcaccgagt cggtgct 97

<210> SEQ ID NO 73
 <211> LENGTH: 2812
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 73

aagcgggtgcc ggaaagctgg ctggagtgcg atcttctga ggcgatact gtcgtcgctcc 60
 cctcaaaactg gcagatgcac gggtacgatg cggccatcta caccaacgtg acctatccca 120
 ttacgggtcaa tccgccgttt gttccacgg agaatccgac gggttgttac tcgctcacat 180
 ttaatgttga tgaagctgg ctacaggaag gccagacgg aattattttt gatggcggtta 240
 actcggcggtt tcctctgtgg tgcaacgggc gctgggtcgg ttacggccag gacagtcgtt 300
 tgccgtctga atttgacctg agcgcatttt tacgcgccgg agaaaaccgc ctgcgggtga 360
 tgggtgctgcg ttggagtgac ggcagttatc tggaagatca ggatatgtgg cggatgagcg 420
 gcattttccg tgacgtctcg ttgctgcata aaccgactac acaaatcagc gattttccatg 480
 ttgccactcg ctttaatgat gatttcagcc gcgctgtact ggaggctgaa gttcagatgt 540
 gcggcgagtt cgtgactac ctacgggtaa cagtttcttt atggcagggt gaaacgcagg 600
 tcgccagcgg caccgcgect ttccggcggtg aaattatcga tgagcgtggt ggattatgccg 660
 atcgcgtcac actacgtctg aacgtcgaaa acccgaaact gtggagcggc gaaatccga 720
 atctctatcg tgcggtgggt gaactgcaca ccgccgacgg cagctgatt gaagcagaag 780
 cctgcgatgt cggtttccgc gaggtgcgga ttgaaaatgg tctgctgctg ctgaacggca 840
 agccgttgct gattcgaggc gtttaaccgtc acgagcatca tcctctgcat ggtcaggcca 900
 tggatgagca gacgatgggt caggatatcc tgctgatgaa gcagaacaac tttacgccg 960
 tgccgtgttc gcattatccg aaccatccgc tgtggtacac gctgtgcgac cgtacggcc 1020
 tgtatgtggt ggatgaagcc aatattgaaa cccacggcat ggtgccaatg aatcgtctga 1080
 ccgatgatcc gcgctggcta ccggcgatga gcgaacgcgt aacgcgaatg gtgcagcgcg 1140
 atcgtaatca cccgagtggt atcatctggt cgtcggggaa tgaatcaggc caccgcgcta 1200
 atcacgacgc gctgtatcgc tggatcaa atctcgatcc ttcccgccc gtgcagtatg 1260
 aaggcggcgg agccgacacc acggccaccg atattatttg cccgatgtac gcgcgcgtgg 1320
 atgaagacca gcccttccgc gctgtgccga aatggtccat caaaaaatgg ctttcgctac 1380
 ctggagagac gcgcccgtg attctttgcg aatacgccca cgcgatgggt aacagtcttg 1440
 gcggtttcgc taaatactgg caggcgtttc gtcagtatcc ccgtttacag ggcggttcg 1500
 tctgggactg ggtggatcag tcgctgatta aatatgatga aaacggcaac ccgtggtcgg 1560
 ctacggcgcg tgattttggc gatacgccga acgatcgcca gttctgtatg aacggtctgg 1620
 tctttgccga ccgcacgcgc catccagcgc tgacggaagc aaaacaccag cagcagtttt 1680
 tccagttccg tttatccggg caaaccatcg aagtgaccag cgaatacctg ttccgtcata 1740
 gcgataacga gctcctgcac tggatgggtg cgctggatgg taagccgctg gcaagcggtg 1800
 aagtgcctct ggatgtcgct ccacaaggta aacagttgat tgaactgctt gaactaccgc 1860
 agccggagag cgcggggcaa ctctggctca cagtacgct agtgcaaccg aacgcgaccg 1920
 catggtcaga agccgggcac atcagcgct ggcagcagtg gcgtctggcg gaaaacctca 1980

-continued

```

gtgtgacgct ccccgccgcg tcccacgcca tcccgcacat gaccaccagc gaaatggatt 2040
tttgcacgca gctgggtaat aagcgctggc aatttaaccg ccagtcaggc tttctttcac 2100
agatgtggat tggcgataaa aaacaactgc tgacgccgct gcgcgatcag ttcaccctgt 2160
caccgctgga taacgacatt ggcgtaagt aagcgaccg cattgacct aacgcctggg 2220
tcgaacgctg gaaggcggcg ggccattacc aggccgaagc agcgttggtg cagtgcacgg 2280
cagatacact tgctgatgcg gtgctgatta cgaccgctca cgcgtaggcag catcagggga 2340
aaaccttatt taccagccg aaaacctacc ggattgatgg tagtggtcaa atggcgatta 2400
ccgttgatgt tgaagtggcg agcgatacac cgcacccg gcgattggc ctgaactgcc 2460
agctggcgca ggtagcagag cgggtaaact ggctcggatt agggccgcaa gaaaactatc 2520
ccgaccgcct tactgccgcc tgttttgacc gctgggatct gccattgtca gacatgtata 2580
ccccgtacgt cttcccgagc gaaaacggtc tgcgctgcgg gacgcgcgaa ttgaattatg 2640
gcccacacca gtggcgcgcg gacttccagt tcaacatcag ccgctacagt caacagcaac 2700
tgatggaaac cagccatgc catctgctgc acgcggaaga aggcacatgg ctgaatatcg 2760
acggtttcca tatggggatt ggtggcgacg actcctggag cccgtcagta tc 2812

```

```

<210> SEQ ID NO 74
<211> LENGTH: 17
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 74

```

```

cgacgcggcc gctcgag 17

```

```

<210> SEQ ID NO 75
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 75

```

```

tgggcgtatt ggcaaaggat 20

```

```

<210> SEQ ID NO 76
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 76

```

```

atcctttgcc aatacgccca 20

```

```

<210> SEQ ID NO 77
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 77

```

-continued

cggatatctt atctagaagc tt 22

<210> SEQ ID NO 78
 <211> LENGTH: 10690
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 78

tggaagggct aattcactcc caaagaagac aagatatcct tgatctgtgg atctaccaca	60
cacaaggcta cttccctgat tagcagaact acacaccagg gccaggggtc agatatccac	120
tgacctttgg atggtgttac aagctagtac cagttgagcc agataaggta gaagaggcca	180
ataaaggaga gaacaccagc ttgttacacc ctgtgagcct gcatgggatg gatgaccgg	240
agagagaagt gttagagtgg aggtttgaca gccgcctagc atttcacac gtggcccgag	300
agctgcatcc ggagtacttc aagaactgct gatatcgagc ttgctacaag ggactttccg	360
ctggggactt tccagggagg cgtggcctgg gcgggactgg ggagtggcga gccctcagat	420
cctgcatata agcagctgct ttttgctgt actgggtctc tctgggttaga ccagatctga	480
gcctgggagc tctctggcta actagggaac ccaactgcta agcctcaata aagcttgct	540
tgagtgtctc aagtagtgtg tgcccgtctg ttgtgtgact ctggtaacta gagatccctc	600
agaccctttt agtcagtgtg gaaaaatctc agcagtggcg cccgaacagg gacttgaaag	660
cgaaagggaa accagaggag ctctctcgac gcaggactcg gcttgctgaa gcgcgcacgg	720
caagaggcga gggggcgcga ctgggtgagta gcgcaaaaat tttgactagc ggaggctaga	780
aggagagaga tgggtgcgag agcgtcagta ttaagcgggg gagaattaga tcgcgatggg	840
aaaaaattcg gttaaggcca gggggaaaga aaaaatataa attaaaacat atagtatggg	900
caagcaggga gctagaacga ttgcgagtta atcctggcct gttagaaaca tcagaaggct	960
gtagacaaat actgggacag ctacaacat cccctcagac aggatcagaa gaacttagat	1020
cattatataa tacagttagc accctctatt gtgtgcatca aaggatagag ataaaagaca	1080
ccaagggaagc tttagacaag atagagggaag agcaaaaaca aagtaagacc accgcacagc	1140
aagcggccgg ccgctgatct tcagacctgg aggaggagat atgagggaca attggagaag	1200
tgaattatat aaatataaag tagtaaaaat tgaaccatta ggagttagc ccaccaaggc	1260
aaagagaaga gtggtgcaga gagaaaaaag agcagtggga ataggagctt tgttccttgg	1320
gttcttggga gcagcaggaa gcactatggg cgcagcgtca atgacgtga cggtagaggc	1380
cagacaatta ttgtctggta tagtgagca gcagaacaat ttgtgaggg ctattgaggc	1440
gcaacagcat ctgttgcaac tcacagtctg gggcatcaag cagctccagg caagaatcct	1500
ggctgtggaa agatacctaa aggatcaaca gctcctgggg atttgggggt gctctggaaa	1560
actcatttgc accactgctg tgccctggaa tgctagtgg agtaataaat ctctggaaca	1620
gatttggaat cacacgacct gtagtgagtg ggacagagaa attaacaatt acacaagctt	1680
aatacactcc ttaattgaag aatcgcaaaa ccagcaagaa aagaatgaac aagaattatt	1740
ggaattagat aaatgggcaa gtttgggaa ttggtttaac ataacaatt ggctgtggta	1800
tataaaatta ttcataatga tagtaggagg cttggttagt ttaagaatag tttttgctgt	1860
actttctata gtgaatagag ttaggcaggg atattcacca ttatcgttcc agaccacct	1920
cccaaccccg aggggacccg acaggccga aggaatagaa gaagaagggt gagagagaga	1980

-continued

cagagacaga tccattcgat tagtgaacgg atctcgacgg tatcgctttt aaaagaaaaa	2040
gggggattgg ggggtacagt gcaggggaaa gaatagtaga cataatagca acagacatac	2100
aaactaaaga attacaaaaa caaattacaa aaattcaaaa ttttcgggtt tattacaggg	2160
acagcagaga tccagttttg tacaaaaaag caggctttaa aggaaccaat tcagtcgact	2220
ggatccggta ccaaggctcg gcaggaagag ggcctatttc ccatgattcc ttcataattg	2280
catatacgat acaaggctgt tagagagata attagaatta atttgactgt aaacacaaag	2340
atattagtag aaaatacgtg acgtagaaag taataatttc ttgggtagtt tgcagtttta	2400
aaattatggt ttaaaatgga ctatcatatg cttaccgtaa cttgaaagta tttcgatttc	2460
ttggctttat atatcttgtg gaaaggacga aacacctcgc gtgggcgtat tggcaagttt	2520
tagagctaga aatagcaagt taaaaaagg ctagtccgtt atcaacttga aaaagtggca	2580
ccgagtcggt gctttttttg aattcaagcg gtgccggaaa gctggctgga gtgcgatcct	2640
cctgaggccg atactgtcgt cgteccctca aactggcaga tgcacggtta cgatgcgccc	2700
atctacacca acgtgaccta tcccattacg gtcaatccgc cgtttgttcc cacggagaat	2760
ccgacgggtt gttactcgct cacatttaat gttgatgaaa gctggctaca ggaaggccag	2820
acgcgaatta tttttgatgg cgtaactcg gcgtttcacc tgtggtgcaa cgggcgctgg	2880
gtcggttacg gccaggacag tctgttgcg tctgaatttg acctgagcgc atttttacgc	2940
gccggagaaa accgcctcgc ggtgatgggt ctgcgttgga gtgacggcag ttatctggaa	3000
gatcaggata tgtggcggat gagcggcatt ttccgtgacg tctcgttgcg gcataaacgg	3060
actacacaaa tcagcgattt ccatgttgcc actcgttcta atgatgattt cagccgcgct	3120
gtactggagg ctgaagtcca gatgtcgggc gagttgcgtg actacctacg ggtaacagtt	3180
tctttatggc aggggtgaaac gcaggtcgcc agcggcacgg cgcttttcgg cggtgaaatt	3240
atcgatgagc gtggtgggta tgccgatcgc gtcacactac gtctgaacgt cgaaaaccgg	3300
aaactgtgga gcgcggaaat cccgaatctc tatcgtgcgg tgggtgaact gcacaccgcc	3360
gacggcacgc tgattgaagc agaagcctgc gatgtcgggt tccgcgaggt gcggattgaa	3420
aatggtctgc tgctgctgaa cggaagccg ttgctgattc gaggcgttaa ccgtcacgag	3480
catcaccctc tgcattgtca ggtcatggat gagcagacga tgggtgcagga tatcctgctg	3540
atgaagcaga acaactttaa cgccgtgcgc tgttcgcatt atccgaacca tccgctgtgg	3600
tacacgctgt gcgaccgcta cgccctgtat gtggtggatg aagccaatat tgaaaccac	3660
ggcatggtgc caatgaatcg tctgaccgat gatccgcgct ggctaccggc gatgagcgaa	3720
cgcgtaacgc gaatgggtgca gcgcgatcgt aatcacccga gtgtgatcat ctggtcgcgtg	3780
gggaatgaat caggccacgg cgctaatac gacgcgctgt atcgtggat caaatctgtc	3840
gatccttccc gcccggtgca gtatgaaggc ggcggagccg acaccacggc caccgatatt	3900
atttgccgga tgtacgcgcg cgtggatgaa gaccagccct tcccggtgtg gccgaaatgg	3960
tccatcaaaa aatggctttc gctacctgga gagacgcgcc cgctgattct ttgcgaatac	4020
gcccacgcga tgggtaacag tcttgccggt ttcgctaaat actggcaggc gtttcgtcag	4080
tatccccgtt tacagggcgg cttcgtctgg gactgggtgg atcagtcgct gattaaatat	4140
gatgaaaacg gcaaccggtg gtcggcttac ggcggtgatt ttggcgatac gccgaacgat	4200
cgccagttct gtatgaacgg tctggtcttt gccgaccgca cgccgcaccc agcgtgacg	4260
gaagcaaaac accagcagca gtttttccag ttccgtttat ccgggcaaac catcgaagtg	4320
accagcgaat acctgttccg tcatagcgat aacgagctcc tgcactggat ggtggcgctg	4380

-continued

gatggtaagc	cgctggcaag	cggtgaagtg	cctctggatg	tcgctccaca	aggtaaacag	4440
ttgattgaac	tgctgaact	accgcagccg	gagagcgccg	ggcaactctg	gctcacagta	4500
cgcgtagtgc	aaccgaacgc	gaccgcatgg	tcagaagccg	ggcacatcag	cgcttgccag	4560
cagtggcgtc	tggcggaaaa	cctcagtggt	acgtccccc	cgcggtccca	cgccatccc	4620
catctgacca	ccagcgaaat	ggatttttgc	atcgagctgg	gtaataagcg	ttggcaattt	4680
aaccgccagt	caggttttct	ttcacagatg	tggattggcg	ataaaaaaca	actgctgacg	4740
ccgtgcgcg	atcagttcac	ccgtgcaccg	ctggataacg	acattggcgt	aagtgaagcg	4800
acccgcattg	accctaacgc	ctgggtcgaa	cgctggaagg	cgggcgccca	ttaccaggcc	4860
gaagcagcgt	tgttgccagt	cacggcagat	acacttgctg	atgcggtgct	gattacgacc	4920
gctcacgcgt	ggcagcatca	ggggaaaaac	ttatttatca	gccggaaaaa	ctaccggatt	4980
gatggtagt	gtcaaatggc	gattaccgtt	gatgttgaag	tggcgagcga	tacaccgcat	5040
ccggcgcgga	ttggcctgaa	ctgccagctg	gcgcaggtag	cagagcggtg	aaactggctc	5100
ggattagggc	cgcaagaaaa	ctatcccgac	cgccttactg	ccgcctgttt	tgaccgctgg	5160
gatctgccat	tgtcagacat	gtataccccg	tacgtcttcc	cgagcgaaaa	cggtctgcgc	5220
tgcgggacgc	gcgaattgaa	ttatggccca	caccagtggc	gcggcgactt	ccagttcaac	5280
atcagccgct	acagtcaaca	gcaactgatg	gaaaccagcc	atcgccatct	gctgcacgcg	5340
gaagaaggca	catggctgaa	tatcgacggt	ttccatatgg	ggattggtgg	cgacgactcc	5400
tggagcccg	cagtatctct	agagcgccg	cggatcccg	ccctctccct	ccccccccc	5460
taacgttact	ggcgaagcc	gcttgaata	aggccggtg	gcgtttgtct	atatgttatt	5520
ttccaccata	ttgcgctctt	ttggcaatgt	gagggcccg	aaacctggcc	ctgtcttctt	5580
gacgagcatt	cctaggggtc	tttccctct	cgccaaagga	atgcaaggtc	tgttgatgt	5640
cgtgaaggaa	gcagttcttc	tggaaagctt	ttgaagacaa	acaacgtctg	tagcgaccct	5700
ttgcaggcag	cggaaccccc	cacctggcga	caggtgcctc	tgcggccaaa	agccacgtgt	5760
ataagataca	cctgcaaagg	cggcacaacc	ccagtgccac	gttgtgagtt	ggatagtgt	5820
ggaaagagtc	aatggctct	cctcaagcgt	attcaacaag	gggctgaagg	atgccagaaa	5880
ggtaccccat	tgtatgggat	ctgatctggg	gcctcggtgc	acatgcttta	catgtgttta	5940
gtcgagggtt	aaaaaacgtc	tagggcccc	gaaccacggg	gacgtggttt	tcctttgaaa	6000
aacacgatga	taagcttgcc	acaaccacac	aggagacgac	cttccatgac	cgagtacaag	6060
cccacggtgc	gcctcgccac	ccgcgacgac	gtcccccg	ccgtacgcac	cctcgccgcc	6120
gcgttcgccc	actaccccg	cacgcgccac	accgtcgacc	cggaccgcca	catcgagcgg	6180
gtcaccgagc	tgcaagaact	cttctcacg	cgcgtcgggc	tcgacatcgg	caaggtgtgg	6240
gtcgcggacg	acggcgccgc	ggtggcggtc	tggaccacgc	cggagagcgt	cgaagcgggg	6300
gcggtgttcg	ccgagatcgg	cccgcgcatt	gccgagttga	gcggttcccc	gctggccgcg	6360
cagcaacaga	tggaaaggct	cctggcgccg	caccggccca	aggagcccg	gtggttcctg	6420
gccaccgtcg	gcgtctcgcc	cgaccaccag	ggcaagggtc	tgggcagcgc	cgctgtgctc	6480
cccgagtg	aggcgccga	gcgcgcccgg	gtgcccgcct	tcctggagac	ctccgcgcc	6540
cgcaacctcc	cctttacga	gcggctcggc	ttcaccgta	ccgcgacgt	cgaggtgccc	6600
gaaggaccgc	gcacctgggt	catgacccgc	aagcccggtg	cctagacgcg	tctggaacaa	6660
tcaacctctg	gattacaaaa	tttgtgaaag	attgactggt	attcttaact	atgttgctcc	6720

-continued

ttttacgcta tgtggatacg ctgctttaat gcctttgtat catgetattg ctteccgcat	6780
ggctttcatt ttctctcct tgtataaatc ctgggtgctg tctctttatg aggagtgtg	6840
gcccgttgtc aggcaacgtg gcgtgggtg cactgtgttt gctgacgcaa cccccactgg	6900
ttggggcatt gccaccacct gtcagctcct ttccgggact ttctgtttcc cctccctat	6960
tgccacggcg gaactcatcg ccgcctgcct tgcccgtgc tggacagggg ctgggtgtt	7020
gggcactgac aattccgtgg tgtgtcggg gaagctgacg tcttttccat ggctgctcg	7080
ctgtgttgcc acctggattc tgcgcgggac gtcttctgc tacgtccctt cggccctcaa	7140
tccagcggac cttctctccc gcggcctgct gccgctctg cggcctcttc cgcgtcttcg	7200
ccttcgcctt cagacgagtc ggtatccct ttgggcccgc tccccgcctg gaattaattc	7260
tgcagtcgag acctagaaaa acatggagca atcacaagta gcaatacagc agctaccaat	7320
gctgattgtg cctggctaga agcacaagag gaggaggagg tgggttttcc agtcacacct	7380
caggtaacct taagaccaat gacttacaag gcagctgtag atcttagcca ctttttaaaa	7440
gaaaagaggg gactggaagg gctaattcac tcccaacgaa gacaagatat ccttgatctg	7500
tggatctacc acacacaagg ctacttcctt gattagcaga actacacacc agggccaggg	7560
gtcagatata cactgacctt tggatgggtg tacaagctag taccagttga gccagataag	7620
gtagaagagg ccaataaagg agagaacacc agcttggtac accctgtgag cctgcatggg	7680
atggatgacc cggagagaga agtggttagg tggagggttg acagccgcct agcatttcat	7740
cacgtggccc gagagctgca tccggagtac ttcaagaact gctgatatcg agcttgctac	7800
aagggacttt ccgctgggga ctttcaggg aggcgtggcc tgggcgggac tggggagtgg	7860
cgagccctca gatcctgcat ataagcagct gctttttgcc tgtactgggt ctctctgggt	7920
agaccagatc tgagcctggg agctctctgg ctaactaggg aacccactgc ttaagcctca	7980
ataaagcttg ccttgagtgc ttcaagtagt gtgtgccctg ctgttggtg actctggtaa	8040
ctagagatcc ctcagacctt tttagtcagt ttggaaaatc tctagcagta gtagtccatg	8100
tcctcttatt attcagtatt tataacttgc aaagaaatga atatcagaga gtgagaggcc	8160
ttgacattgc tagcgtttac cgtcgacctc tagctagagc ttggcgtaat catggtcata	8220
gctgtttcct gtgtgaaatt gttatccgct cacaattcca cacaacatac gagccggaag	8280
cataaagtgt aaagcctggg gtgcctaatt agtgagctaa ctcacattaa ttgcgttgcg	8340
ctcactgccc gctttccagt cgggaaacct gtctgcccag ctgcattaat gaatcggcca	8400
acgcgcgggg agaggcggtt tgcgtattgg gcgctcttcc gcttctctgc tcaactgactc	8460
gctgcgctcg gtcttccggt tgcggcgagc ggtatcagct cactcaaagg cggtataacg	8520
gttatccaca gaatcagggg ataacgcagg aaagaacatg tgagcaaaaag gccagcaaaa	8580
ggccaggaac cgtaaaaagg ccgcgttgct ggcgtttttc cataggctcc gccccctga	8640
cgagcatcac aaaaatcgac gctcaagtca gaggtggcga aacccgacag gactataaag	8700
ataccaggcg tttccccctg gaagctccct cgtgcgctct cctgttccga cctgcgcgt	8760
taccggatac ctgtccgcct ttctcccttc gggaaagcgt gcgctttctc atagctcag	8820
ctgtagggat ctcagttcgg tgtaggctgt tcgctccaag ctgggctgtg tgcacgaacc	8880
ccccgttcag ccgacccgct gcgccttata cggtaactat cgtcttgagt ccaacccggt	8940
aagacacgac ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta	9000
tgtaggcggt gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaagaac	9060
agtatttggt atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc	9120

-continued

ttgatccggc	aaacaaacca	ccgctggtag	cggtgggttt	tttgtttgca	agcagcagat	9180
tacgcgcaga	aaaaaaggat	ctcaagaaga	tcctttgatc	ttttctacgg	ggtctgacgc	9240
tcagtggaac	gaaaactcac	gttaagggat	tttggtcatg	agattatcaa	aaaggatcct	9300
cacctagatc	cttttaaat	aaaaatgaag	ttttaaatca	atctaaagta	tatatgagta	9360
aaactgggtc	gacagttacc	aatgcttaat	cagtgaggca	cctatctcag	cgatctgtct	9420
atttcgttca	tcocatgttg	cctgactccc	cgctcgtgtg	ataactacga	tacgggaggg	9480
cttaccatct	ggccccagtg	ctgcaatgat	accgcgagac	ccacgctcac	cggtccaga	9540
tttatcagca	ataaaccagc	cagccggaag	ggccgagcgc	agaagtgggc	ctgcaacttt	9600
atccgcctcc	atccagtcta	ttaattgttg	ccgggaagct	agagtaagta	gttcgccagt	9660
taatagtttg	cgcaacgttg	ttgccattgc	tacaggcatc	gtggtgtcac	gctcgtcgtt	9720
tggtatggct	tcattcagct	ccggttccca	acgatcaagg	cgagttacat	gatccccat	9780
gttgtgcaaa	aaagcgggta	gctccttcgg	tctccgcatc	gttgtcagaa	gtaagttggc	9840
cgcagtgtta	tcactcatgg	ttatggcagc	actgcataat	tctcttactg	tcatgccatc	9900
cgtaagatgc	ttttctgtga	ctgggtgagta	ctcaaccaag	tcattctgag	aatagtgtat	9960
gcggcgaccg	agttgctctt	gcccggcgtc	aatacgggat	aataccgcgc	cacatagcag	10020
aaactttaaaa	gtgctcatca	ttggaaaacg	ttcttcgggg	cgaaaactct	caaggatcct	10080
accgctgttg	agatccagtt	cgatgtaacc	cactcgtgca	cccaactgat	cttcagcatc	10140
ttttactttc	accagcgttt	ctgggtgagc	aaaaacagga	aggcaaatg	ccgcaaaaaa	10200
gggaataaag	gcgacacgga	aatgttgaat	actcatactc	ttcctttttc	aatattattg	10260
aagcattttat	caggggttatt	gtctcatgag	cggatacata	tttgaatgta	tttagaaaaa	10320
taaacaaata	gggggttcgc	gcacatttcc	ccgaaaagtg	ccacctgacg	tcgacgggatc	10380
gggagatcaa	cttgtttatt	gcagcttata	atggttacaa	ataaagcaat	agcatcacaa	10440
atttcacaaa	taaagcattt	ttttcactgc	attctagttg	tggtttgtcc	aaactcatca	10500
atgtatctta	tcatgtctgg	atcaactgga	taactcaagc	taacaaaaat	catcccaaac	10560
ttcccacccc	ataccctatt	accactgcc	attacctgtg	gtttcattta	ctctaaacct	10620
gtgattcctc	tgaattattt	tcattttaaa	gaaattgtat	ttgttaata	tgtactacaa	10680
acttagtagt						10690

<210> SEQ ID NO 79

<211> LENGTH: 12570

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 79

tggaagggct	aattcactcc	caaagaagac	aagatatact	tgatctgtgg	atctaccaca	60
cacaaggcta	cttcctgat	tagcagaact	acacaccagg	gccagggggtc	agatatccac	120
tgacctttgg	atgggtgtac	aagctagtag	cagttgagcc	agataaggta	gaagaggcca	180
ataaaggaga	gaacaccagc	ttgttacacc	ctgtgagcct	gcattgggatg	gatgaccggg	240
agagagaagt	gttagagtgg	aggtttgaca	gccgcctagc	atttcacac	gtggcccgag	300
agctgcaccc	ggagtacttc	aagaactgct	gatatcgagc	ttgctacaag	ggactttccg	360
ctggggactt	tccagggagg	cgtggcctgg	gcgggactgg	ggagtggcga	gccctcagat	420

-continued

cctgcatata agcagctgct ttttgctgt actgggtctc tctgggttaga ccagatctga	480
gcctgggagc tctctggcta actaggggaa ccaactgctta agcctcaata aagcttgct	540
tgagtgcctc aagtagtggtg tgcccgtctg ttgtgtgact ctggtaacta gagatccctc	600
agaccctttt agtcagtggtg gaaaatctct agcagtggtg cccgaacagg gacttgaaag	660
cgaaggaggaa accagaggag ctctctcgac gcaggactcg gcttgctgaa gcgcgcacgg	720
caagaggcga ggggcgcgca ctgggtgagta gcgcaaaaat ttgactagc ggaggctaga	780
aggagagaga tgggtgcgag agcgtcagta ttaagcgggg gagaattaga tcgcgatggg	840
aaaaaattcg gttaaggcca gggggaaaga aaaaatataa attaaaacat atagtatggg	900
caagcaggga gctagaacga ttcgcagtta atcctggcct gttagaaca tcagaaggct	960
gtagacaaat actgggacag ctacaacct ccttcagac aggatcagaa gaacttagat	1020
cattatataa tacagtagca accctctatt gtgtgcatca aaggatagag ataaaagaca	1080
ccaaggaagc tttagacaag atagaggaag agcaaaaaca aagtaagacc accgcacagc	1140
aagcggcccg ccgctgatct tcagacctgg agggaggagat atgagggaca attggagaag	1200
tgaattatat aaatataaag tagtaaaat tgaaccatta ggagtagcac ccaccaaggc	1260
aaagagaaga gtggtgcaga gagaaaaag agcagtggtg ataggagctt tgttccttgg	1320
gttcttggga gcagcaggaa gcaactatgg gcgcagctca atgacgctga cggtagaggc	1380
cagacaatta ttgtctggta tagtgcagca gcagaacaat ttgtgaggg ctattgaggc	1440
gcaacagcat ctgttgcaac tcacagtctg gggcatcaag cagctccagg caagaatcct	1500
ggctgtggaa agatacctaa aggatcaaca gctcctgggg atttgggggt gctctggaaa	1560
actcatttgc accactgctg tgccttgga tgcctagtgg agtaataaat ctctggaaca	1620
gatttggaat cacacgacct ggatggagtg ggacagagaa attaacaatt acacaagctt	1680
aatacactcc ttaattgaag aatcgcaaaa ccagcaagaa aagaatgaac aagaattatt	1740
ggaattagat aaatgggcaa gtttgtgga ttggtttaac ataacaatt ggctgtggta	1800
tataaaatta ttcataatga tagtaggagg cttggtaggt ttaagaatag tttttgctgt	1860
actttctata gtgaatagag ttaggcaggg atattcacca ttatcgtttc agaccacct	1920
cccaaccccg aggggacccg acaggcccg aggaatagaa gaagaagggt gagagagaga	1980
cagagacaga tccattcgat tagtgaacgg atctcgacgg tatcgctttt aaaagaaaag	2040
gggggatttg ggggtacagt gcaggggaaa gaatagtaga cataatagca acagacatac	2100
aaactaaaga attacaaaa caaattacaa aaattcaaaa ttttcgggtt tattacaggg	2160
acagcagaga tccagtttat cgactggatc cggtagcaag gtcgggcagg aagagggcct	2220
atttcccatg attccttcat atttgcatac acgatacaag gctgttagag agataattag	2280
aattaatttg actgtaacaa caaagatatt agtacaaaat acgtgacgta gaaagtaata	2340
atttcttggg tagtttcgag ttttaaaat atgttttaaa atggactatc atatgcttac	2400
cgtaacttga aagtatttcg atttcttggc tttatatatc ttgtggaaag gacgaaacac	2460
cgagacgcct ccgctctcgt ttttagagcta gaaatagcaa gttaaaataa ggctagtccg	2520
ttatcaactt gaaaaagtgg caccgagtcg gtgctttttt tctagacca gctttcttgt	2580
acaaagtggc cattaacgag tctggcctcg cgagtgtgac tagttattaa tagtaatcaa	2640
ttacggggtc attagtctat agcccatata tggagtcccg cggtacataa cttacggtaa	2700
atggcccgcc tggtgacgg cccaacgacc cccgccatt gacgtcaata atgacgtatg	2760

-continued

ttcccatagt aacgccaata gggactttcc attgacgtca atgggtggag tatttacggt	2820
aaactgcccc cttggcagta catcaagtgt atcatatgcc aagtacgccc cctattgacg	2880
tcaatgacgg taaatggccc gcttggcatt atgcccagta catgacctta tgggactttc	2940
ctacttgga gtacatctac gtattagtca tcgctattac catggctgag gtgagcccca	3000
cgttctgctt cactctcccc atctcccccc cctccccacc cccaattttg tatttattta	3060
tttttaatt attttgtga gcgatggggg cggggggggg gggggggcgc gcgccaggcg	3120
gggcggggcg gggcgagggg cggggcgggg cgaggcgag aggtgcggcg gcagccaatc	3180
agagcggcgc gctccgaag tttcctttta tggcgaggcg gcggcggcgg cggccctata	3240
aaaagcgaag cgcgcggcg gcggggagtc gctgcgacgc tgcttcgcgc cctgccccg	3300
ctccgcgcgc gctcgcgcgc gcccgccccg gctctgactg accgcgttac tcccacaggt	3360
gagcgggcgg gacggccctt ctctccggg ctgtaattag cgcttggtt aatgacggct	3420
tgtttctttt ctgtgctgc gtgaaagcct tgaggggctc cgggagggcc ctttgcgcg	3480
ggggagcggc tcgggggggtg cgtgcgtgtg tgtgtgcgtg gggagcgccg cgtgcggctc	3540
cgcgtgccc ggcggtgtg agcgtgcgc gcgcggcgcg gggctttgtg cgtccgcag	3600
tgtgcgcgag gggagcgcg ccggggggcg tgccccgcgc tgccgggggg gctgcgaggg	3660
gaacaaagc tgctgcggg gtgtgtgcgt ggggggggtga gcaggggggtg tgggcgcgtc	3720
ggtcgggctg caaccccccc tgaccccccc tccccgagtt gctgagcacg gcccggttc	3780
gggtgcgggg ctccgtacgg ggcgtggcgc ggggctcgc gtgcccggcg gggggtggcg	3840
gcaggtgggg gtgcggggcg gggcggggcc gcctcgggcc ggggagggct cgggggaggg	3900
gcgcggcgcg ccccgagcg ccggcggtg tcgaggcgcg gcgagccga gccattgcct	3960
tttatggtaa tcgtgcgaga gggcgaggg acttcctttg tcccaaactc gtgcggagcc	4020
gaaatctggg aggcgcgcgc gcacccccct tagcgggcgc gggcggaagc ggtgcggcgc	4080
cggcaggaag gaaatggcg gggagggcct tcgtgcgtcg ccgcgcgcgc gtccccttct	4140
ccctctccag cctcgggggt gtccgcgggg ggaaggctgc cttcgggggg gacggggcag	4200
ggcggggttc ggcttctggc gtgtgaccgg cggtctaga gcctctgcta accatgttca	4260
tgcttcttc ttttctctac agctctggg caacgtgctg gttattgtgc tgtctcatca	4320
ttttggcaaa gaattcgtc gggccaccat ggacaagccc aagaaaaagc ggaaagtga	4380
gtacagcatc ggctggaca tcggcaccaa ctctgtgggc tgggccgtga tcaccgacga	4440
gtacaagggt ccagcaaga aattcaaggt gctgggcaac accgacaggc acagcatcaa	4500
gaagaacctg atcggcgcgc tgctgttcga cagcggcgaa acagccgagg ccaccagact	4560
gaagagaacc gccagaagaa gatacaccag gcggaagaac aggatctgct atctgcaaga	4620
gatcttcagc aacgagatgg ccaaggtgga cgacagcttc ttccacagac tggaaagatc	4680
cttctggtg gaagaggaca agaagcacga gagacacccc atcttcggca acatcgtgga	4740
cgaggtggcc taccacgaga agtaccacac catctaccac ctgagaaaga aactggtgga	4800
cagcacccag aaggccgacc tgagactgat ctacctggcc ctggcccaca tgatcaagtt	4860
cagagggcac ttctgatcg agggcgacct gaaccccgac aacagcgacg tggacaagct	4920
gttcacccag ctggtgcaga cctacaacca gctgttcgag gaaaacccca tcaacgccag	4980
cggcgtggac gccaaagcta tctgtctgc cagactgagc aagagcagaa ggctgaaaa	5040
tctgatcgcc cagctgcccg gcgagaagaa gaacggcctg ttccggcaacc tgattgccct	5100
gagcctgggc ctgaccccca acttcaagag caacttcgac ctggccgagg atgccaaact	5160

-continued

gcagctgagc aaggacacct acgacgacga cctggacaac ctgctggccc agatcggcga	5220
ccagtagccc gacctgttcc tggccgccaa gaacctgtct gacgccatcc tgctgagcga	5280
catctgaga gtgaacaccg agatcaccaa ggccccctg agcgccctca tgatcaagag	5340
atacgacgag caccaccagg acctgacct gctgaaagct ctgctgctgc agcagctgcc	5400
tgagaagtac aaagaaatct tcttcgacca gagcaagaac ggctacgccg gctacatcga	5460
tggcggcgct agccagggaag agttctacaa gttcatcaag cccatcctgg aaaagatgga	5520
cggcaccgag gaactgctcg tgaagctgaa cagagaggac ctgctgagaa agcagagaac	5580
cttcgacaac ggcagcatcc cccaccagat ccacctggga gagctgcacg ctatcctgag	5640
aaggcaggaa gatttttacc cattctgaa ggacaaccgg gaaaagatcg agaagatcct	5700
gaccttcagg atccctact acgtggggccc cctggccaga ggcaacagca gattcgctcg	5760
gatgaccaga aagagcgagg aaaccatcac cccctggaac ttcgaggaag tggtagacaa	5820
ggcgccagc gccagagct tcacgagag aatgacaaac ttcgataaga acctgccaa	5880
cgagaagggtg ctgccaagc acagcctgct gtacgagtac ttcacgtgt acaacgagct	5940
gaccaaagtg aaatacgtga ccgagggaaat gagaaagccc gccttctga gcggcgagca	6000
gaaaaggcc atcgtagacc tgctgttcaa gaccaacaga aaagtgaccg tgaagcagct	6060
gaaagaggac tacttcaaga aaatcgagtg cttcgactcc gtggaaatct ccggcgtaga	6120
agatagattc aacgcctccc tgggcacata ccacgatctg ctgaaaatta tcaaggacaa	6180
ggacttcctg gataacgaag agaacgagga cattctgaa gatatcgtg tgacctgac	6240
actgtttgag gaccgcgaga tgatcgagga aaggctgaaa acctacgctc acctgttcga	6300
cgacaaagtg atgaagcagc tgaagagaag gcggtacacc ggctggggca ggctgagcag	6360
aaagctgatc aacggcatca gagacaagca gagcggcaag acaatcctgg atttctgaa	6420
gtccgacggc ttcgccaacc ggaacttcat gcagctgatc cagcagaca gcctgacatt	6480
caaagaggac atccagaaag cccaggtgtc cggccagggc gactctctgc acgagcatal	6540
cgctaacctg gccggcagcc ccgctatcaa gaagggcac ctgcagacag tgaagtggt	6600
ggacgagctc gtgaaagtga tgggcagaca caagcccgag aacatcgtga tcgagatggc	6660
tagagagaac cagaccaccc agaagggaca gaagaactcc cgcgagagga tgaagagaat	6720
cgaagagggc atcaagagc tgggcagcca gatcctgaaa gaacaccccg tggaaaacac	6780
ccagctgcag aacgagaagc tgtacctgta ctacctgcag aatggccggg atatgtacgt	6840
ggaccaggaa ctggacatca acagactgtc cgactacgat gtggaccata tcgtgcctca	6900
gagctttctg aaggacgact ccacgataa caaagtgtg actcggagcg acaagaacag	6960
aggcaagagc gacaacgtgc cctccgaaga ggtcgtgaag aagatgaaga actactggcg	7020
acagctgtg aacgccaagc tgattacca gaggaagttc gataacctga ccaaggccga	7080
gagaggcggc ctgagcgagc tggataaggc cggcttcac aagaggcagc tggtagaaac	7140
cagacagatc acaaagcacg tggcacagat cctggactcc cggatgaaca ctaagtacga	7200
cgaaaacgat aagctgatcc gggagtgaa agtgatcacc ctgaagtcca agctggtgtc	7260
cgatttccgg aaggatttcc agttttacaa agtgcgagag atcaacaact accaccacgc	7320
ccacgacgcc tactgaacg ccgtcgtggg aaccgccctg atcaaaaagt accctaagct	7380
ggaaagcgag ttcgtgtacg gcgactacaa ggtgtacgac gtgcggaaga tgatcgccaa	7440
gagcgagcag gaaatcggca aggctaccgc caagtacttc ttctacagca acatcatgaa	7500

-continued

ctttttcaag accgaaatca ccttgccaa cggcgagatc agaaagcgcc ctctgatcga	7560
gacaaacggc gaaaccgggg agatcgtgtg ggataagggc agagacttcg ccacagtgcg	7620
aaaggtgctg agcatgcccc aagtgaatat cgtgaaaaag accgaggtgc agacaggcgg	7680
cttcagcaaa gagtctatcc tgcccaagag gaacagcgac aagctgatcg ccagaaagaa	7740
ggactgggac cccaagaagt acggcggcct cgacagccct accgtggcct actctgtgct	7800
ggtggtggct aaggtggaaa agggcaagtc caagaaactg aagagtgtga aagagctgct	7860
ggggatcacc atcatggaaa gaagcagctt tgagaagaac cctatcgact ttctggaagc	7920
caagggtac aaagaagtga aaaaggacct gatcatcaag ctgcctaagt actccctgtt	7980
cgagctggaa aacggcagaa agagaatgct ggctctgcc ggcgaaactgc agaagggaaa	8040
cgagctggcc ctgcctagca aatatgtgaa ctctctgtac ctggcctccc actatgagaa	8100
gctgaagggc agccctgagg acaacgaaca gaaacagctg tttgtggaac agcataagca	8160
ctacctggac gagatcatcg agcagatcag cgagttctcc aagagagtga tcttgccga	8220
cgccaatctg gacaagggtgc tgtctgcta caacaagcac agggacaagc ctatcagaga	8280
gcaggccgag aatatcatcc acctgttcac cctgacaaac ctgggcgctc ctgccgcctt	8340
caagtacttt gacaccacca tcgaccggaa gaggtacacc agcaccaaag aggtgctgga	8400
cgccaccctg atccaccaga gcatcaccgg cctgtacgag acaagaatcg acctgtctca	8460
gctgggaggc gacaagagac ctgccgccac taagaaggcc ggacaggcca aaaagaagaa	8520
gtgaggcgcg tctggaacaa tcaacctctg gattacaaaa tttgtgaaag attgactggt	8580
attcttaact atgttgctcc ttttacgcta tgtggatacg ctgctttaat gcctttgtat	8640
catgctattg cttcccgat ggctttcatt ttctcctcct tgtataaatc ctggttgctg	8700
tctctttatg aggagtgtg gcccgttgtc agggcaactg gcgtggtgtg cactgtgttt	8760
gctgacgcaa ccccaactgg ttggggcatt gccaccacct gtcagctcct ttccgggact	8820
ttogetttcc cctccctat tgccacggcg gaaatcatcg ccgcctgcct tgcccgctgc	8880
tggacagggg ctcggctgtt gggcactgac aattccgtgg tgtgtcggg gaagctgacg	8940
tcctttccat ggctgctgc ctgtgttgcc acctggattc tgcgcgggac gtccttctgc	9000
tacgtccctt cggccctcaa tccagcggac cttccttccc gcggcctgct gccggctctg	9060
cggcctcttc cgcgtcttcg ccttcgcct cagacgagtc ggatctccct ttgggccgcc	9120
tccccgcctg gaattaattc tgcagtcgag acctagaaaa acatggagca atcacaagta	9180
gcaatacagc agctaccaat gctgattgtg cctggctaga agcacaagag gaggaggagg	9240
tgggttttcc agtcacacct caggtaacct taagaccaat gacttacaag gcagctgtag	9300
atcttagcca ctttttaaaa gaaaagaggg gactggaagg gctaattcac tcccaacgaa	9360
gacaagatat ccttgatctg tggatctacc acacacaagg ctacttccct gattagcaga	9420
actacacacc agggccaggg gtcagatata cactgacctt tggatggtgc tacaagctag	9480
taccagttga gccagataag gtagaagagg ccaataaagg agagaacacc agcttgttac	9540
accctgtgag cctgcatggg atggatgacc cggagagaga agtgtagag tggaggtttg	9600
acagccgcct agcatttcat cacgtggccc gagagctgca tccggagtac ttcaagaact	9660
gctgatatcg agcttgctac aagggacttt ccgctgggga ctttccaggg aggcgtggcc	9720
tgggcgggac tggggagtgg cgagccctca gatcctgcat ataagcagct gctttttgcc	9780
tgtactgggt ctctctggtt agaccagatc tgagcctggg agctctctgg ctaactaggg	9840
aaccactgc ttaagcctca ataaagcttg ccttgagtgc ttcaagtagt gtgtgcccg	9900

-continued

ctgttgtgtg	actctggtaa	ctagagatcc	ctcagaccct	tttagtcagt	gtggaaaatc	9960
tctagcagta	gtagttcatg	tcattcttatt	attcagtatt	tataacttgc	aaagaaatga	10020
atatcagaga	gtgagaggcc	ttgacattgc	tagcgtttac	cgtcgacctc	tagctagagc	10080
ttggcgtaat	catggtcata	gctgtttcct	gtgtgaaatt	gttatccgct	cacaattcca	10140
cacaacatac	gagccggaag	cataaagtgt	aaagcctggg	gtgcctaata	agtgagctaa	10200
ctcacattaa	ttgcgttgcg	ctcactgccc	gctttccagt	cgggaaacct	gtcgtgccag	10260
ctgcattaat	gaatcggcc	acgcgcgggg	agaggcggtt	tgcgtattgg	gcgctcttcc	10320
gcttcctcgc	tcactgactc	gctgcgctcg	gtcgttcggc	tgcggcgagc	ggatcagct	10380
cactcaaagg	cggtaatacg	gttatccaca	gaatcagggg	ataacgcagg	aaagaacatg	10440
tgagcaaaa	gccagcaaaa	ggccaggaac	cgtaaaaagg	cgcggttgct	ggcgtttttc	10500
cataggctcc	gccccctga	cgagcatcac	aaaaatcgac	gctcaagtca	gaggtggcga	10560
aacccgacag	gactataaag	ataccaggcg	tttccccctg	gaagctccct	cgtgcgctct	10620
cctgttccga	ccctgcgct	taccggatac	ctgtccgcct	ttctcccttc	gggaagcgtg	10680
gcgctttctc	atagctcacg	ctgtaggat	ctcagttcgg	tgtaggctgt	tcgctccaag	10740
ctgggctgtg	tgcacgaacc	cccgttcag	cccgaccgct	gcgccttacc	cggtaactat	10800
cgtcttgagt	ccaacccggt	aagacacgac	ttatcgccac	tggcagcagc	cactggtaac	10860
aggattagca	gagcgaggta	tgtaggcggt	gctacagagt	tcttgaagtg	gtggcctaac	10920
tacggctaca	ctagaagaac	agtatttgg	atctgcgcct	tgctgaagcc	agttaccttc	10980
ggaaaaagag	ttggtagctc	ttgatccggc	aaacaaacca	ccgctggtag	cgggtggttt	11040
tttgtttgca	agcagcagat	tacgcgcaga	aaaaaaggat	ctcaagaaga	tcctttgatc	11100
ttttctacgg	ggctctgacg	tcagtggaac	gaaaactcac	gttaagggat	tttggtcagt	11160
agattatcaa	aaaggatctt	cacctagatc	cttttaaatt	aaaaatgaag	ttttaaatca	11220
atctaaagta	tatatgagta	aacttggtct	gacagttacc	aatgottaat	cagtgaggca	11280
cctatctcag	cgatctgtct	atttcgttca	tccatagttg	cctgactccc	cgtcgtgtag	11340
ataactacga	tacgggaggg	cttaccatct	ggccccagtg	ctgcaatgat	accgcgagac	11400
ccacgctcac	cggctccaga	tttatcagca	ataaaccagc	cagccggaag	ggccgagcgc	11460
agaagtggtc	ctgcaacttt	atccgcctcc	atccagtcta	ttaattgttg	ccgggaagct	11520
agagtaagta	gttcgccagt	taatagtgtg	cgcacgttg	ttgccattgc	tacaggcatc	11580
gtggtgtcac	gctcgtcggt	tggtatggct	tcattcagct	ccggttccca	acgatcaagg	11640
caggttacat	gatcccccat	gttgtgcaaa	aaagcgggta	gctccttcgg	tcctccgatc	11700
gttgtcagaa	gtaagtgggc	cgcagtggtt	tcactcatgg	ttatggcagc	actgcataat	11760
tctcttactg	tcatgccatc	cgtaaatgac	ttttctgtga	ctggtgagta	ctcaaccaag	11820
tcattctgag	aatagtgtat	gcggcgaccg	agttgctctt	gcccggcgct	aatacgggat	11880
aataccgcgc	cacatagcag	aactttaaaa	gtgctcatca	ttggaaaacg	ttcttcgggg	11940
cgaaaaactct	caaggatctt	accgctgttg	agatccagtt	cgatgtaacc	cactcgtgca	12000
cccaactgat	cttcagcatc	ttttactttc	accagcggtt	ctgggtgagc	aaaaacagga	12060
aggcaaaatg	ccgcaaaaaa	gggaataagg	gcgacacgga	aatgttgaat	actcatactc	12120
ttcctttttc	aatattattg	aagcatttat	cagggttatt	gtctcatgag	cggatacata	12180
tttgaatgta	tttagaaaaa	taaacaaata	ggggttccgc	gcacatttcc	ccgaaaagtg	12240

-continued

```

ccacctgacg tgcacggatc gggagatcaa cttgtttatt gcagettata atggttataa 12300
ataaagcaat agcatcacia atttcacaaa taaagcattt ttttactgc attctagtgt 12360
tggtttgtcc aaactcatca atgtatctta tcatgtctgg atcaactgga taactcaagc 12420
taacccaaat catcccaaac tccccacccc ataccctatt accactgcca attacctgtg 12480
gtttcattta ctctaaacct gtgattcctc tgaattattt tcattttaaa gaaattgtat 12540
ttgttaaata tgtactacaa acttagtagt                                     12570

```

```

<210> SEQ ID NO 80
<211> LENGTH: 73
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
                        oligonucleotide

```

```

<400> SEQUENCE: 80

```

```

gcccggauag cucagucggu agagcaucag acuuuuuauu ugagggucca ggguucaagu    60
cccguucggu gcg                                                         73

```

```

<210> SEQ ID NO 81
<211> LENGTH: 301
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
                        oligonucleotide
<220> FEATURE:
<223> OTHER INFORMATION: Description of Combined DNA/RNA Molecule:
                        Synthetic oligonucleotide

```

```

<400> SEQUENCE: 81

```

```

gccgggcccgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gtgggaggau    60
cgcuugagcc caggaguucu gggcuguagu gcgcuaugcc gaucgggugu ccgcacuaag    120
uucggcauca auauggugac cccccgggag cggggggacca ccagguugcc uaaggagggg    180
ugaaccggcc caggucggaa acggagcagg ucaaaacucc cgugcugauc aguaguggga    240
ucgcgccugu gaauagccac ugcacuccag ccugugcaac auagcgagac cccgucucuu    300
u                                                                    301

```

```

<210> SEQ ID NO 82
<211> LENGTH: 301
<212> TYPE: RNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 82

```

```

gccgggcccgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gcuggaggau    60
cgcuugaguc caggaguucu gggcuguagu gcgcuaugcc gaucgggugu ccgcacuaag    120
uucggcauca auauggugac cccccgggag cggggggacca ccagguugcc uaaggagggg    180
ugaaccggcc caggucggaa acggagcagg ucaaaacucc cgugcugauc aguaguggga    240
ucgcgccugu gaauagccac ugcacuccag ccugugcaac auagcgagac cccgucucuu    300
u                                                                    301

```

```

<210> SEQ ID NO 83
<211> LENGTH: 68
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

-continued

<400> SEQUENCE: 83

gccgggcgcg gtggcgcggtg cctgtagtcc cagctactcg ggaggctgag gctggaggat	60
cgcttgag	68

<210> SEQ ID NO 84

<211> LENGTH: 151

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 84

cgatcgggtg tccgactaa gttcggcatc aatatggtga cctcccgga gcgggggacc	60
accaggttgc ctaaggagg gtgaaccggc ccaggtcgga aacggagcag gtcaaaactc	120
ccgtgctgat cagtagtggg atcgcgctg t	151

<210> SEQ ID NO 85

<211> LENGTH: 111

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 85

gttcggcatc aatatggtga cctcccgga gcgggggacc accaggttgc ctaaggagg	60
gtgaaccggc ccaggtcgga aacggagcag gtcaaaactc ccgtgctgat c	111

<210> SEQ ID NO 86

<211> LENGTH: 81

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 86

gccgggcgcg gtggcgcggtg cctgtagtcc cagctactcg ggaggctgag gctggaggat	60
cgcttgagtc caggagttct g	81

<210> SEQ ID NO 87

<211> LENGTH: 22

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 87

aacatagcga gacccgtct ct	22
-------------------------	----

<210> SEQ ID NO 88

<211> LENGTH: 31

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 88

agcctgggca acatagcgag accccgtctc t	31
------------------------------------	----

<210> SEQ ID NO 89

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 89

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser	
1 5 10 15	

-continued

<210> SEQ ID NO 90
<211> LENGTH: 12
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide
<220> FEATURE:
<223> OTHER INFORMATION: Description of Combined DNA/RNA Molecule:
Synthetic oligonucleotide

<400> SEQUENCE: 90

gtccaggagu uc 12

<210> SEQ ID NO 91
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 91

Gly Ser Gly Gly Ser
1 5

<210> SEQ ID NO 92
<211> LENGTH: 4
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 92

Gly Gly Gly Ser
1

<210> SEQ ID NO 93
<211> LENGTH: 4
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 93

Gly Gly Ser Gly
1

<210> SEQ ID NO 94
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 94

Gly Gly Ser Gly Gly
1 5

<210> SEQ ID NO 95
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

-continued

<400> SEQUENCE: 95

Gly Ser Gly Ser Gly
1 5

<210> SEQ ID NO 96

<211> LENGTH: 5

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 96

Gly Ser Gly Gly Gly
1 5

<210> SEQ ID NO 97

<211> LENGTH: 5

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 97

Gly Gly Gly Ser Gly
1 5

<210> SEQ ID NO 98

<211> LENGTH: 5

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 98

Gly Ser Ser Ser Gly
1 5

<210> SEQ ID NO 99

<211> LENGTH: 15

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 99

gcgaaggggg ggggs

15

<210> SEQ ID NO 100

<211> LENGTH: 15

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 100

gggaaggggg ggggs

15

<210> SEQ ID NO 101

<211> LENGTH: 10

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

-continued

```

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      oligonucleotide

<400> SEQUENCE: 101

gggaagggga                                     10

<210> SEQ ID NO 102
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide

<400> SEQUENCE: 102

Gly Gly Gly Ser Gly Gly Gly Ser
1             5

<210> SEQ ID NO 103
<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide

<400> SEQUENCE: 103

Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser
1             5             10

<210> SEQ ID NO 104
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide

<400> SEQUENCE: 104

Gly Gly Gly Gly Ser
1             5

<210> SEQ ID NO 105
<211> LENGTH: 10
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide

<400> SEQUENCE: 105

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
1             5             10

<210> SEQ ID NO 106
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide

<400> SEQUENCE: 106

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
1             5             10             15

Gly Gly Gly Ser

```

-continued

20

<210> SEQ ID NO 107
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 107

Ser Gly Gly Ser Gly Gly Ser
1 5

<210> SEQ ID NO 108
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 108

Glu Phe Gly Asn Met
1 5

<210> SEQ ID NO 109
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 109

Glu Phe Gly Gly Asn Met
1 5

<210> SEQ ID NO 110
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 110

Glu Phe Gly Gly Asn Gly Gly Asn Met
1 5

<210> SEQ ID NO 111
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 111

Gly Gly Ser Asn Met Ala Gly
1 5

<210> SEQ ID NO 112
<211> LENGTH: 12
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic

-continued

oligonucleotide

<400> SEQUENCE: 112

gggggtggtt cc 12

<210> SEQ ID NO 113
 <211> LENGTH: 12
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 113

ggtgggtctg gg 12

<210> SEQ ID NO 114
 <211> LENGTH: 15
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 114

gggtccgggg gctcc 15

<210> SEQ ID NO 115
 <211> LENGTH: 15
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 115

ggtgggagcg gtggt 15

<210> SEQ ID NO 116
 <211> LENGTH: 15
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 116

ggcagcggaa gcgga 15

<210> SEQ ID NO 117
 <211> LENGTH: 15
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 117

gggagtgggg gaggt 15

<210> SEQ ID NO 118
 <211> LENGTH: 15
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

-continued

<400> SEQUENCE: 118

ggtgggggaa gtgga

15

<210> SEQ ID NO 119

<211> LENGTH: 15

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 119

ggcagctcat ctggt

15

<210> SEQ ID NO 120

<211> LENGTH: 45

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 120

ggatgtggtg catctggagg gggaggctct ggggggggtg gatct

45

<210> SEQ ID NO 121

<211> LENGTH: 45

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 121

gggtgtggtg ctagtggggg tggcggatca ggtggaggcg ggagc

45

<210> SEQ ID NO 122

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 122

gggggcggag gatctggggg agggggatca

30

<210> SEQ ID NO 123

<211> LENGTH: 42

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 123

ggggggggcg cttcaggcgg aggtggaagt ggtggaggag gt

42

<210> SEQ ID NO 124

<211> LENGTH: 45

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

-continued

<400> SEQUENCE: 124

ggaggggggag gttctggcgg cgggggatca ggaggcggtg ggagc 45

<210> SEQ ID NO 125

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 125

ggtggggggg cgtcaggtgg aggcggaagt 30

<210> SEQ ID NO 126

<211> LENGTH: 45

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 126

ggcggcgggag gttctggtgg ggggtggcagt ggaggaggag gcagc 45

<210> SEQ ID NO 127

<211> LENGTH: 60

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 127

ggaggtggag gtagtgccgg tgggtgggtca gggggaggcg ggtccggtgg cgggtgggagt 60

<210> SEQ ID NO 128

<211> LENGTH: 12

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 128

ggtggcggta gt 12

<210> SEQ ID NO 129

<211> LENGTH: 12

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 129

gggggatctg gt 12

<210> SEQ ID NO 130

<211> LENGTH: 15

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 130

-continued

ggcagtggcg gtagc 15

<210> SEQ ID NO 131
<211> LENGTH: 15
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 131

ggagggagtg gaggg 15

<210> SEQ ID NO 132
<211> LENGTH: 15
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 132

gggtctggct caggc 15

<210> SEQ ID NO 133
<211> LENGTH: 15
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 133

ggttctggcg gaggt 15

<210> SEQ ID NO 134
<211> LENGTH: 15
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 134

ggtggtggga gtgga 15

<210> SEQ ID NO 135
<211> LENGTH: 15
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 135

ggctcaagca gtgga 15

<210> SEQ ID NO 136
<211> LENGTH: 45
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 136

-continued

ggctgtgggg ctagtggggg aggtggtagt ggtggtggcg gttcc 45

<210> SEQ ID NO 137
<211> LENGTH: 45
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 137

ggatgtgggg cctcaggtgg ggggtggcagc ggtggtggag ggtca 45

<210> SEQ ID NO 138
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 138

ggtggcgggg gctctggtgg aggaggatct 30

<210> SEQ ID NO 139
<211> LENGTH: 42
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 139

ggaggcggcg cttctggggg cggggtagt gggggtggag gt 42

<210> SEQ ID NO 140
<211> LENGTH: 45
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 140

ggtggaggtg gaagtggagg aggggatca ggcggaggcg ggagc 45

<210> SEQ ID NO 141
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 141

ggagggggag cctctggcgg tggaggatca 30

<210> SEQ ID NO 142
<211> LENGTH: 45
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 142

gggggaggag gcagtggagg tgggggaagt ggtggagggg ggtct 45

-continued

<210> SEQ ID NO 143
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 143

gggggtggag gatcaggagg cgggtggttct gggggaggtg gatccggcgg ggggtgtagt 60

<210> SEQ ID NO 144
<211> LENGTH: 4
<212> TYPE: PRT
<213> ORGANISM: Sindbis virus

<400> SEQUENCE: 144

Ser Leu Lys Gln
1

<210> SEQ ID NO 145
<211> LENGTH: 4
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 145

Ala Ala Ala Ala
1

<210> SEQ ID NO 146
<211> LENGTH: 36
<212> TYPE: DNA
<213> ORGANISM: Unknown
<220> FEATURE:
<223> OTHER INFORMATION: Description of Unknown:
LacZ sequence
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (1)..(36)

<400> SEQUENCE: 146

ctg atc ctt tgc gaa tac gcc cac gcg atg ggt aac 36
Leu Ile Leu Cys Glu Tyr Ala His Ala Met Gly Asn
1 5 10

<210> SEQ ID NO 147
<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Unknown
<220> FEATURE:
<223> OTHER INFORMATION: Description of Unknown:
LacZ sequence

<400> SEQUENCE: 147

Leu Ile Leu Cys Glu Tyr Ala His Ala Met Gly Asn
1 5 10

<210> SEQ ID NO 148
<211> LENGTH: 36
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

-continued

<220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (1)..(36)

<400> SEQUENCE: 148

```
ctg atc ctt tgc caa tac gcc cac gcg atg ggt aac      36
Leu Ile Leu Cys Gln Tyr Ala His Ala Met Gly Asn
1             5             10
```

<210> SEQ ID NO 149
 <211> LENGTH: 12
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 149

```
Leu Ile Leu Cys Gln Tyr Ala His Ala Met Gly Asn
1             5             10
```

<210> SEQ ID NO 150
 <211> LENGTH: 114
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 150

```
gccgggcgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gcuggaggau      60
cgcuugaguc caggaguucu gagccugugc aacauagcga gaccccgucu cuuu          114
```

<210> SEQ ID NO 151
 <211> LENGTH: 87
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 151

```
gccgggcgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gcuggaggau      60
cgcuugauag cgagaccccg ucucuuu          87
```

<210> SEQ ID NO 152
 <211> LENGTH: 92
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic oligonucleotide

<400> SEQUENCE: 152

```
gccgggcgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gcuggaggau      60
cgcuugggau caaagcgaga ccccgucucu uu          92
```

<210> SEQ ID NO 153
 <211> LENGTH: 153
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 153

-continued

```

gaucgggugu cgcacuaag uucggcauca auauggugac cuccgggag cgggggacca    60
ccagguugcc uaaggagggg ugaaccggcc caggucggaa acggagcagg ucaaaacucc    120
cgugcugauc aguaguggga ucgcgccugu uuu                                153

```

```

<210> SEQ ID NO 154
<211> LENGTH: 114
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
                        polynucleotide

```

```

<400> SEQUENCE: 154

```

```

guucggcauc aaauagguga ccucccgga gcgggggacc accagguugc cuaaggaggg    60
gugaaccggc ccaggucgga aacggagcag gucaaaacuc ccgugcugau cuuu        114

```

```

<210> SEQ ID NO 155
<211> LENGTH: 186
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
                        polynucleotide

```

```

<400> SEQUENCE: 155

```

```

gccgggcgcg guggcgcgug ccuguagucc cagcuacucg ggaggcugag gcuggaggau    60
guucggcauc aaauagguga ccucccgga gcgggggacc accagguugc cuaaggaggg    120
gugaaccggc ccaggucgga aacggagcag gucaaaacuc ccgugcugau cagaccccg    180
cucuuu                                186

```

```

<210> SEQ ID NO 156
<211> LENGTH: 12
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
                        oligonucleotide

```

```

<400> SEQUENCE: 156

```

```

gcccaggagu uc                                12

```

The invention claimed is:

1. A recombinant RNA molecule comprising (i) a sequence of a gene-editing molecule mRNA, or a sequence of a functional fragment thereof, and (ii) a sequence of a non-coding enrichment RNA, wherein said non-coding enrichment RNA comprises 7SL RNA, or a functional fragment thereof, and is capable of enhancing inclusion of said gene-editing molecule mRNA, or functional fragment thereof, into a retroviral particle.
2. The RNA molecule of claim 1, wherein the gene-editing molecule is a Cas protein.
3. The RNA molecule of claim 2, wherein the Cas protein is a Cas9 protein.
4. The RNA molecule of claim 1, wherein the 7SL RNA fragment comprises the Alu domain, the S domain, the 5c helix, or a combination thereof.
5. The RNA molecule of claim 1, wherein the retroviral particle is a lentiviral particle.
6. An isolated nucleic acid molecule encoding the RNA molecule of claim 1.

7. A vector comprising the nucleic acid molecule of claim 6, wherein said nucleic acid molecule is operably linked to a promoter.

8. An isolated host cell comprising the RNA molecule of claim 1.

9. An isolated host cell comprising the nucleic acid molecule of claim 6.

10. An isolated host cell comprising the vector of claim 7.

11. A recombinant retroviral particle comprising the RNA molecule of claim 1.

12. The retroviral particle of claim 11, wherein the retroviral particle is a lentiviral particle.

13. The retroviral particle of claim 11, further comprising a nucleic acid molecule encoding one or more guide RNAs (gRNA) and/or a nucleic acid molecule comprising one or more nucleic acid sequences corresponding to one or more repair templates (RT).

14. The retroviral particle of claim 11, further comprising a gene-editing molecule fusion protein comprising (i) a sequence of a gene-editing protein, or a sequence of a

315

functional fragment thereof, and (ii) a sequence of an enrichment protein, or a sequence of a functional fragment thereof, wherein said enrichment protein, or functional fragment thereof, is capable of enhancing inclusion of said gene-editing protein, or functional fragment thereof, into the retroviral particle.

15. The retroviral particle of claim 14, wherein the gene-editing molecule is a Cas protein.

16. The retroviral particle of claim 15, wherein the Cas protein is a Cas9 protein.

17. The retroviral particle of claim 14, wherein the enrichment protein is cyclophilin A (CypA) protein and/or a viral protein R (Vpr).

18. A method of producing a recombinant retroviral particle comprising the RNA molecule of claim 1, said method comprising culturing a packaging cell in conditions sufficient for the production of a plurality of retroviral particles, wherein the packaging cell comprises one or more plasmids comprising (i) one or more retroviral elements involved in the assembly of the retroviral particle, and (ii) a nucleic acid sequence encoding the RNA molecule of claim 1.

19. The method of claim 18, wherein the packaging cell further comprises a plasmid encoding one or more guide RNAs (gRNA) and/or comprising one or more sequences corresponding to one or more repair templates (RT).

20. The method of claim 18, wherein the packaging cell comprises (a) GAG, (b) POL, and (c) TAT and/or REV retroviral elements.

21. The method of claim 18, comprising one or more of the following steps:

316

a) clearing cell debris,

b) treating a supernatant containing the retroviral particles with DNase I and $MgCl_2$,

c) concentrating the retroviral particles, and

d) purifying the retroviral particles.

22. A pharmaceutical composition comprising the retroviral particle of claim 11 and a pharmaceutically acceptable carrier or excipient.

23. A pharmaceutical dosage form comprising the retroviral particle of claim 11.

24. A method for modifying a genome of a target cell or modulating an activity of a gene in a target cell comprising introducing into said cell the retroviral particle of claim 11.

25. The method of claim 24, wherein the target cell is in a subject and the retroviral particle is administered to the subject.

26. The method of claim 24, further comprising harvesting the target cell from a subject prior to introducing the retroviral particle into the target cell, introducing the retroviral particle into the target cell ex vivo and returning the target cell to the subject.

27. A method for treating a disease in a subject in need thereof, said method comprising administering to the subject a therapeutically effective amount of the retroviral particle of claim 11, wherein the retroviral particle targets a cell in the subject.

28. A method for treating a disease in a subject in need thereof, said method comprising:

a) harvesting a target cell from the subject;

b) introducing into the target cell from step (a) ex vivo a therapeutically effective amount of the retroviral particle of claim 11; and

c) returning the target cell from step (b) to the subject.

* * * * *