



US0D1091488S

(12) **United States Design Patent** (10) **Patent No.: US D1,091,488 S**
Meihofer (45) **Date of Patent: ** Sep. 2, 2025**

(54) **REMOTE CONTROL WIRELESS**
(71) Applicant: **AUMA Riester GmbH & Co. KG,**
Müllheim (DE)
(72) Inventor: **Lars Meihofer,** Buggingen (DE)
(**) Term: **15 Years**

D494,145 S * 8/2004 Klimas D21/329
D533,845 S * 12/2006 Lay D13/168
D543,475 S * 5/2007 Janky D10/78
D552,496 S * 10/2007 Janky D10/78
D613,289 S * 4/2010 Alegiani D14/429
D673,062 S * 12/2012 Marzynski D10/70
D680,011 S * 4/2013 Chen D10/97
D766,843 S * 9/2016 Fretz D13/168
D807,212 S * 1/2018 Chen D10/104.1

(Continued)

(21) Appl. No.: **35/521,779**

(22) Filed: **Jul. 5, 2024**

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 5, 2024**
Int. Reg. No.: **DM/238496**
Int. Reg. Date: **Jul. 5, 2024**
Int. Reg. Pub. Date: **Jul. 26, 2024**

(51) **LOC (15) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**

USPC D13/168; D14/218, 426, 429; D10/77,
D10/78
CPC G08C 17/02; G08C 19/00; G08C 19/12;
G08C 19/28; G08C 23/04; H04B 1/202;
H01H 9/02; H01H 9/0214; H01H 9/0225;
H01H 9/0228; H01H 9/0235; H01H
9/0242; H05B 47/10; H05B 47/19; H03J
9/00; H03J 9/02; H03J 9/04; H03J 9/06;
H03J 1/0025; H04N 21/42212; H04N
21/42221; H04N 21/42224; H04N
21/42225; F16K 31/46

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D366,459 S * 1/1996 Kurokawa D13/164
D418,437 S * 1/2000 Peterson D10/78
D427,090 S * 6/2000 Washburn D10/78
D429,226 S * 8/2000 Siddoway D14/347
D451,891 S * 12/2001 Noonan D13/168

OTHER PUBLICATIONS

Amazon.com, 79825M Front Control Panel for Zebra ZM400
ZM600 Thermal Barcode Printer, Aug. 16, 2023; 2 pgs.*

Primary Examiner — Selina Sikder

(57) **CLAIM**

The ornamental design for a remote control wireless as
shown and described.


DESCRIPTION

1. Remote control wireless
2. Remote control wireless

- 1.1 : Perspective
- 1.2 : Perspective
- 1.3 : Front
- 1.4 : Back
- 1.5 : Left
- 1.6 : Right
- 1.7 : Top
- 1.8 : Bottom
- 2.1 : Perspective
- 2.2 : Perspective
- 2.3 : Front
- 2.4 : Back
- 2.5 : Left
- 2.6 : Right
- 2.7 : Top
- 2.8 : Bottom

Intended use of the product: Remotely controlling the status
of a valve actuator.

1 Claim, 16 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D839,756	S *	2/2019	Pang		D10/78
D909,218	S *	2/2021	Choi		D10/78
2002/0023961	A1 *	2/2002	Itou		G06K 7/10881
					235/472.01

* cited by examiner


1.1




1.2




1.3




1.4




1.5




1.6




1.7




1.8




2.1




2.2




2.3




2.4




2.5



2.6



2.7



2.8

