



US0D1091025S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,025 S**
Tang (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **ANTI BARKING DEVICE**

OTHER PUBLICATIONS

(71) Applicant: **Xu Tang**, Shaoyang (CN)

Anti Barking Device for Dogs, posted Apr. 29, 2025 [online], [retrieved Jun. 23, 2025]. Retrieved from internet, https://www.amazon.com/Barking-Outdoor-Deterrent-Weatherproof-Rechargeable/dp/B0F4KJPDTC/ref=sr_1_7? (Year: 2025).*

(72) Inventor: **Xu Tang**, Shaoyang (CN)

Petsafe Ultrasonic Indoor Bark Control, posted Jun. 5, 2013 [online], [retrieved Jun. 23, 2025]. Retrieved from internet, <https://www.chewy.com/petsafe-ultrasonic-indoor-bark/dp/48563?> (Year: 2013).* Automatic technology bark control, posted Mar. 23, 2025 [online], [retrieved Jun. 23, 2025]. Retrieved from internet, <https://www temu.com/hu-en/-automatic--technology-dog-bark-control-device--activated-3--high-medium-low-15db--technology-frequency-high-quality-indoor-outdoor-use-rechargeable-with-15-day> (Year: 2025).*

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/987,369**

(22) Filed: **Jan. 23, 2025**

(51) **LOC (15) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199**

(58) **Field of Classification Search**

USPC D3/208, 215, 218; D10/30, 78, 80,
D10/104.1, 104.2; D11/2, 3, 201;
D13/154, 168; D14/137, 217, 218;
D29/129; D30/144, 151, 152, 153, 154,
D30/155, 160, 199
CPC A01K 15/00; A01K 15/006; A01K 15/02;
A01K 15/04; A01K 15/021; A01K
15/022; A01K 15/023; A01K 15/029;
A01K 27/00; A01K 27/001; A01K
27/002; A01K 27/003; A01K 27/005;
A01K 27/006; A01K 27/009; G01S 1/00;
G01S 1/024; G01S 1/026; G01S 1/0249

See application file for complete search history.

Primary Examiner — Barbara Fox

Assistant Examiner — Darrelle A Centuori

(74) *Attorney, Agent, or Firm* — Nitin Kaushik

(57)

CLAIM

The ornamental design for an anti barking device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an anti barking device, showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines in the drawings illustrate the portions of the anti barking device, which form no part of the claimed design.

(56)

References Cited


U.S. PATENT DOCUMENTS

D570,593	S	*	6/2008	Justiss		D3/218
D945,090	S	*	3/2022	Dai		D30/199
D985,712	S	*	5/2023	Luo		D22/120
D998,916	S		9/2023	Xun		
D1,058,073	S	*	1/2025	Li		D30/199
D1,077,976	S	*	6/2025	Wen		D22/120

FOREIGN PATENT DOCUMENTS

CN	305083457	*	3/2019
CN	306095847	*	10/2020
CN	309039459	*	12/2024

1 Claim, 8 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Patpet Adjustable Level Ultrasonic Indoor_Outdoor Dog Bark Control Device, posted Jun. 19, 2025 [online], [retrieved Jun. 23, 2025]. Retrieved from internet, <https://www.chewy.com/patpet-adjustable-level-ultrasonic/dp/1669646?> (Year: 2025).*

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7




FIG. 8