

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent
Kind Code
Date of Patent
Inventor(s)

12414565
B2
September 16, 2025
Chen; Victor et al.

Pyridazine (THIO)amides as fungicidal compounds

Abstract

The present disclosure relates to pyridazine (thio) amide compounds of the formula (I):

##STR00001##

wherein T, n, m, R.sup.1, R.sup.2, R.sup.3, R.sup.4, R.sup.5, R.sup.6, R.sup.7, R.sup.8, and Q are as recited herein as well as their salts, N-oxides, and solvates, processes and intermediates for their preparation as well as the uses thereof for controlling phytopathogenic microorganisms, such as phytopathogenic fungi.

Inventors:	Chen; Victor (Lyons, FR), Cristau; Pierre (Lyons, FR), Dufour; Jérémy (Lyons, FR), Es-Sayed; Mazen (Langenfeld, DE), Geist; Julie (Lyons, FR), Gourgues; Mathieu (Lyons, FR), Loque; Dominique (Vernier, CH), Millet; Anthony (Tignieu-Jameyzieu, FR), Rackl; Daniel (Obing, DE), Rebstock; Anne-Sophie (Champagne au Mont d'or, FR), Rinolfi; Philippe (Châtillon d'Azergues, FR), Sato; Yoshitaka (Ibaraki, JP), Sudau; Alexander (Langenfeld, DE), Thomas; Vincent (Lyons, FR), Toquin; Valérie (Saint Roman au Mont d'or, FR)
Applicant:	Bayer Aktiengesellschaft (Leverkusen, DE); Bayer CropScience AG (Monheim-am-Rhein, DE)
Family ID:	1000008820379
Assignee:	BAYER AKTIENGESELLSCHAFT (N/A, DE); BAYER CROPSCHAFT AKTIENGESELLSCHAFT (N/A, DE)
Appl. No.:	17/297984
Filed (or PCT Filed):	November 27, 2019
PCT No.:	PCT/EP2019/082754
PCT Pub. No.:	WO2020/109391
PCT Pub. Date:	June 04, 2020

Prior Publication Data

Document Identifier

US 20230054449 A1

Publication Date

Feb. 23, 2023

Foreign Application Priority Data

EP

18208870

Nov. 28, 2018

Publication Classification

Int. Cl.: A01N43/58 (20060101); A01N43/90 (20060101); A01P3/00 (20060101); C07D237/24 (20060101); C07D401/04 (20060101); C07D401/12 (20060101); C07D405/12 (20060101); C07D471/04 (20060101)

U.S. Cl.:

CPC A01N43/58 (20130101); A01N43/90 (20130101); A01P3/00 (20210801); C07D237/24 (20130101); C07D401/04 (20130101); C07D401/12 (20130101); C07D405/12 (20130101); C07D471/04 (20130101);

Field of Classification Search

CPC: C07D (237/00); C07D (237/24); A01N (43/58)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2009/0143355	12/2008	Yuan et al.	N/A	N/A
2009/0170856	12/2008	Billedeau et al.	N/A	N/A
2011/0108766	12/2010	Akino	N/A	N/A
2011/0108767	12/2010	Akino	N/A	N/A
2013/0131119	12/2012	Benting et al.	N/A	N/A
2018/0206495	12/2017	Frackenpohl et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2004002263	12/2003	JP	N/A
9743277	12/1996	WO	N/A
WO-03016286	12/2002	WO	A01N 43/58
WO-2007117180	12/2006	WO	C07D 223/10
2007134799	12/2006	WO	N/A
WO-2008077597	12/2007	WO	C07C 211/29
WO-2011117254	12/2010	WO	C07D 211/26
WO-2020127780	12/2019	WO	A01N 43/58
WO-2021239766	12/2020	WO	A01N 25/30
WO-2021255071	12/2020	WO	A01N 43/38
WO-2022192487	12/2021	WO	A61K 31/50

OTHER PUBLICATIONS

Aurora Fine Chemicals, 1916145-74-8, CHEMCATS, available May 23, 2016 (Year: 2016). cited by examiner

Chemical Abstracts Service, Columbus, Ohio, US, May 23, 2016, XP002796871. cited by applicant

Chemical Abstracts Service, Columbus, Ohio, US, May 29, 2016, XP002796895. cited by applicant

International Search Report mailed Feb. 11, 2020 for PCT Application No. PCT/EP2019/082754, filed Nov. 27, 2019, 7 pages. cited by applicant

Primary Examiner: Murray; Jeffrey H

Assistant Examiner: Braun; Madeline E

Attorney, Agent or Firm: MORRISON & FOERSTER LLP

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS

(1) This application is a national stage application under 35 U.S.C. § 371 of International Application No. PCT/EP2019/082754, filed internationally on Nov. 27, 2019, which claims the benefit of priority to European Application No. 18208870.8, filed Nov. 28, 2018.

TECHNICAL FIELD

(2) The present invention relates to pyridazine (thio)amide compounds and the uses thereof for controlling phytopathogenic microorganisms such as phytopathogenic fungi. It also relates to processes and intermediates for preparing these compounds.

BACKGROUND

(3) Numerous crop protection agents to combat or prevent microorganisms' infestations have been developed until now. However, the need remains for the development of new compounds as such, so as to provide compounds being effective against a broad spectrum of phytopathogenic microorganisms, such as fungi, having low toxicity, high selectivity or that can be used at low application rate whilst still allowing effective pest control. It may also be desired to have new compounds to prevent the emergence of resistances.

(4) The present invention provides new compounds for controlling phytopathogenic microorganisms such as fungi which have advantages over known compounds and compositions in at least some of these aspects.

SUMMARY

(5) The present invention relates compounds of the formula (I):

(6) ##STR00002##

(7) wherein T, n, m, R.sup.1, R.sup.2, R.sup.3, R.sup.4, R.sup.5, R.sup.6, R.sup.7 R.sup.8 and Q are as recited herein as well as their salts, N-oxides and solvates.

(8) The present invention relates to a composition comprising at least one compound of formula (I) as defined herein and at least one agriculturally suitable auxiliary.

(9) The present invention relates to a method for controlling phytopathogenic fungi which comprises the step of applying at least one compound of formula (I) as defined herein or a composition as defined herein to the plants, plant parts, seeds, fruits or to the soil in which the plants grow.

(10) The present invention also relates to processes and intermediates for preparing compounds of formula (I).

Definitions

(11) The term “halogen” as used herein refers to fluorine, chlorine, bromine or iodine atom.

(12) The term “methylidene” as used herein refers to a CH₂ group connected to a carbon atom via a double bond.

(13) The term “halomethylidene” as used herein refers to a CX₂ group connected to a carbon atom via a double bond, wherein X is halogen.

(14) The term “oxo” as used herein refers to an oxygen atom which is bound to a carbon atom or sulfur atom via a double bond.

(15) The term “C₁-C₆-alkyl” as used herein refers to a saturated, branched or straight hydrocarbon chain having 1, 2, 3, 4, 5 or 6 carbon atoms. Examples of C₁-C₆-alkyl include but are not limited to methyl, ethyl, propyl (n-propyl), 1-methylethyl (iso-propyl), butyl (n-butyl), 1-methylpropyl (sec-butyl), 2-methylpropyl (iso-butyl), 1,1-dimethylethyl (tert-butyl), pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl, 1-ethylpropyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, hexyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl and 1-ethyl-2-methylpropyl. Particularly, said hydrocarbon chain has 1, 2, 3 or 4 carbon atoms (“C₁-C₄-alkyl”), e.g. methyl, ethyl, propyl, iso-propyl, butyl, sec-butyl, iso-butyl or tert-butyl.

(16) The term “C₂-C₆-alkenyl” as used herein refers to an unsaturated, branched or straight hydrocarbon chain having 2, 3, 4, 5 or 6 carbon atoms and comprising at least one double bond. Examples of C₂-C₆-alkenyl include but are not limited to ethenyl (or “vinyl”), prop-2-en-1-yl (or “allyl”), prop-1-en-1-yl, but-3-enyl, but-2-enyl, but-1-enyl, pent-4-enyl, pent-3-enyl, pent-2-enyl, pent-1-enyl, hex-5-enyl, hex-4-enyl, hex-3-enyl, hex-2-enyl, hex-1-enyl, prop-1-en-2-yl (or “isopropenyl”), 2-methylprop-2-enyl, 1-methylprop-2-enyl, 2-methylprop-1-enyl, 1-methylprop-1-enyl, 3-methylbut-3-enyl, 2-methylbut-3-enyl, 1-methylbut-3-enyl, 3-methylbut-2-enyl, 2-methylbut-2-enyl, 1-methylbut-2-enyl, 3-methylbut-1-enyl, 2-methylbut-1-enyl, 1-methylbut-1-enyl, 1,1-dimethylprop-2-enyl, 1-ethylprop-1-enyl, 1-propylvinyl, 1-isopropylvinyl, 4-methylpent-4-enyl, 3-methylpent-4-enyl, 2-methylpent-4-enyl, 1-methylpent-4-enyl, 4-methylpent-3-enyl, 3-methylpent-3-enyl, 2-methylpent-3-enyl, 1-methylpent-3-enyl, 4-methylpent-2-enyl, 3-methylpent-2-enyl, 2-methylpent-2-enyl, 1-methylpent-2-enyl, 4-methylpent-1-enyl, 3-methylpent-1-enyl, 2-methylpent-1-enyl, 1-methylpent-1-enyl, 3-ethylbut-3-enyl, 2-ethylbut-3-enyl, 1-ethylbut-3-enyl, 3-ethylbut-2-enyl, 2-ethylbut-2-enyl, 1-ethylbut-2-enyl, 3-ethylbut-1-enyl, 2-ethylbut-1-enyl, 1-ethylbut-1-enyl, 2-propylprop-2-enyl, 1-propylprop-2-enyl, 2-isopropylprop-2-enyl, 1-isopropylprop-2-enyl, 2-propylprop-1-enyl, 1-propylprop-1-enyl, 2-isopropylprop-1-enyl, 1-isopropylprop-1-enyl, 3,3-di-methylprop-1-enyl, 1-(1,1-dimethylethyl)ethenyl, buta-1,3-dienyl, penta-1,4-dienyl, hexa-1,5-dienyl or methylhexadienyl group.

(17) The term “C₂-C₆-alkynyl” as used herein refers to a branched or straight hydrocarbon chain having 2, 3, 4, 5 or 6 carbon atoms and comprising at least one triple bond. Examples of C₂-C₆-alkynyl include but are not limited to ethynyl, prop-1-ynyl, prop-2-ynyl (or “propargyl”), but-1-ynyl, but-2-ynyl, but-3-ynyl, pent-1-ynyl, pent-2-ynyl, pent-3-ynyl, pent-4-ynyl, hex-1-ynyl, hex-2-ynyl, hex-3-ynyl, hex-4-ynyl, hex-5-ynyl, 1-methylprop-2-ynyl, 2-methylbut-3-ynyl, 1-methylbut-3-ynyl, 1-methylbut-2-ynyl, 3-methylbut-1-ynyl, 1-ethylprop-2-ynyl, 3-methylpent-4-ynyl, 2-methylpent-4-ynyl, 1-methylpent-4-ynyl, 2-methylpent-3-ynyl, 1-methylpent-3-ynyl, 4-methylpent-2-ynyl, 1-methylpent-2-ynyl, 4-methylpent-1-ynyl, 3-methylpent-1-ynyl, 2-ethylbut-3-ynyl, 1-ethylbut-3-ynyl, 1-ethylbut-2-ynyl, 1-propylprop-2-ynyl, 1-isopropylprop-2-ynyl, 2,2-dimethylbut-3-ynyl, 1,1-dimethylbut-3-ynyl, 1,1-dimethylbut-2-ynyl or 3,3-dimethylbut-1-ynyl group.

(18) The term “C₁-C₆-haloalkyl” as used herein refers to a C₁-C₆-alkyl group as defined above in which one or more hydrogen atoms are replaced with one or more halogen

atoms that may be the same or different.

(19) The term “C.sub.2-C.sub.6-haloalkenyl” as used herein refers to a C.sub.2-C.sub.6-alkenyl group as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(20) The term “C.sub.2-C.sub.6-haloalkynyl” as used herein refers to a C.sub.2-C.sub.6-alkynyl group as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(21) The term “C.sub.1-C.sub.6-alkoxy” as used herein refers to a group of formula (C.sub.1-C.sub.6-alkyl)-O—, in which the term “C.sub.1-C.sub.6-alkyl” is as defined herein. Examples of C.sub.1-C.sub.6-alkoxy include but are not limited to methoxy, ethoxy, n-propoxy, 1-methylethoxy, n-butoxy, 1-methylpropoxy, 2-methylpropoxy, 1,1-dimethylethoxy, n-pentoxo, 1-methylbutoxy, 2-methylbutoxy, 3-methylbutoxy, 2,2-dimethylpropoxy, 1-ethylpropoxy, 1,1-dimethylpropoxy, 1,2-dimethylpropoxy, n-hexyloxy, 1-methylpentoxo, 2-methylpentoxo, 3-methylpentoxo, 4-methylpentoxo, 1,1-dimethylbutoxy, 1,2-dimethylbutoxy, 1,3-dimethylbutoxy, 2,2-dimethylbutoxy, 2,3-dimethylbutoxy, 3,3-dimethylbutoxy, 1-ethylbutoxy, 2-ethylbutoxy, 1,1,2-trimethylpropoxy, 1,2,2-trimethylpropoxy, 1-ethyl-1-methylpropoxy and 1-ethyl-2-methylpropoxy.

(22) The term “C.sub.1-C.sub.6-haloalkoxy” as used herein refers to a C.sub.1-C.sub.6-alkoxy group as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different. Examples of C.sub.1-C.sub.6-haloalkoxy include but are not limited to chloromethoxy, bromomethoxy, dichloromethoxy, trichloromethoxy, fluoromethoxy, difluoromethoxy, trifluoromethoxy, chlorofluoro-methoxy, dichlorofluoromethoxy, chlorodifluoromethoxy, 1-chloroethoxy, 1-bromoethoxy, 1-fluoroethoxy, 2-fluoroethoxy, 2,2-difluoroethoxy, 2,2,2-trifluoroethoxy, 2-chloro-2-fluoroethoxy, 2-chloro-2,2-difluoroethoxy, 2,2-dichloro-2-fluoroethoxy, 2,2,2-trichloroethoxy, pentafluoroethoxy and 1,1,1-trifluoro-prop-2-oxy.

(23) The term “C.sub.1-C.sub.6-haloalkoxy” as used herein refers to a C.sub.1-C.sub.6-alkoxy group as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(24) The term “C.sub.1-C.sub.6-hydroxyalkyl” as used herein refers to a C.sub.1-C.sub.6-alkyl group as defined above in which at least one hydrogen atom is replaced with a hydroxyl group. Examples of C.sub.1-C.sub.6-hydroxyalkyl include but are not limited to hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 1,2-dihydroxyethyl, 3-hydroxypropyl, 2-hydroxypropyl, 1-hydroxypropyl, 1-hydroxypropan-2-yl, 2-hydroxypropan-2-yl, 2, 3-dihydroxy-propyl and 1,3-dihydroxypropan-2-yl.

(25) The term “C.sub.1-C.sub.6-alkylsulfanyl” as used herein refers to a saturated, linear or branched group of formula (C.sub.1-C.sub.6-alkyl)-S—, in which the term “C.sub.1-C.sub.6-alkyl” is as defined herein. Examples of C.sub.1-C.sub.6-alkylsulfanyl include but are not limited to methylsulfanyl, ethylsulfanyl, propylsulfanyl, isopropyl-sulfanyl, butylsulfanyl, sec-butylsulfanyl, isobutylsulfanyl, tert-butylsulfanyl, pentylsulfanyl, isopentyl-sulfanyl, hexylsulfanyl group.

(26) The term “C.sub.1-C.sub.6-haloalkylsulfanyl” as used herein refers to a C.sub.1-C.sub.6-alkylsulfanyl as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(27) The term “C.sub.1-C.sub.6-alkylsulfinyl” as used herein refers to a saturated, linear or branched group of formula (C.sub.1-C.sub.6-alkyl)-S(=O)—, in which the term “C.sub.1-C.sub.6-alkyl” is as defined herein. Examples of C.sub.1-C.sub.6-alkylsulfinyl include but are not limited to saturated, straight-chain or branched alkylsulfinyl radicals having 1 to 8, preferably 1 to 6 and more preferably 1 to 4 carbon atoms, for example (but not limited to) C.sub.1-C.sub.6-alkylsulfinyl such as methylsulfinyl, ethylsulfinyl, propylsulfinyl, 1-methylethylsulfinyl, butyl-sulfinyl, 1-methylpropylsulfinyl, 2-methylpropylsulfinyl, 1,1-dimethylethylsulfinyl, pentylsulfinyl, 1-methylbutylsulfinyl, 2-methylbutylsulfinyl, 3-methylbutylsulfinyl, 2,2-dimethylpropylsulfinyl, 1-ethyl-propylsulfinyl, 1,1-dimethylpropylsulfinyl, 1,2-dimethylpropylsulfinyl, hexylsulfinyl, 1-

methylpentylsulfanyl, 2-methylpentylsulfanyl, 3-methylpentylsulfanyl, 4-methylpentylsulfanyl, 1,1-dimethylbutylsulfanyl, 1,2-dimethylbutylsulfanyl, 1,3-dimethylbutylsulfanyl, 2,2-dimethylbutylsulfanyl, 2,3-dimethylbutylsulfanyl, 3,3-dimethylbutylsulfanyl, 1-ethylbutylsulfanyl, 2-ethylbutylsulfanyl, 1,1,2-trimethylpropylsulfanyl, 1,2,2-trimethylpropylsulfanyl, 1-ethyl-1-methylpropylsulfanyl and 1-ethyl-2-methylpropylsulfanyl.

(28) The term “C.sub.1-C.sub.6-haloalkylsulfanyl” as used herein refers to a C.sub.1-C.sub.6-alkylsulfanyl as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(29) The term “C.sub.1-C.sub.6-alkylsulfonyl” as used herein refers to a saturated, linear or branched group of formula (C.sub.1-C.sub.6-alkyl)—S(=O).sub.2—, in which the term “C.sub.1-C.sub.6-alkyl” is as defined herein. Examples of C.sub.1-C.sub.6-alkylsulfonyl include but are not limited to methylsulfonyl, ethylsulfonyl, propylsulfonyl, 1-methylethylsulfonyl, butylsulfonyl, 1-methylpropylsulfonyl, 2-methylpropylsulfonyl, 1,1-dimethylethylsulfonyl, pentylsulfonyl, 1-methylbutylsulfonyl, 2-methylbutylsulfonyl, 3-methylbutylsulfonyl, 2,2-dimethylpropylsulfonyl, 1-ethylpropylsulfonyl, 1,1-dimethylpropylsulfonyl, 1,2-dimethylpropylsulfonyl, hexylsulfonyl, 1-methylpentylsulfonyl, 2-methylpentylsulfonyl, 3-methylpentylsulfonyl, 4-methylpentylsulfonyl, 1,1-dimethyl-butylsulfonyl, 1,2-dimethylbutylsulfonyl, 1,3-dimethylbutylsulfonyl, 2,2-dimethylbutylsulfonyl, 2,3-dimethylbutylsulfonyl, 3,3-dimethylbutylsulfonyl, 1-ethylbutylsulfonyl, 2-ethylbutyl-sulfonyl, 1,1,2-trimethylpropylsulfonyl, 1,2,2-trimethylpropylsulfonyl, 1-ethyl-1-methyl-propylsulfonyl and 1-ethyl-2-methylpropylsulfonyl.

(30) The term “C.sub.1-C.sub.6-haloalkylsulfonyl” as used herein refers to a C.sub.1-C.sub.6-alkylsulfonyl as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(31) The term “C.sub.1-C.sub.6-alkylcarbonyl” as used herein refers to a saturated, linear or branched group of formula (C.sub.1-C.sub.6-alkyl)-C(=O)—, in which the term “C.sub.1-C.sub.6-alkyl” is as defined herein.

(32) The term “C.sub.1-C.sub.6-haloalkylcarbonyl” as used herein refers to a C.sub.1-C.sub.6-alkylcarbonyl as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(33) The term “C.sub.1-C.sub.6-alkoxycarbonyl” as used herein refers to a saturated, linear or branched group of formula (C.sub.1-C.sub.6-alkoxy)-C(=O)—, in which the term “C.sub.1-C.sub.6-alkoxy” is as defined herein.

(34) The term “C.sub.1-C.sub.6-haloalkoxycarbonyl” as used herein refers to a C.sub.1-C.sub.6-alkoxycarbonyl as defined above in which one or more hydrogen atoms are replaced with one or more halogen atoms that may be the same or different.

(35) The term “C.sub.1-C.sub.6-dialkylamino” as used herein refers to an amino radical having two independently selected C.sub.1-C.sub.6-alkyl groups as defined herein. Examples of C.sub.1-C.sub.6-dialkylamino include but are not limited to N,N-dimethylamino, N,N-diethylamino, N,N-diisopropylamino, N-ethyl-N-methylamino, N-methyl-N-n-propylamino, N-isopropyl-N-n-propylamino and N-tert-butyl-N-methylamino.

(36) The term “non-aromatic C.sub.3-C.sub.12-carbocycle” as used herein refers to a non-aromatic, saturated or unsaturated, hydrocarbon ring system in which all of the ring members, which vary from 3 to 12, are carbon atoms. The ring system may be monocyclic or polycyclic (fused, spiro or bridged). Non-aromatic C.sub.3-C.sub.12-carbocycles include but are not limited to C.sub.3-C.sub.12-cycloalkyl (mono or bicyclic), C.sub.3-C.sub.12-cycloalkenyl (mono or bicyclic), bicyclic system comprising an aryl (e.g. phenyl) fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl (e.g. tetrahydronaphthalenyl, indanyl), bicyclic system comprising an aryl (e.g. phenyl) fused to a monocyclic C.sub.3-C.sub.8-cycloalkenyl (e.g. indenyl, dihydronaphthalenyl) and tricyclic system comprising a cyclopropyl connected through one carbon atom to a bicyclic system comprising an aryl (e.g. phenyl) fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl or to a monocyclic C.sub.3-

C.sub.8-cycloalkenyl. The non-aromatic C.sub.3-C.sub.12-carbocycle can be attached to the parent molecular moiety through any carbon atom.

(37) The term “C.sub.3-C.sub.12-cycloalkyl” as used herein refers to a saturated, monovalent, mono- or bicyclic hydrocarbon ring which contains 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 carbon atoms. Examples of monocyclic C.sub.3-C.sub.8-cycloalkyls include but are not limited to cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, or cyclooctyl. Examples of bicyclic C.sub.6-C.sub.12-cycloalkyls include but are not limited to bicyclo[3.1.1]heptane, bicyclo[2.2.1]heptane, bicyclo[2.2.2]octane, bicyclo[3.2.2]nonane, bicyclo[3.3.1]nonane, bicyclo[4.2.0]octyl, octahydropentalenyl and bicyclo[4.2.1]nonane.

(38) The term “C.sub.3-C.sub.12-cycloalkenyl” as used herein refers to an unsaturated, monovalent, mono- or bicyclic hydrocarbon ring which contains 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 carbon atoms. Examples of monocyclic C.sub.3-C.sub.8-cycloalkenyl group include but are not limited to cyclobutenyl, cyclopentenyl, cyclohexenyl, cycloheptenyl and cyclooctenyl group. Examples of bicyclic C.sub.6-C.sub.12-cycloalkenyl group include but are not limited to bicyclo[2.2.1]hept-2-enyl or bicyclo[2.2.2]oct-2-enyl.

(39) The term “aromatic C.sub.6-C.sub.14-carbocycle” or “aryl” as used herein refers to an aromatic hydrocarbon ring system in which all of the ring members, which vary from 6 to 14, preferably from 6 to 10, are carbon atoms. The ring system may be monocyclic or fused polycyclic (e.g. bicyclic or tricyclic). Examples of aryl include but are not limited to phenyl, azulenyl and naphthyl. The aryl can be attached to the parent molecular moiety through any carbon atom. It is further understood that when said aryl group is substituted with one or more substituents, said substituent(s) may be at any positions on said aryl ring(s). Particularly, in the case of aryl being a phenyl group, said substituent(s) may occupy one or both ortho positions, one or both meta positions, or the para position, or any combination of these positions.

(40) The term “non-aromatic 3- to 14-membered heterocycle” as used herein refers to a saturated or unsaturated non-aromatic ring system comprising 1 to 4 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur. If the ring system contains more than one oxygen atoms, they are not directly adjacent. Non aromatic heterocycles include but are not limited to 3- to 7-membered monocyclic non-aromatic heterocycles and 6- to 14-membered polycyclic (e.g. bicyclic or tricyclic) non-aromatic heterocycles. The non-aromatic 3- to 14-membered heterocycle can be connected to the parent molecular moiety through any carbon atom or nitrogen atom contained within the heterocycle.

(41) The term “non-aromatic 3- to 7-membered monocyclic heterocycle” as used herein refers to a 3-, 4-, 5-, 6- or 7-membered monocyclic ring system containing 1, 2 or 3 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur where the ring system is saturated or unsaturated but not aromatic. For instance, the heterocycle may comprise one to three nitrogen atoms, or one or two oxygen atoms, or one or two sulfur atoms, or one to three nitrogen atoms and one oxygen atom, or one to three nitrogen atoms and a sulfur atom or one sulfur atom and one oxygen atom. Examples of saturated non-aromatic heterocycles include but are not limited to 3-membered ring such as oxiranyl, aziridinyl, 4-membered ring such as azetidiny, oxetanyl, thietanyl, 5-membered ring such as tetrahydrofuranyl, 1,3-dioxolanyl, tetrahydrothienyl, pyrrolidinyl, pyrazolidinyl, imidazolidinyl, triazolidinyl, isoxazolidinyl, oxazolidinyl, oxadiazolidinyl, thiazolidinyl, isothiazolidinyl, thiadiazolidinyl, 6-membered ring such as piperidinyl, hexahydropyridazinyl, hexahydropyrimidinyl, piperazinyl, triazinanyl, hexahydrotriazinyl, tetrahydropyranly, dioxanyl, tetrahydrothiopyranly, dithianyl, morpholinyl, 1,2-oxazinanyl, oxathianyl, thiomorpholinyl or 7-membered ring such as oxepanyl, azepanyl, 1,4-diazepanyl and 1,4-oxazepanyl. Examples of unsaturated non-aromatic heterocycles include but are not limited to 5-membered ring such as dihydrofuranyl, 1,3-dioxolyl, dihydrothienyl, pyrrolinyl, dihydroimidazolyl, dihydropyrazolyl, isoxazolinyl, dihydrooxazolyl, dihydrothiazolyl or 6-membered ring such as pyranly, thiopyranly, thiazinyl and thiadiazinyl.

(42) The term “non-aromatic 6- to 14-membered polycyclic heterocycle” as used herein refers to a 6-, 7-, 8-, 9-, 10-, 11-, 12-, 13- or 14-membered polycyclic (e.g. bicyclic or tricyclic) ring system containing 1, 2 or 3 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur where the ring system is saturated or unsaturated but not aromatic. Non-aromatic bicyclic heterocycles may consist of a monocyclic heteroaryl as defined herein fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, a monocyclic C.sub.3-C.sub.8-cycloalkenyl or a monocyclic non-aromatic heterocycle or may consist of a monocyclic non-aromatic heterocycle fused either to an aryl (e.g. phenyl), a monocyclic C.sub.3-C.sub.8-cycloalkyl, a monocyclic C.sub.3-C.sub.8-cycloalkenyl or a monocyclic non-aromatic heterocycle. When two monocyclic heterocycles (aromatic or non-aromatic) comprising nitrogen atoms are fused, nitrogen atom may be at the bridgehead (e.g. 4,5,6,7-tetrahydropyrazolo[1,5-a]pyridinyl, 5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridinyl, 5,6,7,8-tetrahydroimidazo[1,2-a]pyridinyl). Non-aromatic tricyclic heterocycles may consist of a monocyclic cycloalkyl connected through one common atom to a non-aromatic bicyclic heterocycle.

(43) The term “aromatic 5- to 14-membered heterocycle” or “heteroaryl” as used herein refers to an aromatic ring system comprising 1 to 4 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur. If the ring system contains more than one oxygen atom, they are not directly adjacent. Aromatic heterocycles include aromatic 5- or 6-membered monocyclic heterocycles and 6- to 14-membered polycyclic (e.g. bicyclic or tricyclic) aromatic heterocycles. The 5- to 14-membered aromatic heterocycle can be connected to the parent molecular moiety through any carbon atom or nitrogen atom contained within the heterocycle.

(44) The term “aromatic 5- or 6-membered monocyclic heterocycle” or “monocyclic heteroaryl” as used herein refers to a 5- or 6-membered monocyclic ring system containing 1, 2, 3 or 4 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur. Examples of 5-membered monocyclic heteroaryl include but are not limited to furyl (furanyl), thienyl, pyrrolyl, pyrazolyl, imidazolyl, triazolyl, tetrazolyl, isoxazolyl, oxazolyl, oxadiazolyl, oxatriazolyl, isothiazolyl, thiazolyl, thiadiazolyl and thiatriazolyl. Examples of 6-membered monocyclic heteroaryl include but are not limited to pyridinyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, tetrazinyl.

(45) The term “6- to 14-membered polycyclic aromatic heterocycle” or “polycyclic heteroaryl” as used herein refers to a 6-, 7-, 8-, 9-, 10-, 11-, 12-, 13- or 14-membered polycyclic (e.g. bicyclic or tricyclic) ring system containing 1, 2 or 3 heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur. Aromatic bicyclic heterocycles may consist of a monocyclic heteroaryl as defined herein fused to an aryl (e.g. phenyl) or to a monocyclic heteroaryl. Examples of bicyclic aromatic heterocycle include but are not limited to 9-membered ring such as indolyl, indolizinyl, isoindolyl, benzimidazolyl, imidazopyridinyl, indazolyl, benzotriazolyl, purinyl, benzofuranyl, benzothiophenyl, benzothiazolyl, benzoxazolyl and benzisoxazolyl or 10-membered ring such as quinolinyl, isoquinolinyl, cinnolinyl, quinazolinyl, quinoxalinyl, phthalazinyl, naphthyridinyl, pteridinal and benzodioxinyl. In 9- or 10-membered aromatic bicyclic heterocycles comprising two fused 5- or 6-membered monocyclic aromatic heterocycles, nitrogen atom may be at the bridgehead (e.g. imidazo[1,2-a]pyridinyl, [1,2,4]triazolo[4,3-a]pyridinyl, imidazo[1,2-a]pyridinyl, imidazo[2,1-b]oxazolyl, furo[2,3-d]isoxazolyl). Examples of tricyclic aromatic heterocycle include but are not limited to carbazolyl, acridinyl and phenazinyl.

(46) The terms “non-aromatic C.sub.3-C.sub.12-carbocycloxy”, “C.sub.3-C.sub.8-cycloalkyloxy”, “aromatic C.sub.6-C.sub.14-carbocycloxy”, “aromatic 5- to 14-membered heterocycloxy”, “non-aromatic 3- to 14-membered heterocycloxy” as used herein designate a group of formula —O—R wherein R is respectively a non-aromatic C.sub.3-C.sub.12-carbocyclyl, a C.sub.3-C.sub.8-cycloalkyl, an aromatic C.sub.6-C.sub.14-carbocyclyl, an aromatic 5- to 14-membered heterocyclyl or a non-aromatic 3- to 14-membered heterocyclyl group as defined herein.

(47) As used herein, when a group is said to be “substituted”, the group may be substituted with one or more substituents. The expression “one or more substituents” refers to a number of substituents that ranges from one to the maximum number of substituents possible based on the number of available bonding sites, provided that the conditions of stability and chemical feasibility are met.

(48) The term “leaving group” as used herein is to be understood as meaning a group which is displaced from a compound in a substitution or an elimination reaction, for example a halogen atom, a trifluoromethanesulphonate (“triflate”) group, alkoxy, methanesulphonate, p-toluenesulphonate, etc.

(49) The terms “as described herein” when referring to a variable Q, T, R¹, R², R³, R⁴, R⁵, R⁶, R⁷, R⁸, n and incorporates by reference the broad definition of the variable as well as preferred, more preferred and even more preferred definitions, if any.

Description

DETAILED DESCRIPTION

(1) Compounds of Formula (I)

(2) The present invention relates to compounds of the formula (I):

(3) ##STR00003##

(4) wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R^{sup.1} is selected from the group consisting of hydrogen, hydroxyl, cyano, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxy-C_{sub.1}-C_{sub.6}-alkyl, —C(=O)R^{sup.a1}, —C(=O)(OR^{sup.a1}), —S(=O)R^{sup.a1}, —S(=O).sub.2R^{sup.a1}, —C(=O)N(R^{sup.a2}).sub.2 and S(=O).sub.2N(R^{sup.a2}).sub.2 with R^{sup.a1} being selected from the group consisting of C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.3}-C_{sub.8}-cycloalkyl, and C_{sub.2}-C_{sub.6}-alkenyl and R^{sup.a2} being selected from the group consisting of hydrogen, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.3}-C_{sub.8}-cycloalkyl and C_{sub.2}-C_{sub.6}-alkenyl; R^{sup.2} and R^{sup.3} are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl and C_{sub.3}-C_{sub.8}-cycloalkyl, or R^{sup.2} and R^{sup.3} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; R^{sup.4} and R^{sup.5} are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl and C_{sub.3}-C_{sub.8}-cycloalkyl, or R^{sup.4} and R^{sup.5} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; or R^{sup.2} and R^{sup.4} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, and R^{sup.3} and R^{sup.5} are independently hydrogen or halogen; or R^{sup.2} and R^{sup.4} form together a covalent bond and R^{sup.3} and R^{sup.5} are independently hydrogen or C_{sub.1}-C_{sub.6}-alkyl; R^{sup.6} is selected from the group consisting of non-aromatic C_{sub.3}-C_{sub.12}-carbocycle, aromatic C_{sub.6}-C_{sub.14}-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, non-aromatic C_{sub.3}-C_{sub.12}-carbocycloxy, aromatic C_{sub.6}-C_{sub.14}-carbocycloxy, aromatic 5- to 14-membered heterocycloxy, non-aromatic 3- to 14-membered heterocycloxy, C_{sub.1}-C_{sub.3}-alkoxy substituted by a non-aromatic C_{sub.3}-C_{sub.12}-carbocycle, C_{sub.1}-C_{sub.3}-alkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle, C_{sub.1}-C_{sub.3}-alkoxy substituted by a non-aromatic 3- to 14-membered heterocycle, C_{sub.1}-C_{sub.3}-alkoxy substituted by an aromatic 5- to 14-membered heterocycle, C_{sub.1}-C_{sub.3}-haloalkoxy substituted by a non-aromatic C_{sub.3}-

C.sub.12-carbocycle, C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic 3- to 14-membered heterocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic 5- to 14-membered heterocycle, wherein cyclic, or cyclic moiety of, R.sup.6 substituents may be substituted with one or more R.sup.6S substituents that may be the same or different, R.sup.6S is selected from the group consisting of halogen, cyano, isocyano, nitro, hydroxyl, mercapto, pentafluorosulfanyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.3-C.sub.8-cycloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-cycloalkyloxy, C.sub.3-C.sub.8-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R.sup.c).sub.2, —C(=O)R.sup.d, —C(=O)(OR.sup.d), —C(=O)N(R.sup.d).sub.2, —S(=O).sub.2N(R.sup.d).sub.2, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and —Si(C.sub.1-C.sub.6-alkyl).sub.3, or two Res substituents may form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl, with R.sup.c being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl, with R.sup.d being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-haloalkyl, wherein aliphatic R.sup.6S, R.sup.c and R.sup.d substituents may be substituted with one or more substituents independently selected from the group consisting of cyano, hydroxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein cyclic or cyclic moiety of R.sup.6S and cyclic R.sup.c substituents may be substituted with one or more substituents independently selected from the group consisting of halogen, cyano, nitro, hydroxyl, formyl, carboxyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.3-C.sub.8-halocycloalkyl, and/or cyclic or cyclic moiety of R.sup.6S substituents may be substituted with two substituents forming, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl; R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, isocyano, hydroxyl, mercapto, nitro, amino, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.3-C.sub.8-cycloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(R.sup.e).sub.2, —C(=NR.sup.f)R.sup.g, —NR.sup.gC(=O)R.sup.g, —C(=O)(OR.sup.g), —C(=O)N(R.sup.g).sub.2, —S(=O).sub.2N(R.sup.g).sub.2 and —S(=O)(=NR.sup.g)R.sup.g, with

R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, with R.sup.f being independently selected from the group consisting of hydroxyl, amino, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkylamino and di(C.sub.1-C.sub.6-alkyl)amino, with R.sup.g being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.3-C.sub.8-cycloalkyl,

(5) wherein aliphatic R.sup.7, R.sup.e, R.sup.f and R.sup.g substituents may be substituted with one or more R.sup.7Sa substituents that may be the same or different,

(6) wherein cyclic or cyclic moiety of R.sup.7, cyclic R.sup.e and cyclic R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents that may be the same or different,

R.sup.7Sa is selected from the group consisting of cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkoxycarbonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, aromatic C.sub.6-C.sub.14-carbocycle and non-aromatic 3- to 7-membered monocyclic heterocycle,

R.sup.7Sc is selected from the group consisting of halogen, cyano, nitro, hydroxyl, formyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle, or two R.sup.7Sc substituents form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl; R.sup.8 is selected from the group consisting of hydrogen, halogen, cyano, isocyano, amino, nitro, hydroxyl, mercapto, carboxyl, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, non-aromatic 3- to 14-membered heterocyclyloxy, aromatic 5- to 14-membered heterocyclyloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(R.sup.h).sub.2, —SR.sup.i, —S(=O)R.sup.i and —S(=O).sub.2R.sup.i, with R.sup.h being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, with R.sup.i being selected from the group consisting of C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein aliphatic R.sup.8, R.sup.h and R.sup.i substituents may be substituted with one or more R.sup.8Sa substituents that may be the same or different,

(7) wherein cyclic or cyclic moiety of R.sup.8, cyclic R.sup.h and cyclic R.sup.i substituents may be substituted with one or more R.sup.8Sc substituents that may be the same or different,

R.sup.8Sa is selected from the group consisting of cyano, amino, nitro, hydroxyl, formyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.a').sub.2 with R.sup.a' being independently selected from the group consisting of hydrogen, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.1-C.sub.6-alkylcarbonyl, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle R.sup.8Sa may be substituted with one or more C.sub.1-C.sub.6-alkyl substituents that may be the same or different, R.sup.8Sc is selected from the group consisting of halogen, cyano, amino, nitro, hydroxyl, formyl, carboxyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.2-C.sub.6-alkenyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle that may be substituted with one or more C.sub.1-C.sub.6-alkyl substituents that may be the same or different, or two R.sup.8Sc substituents form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle may be substituted with one or more C.sub.1-C.sub.6-alkyl substituents that may be the same or different, Q is selected from the group consisting of aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic C.sub.3-C.sub.12-carbocycle, non-aromatic 3- to 14-membered heterocycle and aromatic 5- to 14-membered heterocycle, wherein any of said carbocycle or heterocycle groups may be substituted with one or more Q.sup.S substituents that may be the same or different, Q.sup.S is selected from the group consisting of halogen, cyano, isocyano, nitro, hydroxyl, mercapto, formyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-cycloalkyloxy, C.sub.3-C.sub.6-cycloalkenyl, non-aromatic 3- to 7-membered monocyclic heterocycle, aromatic 5- to 14-membered heterocycle, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —O—C(=O)R.sup.j, —NR.sup.jC(=O)R.sup.j, —C(=O)N(R.sup.j).sub.2, —C(=S)R.sup.j, —C(=S)N(R.sup.j).sub.2, —C(=NR.sup.j)R.sup.j and —C(=NOR.sup.j)R.sup.j and —N(R.sup.k).sub.2 with R.sup.j being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.1-C.sub.6-alkoxy, with R.sup.k being independently selected from the group consisting of hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl and C.sub.3-C.sub.8-cycloalkyl, wherein aliphatic Q.sup.S, R.sup.j and R.sup.k substituents may be substituted with one or more substituents independently selected from the group consisting of cyano, amino, nitro, hydroxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein cyclic or cyclic moiety of

Q.sup.S and cyclic R.sup.k substituents may be substituted with one or more R.sup.Qs substituents independently selected from the group consisting of halogen, cyano, amino, nitro, hydroxyl, formyl, carboxyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.2-C.sub.6-alkenyl and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein cyclic R.sup.Qs substituents may be substituted with two substituents forming, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl,

(8) provided that compound of formula (I) is not: (a) 3-(1H-benzotriazol-1-yloxy)-N-(4-tert-butylphenyl)-6-chloropyridazine-4-carboxamide ([561297-99-2]); (b) 3-(cyclopentyloxy)-6-(4-fluorophenoxy)-N-{[(3R)-1-isopropylpiperidin-3-yl]methyl}pyridazine-4-carboxamide ([1336909-91-1]); (c) 6-(4-fluorophenoxy)-N-{[(3R)-1-isopropylpiperidin-3-yl]methyl}-3-(tetrahydro-2H-pyran-4-yloxy)pyridazine-4-carboxamide ([1336909-90-0]); (d) 6-chloro-N-{[(3R)-1-isopropylpiperidin-3-yl]methyl}-3-(tetrahydro-2H-pyran-4-yloxy)pyridazine-4-carboxamide ([1336910-48-5]); (e) 6-chloro-3-(cyclopentyloxy)-N-{[(3R)-1-isopropylpiperidin-3-yl]methyl}pyridazine-4-carboxamide ([1336910-49-6]); (f) 3-(1H-benzotriazol-1-yloxy)-6-chloro-N-(cyclohexylmethyl)pyridazine-4-carboxamide ([1202404-84-9]).

(9) Compound (a) ([561297-99-2]) is disclosed in US2009/0143355 as an intermediate in the preparation of substituted arylamine derivatives useful in treating cancer.

(10) Compounds (b) and (c) ([1336909-91-1] and [1336909-90-0]) are disclosed in WO2011/117254 as potential modulators of Ghrelin receptor useful in treating diabetes and obesity. Compounds (d) and (e) ([1336910-48-5] and [1336910-49-6]) are disclosed in WO2011/117254 as intermediates in the preparation of potential modulators of Ghrelin receptor.

(11) Compound (f) is disclosed in US2011/0108767 as a component of a composition that may be used in the preparation of light-emitting devices.

(12) The embodiment disclosed above is referred herein as “embodiment 1”.

(13) Not encompassed herein are compounds resulting from combinations which are against natural laws and which the person skilled in the art would therefore exclude based on his/her expert knowledge. For instance, ring structures having three or more adjacent oxygen atoms are excluded.

(14) The compounds of formula (I) can suitably be in their free form, salt form, N-oxide form or solvate form (e.g. hydrate).

(15) Depending on the nature of the substituents, the compound of formula (I) may be present in the form of different stereoisomers. These stereoisomers are, for example, enantiomers, diastereomers, atropisomers or geometric isomers. Accordingly, the invention encompasses both pure stereoisomers and any mixture of these isomers. Where a compound can be present in two or more tautomer forms in equilibrium, reference to the compound by means of one tautomeric description is to be considered to include all tautomer forms.

(16) Any of the compounds of the present invention can also exist in one or more geometric isomer forms depending on the number of double bonds in the compound. Geometric isomers by nature of substituents about a double bond or a ring may be present in cis (=Z-) or trans (=E-) form. The invention thus relates equally to all geometric isomers and to all possible mixtures, in all proportions.

(17) Depending on the nature of the substituents, the compound of formula (I) may be present in the form of the free compound and/or a salt thereof, such as an agrochemically active salt.

(18) Agrochemically active salts include acid addition salts of inorganic and organic acids well as salts of customary bases. Examples of inorganic acids are hydrohalic acids, such as hydrogen fluoride, hydrogen chloride, hydrogen bromide and hydrogen iodide, sulfuric acid, phosphoric acid and nitric acid, and acidic salts, such as sodium bisulfate and potassium bisulfate. Useful organic acids include, for example, formic acid, carbonic acid and alkanolic acids such as acetic acid, trifluoroacetic acid, trichloroacetic acid and propionic acid, and also glycolic acid, thiocyanic acid,

lactic acid, succinic acid, citric acid, benzoic acid, cinnamic acid, oxalic acid, saturated or mono- or diunsaturated fatty acids having 6 to 20 carbon atoms, alkylsulphuric monoesters, alkylsulphonic acids (sulphonic acids having straight-chain or branched alkyl radicals having 1 to 20 carbon atoms), arylsulphonic acids or arylsulphonic acids (aromatic radicals, such as phenyl and naphthyl, which bear one or two sulphonic acid groups), alkylphosphonic acids (phosphonic acids having straight-chain or branched alkyl radicals having 1 to 20 carbon atoms), arylphosphonic acids or arylphosphonic acids (aromatic radicals, such as phenyl and naphthyl, which bear one or two phosphonic acid radicals), where the alkyl and aryl radicals may bear further substituents, for example p-toluenesulphonic acid, salicylic acid, p-aminosalicylic acid, 2-phenoxybenzoic acid, 2-acetoxybenzoic acid, etc.

(19) Solvates of the compounds of the invention or their salts are stoichiometric compositions of the compounds with solvents.

(20) The compounds of the invention may exist in multiple crystalline and/or amorphous forms. Crystalline forms include unsolvated crystalline forms, solvates and hydrates.

(21) Aliphatic R^{sup.6S} substituents as used herein in the expression “aliphatic R^{sup.6S}, R^{sup.c} and R^{sup.d} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl, C_{sub.2}-C_{sub.6}-haloalkynyl, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.1}-C_{sub.6}-alkylsulfinyl, C_{sub.1}-C_{sub.6}-haloalkylsulfinyl, C_{sub.1}-C_{sub.6}-alkylsulfonyl, C_{sub.1}-C_{sub.6}-haloalkylsulfonyl and the C_{sub.1}-C_{sub.6}-alkyl moiety of —Si(C_{sub.1}-C_{sub.6}-alkyl)_{sub.3} and —O—Si(C_{sub.1}-C_{sub.6}-alkyl)_{sub.3}.

(22) Aliphatic R^{sup.c} substituents as used herein in the expression “aliphatic R^{sup.6S}, R^{sup.c} and R^{sup.d} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl.

(23) Aliphatic R^{sup.d} substituents as used herein in the expression “aliphatic R^{sup.6S}, R^{sup.c} and R^{sup.d} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl and C_{sub.1}-C_{sub.6}-haloalkyl.

(24) Aliphatic R^{sup.7} substituents as used herein in the expression “aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} substituents may be substituted with one or more R^{sup.7Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-hydroxyalkyl, C_{sub.1}-C_{sub.6}-alkylcarbonyl, C_{sub.1}-C_{sub.6}-haloalkylcarbonyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl, C_{sub.1}-C_{sub.6}-haloalkoxycarbonyl, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl, C_{sub.2}-C_{sub.6}-haloalkynyl, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.2}-C_{sub.6}-alkynyloxy, C_{sub.2}-C_{sub.6}-haloalkynyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.1}-C_{sub.6}-alkylsulfinyl, C_{sub.1}-C_{sub.6}-haloalkylsulfinyl, C_{sub.1}-C_{sub.6}-alkylsulfonyl, C_{sub.1}-C_{sub.6}-haloalkylsulfonyl and the C_{sub.1}-C_{sub.6}-alkyl moiety of —Si(C_{sub.1}-C_{sub.6}-alkyl)_{sub.3} and —O—Si(C_{sub.1}-C_{sub.6}-alkyl)_{sub.3}.

(25) Aliphatic R^{sup.e} substituents as used herein in the expression “aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} substituents may be substituted with one or more R^{sup.7Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl and C_{sub.2}-C_{sub.6}-haloalkynyl.

(26) Aliphatic R^{sup.f} substituents as used herein in the expression “aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} substituents may be substituted with one or more R^{sup.7Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy and the C_{sub.1}-C_{sub.6}-alkyl moiety of C_{sub.1}-C_{sub.6}-alkylamino and di(C_{sub.1}-C_{sub.6}-alkyl)amino.

(27) Aliphatic R^{sup.g} substituents as used herein in the expression “aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} substituents may be substituted with one or more R^{sup.7Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl and C_{sub.1}-C_{sub.6}-haloalkyl.

(28) Aliphatic R^{sup.8} substituents as used herein in the expression “aliphatic R^{sup.8}, R^{sup.h} and R^{sup.i} substituents may be substituted with one or more R^{sup.8Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-hydroxyalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl, C_{sub.2}-C_{sub.6}-haloalkynyl, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.2}-C_{sub.6}-alkynyloxy, C_{sub.2}-C_{sub.6}-haloalkynyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.1}-C_{sub.6}-alkylsulfinyl, C_{sub.1}-C_{sub.6}-haloalkylsulfinyl, C_{sub.1}-C_{sub.6}-alkylsulfonyl, C_{sub.1}-C_{sub.6}-haloalkylsulfonyl and the C_{sub.1}-C_{sub.6}-alkyl moiety of —Si(C_{sub.1}-C_{sub.6}-alkyl).sub.3 and —O—Si(C_{sub.1}-C_{sub.6}-alkyl).sub.3.

(29) Aliphatic R^{sup.h} substituents as used herein in the expression “aliphatic R^{sup.8}, R^{sup.h} and R^{sup.i} substituents may be substituted with one or more R^{sup.8Sa} substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl and C_{sub.2}-C_{sub.6}-haloalkynyl.

(30) Aliphatic R^{sup.i} substituents as used herein in the expression “aliphatic R^{sup.8}, R^{sup.h} and R^{sup.i} substituents may be substituted with one or more R^{sup.8Sa} substituents” designate C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl and C_{sub.2}-C_{sub.6}-haloalkynyl.

(31) Aliphatic Q^{sup.S} substituents as used herein in the expression “aliphatic Q^{sup.S}, R^{sup.j} and R^{sup.k} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkylcarbonyl, C_{sub.1}-C_{sub.6}-haloalkylcarbonyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl, C_{sub.1}-C_{sub.6}-haloalkoxycarbonyl, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-haloalkenyl, C_{sub.2}-C_{sub.6}-alkynyl, C_{sub.2}-C_{sub.6}-haloalkynyl, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.1}-C_{sub.6}-alkylsulfinyl, C_{sub.1}-C_{sub.6}-haloalkylsulfinyl, C_{sub.1}-C_{sub.6}-alkylsulfonyl, C_{sub.1}-C_{sub.6}-haloalkylsulfonyl and the C_{sub.1}-C_{sub.6}-alkyl moiety of —Si(C_{sub.1}-C_{sub.6}-alkyl).sub.3 and —O—Si(C_{sub.1}-C_{sub.6}-alkyl).sub.3.

(32) Aliphatic R^{sup.j} substituents as used herein in the expression “aliphatic Q^{sup.S}, R^{sup.j} and R^{sup.k} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl and C_{sub.1}-C_{sub.6}-alkoxy.

(33) Aliphatic R^{sup.k} substituents as used herein in the expression “aliphatic Q^{sup.S}, R^{sup.j} and R^{sup.k} substituents may be substituted with one or more substituents” designate C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.2}-C_{sub.6}-alkenyl and C_{sub.2}-C_{sub.6}-haloalkenyl.

(34) Cyclic R^{sup.6} substituents as used herein in the expression “cyclic, or cyclic moiety of, R^{sup.6} substituents may be substituted with one or more R^{sup.6S} substituents” designate non-aromatic C_{sub.3}-C_{sub.12}-carbocycle, aromatic C_{sub.6}-C_{sub.14}-carbocycle, non-aromatic 3- to 14-membered heterocycle and aromatic 5- to 14-membered heterocycle.

(35) Cyclic moiety of R^{sup.6} substituents as used herein in the expression “cyclic, or cyclic moiety of, R^{sup.6} substituents may be substituted with one or more R^{sup.6S} substituents” designate the non-aromatic C_{sub.3}-C_{sub.12}-carbocycle of non-aromatic C_{sub.3}-C_{sub.12}-carbocycloxy, the aromatic C_{sub.6}-C_{sub.14}-carbocycle of aromatic C_{sub.6}-C_{sub.14}-carbocycloxy, the aromatic 5- to 14-membered heterocycle of aromatic 5- to 14-membered heterocycloxy, the non-aromatic 3- to 14-membered heterocycle of non-aromatic 3- to 14-membered heterocycloxy, the non-aromatic C_{sub.3}-C_{sub.12}-carbocycle of C_{sub.1}-C_{sub.3}-

alkoxy substituted by a non-aromatic C.sub.3-C.sub.12-carbocycle, the aromatic C.sub.6-C.sub.14-carbocycle of C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, the non-aromatic 3- to 14-membered heterocycle of C.sub.1-C.sub.3-alkoxy substituted by a non-aromatic 3- to 14-membered heterocycle, the aromatic 5- to 14-membered heterocycle of C.sub.1-C.sub.3-alkoxy substituted by an aromatic 5- to 14-membered heterocycle, the non-aromatic C.sub.3-C.sub.12-carbocycle of C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic C.sub.3-C.sub.12-carbocycle, the aromatic C.sub.6-C.sub.14-carbocycle of C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, the non-aromatic 3- to 14-membered heterocycle of C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic 3- to 14-membered heterocycle and the aromatic 5- to 14-membered heterocycle of C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic 5- to 14-membered heterocycle.

(36) Cyclic R.sup.6S substituents as used herein in the expression “cyclic R.sup.6S and R.sup.c substituents may be substituted with one or more substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle.

(37) Cyclic moiety of R.sup.6S substituents as used herein in the expression “cyclic or cyclic moiety of R.sup.6S and cyclic R.sup.c substituents may be substituted with one or more substituents” designate the C.sub.3-C.sub.8-cycloalkyl of C.sub.3-C.sub.8-cycloalkyloxy, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfinyl, and C.sub.3-C.sub.8-cycloalkylsulfonyl

(38) Cyclic R.sup.c substituents as used herein in the expression “cyclic or cyclic moiety of R.sup.6S and cyclic R.sup.c substituents may be substituted with one or more substituents” designate C.sub.3-C.sub.8-cycloalkyl.

(39) Cyclic R.sup.7 substituents as used herein in the expression “cyclic R.sup.7, R.sup.e and R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle.

(40) Cyclic moiety of R.sup.7 substituents as used herein in the expression “cyclic or cyclic moiety of R.sup.7, cyclic R.sup.e and cyclic R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents” designate the C.sub.3-C.sub.8-cycloalkyl of C.sub.3-C.sub.8-cycloalkyloxy, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfinyl and C.sub.3-C.sub.8-cycloalkylsulfonyl, the aromatic C.sub.6-C.sub.14-carbocycle of aromatic C.sub.6-C.sub.14-carbocycloxy, the aromatic 5- or 6-membered monocyclic heterocycle of aromatic 5- or 6-membered monocyclic heterocycloxy and the non-aromatic 3- to 7-membered monocyclic heterocycle of non-aromatic 3- to 7-membered monocyclic heterocycloxy.

(41) Cyclic R.sup.e substituents as used herein in the expression “cyclic R.sup.7, R.sup.e and R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle.

(42) Cyclic R.sup.g substituents” as used herein in the expression “cyclic R.sup.7, R.sup.e and R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl.

(43) Cyclic R.sup.8 substituents as used herein in the expression “wherein cyclic R.sup.8, R.sup.h and R.sup.i substituents may be substituted with one or more R.sup.8Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle and aromatic 5- to 14-membered heterocycle.

(44) Cyclic moiety of R.sup.8 substituents as used herein in the expression “wherein cyclic or cyclic moiety of R.sup.8, cyclic R.sup.h and cyclic R.sup.i substituents may be substituted with one

or more R.sup.8Sc substituents” designate the C.sub.3-C.sub.8-cycloalkyl of C.sub.3-C.sub.8-cycloalkyloxy, the aromatic C.sub.6-C.sub.14-carbocycle of aromatic C.sub.6-C.sub.14-carbocyclyloxy, the non-aromatic 3- to 14-membered heterocycle of non-aromatic 3- to 14-membered heterocyclyloxy and the aromatic 5- to 14-membered heterocycle of aromatic 5- to 14-membered heterocyclyloxy.

(45) Cyclic R.sup.h substituents as used herein in the expression “wherein cyclic or cyclic moiety of R.sup.8, cyclic R.sup.h and cyclic R.sup.i substituents may be substituted with one or more R.sup.8Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle.

(46) Cyclic R.sup.i substituents as used herein in the expression “wherein cyclic R.sup.8, R.sup.h and R.sup.i substituents may be substituted with one or more R.sup.8Sc substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle.

(47) Cyclic Q.sup.S substituents as used herein in the expression “cyclic or cyclic moiety of Q.sup.S and cyclic R.sup.k substituents may be substituted with one or more R.sup.Qs substituents” designate C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, non-aromatic 3- to 7-membered monocyclic heterocycle and aromatic 5- to 14-membered heterocycle.

(48) Cyclic moiety of Q.sup.S substituents as used herein in the expression “cyclic or cyclic moiety of Q.sup.S and cyclic R.sup.k substituents may be substituted with one or more R.sup.Qs substituents” designate the C.sub.3-C.sub.8-cycloalkyl of C.sub.3-C.sub.8-cycloalkyloxy.

(49) Cyclic R.sup.k substituents as used herein in the expression “cyclic Q.sup.S and R.sup.k substituents may be substituted with one or more R.sup.Qs substituents” designate C.sub.3-C.sub.8-cycloalkyl.

(50) When R.sup.2 and R.sup.4 are said herein to form together a covalent bond, the following group is obtained: —CR.sup.3=CR.sup.5—.

(51) In the above formula (I), n is 0 or 1 and m is 0 or 1, provided that m is 1 when n is 1. Hence, the present invention relates to compounds wherein n is 1 and m is 1, or n is 0 and m is 1, or n is 0 and m is 0.

(52) In some embodiments, in the above formula (I), R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl and —C(=O)(OR.sup.a1) with R.sup.a1 being C.sub.1-C.sub.6-alkyl or C.sub.2-C.sub.6-alkenyl.

(53) In the above formula (I), R.sup.1 is preferably selected from the group consisting of hydrogen, hydroxyl and —C(=O)(OR.sup.a1) with R.sup.a1 being C.sub.1-C.sub.6-alkyl or C.sub.2-C.sub.6-alkenyl, more preferably R.sup.1 is hydrogen. Non-limiting examples of suitable R.sup.1 include any of the R.sup.1 groups disclosed in column “R.sup.1” of Table 1.

(54) In the above formula (I), R.sup.2 and R.sup.3, when present (i.e. n=1), are preferably independently selected from the group consisting of hydrogen, cyano, C.sub.1-C.sub.6-alkyl (e.g. methyl) and C.sub.1-C.sub.6-alkoxycarbonyl (e.g. methoxycarbonyl), or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl). More preferably, R.sup.2 and R.sup.3, when present, are both hydrogen or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl).

(55) In the above formula (I), R.sup.4 and R.sup.5, when present (i.e. m=1), are preferably independently selected from the group consisting of hydrogen, halogen, hydroxyl and C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl) or a non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. non-aromatic 3- to 7-membered saturated monocyclic

heterocycle, for instance oxetanyl). More preferably, R.sup.4 and R.sup.5, when present, are independently selected from the group consisting of hydrogen, halogen (e.g. fluorine) and C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl).

(56) In the above formula (I), when R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl, R.sup.2 and R.sup.4 form preferably a cyclopropyl and R.sup.3 and R.sup.5 are independently hydrogen or halogen (e.g. fluorine).

(57) In the above formula (I), R.sup.6 is preferably selected from the group consisting of non-aromatic C.sub.3-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle. When R.sup.6 is a non-aromatic C.sub.3-C.sub.12-carbocycle, R.sup.6 is preferably a C.sub.7-C.sub.12 polycyclic system, more preferably a C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, a C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl or a C.sub.9-C.sub.12 tricyclic system comprising a cyclopropyl connected through one common atom to a bicyclic system comprising an aryl fused to either a C.sub.3-C.sub.8-cycloalkyl or a C.sub.3-C.sub.8-cycloalkenyl. Preferred C.sub.7-C.sub.12 bicyclic systems comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl include indanyl, 1,2,3,4-tetrahydronaphthalenyl and bicyclo[4.2.0]octa-1(6),2,4-trienyl. Preferred C.sub.7-C.sub.12 bicyclic systems comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl include indenyl and 1,2-dihydronaphthalenyl. Preferred C.sub.9-C.sub.12 tricyclic system comprising a cyclopropyl connected through one common atom to a bicyclic system which comprises an aryl fused to either a C.sub.3-C.sub.8-cycloalkyl or a C.sub.3-C.sub.8-cycloalkenyl include spiro[cyclopropane-1,2'-indane]-1-yl and spiro[cyclopropane-1,2'-tetralin]-1-yl. When R.sup.6 is a non-aromatic C.sub.3-C.sub.12-carbocycle, R.sup.6 is more preferably an indanyl, a 1,2,3,4-tetrahydronaphthalenyl or a spiro[cyclopropane-1,2'-indane]-1-yl, even more preferably R.sup.6 is indan-1-yl, indan-2-yl, 1,2,3,4-tetrahydronaphthalen-1-yl, 1,2,3,4-tetrahydronaphthalen-2-yl, 1,2,3,4-tetrahydronaphthalen-6-yl or spiro[cyclopropane-1,2'-indane]-1-yl. When R.sup.6 is an aromatic C.sub.6-C.sub.14-carbocycle, R.sup.6 is preferably phenyl or naphthyl, more preferably phenyl, naphth-1-yl or naphth-2-yl. When R.sup.6 is a non-aromatic 3- to 14-membered heterocycle, R.sup.6 is typically a non-aromatic 6- to 14-membered polycyclic heterocycle, R.sup.6 is preferably a non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a 3- to 7-membered monocyclic non-aromatic heterocycle, a non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle, said heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl (e.g. phenyl), or a non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl. Preferred non-aromatic bicyclic heterocycles comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl include 2,3-dihydrobenzofuranyl, 2,3-dihydrobenzothiophenyl, indolinyl, 1,3-benzodioxolyl, 1,2,3,4-tetrahydroquinolinyl, chromanyl, isochromanyl, thiochromanyl and 2,3-dihydro-1,4-benzodioxinyl. Preferred non-aromatic bicyclic heterocycles comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl include tetrahydrobenzothiophenyl, 6,7-dihydro-5H-cyclopenta[b]pyridinyl, 5,6,7,8-tetrahydroquinolinyl, 4,5,6,7-tetrahydrobenzothiophenyl, 4,5,6,7-tetrahydrobenzofuranyl, 4,5,6,7-tetrahydro-1,3-benzoxazolyl, 4,5,6,7-tetrahydro-1,3-benzothiazolyl, 4,5,6,7-tetrahydro-1H-

benzimidazolyl, 4,5,6,7-tetrahydro-indazolyl, 4,5,6,7-tetrahydro-2H-isindolyl, 4,5,6,7-tetrahydro-2-benzothiophenyl, 5,6-dihydro-4H-cyclopenta[b]thiophenyl and 5,6-dihydro-4H-cyclopenta[d]thiazolyl. Preferred non-aromatic bicyclic heterocycles comprising a 5- or 6-membered monocyclic heteroaryl fused to a 3- to 7-membered monocyclic non-aromatic heterocycle include 4,5,6,7-tetrahydropyrazolo[1,5-a]pyridinyl, 5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridinyl, 5,6,7,8-tetrahydroimidazo[1,2-a]pyridinyl and 6,7-dihydro-5H-thieno[3,2-b]pyranyl. Preferred non-aromatic tricyclic heterocycles comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl include spiro[chromane-3,1'-cyclopropane]-yl. Preferred non-aromatic tricyclic heterocycles comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl include spiro[7,8-dihydro-5H-quinoline-6,1'-cyclopropane]-yl. When R.sup.6 is a non-aromatic 3- to 14-membered heterocycle, R.sup.6 is more preferably a 4- to 6-membered monocyclic non-aromatic heterocycle fused to a phenyl (preferably selected from the group consisting of 2,3-dihydrobenzofuranyl, indolinyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl and 2,3-dihydro-1,4-benzodioxinyl) or a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl (preferably 5,6,7,8-tetrahydroquinolinyl or 4,5,6,7-tetrahydrobenzothiophenyl). When R.sup.6 is a non-aromatic 3- to 14-membered heterocycle, R.sup.6 is even more preferably 2,3-di-hydrobenzofuran-3-yl, 2,3-dihydrobenzofuran-5-yl, 2,3-dihydrobenzofuran-7-yl, indolin-3-yl, 1,3-benzodioxol-5-yl, chroman-4-yl, isochroman-4-yl, thiochroman-4-yl, 2,3-dihydro-1,4-benzo-dioxin-5-yl, 2,3-dihydro-1,4-benzodioxin-6-yl, 5,6,7,8-tetrahydroquinolin-8-yl, 4,5,6,7-tetrahydro-benzothiophen-4-yl or 4,5,6,7-tetrahydrobenzothiophen-7-yl, more specifically 2,3-dihydro-benzofuran-5-yl or 4,5,6,7-tetrahydrobenzothiophen-7-yl. When R.sup.6 is an aromatic 5- to 14-membered heterocycle, R.sup.6 is preferably an aromatic 5- or 6-membered monocyclic heterocycle, a 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl or a 9- or 10-membered aromatic bicyclic heterocycle comprising two fused 5- or 6-membered monocyclic aromatic heterocycles. Preferred aromatic 5- or 6-membered monocyclic heterocycles include furanyl, thienyl, pyrazolyl, imidazolyl, triazolyl, oxazolyl, oxadiazolyl, thiazolyl, thiadiazolyl, pyridinyl, pyridazinyl and pyrimidinyl. Preferred 9- or 10-membered aromatic bicyclic heterocycles comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl (phenyl) include indolyl, benzimidazolyl, indazolyl, benzofuranyl, benzothiophenyl, benzothiazolyl (e.g. 1,3-benzothiazolyl, 2,1-benzothiazolyl, 1,2-benzothiazolyl), benzoxazolyl (e.g. 1,3-benzoxazolyl, 2,1-benzoxazolyl, 1,2-benzoxazolyl), quinolinyl, isoquinolinyl and quinoxalinyl. Preferred 9- or 10-membered aromatic bicyclic heterocycles comprising two fused 5- or 6-membered monocyclic aromatic heterocycles include pyrrolo[3,2-c]pyridinyl, imidazo[1,2-a]pyridinyl, [1,2,4]triazolo[4,3-a]pyridinyl, imidazo[1,2-a]pyridinyl, thieno[3,2-b]pyrrolyl, thieno[3,2-b]thiophenyl, imidazo[2,1-b]oxazolyl, furo[2,3-d]isoxazolyl and thieno[2,3-d]isothiazolyl. When R.sup.6 is an aromatic 5- to 14-membered heterocycle, R.sup.6 is more preferably an aromatic 5- or 6-membered monocyclic heterocycle selected from the group consisting of furanyl, thienyl, pyrazolyl, pyridinyl and pyrimidinyl, a 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl selected from the group consisting of indolyl, benzofuranyl, benzoxazolyl, quinolinyl and isoquinolinyl, or imidazo[1,2-a]pyridinyl. When R.sup.6 is an aromatic 5- to 14-membered heterocycle, R.sup.6 is even more preferably furan-2-yl, thien-3-yl, pyrazol-4-yl, pyridin-2-yl, pyridin-3-yl, pyrimidin-2-yl, quinolin-2-yl, quinolin-3-yl, quinolin-5-yl, isoquinolin-3-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-7-yl, indol-3-yl, benzo-furan-4-yl, 1,3-benzoxazol-4-yl or imidazo[1,2-a]pyridin-2-yl, more specifically R.sup.6 is pyridin-2-yl, 1,3-benzoxazol-4-yl or indol-3-yl. When R.sup.6 is an aromatic C.sub.6-C.sub.14-carbocycloxy, R.sup.6 is preferably

phenoxy. When R.sup.6 is a C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, R.sup.6 is preferably a C.sub.1-C.sub.3-alkoxy substituted by a phenyl, more preferably benzyloxy. When R.sup.6 is a C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, R.sup.6 is preferably a C.sub.1-C.sub.3-haloalkoxy substituted by phenyl, more preferably —OCF.sub.2-phenyl.

(58) In some embodiments, R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle (phenyl, naphthyl), non-aromatic polycyclic 6- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, non-aromatic polycyclic C.sub.7-C.sub.12-carbocycloxy, phenoxy, aromatic 5- to 14-membered heterocycloxy, non-aromatic polycyclic 6- to 14-membered heterocycloxy, C.sub.1-C.sub.3-alkoxy substituted by a non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, C.sub.1-C.sub.3-alkoxy substituted by phenyl or naphthyl, C.sub.1-C.sub.3-alkoxy substituted by a non-aromatic polycyclic 6- to 14-membered heterocycle, C.sub.1-C.sub.3-alkoxy substituted by an aromatic 5- to 14-membered heterocycle, C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, C.sub.1-C.sub.3-haloalkoxy substituted by phenyl or naphthyl, C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic polycyclic 6- to 14-membered heterocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic 5- to 14-membered heterocycle.

(59) In some embodiments, R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 6- to 14-membered polycyclic heterocycle, aromatic 5- to 14-membered heterocycle, aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle.

(60) In a preferred embodiment, R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 6- to 14-membered polycyclic heterocycle, aromatic 5- to 14-membered heterocycle, aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle.

(61) In some embodiments, R.sup.6 is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, naphthyl, 2,3-dihydrobenzofuranyl, indolinyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl, 2,3-dihydro-1,4-benzodioxinyl, 5,6,7,8-tetrahydroquinolinyl, 4,5,6,7-tetrahydrobenzothiophenyl, furanyl, thienyl, pyridinyl, pyrimidinyl, indolyl, benzofuranyl, benzoxazolyl, quinolinyl, isoquinolinyl, imidazo[1,2-a]pyridinyl, phenoxy, benzyloxy and —OCF.sub.2-phenyl.

(62) In a more preferred embodiment, R.sup.6 is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, naphthyl, 2,3-dihydrobenzofuranyl, indolinyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl, 2,3-dihydro-1,4-benzodioxinyl, 5,6,7,8-tetrahydroquinolinyl, 4,5,6,7-tetrahydrobenzothiophenyl, furanyl, thienyl, pyridinyl, pyrimidinyl, indolyl, benzofuranyl, benzoxazolyl, quinolinyl, isoquinolinyl, imidazo[1,2-a]pyridinyl, phenoxy, benzyloxy and —OCF.sub.2-phenyl.

(63) In some embodiments, R.sup.6 is

(64) ##STR00004##

(65) wherein

(66) R.sup.6s1 is hydrogen or R.sup.6s,

(67) R.sup.6s2 is hydrogen or R.sup.6s,

(68) R.sup.6s being as described herein (above or below), preferably at least one of R.sup.6s1 and R.sup.6s2 is different from hydrogen.

(69) In a even more preferred embodiment, R.sup.6 is

(70) ##STR00005##

(71) wherein

(72) R.sup.6s1 is hydrogen or R.sup.6s,

(73) R.sup.6s2 is hydrogen or R.sup.6s,

(74) with R.sup.6s being halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.6-cycloalkyl, phenyl, pyridinyl, pyrazolyl, imidazolyl, triazolyl, oxetanyl, tetrahydrofuranyl and tetrahydropyranyl, wherein cyclic R.sup.6S substituents may be substituted with one to three substituents independently selected from the group consisting of halogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.1-C.sub.6-alkoxycarbonyl,

(75) with the proviso that at least one of R.sup.6s1 and R.sup.6s2 is different from hydrogen.

(76) R.sup.6 groups as disclosed herein may be substituted with one or more R.sup.6S substituents as disclosed herein above or as disclosed herein below.

(77) In some embodiments, R.sup.6 is substituted with one or more R.sup.6S substituents as disclosed herein above or as disclosed herein below that may be the same or different.

(78) R.sup.6S substituents are preferably selected from the group consisting of halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl), aromatic 5- or 6-membered monocyclic heterocycle (e.g. pyridinyl, pyrimidinyl, thienyl, furanyl, imidazolyl, triazolyl, pyrazolyl, oxazolyl, thiazolyl, preferably pyridinyl, pyrazolyl, imidazolyl, triazolyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl, tetrahydrofuranyl, tetrahydropyranyl (oxanyl), pyrrolidinyl, azetidiny, morpholinyl, preferably oxetanyl, tetrahydrofuranyl, tetrahydropyranyl (oxanyl)), wherein cyclic R.sup.6S substituents may be substituted with one or more substituents independently selected from the group consisting of halogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.1-C.sub.6-alkoxycarbonyl.

(79) R.sup.6S substituents are more preferably selected from the group consisting of halogen (e.g. chlorine, bromine, iodine, fluorine), cyano, C.sub.1-C.sub.6-alkyl (e.g. methyl), C.sub.1-C.sub.6-haloalkyl (e.g. CF.sub.3, CHF.sub.2), C.sub.1-C.sub.6-alkoxy (e.g. methoxy, isopropoxy), C.sub.1-C.sub.6-haloalkoxy (e.g. difluoromethoxy), C.sub.2-C.sub.6-alkenyl (e.g. prop-1-en-2-yl), C.sub.2-C.sub.6-alkynyl (e.g. ethynyl), C.sub.1-C.sub.6-haloalkylsulfanyl (e.g. —SCH.sub.2CF.sub.3), cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, phenyl, pyridin-2-yl, pyridin-4-yl, pyrazol-4-yl, imidazol-2-yl, triazol-4-yl, oxetan-3-yl, tetrahydrofuran-3-yl and tetrahydropyran-4-yl (oxan-4-yl), wherein cyclic R.sup.6S substituents may be substituted with one or more substituents independently selected from the group consisting of halogen (e.g. chlorine), C.sub.1-C.sub.6-alkyl (e.g. methyl), C.sub.1-C.sub.6-haloalkyl (e.g. CF.sub.3) and C.sub.1-C.sub.6-alkoxycarbonyl (e.g. methoxycarbonyl).

(80) Non-limiting examples of suitable

(81) ##STR00006##

chains include any of the

(82) ##STR00007##

chains disclosed in column

(83) ##STR00008##

of Table 1.

(84) In the above formula (I), R.sup.7 is preferably selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.3-C.sub.8-cycloalkyl,

aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R^{sup.e}).sub.2, —C(=NR^{sup.f})R^{sup.f} and —C(=O)N(R^{sup.g}).sub.2, with R^{sup.e} being as disclosed above, preferably R^{sup.e} is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), with R^{sup.f} being as disclosed above, preferably R^{sup.f} is independently selected from the group consisting of hydroxyl, amino, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-alkoxy, with R^{sup.g} being as disclosed above, preferably R^{sup.g} is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl). When R^{sup.7} is a C.sub.3-C.sub.8-cycloalkyl, R^{sup.7} is preferably a cyclopropyl. When R^{sup.7} is an aromatic 5- or 6-membered monocyclic heterocycle, R^{sup.7} is preferably selected from the group consisting of pyridinyl, pyrimidinyl, thienyl, furanyl, imidazolyl, triazolyl, pyrazolyl, oxazolyl and thiazolyl, more preferably pyridinyl (e.g. pyridin-4-yl), imidazolyl (e.g. imidazol-1-yl, imidazol-5-yl) and pyrazolyl (e.g. pyrazol-4-yl). When R^{sup.7} is a non-aromatic 3- to 7-membered monocyclic heterocycle, R^{sup.7} is preferably selected from the group consisting of oxiranyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidiny, aziridinyl, morpholinyl and 2-oxa-6-azaspiro[3.3]heptanyl, more preferably oxetanyl (e.g. oxetan-3-yl), tetrahydrofuranyl (e.g. tetrahydrofuran-3-yl), tetrahydropyranyl (e.g. tetrahydropyran-4-yl), pyrrolidinyl (e.g. pyrrolidin-1-yl) and azetidiny (e.g. azetidin-1-yl). When R^{sup.7} is —N(R^{sup.e}).sub.2, R^{sup.7} is preferably dimethylamino or cyclopropylamino. When R^{sup.7} is —C(=NR^{sup.f})R^{sup.f}, R^{sup.7} is preferably 1-hydrazinylideneethyl, 1-(methoxyimino)ethyl or 1-hydroxyiminoethyl. When R^{sup.7} is —C(=O)N(R^{sup.g}).sub.2, R^{sup.g} is preferably independently selected from the group consisting of hydrogen, methyl, propyl and cyclopropyl.

(85) In some embodiments, R^{sup.7} is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, cyclopropyl, pyridinyl, imidazolyl, pyrazolyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidiny, dimethylamino, cyclopropylamino, cyclopropylaminocarbonyl, 1-hydrazinylideneethyl, 1-(methoxyimino)ethyl and 1-hydroxyiminoethyl.

(86) Preferred aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} substituents as disclosed herein may be substituted with one or more R^{sup.7Sa} substituents as disclosed herein above or as disclosed herein below.

(87) R^{sup.7Sa} substituents are preferably selected from the group consisting of hydroxyl, cyano, C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclobutyl), C.sub.1-C.sub.6-alkoxycarbonyl (e.g. ethoxycarbonyl) and aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl).

(88) Preferred cyclic R^{sup.7} and R^{sup.e} substituents as disclosed herein may be substituted with one or more R^{sup.7Sc} substituents as disclosed herein above or as disclosed herein below.

(89) R^{sup.7Sc} substituents are preferably selected from the group consisting of halogen (e.g. fluorine, chlorine), hydroxyl, C.sub.1-C.sub.6-alkyl (e.g. methyl) and C.sub.1-C.sub.6-alkoxy (e.g. methoxy).

(90) In some embodiments, R^{sup.7} is an unsubstituted pyridinyl (e.g. pyridin-4-yl) or a pyridinyl substituted with halogen (e.g. fluorine, chlorine), C.sub.1-C.sub.6-alkyl (e.g. methyl) or C.sub.1-C.sub.6-alkoxy (e.g. methoxy).

(91) In some embodiments, R^{sup.7} is an unsubstituted imidazolyl (e.g. imidazol-1-yl, imidazol-5-yl) or an imidazolyl substituted by a C.sub.1-C.sub.6-alkyl (e.g. methyl).

(92) In some embodiments, R^{sup.7} is an unsubstituted azetidiny (e.g. azetidin-1-yl) or an azetidiny substituted by hydroxyl.

(93) Non-limiting examples of suitable R^{sup.7} include any of the R^{sup.7} groups listed in column "R^{sup.7}" of Table 1.

(94) In the above formula (I), R.sup.8 is preferably selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy and —N(R.sup.h).sub.2, with R.sup.h being as disclosed above, preferably R.sup.h is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl). When R.sup.8 is a C.sub.3-C.sub.8-cycloalkyl, R.sup.8 is preferably a cyclopropyl. When R.sup.8 is an aromatic C.sub.6-C.sub.14-carbocycle, R.sup.8 is preferably phenyl. When R.sup.8 is a non-aromatic 3- to 14-membered heterocycle, R.sup.8 is preferably a non-aromatic 3- to 7-membered monocyclic heterocycle. Preferred non-aromatic 3- to 7-membered monocyclic heterocycles include oxiranyl, aziridinyl, oxetanyl, azetidiny, tetrahydrofuranyl, pyrrolidinyl, tetrahydropyranyl (oxanyl) and morpholinyl. When R.sup.8 is a non-aromatic 3- to 14-membered heterocycle, R.sup.8 is more preferably selected from the group consisting of oxetanyl, azetidiny, pyrrolidinyl, tetrahydropyranyl and morpholinyl. When R.sup.8 is a non-aromatic 3- to 14-membered heterocycle, R.sup.8 is even more preferably selected from the group consisting of oxetan-3-yl, azetidin-1-yl, tetrahydropyran-4-yl and pyrrolidin-1-yl. When R.sup.8 is an aromatic 5- to 14-membered heterocycle, R.sup.8 is preferably a 5- or 6-membered aromatic monocyclic heterocycle. Preferred 5- or 6-membered aromatic monocyclic heterocycles include furanyl, thienyl, pyrazolyl, imidazolyl, triazolyl, oxazolyl, thiazolyl, pyridinyl and pyrimidinyl. When R.sup.8 is an aromatic 5- to 14-membered heterocycle, R.sup.8 is more preferably selected from the group consisting of pyrazolyl, imidazolyl, thiazolyl and pyridinyl. When R.sup.8 is an aromatic 5- to 14-membered heterocycle, R.sup.8 is even more preferably selected from the group consisting of pyrazol-1-yl, imidazole-1-yl, thiazol-4-yl, pyridin-2-yl, pyridin-3-yl and pyridin-4-yl. When R.sup.8 is a C.sub.3-C.sub.8-cycloalkyloxy, R.sup.8 is preferably a cyclopropyloxy. When R.sup.8 is a non-aromatic 3- to 14-membered heterocyclyloxy, R.sup.8 is preferably a non-aromatic 3- to 7-membered monocyclic heterocyclyloxy. Preferred non-aromatic 3- to 7-membered monocyclic heterocyclyloxy include oxetanyloxy and azetidinyloxy. When R.sup.8 is a non-aromatic 3- to 14-membered heterocyclyloxy, R.sup.8 is more preferably oxetan-3-yloxy or azetidin-3-yloxy. When R.sup.8 is N(R.sup.h).sub.2, R.sup.h is preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl (e.g. methyl, ethyl, propyl, isobutyl), C.sub.2-C.sub.6-alkenyl (e.g. buten-3-en-2-yl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl).

(95) In some embodiments, R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, cyclopropyl, phenyl, oxetanyl, azetidiny, pyrrolidinyl, tetrahydropyranyl, morpholinyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl, cyclopropyloxy, oxetanyloxy, azetidinyloxy and —N(R.sup.h).sub.2 with R.sup.h being preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl).

(96) In a preferred embodiment, R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy,

C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, cyclopropyl, phenyl, oxetanyl, azetidiny, pyrrolidiny, tetrahydropyranyl, morpholinyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl, cyclopropyloxy, oxetanyloxy, azetidinyloxy and —N(R^{sup.h}).sub.2 with R^{sup.h} being preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.6-cycloalkyl, phenyl and oxetanyl.

(97) Preferred aliphatic R^{sup.8} and R^{sup.h} substituents as disclosed herein may be substituted with one or more R^{sup.8Sa} substituents as disclosed herein above or as disclosed herein below.

(98) R^{sup.8Sa} substituents are preferably selected from the group consisting of hydroxyl, carboxyl, C.sub.1-C.sub.6-haloalkyl (e.g. trifluoromethyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy, ethoxy), C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkoxy (e.g. -ethoxy-methoxy), C.sub.1-C.sub.6-alkoxycarbonyl (e.g. methoxycarbonyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), C.sub.1-C.sub.6-alkylsulfanyl (e.g. methylsulfanyl), —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, non-aromatic 3- to 7-membered mon-cyclic heterocycle (e.g. 1,3-dioxolanyl) and —N(R^{sup.a'}).sub.2 with R^{sup.a'} being preferably independently selected from the group consisting of hydrogen, formyl, C.sub.1-C.sub.6-alkyl (e.g. methyl) and C.sub.1-C.sub.6-alkylcarbonyl (e.g. methylcarbonyl).

(99) Non-limiting examples of suitable N(R^{sup.a'}).sub.2 groups include acetyl(methyl)amino and formyl(methyl)amino.

(100) Preferred cyclic R^{sup.8} and R^{sup.h} substituents may be substituted with one or more R^{sup.8Sc} substituents that may be the same or different as disclosed herein above or below.

(101) R^{sup.8Sc} substituents are preferably selected from the group consisting of oxo, halogen (e.g. chlorine), cyano, hydroxyl, C.sub.1-C.sub.6-alkyl (e.g. methyl), C.sub.1-C.sub.6-haloalkyl (e.g. difluoromethyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.1-C.sub.6-alkoxycarbonyl (e.g. ethoxycarbonyl, propyloxycarbonyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxolanyl, oxetanyl, tetrahydrofuranyl) or two R^{sup.8Sc} substituents form together with the carbon atom to which they are attached to a non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl, oxiranyl).

(102) Non-limiting examples of suitable R^{sup.8} include any of the R^{sup.8} groups listed in column “R^{sup.8}” of Table 1.

(103) In the above formula (I), when Q is an aromatic C.sub.6-C.sub.14-carbocycle, Q is preferably phenyl or naphthyl, more preferably phenyl or naphth-2-yl.

(104) In the above formula (I), when Q is a non-aromatic C.sub.3-C.sub.12-carbocycle, Q is preferably a C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl or a C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl. Preferred C.sub.7-C.sub.12 bicyclic systems comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl include bicyclo[4.2.0]octa-1(6),2,4-trienyl, indanyl and 1,2,3,4-tetrahydronaphthalenyl. Preferred C.sub.7-C.sub.12 bicyclic systems comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl include indenyl and dihydronaphthalenyl.

(105) When Q is a non-aromatic C.sub.3-C.sub.12-carbocycle, Q is more preferably a C.sub.7-C.sub.12 bicyclic system comprising an aryl (e.g. phenyl) fused to a C.sub.3-C.sub.8-cycloalkyl, even more preferably a bicyclo[4.2.0]octa-1(6),2,4-trienyl, more specifically 3-bicyclo[4.2.0]octa-1(6),2,4-trienyl. In the above formula (I), when Q is a non-aromatic 3- to 14-membered heterocycle, Q is typically a non-aromatic 6- to 14-membered bicyclic heterocycle, preferably Q is a non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl or a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl. Preferred non-aromatic bicyclic heterocycles comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl include 2,3-dihydrobenzofuranyl, 1,3-dihydroisobenzofuranyl, indolinyl, 1,3-benzodioxolyl, chromanyl, 2,3-dihydro-1,4-benzodioxinyl and [1,3]dioxolo[4,5-b]pyridinyl.

Preferred non-aromatic bicyclic heterocycles comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl include 5,6,7,8-tetrahydroquinolinyl and 6,7-dihydro-5H-cyclopenta[b]pyridinyl.

(106) When Q is a non-aromatic 3- to 14-membered heterocycle, Q is more preferably a non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, even more preferably Q is 1,3-benzodioxolyl or 2,3-dihydrobenzofuranyl, more specifically Q is 1,3-benzodioxol-5-yl or 2,3-dihydrobenzofuran-5-yl.

(107) In the above formula (I), when Q is an aromatic 5- to 14-membered heterocycle, Q is preferably an aromatic 5- or 6-membered monocyclic heterocycle, an aromatic 9- or 10-membered bicyclic heterocycle comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl (phenyl) or a 9- or 10-membered aromatic bicyclic heterocycle comprising two fused aromatic 5- or 6-membered monocyclic heterocycles. Preferred aromatic 5- or 6-membered monocyclic heterocycles include pyrrolyl, furanyl, thienyl, imidazolyl, triazolyl, oxazolyl, thiazolyl, pyridinyl, pyridazinyl and pyrimidinyl. Preferred aromatic 9- or 10-membered bicyclic heterocycles comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl (phenyl) include indolyl, benzimidazolyl, indazolyl, benzofuranyl, benzothiophenyl, benzothiazolyl (e.g. 1,2-benzothiazolyl, 1,3-benzothiazolyl), benzoxazolyl (e.g. 1,2-benzoxazolyl, 1,3-benzoxazolyl) and quinolinyl. Preferred aromatic 9- or 10-membered bicyclic heterocycles comprising two fused 5- or 6-membered monocyclic aromatic heterocycles include furo[3,2-b]pyridinyl, thieno[3,2-b]thiophenyl and thieno[2,3-d]thiazolyl.

(108) When Q is an aromatic 5- to 14-membered heterocycle, Q is more preferably an aromatic 5- or 6-membered monocyclic heterocycle, even more preferably Q is thienyl, pyridinyl or indolyl, more specifically Q is pyridin-2-yl, pyridin-3-yl, thien-3-yl, indol-5-yl or indol-6-yl.

(109) In some embodiments, Q is selected from the group consisting of aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, non-aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl, non-aromatic 6- to 14-membered bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, non-aromatic 6- to 14-membered bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, aromatic 9- or 10-membered bicyclic heterocycle comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl and 9- or 10-membered aromatic bicyclic heterocycle comprising two fused aromatic 5- or 6-membered monocyclic heterocycles.

(110) In a preferred embodiment, Q is selected from the group consisting of aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, non-aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl, non-aromatic 6- to 14-membered bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, non-aromatic 6- to 14-membered bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, aromatic 9- or 10-membered bicyclic heterocycle comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl and 9- or 10-membered aromatic bicyclic heterocycle comprising two fused aromatic 5- or 6-membered monocyclic heterocycles.

(111) In some embodiments, Q is selected from the group consisting of phenyl, naphthyl, bicyclo[4.2.0]octa-1(6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl, preferably Q is phenyl, naphth-2-yl, 3-bicyclo[4.2.0]octa-1(6),2,4-trienyl, 1,3-benzodioxol-5-yl, 2,3-dihydrobenzofuran-5-yl, pyridin-2-yl, pyridin-3-yl, thien-3-yl, indol-5-yl or indol-6-yl.

(112) In a more preferred embodiment, Q is selected from the group consisting of phenyl, naphthyl, bicyclo[4.2.0]octa-1(6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl.

(113) In a even more preferred embodiment Q is selected from the group consisting of phenyl, naphth-2-yl, 3-bicyclo[4.2.0]octa-1(6),2,4-trienyl, 1,3-benzodioxol-5-yl, 2,3-dihydrobenzofuran-5-yl, pyridin-2-yl, pyridin-3-yl, thien-3-yl, indol-5-yl or indol-6-yl.

(114) Q groups as disclosed herein may be substituted with one or more Q.sup.S substituents that may be the same or different as disclosed herein above or as disclosed herein below.

(115) In some embodiments, Q is substituted with one or more Q.sup.S substituents as disclosed herein above or as disclosed herein below that may be the same or different.

(116) Q.sup.S substituents are preferably selected from the group consisting of halogen (e.g. fluorine, chlorine, bromine, iodine), cyano, nitro, hydroxyl, C.sub.1-C.sub.6-alkyl (e.g. methyl, ethyl), C.sub.1-C.sub.6-haloalkyl (e.g. trifluoromethyl, difluoromethyl), C.sub.1-C.sub.6-alkylcarbonyl (e.g. methylcarbonyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.1-C.sub.6-haloalkoxy (e.g. difluoromethoxy, trifluoromethoxy), C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl (e.g. methoxymethyl), C.sub.2-C.sub.6-alkenyl (e.g. vinyl), C.sub.2-C.sub.6-alkynyl (e.g. ethynyl), C.sub.1-C.sub.6-alkylsulfanyl (e.g. methylsulfanyl), C.sub.1-C.sub.6-haloalkylsulfanyl (e.g. trifluoromethylsulfanyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclobutyl), non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxiranyl, oxetanyl) and —N(R.sup.k).sub.2 with R.sup.k being hydrogen.

(117) Aliphatic Q.sup.S substituents may be substituted as disclosed herein.

(118) Cyclic Q.sup.S substituents may be substituted as disclosed herein or preferably with one or more halogen atom (e.g. fluorine).

(119) Non-limiting examples of suitable Q include any of the Q groups listed in column “Q” of Table 1.

(120) In some embodiments, Q is

(121) ##STR00009##

(122) wherein

(123) Q.sup.s1 is hydrogen or halogen (preferably fluorine),

(124) Q.sup.s2 is hydrogen or Q.sup.s, wherein Q.sup.s is as described herein above, preferably Q.sup.S2 is selected from the group consisting of hydrogen, halogen (e.g. fluorine, chlorine, bromine, iodine), cyano, nitro, hydroxyl, amino, C.sub.1-C.sub.6-alkyl (e.g. methyl, ethyl), C.sub.1-C.sub.6-haloalkyl (e.g. trifluoromethyl, difluoromethyl), C.sub.1-C.sub.6-alkylcarbonyl (e.g. methylcarbonyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.1-C.sub.6-haloalkoxy (e.g. difluoromethoxy, trifluoromethoxy), C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl (e.g. methoxymethyl), C.sub.2-C.sub.6-alkenyl (e.g. vinyl), C.sub.2-C.sub.6-alkynyl (e.g. ethynyl), C.sub.1-C.sub.6-alkylsulfanyl (e.g. methylsulfanyl), C.sub.1-C.sub.6-haloalkylsulfanyl (e.g. trifluoromethylsulfanyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclobutyl) that may be substituted with one or more halogen atoms and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxiranyl, oxetanyl) that may be substituted with one or more halogen atoms, more preferably Q.sup.S2 is selected from the group consisting of fluorine, chlorine, bromine, iodine, cyano, nitro, hydroxyl, amino, methyl, trifluoromethyl, difluoromethyl, methoxy, difluoromethoxy, trifluoromethoxy, vinyl, ethynyl, methylsulfanyl, trifluoromethylsulfanyl, cyclopropyl that may be substituted with one or more halogen atoms, oxiranyl and oxetanyl that may be substituted with one or more halogen atoms, preferably at least one of Q.sup.s1 and Q.sup.s2 is different from hydrogen.

(125) In a even more preferred embodiment, Q is

(126) ##STR00010##

(127) wherein

(128) Q.sup.s1 is hydrogen or halogen,

(129) Q.sup.s2 is hydrogen or Q.sup.s, wherein Q.sup.s is selected from the group consisting of hydrogen, halogen, cyano, nitro, hydroxyl, amino, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkylcarbonyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-haloalkoxy,

C.sub.1-C.sub.4-alkoxy-C.sub.1-C.sub.4-alkyl, C.sub.2-C.sub.4-alkenyl, C.sub.2-C.sub.4-alkynyl, C.sub.1-C.sub.4-alkylsulfanyl, C.sub.1-C.sub.4-haloalkylsulfanyl, C.sub.3-C.sub.6-cycloalkyl that may be substituted with one or two halogen atoms and non-aromatic 3- to 6-membered monocyclic heterocycle that may be substituted with one or two halogen atoms, with the proviso that at least one of Q^{s1} and Q^{s2} is different from hydrogen.

(130) Most preferably Q^{S2} is selected from the group consisting of fluorine, chlorine, bromine, iodine, cyano, nitro, hydroxyl, amino, methyl, trifluoromethyl, difluoromethyl, methoxy, difluoromethoxy, trifluoromethoxy, vinyl, ethynyl, methylsulfanyl, trifluoromethylsulfanyl, cyclopropyl that may be substituted with one or two halogen atoms, oxiranyl and oxetanyl that may be substituted with one or two halogen atoms.

(131) The above specified definitions of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, R⁸ and Q (broad definitions as well as preferred, more preferred, even more preferred definitions) can be combined in various manners.

(132) These combinations of definitions thus provide sub-classes of compounds according to the invention, such as for instance the ones disclosed below.

(133) In some embodiments (referred herein as embodiment 2), compounds according to the present invention are compounds of the formula (I):

(134) ##STR00011##

wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R¹ is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, —C(=O)R^{a1}, —C(=O)(OR^{a1}), —S(=O)R^{a1}, —S(=O).sub.2R^{a1}, —C(=O)N(R^{a2}).sub.2 and S(=O).sub.2N(R^{a2}).sub.2 with R^{a1} being selected from the group consisting of C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl and R^{a2} being selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl; R² and R³ are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R² and R³ form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; R⁴ and R⁵ are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R⁴ and R⁵ form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; or R² and R⁴ form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, and R³ and R⁵ are independently hydrogen or a halogen atom; or R² and R⁴ form, together a covalent bond and R³ and R⁵ are independently hydrogen or C.sub.1-C.sub.6-alkyl; R⁶ is selected from the group consisting of non-aromatic C.sub.3-C.sub.12-carbocycle (preferably C.sub.7-C.sub.12 bicyclic system, more preferably C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl or C.sub.9-C.sub.12 tricyclic system comprising a cyclopropyl connected through one common atom to a bicyclic system comprising an aryl fused to either a C.sub.3-C.sub.8-cycloalkyl or a C.sub.3-C.sub.8-cycloalkenyl), aromatic C.sub.6-C.sub.14-carbocycle (preferably phenyl or naphthyl), non-aromatic 3- to 14-membered heterocycle (preferably non-aromatic 6- to 14-membered polycyclic heterocycle, more preferably non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-

cycloalkyl, non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a 3- to 7-membered monocyclic non-aromatic heterocycle, non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle, said heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, or non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered monocyclic aromatic heterocycle, 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl or 9- or 10-membered aromatic bicyclic heterocycle comprising two fused 5- or 6-membered monocyclic aromatic heterocycles), aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, preferably R.sup.6 is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, naphthyl, 2,3-dihydrobenzofuranyl, indolyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl, 2,3-dihydro-1,4-benzodioxinyl, 5,6,7,8-tetrahydroquinolyl, 4,5,6,7-tetrahydrobenzothiophenyl, furanyl, thienyl, pyridinyl, pyrimidinyl, indolyl, benzofuranyl, benzoxazolyl, quinolyl, isoquinolyl, imidazo[1,2-a]pyridinyl, phenoxy, benzyloxy and —OCF.sub.2-phenyl, wherein cyclic, or cyclic moiety of, R.sup.6 substituents may be substituted with one or more R.sup.6S substituents that may be the same or different, R.sup.6S being as disclosed herein (including preferred and more preferred R.sup.6S); R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R.sup.e).sub.2, —C(=NR.sup.f)R.sup.f and —C(=O)N(R.sup.g).sub.2, with R.sup.e being as disclosed above, preferably R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), with R.sup.f being as disclosed above, preferably R.sup.f being independently selected from the group consisting of hydroxyl, amino, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-alkoxy, with R.sup.g being as disclosed above, preferably R.sup.g being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl,

(135) preferably R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, cyclopropyl, pyridinyl, imidazolyl, pyrazolyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidyl, dimethylamino, cyclopropylamino, cyclopropylaminocarbonyl 1-hydrazinylideneethyl, 1-(methoxyimino)ethyl and 1-hydroxyiminoethyl, wherein aliphatic R.sup.7, R.sup.e, R.sup.f and R.sup.g substituents may be substituted with one or more R.sup.7Sa substituents that may be the same or different, R.sup.7Sa being as disclosed herein (including preferred R.sup.7Sa), wherein cyclic or cyclic moiety of R.sup.7, cyclic R.sup.e and cyclic R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents that may be the same or different, R.sup.7Sc being as disclosed herein (including preferred R.sup.7Sc); R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle (preferably non-aromatic 3- to 7-membered monocyclic

heterocycle), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered aromatic monocyclic heterocycle), C.sub.3-C.sub.8-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy (preferably non-aromatic 3- to 7-membered monocyclic heterocyclyloxy) and —N(R.sup.h).sub.2, with R.sup.h being as disclosed above, preferably R.sup.h being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl), (136) preferably R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, cyclopropyl, phenyl, oxetanyl, azetidiny, pyrrolidiny, tetrahydropyranyl, morpholinyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl, cyclopropyloxy, oxetanyloxy, azetidinyloxy and —N(R.sup.h).sub.2 with R.sup.h being preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl), (137) wherein aliphatic R.sup.8 and R.sup.h substituents may be substituted with one or more R.sup.8Sa substituents that may be the same or different, R.sup.8Sa being as disclosed herein (including preferred R.sup.8Sa),

(138) wherein cyclic or cyclic moiety of R.sup.8 and cyclic R.sup.h substituents may be substituted with one or more R.sup.8Sc substituents that may be the same or different, R.sup.8Sc being as disclosed herein (including preferred R.sup.8Sc); Q is selected from the group consisting of aromatic C.sub.6-C.sub.14-carbocycle, non aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, non aromatic C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl, 6- to 14-membered non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, 6- to 14-membered non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl (phenyl), 9- or 10-membered aromatic bicyclic heterocycle comprising two fused 5- or 6-membered monocyclic aromatic heterocycles, preferably Q is selected from the group consisting of aromatic C.sub.6-C.sub.14-carbocycle, C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, 6- to 14-membered non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl and aromatic 5- or 6-membered monocyclic heterocycle, more preferably Q is selected from the group consisting of phenyl, naphthyl, 3-bicyclo[4.2.0]octa-1(6),2,4-trienyl, 1,3-benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl,

(139) wherein each Q group may be substituted with one or more Q.sup.S substituents that may be the same or different, Q.sup.S being as described herein (including preferred Q.sup.S).

(140) In some embodiments (referred herein as embodiment 3), compounds according to the present invention are compounds of the formula (I):

(141) ##STR00012## wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, —C(=O)R.sup.a1, —C(=O)(OR.sup.a1), —S(=O)R.sup.a1, —S(=O).sub.2R.sup.a1, —C(=O)N(R.sup.a2).sub.2 and S(=O).sub.2N(R.sup.a2).sub.2 with R.sup.a1 being selected from the group consisting of C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl and R.sup.a2 being selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl,

C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl; R.sup.2 and R.sup.3 are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; R.sup.4 and R.sup.5 are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; or R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, and R.sup.3 and R.sup.5 are independently hydrogen or a halogen atom; or R.sup.2 and R.sup.4 form, together a covalent bond and R.sup.3 and R.sup.5 are independently hydrogen or C.sub.1-C.sub.6-alkyl; R.sup.6 is selected from the group consisting of non-aromatic C.sub.3-C.sub.12-carbocycle (preferably C.sub.7-C.sub.12 bicyclic system, more preferably C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkyl, C.sub.7-C.sub.12 bicyclic system comprising an aryl fused to a C.sub.3-C.sub.8-cycloalkenyl or C.sub.9-C.sub.12 tricyclic system comprising a cyclopropyl connected through one common atom to a bicyclic system comprising an aryl fused to either a C.sub.3-C.sub.8-cycloalkyl or a C.sub.3-C.sub.8-cycloalkenyl), aromatic C.sub.6-C.sub.14-carbocycle (preferably phenyl or naphthyl), non-aromatic 3- to 14-membered heterocycle (preferably non-aromatic 6- to 14-membered polycyclic heterocycle, more preferably non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a 3- to 7-membered monocyclic non-aromatic heterocycle, non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle, said heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, or non-aromatic tricyclic heterocycle comprising a cyclopropyl connected through one common atom to a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered monocyclic aromatic heterocycle, 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl or 9- or 10-membered aromatic bicyclic heterocycle comprising two fused 5- or 6-membered monocyclic aromatic heterocycles), aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle and C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, preferably R.sup.6 is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, naphthyl, 2,3-dihydrobenzofuranyl, indolinyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl, 2,3-dihydro-1,4-benzodioxinyl, 5,6,7,8-tetrahydroquinolinyl, 4,5,6,7-tetrahydrobenzothiophenyl, furanyl, thienyl, pyridinyl, pyrimidinyl, indolyl, benzofuranyl, benzoxazolyl, quinolinyl, isoquinolinyl, imidazo[1,2-a]pyridinyl, phenoxy, benzyloxy and —OCF.sub.2-phenyl, (142) wherein cyclic, or cyclic moiety of, R.sup.6 substituents may be substituted with one or more R.sup.6S substituents that may be the same or different, R.sup.6S being as disclosed herein (including preferred and more preferred R.sup.6S); R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.3-

C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R.sup.e).sub.2, —C(=NR.sup.f)R.sup.f and —C(=O)N(R.sup.g).sub.2, with R.sup.e being as disclosed above, preferably R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), with R.sup.f being as disclosed above, preferably R.sup.f being independently selected from the group consisting of hydroxyl, amino, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-alkoxy, with R.sup.g being as disclosed above, preferably R.sup.g being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl,

(143) preferably R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, cyclopropyl, pyridinyl, imidazolyl, pyrazolyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidiny, dimethylamino, cyclopropylamino, cyclopropylaminocarbonyl, 1-hydrazinylideneethyl, 1-(methoxyimino)ethyl and 1-hydroxyiminoethyl, wherein aliphatic R.sup.7, R.sup.e, R.sup.f and R.sup.g substituents may be substituted with one or more R.sup.7Sa substituents that may be the same or different, R.sup.7Sa being as disclosed herein (including preferred R.sup.7Sa), wherein cyclic or cyclic moiety of R.sup.7, cyclic R.sup.e and cyclic R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents that may be the same or different, R.sup.7Sc being as disclosed herein (including preferred R.sup.7Sc); R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle (preferably non-aromatic 3- to 7-membered monocyclic heterocycle), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered aromatic monocyclic heterocycle), C.sub.3-C.sub.8-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy (preferably non-aromatic 3- to 7-membered monocyclic heterocyclyloxy) and —N(R.sup.h).sub.2, with R.sup.h being as disclosed above, preferably R.sup.h being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl),

(144) preferably R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, cyclopropyl, phenyl, oxetanyl, azetidiny, pyrrolidinyl, tetrahydropyranyl, morpholinyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl, cyclopropyloxy, oxetanyloxy, azetidinyloxy and —N(R.sup.h).sub.2 with R.sup.h being preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl),

(145) wherein aliphatic R.sup.8 and R.sup.h substituents may be substituted with one or more R.sup.8Sa substituents that may be the same or different, R.sup.8Sa being as disclosed herein (including preferred R.sup.8Sa), wherein cyclic or cyclic moiety of R.sup.8 and cyclic R.sup.h substituents may be substituted with one or more R.sup.8Sc substituents that may be the same or different, R.sup.8Sc being as disclosed herein (including preferred R.sup.8Sc); Q is

(146) ##STR00013## wherein Q.sup.s1 is hydrogen or halogen (preferably fluorine),

(147) Q.sup.s2 is hydrogen or Q.sup.s, wherein Q.sup.s is as described herein above, preferably

Q.sup.S2 is selected from the group consisting of hydrogen, halogen (e.g. fluorine, chlorine, bromine, iodine), cyano, nitro, hydroxyl, amino, C.sub.1-C.sub.6-alkyl (e.g. methyl, ethyl), C.sub.1-C.sub.6-haloalkyl (e.g. trifluoromethyl, difluoromethyl), C.sub.1-C.sub.6-alkylcarbonyl (e.g. methylcarbonyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.1-C.sub.6-haloalkoxy (e.g. difluoromethoxy, trifluoromethoxy), C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl (e.g. methoxymethyl), C.sub.2-C.sub.6-alkenyl (e.g. vinyl), C.sub.2-C.sub.6-alkynyl (e.g. ethynyl), C.sub.1-C.sub.6-alkylsulfanyl (e.g. methylsulfanyl), C.sub.1-C.sub.6-haloalkylsulfanyl (e.g. trifluoromethylsulfanyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclobutyl) that may be substituted with one or more halogen atoms and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl) that may be substituted with one or more halogen atoms, more preferably Q.sup.S2 is selected from the group consisting of fluorine, chlorine, bromine, iodine, cyano, nitro, hydroxyl, amino, methyl, trifluoromethyl, difluoromethyl, methoxy, trifluoromethoxy, vinyl, ethynyl, methylsulfanyl, trifluoromethylsulfanyl, cyclopropyl that may be substituted with one or more halogen atoms and oxetanyl that may be substituted with one or more halogen atoms, preferably at least one of Q.sup.s1 and Q.sup.s2 is different from hydrogen.

(148) In some embodiments (referred herein as embodiment 4), compounds according to the present invention are compounds of the formula (I):

(149) ##STR00014##

(150) wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, —C(=O)R.sup.a1, —C(=O)(OR.sup.a1), —S(=O)R.sup.a1, —S(=O).sub.2R.sup.a1, —C(=O)N(R.sup.a2).sub.2 and S(=O).sub.2N(R.sup.a2).sub.2 with R.sup.a1 being selected from the group consisting of C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl and R.sup.a2 being selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.2-C.sub.6-alkenyl; R.sup.2 and R.sup.3 are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; R.sup.4 and R.sup.5 are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl and C.sub.3-C.sub.8-cycloalkyl, or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; or R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, and R.sup.3 and R.sup.5 are independently hydrogen or a halogen atom; or R.sup.2 and R.sup.4 form, together a covalent bond and R.sup.3 and R.sup.5 are independently hydrogen or C.sub.1-C.sub.6-alkyl; R.sup.6 is

(151) ##STR00015## wherein R.sup.6s1 is hydrogen or R.sup.6s, R.sup.6s2 is hydrogen or R.sup.6s,

(152) R.sup.6s being as described herein (including preferred and more preferred R.sup.6s), preferably at least one of R.sup.6s1 and R.sup.6s2 is different from hydrogen, R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R.sup.e).sub.2, —C(=NR.sup.f)R.sup.f and —C(=O)N(R.sup.g).sub.2, with R.sup.e being as disclosed above,

preferably R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), with R.sup.f being as disclosed above, preferably R.sup.f being independently selected from the group consisting of hydroxyl, amino, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-alkoxy, with R.sup.g being as disclosed above, preferably R.sup.g being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl and C.sub.3-C.sub.8-cycloalkyl,

(153) preferably R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, cyclopropyl, pyridinyl, imidazolyl, pyrazolyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidiny, dimethylamino, cyclopropylamino, cyclopropylaminocarbonyl, 1-hydrazinylideneethyl, 1-(methoxyimino)ethyl and 1-hydroxyiminoethyl, wherein aliphatic R.sup.7, R.sup.e, R.sup.f and R.sup.g substituents may be substituted with one or more R.sup.7Sa substituents that may be the same or different, R.sup.7Sa being as disclosed herein (including preferred R.sup.7Sa),

(154) wherein cyclic or cyclic moiety of R.sup.7, cyclic R.sup.e and cyclic R.sup.g substituents may be substituted with one or more R.sup.7Sc substituents that may be the same or different, R.sup.7Sc being as disclosed herein (including preferred R.sup.7Sc); R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle (preferably non-aromatic 3- to 7-membered monocyclic heterocycle), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered aromatic monocyclic heterocycle), C.sub.3-C.sub.8-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy (preferably non-aromatic 3- to 7-membered monocyclic heterocyclyloxy) and —N(R.sup.h).sub.2, with R.sup.h being as disclosed above, preferably R.sup.h being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl),

(155) preferably R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, cyclopropyl, phenyl, oxetanyl, azetidiny, pyrrolidinyl, tetrahydropyranyl, morpholinyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl, cyclopropyloxy, oxetanyloxy, azetidinyloxy and —N(R.sup.h).sub.2 with R.sup.h being preferably independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclohexyl), aromatic C.sub.6-C.sub.14-carbocycle (e.g. phenyl) and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxetanyl),

(156) wherein aliphatic R.sup.8 and R.sup.h substituents may be substituted with one or more R.sup.8Sa substituents that may be the same or different, R.sup.8Sa being as disclosed herein (including preferred R.sup.8Sa),

(157) wherein cyclic or cyclic moiety of R.sup.8 and cyclic R.sup.h substituents may be substituted with one or more R.sup.8Sc substituents that may be the same or different, R.sup.8Sc being as disclosed herein (including preferred R.sup.8Sc); Q is

(158) ##STR00016## wherein Q.sup.s1 is hydrogen or halogen (preferably fluorine), Q.sup.s2 is hydrogen or Q.sup.s, wherein Q.sup.s is as described herein above, preferably Q.sup.S2 is selected from the group consisting of hydrogen, halogen (e.g. fluorine, chlorine, bromine, iodine), cyano,

nitro, hydroxyl, amino, C.sub.1-C.sub.6-alkyl (e.g. methyl, ethyl), C.sub.1-C.sub.6-haloalkyl (e.g. trifluoromethyl, difluoromethyl), C.sub.1-C.sub.6-alkylcarbonyl (e.g. methylcarbonyl), C.sub.1-C.sub.6-alkoxy (e.g. methoxy), C.sub.1-C.sub.6-haloalkoxy (e.g. difluoromethoxy, trifluoromethoxy), C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl (e.g. methoxymethyl), C.sub.2-C.sub.6-alkenyl (e.g. vinyl), C.sub.2-C.sub.6-alkynyl (e.g. ethynyl), C.sub.1-C.sub.6-alkylsulfanyl (e.g. methylsulfanyl), C.sub.1-C.sub.6-haloalkylsulfanyl (e.g. trifluoromethylsulfanyl), C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl, cyclobutyl) that may be substituted with one or more halogen atoms and non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. oxiranyl, oxetanyl) that may be substituted with one or more halogen atoms, more preferably Q.sup.S2 is selected from the group consisting of fluorine, chlorine, bromine, iodine, cyano, nitro, hydroxyl, amino, methyl, trifluoromethyl, difluoromethyl, methoxy, difluoromethoxy, trifluoromethoxy, vinyl, ethynyl, methylsulfanyl, trifluoromethylsulfanyl, cyclopropyl that may be substituted with one or more halogen atoms and oxetanyl that may be substituted with one or more halogen atoms, preferably at least one of Q.sup.s1 and Q.sup.s2 is different from hydrogen.

(159) In a preferred embodiment, compounds according to the present invention are compounds of the formula (I), wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl and —C(=O)(OR.sup.a1) , with R.sup.a1 being selected from the group consisting of C.sub.1-C.sub.6-alkyl and C.sub.2-C.sub.6-alkenyl, R.sup.2 and R.sup.3 are independently selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl and C.sub.1-C.sub.6-alkoxycarbonyl, or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl, R.sup.4 and R.sup.5 are independently selected from the group consisting of hydrogen, halogen and C.sub.1-C.sub.6-alkyl, or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; or R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl, and R.sup.3 and R.sup.5 are independently hydrogen or halogen; or R.sup.6 is selected from the group consisting of non-aromatic C.sub.3-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, aromatic C.sub.6-C.sub.14-carbocycloxy, C.sub.1-C.sub.3-alkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic C.sub.3-C.sub.12-carbocycle, C.sub.1-C.sub.3-haloalkoxy substituted by an aromatic C.sub.6-C.sub.14-carbocycle, wherein cyclic, or cyclic moiety of, R.sup.6 substituents may be substituted with one or three R.sup.6S substituents that may be the same or different, R.sup.6S is selected from the group consisting of halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein cyclic or cyclic moiety of R.sup.6S substituents may be substituted with one to three substituents independently selected from the group consisting of halogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.1-C.sub.6-alkoxycarbonyl, R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.e).sub.2 , with R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.3-C.sub.8-cycloalkyl,

(160) wherein aliphatic R^{sup.7} and R^{sup.e} substituents may be substituted with one to three R^{sup.7Sa} substituents independently selected from the group consisting of cyano, hydroxyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.3}-C_{sub.8}-cycloalkyl, C_{sub.1}-C_{sub.6}-alkoxycarbonyl and aromatic C_{sub.6}-C_{sub.14}-carbocycle,

(161) wherein cyclic or cyclic moiety of R^{sup.7} and cyclic R^{sup.e} may be substituted with one to three R^{sup.7Sc} substituents independently selected from the group consisting of halogen, hydroxyl, C_{sub.1}-C_{sub.6}-alkyl and C_{sub.1}-C_{sub.6}-alkoxy, R^{sup.8} is selected from the group consisting of hydrogen, halogen, hydroxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.1}-C_{sub.6}-alkylsulfinyl, C_{sub.1}-C_{sub.6}-alkylsulfonyl, C_{sub.3}-C_{sub.8}-cycloalkyl, aromatic C_{sub.6}-C_{sub.14}-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C_{sub.3}-C_{sub.8}-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy and —N(R^{sup.h}).sub.2, with R^{sup.h} being independently selected from the group consisting of hydrogen, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.3}-C_{sub.8}-cycloalkyl, aromatic C_{sub.6}-C_{sub.14}-carbocycle and non-aromatic 3- to 7-membered monocyclic heterocycle,

(162) wherein aliphatic R^{sup.8} and R^{sup.h} substituents may be substituted with one to three R^{sup.8Sa} substituents independently selected from the group consisting of hydroxyl, carboxyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxy-C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl, C_{sub.3}-C_{sub.8}-cycloalkyl, —O—Si(C_{sub.1}-C_{sub.6}-alkyl).sub.3, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R^{sup.a'}).sub.2 with R^{sup.a'} being independently selected from the group consisting of hydrogen, formyl, C_{sub.1}-C_{sub.6}-alkyl and C_{sub.1}-C_{sub.6}-alkylcarbonyl,

(163) wherein cyclic or cyclic moiety of R^{sup.8} and cyclic R^{sup.h} substituents may be substituted with one to three R^{sup.8Sc} substituents independently selected from the group consisting of halogen, cyano, hydroxyl, oxo, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl, C_{sub.3}-C_{sub.8}-cycloalkyl and non-aromatic 3- to 7-membered monocyclic heterocycle, or two R^{sup.8Sc} substituents form, together with the carbon atom to which they are attached to a non-aromatic 3- to 7-membered monocyclic heterocycle, Q is selected from the group consisting of phenyl, naphthyl, a C_{sub.7}-C_{sub.12} bicyclic system comprising an aryl fused to a C_{sub.3}-C_{sub.8}-cycloalkyl, a C_{sub.7}-C_{sub.12} bicyclic system comprising an aryl fused to a C_{sub.3}-C_{sub.8}-cycloalkenyl, a non-aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl, a non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C_{sub.3}-C_{sub.8}-cycloalkyl, an aromatic 5- or 6-membered monocyclic heterocycle, an aromatic 9- or 10-membered bicyclic heterocycle comprising an aromatic 5- or 6-membered monocyclic heterocycle fused to an aryl (phenyl, a 9- or 10-membered aromatic bicyclic heterocycle comprising two fused aromatic 5- or 6-membered monocyclic heterocycles, wherein any of said carbocycle or heterocycle groups may be substituted with one to four Q^{sup.S} substituents independently selected from the group consisting of halogen, cyano, nitro, hydroxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkylcarbonyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.1}-C_{sub.6}-alkoxy-C_{sub.1}-C_{sub.6}-alkyl, C_{sub.2}-C_{sub.6}-alkenyl, C_{sub.2}-C_{sub.6}-alkynyl, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.3}-C_{sub.8}-cycloalkyl, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R^{sup.k}).sub.2 with R^{sup.k} being hydrogen, wherein cyclic or cyclic moiety of Q^{sup.S} substituents may be substituted with one to three R^{sup.Qs} substituents independently selected from the group consisting of halogen.

(164) In a more preferred embodiment compounds according to the present invention are compounds of formula (I), wherein T is O; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1;

R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, C.sub.1-C-alkyl and —C(=O) (OR.sup.a1), with R.sup.a1 being selected from the group consisting of C.sub.1-C.sub.4-alkyl and C.sub.2-C.sub.4-alkenyl, R.sup.2 and R.sup.3 are hydrogen, or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.6-cycloalkyl, R.sup.4 and R.sup.5 are independently selected from the group consisting of hydrogen, fluorine, chlorine and C.sub.1-C.sub.4-alkyl, or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.6-cycloalkyl; or R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.6-cycloalkyl, and R.sup.3 and R.sup.5 are independently hydrogen or halogen; or R.sup.6 is selected from the group consisting of an indanyl, a 1,2,3,4-tetrahydronaphthalenyl, a spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, naphthyl, a 4- to 6-membered monocyclic non-aromatic heterocycle fused to a phenyl, a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C.sub.3-C.sub.8-cycloalkyl, an aromatic 5- or 6-membered monocyclic heterocycle, a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl, phenoxy, benzyloxy or —OCF.sub.2-phenyl, wherein cyclic, or cyclic moiety of, R.sup.6 substituents may be substituted by one to three R.sup.6S substituents selected from the group consisting of fluorine, chlorine, cyano, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.4-haloalkylsulfanyl, C.sub.3-C.sub.6-cycloalkyl, phenyl, pyridyl, pyrazolyl, imidazolyl, triazolyl, oxetanyl and tetrahydrofuranyl, wherein cyclic or cyclic moiety of R.sup.6S substituents may be substituted with one to three substituents independently selected from the group consisting of fluorine, chlorine, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl and C.sub.1-C.sub.4-alkoxycarbonyl, R.sup.7 is selected from the group consisting of hydrogen, chlorine, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-hydroxyalkyl, C.sub.1-C.sub.4-alkylcarbonyl, C.sub.1-C.sub.4-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.3-C.sub.6-cycloalkyl, pyridinyl, imidazolyl, pyrazolyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, azetidiny and —N(R.sup.e).sub.2, with R.sup.e being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.4-alkyl and C.sub.3-C.sub.6-cycloalkyl,

(165) wherein aliphatic R.sup.7 and R.sup.e substituents may be substituted with one or two R.sup.7Sa substituents independently selected from the group consisting of C.sub.1-C.sub.4-alkoxy, C.sub.3-C.sub.6-cycloalkyl, C.sub.1-C.sub.2-alkoxycarbonyl and phenyl,

(166) wherein cyclic or cyclic moiety of R.sup.7 and cyclic R.sup.e may be substituted with one or two R.sup.7Sc substituents independently selected from the group consisting of fluorine, chlorine, hydroxyl, C.sub.1-C.sub.4-alkyl and C.sub.1-C.sub.4-alkoxy, R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.4-alkylsulfanyl, C.sub.1-C.sub.4-haloalkylsulfanyl, C.sub.1-C.sub.4-alkylsulfinyl, C.sub.1-C.sub.4-alkylsulfonyl, C.sub.3-C.sub.6-cycloalkyl, phenyl, non-aromatic 3- to 7-membered heterocycle, aromatic 5- or 6-membered heterocycle, non-aromatic 3- to 7-membered heterocycloxy and —N(R.sup.h).sub.2, with R.sup.h being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.4-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.6-cycloalkyl, phenyl and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein aliphatic R.sup.8 and R.sup.h substituents may be substituted with one to three R.sup.8Sa substituents independently selected from the group consisting of hydroxyl, carboxyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-alkoxy-C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-alkoxycarbonyl, C.sub.3-C.sub.6-cycloalkyl, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.a').sub.2 with R.sup.a' being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.4-alkyl and C.sub.1-C.sub.2-alkylcarbonyl,

(167) wherein cyclic or cyclic moiety of R.sup.8 and cyclic R.sup.h substituents may be substituted with one to three R.sup.8Sc substituents independently selected from the group consisting of

chlorine, cyano, hydroxyl, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-alkoxycarbonyl, C.sub.3-C.sub.6-cycloalkyl, oxolanyl, oxetanyl and tetrahydrofuranyl, or two R.sup.8Sc substituents form, together with the carbon atom to which they are attached to a oxetanyl or oxiranyl, Q is selected from the group consisting of phenyl, naphth-2-yl, bicyclo[4.2.0]octa-1(6), 2,4-trienyl, indanyl, 1,2,3,4-tetrahydronaphthalenyl, indenyl, dihydronaphthalenyl, bicyclo[4.2.0]octa-1(6),2,4-trienyl, 2,3-dihydrobenzofuranyl, 1,3-dihydroisobenzofuranyl, indolyl, 1,3-benzodioxolyl, chromanyl, 2,3-dihydro-1,4-benzodioxinyl, [1,3]dioxolo[4,5-b]pyridinyl, 5,6,7,8-tetrahydroquinolyl, 6,7-dihydro-5H-cyclopenta[b]pyridinyl, 1,3-benzodioxolyl, 2,3-dihydrobenzofuranyl, pyrrolyl, furanyl, thienyl, imidazolyl, triazolyl, oxazolyl, thiazolyl, pyridinyl, pyridazinyl and pyrimidinyl, indolyl, benzimidazolyl, indazolyl, benzofuranyl, benzothiophenyl, benzothiazolyl, benzoxazolyl, quinolyl, furo[3,2-b]pyridinyl, thieno[3,2-b]thiophenyl and thieno[2,3-d]thiazolyl, wherein any of said carbocycle or heterocycle groups may be substituted with one to three Q.sup.S substituents independently selected from the group consisting of halogen, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-haloalkoxy, C.sub.2-C.sub.4-alkenyl, C.sub.2-C.sub.4-alkynyl, C.sub.1-C.sub.4-alkylsulfanyl, C.sub.1-C.sub.4-haloalkylsulfanyl, C.sub.3-C.sub.6-cycloalkyl, oxiranyl, oxetanyl and —N(R.sup.k).sub.2 with R.sup.k being hydrogen, wherein cyclic or cyclic moiety of Q.sup.S substituents may be substituted with one or two R.sup.Qs substituents independently selected from the group consisting of fluorine and chlorine.

(168) In a even more preferred embodiment compounds according to the present invention are compounds of formula (I), wherein

(169) T is O

(170) R.sup.1 is hydrogen,

(171) R.sup.2 and R.sup.3, when present (i.e. n=1), are hydrogen, or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a cyclopropyl or cyclobutyl,

(172) R.sup.4 and R.sup.5, when present (i.e. m=1), are independently selected from the group consisting of hydrogen and halogen,

(173) R.sup.6 is indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, 2,3-dihydrobenzofuranyl, 1,3-benzodioxolyl, 2,3-dihydro-1,4-benzodioxinyl, 4,5,6,7-tetrahydrobenzothiophenyl, thienyl, pyridinyl indolyl, benzoxazolyl, quinolyl or isoquinolyl, wherein said indanyl, a 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, phenyl, 2,3-dihydrobenzofuranyl, 1,3-benzodioxolyl, 2,3-dihydro-1,4-benzodioxinyl, 4,5,6,7-tetrahydrobenzothiophenyl, thienyl, pyridinyl indolyl, benzoxazolyl, quinolyl or isoquinolyl may be substituted by one to three R.sup.6S substituents independently selected from the group consisting of halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, cyclopropyl,

(174) R.sup.7 is hydrogen, halogen, cyano, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-hydroxyalkyl, C.sub.1-C.sub.4-alkylcarbonyl, C.sub.1-C.sub.4-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl or cyclopropyl, wherein aliphatic R.sup.7 may be substituted by one or two R.sup.7Sa substituents methoxy

(175) R.sup.8 is hydrogen, halogen, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-alkoxy, C.sub.2-C.sub.4-alkenyl, C.sub.1-C.sub.4-alkylsulfanyl, pyrazolyl, imidazolyl, thiazolyl, pyridinyl or —N(R.sup.h).sub.2, wherein R.sup.h is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.4-alkyl and cyclopropyl, wherein said aliphatic R.sup.8 substituents may be substituted by one or two R.sup.8Sa substituents independently selected from the group consisting of C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-alkoxy-C.sub.1-C.sub.2-alkoxy, cyclopropyl and cyclobutyl, wherein said cyclic R.sup.8 substituents may be substituted by one or two R.sup.8Sc substituents independently selected from the group consisting of halogen,

(176) Q is phenyl, thienyl or pyridinyl, wherein said phenyl, thienyl and pyridinyl may be substituted by one to three Q.sup.S substituents independently selected from the group consisting of halogen, C.sub.1-C.sub.4-alkyl, C.sub.1-C.sub.4-haloalkyl, C.sub.1-C.sub.4-alkoxy, C.sub.1-C.sub.4-haloalkoxy, C.sub.2-C.sub.4-alkenyl, C.sub.2-C.sub.4-alkynyl, C.sub.1-C.sub.4-alkylsulfanyl, C.sub.1-C.sub.4-haloalkylsulfanyl, cyclopropyl, cyclobutyl, oxiranyl and oxetanyl.

(177) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein n is 0 and m is 1.

(178) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein n is 0 and m is 0. In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein n is 1 and m is 1.

(179) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein Q as described herein is substituted with one or more Q.sup.S substituents as described herein that may be the same or different.

(180) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein R.sup.6 as described herein is substituted with one or more R.sup.6S substituents as described herein that may be the same or different.

(181) In embodiments 2, 3 and 4, R.sup.1 may be selected from the group consisting of hydrogen, hydroxyl and —C(=O)(OR.sup.a1) with R.sup.a1 being a hydrogen atom, C.sub.1-C.sub.6-alkyl or C.sub.2-C.sub.6-alkenyl. Non-limiting examples of suitable R.sup.1 include any of the R.sup.1 groups disclosed in column “R.sup.1” of Table 1. Preferably R.sup.1 is hydrogen.

(182) In embodiments 2, 3 and 4, R.sup.2 and R.sup.3, when present (i.e. n=1), may be independently selected from the group consisting of hydrogen, cyano, C.sub.1-C.sub.6-alkyl (e.g. methyl) and C.sub.1-C.sub.6-alkoxycarbonyl (e.g. methoxycarbonyl), or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl). Preferably, R.sup.2 and R.sup.3, when present, are both hydrogen or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl).

(183) In embodiments 2, 3 and 4, R.sup.4 and R.sup.5, when present (i.e. m=1), may be independently selected from the group consisting of hydrogen, halogen, hydroxyl and C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl) or a non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. non-aromatic 3- to 7-membered saturated monocyclic heterocycle, for instance oxetanyl). Preferably, R.sup.4 and R.sup.5, when present, are independently selected from the group consisting of hydrogen, halogen (e.g. fluorine) and C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.4 and R.sup.5 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl).

(184) In embodiments 2, 3 and 4, when R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl, R.sup.2 and R.sup.4 form preferably a cyclopropyl and R.sup.3 and R.sup.5 are independently hydrogen or halogen (e.g. fluorine).

(185) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein, when n=1 and m=1, R.sup.2 and R.sup.3 are both hydrogen or both C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.2 is hydrogen and R.sup.3 is C.sub.1-C.sub.6-alkoxycarbonyl (e.g. methoxycarbonyl), or R.sup.2 and R.sup.3 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl (e.g. cyclopropyl), and

(186) R.sup.4 and R.sup.5 are both hydrogen or both halogen (e.g. fluorine), or R.sup.4 is hydrogen and R.sup.5 is C.sub.1-C.sub.6-alkyl (e.g. methyl), or R.sup.4 is hydrogen and R.sup.5 is halogen

(e.g. fluorine), or R^{sup.4} and R^{sup.5} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl (e.g. cyclopropyl), or R^{sup.2} and R^{sup.4} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl (e.g. cyclopropyl), and R^{sup.3} and R^{sup.5} are independently hydrogen or halogen (e.g. fluorine).

(187) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein, when n=0 and m=1, R^{sup.4} and R^{sup.5} are both hydrogen or both C_{sub.1}-C_{sub.6}-alkyl (e.g. methyl) or R^{sup.4} is hydrogen and R^{sup.5} is C_{sub.1}-C_{sub.6}-alkyl (e.g. methyl) or R^{sup.4} and R^{sup.5} form, a non-aromatic 3- to 7-membered monocyclic heterocycle (e.g. non-aromatic 3- to 7-membered saturated monocyclic heterocycle, for instance oxetanyl).

(188) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein, when n=0 and m=0, R^{sup.6} is selected from the group consisting of non-aromatic C_{sub.3}-C_{sub.12}-carbocycle (preferably C_{sub.7}-C_{sub.12} bicyclic system, more preferably C_{sub.7}-C_{sub.12} bicyclic system comprising an aryl fused to a C_{sub.3}-C_{sub.8}-cycloalkyl), non-aromatic 3- to 14-membered heterocycle (preferably non aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl or non-aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic heteroaryl fused to a monocyclic C_{sub.3}-C_{sub.8}-cycloalkyl), C_{sub.1}-C_{sub.3}-alkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle and C_{sub.1}-C_{sub.3}-haloalkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle, preferably R^{sup.6} is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro[cyclopropane-1,2'-indane]-1-yl, 2,3-dihydrobenzofuranyl, chromanyl, isochromanyl, thiochromanyl, 5,6,7,8-tetrahydroquinoliny, 4,5,6,7-tetrahydrobenzothiophenyl, benzyloxy and —OCF_{sub.2}-phenyl.

(189) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein, when n=0 and m=1, R^{sup.6} is selected from the group consisting of non-aromatic C_{sub.3}-C_{sub.12}-carbocycle (preferably C_{sub.7}-C_{sub.12} bicyclic system, more preferably C_{sub.7}-C_{sub.12} bicyclic system comprising an aryl fused to a C_{sub.3}-C_{sub.8}-cycloalkyl), aromatic C_{sub.6}-C_{sub.14}-carbocycle, non-aromatic 3- to 14-membered heterocycle (preferably non aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl), aromatic 5- to 14-membered heterocycle (preferably 9- or 10-membered aromatic bicyclic heterocycles comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl or 9- or 10-membered aromatic bicyclic heterocycles comprising two fused 5- or 6-membered monocyclic aromatic heterocycle), aromatic C_{sub.6}-C_{sub.14}-carbocycloxy, C_{sub.1}-C_{sub.3}-alkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle and C_{sub.1}-C_{sub.3}-haloalkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle, preferably R^{sup.6} is selected from the group consisting of indanyl, 1,2,3,4-tetrahydronaphthalenyl, phenyl, naphtyl, 2,3-dihydrobenzofuranyl, indoliny, 1,3-benzodioxolyl, chromanyl, indolyl, quinoliny, isoquinoliny, imidazo[1,2-a]pyridiny, phenoxy, benzyloxy and —OCF_{sub.2}-phenyl.

(190) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein, when n=1 and m=1, R^{sup.6} is selected from the group consisting of aromatic C_{sub.6}-C_{sub.14}-carbocycle, non-aromatic 3- to 14-membered heterocycle (preferably non aromatic bicyclic heterocycle comprising a 4- to 6-membered monocyclic non-aromatic heterocycle fused to an aryl), aromatic 5- to 14-membered heterocycle (preferably 5- or 6-membered monocyclic aromatic heterocycle or 9- or 10-membered aromatic bicyclic heterocycle comprising a 5- or 6-membered monocyclic aromatic heterocycle fused to an aryl), aromatic C_{sub.6}-C_{sub.14}-carbocycloxy, C_{sub.1}-C_{sub.3}-alkoxy substituted by, an aromatic C_{sub.6}-C_{sub.14}-carbocycle and C_{sub.1}-C_{sub.3}-haloalkoxy substituted by an aromatic C_{sub.6}-C_{sub.14}-carbocycle, preferably R^{sup.6} is selected from the group consisting of phenyl, 2,3-dihydrobenzofuranyl, 1,3-benzodioxolyl, 2,3-dihydro-1,4-benzodioxiny, furanyl,

thienyl, pyridinyl, pyrimidinyl, benzofuranyl, 1,3-benzoxazolyl, phenoxy, benzyloxy and — OCF.sub.2-phenyl.

(191) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein T is O.

(192) In some embodiments, compounds according to the present invention are compounds of formula (I) in accordance with embodiments 1, 2, 3 or 4 wherein T is S.

(193) The present invention also relates to any compounds of formula (I) disclosed in Table 1.

(194) The compounds of formula (I) may be used as fungicides (for controlling phytopathogenic fungi), in particular in methods for controlling phytopathogenic fungi which comprises the step of applying one or more compounds of formula (I) on plants.

(195) Processes for the Preparation of Compounds of Formula (I) and Intermediates

(196) The present invention relates to processes for the preparation of compounds of formula (I) and their intermediates. Unless indicated otherwise, the radicals Q, T, R^{sup.1}, R^{sup.2}, R^{sup.3}, R^{sup.4}, R^{sup.5}, R^{sup.6}, R^{sup.7}, R^{sup.8}, m and n have the meanings given above for the compounds of formula (I). These definitions apply not only to the end products of formula (I) but also to all intermediates.

(197) Compounds of formula (I-a)-(I-g) are various subsets of formula (I). Compounds of formula (I-a-1)-(I-a-8) are various subsets of formula (I-a). All substituents for formula (I-a)-(I-g) and (I-a-1)-(I-a-8) are as defined above for formula (I) unless otherwise noted.

(198) The compounds of the general formula (I) can be prepared by various routes in analogy to known processes (see e.g. and references therein). Non-limiting examples of suitable processes are herein described.

(199) A compound of formula (I) may be directly obtained by performing process A or B or may be obtained by conversion or derivatization of another compound of formula (I) prepared in accordance with the processes described herein. For instance, a compound of formula (I) can be converted into another compound of formula (I) by replacing one or more substituents of the starting compound of formula (I) by other substituents. Non-limiting examples of such conversion or derivatization are described below (processes C to H).

(200) The processes described herein may be suitably performed using one or more inert organic solvents which is/are customary for the considered reaction. Suitable inert organic solvents can be chosen from the following: aliphatic, alicyclic or aromatic hydrocarbons (e.g. petroleum ether, pentane, hexane, heptane, cyclohexane, methylcyclohexane, ligroin, benzene, toluene, xylene or decalin), halogenated aliphatic, alicyclic or aromatic hydrocarbons (e.g. chlorobenzene, dichlorobenzene, dichloromethane, chloroform, carbon tetrachloride, 1,2-dichloroethane or trichloroethane), ethers (e.g. diethyl ether, diisopropyl ether, methyl t-butyl ether, methyl t-amyl ether, dioxane, tetrahydrofuran, 2-methyltetrahydrofuran, 1,2-dimethoxyethane, 1,2-diethoxyethane or anisole), ketones (e.g. acetone, methyl ethyl ketone, methyl isopropyl ketone and methyl isobutyl ketone), esters (e.g. methyl acetate, ethyl acetate or butyl acetate), alcohols (e.g. methanol, ethanol, propanol, iso-propanol, butanol, tert-butanol), nitriles (e.g. acetonitrile, propionitrile, n- or i-butyronitrile or benzonitrile), amides (e.g. N,N-dimethylformamide, N,N-dimethylacetamide, N-methylformanilide, N-methylpyrrolidone, or hexamethylphosphoric triamide), sulfoxides (e.g. dimethyl sulfoxide) or sulfones (e.g. sulfolane), ureas (e.g. 1,3-dimethyl-3,4,5,6-tetrahydro-2(1H)-pyrimidinone) or any mixture thereof.

(201) Some processes described herein may require or be optionally performed using one or more inorganic or organic bases which are customary for such reactions. Examples of suitable inorganic and organic bases include, but are not limited to, alkaline earth metal or alkali metal carbonates (e.g. sodium carbonate, potassium carbonate, potassium bicarbonate, sodium bicarbonate or cesium carbonate), alkali metal hydrides (e.g. sodium hydride), alkaline earth metal or alkali metal hydroxides (e.g. sodium hydroxide, calcium hydroxide, potassium hydroxide or other ammonium hydroxide derivatives), alkaline earth metal, alkali metal or ammonium fluorides (e.g. potassium

fluoride, cesium fluoride or tetrabutylammonium fluoride), alkali metal or alkaline earth metal acetates (e.g. sodium acetate, lithium acetate, potassium acetate or calcium acetate), alkali metal alcoholates (e.g. potassium tert-butoxide or sodium tert-butoxide), alkali metal phosphates (e.g. tri-potassium phosphate), tertiary amines (e.g. trimethylamine, triethylamine, tributylamine, N,N-dimethylaniline, N,N-dicyclohexylmethylamine, N,N-diisopropylethylamine, N-methylpiperidine, N,N-dimethylaminopyridine, diazabicyclooctane (DABCO), diazabicyclononene (DBN), diazabicycloundecene (DBU), quinuclidine, 3-acetoxyquinuclidine, guanidines or aromatic bases (e.g. pyridines, picolines, lutidines or collidines).

(202) Some of the processes described herein may be optionally performed in the presence of a transition metal catalyst, such as a metal (e.g. copper or palladium) salt or complex, if appropriate in the presence of a ligand.

(203) Suitable copper salts or complexes and their hydrates include, but are not limited to, copper metal, copper(I) iodide, copper(I) chloride, copper(I) bromide, copper(II) chloride, copper(II) bromide, copper(II) oxide, copper(I) oxide, copper(II) acetate, copper(I) acetate, copper(I) thiophene-2-carboxylate, copper(I) cyanide, copper(II) sulfate, copper(II) bis(2,2,6,6-tetramethyl-3,5-heptane-dionate), copper(II) trifluoromethanesulfonate, tetrakis(acetonitrile)copper(I) hexafluorophosphate, tetrakis(acetonitrile)-copper(I) tetrafluoroborate.

(204) It is also possible to generate in situ a suitable copper complex in the reaction mixture by separate addition to the reaction of a copper salt and a ligand or salt, such as ethylenediamine, N,N-dimethylethylenediamine, N,N'-dimethylethylenediamine, rac-trans-1,2-diaminocyclohexane, rac-trans-N,N'-dimethylcyclohexane-1,2-diamine, 1,1'-binaphthyl-2,2'-diamine, N,N,N',N'-tetramethylethylenediamine, proline, N,N-dimethylglycine, quinolin-8-ol, pyridine, 2-aminopyridine, 4-(dimethyl-amino)pyridine, 2,2'-bipyridyl, 2,6-di(2-pyridyl)pyridine, 2-picolinic acid, 2-(dimethylaminomethyl)-3-hydroxypyridine, 1,10-phenanthroline, 3,4,7,8-tetramethyl-1,10-phenanthroline, 2,9-dimethyl-1,10-phenanthroline, 4,7-dimethoxy-1,10-phenanthroline, N,N'-bis[(E)-pyridin-2-ylmethylidene]cyclohexane-1,2-diamine, N-[(E)-phenylmethylidene], N-[(E)-phenylmethylidene]-cyclohexanamine, 1,1,1-tris(hydroxymethyl)ethane, ethylene glycol, 2,2,6,6-tetramethylheptane-3,5-dione, 2-(2,2-dimethylpropanoyl)cyclohexanone, acetylacetone, dibenzoylmethane, 2-(2-methyl-propanoyl)cyclohexanone, biphenyl-2-yl(di-tert-butyl)phosphane, ethylenebis-(diphenylphosphine), N,N-diethylsalicylamide, 2-hydroxybenzaldehyde oxime, oxo[(2,4,6-trimethylphenyl)amino]acetic acid or 1H-pyrrole-2-carboxylic acid.

(205) Suitable palladium salts or complexes include, but are not limited to, palladium chloride, palladium acetate, tetrakis(triphenylphosphine)palladium(0), bis(dibenzylideneacetone)palladium(0), tris(di-benzylideneacetone)dipalladium(0), bis(triphenylphosphine)palladium(II) dichloride, [1,1'-bis(diphenylphosphino)ferrocene]dichloropalladium(II), bis(cinnamyl)dichlorodipalladium(II), bis(allyl)-dichloro-dipalladium(II) or [1,1'-Bis(di-tert-butylphosphino)ferrocene]dichloropalladium(II).

(206) It is also possible to generate a palladium complex in the reaction mixture by separate addition to the reaction of a palladium salt and a ligand or salt, such as triethylphosphine, tri-tert-butylphosphine, tri-tert-butylphosphonium tetrafluoroborate, tricyclohexylphosphine, 2-(dicyclohexylphosphino)biphenyl, 2-(di-tert-butylphosphino)biphenyl, 2-(dicyclohexylphosphino)-2'-(N,N-dimethylamino)biphenyl, 2-(tert-butylphosphino)-2'-(N,N-dimethylamino)biphenyl, 2-di-tert-butylphosphino-2',4',6'-triisopropylbiphenyl, 2-dicyclohexylphosphino-2',4',6'-triisopropylbiphenyl, 2-dicyclohexylphosphino-2,6'-dimethoxybiphenyl, 2-dicyclohexylphosphino-2',6'-diisopropoxybiphenyl, triphenyl-phosphine, tris-(o-tolyl)phosphine, sodium 3-(diphenylphosphino)benzenesulfonate, tris-(2-methoxyphenyl)phosphine, 2,2'-bis(diphenyl-phosphino)-1,1'-binaphthyl, 1,4-bis(diphenylphosphino)butane, 1,2-bis(diphenylphosphino) ethane, 1,4-bis(dicyclohexylphosphino)butane, 1,2-bis(dicyclohexylphosphino)-ethane, 2-(dicyclohexylphosphino)-2'-(N,N-dimethylamino)-biphenyl, 1,1'-bis(diphenylphosphino)-ferrocene, (R)-(-)-1-

[(S)-2-diphenylphosphino)ferrocenyl]ethylidicyclohexylphosphine, tris-(2,4-tert-butyl-phenyl)phosphite, di(1-adamantyl)-2-morpholinophenylphosphine or 1,3-bis(2,4,6-trimethylphenyl)imidazolium chloride.

(207) The appropriate catalyst and/or ligand may be chosen from commercial catalogues such as "Metal Catalysts for Organic Synthesis" by Strem Chemicals or from reviews (Chemical Society Reviews (2014), 43, 3525, Coordination Chemistry Reviews (2004), 248, 2337 and references therein).

(208) Some of the processes described herein may be performed by metallo-photoredox catalysis according to methods reported in the literature (Nature chemistry review, (2017) 0052 and references therein; Science (2016) 352, 6291, 1304; Org. Lett. 2016, 18, 4012, J. Org. Chem 2016, 81, 6898; J. Am. Chem. Soc. 2016, 138, 12715, J. Am. Chem. Soc. 2016, 138, 13862; J. Am. Chem. Soc. 2016, 138, 8034; J. Org. Chem. 2016, 81, 12525, J. Org. Chem. 2015, 80, 7642). The process is then performed in the presence a photosensitizer, such as Ir and Ru complexes or organic dyes, and a metal catalyst such as Ni complexes. The reaction can be performed in the presence of a ligand and if appropriate in the presence of a base under irradiation with blue or white light.

(209) Suitable photosensitizers include, but are not limited to, Ir(III) photocatalyst such as [Ir(dFCF.sub.3ppy).sub.2(bpy)]PF.sub.6 (dFCF.sub.3ppy=2-(2,4-difluorophenyl)-5-trifluoromethylpyridine, bpy=2,2'-bipyridine), [Ir(dFCF.sub.3ppy).sub.2(dtbbpy)]PF.sub.6 (dtbbpy=4,4'-di-tert-butyl-2,2'-bipyridine), Ir(ppy).sub.2(dtbbpy)PF.sub.6 (ppy=2-phenylpyridine), Ir(ppy).sub.2(bpy)PF.sub.6, Ir(dFppy).sub.3PF.sub.6 (dFCF.sub.3ppy=2-(2,4-difluorophenyl)pyridine), fac-Ir(ppy).sub.3, (Ir[diF(5-Me)ppy]2(tetraMePhen)PF.sub.6 (diF(5-Me)ppy=2-(2,4-difluorophenyl)-5-methyl-pyridine, tetraMePhen=3,4,7,8-tetramethyl-1,10-phenanthroline), Ru(II) photocatalyst such as Ru(bpy).sub.3Cl.sub.2 or Ru(bpy).sub.3(PF.sub.6).sub.2 or organic dyes like 9-mesityl-10-acridinium, salts like perchlorate or tetrafluoroborate, or 2,4,5,6-tetra-9H-carbazol-9-yl-1,3-benzenedicarbonitrile, 9-fluorenone and 9,10-phenanthrenequinone.

(210) Suitable nickel catalysts include, but are not limited to, bis(1,5-cyclooctadiene)nickel (0), nickel(II) chloride, nickel(II) bromide, nickel(II) iodide under their anhydrous or hydrate forms or as dimethoxyethane complexes, nickel(II) acetylacetonate, nickel(II) nitrate hexahydrate. These nickel catalysts can be used in combination with bipyridine ligand such as 2,2'-bipyridine, 4,4'-di-tert-butyl-2,2'-bipyridine, 4,4'-dimethoxy-2,2'-bipyridine, 4,4'-dimethyl-2,2'-bipyridine or phenanthroline such as 1,10-phenanthroline, 4,7-dimethyl-1,10-phenanthroline, 4,7-dimethoxy-1,10-phenanthroline or diamines such as N,N,N',N'-tetramethylethylenediamine or dione such as tetramethylheptanedione.

(211) The processes described herein may be performed at temperatures ranging from -105° C. to 250° C., preferably from -78° C. to 185° C.

(212) The reaction time varies as a function of the scale of the reaction and of the reaction temperature, but is generally between a few minutes and 48 hours.

(213) The processes described herein are generally performed under standard pressure. However, it is also possible to work under elevated or reduced pressure.

(214) In the processes described herein, the starting materials are generally used in approximately equimolar amounts. However, it is also possible to use one of the starting materials in a relatively large excess.

(215) Processes for the Preparation of Compounds of Formula (0

(216) Process A

(217) A compound of formula (I-a) (i.e. formula (I) wherein T is O and R.sup.1 is hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy) can be prepared by a process comprising the step of reacting a compound of formula (1) with an amine of formula (2) or a salt thereof, as shown in scheme 1.

(218) ##STR00017##

(219) Compounds of formula (1) wherein U^{sup.1} is a hydroxyl group can be reacted with an amine of formula (2) in the presence of a condensing reagent by means of methods described in the literature (e.g. Tetrahedron 2005, 61, 10827-10852). Examples of suitable condensing reagents include, but are not limited to, halogenating reagents (e.g. phosgene, phosphorous tribromide, phosphorous trichloride, phosphorous pentachloride, phosphorous trichloride oxide, oxalyl chloride or thionyl chloride), dehydrating reagents (e.g. ethyl chloroformate, methyl chloroformate, isopropyl chloroformate, isobutyl chloroformate or methanesulfonyl chloride), carbodiimides (e.g. N,N'-dicyclohexylcarbodiimide (DCC)) or other customary condensing (or peptide coupling) reagents (e.g. phosphorous pentoxide, polyphosphoric acid, bis(2-oxo-3-oxazolidinyl)phosphinic chloride, 1-[Bis(dimethylamino)methylene]-1H-1,2,3-triazolo[4,5-b]pyridinium 3-oxid hexafluorophosphate (HATU), N,N'-carbonyl-diimidazole, 2-ethoxy-N-ethoxycarbonyl-1,2-dihydroquinoline (EEDQ), triphenylphosphine/tetrachloro-methane, 4-(4,6-dimethoxy[1.3.5]-triazin-2-yl)-4-methylmorpholinium chloride hydrate, bromo-tripyrrolidinophosphoniumhexafluorophosphate or propanephosphonic anhydride (T3P).

(220) Compounds of formula (1) wherein U^{sup.1} is a halogen atom can be reacted with an amine of formula (2) in the presence of an acid scavenger by means of well-known methods. Suitable acid scavengers include any inorganic and organic bases, as described herein, which are customary for such reactions. Preference is given to alkali metal carbonates, alkaline earth metal acetates, tertiary amines or aromatic bases.

(221) Compounds of formula (1) wherein U^{sup.1} is a C_{sub.1}-C_{sub.6}-alkoxy group can be reacted with an excess of amine of formula (2), optionally in the presence of a Lewis acid such as trimethylaluminium.

(222) Compounds of formula (1) can be prepared by one or more of the processes described herein (see processes I, J and K).

(223) Amines of formula (2) are either commercially available or may be prepared in accordance with processes described in the literature (e.g. WO2007141009, WO2013064460, WO2015078800, WO2016066574, US20060116370, WO2007134799, WO2014177487, WO2011144338, EP0807629).

(224) Process B

(225) A compound of formula (I-a-1) (i.e. formula (I) wherein T is O, R^{sup.1} is hydrogen, cyano, hydroxyl, C_{sub.1}-C_{sub.6}-alkyl or C_{sub.1}-C_{sub.6}-alkoxyl R^{sup.7} and R^{sup.8} are as defined in scheme 2) can be prepared by a process comprising the step of reacting a compound of formula (3) and a compound of formula (4) in the presence of a base (e.g. organic or inorganic base) as shown in scheme 2.

(226) Scheme 2: Process B—Synthesis of amides (I-a-1)

(227) ##STR00018##

(228) In scheme 2, R^{sup.e} is as disclosed herein and R^{sup.7}, R^{sup.8} and R^{sup.e} may be substituted as disclosed herein.

(229) Process B may be performed in the presence of a transition metal catalyst, such as a copper salt or complex, if appropriate in the presence of a ligand.

(230) Compounds of formula (3) can be prepared by process M described herein.

(231) Compounds of formula (4) are commercially available or may be obtained by conversion or derivatization of another compound of formula (4) in accordance to well-known methods.

(232) Process C

(233) A compound of formula (I-b) (i.e. formula (I) wherein T is S and R^{sup.1} is hydrogen) can be prepared by a process comprising the step of reacting a compound of formula (I-a-2) (i.e. formula (I) wherein T is O and R^{sup.1} is hydrogen) with a thionating agent as shown in scheme 3.

(234) ##STR00019##

(235) Suitable thionating agents for carrying out process C include, but are not limited to, sulfur (S), sulfhydic acid (H_{sub.2}S), sodium sulfide (Na_{sub.2}S), sodium hydrosulfide (NaHS), boron

trisulfide (B.sub.2S.sub.3), bis(diethylaluminium) sulfide ((AlEt.sub.2).sub.2S), ammonium sulfide ((NH.sub.4).sub.2S), phosphorous pentasulfide (P.sub.2S.sub.5), Lawesson's reagent (2,4-bis(4-methoxyphenyl)-1,2,3,4-dithiadiphosphetane 2,4-disulfide) or a polymer-supported thionating reagent such as described in Journal of the Chemical Society, Perkin 1 (2001), 358.

(236) The process is optionally performed in the presence of a catalytic or stoichiometric or excess amount of a base (inorganic and organic base). Preference is given to alkali metal carbonates (e.g. sodium carbonate, potassium carbonate, potassium bicarbonate, sodium bicarbonate), heterocyclic aromatic bases (e.g. pyridine, picoline, lutidine, collidine) and also tertiary amines (e.g. trimethylamine, triethylamine, tributylamine, N,N-dimethylaniline, N,N-dimethylpyridin-4-amine or N-methylpiperidine).

(237) A compound of formula (I-a-2) can be prepared by one or more of the processes herein described.

(238) Process D

(239) A compound of formula (I-c) (i.e. formula (I) wherein R^{sup.1} is —C(=O)R^{sup.a1}, —C(=O)(OR^{sup.a1}), with R^{sup.a1} being as described herein) can be prepared by a process comprising the step of reacting a compound of formula (I-a-2) formula (i.e. formula (I) wherein T is O and R^{sup.1} is hydrogen) or a compound of formula (I-b) (i.e. formula (I) wherein T is S and R^{sup.1} is hydrogen) with a compound of formula (5) as shown in scheme 4.

(240) ##STR00020##

(241) Process D can be performed by means of methods described in the literature (e.g. Tetrahedron Lett. 1995, 36, 8949; Greene's Protective Groups in organic Synthesis; Peter G. M. Wuts; Wiley; Fifth Edition; 2014; 1174-1175).

(242) Compounds of formula (5) are commercially available.

(243) Compounds of formula (I-a-2) or (I-b) can be prepared by one or more of the processes herein described.

(244) Process E

(245) A compound of formula (I-a-3) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is R^{sup.7a} as shown in scheme 5) can be converted by means of methods described in the literature to the corresponding compounds (I-a-4) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is R^{sup.7b} as shown in scheme 5) or (I-a-5) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is R^{sup.7c} as shown in scheme 5) in one or more steps as shown in scheme 5.

(246) ##STR00021##

(247) In scheme 5, R^{sup.e}, R^{sup.f}, R^{sup.g} are as disclosed herein and the aliphatic and cyclic substituents R^{sup.7b}, R^{sup.7c}, R^{sup.e}, R^{sup.f}, R^{sup.g} may be substituted as disclosed herein.

(248) Non-limiting examples of conversions performed in accordance with scheme 5 are provided below.

(249) A compound of formula (I-a-3) wherein R^{sup.7a} is a chlorine atom can be converted into a compound of formula (I-a-4) wherein R^{sup.7b} is a bromine or an iodine atom by means of methods described in the literature (e.g. WO2016185342, WO2007022937).

(250) A compound of formula (I-a-3) wherein R^{sup.7a} is a halogen atom can be converted into a compound of formula (I-a-4) wherein R^{sup.7b} is a hydrogen atom in the presence of a palladium catalyst as reported in the literature (Journal of Molecular Catalysis A: Chemical, 2014, 393, 191-209).

(251) A compound of formula (I-a-3) wherein R^{sup.7a} is a hydrogen atom or a halogen atom can be converted into a compound of formula (I-a-4) wherein R^{sup.7b} is cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R^{sup.e}).sub.2 or —C(=O)(OR^{sup.g}) by transition metal

catalyzed or metallo-photoredox catalyzed processes as described herein.

(252) A compound of formula (I-a-4) wherein R^{sup.7b} is a C_{sub.2}-C_{sub.6}-alkenyl group substituted by a C_{sub.1}-C_{sub.3}-alkoxy can be converted into a compound of formula (I-a-5) wherein R^{sup.7c} is a C_{sub.1}-C_{sub.6}-alkylcarbonyl group by means of methods described in the literature (e.g. J. Org. Chem. 1993, 55, 3114).

(253) The compound of formula (I-a-5) wherein R^{sup.7c} is a C_{sub.1}-C_{sub.6}-alkylcarbonyl group can be further converted in a compound of formula (I-a-5) wherein R^{sup.7c} is —C(=NR^{sup.f})—C_{sub.1}-C_{sub.6}-alkyl group by methods described in the literature (e.g. Greene's Protective Groups in organic Synthesis; Peter G. M. Wuts; Wiley; Fifth Edition; 2014; 655, 661, 667).

(254) A compound of formula (I-a-5) wherein R^{sup.7c} is a C_{sub.1}-C_{sub.6}-alkylcarbonyl group can be further converted in a compound of formula (I-a-5) wherein R^{sup.7c} is C_{sub.1}-C_{sub.6}-hydroxyalkyl group by classical functional group interconversion such as reductions of ketones to alcohols in the presence of NaBH_{sub.4} in MeOH.

(255) A compound of formula (I-a-5) wherein R^{sup.7c} is C_{sub.1}-C_{sub.6}-hydroxyalkyl group can be further converted into a compound (I-a-5) wherein R^{sup.7c} is C_{sub.1}-C_{sub.6}-fluoroalkyl in the presence of a fluorinating agent. Non-limitative examples of fluorinating agents include sulfur fluorides such as sulfur tetrafluoride, diethylaminosulfurtrifluoride, morpholinosulfur trifluoride, bis(2-methoxyethyl)aminosulfur trifluoride, 2,2-difluoro-1,3-dimethylimidazolidine or 4-tert-butyl-2,6-dimethylphenylsulfur trifluoride.

(256) A compound of formula (I-a-3) can be prepared by one or more of the processes herein described.

(257) Process F

(258) A compound of formula (I-a-6) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is halogen and R^{sup.8} is hydrogen) can be converted by means of methods described in the literature to the corresponding compound of formula (I-a-7) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is halogen and R^{sup.8} is R^{sup.8a} as shown in scheme 6) or compound of formula (I-a-8) (i.e. formula (I) wherein R^{sup.1} is H, T is O, R^{sup.7} is halogen and R^{sup.8} is R^{sup.8b} as shown in scheme 6) in one or more steps as shown in scheme 6.

(259) ##STR00022##

(260) In scheme 6, R^{sup.h} and R^{sup.i} are as disclosed herein and the aliphatic and cyclic substituents R^{sup.8a} and R^{sup.8b} may be substituted as disclosed herein.

(261) Non-limiting examples of conversions performed in accordance with scheme 6 are provided below.

(262) A compound of formula (I-a-6) can be converted into a compound of formula (I-a-7) wherein R^{sup.8a} is a halogen atom in the presence of a base and an electrophile such as NCS, NBS, NIS, hexachloroethane, bromine or iodine by means of methods described in the literature (e.g. Org. Lett. 2009, 11, 1837). Suitable bases for carrying out the process can be selected from lithium-diisopropylamide, lithium 2,2,6,6-tetramethylpiperidide, n-butyl lithium, methyl lithium, TMPZnCl.LiCl (2,2,6,6-tetramethylpiperidinyllzinc chloride lithium chloride complex), TMP_{sub.2}Zn.2MgCl_{sub.2}.2LiCl (bis(2,2,6,6-tetramethylpiperidinyllzinc magnesium chloride lithium chloride complex), see e.g. Dissertation Albrecht Metzger 2010, University Munich.

(263) A compound of formula (I-a-6) can be converted into a compound of formula (I-a-7) wherein R^{sup.8a} is a C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-hydroxyalkyl, C_{sub.3}-C_{sub.8}-cycloalkyl, C_{sub.3}-C_{sub.8}-halocycloalkyl, C_{sub.3}-C_{sub.6}-cycloalkenyl, aromatic C_{sub.6}-C_{sub.14}-carbocycle, 5- to 14-membered aromatic heterocycle or a 3- to 14-membered non-aromatic heterocycle, optionally in the presence of a base, and when appropriate in the presence of a transition metal catalyst such as a metal salt or complex and a ligand as described herein or by methods described in the literature (Heterocycles 1976, 4(8), 1331).

(264) A compound of formula (I-a-7) wherein R^{sup.8a} is a halogen atom can be converted in a compound of formula (I-a-8) wherein R^{sup.8b} represents cyano, nitro, amino, mercapto, hydroxyl,

C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, non-aromatic 3- to 14-membered heterocyclyloxy, aromatic 5- to 14-membered heterocyclyloxy, —N(R.sup.h).sub.2 or SR.sup.i in the presence of a base and optionally in the presence of a transition metal catalyst such as a metal salt or complex, and if appropriate in the presence of a ligand.

(265) A compound of formula (I-a-8) wherein R.sup.8b is a C.sub.2-C.sub.6-alkenyl group can be further converted in a compound of formula (I-a-8) wherein R.sup.8b is C.sub.1-C.sub.6-alkyl substituted by C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.a').sub.2 with R.sup.a' being independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.3-C.sub.8-cycloalkyl, by treating the reacting compound of formula (I-a-8) with an oxygen, a sulfur or an amino based nucleophile.

(266) A compound of formula (I-a-8) wherein R.sup.8b is a SR.sup.i group can be further converted in a compound of formula (I-a-8) wherein R.sup.8b is a —S(=O)R.sup.i, or a —S(=O).sub.2R.sup.i group by reacting the starting compound of formula (I-a-8) with an oxidant such as hydrogen peroxide.

(267) A compound of formula (I-a-6) can be prepared by one or more of the processes herein described.

(268) Process G

(269) A compound of formula (I-d) (i.e. formula (I) wherein R.sup.6S is halogen) or a compound of formula (6) can be reacted with a compound of formula (7) to provide a compound of formula (I-e) (i.e. formula (I) wherein R.sup.6S is as shown in scheme 7) as shown in scheme 7.

(270) ##STR00023##

(271) In scheme 7, aliphatic and cyclic R.sup.6S substituents may be substituted as disclosed herein.

(272) Process G can be performed by metal catalysis as described herein.

(273) Alternatively, process G can be performed by metallo-photoredox catalysis. More specifically, a compound of formula (I-d), wherein G.sup.1 is preferably Br or I, can be converted to a compound of formula (I-e) by a metallo-photoredox catalysed process in the presence a photosensitizer such as Ir and Ru complexes or organic dyes and metal catalysts such as Ni complexes. The reaction can be performed in the presence of a ligand and if appropriate in the presence of a base under irradiation with blue or white light.

(274) A compound of formula (I-d) can be prepared by one or more of the processes herein described.

(275) A compound of formula (6) can be prepared by well-known methods.

(276) Compounds of formula (7) are commercially available.

(277) Process H

(278) A compound of formula (I-f) (i.e. formula (I) wherein Q.sup.S is halogen) or a compound of formula 8 can be reacted with a compound of formula 9 to provide a compound of formula (I-g) (i.e. formula (I) wherein Q.sup.S is as shown in scheme 8) as shown in scheme 8.

(279) ##STR00024##

(280) In scheme 8, aliphatic and cyclic Cr substituents may be substituted as disclosed herein.

(281) Process H can be performed by transition metal catalysis.

(282) Alternatively, process H can be performed by metallo-photoredox catalysis. More specifically, a compound of formula (I-f), wherein G.sup.1 is preferably Br or I, can be converted to a compound of formula (I-g) by a metallo-photoredox catalysed process in the presence a

photosensitizer such as Ir and Ru complexes or organic dyes and metal catalysts such as Ni complexes. The reaction can be performed in the presence of a ligand and if appropriate in the presence of a base under irradiation with blue or white light.

(283) A compound of formula (I-f) can be prepared by one or more of the processes herein described.

(284) A compound of formula (8) can be prepared by well-known methods.

(285) Compounds of formula (9) are commercially available.

(286) Processes for the Preparation of a Compound of Formula (1) A compound of formula (1) may be directly obtained by performing process I described below or may be obtained by conversion or derivatization of another compound of formula (1) prepared in accordance with the processes described herein. Compounds of formula (1-a)-(1-e) are various subsets of formula (1).

(287) Process I

(288) A compound of formula (1-a) (i.e. formula (1) wherein R^{sup.7} and R^{sup.8} are as defined in scheme 9) can be prepared by a process comprising the step of reacting a compound of formula (10) with a reagent of formula (4) as shown in scheme 9 in the presence of a base.

(289) ##STR00025##

(290) In scheme 9, R^{sup.e} is as disclosed herein and R^{sup.7}, R^{sup.8} and R^{sup.e} may be substituted as disclosed herein. Process I can be performed in the presence of suitable transition metal catalyst salts or complexes, if appropriate in the presence of a ligand.

(291) The obtained compound of formula (1-a) can then be converted into a compound of formula (1-b) in one or more steps.

(292) Non-limiting examples of such conversion are described below.

(293) Compounds of formula (1-a) wherein U^{sup.1} is a C_{sub.1}-C_{sub.6}-alkoxy can be converted to compounds of formula (1-b) wherein U^{sup.2} is a hydroxyl group by well-known functional group interconversion methods, for example by hydrolysis of an ester group with LiOH in THF/water.

(294) Compounds of formula (1-b) wherein U^{sup.2} is a hydroxyl can be converted to compounds of formula (1-b) wherein U^{sup.2} is a halogen in the presence of halogenating agents by well-known methods. Suitable halogenating reagents include, but are not limited to, phosphorous tribromide, phosphorous trichloride, phosphorous pentachloride, phosphorous trichloride oxide, oxalyl chloride or thionyl chloride.

(295) Compounds of formula (10) are commercially available or may be prepared by process M described herein.

(296) Compounds of formula (4) are commercially available or may be obtained by conversion or derivatization of another compound of formula (4) in accordance to well-known methods.

(297) Process J

(298) A compound of formula (1-c) (i.e. formula (1) wherein R^{sup.7} is R^{sup.7a} as defined in scheme 10) can be converted by means of know methods to the corresponding compounds of formula (1-d) (i.e. formula (1) wherein R^{sup.7} is R^{sup.7b} as defined in scheme 10) or (1-e) (i.e. formula (1) wherein R^{sup.7} is R^{sup.7c} as defined in scheme 10) in one or more steps as shown in scheme 10.

(299) ##STR00026##

(300) In scheme 10, R^{sup.e}, R^{sup.f}, R^{sup.g} are as disclosed herein and the aliphatic and cyclic substituents R^{sup.7b}, R^{sup.7c}, R^{sup.e}, R^{sup.f}, R^{sup.g} may be substituted as disclosed herein.

(301) Non-limiting examples of conversion may be performed in accordance the description provided in process E.

(302) The obtained compound of formula (1-d) and (1-e) can then be converted into compound of formula (1-d) and (1-e) wherein U^{sup.1} (C_{sub.1}-C_{sub.6}-alkoxy) is replaced with hydroxyl or halogen.

(303) Examples of such conversion are described below.

(304) Compounds of formula (1-c), (1-d), (1-e) wherein U^{sup.1} is a C_{sub.1}-C_{sub.6}-alkoxy can be converted to compounds of formula (1-b), (1-c), (1-d) wherein U^{sup.1} is replaced with a hydroxyl group by well-known functional group interconversion methods, for example by hydrolysis of an ester group with LiOH in THF/water.

(305) Compounds of formula (1-c), (1-d), (1-e) wherein U^{sup.1} has been replaced with a hydroxyl can then be further converted to compounds of formula (1-b), (1-c), (1-d) wherein the hydroxyl is replaced with a halogen in the presence of halogenating agents by well-known methods. Suitable halogenating reagents include, but are not limited to, phosphorous tribromide, phosphorous trichloride, phosphorous pentachloride, phosphorous trichloride oxide, oxalyl chloride or thionyl chloride.

(306) Compounds of formula (1-c) can be prepared by one or more of the processes described herein.

(307) Process K

(308) A compound of formula (1-f) (i.e. formula (1) wherein R^{sup.8} is H) can be converted by means of methods described in the literature to the corresponding compound of formula (1-g) (i.e. formula (1) wherein R^{sup.8} is R^{sup.a} as defined in scheme 11) or compound of formula (1-h) (i.e. formula (1) wherein R^{sup.8} is R^{sup.8b} as defined in scheme 11) in one or more steps as shown in scheme 11.

(309) ##STR00027##

(310) In scheme 11, R^{sup.h} and R^{sup.i} are as disclosed herein and the aliphatic and cyclic substituents R^{sup.8a} and R^{sup.8b} may be substituted as disclosed herein.

(311) Non-limiting examples of conversion may be performed in accordance the description provided in process F.

(312) The obtained compound of formula (1-f) and (1-g) can then be converted into compound of formula (1-f) and (1-g) wherein U^{sup.1} (C_{sub.1}-C_{sub.6}-alkoxy) is replaced with hydroxyl or halogen.

(313) Compounds of formula (1-f), (1-g), (1-h) wherein U^{sup.1} is a C_{sub.1}-C_{sub.6}-alkoxy can be converted to compounds of formula (1-f), (1-g), (1-h) wherein U^{sup.1} is replaced with a hydroxyl group by well-known functional group interconversion methods, for example by hydrolysis of an ester group with LiOH in THF/water.

(314) Compounds of formula (1-f), (1-g), (1-h) wherein U^{sup.1} has been replaced with a hydroxyl can then be further converted to compounds of formula (1-f), (1-g), (1-h) wherein the hydroxyl is replaced with a halogen in the presence of halogenating agents by well-known methods. Suitable halogenating reagents include, but are not limited to, phosphorous tribromide, phosphorous trichloride, phosphorous pentachloride, phosphorous trichloride oxide, oxalyl chloride or thionyl chloride.

(315) Compounds (1-f) can be prepared by one or more of the processes described herein.

(316) Process for the Preparation of Compound of Formula (3)

(317) Process L

(318) A compound of formula (3) can be prepared by a process comprising the step of reacting a compound of formula (10) with an amine of formula (2) as shown in scheme 13.

(319) ##STR00028##

(320) Process L can be performed using the same conditions as described in process A.

(321) Compounds of formula (10) are commercially available or can be obtained by process M.

(322) Process for the Preparation of Compound of Formula (10)

(323) Process M

(324) A compound of formula (10-a) (i.e. compound of formula 10 wherein R^{sup.7} is halogen) can be converted by means of known methods (WO2000044755) into a compound of formula (10-b) (i.e. compound of formula 10 wherein R^{sup.7} is as shown in scheme 13) in the presence of either an oxygen (ethanol), a sulfur (thioethyl) or an amino (methylamine) based nucleophile, optionally

in the presence of base as shown in scheme 13.

(325) ##STR00029##

(326) The compounds of formula (10-a) and (10-b) can be converted into compound of formula (10-a) and (10-b) wherein U^{sup.1} (C_{sub.1}-C_{sub.6}-alkoxy) is replaced with hydroxyl or halogen using the same conditions as described in process K.

(327) Starting materials of formula (10-a) are commercially available.

(328) Compounds according to the invention can be prepared according to the above described processes.

(329) It will nevertheless be understood that, on the basis of his general knowledge and of available publications, the skilled worker will be able to adapt these processes according to the specifics of each of the compounds according to the invention that is desired to be synthesized.

(330) Intermediates for the Preparation of a Compound of Formula (I)

(331) The present invention also relates to intermediates for the preparation of compounds of formula (I).

(332) Intermediates according to the invention are compounds of formula (1):

(333) ##STR00030##

(334) wherein Q is as described herein; U^{sup.1} represents hydroxyl, halogen, C_{sub.1}-C_{sub.6}-alkoxy;

(335) R^{sup.7}, R^{sup.8} are as described herein and do not represent simultaneously hydrogen, C_{sub.1}-C_{sub.6}-alkyl, and aromatic C_{sub.6}-C_{sub.14}-carbocycle;

(336) provided that the compound of formula (1) is not:

(337) TABLE-US-00001 methyl 6-chloro-3-(2,4-difluorophenoxy)pyridazine-4-carboxylate 1007571-73-4 6-chloro-3-[(8-formyl-4-methyl-2-oxo-2H-chromen-7-yl)oxy]pyridazine-4-carboxylic acid 953070-74-1 6-chloro-3-[(3-formyl-7-methylquinolin-2-yl)oxy]pyridazine-4-carboxylic acid 953070-59-2 6-chloro-3-{[4-formyl-5-(hydroxymethyl)-2-methylpyridin-3-yl]oxy}pyridazine-4-carboxylic acid 953070-45-6 6-chloro-3-[(1-formyl-2-naphthyl)oxy]pyridazine-4-carboxylic acid 953070-36-5 6-chloro-3-(2-formyl-5-methoxyphenoxy)pyridazine-4-carboxylic acid 953070-24-1 ethyl 3-phenoxy-6-phenylpyridazine-4-carboxylate 338752-99-1

(338) Intermediates according to the present invention are compounds of formula (3):

(339) ##STR00031##

(340) wherein

(341) G is halogen,

(342) n=1 and m=1,

(343) R^{sup.1} is hydrogen

(344) R^{sup.2}, R^{sup.3}, are hydrogen

(345) R^{sup.4} and R^{sup.5} are hydrogen or fluorine,

(346) R^{sup.6} is selected from the group consisting of non-aromatic polycyclic C_{sub.7}-C_{sub.12}-carbocycle, aromatic C_{sub.6}-C_{sub.14}-carbocycle (phenyl) and non-aromatic 6- to 14-membered polycyclic heterocycle,

(347) R^{sup.7} is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-haloalkoxy, C_{sub.2}-C_{sub.6}-alkenyloxy, C_{sub.2}-C_{sub.6}-haloalkenyloxy, C_{sub.2}-C_{sub.6}-alkynyloxy, C_{sub.2}-C_{sub.6}-haloalkynyloxy, C_{sub.1}-C_{sub.6}-alkylsulfanyl, C_{sub.1}-C_{sub.6}-haloalkylsulfanyl, C_{sub.3}-C_{sub.8}-cycloalkyl, C_{sub.3}-C_{sub.6}-cycloalkenyl, C_{sub.3}-C_{sub.8}-cycloalkyloxy, aromatic C_{sub.6}-C_{sub.14}-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and — N(R^{sup.e})_{sub.2} with R^{sup.e} being as disclosed herein and wherein R^{sup.7} and R^{sup.e} may be substituted as disclosed herein,

(348) R^{sup.8} is hydrogen or C_{sub.1}-C_{sub.6}-alkyl,

(349) provided that the compound of formula (3) is not (r4 r5 both hydrogen)

(350) TABLE-US-00002 3,6-dichloro-N42-(3,5-difluorophenypethyl+pyridazine-4-carboxamide 1963486-79-4 3,6-dichloro-N42-(3-methylphenypethyl+pyridazine-4-carboxamide 1963267-34-6 3,6-dichloro-N42-(3-chlorophenypethyl+pyridazine-4-carboxamide 1961466-79-4 3,6-dichloro-N42-(4-fluoro-2-methylphenypethyl+pyridazine-4-carboxamide 1958752-63-0 3,6-dichloro-N42-(3-methoxyphenypethyl+pyridazine-4-carboxamide 1939713-84-4 3,6-dichloro-N42-(2-methylphenypethyl+pyridazine-4-carboxamide 1931068-89-1 3,6-dichloro-N42-(4-hydroxyphenypethyl+pyridazine-4-carboxamide 1930978-66-7 3,6-dichloro-N42-(3-fluorophenypethyl+pyridazine-4-carboxamide 1930464-33-7 3,6-dichloro-N-+2-(2-methoxyphenyl)ethyl+pyridazine-4-carboxamide 1926106-33-3 3,6-dichloro-N-+2-(4-methoxyphenyl)ethyl+pyridazine-4-carboxamide 1917672-49-1 3,6-dichloro-N42-(4-fluorophenypethyl+pyridazine-4-carboxamide 1916146-17-2 3,6-dichloro-N42-(2,4-dichlorophenypethyl+pyridazine-4-carboxamide 1912316-22-3 3,6-dichloro-N42-(2-fluorophenypethyl+pyridazine-4-carboxamide 1911438-43-1 3,6-dichloro-N-(2-phenylethyl)pyridazine-4-carboxamide 199478-02-9

(351) Further intermediates are compounds of formula (3):

(352) ##STR00032##

(353) wherein

(354) G is halogen,

(355) n=0 and m=0,

(356) R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy,

(357) R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle and non-aromatic 7- to 14-membered polycyclic heterocycle,

(358) R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and — N(R.sup.e).sub.2 with R.sup.e being as disclosed herein and wherein R.sup.7 and R.sup.e may be substituted as disclosed herein,

(359) R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl,

(360) provided that the compound of formula (3) is not

(361) TABLE-US-00003 rel-3,6-dichloro-N-[(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]pyridazine-4- 1971154-81-0 carboxamide 3,6-dichloro-N-(3,4-dihydro-2H-thiochromen-4-yl)pyridazine-4-carboxamide 1963331-87-4 3,6-dichloro-N-(2,3-dihydro-1-benzofuran-3-yl)pyridazine-4-carboxamide 1961467-92-4 3,6-dichloro-N-(4,5,6,7-tetrahydro-1-benzothiophen-4-yl)pyridazine-4-carboxamide 1942812-74-9 3,6-dichloro-N-(2,3-dihydro-1H-inden-1-yl)pyridazine-4-carboxamide 1942811-70-2 3,6-dichloro-N-(1,2,3,4-tetrahydronaphthalen-2-yl)pyridazine-4-carboxamide 1930978-86-1 3,6-dichloro-N-(4,5,6,7-tetrahydro-1-benzofuran-4-yl)pyridazine-4-carboxamide 1927604-75-8 3,6-dichloro-N-(3,4-dihydro-2H-chromen-4-yl)pyridazine-4-carboxamide 1912470-99-5 3,6-dichloro-N-(1,2,3,4-tetrahydronaphthalen-1-yl)pyridazine-4-carboxamide 1912469-89-6 3,6-dichloro-N-(1H-indazol-3-yl)pyridazine-4-carboxamide 1482112-42-4 3,6-dichloro-N-(2-hydroxy-2,3-dihydro-1H-inden-1-yl)pyridazine-4-carboxamide 1293136-37-4 3,6-dichloro-N-(4-methylcycloheptyl)pyridazine-4-carboxamide 1991622-18-4 3,6-dichloro-N-(2-methylcycloheptyl)pyridazine-4-carboxamide 1963487-84-4 3,6-dichloro-N-(9-methyl-9-azabicyclo[3.3.1]nonan-3-yl)pyridazine-4-carboxamide 1963487-78-6 3,6-dichloro-N-(1-methyl-4,5,6,7-tetrahydro-1H-indazol-4-yl)pyridazine-4- 1963485-29-1 carboxamide N-(1-benzothiophen-5-yl)-3,6-dichloropyridazine-4-carboxamide 1963485-06-4 3,6-

dichloro-N-(1H-indazol-7-yl)pyridazine-4-carboxamide 1963332-46-8 3,6-dichloro-N-(1,3,3-trimethylbicyclo[2.2.1]heptan-2-yl)pyridazine-4-carboxamide 1963268-26-9 3,6-dichloro-N-(1H-indol-5-yl)pyridazine-4-carboxamide 1963266-43-4 3,6-dichloro-N-(1,7,7-trimethylbicyclo[2.2.1]heptan-2-yl)pyridazine-4-carboxamide 1961466-74-9 3,6-dichloro-N-cycloheptyl-N-methylpyridazine-4-carboxamide 1961466-15-8 3,6-dichloro-N-(5,6,7,8-tetrahydronaphthalen-1-yl)pyridazine-4-carboxamide 1961465-77-9 3,6-dichloro-N-(octahydro-1H-4,7-methanoinden-5-yl)pyridazine-4-carboxamide 1958753-78-0 3,6-dichloro-N-(tricyclo[3.3.1.1.sup.3,7]decan-2-yl)pyridazine-4-carboxamide 1942811-90-6 3,6-dichloro-N-(1-cyanocyclooctyl)pyridazine-4-carboxamide 1939855-37-4 3,6-dichloro-N-(2,3-dihydro-1H-inden-2-yl)pyridazine-4-carboxamide 1939855-34-1 N-(bicyclo[2.2.1]heptan-2-yl)-3,6-dichloropyridazine-4-carboxamide 1931071-17-8 3,6-dichloro-N-(tricyclo[3.2.1.0.sup.2,4]octan-3-yl)pyridazine-4-carboxamide 1927867-21-7 3,6-dichloro-N-(1-cyanocycloheptyl)pyridazine-4-carboxamide 1927604-66-7 3,6-dichloro-N-(2,3-dihydro-1H-inden-1-yl)-N-methylpyridazine-4-carboxamide 1927604-33-8 3,6-dichloro-N-(2-hydroxycycloheptyl)pyridazine-4-carboxamide 1920574-97-5 3,6-dichloro-N-(2,3-dihydro-1H-inden-5-yl)pyridazine-4-carboxamide 1916145-93-1 3,6-dichloro-N-(tricyclo[3.3.1.1.sup.3,7]decan-1-yl)pyridazine-4-carboxamide 1915386-75-2 3,6-dichloro-N-cyclooctylpyridazine-4-carboxamide 1912469-87-4 3-{{[(3,6-dichloropyridazin-4-yl)carbonyl]amino}bicyclo[2.2.1]heptane-2-carboxylic acid 2-{{[(3,6-dichloropyridazin-4-yl)carbonyl]amino}cycloheptanecarboxylic acid 1509304-68-0 3,6-dichloro-N-(2,3-dihydro-1-benzofuran-5-yl)pyridazine-4-carboxamide 1961467-28-6 3,6-dichloro-N-(octahydroindolizin-1-yl)pyridazine-4-carboxamide 1961467-09-3 3,6-dichloro-N-(3-cyano-5,6-dihydro-4H-cyclopenta[b]thiophen-2-yl)pyridazine-4- 1939278-48-4 carboxamide 3,6-dichloro-N-(octahydroindolizin-7-yl)pyridazine-4-carboxamide 1930979-01-3 3,6-dichloro-N-(hexahydro-1H-pyrrolizin-1-yl)pyridazine-4-carboxamide 1930978-29-2 3,6-dichloro-N-(6-chloro-1,3-benzodioxol-5-yl)pyridazine-4-carboxamide 1930464-71-3 3,6-dichloro-N-(5,6-dihydro-4H-cyclopenta[d][1,3]thiazol-2-yl)pyridazine-4- 1927604-87-2 carboxamide 3,6-dichloro-N-(2-oxoazepan-3-yl)pyridazine-4-carboxamide 1924934-65-5 3,6-dichloro-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)pyridazine-4-carboxamide 1916206-93-3 3,6-dichloro-N-(2,3-dihydro-1,4-benzodioxin-6-yl)pyridazine-4-carboxamide 1912468-93-9 N-(1,3-benzodioxol-5-yl)-3,6-dichloropyridazine-4-carboxamide 1912468-90-6 3,6-dichloro-N-(1-hydroxy-1,3-dihydro-2,1-benzoxaborol-6-yl)pyridazine-4- 1222509-88-7 carboxamide

(362) Further intermediates are compounds of formula (3):

(363) ##STR00033##

(364) wherein

(365) G is halogen,

(366) n=0 and m=1,

(367) R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy

(368) R.sup.4 and R.sup.5 are as described herein,

(369) R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle (phenyl), aromatic 5- to 14-membered heterocycle and non-aromatic 6- to 14-membered polycyclic heterocycle,

(370) R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and — N(R.sup.e).sub.2 with R.sup.e being as disclosed herein and wherein R.sup.7 and R.sup.e may be substituted as disclosed herein,

(371) R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl,
(372) provided that the compound of formula (3) is not
(373) TABLE-US-00004 3,6-dichloro-N-(2-fluorobenzyl)pyridazine-4-carboxamide 1984430-44-5
N-(2-bromobenzyl)-3,6-dichloropyridazine-4-carboxamide 1983343-88-9 3,6-dichloro-N-(1-
hydroxy-2-phenylpropan-2-yl)pyridazine-4-carboxamide 1980402-62-7 3,6-dichloro-N-[4-
(hydroxymethyl)benzyl]pyridazine-4-carboxamide 1965966-39-5 3,6-dichloro-N-(pyrimidin-4-
ylmethyl)pyridazine-4-carboxamide 1963833-87-5 3,6-dichloro-N-[1-(4-
methylphenyl)ethyl]pyridazine-4-carboxamide 1963492-55-8 3,6-dichloro-N-(4-
nitrobenzyl)pyridazine-4-carboxamide 1963492-48-9 3,6-dichloro-N-[1-(pyridin-2-
yl)ethyl]pyridazine-4-carboxamide 1963491-81-7 3,6-dichloro-N-(4-fluoro-3,5-
dimethylbenzyl)pyridazine-4-carboxamide 1963488-67-6 3,6-dichloro-N-(1-
phenylpropyl)pyridazine-4-carboxamide 1963486-64-7 3,6-dichloro-N-[(2-methylpyrimidin-4-
yl)methyl]pyridazine-4-carboxamide 1963485-86-0 N-[2-(4-bromophenyl)propan-2-yl]-3,6-
dichloropyridazine-4-carboxamide 1963484-73-2 3,6-dichloro-N-(3,4-difluorobenzyl)pyridazine-4-
carboxamide 1963333-54-1 3,6-dichloro-N-[1-(4-fluorophenyl)ethyl]pyridazine-4-carboxamide
1963333-42-7 3,6-dichloro-N-(2-methyl-1-phenylpropyl)pyridazine-4-carboxamide 1963331-49-8
3,6-dichloro-N-[cyano(phenyl)methyl]pyridazine-4-carboxamide 1963297-88-2 3,6-dichloro-N-
[(6-methoxypyridin-3-yl)methyl]pyridazine-4-carboxamide 1963294-35-0 N-[1-(2-
bromophenyl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1963293-42-6 3,6-dichloro-N-(4-
cyanobenzyl)pyridazine-4-carboxamide 1963292-84-3 3,6-dichloro-N-(1-phenylethyl)pyridazine-
4-carboxamide 1963269-92-2 3,6-dichloro-N-(4-isopropylbenzyl)pyridazine-4-carboxamide
1963266-87-6 3,6-dichloro-N-[3-(methoxymethyl)benzyl]pyridazine-4-carboxamide 1963266-33-2
3,6-dichloro-N-(1-phenylbutyl)pyridazine-4-carboxamide 1963265-38-4 3,6-dichloro-N-[1-(2-
methoxyphenyl)ethyl]pyridazine-4-carboxamide 1963249-29-7 3,6-dichloro-N-[(2-
methoxypyridin-3-yl)methyl]pyridazine-4-carboxamide 1963249-05-9 3,6-dichloro-N-(3-
fluorobenzyl)pyridazine-4-carboxamide 1963248-27-2 N-[1-(3-bromophenyl)ethyl]-3,6-
dichloropyridazine-4-carboxamide 1963243-46-0 3,6-dichloro-N-(1-phenylethyl)pyridazine-4-
carboxamide 1962808-22-5 3,6-dichloro-N-(2-hydroxybenzyl)pyridazine-4-carboxamide 1961468-
92-7 3,6-dichloro-N-[1-(4-methylphenyl)propyl]pyridazine-4-carboxamide 1961467-12-8 N-[1-(4-
bromophenyl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1958785-37-9 3,6-dichloro-N-[1-(2-
methylphenyl)ethyl]pyridazine-4-carboxamide 1958753-51-9 3,6-dichloro-N-[2-
(methoxymethyl)benzyl]pyridazine-4-carboxamide 1958753-47-3 3,6-dichloro-N-(2-
ethylbenzyl)pyridazine-4-carboxamide 1942813-14-0 3,6-dichloro-N-(3-chloro-4-
fluorobenzyl)pyridazine-4-carboxamide 1942812-70-5 3,6-dichloro-N-[(6-methylpyridin-2-
yl)methyl]pyridazine-4-carboxamide 1942812-67-0 3,6-dichloro-N-[1-(3-
fluorophenyl)ethyl]pyridazine-4-carboxamide 1942812-44-3 3,6-dichloro-N-[1-(2,5-
dimethylphenyl)ethyl]pyridazine-4-carboxamide 1942812-03-4 N-[1-(4-bromophenyl)propyl]-3,6-
dichloropyridazine-4-carboxamide 1942811-84-8 3,6-dichloro-N-[1-(3-
hydroxyphenyl)ethyl]pyridazine-4-carboxamide 1942811-75-7 3,6-dichloro-N-[1-(2,6-
difluorophenyl)ethyl]pyridazine-4-carboxamide 1933878-63-7 3,6-dichloro-N-[1-(pyridin-4-
yl)ethyl]pyridazine-4-carboxamide 1933878-55-7 N-(4-bromobenzyl)-3,6-dichloropyridazine-4-
carboxamide 1931659-50-5 3,6-dichloro-N-(3-ethoxybenzyl)pyridazine-4-carboxamide 1931658-
85-3 3,6-dichloro-N-[1-(4-ethylphenyl)ethyl]pyridazine-4-carboxamide 1931658-71-7 3,6-
dichloro-N-[1-(4-chlorophenyl)ethyl]pyridazine-4-carboxamide 1931658-38-6 3,6-dichloro-N-[(3-
methylpyridin-2-yl)methyl]pyridazine-4-carboxamide 1931071-02-1 3,6-dichloro-N-(pyridazin-3-
ylmethyl)pyridazine-4-carboxamide 1931070-99-3 3,6-dichloro-N-[(2-methoxypyridin-4-
yl)methyl]pyridazine-4-carboxamide 1931070-97-1 3,6-dichloro-N-[(3-methylpyridin-4-
yl)methyl]pyridazine-4-carboxamide 1931070-94-8 3,6-dichloro-N-(3-nitrobenzyl)pyridazine-4-
carboxamide 1931070-86-8 3,6-dichloro-N-[4-(dimethylamino)benzyl]pyridazine-4-carboxamide
1931070-68-6 3,6-dichloro-N-[1-(3-fluoro-4-methylphenyl)ethyl]pyridazine-4-carboxamide

1931068-96-0 N-[1-(4-bromophenyl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1930979-34-2
3,6-dichloro-N-[(4-methylpyridin-3-yl)methyl]pyridazine-4-carboxamide 1930979-21-7 3,6-
dichloro-N-(2-nitrobenzyl)pyridazine-4-carboxamide 1930978-85-0 3,6-dichloro-N-(3-fluoro-4-
methylbenzyl)pyridazine-4-carboxamide 1930978-62-3 3,6-dichloro-N-[1-(4-
chlorophenyl)propyl]pyridazine-4-carboxamide 1930978-34-9 3,6-dichloro-N-[1-(2,4-
dimethylphenyl)ethyl]pyridazine-4-carboxamide 1930978-16-7 3,6-dichloro-N-(3-
methylbenzyl)pyridazine-4-carboxamide 1930978-15-6 3,6-dichloro-N-(4-cyano-2-
fluorobenzyl)pyridazine-4-carboxamide 1930466-03-7 3,6-dichloro-N-(4-ethylbenzyl)pyridazine-
4-carboxamide 1930465-94-3 3,6-dichloro-N-(2,5-difluorobenzyl)pyridazine-4-carboxamide
1930465-46-5 3,6-dichloro-N-(2,4-difluorobenzyl)pyridazine-4-carboxamide 1930465-19-2 N-[1-
(4-bromophenyl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1930465-11-4 N-(5-bromo-2-
fluorobenzyl)-3,6-dichloropyridazine-4-carboxamide 1930465-08-9 N-(2-bromo-5-
fluorobenzyl)-3,6-dichloropyridazine-4-carboxamide 1930464-96-2 3,6-dichloro-N-{1-[4-
(methylsulfanyl)phenyl]ethyl}pyridazine-4-carboxamide 1930464-73-5 3,6-dichloro-N-[1-(2,5-
difluorophenyl)ethyl]pyridazine-4-carboxamide 1930464-69-9 3,6-dichloro-N-[1-(2-
fluorophenyl)ethyl]pyridazine-4-carboxamide 1930464-55-3 3,6-dichloro-N-[1-(4-
cyanophenyl)ethyl]pyridazine-4-carboxamide 1930464-37-1 3,6-dichloro-N-(2-chloro-6-
methoxybenzyl)pyridazine-4-carboxamide 1927605-30-8 3,6-dichloro-N-(4-
hydroxybenzyl)pyridazine-4-carboxamide 1927605-28-4 3,6-dichloro-N-[(3-ethylpyridin-2-
yl)methyl]pyridazine-4-carboxamide 1927605-21-7 3,6-dichloro-N-[1-(4-
methoxyphenyl)ethyl]pyridazine-4-carboxamide 1927605-04-6 N-(3-bromobenzyl)-3,6-
dichloropyridazine-4-carboxamide 1927604-80-5 3,6-dichloro-N-[(5-methylpyrazin-2-
yl)methyl]pyridazine-4-carboxamide 1927604-79-2 N-(1,3-benzodioxol-4-ylmethyl)-3,6-
dichloropyridazine-4-carboxamide 1927604-68-9 3,6-dichloro-N-[1-(3,4-
dichlorophenyl)ethyl]pyridazine-4-carboxamide 1927604-65-6 3,6-dichloro-N-[1-(3-
chlorophenyl)propyl]pyridazine-4-carboxamide 1927604-38-3 3,6-dichloro-N-[1-(3-
chlorophenyl)ethyl]pyridazine-4-carboxamide 1927604-28-1 3,6-dichloro-N-
[cyclopropyl(phenyl)methyl]pyridazine-4-carboxamide 1927604-27-0 3,6-dichloro-N-(3-
cyanobenzyl)pyridazine-4-carboxamide 1927604-26-9 3,6-dichloro-N-[1-(3-
methoxyphenyl)ethyl]pyridazine-4-carboxamide 1927604-18-9 3,6-dichloro-N-(pyridin-4-
ylmethyl)pyridazine-4-carboxamide 1927604-09-8 3,6-dichloro-N-(pyridin-3-ylmethyl)pyridazine-
4-carboxamide 1927604-08-7 3,6-dichloro-N-[1-(2-chlorophenyl)ethyl]pyridazine-4-carboxamide
1919457-44-5 3,6-dichloro-N-(4-methylbenzyl)pyridazine-4-carboxamide 1919457-31-0 3,6-
dichloro-N-[1-(3,4-difluorophenyl)ethyl]pyridazine-4-carboxamide 1916146-03-6 3,6-dichloro-N-
(2-methoxybenzyl)pyridazine-4-carboxamide 1916145-77-1 3,6-dichloro-N-(3-
chlorobenzyl)pyridazine-4-carboxamide 1912880-14-8 3,6-dichloro-N-(3-
methoxybenzyl)pyridazine-4-carboxamide 1912880-04-6 3,6-dichloro-N-(2-
chlorobenzyl)pyridazine-4-carboxamide 1912879-71-0 3,6-dichloro-N-(4-chlorobenzyl)pyridazine-
4-carboxamide 1912879-45-8 3,6-dichloro-N-(2-methylbenzyl)pyridazine-4-carboxamide
1912471-15-8 N-(1,3-benzodioxol-5-ylmethyl)-3,6-dichloropyridazine-4-carboxamide 1912471-
02-3 3,6-dichloro-N-[1-(2,4-dichlorophenyl)ethyl]pyridazine-4-carboxamide 1912470-96-2 3,6-
dichloro-N-(4-methoxybenzyl)pyridazine-4-carboxamide 1911438-41-9 N-benzyl-3,6-
dichloropyridazine-4-carboxamide 1880074-78-1 5-({[(3,6-dichloropyridazin-4-
yl)carbonyl]amino}methyl)pyridine-2-carboxylic acid 1517048-06-4 2-({[(3,6-dichloropyridazin-
4-yl)carbonyl]amino}methyl)isonicotinic acid 1511055-57-4 3,6-dichloro-N-[3-
(hydroxymethyl)benzyl]pyridazine-4-carboxamide 1405420-32-7 3,6-dichloro-N-(3,4-
dimethoxybenzyl)pyridazine-4-carboxamide 1225016-31-8 3-({[(3,6-dichloropyridazin-4-
yl)carbonyl]amino}methyl)benzoic acid 1183508-99-7 4-({[(3,6-dichloropyridazin-4-
yl)carbonyl]amino}methyl)benzoic acid 1098397-28-4 3,6-dichloro-N-[1-(2,4-
difluorophenyl)ethyl]pyridazine-4-carboxamide 1090851-96-9 N-benzyl-3-chloro-6-(pyridin-4-

yl)pyridazine-4-carboxamide 191410-88-5 3-chloro-6-(3-chloropyridin-4-yl)-N-(2,4-dichlorobenzyl)pyridazine-4-carboxamide 161228-90-6 3-chloro-N-(2,4-dichlorobenzyl)-6-(pyridin-4-yl)pyridazine-4-carboxamide 161228-88-2 N-benzyl-3,6-dichloro-N-methoxypyridazine-4-carboxamide 2298913-34-3 3-chloro-6-methoxy-N-(tricyclo[3.3.1.1.sup.3,7]decan-1-ylmethyl)pyridazine-4- 2133857-04-0 carboxamide 3,6-dichloro-N-(4-fluorobenzyl)pyridazine-4-carboxamide 1991771-80-2 3,6-dichloro-N-(1-phenylethyl)pyridazine-4-carboxamide 1988789-00-9 N-(bicyclo[2.2.1]heptan-2-ylmethyl)-3,6-dichloropyridazine-4-carboxamide 1987081-15-1 3,6-dichloro-N-(3-chlorobenzyl)-N-methylpyridazine-4-carboxamide 1963493-19-7 3,6-dichloro-N-methyl-N-(3-methylbenzyl)pyridazine-4-carboxamide 1963485-43-9 3,6-dichloro-N-(4-fluorobenzyl)-N-methylpyridazine-4-carboxamide 1963484-44-7 3,6-dichloro-N-[1-(3-chlorophenyl)ethyl]-N-methylpyridazine-4-carboxamide 1963333-30-3 3,6-dichloro-N-(2-chlorobenzyl)-N-ethylpyridazine-4-carboxamide 1963332-79-7 3,6-dichloro-N-(4-cyanobenzyl)-N-methylpyridazine-4-carboxamide 1963293-80-2 3,6-dichloro-N-(3-methoxybenzyl)-N-methylpyridazine-4-carboxamide 1963293-26-6 3,6-dichloro-N-(3,5-dichlorobenzyl)-N-methylpyridazine-4-carboxamide 1963266-27-4 3,6-dichloro-N-(2,3-dichlorobenzyl)-N-methylpyridazine-4-carboxamide 1963249-00-4 3,6-dichloro-N-(4-chlorobenzyl)-N-methylpyridazine-4-carboxamide 1963248-88-5 3,6-dichloro-N-(2,4-difluorobenzyl)-N-methylpyridazine-4-carboxamide 1963075-71-9 3,6-dichloro-N-(3-chlorobenzyl)-N-ethylpyridazine-4-carboxamide 1962813-56-4 3,6-dichloro-N-[1-(4-fluorophenyl)ethyl]-N-methylpyridazine-4-carboxamide 1961466-57-8 3,6-dichloro-N-(2,4-dimethylbenzyl)-N-methylpyridazine-4-carboxamide 1958753-45-1 3,6-dichloro-N-(3-cyanobenzyl)-N-methylpyridazine-4-carboxamide 1958751-48-8 N-(3-carbamoylbenzyl)-3,6-dichloropyridazine-4-carboxamide 1942812-46-5 3,6-dichloro-N-methyl-N-[1-(4-methylphenyl)ethyl]pyridazine-4-carboxamide 1942812-24-9 3,6-dichloro-N-(3,4-difluorobenzyl)-N-methylpyridazine-4-carboxamide 1942811-37-1 3,6-dichloro-N-[(1RS)-2-hydroxy-1-phenylethyl]pyridazine-4-carboxamide 1939959-83-7 3,6-dichloro-N-[1-(2-fluorophenyl)ethyl]-N-methylpyridazine-4-carboxamide 1939278-59-7 3,6-dichloro-N-[1-(2-hydroxyphenyl)ethyl]-N-methylpyridazine-4-carboxamide 1939278-58-6 3,6-dichloro-N-(2-hydroxybenzyl)-N-methylpyridazine-4-carboxamide 1939278-57-5 N-(bicyclo[4.2.0]octa-1,3,5-trien-7-ylmethyl)-3,6-dichloropyridazine-4- 1939278-54-2 carboxamide 1933879-30-1 N-(3-bromobenzyl)-3,6-dichloro-N-methylpyridazine-4-carboxamide 1933878-73-9 N-(4-bromobenzyl)-3,6-dichloro-N-methylpyridazine-4-carboxamide 1931659-70-9 3,6-dichloro-N-methyl-N-(4-methylbenzyl)pyridazine-4-carboxamide 1931659-02-7 3,6-dichloro-N-[1-(2-chlorophenyl)ethyl]-N-methylpyridazine-4-carboxamide 1931658-98-8 3,6-dichloro-N-[1-(4-chlorophenyl)ethyl]-N-methylpyridazine-4-carboxamide 1931658-46-6 3,6-dichloro-N-(4-methoxybenzyl)-N-methylpyridazine-4-carboxamide 1931658-28-4 N-(2-bromobenzyl)-3,6-dichloro-N-methylpyridazine-4-carboxamide 1930978-48-5 3,6-dichloro-N-(4-hydroxybenzyl)-N-methylpyridazine-4-carboxamide 1930978-28-1 3,6-dichloro-N-(4-ethylbenzyl)-N-methylpyridazine-4-carboxamide 1930978-20-3 3,6-dichloro-N-methyl-N-(1-phenylethyl)pyridazine-4-carboxamide 1927604-57-6 3,6-dichloro-N-ethyl-N-(3-methylbenzyl)pyridazine-4-carboxamide 1927604-54-3 3,6-dichloro-N-(3-hydroxybenzyl)-N-methylpyridazine-4-carboxamide 1927369-37-6 3,6-dichloro-N-[(1 RS)-2-hydroxy-1-phenylethyl]pyridazine-4-carboxamide 1917672-69-5 3,6-dichloro-N-methyl-N-[4-(methylsulfanyl)benzyl]pyridazine-4-carboxamide 1916146-31-0 3,6-dichloro-N-(3-fluorobenzyl)-N-methylpyridazine-4-carboxamide 1916146-24-1 3,6-dichloro-N-(2-chloro-6-fluorobenzyl)-N-methylpyridazine-4-carboxamide 1916146-09-2 3,6-dichloro-N-ethyl-N-(3-fluorobenzyl)pyridazine-4-carboxamide 1916146-00-3 3,6-dichloro-N-(2,4-dichlorobenzyl)-N-methylpyridazine-4-carboxamide 1916145-61-3 N-[1-(bicyclo[2.2.1]heptan-2-yl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1912880-08-0 3,6-dichloro-N-(2-methoxybenzyl)-N-methylpyridazine-4-carboxamide 1912879-93-6 3,6-dichloro-N-(3,4-dichlorobenzyl)-N-

methylpyridazine-4-carboxamide 1912471-09-0 3,6-dichloro-N-(2-chlorobenzyl)-N-methylpyridazine-4-carboxamide 1987080-66-9 3,6-dichloro-N-[1-(pyridin-3-yl)ethyl]pyridazine-4-carboxamide 1986954-61-3 3,6-dichloro-N-[(6-methylpyridin-3-yl)methyl]pyridazine-4-carboxamide 1912316-19-8 3,6-dichloro-N-(2-fluorobenzyl)-N-methylpyridazine-4-carboxamide 1882013-85-5 N-benzyl-3,6-dichloro-N-propylpyridazine-4-carboxamide 1877684-70-2 N-benzyl-3,6-dichloro-N-methylpyridazine-4-carboxamide 1874825-14-5 N-benzyl-3,6-dichloro-N-(2,2,2-trifluoroethyl)pyridazine-4-carboxamide 1874578-66-1 N-benzyl-3,6-dichloro-N-ethylpyridazine-4-carboxamide N-benzyl-3,6-dichloro-N-isopropylpyridazine-4-carboxamide 1874578-65-0 N-benzyl-3,6-dichloro-N-(2-methoxyethyl)pyridazine-4-carboxamide 1866600-42-1 N-benzyl-N-sec-butyl-3,6-dichloropyridazine-4-carboxamide 1857334-84-9 3,6-dichloro-N-(2-hydroxy-1-phenylethyl)pyridazine-4-carboxamide 1490216-99-3 3,6-dichloro-N-[(1-hydroxycycloheptyl)methyl]pyridazine-4-carboxamide 1483136-13-5 N-benzyl-3,6-dichloro-N-(2-hydroxyethyl)pyridazine-4-carboxamide 1457256-24-4 (2RS)-{[(3,6-dichloropyridazin-4-yl)carbonyl]amino} (phenyl)acetic acid 1308237-58-2 {[(3,6-dichloropyridazin-4-yl)carbonyl]amino} (phenyl)acetic acid 1218464-07-3 3-chloro-6-(3-chloro-5-methylphenyl)-N-(3,4-dimethoxybenzyl)pyridazine-4- 1225016-34-1 carboxamide 3-chloro-N-(3,4-dimethoxybenzyl)-6-(3,5-dimethylphenyl)pyridazine-4- 1225016-32-9 carboxamide 3,6-dichloro-N-[1-(6,7-dihydro-5H-pyrrolo[2,1-c][1,2,4]triazol-3-yl)ethyl] 1961466-89-6 pyridazine-carboxamide 3,6-dichloro-N-(5,6-dihydro-4H-cyclopenta[b]thiophen-2-ylmethyl)pyridazine-4- 1927604-67-8 carboxamide N-(1H-benzimidazol-2-ylmethyl)-3,6-dichloropyridazine-4-carboxamide 1549932-84-4 3,6-dichloro-N-(1,2-thiazol-3-ylmethyl)pyridazine-4-carboxamide 2163201-91-8 3,6-dichloro-N-(1,2,3-thiadiazol-5-ylmethyl)pyridazine-4-carboxamide 2024446-45-3 3,6-dichloro-N-(1,3-oxazol-4-ylmethyl)pyridazine-4-carboxamide 2006958-66-1 3,6-dichloro-N-(1,2,3-thiadiazol-4-ylmethyl)pyridazine-4-carboxamide 2004285-43-0 3,6-dichloro-N-(1,2-thiazol-5-ylmethyl)pyridazine-4-carboxamide 1996485-85-8 3,6-dichloro-N-(1H-1,2,3-triazol-5-ylmethyl)pyridazine-4-carboxamide 1995732-69-8 3,6-dichloro-N-[(4,5-dimethyl-2-thienyl)methyl]pyridazine-4-carboxamide 1991569-72-2 3,6-dichloro-N-[1-(1,3-thiazol-2-yl)propyl]pyridazine-4-carboxamide 1991569-50-6 3,6-dichloro-N-(1H-pyrrol-3-ylmethyl)pyridazine-4-carboxamide 1990070-85-3 3,6-dichloro-N-[(2-methyl-1,3-thiazol-4-yl)methyl]pyridazine-4-carboxamide 1987539-29-6 3,6-dichloro-N-[(4-methyl-1,3-thiazol-5-yl)methyl]pyridazine-4-carboxamide 1987081-08-2 3,6-dichloro-N-[(5-methyl-2-furyl)methyl]pyridazine-4-carboxamide 1987080-93-2 3,6-dichloro-N-[(3-ethyl-2-thienyl)methyl]pyridazine-4-carboxamide 1986453-83-1 3,6-dichloro-N-[(5-ethyl-1,3-thiazol-2-yl)methyl]pyridazine-4-carboxamide 1983851-90-6 3,6-dichloro-N-[(5-chloro-2-thienyl)methyl]pyridazine-4-carboxamide 1983344-50-8 3,6-dichloro-N-[1-(2-thienyl)propyl]pyridazine-4-carboxamide 1983343-92-5 3,6-dichloro-N-[(2-methyl-1,3-thiazol-5-yl)methyl]pyridazine-4-carboxamide 1983343-79-8 3,6-dichloro-N-[(3-methyl-1,2,4-oxadiazol-5-yl)methyl]pyridazine-4-carboxamide 1983343-71-0 N-[(5-bromo-2-thienyl)methyl]-3,6-dichloropyridazine-4-carboxamide 1983343-64-1 3,6-dichloro-N-[1-(5-chloro-2-thienyl)ethyl]pyridazine-4-carboxamide 1983091-96-8 3,6-dichloro-N-[(5-methyl-2-thienyl)methyl]pyridazine-4-carboxamide 1983088-96-5 3,6-dichloro-N-[(4-methyl-1,3-thiazol-2-yl)methyl]pyridazine-4-carboxamide 1982203-99-5 3,6-dichloro-N-[1-(5-methyl-1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1981931-26-3 3,6-dichloro-N-[(5-methyl-1,2-oxazol-3-yl)methyl]pyridazine-4-carboxamide 1981931-02-5 3,6-dichloro-N-[1-(2-thienyl)ethyl]pyridazine-4-carboxamide 1963491-90-8 3,6-dichloro-N-[1-(2,5-dimethyl-3-furyl)ethyl]pyridazine-4-carboxamide 1963486-37-4 3,6-dichloro-N-[1-(5-methyl-2-thienyl)ethyl]pyridazine-4-carboxamide 1963333-53-0 3,6-dichloro-N-(3-furylmethyl)pyridazine-4-carboxamide 1963326-34-2 3,6-dichloro-N-[1-(3,5-dimethyl-1,2-oxazol-4-yl)ethyl]pyridazine-4-carboxamide 1963325-71-4 3,6-dichloro-N-[1-(5-ethyl-1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1963296-03-8 N-[(3-bromo-2-thienyl)methyl]-3,6-dichloropyridazine-4-carboxamide 1963295-51-3 3,6-dichloro-N-[(4-

methyl-3-thienyl)methyl]pyridazine-4-carboxamide 1963295-45-5 N-[(4-bromo-2-thienyl)methyl]-3,6-dichloropyridazine-4-carboxamide 1963295-18-2 3,6-dichloro-N-[1-(5-methyl-2-furyl)ethyl]pyridazine-4-carboxamide 1963076-44-9 N-(1,3-benzothiazol-2-ylmethyl)-3,6-dichloropyridazine-4-carboxamide 1962813-77-9 3,6-dichloro-N-(3-thienylmethyl)pyridazine-4-carboxamide 1962806-33-2 3,6-dichloro-N-[1-(1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1961468-21-2 3,6-dichloro-N-(1,3-thiazol-4-ylmethyl)pyridazine-4-carboxamide 1961467-79-7 3,6-dichloro-N-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]pyridazine-4-carboxamide 1960925-03-4 3,6-dichloro-N-[1-(1H-pyrazol-4-yl)ethyl]pyridazine-4-carboxamide 1960734-20-6 3,6-dichloro-N-(1,2,4-oxadiazol-3-ylmethyl)pyridazine-4-carboxamide 1960647-70-4 3,6-dichloro-N-[(5-ethyl-2-thienyl)methyl]pyridazine-4-carboxamide 1959928-52-9 3,6-dichloro-N-[(4,5-dimethyl-1,3-oxazol-2-yl)methyl]pyridazine-4-carboxamide 1944224-32-1 3,6-dichloro-N-[(2-oxo-2,3-dihydro-1,3-thiazol-4-yl)methyl]pyridazine-4- 1944175-80-7 carboxamide 3,6-dichloro-N-(1,2-oxazol-5-ylmethyl)pyridazine-4-carboxamide 1944092-53-8 3,6-dichloro-N-(1,3-thiazol-5-ylmethyl)pyridazine-4-carboxamide 1939855-08-9 3,6-dichloro-N-[1-(2-thienyl)butyl]pyridazine-4-carboxamide 1933879-62-9 3,6-dichloro-N-[1-(2,4-dimethyl-1,3-thiazol-5-yl)ethyl]pyridazine-4-carboxamide 1933879-42-5 3,6-dichloro-N-[2-(1,3-thiazol-2-yl)propan-2-yl]pyridazine-4-carboxamide 1933816-57-9 3,6-dichloro-N-[(5-ethyl-1,3-oxazol-2-yl)methyl]pyridazine-4-carboxamide 1933237-05-8 3,6-dichloro-N-[1-(5-methyl-1,3-oxazol-2-yl)ethyl]pyridazine-4-carboxamide 1933235-18-7 3,6-dichloro-N-[(5-methyl-1,3-oxazol-2-yl)methyl]pyridazine-4-carboxamide 1933211-12-1 3,6-dichloro-N-[1-(4H-1,2,4-triazol-3-yl)ethyl]pyridazine-4-carboxamide 1933075-14-9 3,6-dichloro-N-[(5-methyl-1,3-thiazol-2-yl)methyl]pyridazine-4-carboxamide 1931742-39-0 3,6-dichloro-N-(1,3-thiazol-2-ylmethyl)pyridazine-4-carboxamide 1931070-72-2 3,6-dichloro-N-[(3-methyl-2-thienyl)methyl]pyridazine-4-carboxamide 1930978-98-5 3,6-dichloro-N-[(3,5-dimethyl-1,2-oxazol-4-yl)methyl]pyridazine-4-carboxamide 1930465-59-0 3,6-dichloro-N-[1-(4-methyl-1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1930465-52-3 3,6-dichloro-N-(1,2-oxazol-3-ylmethyl)pyridazine-4-carboxamide 1927605-15-9 3,6-dichloro-N-[(3-methyl-1,2-oxazol-5-yl)methyl]pyridazine-4-carboxamide 1927604-96-3 3,6-dichloro-N-[1-(2,5-dimethyl-3-thienyl)ethyl]pyridazine-4-carboxamide 1927604-36-1 3,6-dichloro-N-[1-(2-furyl)ethyl]pyridazine-4-carboxamide 1916146-38-7 3,6-dichloro-N-(2-furylmethyl)pyridazine-4-carboxamide 1912880-00-2 3,6-dichloro-N-(2-thienylmethyl)pyridazine-4-carboxamide 1912471-11-4 3,6-dichloro-N-[1-(1H-imidazol-2-yl)propyl]pyridazine-4-carboxamide 1777242-75-7 3,6-dichloro-N-[1-(1H-imidazol-2-yl)ethyl]pyridazine-4-carboxamide 1712498-63-9 5-({[(3,6-dichloropyridazin-4-yl)carbonyl]amino}methyl)-2-furoic acid 1516773-69-5 2-(1-({[(3,6-dichloropyridazin-4-yl)carbonyl]amino}ethyl)-1,3-thiazole-4- 1513042-93-7 carboxylic acid 2-({[(3,6-dichloropyridazin-4-yl)carbonyl]amino}methyl)-1,3-thiazole-4- 1503494-31-2 carboxylic acid 2-({[(3,6-dichloropyridazin-4-yl)carbonyl]amino}methyl)-4-methyl-1,3-thiazole-5- 1481992-26-0 carboxylic acid 3,6-dichloro-N-(1H-imidazol-5-ylmethyl)pyridazine-4-carboxamide 1477586-27-8 3,6-dichloro-N-(1H-imidazol-2-ylmethyl)pyridazine-4-carboxamide 1378481-77-6 3,6-dichloro-N-(1H-pyrazol-3-ylmethyl)pyridazine-4-carboxamide 1307455-79-3 3,6-dichloro-N-[1-(1H-tetrazol-5-yl)ethyl]pyridazine-4-carboxamide 1306409-32-4 3,6-dichloro-N-(1H-tetrazol-5-ylmethyl)pyridazine-4-carboxamide 1304608-61-4 3,6-dichloro-N-(4H-1,2,4-triazol-3-ylmethyl)pyridazine-4-carboxamide 1183972-25-9 5-({[(3,6-dichloropyridazin-4-yl)carbonyl]amino}methyl)-2-methyl-3-furoic acid 1183858-15-2 3,6-dichloro-N-(1H-pyrazol-4-ylmethyl)pyridazine-4-carboxamide 1183827-88-4 3,6-dichloro-N-[(3-methyl-1H-pyrazol-4-yl)methyl]pyridazine-4-carboxamide 1178934-83-2 N-[(1-benzyl-1H-pyrazol-4-yl)methyl]-3,6-dichloropyridazine-4-carboxamide 1999589-02-4 N-[(1-benzyl-1H-pyrazol-3-yl)methyl]-3,6-dichloropyridazine-4-carboxamide 1994116-56-1 3,6-dichloro-N-[(1-methyl-1H-pyrazol-3-yl)methyl]pyridazine-4-carboxamide 1988885-72-8 3,6-dichloro-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]pyridazine-4- 1988885-56-8 carboxamide 3,6-dichloro-N-[1-(1-methyl-1H-pyrazol-4-yl)ethyl]pyridazine-4-carboxamide 1987763-00-7 3,6-dichloro-N-methyl-N-[(2-methyl-

1,3-thiazol-5-yl)methyl]pyridazine-4- 1987539-17-2 carboxamide 3,6-dichloro-N-[(1-methyl-1H-pyrazol-4-yl)methyl]pyridazine-4-carboxamide 1986954-08-8 3,6-dichloro-N-methyl-N-[(3-methyl-2-thienyl)methyl]pyridazine-4-carboxamide 1986953-73-4 3,6-dichloro-N-methyl-N-[(5-methyl-2-furyl)methyl]pyridazine-4-carboxamide 1986953-63-2 3,6-dichloro-N-methyl-N-(pyridin-2-ylmethyl)pyridazine-4-carboxamide 1986411-77-1 3,6-dichloro-N-[(1-methyl-1H-pyrrol-3-yl)methyl]pyridazine-4-carboxamide 1984166-87-1 3,6-dichloro-N-[(1,5-dimethyl-1H-pyrazol-4-yl)methyl]pyridazine-4-carboxamide 1983611-73-9 3,6-dichloro-N-methyl-N-[(2-methyl-1,3-thiazol-4-yl)methyl]pyridazine-4- 1983343-98-1 carboxamide 3,6-dichloro-N-methyl-N-[(5-methyl-1,2-oxazol-3-yl)methyl]pyridazine-4- 1983343-52-7 carboxamide 3,6-dichloro-N-methyl-N-[(2-methyl-3-furyl)methyl]pyridazine-4-carboxamide 1983088-82-9 3,6-dichloro-N-[(1-methyl-1H-pyrazol-5-yl)methyl]pyridazine-4-carboxamide 1982231-41-3 3,6-dichloro-N-[1-(3-thienyl) ethyl]pyridazine-4-carboxamide 1982204-16-9 3,6-dichloro-N-[1-(4-methyl-4H-1,2,4-triazol-3-yl)ethyl]pyridazine-4-carboxamide 1982203-88-2 3,6-dichloro-N-methyl-N-(3-thienylmethyl)pyridazine-4-carboxamide 1981930-80-6 3,6-dichloro-N-[(1-methyl-1H-pyrrol-2-yl)methyl]pyridazine-4-carboxamide 1964928-85-5 3,6-dichloro-N-methyl-N-[(4-methyl-1,3-thiazol-5-yl)methyl]pyridazine-4- 1963487-15-1 carboxamide 3,6-dichloro-N-methyl-N-(1,3-thiazol-4-ylmethyl)pyridazine-4-carboxamide 1963486-30-7 3,6-dichloro-N-[(1,3-dimethyl-1H-pyrazol-4-yl)methyl]pyridazine-4-carboxamide 1963326-14-8 3,6-dichloro-N-[(3,5-dimethyl-1,2-oxazol-4-yl)methyl]-N-methylpyridazine-4- 1963077-09-9 carboxamide 3,6-dichloro-N-isopropyl-N-[(5-methyl-2-furyl)methyl]pyridazine-4-carboxamide 1962813-68-8 3,6-dichloro-N-(2-cyanoethyl)-N-(2-furylmethyl)pyridazine-4-carboxamide 1962813-36-0 3,6-dichloro-N-[(3-ethyl-1-methyl-1H-pyrazol-4-yl)methyl]pyridazine-4- 1962807-42-6 carboxamide 1962806-93-4 3,6-dichloro-N-methyl-N-[(1-methyl-1H-imidazol-2-yl)methyl]pyridazine-4- 1961467-39-9 carboxamide 3,6-dichloro-N-methyl-N-(pyridin-4-ylmethyl)pyridazine-4-carboxamide 1961466-14-7 3,6-dichloro-N-(2-furylmethyl)-N-methylpyridazine-4-carboxamide 1961466-02-3 3,6-dichloro-N-[(1-methyl-1H-1,2,4-triazol-3-yl)methyl]pyridazine-4-carboxamide 1959976-49-8 3,6-dichloro-N-methyl-N-[1-(pyridin-4-yl)ethyl]pyridazine-4-carboxamide 1958754-06-7 3,6-dichloro-N-methyl-N-(pyridin-3-ylmethyl)pyridazine-4-carboxamide 1958720-30-3 3,6-dichloro-N-(hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl)pyridazine-4- 1942813-31-1 carboxamide 3,6-dichloro-N-(2,3-dihydro-1-benzofuran-2-ylmethyl)pyridazine-4-carboxamide 1942812-35-2 3,6-dichloro-N-isopropyl-N-(pyridin-3-ylmethyl)pyridazine-4-carboxamide 1942812-14-7 3,6-dichloro-N-ethyl-N-(pyridin-2-ylmethyl)pyridazine-4-carboxamide 1939274-40-4 N-[(5-bromo-3-thienyl)methyl]-3,6-dichloro-N-methylpyridazine-4-carboxamide 1939274-12-0 3,6-dichloro-N-isopropyl-N-(2-thienylmethyl)pyridazine-4-carboxamide 1933879-57-2 3,6-dichloro-N-[(8-methyl-8-azabicyclo[3.2.1]octan-3-yl)methyl]pyridazine-4- 1933879-27-6 carboxamide 3,6-dichloro-N-ethyl-N-(2-furylmethyl)pyridazine-4-carboxamide 1933879-20-9 3-[(3,6-dichloropyridazin-4-yl)carbonyl]amino}-3-(2-thienyl)propanoic acid 1933878-95-5 3,6-dichloro-N-[1-(1,5-dimethyl-1H-pyrazol-4-yl)ethyl]pyridazine-4-carboxamide 1933878-78-4 3,6-dichloro-N-[(5-chloro-2-thienyl)methyl]-N-methylpyridazine-4-carboxamide 1933878-68-2 3,6-dichloro-N-[(4-methyl-4H-1,2,4-triazol-3-yl)methyl]pyridazine-4-carboxamide 1931659-36-7 3,6-dichloro-N-ethyl-N-(pyridin-4-ylmethyl)pyridazine-4-carboxamide 1931658-89-7 N-[(5-bromo-2-furyl)methyl]-3,6-dichloro-N-methylpyridazine-4-carboxamide 1931658-88-6 N-[(5-bromo-2-thienyl)methyl]-3,6-dichloro-N-ethylpyridazine-4-carboxamide 1931658-23-9 3,6-dichloro-N-ethyl-N-(2-thienylmethyl)pyridazine-4-carboxamide 1931658-19-3 3,6-dichloro-N-(3-furylmethyl)-N-methylpyridazine-4-carboxamide 1931070-73-3 3,6-dichloro-N-[(1,3,5-trimethyl-1H-pyrazol-4-yl)methyl]pyridazine-4-carboxamide 1930978-97-4 3,6-dichloro-N-[(1-methyl-1H-imidazol-2-yl)methyl]pyridazine-4-carboxamide 1930978-90-7 N-[(4-bromo-2-thienyl)methyl]-3,6-dichloro-N-methylpyridazine-4-carboxamide 1930978-56-5 3,6-dichloro-N-methyl-N-(2-thienylmethyl)pyridazine-4-carboxamide 1930978-05-4 3,6-dichloro-N-isopropyl-N-(pyridin-2-ylmethyl)pyridazine-4-carboxamide 1930464-94-0 3,6-dichloro-N-[2-methyl-1-(2-

thienyl)propyl]pyridazine-4-carboxamide 1930464-77-9 3,6-dichloro-N-ethyl-N-[(6-methylpyridin-2-yl)methyl]pyridazine-4-carboxamide 1927605-12-6 3,6-dichloro-N-([1,2,4]triazolo[4,3-a]pyridin-3-ylmethyl)pyridazine-4-carboxamide 1927604-73-6 3,6-dichloro-N-methyl-N-[1-(5-methyl-2-thienyl)ethyl]pyridazine-4-carboxamide 1927604-53-2 3,6-dichloro-N-methyl-N-[1-(2-thienyl)ethyl]pyridazine-4-carboxamide 1927604-52-1 3,6-dichloro-N-(6,7-dihydro-5H-pyrrolo[2,1-c][1,2,4]triazol-3-ylmethyl)-N- 1927604-51-0 methylpyridazine-4-carboxamide 3,6-dichloro-N-[(5-chloro-2-thienyl)methyl]-N-ethylpyridazine-4-carboxamide 1927604-24-7 3,6-dichloro-N-[(4-ethyl-4H-1,2,4-triazol-3-yl)methyl]pyridazine-4-carboxamide 1923078-50-5 3,6-dichloro-N-methyl-N-[(5-methyl-4H-1,2,4-triazol-3-yl)methyl]pyridazine-4-1485156-86-2 carboxamide 3,6-dichloro-N-(1H-imidazol-2-ylmethyl)-N-methylpyridazine-4-carboxamide 1469787-71-0 3,6-dichloro-N-methyl-N-(1H-pyrazol-4-ylmethyl)pyridazine-4-carboxamide 1409147-57-4 3,6-dichloro-N-methyl-N-(4H-1,2,4-triazol-3-ylmethyl)pyridazine-4-carboxamide 1378919-35-7 3,6-dichloro-N-(pyridin-2-ylmethyl)pyridazine-4-carboxamide 380344-61-6

(374) Further intermediates are compounds of formula (3):

(375) ##STR00034##

(376) wherein

(377) G is halogen,

(378) n=1 and m=1,

(379) R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy,

(380) R.sup.2, R.sup.3, R.sup.4 and R.sup.5 are as described herein,

(381) R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle (phenyl), aromatic 5- to 14-membered heterocycle and non-aromatic 6- to 14-membered polycyclic heterocycle,

(382) R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy,

(383) C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and — N(R.sup.e).sub.2 with R.sup.e being as disclosed herein and wherein R.sup.7 and R.sup.e may be substituted as disclosed herein,

(384) R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl, provided that the compound of formula (3) is not

(385) TABLE-US-00005 3,6-dichloro-N-[2-(pyridin-2-yl)ethyl]pyridazine-4-carboxamide 1982206-64-3 3,6-dichloro-N-[2-(pyridin-3-yl)ethyl]pyridazine-4-carboxamide 1981930-87-3 3,6-dichloro-N-[2-(3,5-difluorophenyl)ethyl]pyridazine-4-carboxamide 1963486-79-4 3,6-dichloro-N-[2-(3-methylphenyl)ethyl]pyridazine-4-carboxamide 1963267-34-6 3,6-dichloro-N-[2-(3-chlorophenyl)ethyl]pyridazine-4-carboxamide 1961466-79-4 3,6-dichloro-N-[2-(4-fluoro-2-methylphenyl)ethyl]pyridazine-4-carboxamide 1958752-63-0 3,6-dichloro-N-[2-(3-methoxyphenyl)ethyl]pyridazine-4-carboxamide 1939713-84-4 3,6-dichloro-N-[2-(4-hydroxyphenyl)ethyl]pyridazine-4-carboxamide 1930978-66-7 3,6-dichloro-N-[2-(3-fluorophenyl)ethyl]pyridazine-4-carboxamide 1930464-33-7 3,6-dichloro-N-[2-(pyridin-4-yl)ethyl]pyridazine-4-carboxamide 1927604-17-8 3,6-dichloro-N-[2-(2-methoxyphenyl)ethyl]pyridazine-4-carboxamide 1926106-33-3 3,6-dichloro-N-[2-(4-methoxyphenyl)ethyl]pyridazine-4-carboxamide 1917672-49-1 3,6-dichloro-N-[2-(4-fluorophenyl)ethyl]pyridazine-4-carboxamide 1916146-17-2 3,6-dichloro-N-[2-(4-chlorophenyl)ethyl]pyridazine-4-carboxamide 1916145-74-8 3,6-dichloro-N-[2-(2,4-

dichlorophenyl)ethyl]pyridazine-4-carboxamide 1912316-22-3 3,6-dichloro-N-[2-(2-fluorophenyl)ethyl]pyridazine-4-carboxamide 1911438-43-1 3,6-dichloro-N-(2-hydroxy-2-phenylethyl)pyridazine-4-carboxamide 1155518-85-6 3,6-dichloro-N-(2-phenylethyl)pyridazine-4-carboxamide 199478-02-9 3,6-dichloro-N-[2-(2-thienyl)ethyl]pyridazine-4-carboxamide 1988885-38-6 3,6-dichloro-N-[2-(4-methyl-1H-pyrazol-1-yl)ethyl]pyridazine-4-carboxamide 1987840-59-4 3,6-dichloro-N-[2-hydroxy-2-(3-thienyl)ethyl]pyridazine-4-carboxamide 1987333-52-7 3,6-dichloro-N-[2-(1,3-thiazol-4-yl)ethyl]pyridazine-4-carboxamide 1987081-19-5 3,6-dichloro-N-[2-(4-methyl-1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1987081-05-9 3,6-dichloro-N-[2-(1,2,4-oxadiazol-5-yl)ethyl]pyridazine-4-carboxamide 1983447-74-0 3,6-dichloro-N-[2-(3-thienyl)ethyl]pyridazine-4-carboxamide 1983088-84-1 3,6-dichloro-N-[2-(3-methyl-1,2,4-oxadiazol-5-yl)ethyl]pyridazine-4- 1982958-83-7 carboxamide N-[2-(5-bromo-2-thienyl)ethyl]-3,6-dichloropyridazine-4-carboxamide 1982305-31-6 3,6-dichloro-N-[2-(2-furyl)ethyl]pyridazine-4-carboxamide 1982203-97-3 3,6-dichloro-N-[2-(1,2,4-oxadiazol-3-yl)ethyl]pyridazine-4-carboxamide 1964916-99-1 3,6-dichloro-N-[2-(5-chloro-2-thienyl)ethyl]pyridazine-4-carboxamide 1964235-20-8 3,6-dichloro-N-[2-(2-methyl-1,3-thiazol-4-yl)ethyl]pyridazine-4-carboxamide 1964117-88-1 3,6-dichloro-N-[2-(1H-1,2,3-triazol-1-yl)ethyl]pyridazine-4-carboxamide 1962807-54-0 3,6-dichloro-N-[2-(1,3-thiazol-2-yl)ethyl]pyridazine-4-carboxamide 1961467-67-3 1-(2-[(3,6-dichloropyridazin-4-yl)carbonyl]amino)ethyl)-1H-imidazole-4- 1961444-14-3 carboxylic acid 3,6-dichloro-N-[2-(1H-pyrrol-1-yl)ethyl]pyridazine-4-carboxamide 1960924-96-2 3,6-dichloro-N-[2-(1-methyl-1H-pyrazol-3-yl)ethyl]pyridazine-4-carboxamide 1960200-68-3 3,6-dichloro-N-[2-(1-methyl-1H-pyrazol-4-yl)ethyl]pyridazine-4-carboxamide 1958752-66-3 3,6-dichloro-N-[2-(5-methyl-1,2,4-oxadiazol-3-yl)ethyl]pyridazine-4- 1933260-88-8 carboxamide 3,6-dichloro-N-[2-(1H-pyrazol-1-yl)ethyl]pyridazine-4-carboxamide 1930978-75-8 3,6-dichloro-N-[2-(1H-imidazol-1-yl)ethyl]pyridazine-4-carboxamide 1930978-73-6 3,6-dichloro-N-[2-(1-methyl-1H-1,2,4-triazol-3-yl)ethyl]pyridazine-4- 1927605-14-8 carboxamide 3,6-dichloro-N-[2-(1H-imidazol-2-yl)ethyl]pyridazine-4-carboxamide 1777228-56-4 2-(2-[(3,6-dichloropyridazin-4-yl)carbonyl]amino)ethyl)-1,3-thiazole-4- 1515904-17-2 carboxylic acid 3,6-dichloro-N-[2-(1H-imidazol-5-yl)ethyl]pyridazine-4-carboxamide 1496013-42-3 1-(2-[(3,6-dichloropyridazin-4-yl)carbonyl]amino)ethyl)-1H-1,2,3-triazole-4- 1489434-01-6 carboxylic acid 3,6-dichloro-N-[2-(4H-1,2,4-triazol-3-yl)ethyl]pyridazine-4-carboxamide 1464902-43-9 3,6-dichloro-N-[2-(1,3-thiazol-2-yl)propyl]pyridazine-4-carboxamide 1988735-54-1 3,6-dichloro-N-[2-(4-methyl-4H-1,2,4-triazol-3-yl)ethyl]pyridazine-4- 1983344-17-7 carboxamide 3,6-dichloro-N-[1-(1H-imidazol-1-yl)propan-2-yl]pyridazine-4-carboxamide 1983343-54-9 3,6-dichloro-N-methyl-N-[2-(2-thienyl)ethyl]pyridazine-4-carboxamide 1982231-69-5 3,6-dichloro-N-ethyl-N-(2-phenylethyl)pyridazine-4-carboxamide 1963485-83-7 3,6-dichloro-N-(2-methyl-2-phenylpropyl)pyridazine-4-carboxamide 1963333-18-7 3,6-dichloro-N-(1-phenylpropan-2-yl)pyridazine-4-carboxamide 1963325-02-1 3,6-dichloro-N-[1-(5-methyl-2-thienyl)propan-2-yl]pyridazine-4-carboxamide 1963295-24-0 3,6-dichloro-N-[1-(3-thienyl)propan-2-yl]pyridazine-4-carboxamide 1963266-60-5 3,6-dichloro-N-(2-phenylpropyl)pyridazine-4-carboxamide 1963249-31-1 3,6-dichloro-N-[1-(2-furyl)propan-2-yl]pyridazine-4-carboxamide 1963076-52-9 3,6-dichloro-N-methyl-N-[1-(2-thienyl)propan-2-yl]pyridazine-4- 1962806-83-2 carboxamide 3,6-dichloro-N-[2-(1-methyl-1H-pyrazol-5-yl)ethyl]pyridazine-4-carboxamide 1961468-97-2 3,6-dichloro-N-[(2RS)-1-hydroxy-3-phenylpropan-2-yl]pyridazine-4- 1961457-84-0 carboxamide 3,6-dichloro-N-[1-(1H-pyrazol-1-yl)propan-2-yl]pyridazine-4-carboxamide 1958753-58-6 3,6-dichloro-N-[1-(4-fluorophenyl)propan-2-yl]pyridazine-4-carboxamide 1958752-29-8 3,6-dichloro-N-methyl-N-(2-phenylethyl)pyridazine-4-carboxamide 1958751-61-5 3,6-dichloro-N-[(2RS)-1-hydroxy-3-phenylpropan-2-yl]pyridazine-4- 1942775-34-9 carboxamide 3,6-dichloro-N-[1-(3-chlorophenyl)propan-2-yl]pyridazine-4-carboxamide 1939278-50-8 3,6-dichloro-N-[1-(2-chlorophenyl)propan-2-yl]pyridazine-4-carboxamide 1931658-69-3 3,6-dichloro-N-[2-(2-

methylphenyl)ethyl]pyridazine-4-carboxamide 1931068-89-1 N-[1-(4-bromophenyl)propan-2-yl]-3,6-dichloropyridazine-4-carboxamide 1930978-36-1 3,6-dichloro-N-[1-(2-methylphenyl)propan-2-yl]pyridazine-4-carboxamide 1930464-45-1 3,6-dichloro-N-(1-hydroxy-3-phenylpropan-2-yl)pyridazine-4-carboxamide 1409556-04-2 N-{[3-chloro-6-(4-chlorophenyl)pyridazin-4-yl]carbonyl}phenylalanine 1349429-86-2 3,6-dichloro-N-methyl-N-[2-(pyridin-2-yl)ethyl]pyridazine-4-carboxamide 1942811-41-7 3,6-dichloro-N-[2-methyl-2-(2-thienyl)propyl]pyridazine-4-carboxamide 1939857-30-3 3,6-dichloro-N-[1-(2-thienyl)propan-2-yl]pyridazine-4-carboxamide 1931658-73-9 3,6-dichloro-N-methyl-N-[2-(pyridin-4-yl)ethyl]pyridazine-4-carboxamide 1930978-46-3 3,6-dichloro-N-[2-(1-methyl-1H-imidazol-2-yl)ethyl]pyridazine-4- 1930465-02-3 carboxamide N-[(3,6-dichloropyridazin-4-yl)carbonyl]histidine 1922906-07-7

(386) Further intermediates are compounds of formula (3):

(387) ##STR00035##

(388) wherein

(389) G is halogen,

(390) n=1 and m=1,

(391) R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy

(392) R.sup.3 and R.sup.4 form together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl,

(393) R.sup.2 and R.sup.5 are as described herein,

(394) R.sup.6 is as described herein,

(395) R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and — N(R.sup.e).sub.2 with R.sup.e being as disclosed herein and wherein R.sup.7 and R.sup.e may be substituted as disclosed herein,

(396) R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl,

(397) provided that the compound of formula (3) is not

(398) TABLE-US-00006 rel-3,6-dichloro-N-[(1R,2S)-2-phenylcyclopropyl]pyridazine-4-carboxamide 1931070-77-7 3-chloro-N-[rac-(1R,2R)-2-(4-chlorophenyl)cyclobutyl]pyridazine-4-carboxamide 1644254-75-0 3-chloro-N-[rac-(1R,2R)-2-(2,4-dichlorophenyl)cyclobutyl]pyridazine-4- 1644254-74-9 carboxamide 3-chloro-N-[rac-(1R,2R)-2-(2-fluorophenyl)cyclobutyl]pyridazine-4-carboxamide 1644253-02-0 3-chloro-N-[rac-(1R,2R)-2-(2,4-difluorophenyl)cyclobutyl]pyridazine-4-carboxamide 1644253-01-9

(399) Further intermediates are compounds of formula (3):

(400) ##STR00036##

(401) wherein

(402) G is halogen,

(403) n=0 and m=0,

(404) R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy,

(405) R.sup.6 is selected from the group consisting of non-aromatic C.sub.7-C.sub.12-carbocyclyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- to 14-membered heterocyclyloxy, non-aromatic 7- to 14-membered heterocyclyloxy, C.sub.1-C.sub.3-alkoxy substituted by a non-aromatic C.sub.7-C.sub.12-carbocycle, an aromatic C.sub.6-C.sub.14-carbocycle, a non-aromatic 7- to 14-membered heterocycle or an aromatic 5- to 14-membered heterocycle, and C.sub.1-C.sub.3-haloalkoxy substituted by a non-aromatic C.sub.7-C.sub.12-

carbocycle, an aromatic C.sub.6-C.sub.14-carbocycle, a non-aromatic 7- to 14-membered heterocycle or an aromatic 5- to 14-membered heterocycle as described herein,
(406) R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and —
N(R.sup.e).sub.2 with R.sup.e being as disclosed herein and wherein R.sup.7 and R.sup.e may be substituted as disclosed herein,

(407) R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl,

(408) provided that the compound of formula (3) is not

(409) TABLE-US-00007 3,6-dichloro-N-[2-(3-methylphenoxy)ethyl]pyridazine-4-carboxamide 1919457-49-0 3,6-dichloro-N-(2-phenoxyethyl)pyridazine-4-carboxamide 1911438-37-3 N-[1-(benzyloxy)-2-methylpropan-2-yl]-3,6-dichloropyridazine-4- 1852826-24-4 carboxamide N-[2-(benzyloxy)ethyl]-3,6-dichloropyridazine-4-carboxamide 1852733-87-9 N-[1-(benzyloxy)propan-2-yl]-3,6-dichloropyridazine-4-carboxamide 1852693-57-2 N-(benzyloxy)-3,6-dichloropyridazine-4-carboxamide 1479914-20-9 3,6-dichloro-N-methyl-N-(2-phenoxyethyl)pyridazine-4-carboxamide 1931658-25-1

(410) Intermediates according to the present invention are compounds of formula (4):

Q-OH (4)

(411) wherein Q is:

(412) ##STR00037##

(413) wherein A is C—H or N, Q.sup.S is selected from the group consisting of C.sub.3-C.sub.4-cycloalkyl, C.sub.3-C.sub.4-halocycloalkyl, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl and C.sub.2-C.sub.6-alkynyl,

(414) provided that the compound of formula (4) does not represent:

(415) TABLE-US-00008 2-fluoro-3-(3,3,3-trifluoroprop-1-en-2-yl)phenol 2168012-00-6 3-(1-ethoxyvinyl)-2-fluorophenol 2137960-04-2 1-(2-fluoro-3-hydroxyphenyl)cyclopropanecarbonitrile 1881320-49-5 3-(1-aminocyclopropyl)-2-fluorophenol 1785193-75-0 1-(2-fluoro-3-hydroxyphenyl)cyclopropanecarboxylic 1507131-96-5 acid 2-fluoro-3-(prop-1-en-2-yl)phenol 1375066-38-8

Compositions and Formulations

(416) The present invention further relates to a composition, in particular a composition for controlling unwanted phytopathogenic microorganisms. The compositions may be applied to the microorganisms and/or in their habitat.

(417) The composition typically comprises at least one compound of formula (I) and at least one agriculturally suitable auxiliary, e.g. carrier(s) and/or surfactant(s).

(418) A carrier is a solid or liquid, natural or synthetic, organic or inorganic substance that is generally inert. The carrier generally improves the application of the compounds, for instance, to plants, plant parts or seeds. Examples of suitable solid carriers include, but are not limited to, ammonium salts, natural rock flours, such as kaolins, clays, talc, chalk, quartz, attapulgite, montmorillonite and diatomaceous earth, and synthetic rock flours, such as finely divided silica, alumina and silicates. Examples of typically useful solid carriers for preparing granules include, but are not limited to crushed and fractionated natural rocks such as calcite, marble, pumice, sepiolite and dolomite, synthetic granules of inorganic and organic flours and granules of organic material such as paper, sawdust, coconut shells, maize cobs and tobacco stalks. Examples of suitable liquid carriers include, but are not limited to, water, organic solvents and combinations thereof. Examples of suitable solvents include polar and nonpolar organic chemical liquids, for example from the

classes of aromatic and nonaromatic hydrocarbons (such as cyclohexane, paraffins, alkylbenzenes, xylene, toluene alkyl naphthalenes, chlorinated aromatics or chlorinated aliphatic hydrocarbons such as chlorobenzenes, chloroethylenes or methylene chloride), alcohols and polyols (which may optionally also be substituted, etherified and/or esterified, such as butanol or glycol), ketones (such as acetone, methyl ethyl ketone, methyl isobutyl ketone or cyclohexanone), esters (including fats and oils) and (poly)ethers, unsubstituted and substituted amines, amides (such as dimethylformamide), lactams (such as N-alkylpyrrolidones) and lactones, sulfones and sulfoxides (such as dimethyl sulfoxide). The carrier may also be a liquefied gaseous extender, i.e. liquid which is gaseous at standard temperature and under standard pressure, for example aerosol propellants such as halohydrocarbons, butane, propane, nitrogen and carbon dioxide. The amount of carrier typically ranges from 1 to 99.99%, preferably from 5 to 99.9%, more preferably from 10 to 99.5%, and most preferably from 20 to 99% by weight of the composition.

(419) The surfactant can be an ionic (cationic or anionic) or non-ionic surfactant, such as ionic or non-ionic emulsifier(s), foam former(s), dispersant(s), wetting agent(s) and any mixtures thereof. Examples of suitable surfactants include, but are not limited to, salts of polyacrylic acid, salts of lignosulfonic acid, salts of phenolsulfonic acid or naphthalenesulfonic acid, polycondensates of ethylene and/or propylene oxide with fatty alcohols, fatty acids or fatty amines (polyoxyethylene fatty acid esters, polyoxyethylene fatty alcohol ethers, for example alkylaryl polyglycol ethers), substituted phenols (preferably alkylphenols or arylphenols), salts of sulfosuccinic esters, taurine derivatives (preferably alkyl taurates), phosphoric esters of polyethoxylated alcohols or phenols, fatty esters of polyols and derivatives of compounds containing sulfates, sulfonates, phosphates (for example, alkylsulfonates, alkyl sulfates, arylsulfonates) and protein hydrolysates, lignosulfite waste liquors and methylcellulose. A surfactant is typically used when the compound of formula (I) and/or the carrier is insoluble in water and the application is made with water. Then, the amount of surfactants typically ranges from 5 to 40% by weight of the composition.

(420) Further examples of suitable auxiliaries include water repellents, siccatives, binders (adhesive, tackifier, fixing agent, such as carboxymethylcellulose, natural and synthetic polymers in the form of powders, granules or latices, such as gum arabic, polyvinyl alcohol and polyvinyl acetate, natural phospholipids such as cephalins and lecithins and synthetic phospholipids, polyvinylpyrrolidone and tylose), thickeners, stabilizers (e.g. cold stabilizers, preservatives, antioxidants, light stabilizers, or other agents which improve chemical and/or physical stability), dyes or pigments (such as inorganic pigments, e.g. iron oxide, titanium oxide and Prussian Blue, organic dyes, e.g. alizarin, azo and metal phthalocyanine dyes), antifoams (e.g. silicone antifoams and magnesium stearate), preservatives (e.g. dichlorophene and benzyl alcohol hemiformal), secondary thickeners (cellulose derivatives, acrylic acid derivatives, xanthan, modified clays and finely divided silica), stickers, gibberellins and processing auxiliaries, mineral and vegetable oils, perfumes, waxes, nutrients (including trace nutrients, such as salts of iron, manganese, boron, copper, cobalt, molybdenum and zinc), protective colloids, thixotropic substances, penetrants, sequestering agents and complex formers.

(421) The choice of the auxiliaries is related to the intended mode of application of the compound of formula (I) and/or on the physical properties. Furthermore, the auxiliaries may be chosen to impart particular properties (technical, physical and/or biological properties) to the compositions or use forms prepared therefrom. The choice of auxiliaries may allow customizing the compositions to specific needs.

(422) The composition may be in any customary form, such as solutions (e.g. aqueous solutions), emulsions, wettable powders, water- and oil-based suspensions, powders, dusts, pastes, soluble powders, soluble granules, granules for broadcasting, suspoemulsion concentrates, natural or synthetic products impregnated with the compound of formula (I), fertilizers and also microencapsulations in polymeric substances. The compound of formula (I) may be present in a suspended, emulsified or dissolved form.

(423) The composition may be provided to the end user as ready-for-use formulation, i.e. the compositions may be directly applied to the plants or seeds by a suitable device, such as a spraying or dusting device. Alternatively, the compositions may be provided to the end user in the form of concentrates which have to be diluted, preferably with water, prior to use.

(424) The composition can be prepared in conventional manners, for example by mixing the compound of formula (I) with one or more suitable auxiliaries, such as disclosed herein above.

(425) The composition contains generally from 0.01 to 99% by weight, from 0.05 to 98% by weight, preferably from 0.1 to 95% by weight, more preferably from 0.5 to 90% by weight, most preferably from 1 to 80% by weight of the compound of formula (I). It is possible that a composition comprises two or more compounds formula (I). In such case the outlined ranges refer to the total amount of compounds of the present invention.

(426) Mixtures/Combinations

(427) The compound of formula (I) and composition comprising thereof can be mixed with other active ingredients like fungicides, bactericides, acaricides, nematocides, insecticides, herbicides, fertilizers, growth regulators, safeners or semiochemicals. This may allow to broaden the activity spectrum or to prevent development of resistance. Examples of known fungicides, insecticides, acaricides, nematocides and bactericides are disclosed in the Pesticide Manual, 17th Edition.

(428) Examples of especially preferred fungicides which could be mixed with the compound of formula (I) and the composition are:

(429) 1) Inhibitors of the ergosterol biosynthesis, for example (1.001) cyproconazole, (1.002) difenoconazole, (1.003) epoxiconazole, (1.004) fenhexamid, (1.005) fenpropidin, (1.006) fenpropimorph, (1.007) fenpyrazamine, (1.008) fluquinconazole, (1.009) flutriafol, (1.010) imazalil, (1.011) imazalil sulfate, (1.012) ipconazole, (1.013) metconazole, (1.014) myclobutanil, (1.015) paclobutrazol, (1.016) prochloraz, (1.017) propiconazole, (1.018) prothioconazole, (1.019) Pyrisoxazole, (1.020) spiroxamine, (1.021) tebuconazole, (1.022) tetraconazole, (1.023) triadimenol, (1.024) tridemorph, (1.025) triticonazole, (1.026) (1R,2S,5S)-5-(4-chlorobenzyl)-2-(chloromethyl)-2-methyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol, (1.027) (1S,2R,5R)-5-(4-chlorobenzyl)-2-(chloromethyl)-2-methyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol, (1.028) (2R)-2-(1-chlorocyclopropyl)-4-[(1R)-2,2-dichlorocyclopropyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.029) (2R)-2-(1-chlorocyclopropyl)-4-[(1S)-2,2-dichlorocyclopropyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.030) (2R)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol, (1.031) (2S)-2-(1-chlorocyclopropyl)-4-[(1R)-2,2-dichlorocyclopropyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.032) (2S)-2-(1-chlorocyclopropyl)-4-[(1S)-2,2-dichlorocyclopropyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.033) (2S)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol, (1.034) (R)-[3-(4-chloro-2-fluorophenyl)-5-(2,4-difluorophenyl)-1,2-oxazol-4-yl](pyridin-3-yl)methanol, (1.035) (S)-[3-(4-chloro-2-fluorophenyl)-5-(2,4-difluorophenyl)-1,2-oxazol-4-yl](pyridin-3-yl)methanol, (1.036) [3-(4-chloro-2-fluorophenyl)-5-(2,4-difluorophenyl)-1,2-oxazol-4-yl](pyridin-3-yl)methanol, (1.037) 1-({(2R,4S)-2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl}methyl)-1H-1,2,4-triazole, (1.038) 1-({(2S,4S)-2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl}methyl)-1H-1,2,4-triazole, (1.039) 1-{[3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazol-5-yl thiocyanate, (1.040) 1-{[rel(2R,3R)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazol-5-yl thiocyanate, (1.041) 1-{[rel(2R,3S)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazol-5-yl thiocyanate, (1.042) 2-[(2R,4R,5R)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.043) 2-[(2R,4R,5S)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.044) 2-[(2R,4S,5R)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.045) 2-[(2R,4S,5S)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.046) 2-[(2S,4R,5R)-1-(2,4-

dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.047) 2-[(2S,4R,5S)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.048) 2-[(2S,4S,5R)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.049) 2-[(2S,4S,5S)-1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.050) 2-[1-(2,4-dichlorophenyl)-5-hydroxy-2,6,6-trimethylheptan-4-yl]-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.051) 2-[2-chloro-4-(2,4-dichlorophenoxy)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol, (1.052) 2-[2-chloro-4-(4-chlorophenoxy)phenyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.053) 2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)butan-2-ol, (1.054) 2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)pentan-2-ol, (1.055) Mefentrifluconazole, (1.056) 2-{[3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.057) 2-{[rel(2R,3R)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.058) 2-{[rel(2R,3S)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-2,4-dihydro-3H-1,2,4-triazole-3-thione, (1.059) 5-(4-chlorobenzyl)-2-(chloromethyl)-2-methyl-1-(1H-1,2,4-triazol-1-yl)methylcyclopentanol, (1.060) 5-(allylsulfanyl)-1-{[3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazole, (1.061) 5-(allylsulfanyl)-1-{[rel(2R,3R)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazole, (1.062) 5-(allylsulfanyl)-1-{[rel(2R,3S)-3-(2-chlorophenyl)-2-(2,4-difluorophenyl)oxiran-2-yl]methyl}-1H-1,2,4-triazole, (1.063) N'-(2,5-dimethyl-4-{[3-(1,1,2,2-tetrafluoroethoxy)phenyl]sulfanyl}phenyl)-N-ethyl-N-methylimidoformamide, (1.064) N'-(2,5-dimethyl-4-{[3-(2,2,2-trifluoroethoxy)phenyl]sulfanyl}phenyl)-N-ethyl-N-methylimidoformamide, (1.065) N'-(2,5-dimethyl-4-{[3-(2,2,3,3-tetrafluoropropoxy)phenyl]sulfanyl}phenyl)-N-ethyl-N-methylimidoformamide, (1.066) N'-(2,5-dimethyl-4-{[3-(pentafluoroethoxy)phenyl]sulfanyl}phenyl)-N-ethyl-N-methylimidoformamide, (1.067) N'-(2,5-dimethyl-4-{3-[(1,1,2,2-tetrafluoroethyl)sulfanyl]phenoxy}phenyl)-N-ethyl-N-methylimidoformamide, (1.068) N'-(2,5-dimethyl-4-{3-[(2,2,2-trifluoroethyl)sulfanyl]phenoxy}phenyl)-N-ethyl-N-methylimidoformamide, (1.069) N'-(2,5-dimethyl-4-{3-[(2,2,3,3-tetrafluoropropyl)sulfanyl]phenoxy}phenyl)-N-ethyl-N-methylimidoformamide, (1.070) N'-(2,5-dimethyl-4-{3-[(pentafluoroethyl)sulfanyl]phenoxy}phenyl)-N-ethyl-N-methylimidoformamide, (1.071) N'-(2,5-dimethyl-4-phenoxyphenyl)-N-ethyl-N-methylimidoformamide, (1.072) N'-(4-{[3-(difluoromethoxy)phenyl]sulfanyl}-2,5-dimethylphenyl)-N-ethyl-N-methylimidoformamide, (1.073) N'-(4-{3-[(difluoromethyl)sulfanyl]phenoxy}-2,5-dimethylphenyl)-N-ethyl-N-methylimidoformamide, (1.074) N'-[5-bromo-6-(2,3-dihydro-1H-inden-2-yloxy)-2-methylpyridin-3-yl]-N-ethyl-N-methylimidoformamide, (1.075) N'-{4-[(4,5-dichloro-1,3-thiazol-2-yl)oxy]-2,5-dimethylphenyl}-N-ethyl-N-methylimidoformamide, (1.076) N'-{5-bromo-6-[(1R)-1-(3,5-difluorophenyl)ethoxy]-2-methylpyridin-3-yl}-N-ethyl-N-methylimidoformamide, (1.077) N'-{5-bromo-6-[(1S)-1-(3,5-difluorophenyl)ethoxy]-2-methylpyridin-3-yl}-N-ethyl-N-methylimidoformamide, (1.078) N'-{5-bromo-6-[(cis-4-isopropylcyclohexyl)oxy]-2-methylpyridin-3-yl}-N-ethyl-N-methylimidoformamide, (1.079) N'-{5-bromo-6-[(trans-4-isopropylcyclohexyl)oxy]-2-methylpyridin-3-yl}-N-ethyl-N-methylimidoformamide, (1.080) N'-{5-bromo-6-[1-(3,5-difluorophenyl)ethoxy]-2-methylpyridin-3-yl}-N-ethyl-N-methylimidoformamide, (1.081) Ipofentrifluconazole.

(430) 2) Inhibitors of the respiratory chain at complex I or II, for example (2.001) benzovindiflupyr, (2.002) bixafen, (2.003) boscalid, (2.004) carboxin, (2.005) fluopyram, (2.006) flutolanil, (2.007) fluxapyroxad, (2.008) furametpyr, (2.009) Isofetamid, (2.010) isopyrazam (anti-epimeric enantiomer 1R,4S,9S), (2.011) isopyrazam (anti-epimeric enantiomer 1S,4R,9R), (2.012) isopyrazam (anti-epimeric racemate 1RS,4SR,9SR), (2.013) isopyrazam (mixture of syn-epimeric racemate 1RS,4SR,9RS and anti-epimeric racemate 1RS,4SR,9SR), (2.014) isopyrazam (syn-

epimeric enantiomer 1R,4S,9R), (2.015) isopyrazam (syn-epimeric enantiomer 1S,4R,9S), (2.016) isopyrazam (syn-epimeric racemate 1RS,4SR,9RS), (2.017) penflufen, (2.018) penthiopyrad, (2.019) pydiflumetofen, (2.020) Pyraziflumid, (2.021) sedaxane, (2.022) 1,3-dimethyl-N-(1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)-1H-pyrazole-4-carboxamide, (2.023) 1,3-dimethyl-N-[(3R)-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide, (2.024) 1,3-dimethyl-N-[(3S)-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide, (2.025) 1-methyl-3-(trifluoromethyl)-N-[2'-(trifluoromethyl)biphenyl-2-yl]-1H-pyrazole-4-carboxamide, (2.026).sub.2-fluoro-6-(trifluoromethyl)-N-(1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)benzamide, (2.027)3-(difluoromethyl)-1-methyl-N-(1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)-1H-pyrazole-4-carboxamide, (2.028)3-(difluoromethyl)-1-methyl-N-[(3R)-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide, (2.029)3-(difluoromethyl)-1-methyl-N-[(3S)-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide, (2.030) Fluindapyr, (2.031)3-(difluoromethyl)-N-[(3R)-7-fluoro-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide, (2.032)3-(difluoromethyl)-N-[(3S)-7-fluoro-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide, (2.033) 5,8-difluoro-N-[2-(2-fluoro-4-{[4-(trifluoromethyl)pyridin-2-yl]oxy}-phenyl)ethyl]quinazolin-4-amine, (2.034)N-(2-cyclopentyl-5-fluorobenzyl)-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.035)N-(2-tert-butyl-5-methylbenzyl)-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.036)N-(2-tert-butylbenzyl)-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.037) N-(5-chloro-2-ethylbenzyl)-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.038) isoflucypram, (2.039)N-[(1R,4S)-9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.040)N-[(1S,4R)-9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.041)N-[1-(2,4-dichlorophenyl)-1-methoxypropan-2-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.042)N-[2-chloro-6-(trifluoromethyl)benzyl]-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.043)N-[3-chloro-2-fluoro-6-(trifluoro-methyl)benzyl]-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.044) N-[5-chloro-2-(trifluoromethyl)benzyl]-N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.045)N-cyclopropyl-3-(difluoromethyl)-5-fluoro-1-methyl-N-[5-methyl-2-(trifluoro-methyl)benzyl]-1H-pyrazole-4-carboxamide, (2.046)N-cyclopropyl-3-(difluoromethyl)-5-fluoro-N-(2-fluoro-6-isopropylbenzyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.047)N-cyclopropyl-3-(difluoro-methyl)-5-fluoro-N-(2-isopropyl-5-methylbenzyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.048)N-cyclopropyl-3-(difluoromethyl)-5-fluoro-N-(2-isopropylbenzyl)-1-methyl-1H-pyrazole-4-carbothioamide, (2.049)N-cyclopropyl-3-(difluoromethyl)-5-fluoro-N-(2-isopropylbenzyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.050)N-cyclopropyl-3-(difluoromethyl)-5-fluoro-N-(5-fluoro-2-isopropylbenzyl)-1-methyl-1H-pyrazole-4-carboxamide, (2.051)N-cyclopropyl-3-(difluoromethyl)-N-(2-ethyl-4,5-dimethylbenzyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.052)N-cyclopropyl-3-(difluoro-methyl)-N-(2-ethyl-5-fluorobenzyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.053)N-cyclopropyl-3-(difluoromethyl)-N-(2-ethyl-5-methylbenzyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.054)N-cyclopropyl-N-(2-cyclopropyl-5-fluorobenzyl)-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.055)N-cyclopropyl-N-(2-cyclopropyl-5-methylbenzyl)-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.056)N-cyclopropyl-N-(2-cyclopropylbenzyl)-3-(difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carboxamide, (2.057) pyrapropoyne.

(431) 3) Inhibitors of the respiratory chain at complex III, for example (3.001) ametocetradin, (3.002) amisulbrom, (3.003) azoxystrobin, (3.004) coumethoxystrobin, (3.005) coumoxystrobin, (3.006) cyazofamid, (3.007) dimoxystrobin, (3.008) enoxastrobin, (3.009) famoxadone, (3.010)

fenamidone, (3.011) flufenoxystrobin, (3.012) fluoxastrobin, (3.013) kresoxim-methyl, (3.014) metominostrobin, (3.015) orysastrobin, (3.016) picoxystrobin, (3.017) pyraclostrobin, (3.018) pyrametostrobin, (3.019) pyraoxystrobin, (3.020) trifloxystrobin, (3.021) (2E)-2-{2-[(1E)-1-(3-{[(E)-1-fluoro-2-phenylvinyl]oxy}phenyl)ethylidene]amino}oxy)methyl]phenyl}-2-(methoxyimino)-N-methylacetamide, (3.022) (2E,3Z)-5-{[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy}-2-(methoxyimino)-N,3-dimethylpent-3-enamide, (3.023) (2R)-2-{2-[(2,5-dimethylphenoxy)methyl]phenyl}-2-methoxy-N-methylacetamide, (3.024) (2S)-2-{2-[(2,5-dimethylphenoxy)methyl]phenyl}-2-methoxy-N-methylacetamide, (3.025) (3S,6S,7R,8R)-8-benzyl-3-[(3-{[(isobutyryloxy)methoxy]-4-methoxypyridin-2-yl}carbonyl)amino]-6-methyl-4,9-dioxo-1,5-dioxonan-7-yl 2-methylpropanoate, (3.026) mandestrobin, (3.027) N-(3-ethyl-3,5,5-trimethylcyclohexyl)-3-formamido-2-hydroxybenzamide, (3.028) (2E,3Z)-5-{[1-(4-chloro-2-fluorophenyl)-1H-pyrazol-3-yl]oxy}-2-(methoxyimino)-N,3-dimethylpent-3-enamide, (3.029) methyl {5-[3-(2,4-dimethylphenyl)-1H-pyrazol-1-yl]-2-methylbenzyl}carbamate, (3.030) metyltetraprole, (3.031) florylpicoxamid.

(432) 4) Inhibitors of the mitosis and cell division, for example (4.001) carbendazim, (4.002) diethofencarb, (4.003) ethaboxam, (4.004) fluopicolide, (4.005) pencycuron, (4.006) thiabendazole, (4.007) thiophanate-methyl, (4.008) zoxamide, (4.009) 3-chloro-4-(2,6-difluorophenyl)-6-methyl-5-phenylpyridazine, (4.010) 3-chloro-5-(4-chlorophenyl)-4-(2,6-difluorophenyl)-6-methylpyridazine, (4.011) 3-chloro-5-(6-chloropyridin-3-yl)-6-methyl-4-(2,4,6-trifluorophenyl)pyridazine, (4.012) 4-(2-bromo-4-fluorophenyl)-N-(2,6-difluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.013) 4-(2-bromo-4-fluoro-phenyl)-N-(2-bromo-6-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.014) 4-(2-bromo-4-fluoro-phenyl)-N-(2-bromophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.015) 4-(2-bromo-4-fluorophenyl)-N-(2-chloro-6-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.016) 4-(2-bromo-4-fluorophenyl)-N-(2-chlorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.017) 4-(2-bromo-4-fluorophenyl)-N-(2-fluoro-phenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.018) 4-(2-chloro-4-fluorophenyl)-N-(2,6-difluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.019) 4-(2-chloro-4-fluorophenyl)-N-(2-chloro-6-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.020) 4-(2-chloro-4-fluorophenyl)-N-(2-chlorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.021) 4-(2-chloro-4-fluorophenyl)-N-(2-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.022) 4-(4-chlorophenyl)-5-(2,6-difluorophenyl)-3,6-dimethylpyridazine, (4.023) N-(2-bromo-6-fluorophenyl)-4-(2-chloro-4-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.024) N-(2-bromophenyl)-4-(2-chloro-4-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine, (4.025) N-(4-chloro-2,6-difluoro-phenyl)-4-(2-chloro-4-fluorophenyl)-1,3-dimethyl-1H-pyrazol-5-amine.

(433) 5) Compounds capable to have a multisite action, for example (5.001) bordeaux mixture, (5.002) captafol, (5.003) captan, (5.004) chlorothalonil, (5.005) copper hydroxide, (5.006) copper naphthenate, (5.007) copper oxide, (5.008) copper oxychloride, (5.009) copper(2+) sulfate, (5.010) dithianon, (5.011) dodine, (5.012) folpet, (5.013) mancozeb, (5.014) maneb, (5.015) metiram, (5.016) metiram zinc, (5.017) oxine-copper, (5.018) propineb, (5.019) sulfur and sulfur preparations including calcium polysulfide, (5.020) thiram, (5.021) zineb, (5.022) ziram, (5.023) 6-ethyl-5,7-dioxo-6,7-dihydro-5H-pyrrolo[3',4':5,6][1,4]dithiino[2,3-c][1,2]thiazole-3-carbonitrile.

(434) 6) Compounds capable to induce a host defence, for example (6.001) acibenzolar-S-methyl, (6.002) isotianil, (6.003) probenazole, (6.004) tiadinil.

(435) 7) Inhibitors of the amino acid and/or protein biosynthesis, for example (7.001) cyprodinil, (7.002) kasugamycin, (7.003) kasugamycin hydrochloride hydrate, (7.004) oxytetracycline, (7.005) pyrimethanil, (7.006) 3-(5-fluoro-3,3,4,4-tetramethyl-3,4-dihydroisoquinolin-1-yl)quinoline.

(436) 8) Inhibitors of the ATP production, for example (8.001) silthiofam.

(437) 9) Inhibitors of the cell wall synthesis, for example (9.001) benthiavalicarb, (9.002) dimethomorph, (9.003) flumorph, (9.004) iprovalicarb, (9.005) mandipropamid, (9.006) pyrimorph, (9.007) valifenalate, (9.008) (2E)-3-(4-tert-butylphenyl)-3-(2-chloropyridin-4-yl)-1-(morpholin-4-yl)prop-2-en-1-one, (9.009) (2Z)-3-(4-tert-butylphenyl)-3-(2-chloropyridin-4-yl)-1-(morpholin-4-

yl)prop-2-en-1-one.

(438) 10) Inhibitors of the lipid and membrane synthesis, for example (10.001) propamocarb, (10.002) propamocarb hydrochloride, (10.003) tolclafos-methyl.

(439) 11) Inhibitors of the melanin biosynthesis, for example (11.001) tricyclazole, (11.002) 2,2,2-trifluoroethyl {3-methyl-1-[(4-methylbenzoyl)amino]butan-2-yl}carbamate.

(440) 12) Inhibitors of the nucleic acid synthesis, for example (12.001) benalaxyl, (12.002) benalaxyl-M (kiralaxyl), (12.003) metalaxyl, (12.004) metalaxyl-M (mefenoxam).

(441) 13) Inhibitors of the signal transduction, for example (13.001) fludioxonil, (13.002) iprodione, (13.003) procymidone, (13.004) proquinazid, (13.005) quinoxifen, (13.006) vinclozolin.

(442) 14) Compounds capable to act as an uncoupler, for example (14.001) fluazinam, (14.002) meptyldinocap.

(443) 15) Further compounds, for example (15.001) Absciscic acid, (15.002) benthiazole, (15.003) bethoxazin, (15.004) capsimycin, (15.005) carvone, (15.006) chinomethionat, (15.007) cufraneb, (15.008) cyflufenamid, (15.009) cymoxanil, (15.010) cyprosulfamide, (15.011) flutianil, (15.012) fosetyl-aluminium, (15.013) fosetyl-calcium, (15.014) fosetyl-sodium, (15.015) methyl isothiocyanate, (15.016) metrafenone, (15.017) mildiomicin, (15.018) natamycin, (15.019) nickel dimethyldithiocarbamate, (15.020) nitrothal-isopropyl, (15.021) oxamocarb, (15.022) oxathiapiprolin, (15.023) oxyfenthiin, (15.024) pentachlorophenol and salts, (15.025) phosphorous acid and its salts, (15.026) propamocarb-fosetyl, (15.027) pyriofenone (chlazafenone), (15.028) tebufloquin, (15.029) tecloftalam, (15.030) tolifenide, (15.031) 1-(4-{4-[(5R)-5-(2,6-difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]-1,3-thiazol-2-yl}piperidin-1-yl)-2-[5-methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]ethanone, (15.032) 1-(4-{4-[(5S)-5-(2,6-difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]-1,3-thiazol-2-yl}piperidin-1-yl)-2-[5-methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]ethanone, (15.033) 2-(6-benzylpyridin-2-yl)quinazoline, (15.034) dipymetitrone, (15.035) 2-[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]-1-[4-(4-{5-[2-(prop-2-yn-1-yloxy)phenyl]-4,5-dihydro-1,2-oxazol-3-yl}-1,3-thiazol-2-yl)piperidin-1-yl]ethanone, (15.036) 2-[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]-1-[4-(4-{5-[2-chloro-6-(prop-2-yn-1-yloxy)phenyl]-4,5-dihydro-1,2-oxazol-3-yl}-1,3-thiazol-2-yl)piperidin-1-yl]ethanone, (15.037) 2-[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]-1-[4-(4-{5-[2-fluoro-6-(prop-2-yn-1-yloxy)phenyl]-4,5-dihydro-1,2-oxazol-3-yl}-1,3-thiazol-2-yl)piperidin-1-yl]ethanone, (15.038) 2-[6-(3-fluoro-4-methoxyphenyl)-5-methylpyridin-2-yl]quinazoline, (15.039) 2-{(5R)-3-[2-(1-{[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]acetyl}piperidin-4-yl)-1,3-thiazol-4-yl]-4,5-dihydro-1,2-oxazol-5-yl}-3-chlorophenyl methanesulfonate, (15.040) 2-{(5S)-3-[2-(1-{[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]acetyl}piperidin-4-yl)-1,3-thiazol-4-yl]-4,5-dihydro-1,2-oxazol-5-yl}-3-chlorophenyl methanesulfonate, (15.041) Ipflufenquin, (15.042) 2-{2-fluoro-6-[(8-fluoro-2-methylquinolin-3-yl)oxy]phenyl}propan-2-ol, (15.043) 2-{3-[2-(1-{[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]acetyl}piperidin-4-yl)-1,3-thiazol-4-yl]-4,5-dihydro-1,2-oxazol-5-yl}-3-chlorophenyl methanesulfonate, (15.044) 2-{3-[2-(1-{[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]acetyl}piperidin-4-yl)-1,3-thiazol-4-yl]-4,5-dihydro-1,2-oxazol-5-yl}phenyl methanesulfonate, (15.045) 2-phenylphenol and salts, (15.046) sub.3-(4,4,5-trifluoro-3,3-dimethyl-3,4-dihydroisoquinolin-1-yl)quinoline, (15.047) quinofumelin, (15.048) 4-amino-5-fluoropyrimidin-2-ol (tautomeric form: 4-amino-5-fluoropyrimidin-2(1H)-one), (15.049) 4-oxo-4-[(2-phenylethyl)amino]butanoic acid, (15.050) 5-amino-1,3,4-thiadiazole-2-thiol, (15.051) 5-chloro-N'-phenyl-N'-(prop-2-yn-1-yl)thiophene-2-sulfonohydrazide, (15.052) 5-fluoro-2-[(4-fluorobenzyl)oxy]pyrimidin-4-amine, (15.053) 5-fluoro-2-[(4-methylbenzyl)oxy]pyrimidin-4-amine, (15.054) 9-fluoro-2,2-dimethyl-5-(quinolin-3-yl)-2,3-dihydro-1,4-benzoxazepine, (15.055) but-3-yn-1-yl {6-[(Z)-(1-methyl-1H-tetrazol-5-yl)(phenyl)methylene]amino}oxy)methylpyridin-2-yl}carbamate, (15.056) ethyl (2Z)-3-amino-2-cyano-3-phenylacrylate, (15.057) phenazine-1-carboxylic acid, (15.058) propyl 3,4,5-trihydroxybenzoate, (15.059) quinolin-8-ol, (15.060) quinolin-8-ol sulfate (2:1), (15.061) tert-butyl

{6-[(1-methyl-1H-tetrazol-5-yl)(phenyl)methylene]amino}oxy)methyl]pyridin-2-yl} carbamate, (15.062) 5-fluoro-4-imino-3-methyl-1-[(4-methylphenyl)sulfonyl]-3,4-dihydropyrimidin-2(1H)-one, (15.063) aminopyrifin.

(444) All named mixing partners of the classes (1) to (15) as described here above can be present in the form of the free compound and/or, if their functional groups enable this, an agriculturally acceptable salt thereof.

(445) The compound of formula (I) and the composition may also be combined with one or more biological control agents.

(446) Examples of biological control agents which may be combined with the compound of formula (I) and composition comprising thereof are:

(447) (A) Antibacterial agents selected from the group of:

(448) (A1) bacteria, such as (A1.1) *Bacillus subtilis*, in particular strain QST713/AQ713 (available as SERENADE OPTI or SERENADE ASO from Bayer CropScience LP, US, having NRRL Accession No. B21661 and described in U.S. Pat. No. 6,060,051); (A1.2) *Bacillus amyloliquefaciens*, in particular strain D747 (available as Double Nickel™ from Certis, US, having accession number FERM BP-8234 and disclosed in U.S. Pat. No. 7,094,592); (A1.3) *Bacillus pumilus*, in particular strain BU F-33 (having NRRL Accession No. 50185); (A1.4) *Bacillus subtilis* var. *amyloliquefaciens* strain FZB24 (available as Taegro® from Novozymes, US); (A1.5) a *Paenibacillus* sp. strain having Accession No. NRRL B-50972 or Accession No. NRRL B-67129 and described in International Patent Publication No. WO 2016/154297; and

(449) (A2) fungi, such as (A2.1) *Aureobasidium pullulans*, in particular blastospores of strain DSM14940;

(450) (A2.2) *Aureobasidium pullulans* blastospores of strain DSM 14941; (A2.3) *Aureobasidium pullulans*, in particular mixtures of blastospores of strains DSM14940 and DSM14941;

(451) (B) Fungicides selected from the group of:

(452) (B1) bacteria, for example (B1.1) *Bacillus subtilis*, in particular strain QST713/AQ713 (available as SERENADE OPTI or SERENADE ASO from Bayer CropScience LP, US, having NRRL Accession No. B21661 and described in U.S. Pat. No. 6,060,051); (B1.2) *Bacillus pumilus*, in particular strain QST2808 (available as SONATA® from Bayer CropScience LP, US, having Accession No. NRRL B-30087 and described in U.S. Pat. No. 6,245,551); (B1.3) *Bacillus pumilus*, in particular strain GB34 (available as Yield Shield® from Bayer AG, DE); (B1.4) *Bacillus pumilus*, in particular strain BU F-33 (having NRRL Accession No. 50185); (B1.5) *Bacillus amyloliquefaciens*, in particular strain D747 (available as Double Nickel™ from Certis, US, having accession number FERM BP-8234 and disclosed in U.S. Pat. No. 7,094,592); (B1.6) *Bacillus subtilis* Y1336 (available as BIOBAC® WP from Bion-Tech, Taiwan, registered as a biological fungicide in Taiwan under Registration Nos. 4764, 5454, 5096 and 5277); (B1.7) *Bacillus amyloliquefaciens* strain MBI 600 (available as SUBTILEX from BASF SE); (B1.8) *Bacillus subtilis* strain GB03 (available as Kodiak® from Bayer AG, DE); (B1.9) *Bacillus subtilis* var. *amyloliquefaciens* strain FZB24 (available from Novozymes Biologicals Inc., Salem, Virginia or Syngenta Crop Protection, LLC, Greensboro, N.C. as the fungicide TAEGRO® or TAEGRO® ECO (EPA Registration No. 70127-5); (B1.10) *Bacillus mycoides*, isolate J (available as BmJ TGAI or WG from Certis USA); (B1.11) *Bacillus licheniformis*, in particular strain SB3086 (available as EcoGuard™ Biofungicide and Green Releaf from Novozymes); (B1.12) a *Paenibacillus* sp. strain having Accession No. NRRL B-50972 or Accession No. NRRL B-67129 and described in International Patent Publication No. WO 2016/154297.

(453) In some embodiments, the biological control agent is a *Bacillus subtilis* or *Bacillus amyloliquefaciens* strain that produces a fengycin or plipastatin-type compound, an iturin-type compound, and/or a surfactin-type compound. For background, see the following review article: Ongena, M., et al., “*Bacillus* Lipopeptides: Versatile Weapons for Plant Disease Biocontrol,” Trends in Microbiology, Vol 16, No. 3, March 2008, pp. 115-125. *Bacillus* strains capable of

producing lipopeptides include *Bacillus subtilis* QST713 (available as SERENADE OPTI or SERENADE ASO from Bayer CropScience LP, US, having NRRL Accession No. B21661 and described in U.S. Pat. No. 6,060,051), *Bacillus amyloliquefaciens* strain D747 (available as Double Nickel™ from Certis, US, having accession number FERM BP-8234 and disclosed in U.S. Pat. No. 7,094,592); *Bacillus subtilis* MB1600 (available as SUBTILEX® from Becker Underwood, US EPA Reg. No. 71840-8); *Bacillus subtilis* Y1336 (available as BIOBAC® WP from Bion-Tech, Taiwan, registered as a biological fungicide in Taiwan under Registration Nos. 4764, 5454, 5096 and 5277); *Bacillus amyloliquefaciens*, in particular strain FZB42 (available as RHIZOVITAL® from ABiTEP, DE); and *Bacillus subtilis* var. *amyloliquefaciens* FZB24 (available from Novozymes Biologicals Inc., Salem, Va. or Syngenta Crop Protection, LLC, Greensboro, N.C. as the fungicide TAEGRO® or TAEGRO® ECO (EPA Registration No. 70127-5); and (454) (B2) fungi, for example: (B2.1) *Coniothyrium minitans*, in particular strain CON/M/91-8 (Accession No. DSM-9660; e.g. Contans® from Bayer); (B2.2) *Metschnikowia fructicola*, in particular strain NRRL Y-30752 (e.g. Shemer®); (B2.3) *Microsphaeropsis ochracea* (e.g. Microx® from Prophyta); (B2.5) *Trichoderma* spp., including *Trichoderma atroviride*, strain SC1 described in International Application No. PCT/IT2008/000196); (B2.6) *Trichoderma harzianum* rifai strain KRL-AG2 (also known as strain T-22, /ATCC 208479, e.g. PLANTSHIELD T-22G, Rootshield®, and TurfShield from BioWorks, US); (B2.14) *Gliocladium roseum*, strain 321U from W.F. Stoneman Company LLC; (B2.35) *Talaromyces flavus*, strain V117b; (B2.36) *Trichoderma asperellum*, strain ICC 012 from Isagro; (B2.37) *Trichoderma asperellum*, strain SKT-1 (e.g. ECO-HOPE® from Kumiai Chemical Industry); (B2.38) *Trichoderma atroviride*, strain CNCM 1-1237 (e.g. Esquive® WP from Agrauxine, FR); (B2.39) *Trichoderma atroviride*, strain no. V08/002387; (B2.40) *Trichoderma atroviride*, strain NMI no. V08/002388; (B2.41) *Trichoderma atroviride*, strain NMI no. V08/002389; (B2.42) *Trichoderma atroviride*, strain NMI no. V08/002390; (B2.43) *Trichoderma atroviride*, strain LC52 (e.g. Tenet by Agrimm Technologies Limited); (B2.44) *Trichoderma atroviride*, strain ATCC 20476 (IMI 206040); (B2.45) *Trichoderma atroviride*, strain T11 (IM1352941/CECT20498); (B2.46) *Trichoderma harmatum*; (B2.47) *Trichoderma harzianum*; (B2.48) *Trichoderma harzianum* rifai T39 (e.g. Trichodex® from Makhteshim, US); (B2.49) *Trichoderma harzianum*, in particular, strain KD (e.g. Trichoplus from Biological Control Products, SA (acquired by Becker Underwood)); (B2.50) *Trichoderma harzianum*, strain ITEM 908 (e.g. Trianium-P from Koppert); (B2.51) *Trichoderma harzianum*, strain TH35 (e.g. Root-Pro by Mycontrol); (B2.52) *Trichoderma virens* (also known as *Gliocladium virens*), in particular strain GL-21 (e.g. SoilGard 12G by Certis, US); (B2.53) *Trichoderma viride*, strain TV1 (e.g. Trianium-P by Koppert); (B2.54) *Ampelomyces quisqualis*, in particular strain AQ 10 (e.g. AQ 10® by IntrachemBio Italia); (B2.56) *Aureobasidium pullulans*, in particular blastospores of strain DSM14940; (B2.57) *Aureobasidium pullulans*, in particular blastospores of strain DSM 14941; (B2.58) *Aureobasidium pullulans*, in particular mixtures of blastospores of strains DSM14940 and DSM 14941 (e.g. Botector® by bio-ferm, CH); (B2.64) *Cladosporium cladosporioides*, strain H39 (by Stichting Dienst Landbouwkundig Onderzoek); (B2.69) *Gliocladium catenulatum* (Synonym: *Clonostachys rosea* f. *catenulate*) strain J1446 (e.g. Prestop® by AgBio Inc. and also e.g. Primastop® by Kemira Agro Oy); (B2.70) *Lecanicillium lecanii* (formerly known as *Verticillium lecanii*) conidia of strain KV01 (e.g. Vertalec® by Koppert/Arysta); (B2.71) *Penicillium vermiculatum*; (B2.72) *Pichia anomala*, strain WRL-076 (NRRL Y-30842); (B2.75) *Trichoderma atroviride*, strain SKT-1 (FERM P-16510); (B2.76) *Trichoderma atroviride*, strain SKT-2 (FERM P-16511); (B2.77) *Trichoderma atroviride*, strain SKT-3 (FERM P-17021); (B2.78) *Trichoderma gamsii* (formerly *T. viride*), strain ICC080 (IMI CC 392151 CABI, e.g. BioDerma by AGROBIOSOL DE MEXICO, S.A. DE C.V.); (B2.79) *Trichoderma harzianum*, strain DB 103 (e.g., T-Gro 7456 by Dagutat Biolab); (B2.80) *Trichoderma polysporum*, strain IMI 206039 (e.g. Binab TF WP by BINAB Bio-Innovation AB, Sweden); (B2.81) *Trichoderma stromaticum* (e.g. Tricovab by Ceplac, Brazil); (B2.83) *Ulocladium oudemansii*, in particular strain HRU3 (e.g.

Botry-Zen® by Botry-Zen Ltd, NZ); (B2.84) *Verticillium albo-atrum* (formerly *V. dahliae*), strain WCS850 (CBS 276.92; e.g. Dutch Trig by Tree Care Innovations); (B2.86) *Verticillium chlamydosporium*; (B2.87) mixtures of *Trichoderma asperellum* strain ICC 012 and *Trichoderma gamsii* strain ICC 080 (product known as e.g. BIO-TAM™ from Bayer CropScience LP, US). (455) Further examples of biological control agents which may be combined with the compound of formula (I) and composition comprising thereof are:

(456) bacteria selected from the group consisting of *Bacillus cereus*, in particular *B. cereus* strain CNCM I-1562 and *Bacillus firmus*, strain 1-1582 (Accession number CNCM I-1582), *Bacillus subtilis* strain OST 30002 (Accession No. NRRL B-50421), *Bacillus thuringiensis*, in particular *B. thuringiensis* subspecies *israelensis* (serotype H-14), strain AM65-52 (Accession No. ATCC 1276), *B. thuringiensis* subsp. *aizawai*, in particular strain ABTS-1857 (SD-1372), *B. thuringiensis* subsp. *kurstaki* strain HD-1, *B. thuringiensis* subsp. *tenebrionis* strain NB 176 (SD-5428), *Pasteuria penetrans*, *Pasteuria* spp. (*Rotylenchulus reniformis* nematode)-PR3 (Accession Number ATCC SD-5834), *Streptomyces microflavus* strain AQ6121 (=QRD 31.013, NRRL B-50550), and *Streptomyces galbus* strain AQ 6047 (Accession Number NRRL 30232);

(457) fungi and yeasts selected from the group consisting of *Beauveria bassiana*, in particular strain ATCC 74040, *Lecanicillium* spp., in particular strain HRO LEC 12, *Metarhizium anisopliae*, in particular strain F52 (DSM3884 or ATCC 90448), *Paecilomyces fumosoroseus* (now: *Isaria fumosorosea*), in particular strain IFPC 200613, or strain Apopka 97 (Accession No. ATCC 20874), and *Paecilomyces lilacinus*, in particular *P. lilacinus* strain 251 (AGAL 89/030550);

(458) viruses selected from the group consisting of *Adoxophyes orana* (summer fruit tortrix) granulosus virus (GV), *Cydia pomonella* (codling moth) granulosus virus (GV), *Helicoverpa armigera* (cotton bollworm) nuclear polyhedrosis virus (NPV), *Spodoptera exigua* (beet armyworm) mNPV, *Spodoptera frugiperda* (fall armyworm) mNPV, and *Spodoptera littoralis* (African cotton leafworm) NPV.

(459) bacteria and fungi which can be added as ‘inoculant’ to plants or plant parts or plant organs and which, by virtue of their particular properties, promote plant growth and plant health.

Examples are: *Agrobacterium* spp., *Azorhizobium caulinodans*, *Azospirillum* spp., *Azotobacter* spp., *Bradyrhizobium* spp., *Burkholderia* spp., in particular *Burkholderia cepacia* (formerly known as *Pseudomonas cepacia*), *Gigaspora* spp., or *Gigaspora monosporum*, *Glomus* spp., *Laccaria* spp., *Lactobacillus buchneri*, *Paraglomus* spp., *Pisolithus tinctorius*, *Pseudomonas* spp., *Rhizobium* spp., in particular *Rhizobium trifolii*, *Rhizopogon* spp., *Scleroderma* spp., *Suillus* spp., and *Streptomyces* spp. plant extracts and products formed by microorganisms including proteins and secondary metabolites which can be used as biological control agents, such as *Allium sativum*, *Artemisia absinthium*, azadirachtin, Biokeeper WP, *Cassia nigricans*, *Celastrus angulatus*, *Chenopodium anthelminticum*, chitin, Armour-Zen, *Dryopteris filix-mas*, *Equisetum arvense*, Fortune Aza, Fungastop, Heads Up (*Chenopodium quinoa* saponin extract), *Pyrethrum*/Pyrethrins, *Quassia amara*, *Quercus*, *Quillaja*, Regalia, “Requiem™ Insecticide”, rotenone, ryania/ryanodine, *Symphytum officinale*, *Tanacetum vulgare*, thymol, Triact 70, TriCon, *Tropaeolum majus*, *Urtica dioica*, Veratrin, *Viscum album*, Brassicaceae extract, in particular oilseed rape powder or mustard powder.

(460) Examples of insecticides, acaricides and nematicides, respectively, which could be mixed with the compound of formula (I) and composition comprising thereof are: (1) Acetylcholinesterase (AChE) inhibitors, such as, for example, carbamates, for example alanycarb, aldicarb, bendiocarb, benfuracarb, butocarboxim, butoxycarboxim, carbaryl, carbofuran, carbosulfan, ethiofencarb, fenobucarb, formetanate, furathiocarb, isoprocarb, methiocarb, methomyl, metolcarb, oxamyl, pirimicarb, propoxur, thiodicarb, thiofanox, triazamate, trimethacarb, XMC and xylylcarb; or organophosphates, for example acephate, azamethiphos, azinphos-ethyl, azinphos-methyl, cadusafos, chlorethoxyfos, chlorfenvinphos, chlormephos, chlorpyrifos-methyl, coumaphos, cyanophos, demeton-S-methyl, diazinon, dichlorvos/DDVP, dicrotophos, dimethoate,

dimethylvinphos, disulfoton, EPN, ethion, ethoprophos, famphur, fenamiphos, fenitrothion, fenthion, fosthiazate, heptenophos, imicyafos, isofenphos, isopropyl O-(methoxyaminothiophosphoryl) salicylate, isoxathion, malathion, mecarbam, methamidophos, methidathion, mevinphos, monocrotophos, naled, omethoate, oxydemeton-methyl, parathion-methyl, phenthoate, phorate, phosalone, phosmet, phosphamidon, phoxim, pirimiphos-methyl, profenofos, propetamphos, prothiofos, pyraclofos, pyridaphenthion, quinalphos, sulfotep, tebupirimfos, temephos, terbufos, tetrachlorvinphos, thiometon, triazophos, trichlorfon and vamidothion. (2) GABA-gated chloride channel blockers, such as, for example, cyclodiene-organochlorines, for example chlordane and endosulfan or phenylpyrazoles (fiproles), for example ethiprole and fipronil. (3) Sodium channel modulators, such as, for example, pyrethroids, e.g. acrinathrin, allethrin, d-cis-trans allethrin, d-trans allethrin, bifenthrin, bioallethrin, bioallethrin s-cyclopentenyl isomer, bioresmethrin, cycloprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, lambda-cyhalothrin, gamma-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin [(1R)-trans-isomer], deltamethrin, empenethrin [(EZ)-(1R)-isomer], esfenvalerate, etofenprox, fenpropathrin, fenvalerate, flucythrinate, flumethrin, tau-fluvalinate, halfenprox, imiprothrin, kadethrin, momfluorothrin, permethrin, phenothrin [(1R)-trans-isomer], prallethrin, pyrethrins (pyrethrum), resmethrin, silafluofen, tefluthrin, tetramethrin, tetramethrin [(1R)-isomer], tralomethrin and transfluthrin or DDT or methoxychlor. (4) Nicotinic acetylcholine receptor (nAChR) competitive modulators, such as, for example, neonicotinoids, e.g. acetamiprid, clothianidin, dinotefuran, imidacloprid, nitenpyram, thiacloprid and thiamethoxam or nicotine or sulfoxaflor or flupyradifurone. (5) Nicotinic acetylcholine receptor (nAChR) allosteric modulators, such as, for example, spinosyns, e.g. spinetoram and spinosad. (6) Glutamate-gated chloride channel (GluCl) allosteric modulators, such as, for example, avermectins/milbemycins, for example abamectin, emamectin benzoate, lepimectin and milbemectin. (7) Juvenile hormone mimics, such as, for example, juvenile hormone analogues, e.g. hydroprene, kinoprene and methoprene or fenoxycarb or pyriproxyfen. (8) Miscellaneous non-specific (multi-site) inhibitors, such as, for example, alkyl halides, e.g. methyl bromide and other alkyl halides; or chloropicrine or sulphuryl fluoride or borax or tartar emetic or methyl isocyanate generators, e.g. diazomet and metam. (9) Modulators of Chordotonal Organs, such as, for example pymetrozine or flonicamid. (10) Mite growth inhibitors, such as, for example clofentezine, hexythiazox and diflovidazin or etoxazole. (11) Microbial disruptors of the insect gut membrane, such as, for example *Bacillus thuringiensis* subspecies *israelensis*, *Bacillus sphaericus*, *Bacillus thuringiensis* subspecies *aizawai*, *Bacillus thuringiensis* subspecies *kurstaki*, *Bacillus thuringiensis* subspecies *tenebrionis*, and B.t. plant proteins: Cry1Ab, Cry1Ac, Cry1Fa, Cry1A.105, Cry2Ab, Vip3A, mCry3A, Cry3Ab, Cry3Bb, Cry34Ab1/35Ab1. (12) Inhibitors of mitochondrial ATP synthase, such as, ATP disruptors such as, for example, diafenthiuron or organotin compounds, for example azocyclotin, cyhexatin and fenbutatin oxide or propargite or tetradifon. (13) Uncouplers of oxidative phosphorylation via disruption of the proton gradient, such as, for example, chlorfenapyr, DNOC and sulfluramid. (14) Nicotinic acetylcholine receptor channel blockers, such as, for example, bensultap, cartap hydrochloride, thiocylam, and thiosultap-sodium. (15) Inhibitors of chitin biosynthesis, type 0, such as, for example, bistrifluron, chlorfluazuron, diflubenzuron, flucycloxuron, flufenoxuron, hexaflumuron, lufenuron, novaluron, noviflumuron, teflubenzuron and triflumuron. (16) Inhibitors of chitin biosynthesis, type 1, for example buprofezin. (17) Moulting disruptor (in particular for Diptera, i.e. dipterans), such as, for example, cyromazine. (18) Ecdysone receptor agonists, such as, for example, chromafenozide, halofenozide, methoxyfenozide and tebufenozide. (19) Octopamine receptor agonists, such as, for example, amitraz. (20) Mitochondrial complex III electron transport inhibitors, such as, for example, hydramethylnone or acequinocyl or fluacrypyrim. (21) Mitochondrial complex I electron transport inhibitors, such as, for example from the group of the METI acaricides, e.g. fenazaquin, fenpyroximate, pyrimidifen, pyridaben, tebufenpyrad and tolfenpyrad or rotenone (Derris). (22) Voltage-dependent sodium channel blockers, such as, for

example indoxacarb or metaflumizone. (23) Inhibitors of acetyl CoA carboxylase, such as, for example, tetrone and tetramic acid derivatives, e.g. spiroadiclofen, spiromesifen and spirotetramat. (24) Mitochondrial complex IV electron transport inhibitors, such as, for example, phosphines, e.g. aluminium phosphide, calcium phosphide, phosphine and zinc phosphide or cyanides, e.g. calcium cyanide, potassium cyanide and sodium cyanide. (25) Mitochondrial complex II electron transport inhibitors, such as, for example, beta-ketonitrile derivatives, e.g. cyenopyrafen and cyflumetofen and carboxanilides, such as, for example, pyflubumide. (28) Ryanodine receptor modulators, such as, for example, diamides, e.g. chlorantraniliprole, cyantraniliprole and flubendiamide, (461) further active compounds such as, for example, Afidopyropen, Afoxolaner, Azadirachtin, Benclothiaz, Benzoximate, Bifenazate, Broflanilide, Bromopropylate, Chinomethionat, Chloroprallethrin, Cryolite, Cyclaniliprole, Cycloxaprid, Cyhalodiamide, Dicloromezotiaz, Dicofof, epsilon-Metofluthrin, epsilon-Momfluthrin, Flometoquin, Fluzaindolizine, Fluensulfone, Flufenerim, Flufenoxystrobin, Flufiprole, Fluhexafon, Fluopyram, Fluralaner, Fluxametamide, Fufenozide, Guadipyr, Heptafluthrin, Imidaclothiz, Iprodione, kappa-Bifenthrin, kappa-Tefluthrin, Lotilaner, Meperfluthrin, Paichongding, Pyridalyl, Pyrifluquinazon, Pymiminstrobin, Spirobudiclofen, Tetramethylfluthrin, Tetraniliprole, Tetrachlorantraniliprole, Tigolaner, Tioxazafen, Thiofluoximate, Triflumezopyrim and iodomethane; furthermore preparations based on *Bacillus firmus* (1-1582, BioNeem, Votivo), and also the following compounds: 1-{2-fluoro-4-methyl-5-[(2,2,2-trifluoroethyl)sulphinyl]phenyl}-3-(trifluoromethyl)-1H-1,2,4-triazole-5-amine (known from WO2006/043635) (CAS 885026-50-6), {1'-[(2E)-3-(4-chlorophenyl)prop-2-en-1-yl]-5-fluorospiro[indol-3,4'-piperidin]-1(2H)-yl}(2-chloropyridin-4-yl)methanone (known from WO2003/106457) (CAS 637360-23-7), 2-chloro-N-[2-{1-[(2E)-3-(4-chlorophenyl)prop-2-en-1-yl]piperidin-4-yl}-4-(trifluoromethyl)phenyl]isonicotinamide (known from WO2006/003494) (CAS 872999-66-1), 3-(4-chloro-2,6-dimethylphenyl)-4-hydroxy-8-methoxy-1,8-diazaspiro[4.5]dec-3-en-2-one (known from WO 2010052161) (CAS 1225292-17-0), 3-(4-chloro-2,6-dimethylphenyl)-8-methoxy-2-oxo-1,8-diazaspiro[4.5]dec-3-en-4-yl ethyl carbonate (known from EP2647626) (CAS 1440516-42-6), 4-(but-2-yn-1-yloxy)-6-(3,5-dimethylpiperidin-1-yl)-5-fluoropyrimidine (known from WO2004/099160) (CAS 792914-58-0), PF1364 (known from JP2010/018586) (CAS 1204776-60-2), N-[(2E)-1-[(6-chloropyridin-3-yl)methyl]pyridin-2(1H)-ylidene]-2,2,2-trifluoroacetamide (known from WO2012/029672) (CAS 1363400-41-2), (3E)-3-[1-[(6-chloro-3-pyridyl)methyl]-2-pyridylidene]-1,1,1-trifluoro-propan-2-one (known from WO2013/144213) (CAS 1461743-15-6), N-[3-(benzylcarbamoyl)-4-chlorophenyl]-1-methyl-3-(pentafluoroethyl)-4-(trifluoromethyl)-1H-pyrazole-5-carboxamide (known from WO2010/051926) (CAS 1226889-14-0), 5-bromo-4-chloro-N-[4-chloro-2-methyl-6-(methylcarbamoyl)phenyl]-2-(3-chloro-2-pyridyl)pyrazole-3-carboxamide (known from CN103232431) (CAS 1449220-44-3), 4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-(cis-1-oxido-3-thietanyl)-benzamide, 4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-(trans-1-oxido-3-thietanyl)-benzamide and 4-[(5S)-5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-(cis-1-oxido-3-thietanyl)benzamide (known from WO 2013/050317 A1) (CAS 1332628-83-7), N-[3-chloro-1-(3-pyridinyl)-1H-pyrazol-4-yl]-N-ethyl-3-[(3,3,3-trifluoropropyl)sulfinyl]-propanamide, (+)-N-[3-chloro-1-(3-pyridinyl)-1H-pyrazol-4-yl]-N-ethyl-3-[(3,3,3-trifluoropropyl)sulfinyl]-propanamide and (-)-N-[3-chloro-1-(3-pyridinyl)-1H-pyrazol-4-yl]-N-ethyl-3-[(3,3,3-trifluoropropyl)sulfinyl]-propanamide (known from WO 2013/162715 A2, WO 2013/162716 A2, US 2014/0213448 A1) (CAS 1477923-37-7), 5-[[[(2E)-3-chloro-2-propen-1-yl]amino]-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile (known from CN 101337937 A) (CAS 1105672-77-2), 3-bromo-N-[4-chloro-2-methyl-6-[(methylamino)thioxomethyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, (Liudaibenjiaxuanan, known from CN 103109816 A) (CAS 1232543-85-9); N-[4-chloro-2-[(1,1-dimethylethyl)amino]carbonyl]-6-methylphenyl]-1-(3-chloro-2-pyridinyl)-3-(fluoromethoxy)-1H-Pyrazole-5-carboxamide (known

from WO 2012/034403 A1) (CAS 1268277-22-0), N-[2-(5-amino-1,3,4-thiadiazol-2-yl)-4-chloro-6-methylphenyl]-3-bromo-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide (known from WO 2011/085575 A1) (CAS 1233882-22-8), 4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]-2-methoxy-6-(trifluoromethyl)-pyrimidine (known from CN 101337940 A) (CAS 1108184-52-6); (2E)- and 2(Z)-2-[2-(4-cyanophenyl)-1-[3-(trifluoromethyl)phenyl]ethylidene]-N-[4-(difluoromethoxy)phenyl]-hydrazinecarboxamide (known from CN 101715774 A) (CAS 1232543-85-9); 3-(2,2-dichloroethenyl)-2,2-dimethyl-4-(1H-benzimidazol-2-yl)phenyl-cyclopropanecarboxylic acid ester (known from CN 103524422 A) (CAS 1542271-46-4); (4aS)-7-chloro-2,5-dihydro-2-[[[(methoxycarbonyl)[4-[(trifluoromethyl)thio]phenyl]amino]carbonyl]-indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylic acid methyl ester (known from CN 102391261 A) (CAS 1370358-69-2); 6-deoxy-3-O-ethyl-2,4-di-O-methyl-, 1-[N-[4-[1-[4-(1,1,2,2,2-pentafluoroethoxy)phenyl]-1H-1,2,4-triazol-3-yl]phenyl]carbamate]- α -L-mannopyranose (known from US 2014/0275503 A1) (CAS 1181213-14-8); 8-(2-cyclopropylmethoxy-4-trifluoromethyl-phenoxy)-3-(6-trifluoromethyl-pyridazin-3-yl)-3-aza-bicyclo[3.2.1]octane (CAS 1253850-56-4), (8-anti)-8-(2-cyclopropylmethoxy-4-trifluoromethyl-phenoxy)-3-(6-trifluoromethyl-pyridazin-3-yl)-3-aza-bicyclo[3.2.1]octane (CAS 933798-27-7), (8-syn)-8-(2-cyclopropylmethoxy-4-trifluoromethyl-phenoxy)-3-(6-trifluoromethyl-pyridazin-3-yl)-3-aza-bicyclo[3.2.1]octane (known from WO 2007040280 A1, WO 2007040282 A1) (CAS 934001-66-8), N-[3-chloro-1-(3-pyridinyl)-1H-pyrazol-4-yl]-N-ethyl-3-[(3,3,3-trifluoropropyl)thio]-propanamide (known from WO 2015/058021 A1, WO 2015/058028 A1) (CAS 1477919-27-9) and N-[4-(aminothioxomethyl)-2-methyl-6-[(methylamino)carbonyl]phenyl]-3-bromo-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide (known from CN 103265527 A) (CAS 1452877-50-7), 5-(1,3-dioxan-2-yl)-4-[[4-(trifluoromethyl)phenyl]methoxy]-pyrimidine (known from WO 2013/115391 A1) (CAS 1449021-97-9), 3-(4-chloro-2,6-dimethylphenyl)-4-hydroxy-8-methoxy-1-methyl-1,8-diazaspiro[4.5]dec-3-en-2-one (known from WO 2010/066780 A1, WO 2011/151146 A1) (CAS 1229023-34-0), 3-(4-chloro-2,6-dimethylphenyl)-8-methoxy-1-methyl-1,8-diazaspiro[4.5]decane-2,4-dione (known from WO 2014/187846 A1) (CAS 1638765-58-8), 3-(4-chloro-2,6-dimethylphenyl)-8-methoxy-1-methyl-2-oxo-1, 8-diazaspiro[4.5]dec-3-en-4-yl-carbonic acid ethyl ester (known from WO 2010/066780 A1, WO 2011151146 A1) (CAS 1229023-00-0), N-[1-[(6-chloro-3-pyridinyl)methyl]-2(1H)-pyridinylidene]-2,2,2-trifluoro-acetamide (known from DE 3639877 A1, WO 2012029672 A1) (CAS 1363400-41-2), [N(E)]-N-[1-[(6-chloro-3-pyridinyl)methyl]-2(1H)-pyridinylidene]-2,2,2-trifluoro-acetamide, (known from WO 2016005276 A1) (CAS 1689566-03-7), [N(Z)]—N-[1-[(6-chloro-3-pyridinyl)methyl]-2(1H)-pyridinylidene]-2,2,2-trifluoro-acetamide, (CAS 1702305-40-5), 3-endo-3-[2-propoxy-4-(trifluoromethyl)phenoxy]-9-[[5-(trifluoromethyl)-2-pyridinyl]oxy]-9-azabicyclo[3.3.1]nonane (known from WO 2011/105506 A1, WO 2016/133011 A1) (CAS 1332838-17-1).

(462) Examples of safeners which could be mixed with the compound of formula (I) and composition comprising thereof are, for example, benoxacor, cloquintocet (-mexyl), cyometrinil, cyprosulfamide, dichlormid, fenchlorazole (-ethyl), fenclorim, flurazole, fluxofenim, furilazole, isoxadifen (-ethyl), mefenpyr (-diethyl), naphthalic anhydride, oxabetrinil, 2-methoxy-N-({4-[(methylcarbamoyl)amino]phenyl}-sulphonyl)benzamide (CAS 129531-12-0), 4-(dichloroacetyl)-1-oxa-4-azaspiro[4.5]decane (CAS 71526-07-3), 2,2,5-trimethyl-3-(dichloroacetyl)-1,3-oxazolidine (CAS 52836-31-4).

(463) Examples of herbicides which could be mixed with the compound of formula (I) and composition comprising thereof are:

(464) Acetochlor, acifluorfen, acifluorfen-sodium, aclonifen, alachlor, allidochlor, alloxydim, alloxydim-sodium, ametryn, amicarbazone, amidochlor, amidosulfuron, 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methylphenyl)-5-fluoropyridine-2-carboxylic acid, aminocyclopyrachlor, aminocyclopyrachlor-potassium, aminocyclopyrachlor-methyl, aminopyralid, amitrole,

ammoniumsulfamate, anilofos, asulam, atrazine, azafenidin, azimsulfuron, beflubutamid, benazolin, benazolin-ethyl, benfluralin, benfuresate, bensulfuron, bensulfuron-methyl, bensulide, bentazone, benzobicyclon, benzofenap, bicyclopyron, bifenox, bilanafos, bilanafos-sodium, bispyribac, bispyribac-sodium, bromacil, bromobutide, bromofenoxim, bromoxynil, bromoxynil-butyrate, -potassium, -heptanoate, and -octanoate, busoxinone, butachlor, butafenacil, butamifos, butenachlor, butralin, butroxydim, butylate, cafenstrole, carbetamide, carfentrazone, carfentrazone-ethyl, chloramben, chlorbromuron, chlorfenac, chlorfenac-sodium, chlorfenprop, chlorflurenol, chlorflurenol-methyl, chloridazon, chlorimuron, chlorimuron-ethyl, chlorophthalim, chlorotoluron, chlorthal-dimethyl, chloresulfuron, cinidon, cinidon-ethyl, cinmethylin, cinosulfuron, clacyfos, clethodim, clodinafop, clodinafop-propargyl, clomazone, clomeprop, clopyralid, cloransulam, cloransulam-methyl, cumyluron, cyanamide, cyanazine, cycloate, cyclopyrimorate, cyclosulfamuron, cycloxydim, cyhalofop, cyhalofop-butyl, cyprazine, 2,4-D, 2,4-D-butotyl, -butyl, -dimethylammonium, -diolamin, -ethyl, -2-ethylhexyl, -isobutyl, -isooctyl, -isopropylammonium, -potassium, -triisopropanolammonium, and -trolamine, 2,4-DB, 2,4-DB-butyl, -dimethylammonium, -isooctyl, -potassium, and -sodium, daimuron (dymron), dalapon, dazomet, n-decanol, desmedipham, detosyl-pyrazolate (DTP), dicamba, dichlobenil, 2-(2,4-dichlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one, 2-(2,5-dichlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one, dichlorprop, dichlorprop-P, diclofop, diclofop-methyl, diclofop-P-methyl, diclosulam, difenzoquat, diflufenican, diflufenzopyr, diflufenzopyr-sodium, dimefuron, dimepiperate, dimethachlor, dimethametryn, dimethenamid, dimethenamid-P, dimetrasulfuron, dinitramine, dinoterb, diphenamid, diquat, diquat-dibromid, dithiopyr, diuron, DNOC, endothal, EPTC, esprocarb, ethalfluralin, ethametsulfuron, etha-metsulfuron-methyl, ethiozin, ethofumesate, ethoxyfen, ethoxyfen-ethyl, ethoxysulfuron, etobenzanid, F-9600, F-5231, i.e. N-{2-chloro-4-fluoro-5-[4-(3-fluoropropyl)-5-oxo-4,5-dihydro-1H-tetrazol-1-yl]phenyl}ethanesulfonamide, F-7967, i. e. 3-[7-chloro-5-fluoro-2-(trifluoromethyl)-1H-benzimidazol-4-yl]-1-methyl-6-(trifluoromethyl)pyrimidine-2,4(1H,3H)-dione, fenoxaprop, fenoxaprop-P, fenoxaprop-ethyl, fenoxaprop-P-ethyl, fenoxasulfone, fenquino-trione, fentrazamide, flamprop, flamprop-M-isopropyl, flamprop-M-methyl, flazasulfuron, florasulam, fluazifop, fluazifop-P, fluazifop-butyl, fluazifop-P-butyl, flucarbazone, flucarbazone-sodium, flucetosulfuron, fluchloralin, flufenacet, flufenpyr, flufenpyr-ethyl, flumetsulam, flumiclorac, flumiclorac-pentyl, flumioxazin, fluometuron, flurenol, flurenol-butyl, -dimethylammonium and -methyl, fluoroglycofen, fluoroglycofen-ethyl, flupropanate, flupyrsulfuron, flupyrsulfuron-methyl-sodium, fluridone, flurochloridone, fluroxypyr, fluroxypyr-meptyl, flurtamone, fluthiacet, fluthiacet-methyl, fomesafen, fomesafen-sodium, foramsulfuron, fosamine, glufosinate, glufosinate-ammonium, glufosinate-P-sodium, glufosinate-P-ammonium, glufosinate-P-sodium, glyphosate, glyphosate-ammonium, -isopropylammonium, -diammonium, -dimethylammonium, -potassium, -sodium, and -trimesium, H-9201, i.e. 0-(2,4-dimethyl-6-nitrophenyl) O-ethyl isopropylphosphoramidothioate, halauxifen, halauxifen-methyl, halosafen, halosulfuron, halosulfuron-methyl, haloxyfop, haloxyfop-P, haloxyfop-ethoxyethyl, haloxyfop-P-ethoxyethyl, haloxyfop-methyl, haloxyfop-P-methyl, hexazinone, HW-02, i.e. 1-(dimethoxyphosphoryl) ethyl-(2,4-dichlorophenoxy)acetate, imazamethabenz, imazamethabenz-methyl, imazamox, imazamox-ammonium, imazapic, imazapic-ammonium, imazapyr, imazapyr-isopropylammonium, imazaquin, imazaquin-ammonium, imazethapyr, imazethapyr-immonium, imazosulfuron, indanofan, indaziflam, iodosulfuron, iodosulfuron-methyl-sodium, ioxynil, ioxynil-octanoate, -potassium and -sodium, ipfencarbazone, isoproturon, isouron, isoxaben, isoxaflutole, karbutilate, KUH-043, i.e. 3-({[5-(difluoromethyl)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]methyl}sulfonyl)-5,5-dimethyl-4,5-dihydro-1,2-oxazole, ketospiradox, lactofen, lenacil, linuron, MCPA, MCPA-butotyl, -dimethylammonium, -2-ethylhexyl, -isopropylammonium, -potassium, and -sodium, MCPB, MCPB-methyl, -ethyl, and -sodium, mecoprop, mecoprop-sodium, and -butotyl, mecoprop-P, mecoprop-P-butotyl, -dimethylammonium, -2-ethylhexyl, and -potassium, mefenacet, mefluidide, mesosulfuron, mesosulfuron-methyl, mesotrione, methabenzthiazuron,

metam, metamifop, metamitron, metazachlor, metazosulfuron, methabenzthiazuron, methiopyrsulfuron, methiozolin, methyl isothiocyanate, metobromuron, metolachlor, S-metolachlor, metosulam, metoxuron, metribuzin, metsulfuron, metsulfuron-methyl, molinat, monolinuron, monosulfuron, monosulfuron-ester, MT-5950, i.e. N-(3-chloro-4-isopropylphenyl)-2-methylpentan amide, NGGC-011, napropamide, NC-310, i.e. [5-(benzyloxy)-1-methyl-1H-pyrazol-4-yl](2,4-dichlorophenyl)methanone, neburon, nicosulfuron, nonanoic acid (pelargonic acid), norflurazon, oleic acid (fatty acids), orbencarb, orthosulfamuron, oryzalin, oxadiargyl, oxadiazon, oxasulfuron, oxaziclomefon, oxyfluorfen, paraquat, paraquat dichloride, pebulate, pendimethalin, penoxsulam, pentachlorophenol, pentoxazone, pethoxamid, petroleum oils, phenmedipham, picloram, picolinafen, pinoxaden, piperophos, pretilachlor, primisulfuron, primisulfuron-methyl, prodiamine, profoxydim, prometon, prometryn, propachlor, propanil, propaquizafop, propazine, propham, propisochlor, propoxycarbazone, propoxycarbazone-sodium, propyrisulfuron, propyzamide, prosulfocarb, pro-sulfuron, pyraclonil, pyraflufen, pyraflufen-ethyl, pyrasulfotole, pyrazolynate (pyrazolate), pyrazosulfuron, pyrazosulfuron-ethyl, pyrazoxyfen, pyribambenz, pyribambenz-isopropyl, pyribambenz-propyl, pyribenzoxim, pyributicarb, pyridafol, pyridate, pyriftalid, pyriminobac, pyriminobac-methyl, pyrimisulfan, pyriithiobac, pyriithiobac-sodium, pyroxasulfone, pyroxsulam, quinclorac, quinmerac, quinclamine, quizalofop, quizalofop-ethyl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, rimsulfuron, saflufenacil, sethoxydim, siduron, simazine, simetryn, SL-261, sulcotrion, sulfentrazone, sulfometuron, sulfometuron-methyl, sulfosulfuron, SYN-523, SYP-249, i.e. 1-ethoxy-3-methyl-1-oxobut-3-en-2-yl 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, SYP-300, i.e. 1-[7-fluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-3-propyl-2-thioxoimidazolidine-4,5-dione, 2,3,6-TBA, TCA (trichloroacetic acid), TCA-sodium, tebuthiuron, tefuryltrione, tembotrione, tepraloxym, terbacil, terbucarb, terbumeton, terbuthylazin, terbutryn, thenylchlor, thiazopyr, thiencarbazone, thiencarbazone-methyl, thifensulfuron, thifensulfuron-methyl, thiobencarb, tiafenacil, tolypyralate, topramezone, tralkoxydim, triafamone, tri-allate, triasulfuron, triaziflam, tribenuron, tribenuron-methyl, triclopyr, trietazine, trifloxysulfuron, trifloxysulfuron-sodium, trifludimoxazin, trifluralin, triflusulfuron, triflusulfuron-methyl, tritosulfuron, urea sulfate, vernolate, XDE-848, ZJ-0862, i.e. 3,4-dichloro-N-{2-[(4,6-dimethoxypyrimidin-2-yl)oxy]benzyl}aniline, and the following compounds:

(465) ##STR00038##

(466) Examples for plant growth regulators are:

(467) Acibenzolar, acibenzolar-S-methyl, 5-aminolevulinic acid, ancymidol, 6-benzylaminopurine, Brassinolid, catechine, chlormequat chloride, cloprop, cyclanilide, 3-(cycloprop-1-enyl) propionic acid, daminozide, dazomet, n-decanol, dikegulac, dikegulac-sodium, endothal, endothal-dipotassium, -disodium, and -mono(N,N-dimethylalkylammonium), ethephon, flumetralin, flurenol, flurenol-butyl, flurprimidol, forchlorfenuron, gibberellic acid, inabenfide, indol-3-acetic acid (IAA), 4-indol-3-ylbutyric acid, isoprothiolane, probenazole, jasmonic acid, maleic hydrazide, mepiquat chloride, 1-methyl-cyclopropene, methyl jasmonate, 2-(1-naphthyl)acetamide, 1-naphthylacetic acid, 2-naphthylacetic acid, nitrophenolate-mixture, paclobutrazol, N-(2-phenylethyl)-beta-alanine, N-phenylphthalamic acid, prohexadione, prohexadione-calcium, prohydrojasmon, salicylic acid, strigolactone, tecnazene, thidiazuron, triacontanol, trinexapac, trinexapac-ethyl, tsitodef, uniconazole, uniconazole-P.

(468) Methods and Uses

(469) The compound of formula (I) and composition comprising thereof have potent microbicidal activity and/or plant defense modulating potential. They can be used for controlling unwanted microorganisms, such as unwanted fungi and bacteria. They can be particularly useful in crop protection (they control microorganisms that cause plants diseases) or for protecting materials (e.g. industrial materials, timber, storage goods) as described in more details herein below. More specifically, the compound of formula (I) and composition comprising

thereof can be used to protect seeds, germinating seeds, emerged seedlings, plants, plant parts, fruits, harvest goods and/or the soil in which the plants grow from unwanted microorganisms.

(470) Control or controlling as used herein encompasses protective, curative and eradivative treatment of unwanted microorganisms. Unwanted microorganisms may be pathogenic bacteria, pathogenic virus, pathogenic oomycetes or pathogenic fungi, more specifically phytopathogenic bacteria, phytopathogenic virus, phytopathogenic oomycetes or phytopathogenic fungi. As detailed herein below, these phytopathogenic microorganisms are the causal agents of a broad spectrum of plants diseases.

(471) More specifically, the compound of formula (I) and composition comprising thereof can be used as fungicides. For the purpose of the specification, the term “fungicide” refers to a compound or composition that can be used in crop protection for the control of unwanted fungi, such as Plasmodiophoromycetes, Chytridiomycetes, Zygomycetes, Ascomycetes, Basidiomycetes and Deuteromycetes and/or for the control of Oomycetes.

(472) The compound of formula (I) and composition comprising thereof may also be used as antibacterial agent. In particular, they may be used in crop protection, for example for the control of unwanted bacteria, such as Pseudomonadaceae, Rhizobiaceae, Xanthomonadaceae, Enterobacteriaceae, Corynebacteriaceae and Streptomycetaceae.

(473) The compound of formula (I) and composition comprising thereof may also be used as antiviral agent in crop protection. For example the compound of formula (I) and composition comprising thereof may have effects on diseases from plant viruses, such as the tobacco mosaic virus (TMV), tobacco rattle virus, tobacco stunt virus (TStuV), tobacco leaf curl virus (VLCV), tobacco nervilia mosaic virus (TVBMV), tobacco necrotic dwarf virus (TNDV), tobacco streak virus (TSV), potato virus X (PVX), potato viruses Y, S, M, and A, potato acuba mosaic virus (PAMV), potato mop-top virus (PMTV), potato leaf-roll virus (PLRV), alfalfa mosaic virus (AMV), cucumber mosaic virus (CMV), cucumber green mottlemosaic virus (CGMMV), cucumber yellows virus (CuYV), watermelon mosaic virus (WMV), tomato spotted wilt virus (TSWV), tomato ringspot virus (TomRSV), sugarcane mosaic virus (SCMV), rice drawf virus, rice stripe virus, rice black-streaked drawf virus, strawberry mottle virus (SMoV), strawberry vein banding virus (SVBV), strawberry mild yellow edge virus (SMYEV), strawberry crinkle virus (SCrV), broad beanwilt virus (BBWV), and melon necrotic spot virus (MNSV). The present invention also relates to a method for controlling unwanted microorganisms, such as unwanted fungi, oomycetes and bacteria, comprising the step of applying at least one compound of formula (I) or at least one composition to the microorganisms and/or their habitat (to the plants, plant parts, seeds, fruits or to the soil in which the plants grow).

(474) Typically, when the compound of formula (I) and composition comprising thereof are used in curative or protective methods for controlling phytopathogenic fungi and/or phytopathogenic oomycetes, an effective and plant-compatible amount thereof is applied to the plants, plant parts, fruits, seeds or to the soil or substrates in which the plants grow. Suitable substrates that may be used for cultivating plants include inorganic based substrates, such as mineral wool, in particular stone wool, perlite, sand or gravel; organic substrates, such as peat, pine bark or sawdust; and petroleum based substrates such as polymeric foams or plastic beads. Effective and plant-compatible amount means an amount that is sufficient to control or destroy the fungi present or liable to appear on the cropland and that does not entail any appreciable symptom of phytotoxicity for said crops. Such an amount can vary within a wide range depending on the fungus to be controlled, the type of crop, the crop growth stage, the climatic conditions and the respective compound of formula (I) or composition used. This amount can be determined by systematic field trials that are within the capabilities of a person skilled in the art.

(475) Plants and Plant Parts

(476) The compound of formula (I) and composition comprising thereof may be applied to any plants or plant parts.

(477) Plants mean all plants and plant populations such as desired and undesired wild plants or crop plants (including naturally occurring crop plants). Crop plants may be plants which can be obtained by conventional breeding and optimization methods or by biotechnological and genetic engineering methods or combinations of these methods, including the genetically modified plants (GMO or transgenic plants) and the plant cultivars which are protectable and non-protectable by plant breeders' rights.

(478) Genetically Modified Plants (GMO)

(479) Genetically modified plants (GMO or transgenic plants) are plants in which a heterologous gene has been stably integrated into the genome. The expression "heterologous gene" essentially means a gene which is provided or assembled outside the plant and when introduced in the nuclear, chloroplastic or mitochondrial genome. This gene gives the transformed plant new or improved agronomic or other properties by expressing a protein or polypeptide of interest or by downregulating or silencing other gene(s) which are present in the plant (using for example, antisense technology, cosuppression technology, RNA interference—RNAi—technology or microRNA—miRNA—technology). A heterologous gene that is located in the genome is also called a transgene. A transgene that is defined by its particular location in the plant genome is called a transformation or transgenic event.

(480) Plant cultivars are understood to mean plants which have new properties ("traits") and have been obtained by conventional breeding, by mutagenesis or by recombinant DNA techniques. They can be cultivars, varieties, bio- or genotypes.

(481) Plant parts are understood to mean all parts and organs of plants above and below the ground, such as shoots, leaves, needles, stalks, stems, flowers, fruit bodies, fruits, seeds, roots, tubers and rhizomes. The plant parts also include harvested material and vegetative and generative propagation material, for example cuttings, tubers, rhizomes, slips and seeds.

(482) Plants which may be treated in accordance with the methods described herein include the following: cotton, flax, grapevine, fruit, vegetables, such as Rosaceae sp. (for example pome fruits such as apples and pears, but also stone fruits such as apricots, cherries, almonds and peaches, and soft fruits such as strawberries), Ribesioideae sp., Juglandaceae sp., Betulaceae sp., Anacardiaceae sp., Fagaceae sp., Moraceae sp., Oleaceae sp., Actinidaceae sp., Lauraceae sp., Musaceae sp. (for example banana trees and plantations), Rubiaceae sp. (for example coffee), Theaceae sp., Sterculiaceae sp., Rutaceae sp. (for example lemons, oranges and grapefruit); Solanaceae sp. (for example tomatoes), Liliaceae sp., Asteraceae sp. (for example lettuce), Umbelliferae sp., Cruciferae sp., Chenopodiaceae sp., Cucurbitaceae sp. (for example cucumber), Alliaceae sp. (for example leek, onion), Papilionaceae sp. (for example peas); major crop plants, such as Gramineae sp. (for example maize, turf, cereals such as wheat, rye, rice, barley, oats, millet and triticale), Asteraceae sp. (for example sunflower), Brassicaceae sp. (for example white cabbage, red cabbage, broccoli, cauliflower, Brussels sprouts, pak choi, kohlrabi, radishes, and oilseed rape, mustard, horseradish and cress), Fabaceae sp. (for example bean, peanuts), Papilionaceae sp. (for example soya bean), Solanaceae sp. (for example potatoes), Chenopodiaceae sp. (for example sugar beet, fodder beet, swiss chard, beetroot); useful plants and ornamental plants for gardens and wooded areas; and genetically modified varieties of each of these plants.

(483) Plants and plant cultivars which may be treated by the above disclosed methods include plants and plant cultivars which are resistant against one or more biotic stresses, i.e. said plants show a better defense against animal and microbial pests, such as against nematodes, insects, mites, phytopathogenic fungi, bacteria, viruses and/or viroids.

(484) Plants and plant cultivars which may be treated by the above disclosed methods include those plants which are resistant to one or more abiotic stresses. Abiotic stress conditions may include, for example, drought, cold temperature exposure, heat exposure, osmotic stress, flooding, increased soil salinity, increased mineral exposure, ozone exposure, high light exposure, limited availability of nitrogen nutrients, limited availability of phosphorus nutrients, shade avoidance.

(485) Plants and plant cultivars which may be treated by the above disclosed methods include those plants characterized by enhanced yield characteristics. Increased yield in said plants may be the result of, for example, improved plant physiology, growth and development, such as water use efficiency, water retention efficiency, improved nitrogen use, enhanced carbon assimilation, improved photosynthesis, increased germination efficiency and accelerated maturation. Yield may furthermore be affected by improved plant architecture (under stress and non-stress conditions), including but not limited to, early flowering, flowering control for hybrid seed production, seedling vigor, plant size, internode number and distance, root growth, seed size, fruit size, pod size, pod or ear number, seed number per pod or ear, seed mass, enhanced seed filling, reduced seed dispersal, reduced pod dehiscence and lodging resistance. Further yield traits include seed composition, such as carbohydrate content and composition for example cotton or starch, protein content, oil content and composition, nutritional value, reduction in anti-nutritional compounds, improved processability and better storage stability.

(486) Plants and plant cultivars which may be treated by the above disclosed methods include plants and plant cultivars which are hybrid plants that already express the characteristic of heterosis or hybrid vigor which results in generally higher yield, vigor, health and resistance towards biotic and abiotic stresses. Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars which are herbicide-tolerant plants, i.e. plants made tolerant to one or more given herbicides. Such plants can be obtained either by genetic transformation, or by selection of plants containing a mutation imparting such herbicide tolerance.

(487) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars which are insect-resistant transgenic plants, i.e. plants made resistant to attack by certain target insects. Such plants can be obtained by genetic transformation, or by selection of plants containing a mutation imparting such insect resistance.

(488) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars which are disease-resistant transgenic plants, i.e. plants made resistant to attack by certain target insects. Such plants can be obtained by genetic transformation, or by selection of plants containing a mutation imparting such insect resistance.

(489) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars which are tolerant to abiotic stresses. Such plants can be obtained by genetic transformation, or by selection of plants containing a mutation imparting such stress resistance.

(490) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars which show altered quantity, quality and/or storage-stability of the harvested product and/or altered properties of specific ingredients of the harvested product.

(491) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars, such as cotton plants, with altered fiber characteristics. Such plants can be obtained by genetic transformation, or by selection of plants contain a mutation imparting such altered fiber characteristics.

(492) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars, such as oilseed rape or related *Brassica* plants, with altered oil profile characteristics. Such plants can be obtained by genetic transformation, or by selection of plants contain a mutation imparting such altered oil profile characteristics.

(493) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic

engineering) which may be treated by the above disclosed methods include plants and plant cultivars, such as oilseed rape or related *Brassica* plants, with altered seed shattering characteristics. Such plants can be obtained by genetic transformation, or by selection of plants contain a mutation imparting such altered seed shattering characteristics and include plants such as oilseed rape plants with delayed or reduced seed shattering.

(494) Plants and plant cultivars (obtained by plant biotechnology methods such as genetic engineering) which may be treated by the above disclosed methods include plants and plant cultivars, such as Tobacco plants, with altered post-translational protein modification patterns.

(495) Pathogens Non-limiting examples of pathogens of fungal diseases which may be treated in accordance with the invention include:

(496) diseases caused by powdery mildew pathogens, for example *Blumeria* species, for example *Blumeria graminis*; *Podosphaera* species, for example *Podosphaera leucotricha*; *Sphaerotheca* species, for example *Sphaerotheca fuliginea*; *Uncinula* species, for example *Uncinula necator*;

(497) diseases caused by rust disease pathogens, for example *Gymnosporangium* species, for example *Gymnosporangium sabinae*; *Hemileia* species, for example *Hemileia vastatrix*; *Phakopsora* species, for example *Phakopsora pachyrhizi* or *Phakopsora meibomia*; *Puccinia* species, for example *Puccinia recondita*, *Puccinia graminis* oder *Puccinia striiformis*; *Uromyces* species, for example *Uromyces appendiculatus*;

(498) diseases caused by pathogens from the group of the Oomycetes, for example *Albugo* species, for example *Albugo candida*; *Bremia* species, for example *Bremia lactucae*; *Peronospora* species, for example *Peronospora pisi* or *P. brassicae*; *Phytophthora* species, for example *Phytophthora infestans*; *Plasmopara* species, for example *Plasmopara viticola*; *Pseudoperonospora* species, for example *Pseudoperonospora humuli* or *Pseudoperonospora cubensis*; *Pythium* species, for example *Pythium ultimum*;

(499) leaf blotch diseases and leaf wilt diseases caused, for example, by *Alternaria* species, for example *Alternaria solani*; *Cercospora* species, for example *Cercospora beticola*; *Cladosporium* species, for example *Cladosporium cucumerinum*; *Cochliobolus* species, for example *Cochliobolus sativus* (conidial form: *Drechslera*, syn: *Helminthosporium*) or *Cochliobolus miyabeanus*; *Colletotrichum* species, for example *Colletotrichum lindemuthianum*; *Corynespora* species, for example *Corynespora cassiicola*; *Cycloconium* species, for example *Cycloconium oleaginum*; *Diaporthe* species, for example *Diaporthe citri*; *Elsinoe* species, for example *Elsinoe fawcettii*; *Gloeosporium* species, for example *Gloeosporium laeticolor*; *Glomerella* species, for example *Glomerella cingulata*; *Guignardia* species, for example *Guignardia bidwelli*; *Leptosphaeria* species, for example *Leptosphaeria maculans*; *Magnaporthe* species, for example *Magnaporthe grisea*; *Microdochium* species, for example *Microdochium nivale*; *Mycosphaerella* species, for example *Mycosphaerella graminicola*, *Mycosphaerella arachidicola* or *Mycosphaerella fijiensis*; *Phaeosphaeria* species, for example *Phaeosphaeria nodorum*; *Pyrenophora* species, for example *Pyrenophora teres* or *Pyrenophora tritici repentis*; *Ramularia* species, for example *Ramularia collo-cygni* or *Ramularia areola*; *Rhynchosporium* species, for example *Rhynchosporium secalis*; *Septoria* species, for example *Septoria apii* or *Septoria lycopersici*; *Stagonospora* species, for example *Stagonospora nodorum*; *Typhula* species, for example *Typhula incarnata*; *Venturia* species, for example *Venturia inaequalis*;

(500) root and stem diseases caused, for example, by *Corticium* species, for example *Corticium graminearum*; *Fusarium* species, for example *Fusarium oxysporum*; *Gaeumannomyces* species, for example *Gaeumannomyces graminis*; *Plasmodiophora* species, for example *Plasmodiophora brassicae*; *Rhizoctonia* species, for example *Rhizoctonia solani*; *Sarocladium* species, for example *Sarocladium oryzae*; *Sclerotium* species, for example *Sclerotium oryzae*; *Tapesia* species, for example *Tapesia acuformis*; *Thielaviopsis* species, for example *Thielaviopsis basicola*;

(501) ear and panicle diseases (including corn cobs) caused, for example, by *Alternaria* species, for example *Alternaria* spp.; *Aspergillus* species, for example *Aspergillus flavus*; *Cladosporium*

species, for example *Cladosporium cladosporioides*; *Claviceps* species, for example *Claviceps purpurea*; *Fusarium* species, for example *Fusarium culmorum*; *Gibberella* species, for example *Gibberella zeae*; *Monographella* species, for example *Monographella nivalis*; *Stagnospora* species, for example *Stagnospora nodorum*;

(502) diseases caused by smut fungi, for example *Sphacelotheca* species, for example *Sphacelotheca reiliana*; *Tilletia* species, for example *Tilletia caries* or *Tilletia controversa*; *Urocystis* species, for example *Urocystis occulta*; *Ustilago* species, for example *Ustilago nuda*;

(503) fruit rot caused, for example, by *Aspergillus* species, for example *Aspergillus flavus*; *Botrytis* species, for example *Botrytis cinerea*; *Monilinia* species, for example *Monilinia laxa*; *Penicillium* species, for example *Penicillium expansum* or *Penicillium purpurogenum*; *Rhizopus* species, for example *Rhizopus stolonifer*; *Sclerotinia* species, for example *Sclerotinia sclerotiorum*; *Verticillium* species, for example *Verticillium albo-atrum*;

(504) seed- and soil-borne rot and wilt diseases, and also diseases of seedlings, caused, for example, by *Alternaria* species, for example *Alternaria brassicicola*; *Aphanomyces* species, for example *Aphanomyces euteiches*; *Ascochyta* species, for example *Ascochyta lentis*; *Aspergillus* species, for example *Aspergillus flavus*; *Cladosporium* species, for example *Cladosporium herbarum*; *Cochliobolus* species, for example *Cochliobolus sativus* (conidial form: *Drechslera*, *Bipolaris* Syn: *Helminthosporium*); *Colletotrichum* species, for example *Colletotrichum coccodes*; *Fusarium* species, for example *Fusarium culmorum*; *Gibberella* species, for example *Gibberella zeae*; *Macrophomina* species, for example *Macrophomina phaseolina*; *Microdochium* species, for example *Microdochium nivale*; *Monographella* species, for example *Monographella nivalis*; *Penicillium* species, for example *Penicillium expansum*; *Phoma* species, for example *Phoma lingam*; *Phomopsis* species, for example *Phomopsis sojae*; *Phytophthora* species, for example *Phytophthora cactorum*; *Pyrenophora* species, for example *Pyrenophora graminea*; *Pyricularia* species, for example *Pyricularia oryzae*; *Pythium* species, for example *Pythium ultimum*; *Rhizoctonia* species, for example *Rhizoctonia solani*; *Rhizopus* species, for example *Rhizopus oryzae*; *Sclerotium* species, for example *Sclerotium rolfsii*; *Septoria* species, for example *Septoria nodorum*; *Typhula* species, for example *Typhula incarnata*; *Verticillium* species, for example *Verticillium dahliae*;

(505) cancers, galls and witches' broom caused, for example, by *Nectria* species, for example *Nectria galligena*;

(506) wilt diseases caused, for example, by *Verticillium* species, for example *Verticillium longisporum*; *Fusarium* species, for example *Fusarium oxysporum*;

(507) deformations of leaves, flowers and fruits caused, for example, by *Exobasidium* species, for example *Exobasidium vexans*; *Taphrina* species, for example *Taphrina deformans*;

(508) degenerative diseases in woody plants, caused, for example, by *Esca* species, for example *Phaeomoniella chlamydospora*, *Phaeoacremonium aleophilum* or *Fomitiporia mediterranea*; *Ganoderma* species, for example *Ganoderma boninense*;

(509) diseases of plant tubers caused, for example, by *Rhizoctonia* species, for example *Rhizoctonia solani*; *Helminthosporium* species, for example *Helminthosporium solani*;

(510) diseases caused by bacterial pathogens, for example *Xanthomonas* species, for example *Xanthomonas campestris* pv. *oryzae*; *Pseudomonas* species, for example *Pseudomonas syringae* pv. *lachrymans*; *Erwinia* species, for example *Erwinia amylovora*; *Liberibacter* species, for example *Liberibacter asiaticus*; *Xyella* species, for example *Xylella fastidiosa*; *Ralstonia* species, for example *Ralstonia solanacearum*; *Dickeya* species, for example *Dickeya solani*; *Clavibacter* species, for example *Clavibacter michiganensis*; *Streptomyces* species, for example *Streptomyces scabies*.

(511) diseases of soya beans:

(512) Fungal diseases on leaves, stems, pods and seeds caused, for example, by *Alternaria* leaf spot (*Alternaria* spec. *atrans tenuissima*), Anthracnose (*Colletotrichum gloeosporoides dematium* var.

truncatum), brown spot (*Septoria glycines*), *Cercospora* leaf spot and blight (*Cercospora kikuchii*), *Choanephora* leaf blight (*Choanephora infundibulifera trispora* (Syn.)), *Dactuliophora* leaf spot (*Dactuliophora glycines*), downy mildew (*Peronospora manshurica*), *Drechslera* blight (*Drechslera glycini*), frog-eye leaf spot (*Cercospora sojae*), *Leptosphaerulina* leaf spot (*Leptosphaerulina trifolii*), *Phyllosticta* leaf spot (*Phyllosticta sojaecola*), pod and stem blight (*Phomopsis sojae*), powdery mildew (*Microsphaera diffusa*), *Pyrenochaeta* leaf spot (*Pyrenochaeta glycines*), *Rhizoctonia* aerial, foliage, and web blight (*Rhizoctonia solani*), rust (*Phakopsora pachyrhizi*, *Phakopsora meibomia*), scab (*Sphaceloma glycines*), *Stemphylium* leaf blight (*Stemphylium botryosum*), sudden death syndrome (*Fusarium virguliforme*), target spot (*Corynespora cassiicola*).

(513) Fungal diseases on roots and the stem base caused, for example, by black root rot (*Calonectria crotalariae*), charcoal rot (*Macrophomina phaseolina*), *Fusarium* blight or wilt, root rot, and pod and collar rot (*Fusarium oxysporum*, *Fusarium orthoceras*, *Fusarium semitectum*, *Fusarium equiseti*), *Mycoleptodiscus* root rot (*Mycoleptodiscus terrestris*), *Neocosmospora* (*Neocosmospora vasinfecta*), pod and stem blight (*Diaporthe phaseolorum*), stem canker (*Diaporthe phaseolorum* var. *caulivora*), *Phytophthora* rot (*Phytophthora megasperma*), brown stem rot (*Phialophora gregata*), *Pythium* rot (*Pythium aphanidermatum*, *Pythium irregulare*, *Pythium debaryanum*, *Pythium myriotylum*, *Pythium ultimum*), *Rhizoctonia* root rot, stem decay, and damping-off (*Rhizoctonia solani*), *Sclerotinia* stem decay (*Sclerotinia sclerotiorum*), *Sclerotinia* southern blight (*Sclerotinia rolfii*), *Thielaviopsis* root rot (*Thielaviopsis basicola*).

(514) Mycotoxins

(515) In addition, the compound of formula (I) and composition comprising thereof may reduce the mycotoxin content in the harvested material and the foods and feeds prepared therefrom.

Mycotoxins include particularly, but not exclusively, the following: deoxynivalenol (DON), nivalenol, 15-Ac-DON, 3-Ac-DON, T2- and HT2-toxin, fumonisins, zearalenon, moniliformin, fusarin, diacetoxyscirpenol (DAS), beauvericin, enniatin, fusaroproliferin, fusarenol, ochratoxins, patulin, ergot alkaloids and aflatoxins which can be produced, for example, by the following fungi: *Fusarium* spec., such as *F. acuminatum*, *F. asiaticum*, *F. avenaceum*, *F. crookwellense*, *F. culmorum*, *F. graminearum* (*Gibberella zeae*), *F. equiseti*, *F. fujikuroi*, *F. musarum*, *F. oxysporum*, *F. proliferatum*, *F. poae*, *F. pseudograminearum*, *F. sambucinum*, *F. scirpi*, *F. semitectum*, *F. solani*, *F. sporotrichoides*, *F. langsethiae*, *F. subglutinans*, *F. tricinctum*, *F. verticillioides* etc., and also by *Aspergillus* spec., such as *A. flavus*, *A. parasiticus*, *A. nomius*, *A. ochraceus*, *A. clavatus*, *A. terreus*, *A. versicolor*, *Penicillium* spec., such as *P. verrucosum*, *P. viridicatum*, *P. citrinum*, *P. expansum*, *P. claviforme*, *P. roqueforti*, *Claviceps* spec., such as *C. purpurea*, *C. fusiformis*, *C. paspali*, *C. africana*, *Stachybotrys* spec. and others.

(516) Material Protection

(517) The compound of formula (I) and composition comprising thereof may also be used in the protection of materials, especially for the protection of industrial materials against attack and destruction by phytopathogenic fungi.

(518) In addition, the compound of formula (I) and composition comprising thereof may be used as antifouling compositions, alone or in combinations with other active ingredients.

(519) Industrial materials in the present context are understood to mean inanimate materials which have been prepared for use in industry. For example, industrial materials which are to be protected from microbial alteration or destruction may be adhesives, glues, paper, wallpaper and board/cardboard, textiles, carpets, leather, wood, fibers and tissues, paints and plastic articles, cooling lubricants and other materials which can be infected with or destroyed by microorganisms. Parts of production plants and buildings, for example cooling-water circuits, cooling and heating systems and ventilation and air-conditioning units, which may be impaired by the proliferation of microorganisms may also be mentioned within the scope of the materials to be protected. Industrial materials within the scope of the present invention preferably include adhesives, sizes, paper and

card, leather, wood, paints, cooling lubricants and heat transfer fluids, more preferably wood.

(520) The compound of formula (I) and composition comprising thereof may prevent adverse effects, such as rotting, decay, discoloration, decoloration or formation of mould.

(521) In the case of treatment of wood the compound of formula (I) and composition comprising thereof may also be used against fungal diseases liable to grow on or inside timber.

(522) Timber means all types of species of wood, and all types of working of this wood intended for construction, for example solid wood, high-density wood, laminated wood, and plywood. In addition, the compound of formula (I) and composition comprising thereof may be used to protect objects which come into contact with saltwater or brackish water, especially hulls, screens, nets, buildings, moorings and signalling systems, from fouling.

(523) The compound of formula (I) and composition comprising thereof may also be employed for protecting storage goods. Storage goods are understood to mean natural substances of vegetable or animal origin or processed products thereof which are of natural origin, and for which long-term protection is desired. Storage goods of vegetable origin, for example plants or plant parts, such as stems, leaves, tubers, seeds, fruits, grains, may be protected freshly harvested or after processing by (pre)drying, moistening, comminuting, grinding, pressing or roasting. Storage goods also include timber, both unprocessed, such as construction timber, electricity poles and barriers, or in the form of finished products, such as furniture. Storage goods of animal origin are, for example, hides, leather, furs and hairs. The compound of formula (I) and composition comprising thereof may prevent adverse effects, such as rotting, decay, discoloration, decoloration or formation of mould.

(524) Microorganisms capable of degrading or altering industrial materials include, for example, bacteria, fungi, yeasts, algae and slime organisms. The compound of formula (I) and composition comprising thereof preferably act against fungi, especially moulds, wood-discoloring and wood-destroying fungi (Ascomycetes, Basidiomycetes, Deuteromycetes and Zygomycetes), and against slime organisms and algae. Examples include microorganisms of the following genera: *Alternaria*, such as *Alternaria tenuis*; *Aspergillus*, such as *Aspergillus niger*, *Chaetomium*, such as *Chaetomium globosum*; *Coniophora*, such as *Coniophora puetana*; *Lentinus*, such as *Lentinus tigrinus*; *Penicillium*, such as *Penicillium glaucum*; *Polyporus*, such as *Polyporus versicolor*, *Aureobasidium*, such as *Aureobasidium pullulans*; *Sclerophoma*, such as *Sclerophoma pityophila*; *Trichoderma*, such as *Trichoderma viride*; *Ophiostoma* spp., *Ceratocystis* spp., *Humicola* spp., *Petriella* spp., *Trichurus* spp., *Coriolus* spp., *Gloeophyllum* spp., *Pleurotus* spp., *Poria* spp., *Serpula* spp. and *Tyromyces* spp., *Cladosporium* spp., *Paecilomyces* spp. *Mucor* spp., *Escherichia*, such as *Escherichia coli*; *Pseudomonas*, such as *Pseudomonas aeruginosa*; *Staphylococcus*, such as *Staphylococcus aureus*, *Candida* spp. and *Saccharomyces* spp., such as *Saccharomyces cerevisiae*.

(525) Seed Treatment

(526) The compound of formula (I) and composition comprising thereof may also be used to protect seeds from unwanted microorganisms, such as phytopathogenic microorganisms, for instance phytopathogenic fungi or phytopathogenic oomycetes. The term seed(s) as used herein include dormant seeds, primed seeds, pregerminated seeds and seeds with emerged roots and leaves.

(527) Thus, the present invention also relates to a method for protecting seeds from unwanted microorganisms which comprises the step of treating the seeds with the compound of formula (I) or the composition.

(528) The treatment of seeds with the compound of formula (I) or the composition protects the seeds from phytopathogenic microorganisms, but also protects the germinating seeds, the emerging seedlings and the plants after emergence from the treated seeds. Therefore, the present invention also relates to a method for protecting seeds, germinating seeds and emerging seedlings.

(529) The seeds treatment may be performed prior to sowing, at the time of sowing or shortly thereafter. When the seeds treatment is performed prior to sowing (e.g. so-called on-seed

applications), the seeds treatment may be performed as follows: the seeds may be placed into a mixer with a desired amount of the compound of formula (I) or the composition, the seeds and the compound of formula (I) or the composition are mixed until an homogeneous distribution on seeds is achieved. If appropriate, the seeds may then be dried.

(530) The invention also relates to seeds coated with the compound of formula (I) or composition comprising thereof.

(531) Preferably, the seeds are treated in a state in which it is sufficiently stable for no damage to occur in the course of treatment. In general, seeds can be treated at any time between harvest and shortly after sowing. It is customary to use seeds which have been separated from the plant and freed from cobs, shells, stalks, coats, hairs or the flesh of the fruits. For example, it is possible to use seeds which have been harvested, cleaned and dried down to a moisture content of less than 15% by weight. Alternatively, it is also possible to use seeds which, after drying, for example, have been treated with water and then dried again, or seeds just after priming, or seeds stored in primed conditions or pregerminated seeds, or seeds sown on nursery trays, tapes or paper.

(532) The amount of the compound of formula (I) or composition comprising thereof applied to the seeds is typically such that the germination of the seed is not impaired, or that the resulting plant is not damaged. This must be ensured particularly in case the compound of formula (I) would exhibit phytotoxic effects at certain application rates. The intrinsic phenotypes of transgenic plants should also be taken into consideration when determining the amount of the compound of formula (I) to be applied to the seed in order to achieve optimum seed and germinating plant protection with a minimum amount of compound being employed.

(533) The compound of formula (I) can be applied as such, directly to the seeds, i.e. without the use of any other components and without having been diluted. Also the composition comprising thereof can be applied to the seeds.

(534) The compound of formula (I) and composition comprising thereof are suitable for protecting seeds of any plant variety. Preferred seeds are that of cereals (such as wheat, barley, rye, millet, triticale, and oats), oilseed rape, maize, cotton, soybean, rice, potatoes, sunflower, beans, coffee, peas, beet (e.g. sugar beet and fodder beet), peanut, vegetables (such as tomato, cucumber, onions and lettuce), lawns and ornamental plants. More preferred are seeds of wheat, soybean, oilseed rape, maize and rice.

(535) The compound of formula (I) and composition comprising thereof may be used for treating transgenic seeds, in particular seeds of plants capable of expressing a polypeptide or protein which acts against pests, herbicidal damage or abiotic stress, thereby increasing the protective effect. Seeds of plants capable of expressing a polypeptide or protein which acts against pests, herbicidal damage or abiotic stress may contain at least one heterologous gene which allows the expression of said polypeptide or protein. These heterologous genes in transgenic seeds may originate, for example, from microorganisms of the species *Bacillus*, *Rhizobium*, *Pseudomonas*, *Serratia*, *Trichoderma*, *Clavibacter*, *Glomus* or *Gliocladium*. These heterologous genes preferably originate from *Bacillus* sp., in which case the gene product is effective against the European corn borer and/or the Western corn rootworm. Particularly preferably, the heterologous genes originate from *Bacillus thuringiensis*.

(536) Application

(537) The compound of formula (I) can be applied as such, or for example in the form of as ready-to-use solutions, emulsions, water- or oil-based suspensions, powders, wettable powders, pastes, soluble powders, dusts, soluble granules, granules for broadcasting, suspoemulsion concentrates, natural products impregnated with the compound of formula (I), synthetic substances impregnated with the compound of formula (I), fertilizers or microencapsulations in polymeric substances.

(538) Application is accomplished in a customary manner, for example by watering, spraying, atomizing, broadcasting, dusting, foaming, spreading-on and the like. It is also possible to deploy the compound of formula (I) by the ultra-low volume method, via a drip irrigation system or drench

application, to apply it in-furrow or to inject it into the soil stem or trunk. It is further possible to apply the compound of formula (I) by means of a wound seal, paint or other wound dressing.
(539) The effective and plant-compatible amount of the compound of formula (I) which is applied to the plants, plant parts, fruits, seeds or soil will depend on various factors, such as the compound/composition employed, the subject of the treatment (plant, plant part, fruit, seed or soil), the type of treatment (dusting, spraying, seed dressing), the purpose of the treatment (curative and protective), the type of microorganisms, the development stage of the microorganisms, the sensitivity of the microorganisms, the crop growth stage and the environmental conditions.

(540) When the compound of formula (I) is used as a fungicide, the application rates can vary within a relatively wide range, depending on the kind of application. For the treatment of plant parts, such as leaves, the application rate may range from 0.1 to 10 000 g/ha, preferably from 10 to 1000 g/ha, more preferably from 50 to 300 g/ha (in the case of application by watering or dripping, it is even possible to reduce the application rate, especially when inert substrates such as rockwool or perlite are used). For the treatment of seeds, the application rate may range from 0.1 to 200 g per 100 kg of seeds, preferably from 1 to 150 g per 100 kg of seeds, more preferably from 2.5 to 25 g per 100 kg of seeds, even more preferably from 2.5 to 12.5 g per 100 kg of seeds. For the treatment of soil, the application rate may range from 0.1 to 10 000 g/ha, preferably from 1 to 5000 g/ha.

(541) These application rates are merely examples and are not intended to limit the scope of the present invention.

(542) Aspects of the present teaching may be further understood in light of the following examples, which should not be construed as limiting the scope of the present teaching in anyway.

EXAMPLES

(543) Generality

(544) Measurement of Log P Values

(545) Measurement of Log P values as provided herein was performed according to EEC directive 79/831 Annex V.A8 by HPLC (High Performance Liquid Chromatography) on reversed phase columns with the following methods: .sup.[a] Log P value is determined by measurement of LC-UV, in an acidic range, with 0.1% formic acid in water and acetonitrile as eluent (linear gradient from 10% acetonitrile to 95% acetonitrile). .sup.[b] Log P value is determined by measurement of LC-UV, in a neutral range, with 0.001 molar ammonium acetate solution in water and acetonitrile as eluent (linear gradient from 10% acetonitrile to 95% acetonitrile). .sup.[c] Log P value is determined by measurement of LC-UV, in an acidic range, with 0.1% phosphoric acid and acetonitrile as eluent (linear gradient from 10% acetonitrile to 95% acetonitrile).

(546) If more than one Log P value is available within the same method, all the values are given and separated by “+”.

(547) Calibration was done with straight-chain alkan-2-ones (with 3 to 16 carbon atoms) with known Log P values (measurement of Log P values using retention times with linear interpolation between successive alkanones). Lambda-max-values were determined using UV-spectra from 200 nm to 400 nm and the peak values of the chromatographic signals

(548) ¹H-NMR Data

(549) ¹H-NMR data of selected examples as provided herein are written in form of ¹H-NMR-peak lists. To each signal peak are listed the δ -value in ppm and the signal intensity in round brackets. Between the δ -value—signal intensity pairs are semicolons as delimiters.

(550) The peak list of an example has therefore the form:

(551) $\delta_{\text{sub.1}}$ (intensity.sub.1); $\delta_{\text{sub.2}}$ (intensity.sub.2); . . . $\delta_{\text{sub.i}}$ (intensity.sub.i); . . . ; $\delta_{\text{sub.n}}$ (intensity.sub.n)

(552) Intensity of sharp signals correlates with the height of the signals in a printed example of a NMR spectrum in cm and shows the real relations of signal intensities. From broad signals several peaks or the middle of the signal and their relative intensity in comparison to the most intensive signal in the spectrum can be shown.

(553) For calibrating chemical shift for ^1H spectra, we use tetramethylsilane and/or the chemical shift of the solvent used, especially in the case of spectra measured in DMSO. Therefore in NMR peak lists, tetramethylsilane peak can occur but not necessarily.

(554) The ^1H -NMR peak lists are similar to classical ^1H -NMR prints and contains therefore usually all peaks, which are listed at classical NMR-interpretation.

(555) Additionally they can show like classical ^1H -NMR prints signals of solvents, stereoisomers of the target compounds, which are also object of the invention, and/or peaks of impurities.

(556) To show compound signals in the delta-range of solvents and/or water the usual peaks of solvents, for example peaks of DMSO in DMSO-*d*.sub.6 and the peak of water are shown in our ^1H -NMR peak lists and have usually on average a high intensity.

(557) The peaks of stereoisomers of the target compounds and/or peaks of impurities have usually on average a lower intensity than the peaks of target compounds (for example with a purity >90%).

(558) Such stereoisomers and/or impurities can be typical for the specific preparation process. Therefore their peaks can help to recognize the reproduction of our preparation process via “side-products-fingerprints”.

(559) An expert, who calculates the peaks of the target compounds with known methods (MestReC, ACD-simulation, but also with empirically evaluated expectation values) can isolate the peaks of the target compounds as needed optionally using additional intensity filters. This isolation would be similar to relevant peak picking at classical ^1H -NMR interpretation.

(560) Further details of NMR-data description with peak lists you find in the publication “Citation of NMR Peaklist Data within Patent Applications” of the Research Disclosure Database Number 564025.

(561) The following examples illustrate in a non-limiting manner the preparation and biological activity of the compounds of formula (I) according to the invention.

Synthesis of Compounds of Formula (I) and Intermediates

Preparation Example 1: Preparation of methyl N-[6-chloro-3-[3-

(trifluoromethyl)phenoxy]pyridazine-4-carbonyl]-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]carbamate (Compound I.335)

(562) To a solution of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (100 mg, 0.206 mmol) and potassium tert-butoxide (34 mg, 0.309 mmol) in THE (3 mL) was added methyl chloroformate (0.024 mL, 0.309 mmol). The reaction mixture was stirred 3 h at room temperature, then diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 69 mg (88% purity, 54% yield of methyl N-[6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carbonyl]-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]carbamate as an oil.

Preparation Example 2: Preparation of N-[2-(2,4-dimethylphenyl)ethyl]-6-methyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carbothioamide (Compound I.094)

(563) In a microwave vial, N-[2-(2,4-dimethylphenyl)ethyl]-6-methyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (97.7 mg, 0.22 mmol) and P.sub.2S.sub.5 (25.28 mg, 0.11 mmol) were dissolved in dioxane (4.8 mL). The tube was sealed and the reaction mixture was heated in the microwave at 130° C. for 10 min.

(564) The reaction mixture was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 27.5 mg (100% purity, 27% yield) of N-[2-(2,4-dimethylphenyl)ethyl]-6-methyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carbothioamide as a yellow solid.

Preparation Example 3: Preparation of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.014)

Step 1: Preparation of ethyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (565) Under argon, sodium hydride (2.8 g, 70 mmol) was added to a solution of 3-(trifluoromethyl)phenol (9.7 g, 60 mmol) in DMF (30 mL). The reaction mixture was stirred 1 h at room temperature, then ethyl 3,6-dichloropyridazine-4-carboxylate (13.8 g, 50 mmol) was added portionwise to the solution. The reaction mixture was stirred for 18 h at room temperature, then diluted with water and extracted with diethylether (3×200 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 20 g (90% purity, 100% yield) of ethyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as an oil.

Step 2: Preparation of 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic Acid (566) To a solution of ethyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (15 g, 35 mmol) in dioxane/water 2:1 (75 mL) was added lithium hydroxide (2.5 g, 105 mmol). The reaction was stirred for 4 h at room temperature then diluted with water. The aqueous phase was acidified with 1M aqueous HCl solution and extracted with ethyl acetate (3×200 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 9.7 g (98% purity, 85% yield) of 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid as a solid.

Step 3: Preparation of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (567) In a microwave vial, 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (1.74 g, 9.4 mmol), triethylamine (2 mL, 14 mmol), propylphosphonic anhydride (5.19 g, 8.1 mmol, 50% in THF) and 2-(2,4-dimethylphenyl)-2,2-difluoro-ethanamine (1.74 g, 9.41 mmol) were dissolved in THE (10 mL). The tube was sealed and the reaction mixture was heated in the microwave at 130° C. for 15 min. The reaction mixture was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with a saturated aqueous sodium bicarbonate solution and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 3.2 g (93% purity, 98% yield) of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a white solid Preparation example 4: Preparation of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-3-(2,3-difluorophenoxy)pyridazine-4-carboxamide (Compound I.530)

Step 1: Preparation of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-3,6-dichloro-pyridazine-4-carboxamide (Compound 3.10)

(568) To a white suspension of 3,6-dichloropyridazine-4-carboxylic acid (8.0 g, 41.4 mmol) in dichloromethane (50 mL) was added oxalyl chloride (7.89 g, 126.93 mmol) followed by two drops of DMF. The reaction mixture was stirred at room temperature for 1 h. To the pre-formed acyl chloride was added a solution of 2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethanamine (11.77 g, 43.52 mmol) and triethylamine (11.55 mL, 82.90 mmol) in DCM (100 mL). The reaction mixture was stirred at room temperature for 1 h, then it was diluted with water and extracted with DCM (2×100 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 4.15 g (82% purity, 20% yield) of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-3,6-dichloro-pyridazine-4-carboxamide as a white solid.

Step 2: Preparation of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-3-(2,3-difluoro-phenoxy)pyridazine-4-carboxamide

(569) To a solution of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-3,6-dichloro-

pyridazine-4-carboxamide (150 mg, 0.33 mmol) in AcCN (4 mL) were added 2,3-difluorophenol (56.95 mg, 0.44 mmol) and potassium carbonate (93 mg, 0.67 mmol). The reaction mixture was stirred at room temperature for 18 h, then it was diluted with water and extracted with ethyl acetate (2×100 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by preparative HPLC afforded, after evaporation of the solvents, 85 mg (100% purity, 46% yield) of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-3-(2,3-difluorophenoxy)pyridazine-4-carboxamide as a colourless oil.

Preparation Example 5: Preparation of 6-chloro-N-[2-(4-cyclopropyl-2-methyl-phenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.240) (570) Under argon, cyclopropylboronic acid (19.7 mg, 0.22 mmol) was added to a stirred solution of N-[2-(4-bromo-2-methyl-phenyl)-2,2-difluoro-ethyl]-6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (100 mg, 0.18 mmol), palladium acetate (8.5 mg, 0.018 mmol) and potassium phosphate (238.42 mg, 1.09 mmol) in toluene/water (20:1, 3 mL). The reaction mixture was stirred at 100° C. for 18 h, filtered over Celite®, washed with ethyl acetate and concentrated under reduced pressure. Purification of the residue by preparative HPLC afforded, after evaporation of the solvents, 22 mg (90% purity, 21% yield) of 6-chloro-N-[2-(4-cyclopropyl-2-methyl-phenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as colourless oil.

Preparation Example 6: Preparation of 3-(3-cyclobutylphenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methyl-pyridazine-4-carboxamide (Compound I.564) (571) Under argon, a solution of NiCl₂.sub.2.glyme (0.23 mg, 0.001 mmol) and 4,4'-di-tert-butyl-2,2'-bipyridine (0.28 mg, 0.001 mmol) in dioxane (0.5 mL) was added to a mixture 3-(3-bromophenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methyl-pyridazine-4-carboxamide (100 mg, 0.21 mmol), bromocyclobutane (57 mg, 0.42 mmol), tris(trimethylsilyl)silane (52 mg, 0.21 mmol), sodium carbonate (44 mg, 0.42 mmol) and [Ir(dF(CF₃).sub.3ppy).sub.2(dtbbpy)]PF₆.sub.6 (2.3 mg, 0.002 mmol, CAS number 870987-63-6) dissolved in dioxane (1 mL). The reaction mixture was stirred at room temperature for 18 h under blue light irradiation (Kessyl lamp 40 W), then filtered over Celite® and concentrated under reduced pressure. Purification of the residue by preparative HPLC afforded, after evaporation of the solvents, 14 mg (85% purity, 12% yield) of 3-(3-cyclobutylphenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methyl-pyridazine-4-carboxamide as a colourless oil.

Preparation Example 7: Preparation of 6-acetyl-N-[rac-2-(4-bromo-2-chloro-phenyl)-2-fluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.605)

Step 1: Preparation of isopropyl 6-(1-ethoxyvinyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate

(572) In a microwave vial, isopropyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (2.7 g, 7.5 mmol), tributyl(1-ethoxyvinyl)stannane (3.38 g, 9.35 mmol) and bis(triphenylphosphine)palladium dichloride (527 mg, 0.75 mmol) were dissolved under argon in DMF (10 mL). The tube was sealed and the reaction mixture was heated in the microwave at 120° C. for 20 min. The reaction mixture was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 2.2 g (95% purity, 70% yield) of isopropyl 6-(1-ethoxyvinyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as a solid.

Step 2: Preparation of isopropyl 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (Compound 1.075)

(573) To a solution of isopropyl 6-(1-ethoxyvinyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (1.9 g, 4.9 mmol) in THE (20 mL) was added at room temperature a 2M aqueous HCl

(7 mL, 14 mmol) solution. The reaction was stirred for 30 min then it was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 1.67 g (100% purity, 93% yield) of isopropyl 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as a oil.

Step 3: Preparation of 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic Acid (Compound 1.034)

(574) To a solution of isopropyl 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (600 mg, 1.63 mmol) in THE/water 9:1 (5.5 mL) cooled at 0° C. was added lithium hydroxide (80 mg, 3.2 mmol). The reaction was stirred for 1 h at room temperature then it was diluted with water. The aqueous phase was acidified with 1M aqueous HCl solution and extracted with ethyl acetate (2×50 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 540 mg (90% purity, 91% yield) of 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid as a solid.

Step 4: Preparation of 6-acetyl-N-[rac-2-(4-bromo-2-chloro-phenyl)-2-fluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide

(575) In a microwave vial, 6-acetyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (350 mg, 1.1 mmol), triethylamine (0.6 mL, 4 mmol), propylphosphonic anhydride (2.05 g, 3.22 mmol, 50% in THF) and rac-2-(4-bromo-2-chloro-phenyl)-2-fluoro-ethanamine.hydrochloride (465 mg, 1.61 mmol) were dissolved in THE (7 mL). The tube was sealed and the reaction mixture was heated in the microwave at 130° C. for 15 min. The reaction mixture was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with a saturated aqueous sodium bicarbonate solution and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 336 mg (92% purity, 51% yield) of 6-acetyl-N-[rac-2-(4-bromo-2-chloro-phenyl)-2-fluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 8: Preparation of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.461)

Step 1: Preparation of isopropyl 6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (Compound I.066)

(576) Under argon, sodium iodide (10.4 g, 69.3 mmol) was added at room temperature to a solution of isopropyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (10.0 g, 27.7 mmol) in hydriodic acid (30 mL, 57% in water). AcCN (20 mL) was added and the mixture was stirred at 40° C. for 4 h. The reaction was stopped by addition of 1M aqueous NaOH solution, the pH was adjusted to 3-4 and the reaction mixture was extracted with ethyl acetate (3×200 mL). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 4.3 g (86% purity, 30% yield) of isopropyl 6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as a solid.

Step 2: Preparation of 6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic Acid

(577) To a solution of isopropyl 6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (800 mg, 1.77 mmol) in THE/water 9:1 (44 mL) cooled at 0° C. was added lithium hydroxide (51 mg, 2.12 mmol). The reaction was stirred for 30 min at 0° C. then it was diluted with water. The aqueous phase was acidified with 1M aqueous HCl solution and extracted with ethyl acetate (2×100 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 657 mg (100% purity, 90% yield) of 6-iodo-3-[3-(trifluoro-methyl)phenoxy]pyridazine-4-carboxylic acid was obtained as a solid.

Step 3: Preparation of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-iodo-3-[3-(trifluoro-

methyl]phenoxy]pyridazine-4-carboxamide

(578) In a microwave vial, 6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (657 mg, 1.6 mmol), triethylamine (0.9 mL, 6.4 mmol), propylphosphonic anhydride (3.05 g, 4.81 mmol, 50% in THF) and 2-(2,4-dimethylphenyl)-2,2-difluoro-ethanamine were dissolved in THE (8 mL). The tube was sealed and the reaction mixture was heated in the microwave at 130° C. for 15 min. The reaction mixture was diluted with water and extracted with ethyl acetate (2×100 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 621 mg (97% purity, 60% yield) of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 9: Preparation of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.070)

Step 1: Preparation of methyl 6-chloro-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (Compound 1.052)

(579) Under argon, a solution of TMPZnCl.LiCl (1.22 mL, 0.66 mL, 17% in THF, CAS number 109-99-9) was added to methyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (200 mg, 0.6 mmol) in THE (1.2 mL). After stirring 1 h at room temperature, NIS (203 mg, 0.90 mmol) was added. The reaction mixture was stirred 3 h at room temperature, then it was diluted with a saturated sodium thiosulfate solution and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 191 mg (97% purity, 67% yield) of methyl 6-chloro-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as a yellow solid.

Step 2: Preparation of methyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]-5-vinyl-pyridazine-4-carboxylate (Compound 1.069)

(580) Under argon, in a microwave vial 6-chloro-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (500 mg, 1.1 mmol), potassium vinyltrifluoroborate (146 mg, 1.1 mmol), potassium phosphate (463 mg, 2.18 mmol) and [1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II) (179 mg, 0.22 mmol) were dissolved in DME/water 2:1 (10 mL). The tube was sealed and the reaction mixture was heated in the microwave at 110° C. for 30 min. The reaction mixture was diluted with a saturated ammonium chloride solution and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 255 mg (98% purity, 64% yield) of methyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]-5-vinyl-pyridazine-4-carboxylate as a solid.

Step 3: Preparation of methyl 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate

(581) Sodium methoxide (93 mg, 1.71 mmol) was added to a solution of methyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]-5-vinyl-pyridazine-4-carboxylate (880 mg, 2.46 mmol) in methanol (15 mL). The reaction mixture was stirred for 1 h at room temperature. The reaction mixture was diluted with a saturated aqueous sodium bicarbonate solution and extracted with ethyl acetate (2×100 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 223 mg (93% purity, 22% yield) of methyl 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as an oil.

Step 4: Preparation of 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (Compound 1.026)

(582) To a solution of methyl 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (272 mg, 0.67 mmol) in THE/water 9:1 (4 mL) was added lithium hydroxide (33 mg, 1.4 mmol). The reaction was stirred for 8 h at room temperature then it was diluted with water. The aqueous phase was acidified with 1M aqueous HCl solution and extracted with ethyl acetate (2×50 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 210 mg (100% purity, 80% yield) of 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid as a solid.

Step 5: Preparation of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide

(583) Under argon, to a solution of 6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (50 mg, 0.133 mmol) and HATU (100 mg, 0.26 mmol) in DMF (2 mL) were successively added 2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethanamine hydrochloride (53 mg, 0.17 mmol) and N,N-diisopropylethylamine (0.12 mL, 0.66 mmol). The reaction mixture was stirred for 3 h at room temperature then it was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by preparative HPLC afforded, after evaporation of the solvents, 34 mg (100% purity, 40% yield) of N-[2-(4-bromo-2-chloro-phenyl)-2,2-difluoro-ethyl]-6-chloro-5-(2-methoxyethyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a colourless oil.

Preparation Example 10: Preparation of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.020)

(584) Under argon, a solution of TMPZnCl.LiCl (12.35 mmol, 22.7 mL, 17% in THF, CAS number 109-99-9) was added to 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (3.0 g, 6.2 mmol) in THE (30 mL). After stirring 1 h at room temperature, NIS (3.4 g, 15.4 mmol) was added portionwise. The reaction mixture was stirred 2 h at room temperature, then it was diluted with a saturated sodium thiosulfate solution and saturated sodium bicarbonate solution, and extracted with ethyl acetate (2×250 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 3.05 g (100% purity, 80% yield) of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 11: Preparation of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-(oxetan-3-ylamino)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.408)

(585) Under argon, oxetan-3-amine (14.3 mg, 0.20 mmol) and N,N-diisopropylethylamine (0.034 mL, 0.20 mmol) were added at room temperature to a solution of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-iodo-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (100 mg, 0.16 mmol) in AcCN (3 mL). The reaction mixture was stirred at 60° C. for 18 h, then it was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 79 mg (90% purity, 78% yield) of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-(oxetan-3-ylamino)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 12: Preparation of 6-chloro-N-[2-(4-chlorophenyl)-2,2-difluoro-ethyl]-5-ethyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.254)

(586) Under argon, a solution of EtMgBr (2.26 mL, 2.03 mmol, 0.9 M in THF) was added at -20°

C. to a solution of 6-chloro-N-[2-(4-chlorophenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (200.0 mg, 0.40 mmol) in THF (5 mL). The reaction mixture was stirred 30 min at -20°C ., then MeOH (1 mL) and NBS (86.7 mg, 0.49 mmol) were added. The reaction mixture was further stirred at room temperature for 2 h, then it was diluted with a saturated ammonium chloride solution and extracted with ethyl acetate ($2\times 50\text{ mL}$). The organic extracts were washed with water, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 94 mg (100% purity, 45% yield) of 6-chloro-N-[2-(4-chlorophenyl)-2,2-difluoro-ethyl]-5-ethyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 13: preparation 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-(3-pyridyl)-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.550) (587) Under argon, a solution of $\text{TMPZnCl}\cdot\text{LiCl}$ (0.86 mmol, 1.6 mL, 17% in THF) was added to 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (200 mg, 0.41 mmol) in THF (2 mL). After stirring 1 h at room temperature, 3-bromopyridine (0.048 mL, 0.49 mmol), palladium acetate (71 mg, 0.123 mmol), and trifurylphosphine (57.3 mg, 0.24 mmol) were added. The reaction mixture was stirred at 60°C . for 4 h, then diluted with a saturated ammonium chloride solution and a saturated sodium thiosulfate solution, and extracted with ethyl acetate ($2\times 50\text{ mL}$). The organic extracts were washed with brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 227 mg (96% purity, 94% yield) of 6-chloro-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-(3-pyridyl)-3-[3-(trifluoro-methyl)phenoxy]pyridazine-4-carboxamide as a solid.

Preparation Example 14: Preparation of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide (Compound I.767)

Step 1: Preparation of ethyl 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate

(588) Under argon, sodium methanethiolate (85 mg, 1.15 mmol) was added to a solution of ethyl 6-chloro-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (400 mg, 1.15 mmol) in DMF (3 mL). The reaction mixture was stirred 2 h at room temperature, then diluted with saturated ammonium chloride solution and extracted with ethyl acetate ($2\times 100\text{ mL}$). The organic extracts were washed with water and brine, dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by preparative HPLC afforded, after evaporation of the solvents, 43 mg (100% purity, 10% yield) of ethyl 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate as an oil.

Step 2: Preparation of 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (Compound 1.004)

(589) To a solution of ethyl 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylate (71 mg, 0.20 mmol) in THE/water 2:1 (1.5 mL) was added lithium hydroxide (6 mg, 0.24 mmol). The reaction was stirred for 1 h at room temperature then it was diluted with water. The aqueous phase was acidified with 1M aqueous HCl solution and extracted with ethyl acetate ($2\times 50\text{ mL}$). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Evaporation of the solvents afforded 34 mg (100% purity, 51% yield) of 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid as a white solid.

Step 3: Preparation of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide

(590) In a microwave vial, 6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxylic acid (34 mg, 0.10 mmol), triethylamine (0.06 mL, 0.4 mmol), propylphosphonic anhydride (195 mg, 0.30 mmol, 50% in THF) and 2-(2,4-dimethylphenyl)-2,2-difluoro-ethanamine

hydrochloride (34 mg; 0.15 mmol) were dissolved in THE (0.4 mL). The tube was sealed and the reaction mixture was stirred at room temperature for 1 h. The reaction mixture was diluted with water and extracted with ethyl acetate (2×50 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. After evaporation of the solvents, 21 mg (100% purity, 41% yield) of N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-6-methylsulfanyl-3-[3-(trifluoromethyl)phenoxy]pyridazine-4-carboxamide as a yellow solid.

Preparation Example 15: Preparation of 6-chloro-3-(3-chlorophenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-methyl-pyridazine-4-carboxamide (Compound I.790)

Step 1: Preparation of methyl 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylate (Compound 1.033)

(591) To a solution of methyl 6-chloro-3-(3-chlorophenoxy)pyridazine-4-carboxylate (24 g, 80 mmol) in dimethyl sulfoxide (75 mL) was added at room temperature nitromethane (24 g, 400 mmol). After 30 min, triethylamine (16.7 mL, 120 mmol) was added. The reaction mixture was stirred at room temperature for 3 days then it was diluted with water. The aqueous phase was extracted with ethyl acetate (500 mL) and the organic extract was dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 18.9 g (96% purity, 72% yield) of methyl 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylate as a yellow oil.

Step 2: Preparation of 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylic Acid (Compound 1.002)

(592) To a solution of methyl 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylate (8 g, 25 mmol) in THE/water 2:1 (60 mL) was added at 0° C. lithium hydroxide (2.3 g, 31 mmol). The reaction was stirred for 4 h at room temperature then it was diluted with water. The aqueous phase was extracted with diethyl ether (2×60 mL) then acidified with 1M aqueous HCl solution. The aqueous phase was cooled to 0° C., the white precipitate was filtered off, dried under reduced pressure to afford 7.2 g (97% purity, 91% yield) of 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylic acid as a white solid.

Step 3: Preparation of 6-chloro-3-(3-chlorophenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-methyl-pyridazine-4-carboxamide

(593) Under argon, to a solution of 6-chloro-3-(3-chlorophenoxy)-5-methyl-pyridazine-4-carboxylic acid (200 mg, 0.67 mmol) and HATU (0.33 g, 0.87 mmol) cooled at 0° C. in DMF (3 mL) were successively added 2-(2,4-dimethylphenyl)-2,2-difluoro-ethanamine hydrochloride (185 mg, 0.84 mmol) and N,N-diisopropylethylamine (0.35 mL, 2.0 mmol). The reaction mixture was stirred for 18 h at room temperature then it was diluted with water and extracted with ethyl acetate (2×200 mL). The organic extracts were dried over magnesium sulfate, filtered and concentrated under reduced pressure. Purification of the residue by column chromatography on silica gel (gradient heptane/EtOAc) afforded, after evaporation of the solvents, 200 mg (97% purity, 62% yield) of 6-chloro-3-(3-chlorophenoxy)-N-[2-(2,4-dimethylphenyl)-2,2-difluoro-ethyl]-5-methyl-pyridazine-4-carboxamide as a white solid.

(594) The compounds as shown in table 1 below were prepared in analogy with the examples provided above. ¹H-NMR data of these compounds is shown in table 2.

(595) TABLE-US-00009 TABLE 1 Compounds according to formula (I) (I)  Ex No R¹ R² R³ T Q  LogP I-001 H Cl H O 3-

(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)ethyl 4.46^{sup}. [a] I-002 H H H O 3-

(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.90^{sup}. [a] I-003 H Cl methyl O

3-(trifluoromethyl)phenyl 2-(2-methyl-1,3-benzoxazol-4-yl)ethyl 3.39^{sup}. [a] I-004 H 3-

fluoropyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl

4.4^{sup}. [a] 1; 4.41^{sup}. [b] I-005 H Cl methyl O 3-(trifluoromethyl)phenyl rac-1-(3,4-

dimethylphenyl)ethyl 4.15^{sup}. [a] I-006 H Cl H O naphthalen-2-yl 2-(2,4-dichlorophenyl)-2,2-

difluoroethyl 4.78.sup.[a] I-007 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-methoxyphenyl)-2,2- 4.00.sup.[a] difluoroethyl I-008 H Cl H O 3-(trifluoromethyl)phenyl isoquinolin-7-ylmethoxy 1.87.sup.[a] I-009 H methyl 1H-pyrazol-1-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.91.sup.[a];3.81.sup.[b] I-010 H Cl I O 3-(difluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.94.sup.[a] I-011 H 3-nmethoxy-pyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.94.sup.[a];4.21.sup.[b] I-012 H methyl 2-nmethoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.11.sup.[a] I-013 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)propan-2-yl 4.01.sup.[a] I-014 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.46.sup.[a] I-015 H Cl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.25.sup.[a] (*) I-016 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.69.sup.[a] I-017 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-methoxyphenyl)propan-2-yl 3.51.sup.[a] I-018 H methyl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-cyclohexylphenyl)-2,2- 5.44.sup.[a] difluoroethyl I-019 H Cl H O 3-(trifluoromethyl)phenyl 2-(3,5-dimethylphenyl)-2,2-difluoroethyl 4.46.sup.[a] I-020 H Cl I O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.61.sup.[a] I-021 H CF₃ H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.90.sup.[a] difluoroethyl I-022 H 3-methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.49.sup.[a];4.27.sup.[b] I-023 H Cl H O 3-(trifluoromethyl)phenyl rac-1-naphthalen-2-ylethyl 4.28.sup.[a] (*) I-024 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.69.sup.[a] I-025 H H cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.39.sup.[a];4.20.sup.[b] I-026 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-fluorophenyl)propan-2-yl 3.62.sup.[a] I-027 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)ethyl 3.73.sup.[a] I-028 H methyl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-cyclobutylphenyl)-2,2- 4.83.sup.[a] difluoroethyl I-029 H Cl methyl O 3-cyclopropylphenyl 2-(2,4-dichlorophenyl)ethyl 4.51.sup.[a] I-030 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.27.sup.[a] I-031 H methyl H O 3-(trifluoromethyl)phenyl [5-chloro-7-(trifluoromethyl)imidazo[1,2- 3.17.sup.[a] a]pyridin-2-yl]methyl I-032 H Cl H O 5-(trifluoromethyl)pyridin- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.73.sup.[a];3.89.sup.[b] 3-yl I-033 H Cl I O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.46.sup.[a] I-034 H methyl H O 3-(trifluoromethyl)phenyl 2-[3-(trifluoromethyl)phenyl]propan-2-yl 3.96.sup.[a] I-035 H methyl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-cyclopentylphenyl)-2,2- 5.08.sup.[a] difluoroethyl I-036 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-nmethoxyphenyl)ethyl 3.61.sup.[a] I-037 H Cl H O 3-(trifluoromethyl)phenyl 2-[3-(trifluoromethyl)pyridin-2-yl]ethyl 3.65.sup.[a] I-038 H CF₃ H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.49.sup.[a] I-039 H methyl CF₃ O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.29.sup.[a] I-040 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.80.sup.[a] I-041 H methyl ethyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.87.sup.[a] I-042 H Cl H O 5-(trifluoromethyl)pyridin- 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.06.sup.[a];4.08.sup.[b] 3-yl I-043 H H cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.73.sup.[a];4.88.sup.[b] I-044 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-methylphenyl)propan-2-yl 3.96.sup.[a] I-045 H methyl ethyl O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.15.sup.[a] I-046 H methyl H O 3-(trifluoromethyl)phenyl 2-[2-chloro-4-[rac-oxolan-3-yl]phenyl]- 3.48.sup.[a] 2,2-difluoroethyl I-047 H Cl methyl O 3-cyclopropyl-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.61.sup.[a] fluorophenyl fluoroethyl I-048 H methyl H O 3-(trifluoromethyl)phenyl rac-6-bromo-1,2,3,4- 4.32.sup.[a];4.25.sup.[b] tetrahydronaphthalen-1-yl I-049 H methyl H O 3-(trifluoromethyl)phenyl (2,4-dimethylphenyl)nmethoxy 3.55.sup.[a] I-050 H methyl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)-2-fluoroethyl 3.46.sup.[a] I-051 H Cl H O 6-(trifluoromethyl)pyridin- 2-(4-

bromo-2-chlorophenyl)-2,2- 4.51.sup.[a] 2-yl difluoroethyl I-052 H pyrrolidin-1-yl H O 3-
 (trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.81.sup.[a] I-053 H methyl ethyl O
 3-(trifluoromethyl)phenyl rac-2-(2-chloro-4-methylphenyl)-2- 3.99.sup.[a] fluoroethyl I-054 H Cl
 H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.72.sup.[a] difluoroethyl I-055 H
 Cl H O 3-hydroxyphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.29.sup.[a] I-056 H Cl vinyl O
 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.46.sup.[a] I-057 H CF₃ H O 3-
 (trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.90.sup.[a] fluoroethyl I-058 H H H O
 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.85.sup.[a] I-059 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,6-dichloropyridin-3-yl)-2,2- difluoroethyl I-060 H H H O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethoxyphenyl)ethyl 3.21.sup.[a] I-061 H Cl H O 3-
 (trifluoromethyl)phenyl 2-[3-(trifluoromethyl)phenyl]propan-2-yl 4.41.sup.[a] I-062 H Cl methyl O
 3-cyclopropylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.46.sup.[a] I-063 H Cl methyl O 3-
 cyclopropylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a] I-064 H Cl (2-methyl-2-
 O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 6.32.sup.[a]
 trimethylsilyloxyprop- yl)amino I-065 H Cl H O 3-[rac-2, 2- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.39.sup.[a] difluorocyclopropyl]phenyl I-066 H methoxy H O 3-
 (trifluoromethyl)phenyl 1-(4-chlorophenyl)ethyl 4.03.sup.[a] I-067 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,4-difluorophenyl)-2,2-difluoroethyl 3.75.sup.[a] I-068 H Cl H O 3-
 (trifluoromethyl)phenyl 2-[5-(trifluoromethyl)pyridin-2-yl]ethyl 3.53.sup.[a] I-069 H H H O 3-
 (trifluoromethyl)phenyl rac-2-chloro-4,5,6,7-tetrahydro-1- 3.96.sup.[a] benzothiophen-7-yl I-070 H
 Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.77.sup.[a]
 difluoroethyl I-071 H H H O 3-(trifluoromethyl)phenyl 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl
 3.13.sup.[a] I-072 H Cl nethylsulfinyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 3.75.sup.[a] I-073 H Cl H O 3-(trifluoromethyl)phenyl 2-(3,5-dichloropyridin-2-
 yl)-2,2- difluoroethyl I-074 H methyl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-
 chlorophenyl)-2- 3.90.sup.[a] fluoroethyl I-075 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-
 dichlorophenyl)propyl 4.68.sup.[a] I-076 H Cl pyridin-4-yl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 3.92.sup.[a] I-077 H Cl [acetyl(methyl)amino] O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 3.65.sup.[a] methyl I-078 H Cl
 nethylsulfonyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.03.sup.[a]
 I-079 H Cl H O 3-(trifluoromethyl)phenyl [1-(2,4-dichlorophenyl)cyclopropyl]methyl 4.85.sup.[a]
 I-080 H Cl H O 3-methylsulfanylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.41.sup.[a] I-
 081 H Cl vinyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a]
 I-082 H CF₃ H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.74.sup.[a]
 I-083 H Cl 1 O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.34.sup.[a] I-084
 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(1-methyl-1H-indol-3-yl)ethyl 3.55.sup.[a] I-085 H
 Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.44.sup.[a] I-086
 H Cl H O 3-[rac-2, 2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.44.sup.[a]
 difluorocyclopropyl]phenyl I-087 H Cl H O 3-(trifluoromethyl)phenyl 2-[2-chloro-4-(2,2,2-
 4.45.sup.[a] trifluoroethylthio)phenyl]-2,2-difluoroethyl I-088 H CN H O 3-
 (trifluoromethyl)phenyl 1-[3-(trifluoromethyl)phenyl]ethyl 4.08.sup.[a] I-089 H cyclopropylamino
 H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.69.sup.[a] I-090 H I H
 O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.85.sup.[a] difluoroethyl (*) I-091
 H methyl H O 3-(trifluoromethyl)phenyl 1-[4-(trifluoromethyl)phenyl]ethyl 3.83.sup.[a] I-092 H
 Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.53.sup.[a] fluoroethyl
 I-093 H Cl 2-oxa-6- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 3.89.sup.[a] azaspiro[3.3]heptan- 6-yl I-094 H methyl H S 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)ethyl 4.69.sup.[a] I-095 H methyl H O 3-(trifluoromethyl)phenyl [4-
 (trifluoromethyl)phenyl]methoxy 3.44.sup.[a] I-096 H Cl 1H-pyrazol-1-yl O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.34.sup.[a] I-097 H Cl H O 3-

(trifluoromethyl)phenyl rac-5-bromindan-2-yl 4.37.sup.[a];4.31.sup.[b] (*) I-098 H methyl H O 3-
 (trifluoromethyl)phenyl 1-[4-(trifluoromethyl)phenyl]ethyl 3.83.sup.[a] I-099 H Cl H O 3-
 (trifluoromethyl)phenyl 2,2-difluoro-2-(5-methylpyridin-2-yl)ethyl 3.46.sup.[a] I-100 H Cl OH O
 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.01.sup.[a] I-101 H methyl H O 3-
 (difluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.41.sup.[a] I-102 H methyl H O 3-
 (trifluoromethyl)phenyl rac-7-chloro-6-fluoro-2,2- 4.41.sup.[a] dimethylchroman-4-yl I-103 H Cl
 H O 3-bicyclo[4.2.0]octa- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a] 1(6),2,4-trienyl I-
 104 H Cl cyclopropyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.37.sup.
 [a] I-105 H dimethylamino H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2-
 4.21.sup.[a] fluoroethyl I-106 H Cl 1,3-thiazol-4-yl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.25.sup.[a] I-107 H methyl H O 3-(trifluoromethyl)phenyl rac-
 8-methylchroman-4-yl 3.65.sup.[a] I-108 H Cl H O 3-(trifluoromethyl)phenyl 2-(5-chloropyridin-
 2-yl)-2,2-difluoroethyl 3.65.sup.[a] I-109 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-
 dimethylphenyl)cyclopropyl 4.56.sup.[a] I-110 H Cl 1H-imidazol-1-yl O 3-(trifluoromethyl)phenyl
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.62.sup.[a] I-111 H dimethylamino H O 3-
 (trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.82.sup.[a] I-112 H methyl H O 3-
 (trifluoromethyl)phenyl 2-[2-chloro-4-(oxan-4-yl)phenyl]-2,2- 3.71.sup.[a] difluoroethyl I-113 H
 Cl H O 3-(trifluoromethyl)phenyl 2-(5-bromo-3-chloropyridin-2-yl)-2,2- 4.17.sup.[a] difluoroethyl
 I-114 H Cl cyclopropyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 4.69.sup.[a] I-115 H Cl oxetan-3-yloxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.21.sup.[a] I-116 H methyl H O 3-(trifluoromethyl)phenyl rac-3-(4-chlorophenyl)-1-
 methoxy-1- 3.73.sup.[a] oxopropan-2-yl I-117 H methyl H O 3-(trifluoromethyl)phenyl rac-1-
 (5,6,7,8-tetrahydronaphthalen-2- 4.41.sup.[a] yl)ethyl I-118 H methyl H O 3-
 (trifluoromethyl)phenyl rac-6-fluorothiochroman-4-yl 3.59.sup.[a] I-119 H Cl methoxy O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.32.sup.[a] I-120 H Cl cyclopropyl O 3-
 (trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 4.25.sup.[a] I-121 H Cl H O 4-
 (trifluoromethyl)pyridin- 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 2-yl I-122 H cyclopropyl H O 3-
 (difluoromethyl)phenyl 2-(4-bromophenyl)-2,2- 4.32.sup.[a] difluoroethyl I-123 H
 methyl H O 3-(trifluoromethyl)phenyl 2-(4-cyanophenyl)propan-2-yl 3.21.sup.[a] I-124 H methyl
 methyl O 2-fluoro-3- rac-2-(4-bromo-2-chlorophenyl)-2- 4.01.sup.[a] (trifluoromethyl)phenyl
 fluoroethyl I-125 H Cl H O 4-fluoro-3- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.54.sup.[a]
 (trifluoromethyl)phenyl I-126 H Cl cyclopropyl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)ethyl 4.51.sup.[a] I-127 H Cl H O 6-(trifluoromethyl)pyridin- 2-(4-
 chlorophenyl)-2,2-difluoroethyl 3.69.sup.[a];3.70.sup.[b] 2-yl I-128 H methyl H O 5-
 (trifluoromethyl)pyridin- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.4.sup.[a];3.55.sup.[b] 3-yl I-
 129 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3-fluoro-4-methoxyphenyl)ethyl 3.21.sup.[a] I-
 130 H Cl 4-methyl-1H-pyrazol- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.54.sup.[a] 1-yl I-131 H Cl vinyl O 3-(trifluoromethyl)phenyl 2-(4-
 chlorophenyl)-2,2-difluoroethyl 4.32.sup.[a] I-132 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(3-
 chlorophenyl)cyclopropyl 4.03.sup.[a] I-133 H CN methyl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.33.sup.[a];4.44.sup.[b] I-134 H methyl methyl O 2-fluoro-3-
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.92.sup.[a] (trifluoromethyl)phenyl I-135 H oxetan-3-yl
 H O 3-chlorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.69.sup.[a] I-136 H Cl 2-methoxy-
 2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.82.sup.[a]
 methylpropoxy I-137 H Cl 3-(difluoromethyl)- O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.61.sup.[a] 1H-pyrazol-1-yl I-138 H Cl H O 3-nnethylphenyl 1-
 (3-nnethylphenyl)ethyl 3.76.sup.[a] I-139 H Cl vinyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-
 chlorophenyl)ethyl 4.72.sup.[a] I-140 H Cl Cl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.67.sup.[a] I-141 H Cl H O 6-(trifluoromethyl)pyridin- rac-2-
 (4-bromo-2-chlorophenyl)-2- 4.06.sup.[a];4.20.sup.[b] 2-yl fluoroethyl (*) I-142 H Cl H O 3-

(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.56.sup.[a];4.49.sup.[b] I-143 H methyl H O 3-(trifluoromethyl)phenyl rac-6-methoxy-1,2,3,4- 3.64.sup.[a] tetrahydronaphthalen-1-yl I-144 H Cl ethyl O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.81.sup.[a] I-145 H methyl methyl O 2-fluoro-3- 2-(2,4-dichlorophenyl)ethyl 3.94.sup.[a] (trifluoromethyl)phenyl I-146 H Cl oxetan-3-yl O 3-chlorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.96.sup.[a] (*) I-147 H Cl H O 3-(trifluoromethyl)phenyl 2-chloro-4,5,6,7-tetrahydro-1- 4.71.sup.[a] benzothiophen-7-yl I-148 H cyclopropyl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.87.sup.[a] I-149 H CN methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.42.sup.[a];4.48.sup.[b] I-150 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3-bromophenyl)ethyl 3.73.sup.[a] I-151 H ethyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.46.sup.[a] I-152 H methyl H O 3-(trifluoromethyl)phenyl rac-2-(2-chloro-4-prop-1-en-2-ylphenyl)- 4.41.sup.[a];4.35.sup.[b] 2-fluoroethyl I-153 H Cl methoxy O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.49.sup.[a] fluorophenyl I-154 H Cl vinyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.77.sup.[a] difluoroethyl I-155 H Cl Cl O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-methylphenyl)ethyl 4.34.sup.[a] I-156 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(2-chlorophenyl)cyclopropyl 4.13.sup.[a] I-157 H pyridin-4-yl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.37.sup.[a] I-158 H Cl H O 3-(difluoromethyl)phenyl 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl 3.32.sup.[a] I-159 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(6-methoxynaphthalen-2-yl)ethyl 3.83.sup.[a] I-160 H ethyl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.49.sup.[a] I-161 H Cl 3-[rac-oxolan-2-yl]- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.51.sup.[a] 1H-pyrazol-1-yl I-162 H Cl methoxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a] I-163 H Cl ethoxy O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-fluorophenyl)ethyl 4.11.sup.[a] I-164 H acetyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.54.sup.[a] difluoroethyl I-165 H Cl H O 3-bromo-2-fluorophenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.46.sup.[a] I-166 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3,4-difluorophenyl)ethyl 3.39.sup.[a] I-167 H methyl H O 3-(trifluoromethyl)phenyl rac-6-methyl-3,4-dihydro-1H-isochromen- 3.31.sup.[a] 4-yl 4-yl I-168 H Cl methoxy O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.18.sup.[a] I-169 H Cl vinyl O 3-(trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 4.15.sup.[a] I-170 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-cyano-2-methylphenyl)ethyl 3.37.sup.[a] I-171 H methyl H S 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.69.sup.[a] I-172 H methyl H O 3-(difluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.85.sup.[a] difluoroethyl I-173 H Cl H O 5-bromopyridin-3-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.78.sup.[a] I-174 H Cl ethoxy O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.41.sup.[a] I-175 H Cl H O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.80.sup.[a] fluorophenyl I-176 H methyl H O 3-(difluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.68.sup.[a] I-177 H Cl ethoxy O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-methylphenyl)ethyl 4.34.sup.[a] I-178 H Cl H O 3-(oxetan-3-yl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.83.sup.[a] difluoroethyl I-179 H methyl H O 3-bromophenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.16.sup.[a] difluoroethyl I-180 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.51.sup.[a];4.47.sup.[b] I-181 H Cl ethoxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.68.sup.[a] I-182 H Cl H O 3-(difluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 3.92.sup.[a] I-183 H H methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.78.sup.[a] I-184 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(1,3-benzodioxol-5-yl)ethyl 3.13.sup.[a] I-185 H Cl H O 3-(oxetan-3-yl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.64.sup.[a] I-186 H Cl [rac-1-methoxy- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.76.sup.[a] propan-2-yl]oxy I-187 H Cl H O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] fluorophenyl I-188 H Cl

methyl O 3-(trifluoromethyl)phenyl 2-(7-methoxy-2-methyl-1-benzofuran-4- 3.90.sup.[a] yl)ethyl
 I-189 H Cl oxetan-3-ylamino O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 3.90.sup.[a] fluorophenyl I-190 H methyl H O 3-bromophenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.01.sup.[a] I-191 H methyl H O 2-fluoro-3- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.11.sup.[a] (trifluoromethyl)phenyl I-192 H Cl ethoxy O 3-(trifluoromethyl)phenyl
 2-(4-bromo-2-chlorophenyl)-2,2- 4.86.sup.[a] difluoroethyl I-193 H methyl H O 2-fluoro-3- 2-(4-
 bromo-2-chlorophenyl)-2,2- 4.49.sup.[a] (trifluoromethyl)phenyl difluoroethyl I-194 H methyl H O
 3-(difluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.72.sup.[a] fluoroethyl (*) I-195 H
 methyl H O 3-(trifluoromethyl)phenyl rac-1-(2,3-dihydro-1-benzofuran-5- 3.19.sup.[a] yl)ethyl I-
 196 H ethyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.66.sup.[a]
 fluoroethyl I-197 H Cl (2-methyl-1,3- O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.41.sup.[a] dioxolan-4-yl)methyl- fluorophenyl amino I-198 H methyl H O 3-
 chlorophenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.11.sup.[a] difluoroethyl I-199 H Cl ethoxy O 3-
 (trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 4.25.sup.[a] I-200 H methyl H O 2-fluoro-3-
 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.19.sup.[a] (trifluoromethyl)phenyl I-201 H 1-
 hydrazinylideneethyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.18.sup.
 [a] fluoroethyl I-202 H Cl 3-hydroxyazetidin-1- O 3-(trifluoromethyl)phenyl 2-(4-
 chlorophenyl)-2,2-difluoroethyl 3.31.sup.[a] yl I-203 H Cl H O 3-(difluoromethyl)phenyl rac-2-(4-
 bromo-2-chlorophenyl)-2- 4.23.sup.[a] fluoroethyl I-204 H Cl methyl O 3-(difluoromethyl)phenyl
 2-(4-chlorophenyl)-2,2-difluoroethyl 3.79.sup.[a] I-205 H methyl H O 3-(trifluoromethyl)phenyl
 rac-1-(3,4-dimethylphenyl)ethyl 3.89.sup.[a] I-206 H methyl H O 3-(trifluoromethyl)phenyl rac-1-
 (5-chloro-2,3-dihydro-1- 3.96.sup.[a] benzofuran-7-yl)ethyl I-207 H Cl oxan-4-yl O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.17.sup.[a] I-208 H Cl H O 3-
 (trifluoromethyl)phenyl 6-methyl-1,2,3,4-tetrahydronaphthalen-2- 4.59.sup.[a];4.48.sup.[b] yl I-
 209 H Cl H O 3-chloro-2-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a] I-210
 H methyl H O 3-(trifluoromethyl)phenyl 1-[(4-methylphenyl)methyl]cyclopropyl 3.73.sup.[a] I-
 211 H Cl methylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.68.sup.
 [a] I-212 H Cl H O 3-(difluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.13.sup.[a]
 I-213 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3-chlorophenyl)ethyl 3.60.sup.[a] I-214 H
 methyl H O 3-(trifluoromethyl)phenyl 1-(2-methyl-2,3-dihydrobenzofuran-5- 3.46.sup.[a] yl)ethyl
 I-215 H Cl methyl O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 4.58.sup.[a] fluorophenyl I-216
 H Cl 4-(ethoxycarbonyl)- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 4.69.sup.[a] 1H-pyrazol-1-yl I-217 H ethyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.05.sup.[a] I-218 H methyl H O 3-chlorophenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 3.92.sup.[a] I-219 H Cl H O 3-bromo-2-fluorophenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.49.sup.[a] I-220 H CN H O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.34.sup.[a] I-221 H Cl ethoxy O 3-(trifluoromethyl)phenyl 2-
 (2,4-dimethylphenyl)ethyl 4.53.sup.[a] I-222 H prop-1-en-2-yl H O 3-(trifluoromethyl)phenyl 2-
 (2,4-dimethylphenyl)-2,2-difluoroethyl 4.87.sup.[a] I-223 H methyl H O 2-fluoro-3- rac-2-(4-
 chlorophenyl)-2-fluoroethyl 3.71.sup.[a] (trifluoromethyl)phenyl I-224 H methyl H O 3-
 (trifluoromethyl)phenyl 1-(4-chlorophenyl)-2-methylpropan-2-yl 4.32.sup.[a] I-225 H Cl 2-
 hydroxyethylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.29.sup.[a]
 I-226 H methyl H O 3-(difluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 3.46.sup.[a] I-
 227 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3,4-dichlorophenyl)ethyl 3.99.sup.[a] I-228 H
 1H-imidazol-1-yl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.31.sup.
 [a];4.06.sup.[b] fluoroethyl (*) I-229 H methyl H O 3-(trifluoromethyl)phenyl 1-(2,3-dihydro-1-
 benzofuran-5-yl)ethyl 3.17.sup.[a] I-230 H Cl 5-cyclopropyl-1H- O 3-(trifluoromethyl)phenyl 2-
 (2,4-dimethylphenyl)-2,2-difluoroethyl 4.82.sup.[a] pyrazol-1-yl I-231 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.51.sup.[a] I-232 H Cl H O 3-aminophenyl
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.23.sup.[a] (*) I-233 H methyl H O 2-fluoro-3- rac-2-(4-

bromo-2-chlorophenyl)-2- 4.24.sup.[a] (trifluoromethyl)phenyl fluoroethyl I-234 H Cl 2-hydroxyethylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.48.sup.[a] I-235 H methyl H O 3-(difluoromethyl)phenyl 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl 2.92.sup.[a] I-236 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(6-methylnaphthalen-2-yl)ethyl 4.23.sup.[a] I-237 H Cl 4-cyano-1H-pyrazol- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.32.sup.[a] 1-yl I-238 H Cl n-nethylsulfanyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a] I-239 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2-fluoroethyl 3.99.sup.[a];3.94.sup.[b] I-240 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-cyclopropyl-2-methylphenyl)-2,2- 4.77.sup.[a] difluoroethyl I-241 H Cl cyclohexylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.27.sup.[a] I-242 H methyl H O 3-(difluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.63.sup.[a] I-243 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-cyano-4-methylphenyl)ethyl 4.33.sup.[a] I-244 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(4-bromophenyl)ethyl 3.76.sup.[a] (*) I-245 H Cl H O 3-(trifluoromethyl)phenyl 6-methyl-1,2,3,4-tetrahydronaphthalen-1- 4.61.sup.[a];4.51.sup.[b] yl I-246 H methyl H O 3-(trifluoromethyl)phenyl 2-(2,5-difluorophenyl)ethyl 3.35.sup.[a] I-247 H Cl H O 3-cyclopropylphenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.41.sup.[a] I-248 H methyl H O 2-fluoro-3- 2-(4-chlorophenyl)-2,2-difluoroethyl 4.18.sup.[a] (trifluoromethyl)phenyl I-249 H Cl 1H-pyrazol-1-yl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.13.sup.[a] I-250 H Cl 3-chloropyridin-4-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.49.sup.[a] I-251 H cyclopropyl H O 3-(difluoromethyl)phenyl 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl 3.46.sup.[a] I-252 H 1H-imidazol-1-yl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.23.sup.[a];3.99.sup.[b] I-253 H Cl H O 3-(trifluoromethyl)phenyl rac-1-[3-(trifluoromethyl)phenyl]ethyl 4.24.sup.[a] I-254 H Cl ethyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.51.sup.[a] (*) I-255 H cyclopropyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.80.sup.[a] fluoroethyl I-256 H Cl dinnethylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.41.sup.[a] I-257 H Cl (4-methoxy-4- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.23.sup.[a] oxobutyl)amino I-258 H cyclopropyl H O 3-(difluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.27.sup.[a] fluoroethyl I-259 H Cl H O phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.11.sup.[a] I-260 H Cl H O 2-fluoro-3- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.54.sup.[a] (trifluoromethyl)phenyl I-261 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 4.15.sup.[a] I-262 H Cl pyrrolidin-1-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a] I-263 H cyclopropyl H O 3-(difluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.87.sup.[a] I-264 H methyl H O 3-(difluoromethyl)-2- 2-(4-chlorophenyl)-2,2-difluoroethyl 3.50.sup.[a] fluorophenyl I-265 H Cl 2-methoxyethoxy-methyl O 3-chlorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.20.sup.[a] I-266 H methyl methyl O 3-chlorophenyl 2-(4-methylphenyl)propan-2-yl 3.39.sup.[a] (*) I-267 H Cl methyl O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.59.sup.[a] fluorophenyl I-268 H Cl H O 3-(trifluoromethyl)phenyl 2-(3,4-dimethoxyphenyl)ethyl 3.26.sup.[a] I-269 H Cl phenyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.85.sup.[a] I-270 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-difluorophenyl)ethyl 3.85.sup.[a];3.79.sup.[b] I-271 H Cl 1H-imidazol-1-yl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.44.sup.[a] I-272 H Cl cyclohexylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.98.sup.[a] I-273 H Cl H O 3-(difluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.25.sup.[a] difluoroethyl I-274 H Cl H O 3-(trifluoromethyl)phenyl rac-7-bromo-1,2,3,4- 4.51.sup.[a] tetrahydronaphthalen-1-yl I-275 H 3-chloropyridin-4-yl H O 3-(difluoromethyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.11.sup.[a] fluorophenyl I-276 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)cyclopropyl 3.89.sup.[a] I-277 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-methylphenyl)ethyl 4.23.sup.[a] I-278 H Cl H O 3-

(trifluoromethyl)phenyl 2,2-difluoro-2-[4-[4- 4.85.sup.[a] (methoxycarbonyl)phenyl]-2-methylphenyl]ethyl I-279 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.60.sup.[a] I-280 H Cl anilino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.23.sup.[a] I-281 H cyclopropyl H O 3-(difluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 3.99.sup.[a] I-282 H methyl H O 3-cyclopropylphenyl 2-[5-(difluoromethyl)pyridin-2-yl]ethyl 2.82.sup.[b] I-283 H methyl H O 3-(difluoromethyl)-2- 2-(4-bromo-2-chlorophenyl)-2,2- 3.94.sup.[a] fluorophenyl difluoroethyl I-284 H methyl methyl O 3-cyclopropyl-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.01.sup.[a] fluorophenyl fluoroethyl I-285 H Cl [rac-1-hydroxy- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.90.sup.[a] 3-methoxypropan-2- yl]oxy I-286 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,5-difluorophenyl)ethyl 3.82.sup.[a] I-287 H Cl H O 3-chloro-5-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.59.sup.[a] (*) I-288 H cyclopropyl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.57.sup.[a] I-289 H Cl dinmethylnamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.15.sup.[a] I-290 H cyclopropyl H O 3-(difluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.15.sup.[a] I-291 H Cl H O 5-(trifluoromethyl)-3- 2-(2,4-dimethylphenyl)ethyl 4.55.sup.[a] thienyl I-292 H CN H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.08.sup.[a] I-293 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.51.sup.[a] I-294 H methoxy methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.34.sup.[a] I-295 H cyclopropyl H O 3-(difluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.18.sup.[a] I-296 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-methylphenyl)propan-2-yl 4.20.sup.[a] I-297 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-bromophenyl)-2-fluoroethyl 4.13.sup.[a];4.08.sup.[b] I-298 H CN H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.49.sup.[a] difluoroethyl I-299 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-[2-methyl-4-(1-methyl-1H- 3.60.sup.[a] pyrazol-4-yl)phenyl]ethyl I-300 H Cl H O 2-fluoro-3- 2-(4-chlorophenyl)-2,2-difluoroethyl 4.26.sup.[a] (trifluoromethyl)phenyl I-301 H Cl methylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.90.sup.[a] I-302 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(4-fluorophenyl)ethyl 3.29.sup.[a] I-303 H Cl ethyl O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.88.sup.[a] fluoroethyl I-304 H methyl methyl O 3-(difluoromethyl)-2- 2-(4-bromo-2-chlorophenyl)-2,2- 3.72.sup.[a] fluorophenyl difluoroethyl I-305 H methyl H O 3-nitrophenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.62.sup.[a] difluoroethyl I-306 H Cl H O 3-(trifluoromethyl)phenyl quinolin-3-ylmethyl 2.71.sup.[a] I-307 H (1E)-1- H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.77.sup.[a] (methoxyimino)ethyl I-308 H Cl 3-hydroxyazetidin-1- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.50.sup.[a] yl I-309 H Cl H O 3-(trifluoromethyl)phenyl 2-[4-(difluoromethyl)phenyl]ethyl 3.78.sup.[a] I-310 H methyl H O 3-(trifluoromethyl)phenyl rac-1-(3-methoxyphenyl)ethyl 3.25.sup.[a] I-311 H methyl methyl O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 3.96.sup.[a] fluorophenyl I-312 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.79.sup.[a];4.68.sup.[b] difluoroethyl I-313 H methyl H O 3-nitrophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.46.sup.[a] I-314 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-[2-methyl-4-[2- 4.90.sup.[a] (trifluoromethyl)cyclopropyl]phenyl]ethyl I-315 H Cl H O 2-fluoro-3- 2-(4-bromo-2-chlorophenyl)-2,2- 4.71.sup.[a] (trifluoromethyl)phenyl difluoroethyl I-316 H pyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.65.sup.[a] I-317 H methyl methoxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.99.sup.[a] I-318 H Cl H O 3-(trifluoromethyl)phenyl rac-6-methoxy-1,2,3,4- 4.13.sup.[a] tetrahydronaphthalen-1-yl I-319 H 3-chloropyridin-4-yl H O 3-(difluoromethyl)-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.25.sup.[a] fluorophenyl fluoroethyl I-320 H Cl H O 3-(trifluoromethyl)phenyl rac-1-[4-(trifluoromethyl)phenyl]ethyl 4.23.sup.[a] I-321 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-phenylethyl 3.73.sup.[a] I-322 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-

difluoroethyl 4.40.sup.[a] I-323 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)propyl
4.28.sup.[a] I-324 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-
dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] I-325 H Cl H O 3-(trifluoromethyl)phenyl [rac-6-
chloro-2,3-dihydro-1-benzofuran-3-yl]methyl I-326 H H I O 3-
(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.24.sup.[a] I-327 H Cl H O 3-
iodophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.61.sup.[a] I-328 H Cl H O 3-
(trifluoromethyl)phenyl 2-(4-chloro-2-methylphenyl)-2,2- 4.51.sup.[a] difluoroethyl I-329 H Cl H
O 3-(trifluoromethyl)phenyl 1-[(4-chlorophenyl)methyl]cyclopropyl 4.17.sup.[a] I-330 H Cl 2-
methoxyethyl O 3-(trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 4.23.sup.[a] I-331 H Cl H
O 3-(trifluoromethyl)phenyl rac-5-bromindan-1-yl 4.52.sup.[a];4.42.sup.[b] I-332 H Cl H O 3-
(trifluoromethyl)phenyl rac-1-(1-methyl-1H-indol-3-yl)ethyl 4.03.sup.[a] I-333 H H cyclopropyl O
3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.18.sup.[a] I-334 H Cl H O 3-
(trifluoromethyl)phenyl 2-(4-bromo-2-cyanophenyl)-2,2- 3.89.sup.[a] difluoroethyl I-335 methoxy
Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.19.sup.[a] carbonyl I-
336 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl
3.94.sup.[a] I-337 H Cl H O 2-fluoro-3-methoxyphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
4.01.sup.[a] I-338 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-
difluoroethyl 4.43.sup.[a] I-339 H Cl oxetan-3-ylamino O 3-(trifluoromethyl)phenyl 2-(4-
chlorophenyl)-2,2-difluoroethyl 3.47.sup.[a];3.32.sup.[b] I-340 H Cl H O 3-
(trifluoromethyl)phenyl rac-1-(6-nitrooxynaphthalen-2-yl)ethyl 4.27.sup.[a] I-341 H Cl H O 3-
(trifluoromethyl)phenyl 2-[4-methyl-2-(1-methyl-1H-imidazol-2-yl)phenyl]ethyl I-
342 H methyl methyl O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.90.sup.[a]
fluorophenyl I-343 H methyl H O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 4.32.sup.[a]
fluorophenyl I-344 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-methylphenyl)-2,2- 4.17
.sup.[a] difluoroethyl I-345 H Cl OH O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
difluoroethyl 4.28.sup.[a] I-346 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(3-bromophenyl)ethyl
4.23.sup.[a] I-347 H methyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 3.99.sup.
[a] I-348 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-chloro-2-methylphenyl)-2,2- 4.05.sup.[a]
difluoroethyl I-349 H Cl OH O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2-
4.51.sup.[a] difluoroethyl I-350 H rac-1-hydroxyethyl H O 3-(trifluoromethyl)phenyl rac-2-(4-
bromo-2-chlorophenyl)-2- 3.69.sup.[a] fluoroethyl I-351 H 3-chloropyridin-4-yl methyl O 3-
(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.39.sup.[a];4.51.sup.[b] I-352 H
Cl H O 3-(trifluoromethyl)phenyl rac-1-(5,6,7,8-tetrahydronaphthalen-2-yl)ethyl I-
353 H Cl [formyl(methyl)amino] O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl
3.59.sup.[a] methyl I-354 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-
cyanophenyl)-2,2- 3.47.sup.[a] difluoroethyl I-355 H Cl H O 3-(trifluoromethyl)phenyl [1-[3-
4.53.sup.[a] (trifluoromethyl)phenyl]cyclopropyl]methyl (*) I-356 H Cl H O 3-
(trifluoromethyl)phenyl rac-6-methyl-1,2,3,4- 4.51.sup.[a] tetrahydronaphthalen-1-yl I-357 H Cl H
O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)propan-2-yl 4.44.sup.[a] I-358 H methyl H O 3-
(difluoromethyl)-2- rac-2-(4-bromo-2-chlorophenyl)-2- 3.83.sup.[a] fluorophenyl fluoroethyl (*) I-
359 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.56.sup.[a];4.46.sup.
[b] fluoroethyl I-360 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-cyclopropylphenyl)-2,2-
4.58.sup.[a] difluoroethyl I-361 H Cl isopropyl O 3-(trifluoromethyl)phenyl 2-(2,4-
dimethylphenyl)-2,2-difluoroethyl 4.93.sup.[a] I-362 H Cl H O 3-cyclopropylphenyl rac-2-(4-
bromo-2-chlorophenyl)-2- 4.87.sup.[a] fluoroethyl I-363 H rac-1-hydroxyethyl H O 3-
(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.35.sup.[a] I-364 H Cl H O 3-
(trifluoromethyl)phenyl rac-1-(3-fluoro-4-methoxyphenyl)ethyl 3.69.sup.[a] I-365 H methyl H S 3-
(difluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl I-366 H Cl H O 3-
(trifluoromethyl)phenyl 2-(4-chloro-2-methylphenyl)-2-fluoroethyl 4.37.sup.[a] (*) I-367 H Cl H O
3-cyclopropylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.68.sup.[a] I-368 H Cl H O 3-

(difluoromethyl)phenyl 2-(4-cyanophenyl)propan-2-yl 3.67.sup.[a] I-369 H methyl methyl O 3-(difluoromethyl)-2- rac-2-(4-bromo-2-chlorophenyl)-2- 3.65.sup.[a] fluorophenyl fluoroethyl I-370 H methyl H S 3-cyclopropylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] I-371 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.24.sup.[a] difluoroethyl I-372 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-methylphenyl)-2-fluoroethyl 4.46.sup.[a] I-373 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(3,4-dimethylphenyl)ethyl 4.39.sup.[a] I-374 H methyl H O 3-(difluoromethyl)-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.74.sup.[a] fluorophenyl I-375 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.68.sup.[a] I-376 H Cl H O 3-(trifluoromethyl)phenyl [1-(4-bromo-2- 5.14.sup.[a] chlorophenyl)cyclopropyl]methyl I-377 H Cl H O 3-(trifluoromethyl)phenyl 2-fluoro-2-(4-fluorophenyl)ethyl 3.63.sup.[a] (*) I-378 H Cl H O 3-(trifluoromethyl)phenyl rac-2-chloro-4,5,6,7-tetrahydro-1- 4.66.sup.[a] benzothiophen-7-yl I-379 H Cl H O 3-(trifluoromethyl)phenyl isoquinolin-4-ylmethyl 2.14.sup.[a] (*) I-380 H methyl H O 3-(trifluoromethyl)phenyl 2-chloro-4,5,6,7-tetrahydro-1- 4.18.sup.[a] benzothiophen-7-yl I-381 H pyridin-4-yl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.07.sup.[a] I-382 H Cl H O 3-methoxyphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.97.sup.[a] I-383 H Cl 2-oxopyrrolidin-1-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.16.sup.[a] I-384 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-methoxyphenyl)propan-2-yl 4.03.sup.[a] I-385 H methyl H O 3-(difluoromethyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.72.sup.[a] fluorophenyl I-386 H Cl methyl O 3-(trifluoromethyl)phenyl rac-1-(1-methyl-1H-indol-3-yl)ethyl 3.90.sup.[a] I-387 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-[2-methyl-4- 4.51.sup.[a] (trifluoromethyl)phenyl]ethyl I-388 H Cl H O 3-(trifluoromethyl)phenyl 2-fluoro-2-(4-iodophenyl)ethyl 4.23.sup.[a] I-389 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.67.sup.[a] I-390 H Cl H O 3-(trifluoromethyl)phenyl quinolin-5-ylmethyl 2.25.sup.[a] I-391 H H methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.67.sup.[a] (*) I-392 H methyl H O 3-(trifluoromethyl)phenyl 2-chloro-4,5,6,7-tetrahydro-1- 4.18.sup.[a] benzothiophen-7-yl I-393 H methyl H O 3-(trifluoromethyl)phenyl rac-6-methyl-1,2,3,4- 4.05.sup.[a] tetrahydronaphthalen-1-yl I-394 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(1,3-benzodioxol-5-yl)ethyl 3.64.sup.[a] I-395 H methyl H O 3-(difluoromethyl)-2- 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl 3.02.sup.[a] fluorophenyl I-396 H methyl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-phenylethyl 3.28.sup.[a] I-397 H Cl H O 3-(trifluoromethyl)phenyl [1-(2,4- 4.90.sup.[a] dimethylphenyl)cyclopropyl]methyl I-398 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.37.sup.[a] I-399 H Cl H O 3-fluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.16.sup.[a] fluoroethyl I-400 H methyl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.42.sup.[a] I-401 H H H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.99.sup.[a] I-402 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(2,3-dihydro-1-benzofuran-5- 3.71.sup.[a] yl)ethyl I-403 H methyl methyl O 3-(difluoromethyl)-2- 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.63.sup.[a] fluorophenyl I-404 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-methylphenyl)-2,2- 4.57.sup.[a] difluoroethyl I-405 H Cl H O 3-(difluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.16.sup.[a] I-406 H Cl H O 3-(trifluoromethyl)phenyl 2-fluoro-2-[4-(trifluoromethyl)phenyl]ethyl 4.08.sup.[a] (*) I-407 H Cl H O 2,3-difluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.26.sup.[a] fluoroethyl I-408 H Cl oxetan-3-ylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.85.sup.[a]; 3.94.sup.[b] I-409 H methyl methyl O 3-(difluoromethyl)-2- 2-(2,4-dichlorophenyl)ethyl 3.52.sup.[a] fluorophenyl I-410 H methyl methyl O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.92.sup.[a] fluorophenyl I-411 H methyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.00.sup.[a] I-412 H Cl H O 3-(trifluoromethyl)phenyl [1-(3-methylphenyl)cyclopropyl]methyl 4.59.sup.[a] I-413 H Cl H O 3-chloro-4-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a] I-414 H Cl H O 3-(trifluoromethyl)phenyl rac-1-

(3,4-difluorophenyl)ethyl 3.92.sup.[a] I-415 H methyl methyl O 3-(difluoromethyl)-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.50.sup.[a] fluorophenyl I-416 H methyl H O 3-(trifluoromethyl)phenyl 2-(5-bromo-3-chloropyridin-2-yl)-2,2- 3.85.sup.[a] difluoroethyl I-417 H Cl H O 3-nitrophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.01.sup.[a] I-418 H Cl H O 3-(trifluoromethyl)phenyl 242-chloro-4-(trifluoromethyl)phenyl]-2,2- 4.45.sup.[a] difluoroethyl I-419 H Cl 1 O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.49.sup.[a] I-420 H Cl H O 3-(trifluoromethyl)phenyl rac-6-bromo-1,2,3,4- 4.72.sup.[a];4.64.sup.[b] tetrahydronaphthalen-1-yl I-421 H Cl H O 3-bromo-4-fluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.56.sup.[a] fluoroethyl I-422 H Cl 2-methoxyethoxy O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.23.sup.[a] (*) I-423 H methyl methyl O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.79.sup.[a] I-424 H methyl methyl O 3-(difluoromethyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.59.sup.[a] fluorophenyl I-425 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-[4- 4.17.sup.[a] (trifluoromethyl)phenyl]ethyl I-426 H Cl H O 3-(trifluoromethyl)phenyl 2-[2-chloro-4- 4.34.sup.[a] (trifluoromethyl)phenoxy]ethyl I-427 H Cl H O 3-chloro-4-methylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.76.sup.[a] I-428 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.04.sup.[a] difluoroethyl I-429 H Cl H O 3-bromo-5-fluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.70.sup.[a] fluoroethyl I-430 H Cl pyridin-2-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.26.sup.[a] I-431 H 1-hydroxyiminoethyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.24.sup.[a] difluoroethyl I-432 H H 1H-pyrazol-1-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.01.sup.[a];4.12.sup.[b] I-433 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-methylphenyl)propan-2-yl 4.41.sup.[a] I-434 H Cl azetidin-3-yloxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 2.40.sup.[a] I-435 H methyl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-[2-methyl-4- 4.17.sup.[a] (trifluoromethyl)phenyl]ethyl I-436 H Cl H O 3-(trifluoromethyl)phenyl [rac-indolin-3-yl]methyl 2.42.sup.[a] I-437 H Cl H O 4-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.51.sup.[a] (*) I-438 H Cl H O 3-(trifluoromethyl)phenyl spiro[cyclopropane-2,1'-indane]-1-yl 4.27.sup.[a] I-439 H Cl H O 3-(trifluoromethyl)phenyl [rac-5-bromindan-1-yl]methyl 4.61.sup.[a];4.56.sup.[b] I-440 H H 1,3-thiazol-4-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.05.sup.[a];4.08.sup.[b] I-441 H Cl H O 3-(difluoromethyl)-2- 2-(4-bromophenyl)-2,2-difluoroethyl 3.96.sup.[a] fluorophenyl I-442 H Cl ethylsulfanyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.87.sup.[a] I-443 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)ethyl 4.51.sup.[a] I-444 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(4-bromophenyl)ethyl 4.30.sup.[a] I-445 H ethyl methyl O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.25.sup.[a] I-446 H Cl H O 3-(difluoromethyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.15.sup.[a] fluorophenyl I-447 H Cl H O 3-bromophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.59.sup.[a] (*) I-448 H Cl H O 3-(trifluoromethyl)phenyl spiro[cyclopropane-2,1'-indane]-1-yl 4.37.sup.[a] I-449 H Cl H O 5-bromopyridin-3-yl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.46.sup.[a];3.37.sup.[b] I-450 H 1-hydroxyiminoethyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.32.sup.[a] fluoroethyl I-451 H (1Z)-1- H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.40.sup.[a] (methoxyimino)ethyl I-452 H (1Z)-1- H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.77.sup.[a] (methoxyimino)ethyl fluoroethyl I-453 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)ethyl 3.92.sup.[a] I-454 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(6-methylnaphthalen-2-yl)ethyl 4.74.sup.[a] I-455 H ethyl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.30.sup.[a] fluoroethyl I-456 H Cl H O 3-(difluoromethyl)-2- 2-(5-chloropyridin-2-yl)-2,2-difluoroethyl 3.44.sup.[a] fluorophenyl I-457 H Cl methylamino O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.01.sup.[a] fluorophenyl I-458 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.46.sup.[a] I-459 H Cl H O 3-chlorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a]

I-460 H Cl methyl O 3-(trifluoromethyl)phenyl rac-1-(4-methylphenyl)ethyl 3.99.sup.[a] I-461 H I
H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.67.sup.[a] I-462 H Cl H
O 3-fluorophenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.77.sup.[a] I-463 H Cl H O 5-
bromopyridin-3-yl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.82.sup.[a];3.75.sup.[b] I-464 H Cl
methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)ethyl 4.37.sup.[a] I-465 H 3-
methoxypyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.94.sup.[a]
difluoroethyl I-466 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(3,4-dichlorophenyl)ethyl 4.51.sup.
[a] I-467 H Cl H O 3-(difluoromethyl)-2- 2-(4-chlorophenyl)-2,2-difluoroethyl 3.90.sup.[a]
fluorophenyl I-468 H Cl H O 3-cyclopropylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
4.67.sup.[a] I-469 H Cl methoxy O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2-
4.61.sup.[a] difluoroethyl I-470 H Cl H O 2,3-difluorophenyl 2-(4-chlorophenyl)-2,2-difluoroethyl
3.83.sup.[a] I-471 H Cl H O 5-bromopyridin-3-yl 2-(4-bromo-2-chlorophenyl)-2,2- 3.92.sup.
[a];4.84.sup.[b] difluoroethyl I-472 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-chloro-4-prop-1-en-2-
ylphenyl)-2,2- 4.80.sup.[a];4.76.sup.[b] difluoroethyl I-473 H (1E)-1- H O 3-
(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 5.30.sup.[a] (methoxyimino)ethyl
fluoroethyl I-474 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)-2-
fluoroethyl 4.15.sup.[a] I-475 H 3-methoxypyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-
dichlorophenyl)-2,2-difluoroethyl 3.87.sup.[a] I-476 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-
fluorophenyl)propan-2-yl 4.11.sup.[a] I-477 H methyl H O 3-(difluoromethyl)-2- 2-(4-
bromophenyl)-2,2-difluoroethyl 3.55.sup.[a] fluorophenyl I-478 H Cl H O 3-
(trifluoromethyl)phenyl 2-(2-bromo-4-chlorophenyl)-2,2- 4.68.sup.[a] difluoroethyl I-479 H Cl H
O 3-(trifluoromethyl)phenyl 2-(6-chloropyridin-3-yl)-2,2-difluoroethyl 3.42.sup.[a] I-480 H Cl H
O 3-ethynylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.15.sup.[a] I-481 H Methyl H O 3-
(difluoromethyl)phenyl rac-2-chloro-4,5,6,7-tetrahydro-1- 3.74.sup.[a] benzothiophen-7-yl I-482 H
Cl H O 3-bromo-5-fluorophenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.27.sup.[a] I-483 H Cl H O
5-bromopyridin-3-yl rac-2-(4-bromo-2-chlorophenyl)-2- 3.87.sup.[a];3.80.sup.[b] fluoroethyl I-484
H Cl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethoxyphenyl)ethyl 3.44.sup.[a] I-
485 H Cl 3-carboxy-propylamino 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
difluoroethyl I-486 H 3-methoxypyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-
bromophenyl)-2,2-difluoroethyl 3.60.sup.[a] I-487 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(3-
chlorophenyl)ethyl 4.13.sup.[a] I-488 H CN H O 3-(trifluoromethyl)phenyl 2-(2,4-
dimethylphenyl)ethyl 4.30.sup.[a] I-489 H Cl H O 3-(trifluoromethyl)phenyl [rac-chroman-4-
yl]methyl 3.94.sup.[a] I-490 H Cl H O 3- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.63.sup.[a]
(trifluoromethoxy)phenyl I-491 H Cl H O 3-bromo-5-fluorophenyl 2-(4-bromo-2-
chlorophenyl)-2,2- 4.72.sup.[a] difluoroethyl I-492 H Cl H O 3-bromo-4-fluorophenyl 2-(4-
chlorophenyl)-2,2-difluoroethyl 4.15.sup.[a] I-493 H Cl cyclopropylamino O 3-
(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)-2-fluoroethyl 3.76.sup.[a] I-494 H 3-chloropyridin-
4-yl H O 2,3-difluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.13.sup.[a] fluoroethyl I-495 H
Cl H O 3-(trifluoromethyl)phenyl rac-1-(4-fluorophenyl)ethyl 3.83.sup.[a] I-496 H Cl H O 3-
(trifluoromethyl)phenyl 2-(2-chloro-4-methylphenyl)-2,2- 4.28.sup.[a] difluoroethyl I-497 H Cl
methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.46.sup.[a] I-498 H
Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-fluorophenyl)ethyl 3.89.sup.[a] I-499 H Cl H O
5-(trifluoromethyl)pyridin- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.96.sup.[a] 3-yl I-500 H Cl
methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethoxyphenyl)ethyl 3.65.sup.[a] I-501 H 3-
chloropyridin-4-yl H O 2,3-difluorophenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.03.sup.[a] I-
502 H Cl H O 3-(trifluoromethyl)phenyl rac-1-(3-methoxyphenyl)ethyl 3.76.sup.[a] I-503 H
methyl methyl O 3-cyclopropylphenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.92.sup.[a] fluoroethyl
I-504 H methyl H O 3-cyclopropyl-2- rac-1-(1-methyl-1H-indol-3-yl)ethyl 3.72.sup.[a]
fluorophenyl I-505 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-fluorophenyl)-2,2- 4.17.sup.
[a] difluoroethyl I-506 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl

4.30.sup.[a] I-507 H 1-methyl-1H-imidazol- H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 2.62.sup.[a] 5-yl I-508 H Cl H O 5-chloropyridin-3-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.72.sup.[a];3.87.sup.[b] I-509 H (1Z)-1- H O 3-(trifluoromethyl)phenyl 2-(4-bromophenyl)-2,2- 4.82.sup.[a] (methoxyimino)ethyl difluoroethyl I-510 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)-2-fluoroethyl 3.92.sup.[a] I-511 H methyl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(5-methoxypyridin-2-yl)ethyl I-512 H 3-chloropyridin-4-yl H O 2,3-difluorophenyl 2-(4-bromophenyl)-2,2- 4.18.sup.[a] difluoroethyl I-513 H methyl H O 3-cyclopropyl-2- rac-1-(1,5-dimethyl-1H-indol-3-yl)ethyl 4.03.sup.[a] fluorophenyl I-514 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 4.11.sup.[a] I-515 H 1H-pyrazol-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.65.sup.[a] I-516 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.64.sup.[a] difluoroethyl I-517 H Cl H O 3-(trifluoromethyl)phenyl [rac-1,2,3,4-tetrahydronaphthalen-1-yl]methyl I-518 H Cl H O 5-fluoropyridin-3-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.37.sup.[a];3.55.sup.[b] I-519 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-ethynyl-2-methylphenyl)-2,2- 4.32.sup.[a] difluoroethyl I-520 H Cl H O 3-fluorophenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.20.sup.[a] difluoroethyl I-521 H Cl H O 3-fluorophenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.13.sup.[a] I-522 H Cl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.41.sup.[a] difluoroethyl I-523 H (1E)-1- H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 5.20.sup.[a] (methoxyimino)ethyl difluoroethyl I-524 H Cl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethoxyphenyl)ethyl 3.85.sup.[a] I-525 H methyl H O 3-(trifluoromethyl)phenyl 2-[5-(difluoromethyl)pyridin-2-yl]ethyl 2.57.sup.[a];2.71.sup.[b] I-526 H 3-chloropyridin-4-yl H O 2,3-difluorophenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.08.sup.[a] I-527 H Cl H O 3-(trifluoromethyl)phenyl 3-(4-methylphenyl)oxetan-3-yl 3.69.sup.[a] I-528 H methyl H O 3-cyclopropyl-2- rac-1-(6-chloro-1-methyl-1H-indol-3-yl)ethyl I-529 H Cl H O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(2-nmethylphenyl)ethyl 4.16.sup.[a] I-530 H Cl H O 2,3-difluorophenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.27.sup.[a] difluoroethyl I-531 H Cl H O 2,3-difluorophenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.18.sup.[a] I-532 H 3-chloropyridin-4-yl H O 2,3-difluorophenyl 2-(4-bromophenyl)-2,2-difluoroethyl 3.83.sup.[a] (*) I-533 H Cl methyl O 3-methoxyphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.85.sup.[a] I-534 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.18.sup.[a] I-535 H Cl H O 3-bromo-5-fluorophenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.64.sup.[a] I-536 H methyl H O 3-cyclopropylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.05.sup.[a] I-537 H 3-methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.58.sup.[a] difluoroethyl I-538 H Cl H O 3-(trifluoromethyl)phenyl 2-(3,4-dichlorophenyl)-2,2-difluoroethyl 4.51.sup.[a] I-539 H Cl H O 3-(trifluoromethyl)phenyl 1-quinolin-2-ylethyl 4.24.sup.[a] I-540 H Cl H O 3-bromo-4-fluorophenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.51.sup.[a] I-541 H Cl H O 3-(trifluoromethyl)phenyl 2-(1,3-benzodioxol-5-yl)ethyl 3.55.sup.[a] I-542 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-pyridin-4-ylphenyl)ethyl 2.13.sup.[a] I-543 H methyl H O 3-(trifluoromethyl)phenyl 2-(2-methyl-1,3-benzoxazol-4-yl)ethyl 2.96.sup.[a] I-544 H methyl H O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.14.sup.[a] fluorophenyl I-545 H 3-methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.46.sup.[a] fluoroethyl I-546 H Cl 4-methoxy-1H- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.36.sup.[a] pyrazol-1-yl I-547 H Cl methyl O 3-(trifluoromethyl)phenyl rac-1-(6-chloro-1-methyl-1H-indol-3-yl)ethyl I-548 H Cl H O 3-(trifluoromethyl)phenyl 2-(3-bromo-2-chlorophenyl)-2,2- 4.59.sup.[a] difluoroethyl I-549 H Cl methyl O 3-(trifluoromethyl)phenyl 2,2-difluoro-2-(3-methylphenyl)ethyl 4.11.sup.[a] I-550 H Cl pyridin-3-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.99.sup.[a] I-551 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,3-dihydro-1-benzofuran-5-yl)ethyl 3.65.sup.[a] I-552 H rac-1-

fluoroethyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chloro-phenyl)-2- 4.67.sup.[a]
 fluoroethyl I-553 H 3-methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-
 dichlorophenyl)-2-fluoroethyl 3.37.sup.[a] I-554 H Cl cyclopropyloxy O 3-(trifluoromethyl)phenyl
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] I-555 H Cl methyl O 3-cyclopropylphenyl
 rac-2-(4-bromo-2-chlorophenyl)-2- 4.56.sup.[a] fluoroethyl I-556 H methyl methyl O 3-
 cyclopropylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.83.sup.[a] I-557 H methyl methyl O
 3-chlorophenyl rac-1-(1-methyl-1H-indol-3-yl)ethyl 3.06.sup.[a] I-558 H Cl H O 3-
 (trifluoromethyl)phenyl isoquinolin-3-ylmethyl 3.06.sup.[a] I-559 H Cl H O 3-
 (trifluoromethyl)phenyl isoquinolin-5-ylmethyl 2.14.sup.[a] I-560 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(6-isopropoxyloxy-pyridin-3-yl)ethyl 3.76.sup.[a] I-561 H methyl H O 3-
 methoxyphenyl 2-(4-bromo-2-chlorophenyl)-2,2- 3.58.sup.[a] difluoroethyl I-562 H 3-
 methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl
 3.48.sup.[a] I-563 H methyl H O 2-fluoro-3- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.23.sup.[a]
 (trifluoromethyl)phenyl I-564 H methyl H O 3-cyclobutylphenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 3.85.sup.[a] I-565 H Cl 4-chloro-1H-pyrazol- O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.80.sup.[a] 1-yl I-566 H methyl methyl O 3-cyclopropylphenyl
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.81.sup.[a] I-567 H Cl H O 2,2-difluoro-1,3- 2-(2,4-
 dichlorophenyl)-2,2-difluoroethyl 4.56.sup.[a] benzodioxol-5-yl I-568 H Cl H O 3-
 (trifluoromethyl)phenyl 2-phenoxyethyl 3.58.sup.[a] I-569 H Cl methyl O 3-
 (trifluoromethyl)phenyl 2-(2,4-difluorophenyl)-2,2-difluoroethyl 3.90.sup.[a] I-570 H Cl H O 3-
 ethylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.68.sup.[a] I-571 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethoxyphenyl)ethyl 3.92.sup.[b] I-572 H cyclopropyl methyl O
 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.41.sup.[a] I-573 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,3-dihydro-1,4-benzodioxin-6-yl)ethyl I-574 H methyl H O 3-
 cyclopropylphenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.28.sup.[a] difluoroethyl I-575 H 3-
 methylpyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 3.23.sup.
 [a] I-576 H methyl H O 3-(trifluoromethyl)phenyl 2-[2-chloro-4-(oxetan-3-yl)phenyl]-2,2-
 3.15.sup.[a] difluoroethyl I-577 H ethynyl H O 3-(trifluoromethyl)phenyl 2-(2,4-
 dimethylphenyl)-2,2-difluoroethyl 4.31.sup.[a] I-578 H Cl H O 3-bromophenyl 2,2-difluoro-2-(5-
 methoxypyridin-2- 3.33.sup.[a]; 2 99.sup.[b] yl)ethyl I-579 H methyl H O 3-cyclopropyl-2- 2-(4-
 bromo-2-chlorophenyl)-2,2- 4.34.sup.[a] fluorophenyl difluoroethyl I-580 H 3-methoxypyridin-4-
 yl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.87.sup.[a] fluoroethyl I-581
 H methyl H O 3-cyclopropyl-2- 2-[5-(difluoromethyl)pyridin-2-yl]ethyl 2.80.sup.[b] fluorophenyl
 I-582 H methyl H O 3-(trifluoromethyl)phenyl rac-6-(oxetan-3-yl)-1,2,3,4- 3.21.sup.[a]
 tetrahydronaphthalen-1-yl I-583 H Cl H O 3-(trifluoromethyl)phenyl [3-
 (trifluoromethyl)phenyl]methyl 3.99.sup.[a] I-584 H ethynyl H O 3-(trifluoromethyl)phenyl 2-(4-
 ethynyl-2-methylphenyl)-2,2- 4.08.sup.[a] difluoroethyl I-585 H Cl H O 3-(trifluoromethyl)phenyl
 rac-3-(trifluoromethyl)-5,6,7,8- 4.04.sup.[a]; 4.14.sup.[b] tetrahydroquinolin-8-yl I-586 H Cl H O 3-
 bromophenyl 2-(2,3-dihydro-1,4-benzodioxin-5-yl)ethyl 3.72.sup.[a] I-587 H Cl H O 3-
 cyclopropylphenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.65.sup.[a] I-588 H 3-
 methoxypyridin-4-yl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl
 3.76.sup.[a] I-589 H CHF₂ H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl
 4.49.sup.[a] I-590 H methyl methyl O 2-fluoro-3- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl
 3.92.sup.[a] (trifluoromethyl)phenyl I-591 H Cl H O 2-fluoro-3-methoxyphenyl rac-6-bromo-
 1,2,3,4-tetrahydronaphthalen-1-yl 4.32.sup.[a] I-592 H methyl H O 3-(trifluoromethyl)phenyl rac-
 6-cyclobutyl-1,2,3,4- 5.08.sup.[a] tetrahydronaphthalen-1-yl I-593 H Cl H O 3-
 (trifluoromethyl)phenyl rac-4,5,6,7-tetrahydro-1-benzothiophen- 3.99.sup.[a] 7-yl (*) I-594 H Cl H
 O 3-cyclopropyl-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.80.sup.[a] fluorophenyl fluoroethyl I-595
 H H CHF₂ O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.24.sup.[a] I-596
 H ethyl Cl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.51.sup.[a] I-597 H acetyl H

O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.02.sup.[a] I-598 H Cl H O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.71.sup.[a] fluorophenyl I-599 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-bromophenyl)-2,2-difluoroethyl 4.18.sup.[a] I-600 H Cl H O 3-methoxyphenyl 2-chloro-4,5,6,7-tetrahydro-1- 4.18.sup.[a] benzothiophen-7-yl I-601 H Cl H O 3-(trifluoromethyl)phenyl [1-(4-methylphenyl)cyclopropyl]methyl 4.58.sup.[a] I-602 H Cl H O 3-(trifluoromethyl)phenyl 2-[2-(1-methyl-1H-triazol-4-yl)phenyl]ethyl I-603 H Cl H O 3-(trifluoromethyl)phenyl naphthalen-2-ylmethyl 4.23.sup.[a] I-604 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.66.sup.[a] I-605 H acetyl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.49.sup.[a] fluoroethyl (*) I-606 H methyl H O 3-(trifluoromethyl)phenyl rac-2-chloro-4,5,6,7-tetrahydro-1- 4.20.sup.[a] benzothiophen-7-yl I-607 H Cl H O 3-cyclopropyl-2- 2-(4-bromo-2-chlorophenyl)-2,2- 4.82.sup.[a] fluorophenyl difluoroethyl I-608 H Cl H O 2-fluoro-3-methoxyphenyl 2-chloro-4,5,6,7-tetrahydro-1- 4.16.sup.[a] benzothiophen-7-yl I-609 H Cl H O 3-(trifluoromethyl)phenyl 2-[4-(difluoromethoxy)phenyl]ethyl 3.85.sup.[a] I-610 H methyl pyridin-2-yl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.86.sup.[a]; 3.96.sup.[b] I-611 H Cl H O 3-(trifluoromethyl)phenyl 2-(4-methyl-2-pyridin-2-ylphenyl)ethyl 3.81.sup.[a] I-612 H methyl H O 3-cyclopropylphenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.29.sup.[a] fluoroethyl I-613 H methyl H O 3-cyclopropyl-2- 2-(2-methyl-1,3-benzoxazol-4-yl)ethyl 3.06.sup.[a] fluorophenyl I-614 H methyl H O 3-(trifluoromethyl)phenyl rac-6-(oxan-4-yl)-1,2,3,4- 3.83.sup.[a] tetrahydronaphthalen-1-yl I-615 H Cl H O 3-(trifluoromethyl)phenyl 2-(2,3-dimethylphenyl)-2,2-difluoroethyl 4.46.sup.[a] I-616 H Cl H O 3-(difluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.86.sup.[a] I-617 H Cl H O 3-(trifluoromethyl)phenyl rac-2-methyl-4,5,6,7-tetrahydro-1- 4.36.sup.[a] benzothiophen-7-yl I-618 H Cl H O 3-methoxyphenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.27.sup.[a] difluoroethyl I-619 H Cl H O 3-(difluoromethyl)-2-rac-2-(4-bromo-2-chlorophenyl)-2- 4.16.sup.[a] fluorophenyl fluoroethyl I-620 H methyl H O 3-cyclopropylphenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.26.sup.[a] I-621 H methyl H O 3-(trifluoromethyl)phenyl rac-6-cyclopropyl-1,2,3,4- 4.32.sup.[a] tetrahydronaphthalen-1-yl I-622 H Cl H O 3-(trifluoromethyl)phenyl 2-(3,4-dimethylphenyl)-2,2-difluoroethyl 4.44.sup.[a] I-623 H 3-chloropyridin-4-yl H O 2,3-difluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.01.sup.[a] I-624 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-cyclopropyl-4-methylphenyl)ethyl 4.76.sup.[a] I-625 H methyl H O 3-cyclopropylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.14.sup.[a] I-626 H Cl H O 2-fluoro-3-methoxyphenyl rac-7-bromo-1,2,3,4- 4.13.sup.[a] tetrahydronaphthalen-1-yl I-627 H Cl H O 3-(trifluoromethyl)phenyl 2 2-difluoro-2-(2-fluoro-4,6- 4.34.sup.[a] dimethylphenyl)ethyl I-628 H methyl H O 3-(trifluoromethyl)phenyl 2-[2-(trifluoromethyl)phenyl]cyclopropyl 3.77.sup.[a] I-629 H Cl H O 3-methoxyphenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.23.sup.[a] fluoroethyl I-630 H Cl H O 3-(difluoromethyl)-2- 2-(4-bromo-2-chlorophenyl)-2,2- 4.20.sup.[a] fluorophenyl difluoroethyl I-631 H Cl H O 3-(trifluoromethyl)phenyl 2-(2-ethynyl-4-methylphenyl)ethyl 4.24.sup.[a] I-632 H methyl H O 3-cyclopropyl-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.36.sup.[a] fluorophenyl fluoroethyl I-633 H Cl H O 3-(trifluoromethyl)phenyl 2-[2-chloro-4-(trifluoromethyl)phenoxy]- 4.58.sup.[a] 2,2-difluoroethyl I-634 H methyl H O 3-(trifluoromethyl)phenyl 1-[(4-chlorophenyl)methyl]cyclopropyl 3.73.sup.[a] I-635 H Cl H O 3-(trifluoromethyl)phenyl 2-(5-chloropyrimidin-2-yl)ethyl 3.05.sup.[a] I-636 H cyclopropyl 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.57.sup.[a] (*) I-637 H Cl H O 3-(difluoromethyl)-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.08.sup.[a] fluorophenyl I-638 H methyl H O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.34.sup.[a] fluorophenyl I-639 H Cl H O 3-(trifluoromethyl)phenyl rac-2-chloro-4,5,6,7-tetrahydro-1- 4.68.sup.[a] benzothiophen-4-yl I-640 H Cl H O 3-cyclopropylphenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.90.sup.[a] difluoroethyl I-641 H methyl H O 3-(trifluoromethyl)phenyl 1-[(4-methoxyphenyl)methyl]cyclopropyl 3.30.sup.[a] I-642 H cyclopropyl methyl O 3-

(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.43.sup.[a] I-643 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.41.sup.[a] I-644 H methyl H O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.21.sup.[a] fluorophenyl I-645 H Cl cyclopropylamino O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.21.sup.[a] fluorophenyl I-646 H Cl H O 2,3-difluorophenyl 1-[3-(trifluoromethyl)phenyl]ethyl 3.76.sup.[a] I-647 H Cl H O 3-(trifluoromethyl)phenyl rac-2-(4-chlorophenyl)-2- 4.11.sup.[a] fluorocyclopropyl I-648 H Cl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.19.sup.[a] I-649 H pyridin-4-yl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.44.sup.[a] I-650 H cyclopropyl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.10.sup.[a] I-651 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.49.sup.[a] fluoroethyl I-652 H Cl H O 5-cyclopropylpyridin-3-yl 2-(4-bromo-2-chlorophenyl)-2,2- 3.63.sup.[a];3.94.sup.[b] difluoroethyl I-653 H H 2-methoxyethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.94.sup.[a] I-654 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 4.46.sup.[a] I-655 H Cl methyl O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.49.sup.[a] fluorophenyl I-656 H Cl H O 2-fluoro-3-methoxyphenyl rac-2-methyl-4,5,6,7-tetrahydro-1- 3.96.sup.[a] benzothiophen-7-yl I-657 H Cl isopropyl O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 5.17.sup.[a] difluoroethyl I-658 H Cl H O 5-cyclopropylpyridin-3-yl 2-(4-chlorophenyl)-2,2-difluoroethyl 3.19.sup.[a];3.50.sup.[b] I-659 H pyridin-4-yl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.55.sup.[a] I-660 H 3-chloropyridin-4-yl cyclopropylamino O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)-2,2-difluoroethyl 4.03.sup.[a];4.15.sup.[b] I-661 H 3-chloropyridin-4-yl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2,2- 4.54.sup.[a] difluoroethyl I-662 H 2-cyanoethyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.78.sup.[a] I-663 H Cl methyl O 3-bromo-2-fluorophenyl rac-2-(2-chloro-4-cyclopropylphenyl)-2- 4.55.sup.[a] fluoroethyl I-664 H Cl F O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.74.sup.[a] fluorophenyl I-665 H Cl H O 3-(1- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.56.sup.[a] fluorocyclopropyl)phenyl I-666 H Cl H O 3-(rac-2,2- 2-(2,4-dimethylphenyl)ethyl 4.39.sup.[a] difluorocyclopropyl)phenyl I-667 H Cl methyl O 3-bromo-2-fluorophenyl 2-(2-chloro-4-methylphenyl)-2,2- 4.33.sup.[a] difluoroethyl I-668 H Cl methyl O 3-bromo-2-fluorophenyl 2-(4-bromo-2-methylphenyl)-2,2- 4.59.sup.[a] difluoroethyl I-669 H Cl methyl O 3-bromo-2-fluorophenyl rac-2-(2-chloro-4-methylphenyl)-2- 4.26.sup.[a] fluoroethyl I-670 H Cl methyl O 3-bromo-2-fluorophenyl rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 4.23.sup.[a] I-671 H Cl methyl O 3-brmo-2-fluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.47.sup.[a] fluoroethyl I-672 H Cl H O 3-(3-fluoroprop-1-en-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.39.sup.[a] yl)phenyl I-673 H methyl H O 3-(trifluoromethyl)phenyl (2,4-dimethylphenoxy)methyl 3.79.sup.[a] I-674 H methyl H O 3-(trifluoromethyl)phenyl (4-chlorophenoxy)methyl 3.55.sup.[a] I-675 H Cl H O 3-ethynyl-2-fluorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.30.sup.[a] fluoroethyl I-676 H Cl H O 2-fluoro-3-prop-1-en-1- rac-2-(4-bromo-2-chlorophenyl)-2- 5.00.sup.[a] ylphenyl fluoroethyl I-677 H Cl H O 3-ethynyl-2-fluorophenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.18.sup.[a] I-678 H Cl H O 5-(difluoromethyl)pyridin- rac-2-(4-bronno-2-chlorophenyl)-2- 3.54.sup.[a] 3-yl fluoroethyl I-679 H Cl 4-carboxybutyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.81.sup.[a] I-680 H Cl H O 5-(difluoromethyl)pyridin- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.46.sup.[a] 3-yl I-681 H Cl H O 3-ethynyl-2-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.13.sup.[a] I-682 H Cl H O 5-(trifluoromethyl)-3- rac-2-(4-bronno-2-chlorophenyl)-2- 4.72.sup.[a] thienyl fluoroethyl I-683 H Cl rac-(2,2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.95.sup.[a] difluorocyclopropyl methoxy I-684 H Cl allyloxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.87.sup.[a] I-685 H (cyclopropylamino) H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl

3.39.sup.[a] carbonyl I-686 H Cl H O 2-fluoro-3-[rac-oxiran-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.96.sup.[a] yl]phenyl I-687 H Cl 2-ethoxyethoxy O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] I-688 H Cl (E)-4,4,4-trifluorobut- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.14.sup.[a] 2-enoxy I-689 CN Cl methyl O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)ethyl 4.77.sup.[a] I-690 H Cl methyl O 5-(difluoromethyl)pyridin- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.46.sup.[a] 3-yl I-691 H methyl H O 3-(trifluoromethyl)phenyl 2-(4-methyl-1H-pyrazol-1-yl)ethyl 2.58.sup.[a] I-692 H Cl methyl O 2-fluoro-3-vinylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.41.sup.[a] I-693 H Cl methyl O fluorocyclopropyl)phenyl 2-(2,4-dimethylphenyl)ethyl 4.20.sup.[a] I-694 H Cl methyl O 3-(rac-2,2- 2-(2,4-dimethylphenyl)ethyl 4.13.sup.[a] difluorocyclopropyl)phenyl I-695 H Cl methyl O 3-(rac-2,2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.30.sup.[a] difluorocyclopropyl)phenyl I-696 H Cl methyl O 3-(rac-2,2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.27.sup.[a] difluorocyclopropyl)phenyl I-697 OH Cl H O 3-(trifluoromethyl)phenyl 2-(4-chlorophenyl)ethyl 3.74.sup.[a] I-698 H Cl H O 2-fluoro-3-[rac-oxiran-2- rac-2-(4-bromo-2-chlorophenyl)-2- 4.15.sup.[a] yl]phenyl fluoroethyl (*) I-699 H Cl H O 3-(rac-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.47.sup.[a] fluorocyclopropyl)phenyl (*) I-700 H Cl H O 3-(rac-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] fluorocyclopropyl)phenyl I-701 H Cl H O 2-fluoro-3-[rac-oxiran-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.08.sup.[a] yl]phenyl I-702 H methyl (2-methyl-1,3- O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.82.sup.[a] dioxolan-4- fluorophenyl yl)methylamino (*) I-703 H Cl methyl O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.51.sup.[a] fluorophenyl (*) I-704 H Cl methyl O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.51.sup.[a] fluorophenyl (*) I-705 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.85.sup.[a] (*) I-706 H cyclopropyl H O 3-(trifluoromethyl)phenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.85.sup.[a] I-707 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(3,4-dimethylphenyl)-2-fluoroethyl 4.30.sup.[a] I-708 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-[4-(difluoromethyl)-2-methylphenyl]- 4.05.sup.[a] 2-fluoroethyl I-709 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(2-chloro-4-methylphenyl)-2- 4.40.sup.[a] fluoroethyl I-710 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-chloro-2-methylphenyl)-2- 4.44.sup.[a] fluoroethyl I-711 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(2-chloro-4-cyclopropylphenyl)-2- 4.70.sup.[a] fluoroethyl I-712 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-(4-bromo-2-methylphenyl)-2- 4.55.sup.[a] fluoroethyl I-713 H Cl methyl O 3-cyclopropyl-2- rac-2-(3,4-dimethylphenyl)-2-fluoroethyl 4.40.sup.[a] fluorophenyl I-714 H Cl methyl O 3-cyclopropyl-2- rac-2-[4-(difluoromethyl)-2-methylphenyl]- 4.12.sup.[a] fluorophenyl 2-fluoroethyl I-715 H Cl methyl O 3-cyclopropyl-2- rac-2-(4-chloro-3-methoxyphenyl)-2- 4.08.sup.[a] fluorophenyl fluoroethyl I-716 H Cl methyl O 3-cyclopropyl-2- rac-2-(3,4-dichlorophenyl)-2-fluoroethyl 4.51.sup.[a] fluorophenyl I-717 H Cl methyl O 3-cyclopropyl-2- rac-2-(2-chloro-4-methylphenyl)-2- 4.47.sup.[a] fluorophenyl fluoroethyl I-718 H Cl methyl O 3-cyclopropyl-2- rac-2-(4-chloro-2-methylphenyl)-2- 4.55.sup.[a] fluorophenyl fluoroethyl I-719 H Cl methyl O 3-cyclopropyl-2- rac-2-(2-chloro-4-cyclopropylphenyl)-2- 4.78.sup.[a] fluorophenyl fluoroethyl I-720 H Cl methyl O 3-cyclopropyl-2- rac-2-(4-bromo-2-methylphenyl)-2- 4.66.sup.[a] fluorophenyl fluoroethyl (*) I-721 H Cl H O 3-cyclopropyl-2- 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 5.00.sup.[a] fluorophenyl (*) I-722 H Cl H O 3-cyclopropyl-2- 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 5.00.sup.[a] fluorophenyl (*) I-723 H Cl methyl O 3-methoxyphenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 3.94.sup.[a] (*) I-724 H Cl methyl O 3-methoxyphenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 3.94.sup.[a] (*) I-725 H methyl methyl O 3-chlorophenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 3.81.sup.[a] (*) I-726 H methyl methyl O 3-chlorophenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 3.81.sup.[a] I-727 H Cl H O 1-benzothiophen-6-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.47.sup.[a] I-728 H Cl H O 6,7-dihydro-5H- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.40.sup.[a] cyclopenta[b]pyridin-3-yl (*) I-729 H Cl H O 2,3-difluorophenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.37.sup.[a] (*) I-730

H Cl H O 2,3-difluorophenyl 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.37.sup.[a] I-731 H Cl H
 O 3-ethyl-2-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.85.sup.[a] I-732 H Cl H O
 rac-indan-1-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.16.sup.[a] (*) I-733 H Cl H O 3-
 cyclopropylphenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.85.sup.[a] (*) I-734 H Cl H O 3-
 cyclopropylphenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.85.sup.[a] (*) I-735 H methyl H O 2-
 fluoro-3- 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.33.sup.[a] (trifluoromethyl)phenyl (*) I-736
 H methyl H O 2-fluoro-3- 2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 4.33.sup.[a]
 (trifluoromethyl)phenyl I-737 H Cl methyl O 2-fluoro-3-[rac-2,2- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.37.sup.[a] difluorocyclopropyl]phenyl I-738 H Cl methyl O 2-fluoro-3-[rac-2,2-
 rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.33.sup.[a] difluorocyclopropyl]phenyl I-739 methoxy
 Cl methyl O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 5.36.sup.[a] fluorophenyl I-740
 methoxy Cl H O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 5.12.sup.[a] fluorophenyl (*) I-741
 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 3.88.sup.[a] (*)
 I-742 H methyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dichlorophenyl)-2-fluoroethyl 3.88.sup.
 [a] (*) I-743 H Cl H O 3-(difluoromethyl)-2- 2-(2,4-dichlorophenyl)-2-fluoroethyl 4.26.sup.[a]
 fluorophenyl (*) I-744 H Cl H O 3-(difluoromethyl)-2- 2-(2,4-dichlorophenyl)-2-fluoroethyl
 4.26.sup.[a] fluorophenyl I-745 methoxy methyl H O 3-cyclopropylphenyl 2-(2,4-
 dimethylphenyl)ethyl 4.26.sup.[a] methyl I-746 H Cl methyl O 3-cyclopropyl-2- 2-(2-chloro-4-
 methylphenyl)-2,2- 4.55.sup.[a] fluorophenyl difluoroethyl I-747 H Cl methyl O 3-cyclopropyl-2-
 2-(4-chloro-2-methylphenyl)-2,2- 4.74.sup.[a] fluorophenyl difluoroethyl I-748 H Cl methyl O 3-
 cyclopropyl-2- 2-(4-bromo-2-methylphenyl)-2,2- 4.81.sup.[a] fluorophenyl difluoroethyl I-749 H
 Cl methyl O 3-cyclopropyl-2- 2-(3,4-dimethylphenyl)-2,2-difluoroethyl 4.51.sup.[a] fluorophenyl
 I-750 H Cl methyl O 3-(difluoromethyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.19.sup.[a]
 fluorophenyl I-751 H Cl I O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.67.sup.
 [a] fluorophenyl I-752 ethoxy Cl methyl O 3-cyclopropyl-2- benzyl 4.55.sup.[a] fluorophenyl I-753
 2-methyl Cl methyl O 3-cyclopropyl-2- benzyl 5.20.sup.[a] proopoxy fluorophenyl I-754 H methyl
 H O 3-cyclopropylphenyl rac-1-cyano-2-(2,4-dimethylphenyl)ethyl 3.94.sup.[a] I-755 H oxan-4-yl
 H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.11.sup.[a] I-756 H Cl
 cyclopropylamino O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.34.sup.[a]
 fluorophenyl I-757 H Cl nethylamino O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 4.09.sup.[a]
 fluorophenyl I-758 H Cl I O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.73.sup.[a]
 fluorophenyl I-759 H Cl I O 3-cyclopropyl-2- 2-(2,4-dichlorophenyl)ethyl 4.81.sup.[a]
 fluorophenyl I-760 H methyl cyclopropylamino O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 3.68.sup.[a] fluorophenyl I-761 H Cl methylamino O 3-cyclopropyl-2- rac-2-(2,4-
 dichlorophenyl)-2-fluoroethyl 4.11.sup.[a] fluorophenyl I-762 H Cl H O 3-cyclopropyl-2- rac-2-
 (2,4-dimethylphenyl)-2-fluoroethyl 4.61.sup.[a] fluorophenyl I-763 H Cl methyl O 3-
 (trifluoromethyl)phenyl rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 4.25.sup.[a] I-764 H Cl H O 2-
 fluoro-3-(1- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.55.sup.[a] fluorocyclopropyl)phenyl I-765
 H Cl H O 2-fluoro-3-(1- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.59.sup.[a]
 fluorocyclopropyl)phenyl I-766 H Cl methyl O 2-fluoro-3-(1- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.40.sup.[a] fluorocyclopropyl)phenyl I-767 H methylsulfanyl H O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] I-768 H
 ethylsulfanyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.08.sup.[a]
 I-769 H Cl H O 1H-indol-5-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.78.sup.[a] I-770 H Cl H
 O 3-ethynylphenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.30.sup.[a] fluoroethyl I-771 H rac-
 ethylsulfanyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.83.sup.[a]
 I-772 H methyl H O 3-(trifluoromethyl)phenyl (Z)-2-(2,4-dimethylphenyl)ethen-1-yl 4.54.sup.[a] I-
 773 H Cl methyl O 3-cyclopropyl-2- rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 4.37.sup.[a]
 fluorophenyl I-774 H I methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.59.sup.[a] I-775 H methyl methylamino O 3-cyclopropyl-2- 2-(2,4-

dimethylphenyl)-2,2-difluoroethyl 3.29.sup.[a] fluorophenyl I-776 H methyl methylamino O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.31.sup.[a] fluorophenyl I-777 H Cl methyl O 3-(trifluoromethyl)phenyl 2-(4,5-dimethyl-3-thienyl)ethyl 4.08.sup.[a] I-778 H Cl methyl O 3-(trifluoromethyl)phenyl rac-2-methyl-4,5,6,7-tetrahydro-1- 4.30.sup.[a] benzothiophen-7-yl I-779 H methyl methoxy O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.01.sup.[a] fluorophenyl I-780 H Cl H O 2-fluoro-3-vinylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.53.sup.[a] I-781 H rac-methylsulfinyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.65.sup.[a] I-782 H Cl OH O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 5.13.sup.[a] fluorophenyl I-783 H Cl methoxy O 3-cyclopropyl-2- rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.51.sup.[a] fluorophenyl I-784 H Cl methyl O 3-chloro-2-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] I-785 prop-1- Cl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.51.sup.[a] en-2-yloxy-carbonyl I-786 H Cl methyl O 3-chloro-2-fluorophenyl 2-(4-cyclopropyl-2-methylphenyl)-2,2-4.62.sup.[a] difluoroethyl I-787 H Cl methyl O 3-cyclopropyl-2- 2-(2,4-dimethylphenyl)ethyl 4.44.sup.[a] fluorophenyl I-788 H Cl methyl O 3-chloro-2-fluorophenyl 2-(2-chloro-4-methylphenyl)-2,2- 4.26.sup.[a] difluoroethyl I-789 H Cl methyl O 3-chloro-2-fluorophenyl 2-(4-chloro-2-methylphenyl)-2,2- 4.47.sup.[a] difluoroethyl I-790 H Cl methyl O 3-chlorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.27.sup.[a] I-791 H Cl H O 2-fluoro-3-vinylphenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.63.sup.[a] I-792 H Cl H O 3-acetylphenyl rac-2-(4-bromo-2-chlorophenyl)-2- 3.81.sup.[a] fluoroethyl I-793 H 1-(tert- H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.64.sup.[a] butoxycarbonyl) azetidin-3-yl I-794 H rac-oxolan-3-yl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.78.sup.[a] I-795 H 3,3,3-trifluoropropyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.51.sup.[a] I-796 H 2-methoxyethyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.00.sup.[a] I-797 H benzyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.95.sup.[a] I-798 H cyclobutylmethyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 5.02.sup.[a] I-799 H (cyclopropylamino) methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.92.sup.[a] carbonyl I-800 H methyl methyl S 3-(trifluoromethyl)phenyl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 4.63.sup.[a] I-801 H propylaminocarbonyl methyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.25.sup.[a] I-802 H 2-hydroxyethyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.35.sup.[a] I-803 H 3-ethoxy-3-oxopropyl H O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] I-804 H Cl 2-methylsulfanylethyl O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a] amino I-805 H Cl (2-methyl-1,3- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] dioxolan-4-yl)methylamino I-806 H Cl 2-rac-but-3-en-2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.72.sup.[a] ylamino I-807 H Cl 2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.25.sup.[a] methoxyethylamino I-808 H Cl 2-methoxyethylthio O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.64.sup.[a] I-809 H Cl 2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.95.sup.[a] cyclopropylethylamino I-810 H Cl (1- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.56.sup.[a] methylcyclopropyl) amino I-811 H Cl 2,2,2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.92.sup.[a] trifluoroethylthio I-812 H Cl (2- O 3-(trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.87.sup.[a] cyclopropylcyclopropyl)amino I-813 H Cl H O 2,3-dihydro-1-benzofuran- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.96.sup.[a] 5-yl I-814 H Cl H O 3-(methoxymethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.99.sup.[a] I-815 H Cl H O 3-cyano-2-fluorophenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.79.sup.[a] I-816 H Cl H O 2-fluoro-3-methylphenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.37.sup.[a] I-817 H Cl H O 3-methylphenyl 2-(2,4-dimethylphenyl)-2,2-

difluoroethyl 4.34.sup.[a] I-818 H Cl H O 2-fluoro-3- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 4.37.sup.[a] methylsulfanylphenyl I-819 H Cl H O 3- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl
 4.88.sup.[a] (trifluoromethylthio)phenyl I-820 H Cl H O 2-fluoro-3- 2-(2,4-dimethylphenyl)-2,2-
 difluoroethyl 4.66.sup.[a] (trifluoromethoxy)phenyl I-821 H Cl morpholin-4-yl O 3-
 (trifluoromethyl)phenyl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.27.sup.[a] I-822 H Cl methyl O
 3-chlorophenyl rac-2-(4-bromo-2-chlorophenyl)-2- 4.37.sup.[a] fluoroethyl I-823 H methyl H O 3-
 cyclopropyl-2- rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 4.11.sup.[a] fluorophenyl I-824 H Cl H O
 3-(trifluoromethyl)phenyl 2-(4,5-dimethyl-3-thienyl)ethyl 4.32.sup.[a] I-825 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(2,5-dichloro-3-thienyl)-2,2-difluoroethyl 4.73.sup.[a] I-826 H Cl H O 3-
 (trifluoromethyl)phenyl 2-(5-methyl-2-furypethyl 3.79.sup.[a] I-827 H methyl H O 3-cyclopropyl-
 2- rac-2-(2,4-dimethylphenyl)-2- 3.17.sup.[a] fluorophenyl hydroxyethyl I-828 H Cl H O 5-ethyl-2-
 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.88.sup.[a] (methoxycarbonyl)-3- thienyl I-829 H Cl H
 O 3-(1-cyanocyclopropyl)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.94.sup.[a] fluorophenyl I-
 830 H Cl H O 1H-indol-6-yl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.90.sup.[a] I-831 H Cl H O
 3-(1- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.49.sup.[a] fluorocyclopropyl)phenyl I-832 H Cl H
 O 3-(difluoromethoxy)-2- 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 4.17.sup.[a] fluorophenyl I-
 833 H Cl methyl O 3-bronno-2-fluorophenyl 2-(4-cyclopropyl-2-methylphenyl)-2,2- 4.66.sup.[a]
 difluoroethyl (*) I-834 H methyl methyl O 3-chlorophenyl rac-2-(4-bromo-2-chlorophenyl)-2-
 3.69.sup.[a] fluoroethyl I-835 H methyl methyl O 3-cyclopropyl-2- rac-2-(2-chloro-4-
 methylphenyl)-2- 3.81.sup.[a] fluorophenyl fluoroethyl I-836 H methyl methyl O 3-cyclopropyl-2-
 rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 3.78.sup.[a] fluorophenyl I-837 H methyl methyl O 3-
 cyclopropyl-2- rac-2-(2-chloro-4-cyclopropylphenyl)-2- 4.12.sup.[a] fluorophenyl fluoroethyl I-
 838 H methyl methyl O 3-cyclopropyl-2- 2-(2-chloro-4-methylphenyl)-2,2- 3.91.sup.[a]
 fluorophenyl difluoroethyl I-839 H methyl methyl O 3-cyclopropyl-2- 2-(3,4-dimethylphenyl)-2,2-
 difluoroethyl 3.87.sup.[a] fluorophenyl I-840 H Cl methyl O 3-cyclopropyl-2- 2-(2-bromo-4-
 methylphenyl)-2,2- 4.57.sup.[a] fluorophenyl difluoroethyl I-841 H methyl methyl O 3-
 (difluoromethyl)-2- rac-2-(2-chloro-4-methylphenyl)-2- 3.47.sup.[a] fluorophenyl fluoroethyl I-842
 H methyl methyl O 3-(difluoromethyl)-2- 2-(4-bromo-2-methylphenyl)-2,2- 3.81.sup.[a]
 fluorophenyl difluoroethyl I-843 H Cl methyl O 3-chloro-2-fluorophenyl 2-(3,4-
 dimethylphenyl)-2,2-difluoroethyl 4.25.sup.[a] I-844 H Cl methyl O 3-chloro-2-fluorophenyl 2-(2-
 bromo-4-methylphenyl)-2,2- 4.34.sup.[a] difluoroethyl (*) Ex I-016 and I-024 are the 2
 enantiomers of Ex I-288 (*) Ex I-142 is 1 enantiomer of Ex I-359 Ex I-142: Optical rotation: -46.40
 (c = 1.04, DCM, 25° C.); concentration c is expressed in g/100 mL. (*) Ex I-147 is 1 enantiomer of
 Ex I-378 Ex I-147: Optical rotation: +18° (c = 1, MeOH, 20° C.); cocentration c is expressed in
 g/100 mL. (*) Ex I-229 is 1 enantiomer of Ex I-195 (*) Ex I-245 is 1 enantiomer of Ex I-356 Ex I-
 245: Optical rotation: -20° (c = 1, DCM, 25° C.); concentration c is expressed in g/100 mL. (*) Ex
 I-380 and I-392 are the 2 enantiomers of Ex 1-606 (*) Ex I-438 and I-448 are two different
 diastereoisomers (*) Ex I-091 is (S) Enantiomer and 1-098 is (R) Enantiomer (*) Ex I-703 and I-
 704 are the 2 enantiomers of Ex I-267 Ex I-703: Optical rotation: -48.1 (c = 0.92, CDCl₃, 25° C.);
 concentration c is expressed in g/100 mL. Ex I-704: Optical rotation: +40.7 (c = 1.08, CDCl₃, 25°
 C.); concentration cis expressed in g/100 mL. (*) Ex I-705 and I-706 are the 2 enantiomers of Ex I-
 255 Ex I-705: Optical rotation: +52.3° (c = 1.30, CDCl₃, 20° C.); concentration c is expressed in
 g/100 mL. Ex I-706: Optical rotation: -45.5° (c = 1.32, CDCl₃, 20° C.); concentration c is
 expressed in g/100 mL. (*) Ex I-721 and I-722 are the 2 enantiomers of Ex I-594 Ex I-721: Optical
 rotation: +54.4° (c = 1.03, CDCl₃, 25° C.); concentration c is expressed in g/100 mL. Ex I-722:
 Optical rotation: -50.9° (c = 1, 1, CDCl₃, 25° C.); concentration c is expressed in g/100 mL. (*) Ex
 I-723 and I-724 are the 2 enantiomers of Ex I-533 Ex I-723: Optical rotation: +50.7° (c = 1.5,
 CDCl₃, 25° C.); concentration c is expressed in g/100 mL. Ex I-724: Optical rotation: -52.9° (c =
 1.55, CDCl₃, 25° C.); concentration c is expressed in g/100 mL. (*) Ex I-725 and I-726 are the 2
 enantiomers of Ex I-834 Ex I-725: Optical rotation: +41.9° (c = 1.05, CDCl₃, 25° C.);

concentration c is expressed in g/100 mL. Ex I-726: Optical rotation: -47° ($c = 1.15$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. (*) Ex I-729 and I-730 are the 2 enantiomers of Ex I-407 Ex I-729: Optical rotation: $+48.3^{\circ}$ ($c = 1.45$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. Ex I-730: Optical rotation: -49.7° ($c = 1.45$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. (*) Ex I-733 and I-734 are the 2 enantiomers of Ex I-367 Ex 1-733: Optical rotation: -57.1° ($c = 1.16$, CDCl_3 , 20°C .); concentration c is expressed in g/100 mL. Ex 1-734: Optical rotation: $+55.5^{\circ}$ ($c = 1.23$, CDCl_3 , 20°C .); concentration c is expressed in g/100 mL. (*) Ex I-735 and I-736 are the 2 enantiomers of Ex I-233 Ex I-735: Optical rotation: -47.4° ($c = 1.27$, CDCl_3 , 20°C .); concentration c is expressed in g/100 mL. Ex I-736: Optical rotation: $+55^{\circ}$ c. ($c = 1.09$, CDCl_3 , 20°C .); concentration c is expressed in g/100 mL. (*) Ex I-741 and I-742 are the 2 enantiomers of Ex I-423 Ex I-741: Optical rotation: $+39.8^{\circ}$ ($c = 1.16$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. Ex I-742: Optical rotation: -38.3° ($c = 1.10$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. (*) Ex I-743 and I-744 are the 2 enantiomers of Ex I-637 Ex I-743: Optical rotation: $+52.4^{\circ}$ ($c = 0.65$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. Ex I-744: Optical rotation: -46.7° ($c = 0.69$, CDCl_3 , 25°C .); concentration c is expressed in g/100 mL. (*) Ex I-438 and I-448 are two different diastereoisomers (*) Ex I-699 and I-700 are two different diastereoisomers

(596) TABLE-US-00010 TABLE 2 I-001: $^1\text{H-NMR}$ (400.2 MHz, d_6 -DMSO): $\delta = 8.8107$ (1.9); 8.7970 (3.8); 8.7833 (2.0); 8.3165 (0.4); 8.0884 (16.0); 7.7558 (1.5); 7.7366 (4.8); 7.7171 (5.0); 7.7022 (6.2); 7.6828 (2.5); 7.6550 (7.0); 7.6181 (0.4); 7.5866 (4.1); 7.5661 (3.3); 7.5043 (8.2); 7.4992 (8.6); 7.3845 (6.3); 7.3638 (7.6); 7.3383 (0.5); 7.1510 (4.5); 7.1460 (4.6); 7.1305 (3.9); 7.1254 (3.9); 7.0066 (0.4); 7.0007 (0.4); 3.9025 (2.6); 3.5968 (2.5); 3.5803 (6.9); 3.5649 (7.0); 3.5485 (2.7); 3.5067 (0.5); 3.4896 (0.4); 3.3264 (161.0); 2.9776 (5.0); 2.9609 (9.7); 2.9440 (4.4); 2.9082 (0.6); 2.8930 (0.3); 2.6709 (2.3); 2.5057 (317.3); 2.5019 (387.2); 2.3286 (2.2); 2.2534 (0.3); 1.2979 (0.6); 1.2581 (0.9); 1.2335 (1.1); -0.0007 (1.1) I-002: $^1\text{H-NMR}$ (300.2 MHz, d_6 -DMSO): $\delta = 9.1785$ (5.5); 9.1628 (5.9); 9.1524 (1.4); 9.1319 (2.4); 9.1111 (1.2); 7.8252 (5.7); 7.8096 (5.5); 7.7985 (1.0); 7.7717 (2.8); 7.7458 (3.3); 7.7303 (3.7); 7.7049 (1.3); 7.6786 (4.0); 7.6218 (2.4); 7.5947 (1.7); 7.3465 (3.4); 7.3199 (3.9); 7.1036 (4.4); 6.9516 (2.4); 6.9251 (2.1); 4.1799 (1.2); 4.1595 (1.3); 4.1313 (2.8); 4.1101 (2.7); 4.0972 (0.9); 4.0814 (1.5); 4.0734 (2.0); 4.0609 (1.4); 4.0498 (1.7); 4.0259 (0.6); 3.3599 (89.4); 3.3375 (1.3); 2.5344 (25.6); 2.5285 (18.1); 2.4502 (11.3); 2.2500 (16.0); 2.0219 (6.7); 1.2694 (0.4); 1.2309 (1.8); 1.2072 (3.6); 1.1835 (1.8); 0.0327 (16.7); 0.0217 (0.6) I-003: $^1\text{H-NMR}$ (300.2 MHz, CDCl_3): $\delta = 7.5782$ (0.9); 7.5653 (0.8); 7.5336 (2.9); 7.5225 (3.1); 7.5161 (3.2); 7.4008 (1.2); 7.3963 (1.3); 7.3750 (1.7); 7.3706 (1.7); 7.3275 (2.8); 7.3180 (3.4); 7.2986 (11.6); 7.2613 (1.0); 7.2362 (2.4); 7.2104 (2.0); 7.2000 (2.0); 7.1960 (2.1); 7.1754 (0.8); 4.1701 (0.3); 4.1461 (0.3); 3.9709 (1.0); 3.9529 (1.9); 3.9315 (1.8); 3.9132 (1.0); 3.3334 (1.9); 3.3126 (2.2); 3.2932 (1.6); 2.6079 (0.6); 2.4944 (16.0); 2.3772 (15.2); 2.1243 (0.6); 2.0818 (2.3); 1.6144 (1.2); 1.3202 (0.6); 1.2963 (1.3); 1.2727 (0.4); 0.9731 (0.5); 0.1075 (2.8); 0.0377 (13.7) I-004: $^1\text{H-NMR}$ (300.2 MHz, CDCl_3): $\delta = 8.8801$ (5.5); 8.7013 (3.9); 8.6934 (3.9); 8.6233 (3.1); 8.6070 (3.2); 8.1063 (1.9); 8.0861 (2.7); 8.0677 (1.9); 8.0072 (2.0); 7.9899 (1.2); 7.7353 (0.7); 7.6895 (7.3); 7.6122 (0.4); 7.5747 (4.3); 7.5410 (2.0); 7.5304 (2.4); 7.5238 (2.3); 7.5117 (2.0); 7.3957 (3.3); 7.3692 (3.7); 7.2987 (7.6); 7.0850 (4.5); 6.9983 (2.5); 6.9715 (2.2); 4.3481 (1.6); 4.3284 (1.6); 4.2999 (3.3); 4.2803 (3.2); 4.2516 (1.8); 4.2321 (1.7); 2.5291 (12.1); 2.3216 (16.0); 1.2928 (0.5); 0.0370 (4.7) I-005: $^1\text{H-NMR}$ (400.1 MHz, d_6 -DMSO): $\delta = 9.2222$ (1.6); 9.2020 (1.7); 7.7554 (0.7); 7.7357 (2.0); 7.7160 (1.8); 7.6901 (2.3); 7.6707 (1.1); 7.6394 (2.8); 7.5946 (1.6); 7.5746 (1.2); 7.1221 (3.1); 7.0880 (1.2); 7.0685 (2.1); 7.0314 (3.1); 7.0120 (1.5); 5.1015 (0.9); 5.0830 (1.4); 5.0647 (0.9); 3.3284 (208.8); 2.8981 (1.5); 2.7395 (1.4); 2.5129 (7.1); 2.5088 (9.4); 2.5049 (7.0); 2.3471 (16.0); 2.1837 (0.4); 2.1731 (0.4); 2.1448 (12.8); 2.0469 (13.5); 1.4200 (6.7); 1.4026 (6.6) I-006: $^1\text{H-NMR}$ (300.2 MHz, CDCl_3): $\delta = 8.2946$ (11.9); 8.1686 (1.1); 8.1502 (1.5); 8.1300 (0.8); 8.0174 (3.6); 7.9875 (4.0); 7.9689 (1.9); 7.9486 (1.6); 7.9377 (2.1); 7.9260 (0.4); 7.9152 (0.4); 7.9034

(1.8); 7.8931 (1.5); 7.8721 (2.2); 7.6925 (3.9); 7.6849 (4.1); 7.6276 (0.5); 7.6206 (1.0); 7.6046 (3.2); 7.5982 (5.0); 7.5858 (5.4); 7.5732 (4.6); 7.5666 (6.2); 7.5508 (1.1); 7.5374 (4.9); 7.5179 (0.4); 7.5026 (3.9); 7.4991 (3.7); 7.4963 (3.8); 7.3640 (3.1); 7.3560 (3.0); 7.3344 (2.8); 7.3263 (2.7); 7.2985 (18.6); 7.2533 (2.4); 7.2467 (2.4); 7.2251 (2.0); 7.2184 (2.0); 5.3371 (1.7); 4.5118 (2.0); 4.4913 (1.9); 4.4640 (4.1); 4.4435 (4.0); 4.4161 (2.1); 4.3957 (2.0); 4.3629 (1.0); 2.8001 (0.4); 1.5878 (16.0); 1.2953 (3.2); 0.9421 (0.4); 0.9213 (1.0); 0.8976 (0.5); 0.1098 (0.7); 0.0502 (0.7); 0.0394 (17.8); 0.0286 (0.8) I-007: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.9751 (5.5); 7.7515 (0.5); 7.7212 (0.5); 7.7015 (1.4); 7.6819 (2.1); 7.6762 (2.0); 7.6565 (0.5); 7.5619 (1.8); 7.5008 (3.2); 7.4788 (2.9); 7.0353 (1.8); 7.0291 (1.9); 6.7473 (1.1); 6.7410 (1.0); 6.7252 (1.0); 6.7189 (1.0); 4.3426 (1.0); 4.3264 (1.0); 4.3085 (2.2); 4.2922 (2.2); 4.2743 (1.2); 4.2580 (1.1); 3.8729 (0.4); 3.7269 (16.0); 2.1444 (6.0); 2.0923 (0.7); 2.0858 (31.8); 1.9713 (0.6); 1.9636 (0.4); 1.9576 (0.9); 1.9517 (5.1); 1.9455 (9.2); 1.9393 (12.5); 1.9332 (8.5); 1.9270 (4.4) I-008: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.2567 (1.1); 8.5764 (1.2); 8.3948 (16.0); 8.1448 (1.5); 7.9650 (4.9); 7.8949 (3.4); 7.8666 (5.0); 7.7524 (3.8); 7.7467 (3.6); 7.7241 (2.6); 7.7184 (2.6); 7.7001 (2.4); 7.6814 (2.3); 7.6397 (6.9); 7.6223 (8.3); 7.5949 (0.4); 7.5140 (3.9); 7.4790 (0.4); 7.4661 (1.7); 7.4579 (1.7); 7.4539 (1.3); 7.4499 (2.7); 7.4437 (2.2); 7.4360 (1.4); 7.4277 (1.0); 7.2985 (31.8); 5.3366 (14.7); 4.9694 (7.8); 4.9496 (7.8); 2.0815 (1.5); 1.6437 (3.3); 1.3194 (0.3); 1.2954 (1.2); 1.2811 (0.4); 1.2717 (0.4); 0.1072 (1.9); 0.0477 (1.0); 0.0370 (31.9); 0.0260 (1.1) I-009: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8360 (2.6); 7.8304 (2.6); 7.7772 (2.6); 7.7690 (2.6); 7.5743 (1.3); 7.5592 (1.4); 7.5534 (4.1); 7.5500 (3.5); 7.5369 (0.3); 7.5328 (0.3); 7.4545 (2.4); 7.4404 (1.0); 7.4304 (1.3); 7.4226 (0.7); 7.4164 (0.5); 7.4096 (0.8); 7.4021 (0.4); 7.2988 (2.6); 7.2887 (1.8); 7.2621 (2.0); 7.0324 (2.0); 6.9269 (1.6); 6.9044 (1.6); 6.5727 (1.8); 6.5662 (2.3); 6.5646 (2.3); 6.5581 (1.8); 4.0578 (0.9); 4.0372 (0.8); 4.0091 (1.8); 3.9884 (1.8); 3.9603 (0.9); 3.9396 (0.9); 2.5488 (16.0); 2.4386 (5.9); 2.4317 (3.4); 2.2827 (7.9); 2.0733 (0.5); 1.2953 (0.6); 1.2917 (0.6); 0.1119 (3.8); 0.0384 (2.5) I-010: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5623 (1.1); 7.5330 (6.1); 7.5038 (6.8); 7.4521 (2.6); 7.4265 (1.6); 7.3961 (6.1); 7.3674 (3.9); 7.3138 (3.2); 7.2986 (9.4); 7.2917 (2.2); 7.2880 (1.7); 7.2683 (1.4); 7.2649 (1.5); 7.2610 (1.3); 7.2573 (1.0); 6.8676 (1.9); 6.6800 (3.9); 6.5430 (0.9); 6.5223 (1.7); 6.5013 (1.0); 6.4924 (2.3); 4.2450 (1.7); 4.2240 (1.6); 4.1978 (3.6); 4.1768 (3.4); 4.1505 (1.9); 4.1296 (1.7); 2.0708 (0.4); 1.6239 (16.0); 1.2896 (0.4); 0.0361 (5.1) I-011: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9565 (5.8); 8.5241 (4.2); 8.4522 (2.5); 8.4359 (2.7); 8.0462 (0.5); 8.0274 (0.9); 8.0085 (0.5); 7.8990 (2.5); 7.8828 (2.4); 7.6901 (1.7); 7.6709 (4.0); 7.6681 (4.0); 7.5594 (2.2); 7.5301 (1.0); 7.5197 (1.4); 7.5125 (1.2); 7.4997 (1.1); 7.4922 (0.7); 7.3990 (2.1); 7.3724 (2.3); 7.3530 (0.4); 7.2988 (17.8); 7.2437 (0.4); 7.0812 (2.4); 6.9946 (1.2); 6.9685 (1.2); 4.3444 (1.0); 4.3246 (1.0); 4.2962 (2.1); 4.2765 (2.0); 4.2476 (1.2); 4.2282 (1.0); 4.1950 (0.5); 4.1713 (1.4); 4.1475 (1.4); 4.1238 (0.5); 4.0704 (16.0); 4.0473 (0.4); 3.9022 (1.3); 3.7424 (1.7); 2.5285 (6.5); 2.4401 (0.4); 2.3671 (0.8); 2.3196 (9.0); 2.0834 (5.9); 1.6344 (2.1); 1.3210 (1.6); 1.2971 (3.3); 1.2734 (1.5); 0.1076 (0.5); 0.0483 (0.6); 0.0374 (17.9); 0.0270 (0.7) I-012: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8771 (0.5); 7.8572 (0.8); 7.8382 (0.5); 7.5602 (0.3); 7.5337 (1.2); 7.5081 (3.1); 7.4997 (2.0); 7.4852 (2.4); 7.4485 (1.0); 7.4418 (1.5); 7.4307 (2.0); 7.4176 (0.9); 7.4041 (2.0); 7.2986 (4.5); 7.0877 (2.0); 7.0414 (1.1); 7.0148 (1.0); 4.2639 (0.9); 4.2437 (0.9); 4.2136 (1.8); 4.1934 (1.8); 4.1632 (1.0); 4.1431 (0.9); 3.7400 (1.6); 3.7206 (3.2); 3.7009 (1.9); 3.3673 (16.0); 3.0136 (1.6); 2.9941 (2.8); 2.9747 (1.4); 2.7043 (10.9); 2.5371 (6.0); 2.5306 (3.5); 2.3245 (8.0); 1.6471 (4.6); 1.2938 (0.4); 0.0373 (4.4) I-013: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9487 (1.9); 7.9534 (0.6); 7.7770 (4.6); 7.7437 (0.5); 7.7244 (1.2); 7.7046 (0.9); 7.6583 (3.3); 7.6390 (0.8); 7.5948 (1.1); 7.5766 (0.7); 7.4720 (0.3); 7.4651 (2.9); 7.4603 (1.2); 7.4485 (1.2); 7.4434 (4.0); 7.4368 (0.6); 7.3188 (0.5); 7.3121 (4.0); 7.3072 (1.3); 7.2953 (1.0); 7.2904 (3.1); 3.3854 (64.3); 2.8927 (3.8); 2.7341 (3.2); 2.6157 (11.7); 2.5161 (4.8); 2.5117 (10.1); 2.5072 (13.6); 2.5027 (10.0); 2.4983 (4.9); 1.6178 (16.0) I-014: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2582 (10.2); 7.9246 (1.0); 7.9143 (1.7); 7.9040 (1.0); 7.6398 (0.4); 7.6234 (5.3); 7.6131 (7.1); 7.4768 (3.9); 7.4375 (0.4);

7.4294 (1.3); 7.4244 (15); 7.4208 (2.1); 7.4170 (2.0); 7.4116 (1.5); 7.4067 (1.1); 7.3188 (3.4); 7.3028 (3.7); 7.2579 (2.0); 7.0344 (4.3); 6.9398 (2.3); 6.9239 (2.1); 4.2397 (1.6); 4.2278 (1.6); 4.2109 (3.5); 4.1990 (3.4); 4.1820 (1.8); 4.1701 (1.7); 2.4664 (11.6); 2.2770 (16.0); 2.0378 (0.4); 1.6111 (1.7); -0.0002 (1.9) I-015: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5793 (1.3); 7.5585 (3.6); 7.5415 (0.4); 7.5205 (1.9); 7.4916 (3.1); 7.4828 (1.8); 7.4317 (1.6); 7.3729 (0.7); 7.3636 (1.2); 7.3566 (0.8); 7.3418 (0.8); 7.3343 (0.5); 7.2988 (19.8); 7.1607 (1.1); 7.1540 (1.1); 7.1325 (0.9); 7.1258 (0.9); 6.8718 (0.8); 5.3383 (2.7); 4.4303 (0.9); 4.4094 (0.8); 4.3814 (1.8); 4.3607 (1.8); 4.3328 (0.9); 4.3120 (0.9); 3.0174 (0.5); 3.0050 (0.7); 2.9961 (0.7); 2.9835 (0.5); 2.2095 (1.0); 1.5889 (16.0); 1.2927 (0.5); 0.9258 (0.4); 0.9018 (1.8); 0.8847 (1.8); 0.8789 (1.5); 0.8609 (0.6); 0.7222 (0.6); 0.7059 (1.6); 0.6985 (1.8); 0.6935 (1.5); 0.6871 (1.3); 0.6700 (0.4); 0.0484 (0.7); 0.0376 (17.6); 0.0267 (0.7) I-016: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0869 (4.1); 8.0261 (0.4); 7.6498 (0.9); 7.6290 (2.6); 7.5165 (1.2); 7.4622 (1.6); 7.4544 (0.9); 7.4472 (0.6); 7.4332 (3.3); 7.4266 (1.4); 7.2993 (37.6); 7.2667 (1.1); 7.2597 (1.0); 7.2389 (0.8); 7.2325 (0.9); 6.1332 (0.3); 6.1206 (0.3); 5.9776 (0.3); 5.9651 (0.3); 5.9542 (0.3); 3.8371 (0.4); 3.8207 (0.4); 2.2766 (0.4); 2.2692 (0.4); 2.2513 (0.8); 2.2344 (0.4); 2.2250 (0.4); 1.5765 (16.0); 1.2018 (1.8); 1.1878 (2.9); 1.1801 (1.5); 1.1674 (1.0); 1.1618 (1.7); 1.1531 (0.7); 0.0499 (1.3); 0.0391 (38.4); 0.0298 (1.2); 0.0282 (1.4) I-017: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.7978 (2.0); 7.9527 (0.4); 7.7595 (4.7); 7.7406 (0.5); 7.7207 (1.3); 7.7014 (1.0); 7.6571 (2.7); 7.6353 (0.8); 7.5965 (1.0); 7.5773 (0.7); 7.3678 (0.3); 7.3599 (3.2); 7.3549 (1.2); 7.3431 (1.0); 7.3378 (3.6); 7.3300 (0.4); 6.8176 (0.4); 6.8097 (3.6); 6.8047 (1.2); 6.7928 (1.0); 6.7876 (3.4); 6.7797 (0.4); 3.7090 (15.5); 3.3521 (25.3); 3.3487 (26.5); 3.3469 (27.0); 2.8904 (3.0); 2.7319 (2.7); 2.6114 (12.0); 2.5123 (5.9); 2.5079 (12.4); 2.5034 (16.9); 2.4988 (12.2); 2.4943 (5.9); 1.6151 (16.0); -0.0002 (0.4) I-018: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0625 (0.8); 9.0469 (1.6); 9.0310 (0.7); 8.3102 (0.8); 7.7362 (0.7); 7.7165 (1.9); 7.6968 (1.6); 7.6683 (2.1); 7.6584 (6.4); 7.6488 (1.1); 7.5756 (2.5); 7.5299 (1.4); 7.5099 (1.1); 7.4879 (2.4); 7.4675 (2.6); 7.3753 (3.0); 7.0568 (1.5); 7.0360 (1.4); 4.2668 (0.7); 4.2511 (0.7); 4.2314 (1.5); 4.2158 (1.4); 4.1959 (0.8); 4.1801 (0.7); 3.3251 (248.3); 2.7115 (0.4); 2.6759 (0.8); 2.6714 (1.1); 2.6670 (0.8); 2.5779 (16.0); 2.5418 (85.8); 2.5110 (68.8); 2.5069 (131.0); 2.5024 (169.1); 2.4979 (126.4); 2.4937 (64.7); 2.4534 (0.8); 2.4455 (0.9); 2.4247 (0.5); 2.4175 (0.5); 2.3678 (0.4); 2.3337 (0.8); 2.3293 (1.1); 2.3247 (0.8); 1.7637 (1.0); 1.7560 (1.1); 1.7358 (1.6); 1.6948 (0.9); 1.6663 (2.3); 1.3301 (0.9); 1.3015 (2.5); 1.2802 (3.1); 1.2578 (1.2); 1.2533 (1.2); 1.2240 (0.6); 1.2013 (0.5); 1.1939 (0.5); 1.1779 (0.3); 1.1708 (0.4); -0.0003 (1.5) I-019: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.0424 (16.0); 7.9978 (0.5); 7.8328 (1.1); 7.7418 (1.0); 7.7223 (3.5); 7.7036 (6.9); 7.6801 (1.1); 7.5698 (4.7); 7.5201 (1.8); 7.5155 (3.1); 7.5107 (1.8); 7.4970 (2.3); 7.2210 (0.4); 7.1857 (11.3); 7.0864 (4.8); 5.4757 (0.6); 4.6765 (0.3); 4.1884 (2.9); 4.1724 (2.8); 4.1534 (6.2); 4.1374 (6.0); 4.1183 (3.1); 4.1023 (3.0); 2.4224 (0.4); 2.3762 (0.9); 2.3604 (2.0); 2.3046 (0.6); 2.2660 (57.6); 2.2493 (173.0); 2.2456 (113.2); 2.2432 (158.1); 2.2370 (239.3); 2.1370 (0.4); 1.9939 (1.7); 1.9878 (3.8); 1.9819 (22.5); 1.9758 (41.1); 1.9696 (55.7); 1.9634 (38.2); 1.9573 (19.6); 1.7981 (0.3); 1.4568 (0.3); 1.4392 (0.7); 1.4215 (0.3) I-020: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6131 (0.4); 7.5837 (4.0); 7.5784 (3.0); 7.5696 (6.7); 7.5663 (8.1); 7.5518 (0.6); 7.4740 (3.5); 7.4537 (0.6); 7.4402 (1.6); 7.4313 (1.4); 7.4263 (2.3); 7.4157 (4.4); 7.4017 (1.1); 7.3891 (4.1); 7.2986 (23.3); 7.0821 (4.0); 6.9966 (2.1); 6.9695 (1.9); 6.3355 (0.9); 6.3155 (1.7); 6.2946 (0.9); 4.3078 (2.0); 4.2872 (2.0); 4.2592 (4.3); 4.2386 (4.1); 4.2105 (2.2); 4.1900 (2.1); 2.5270 (12.0); 2.5199 (6.8); 2.3578 (0.4); 2.3437 (0.4); 2.3079 (16.0); 2.0786 (0.8); 1.6230 (1.2); 1.5909 (10.0); 1.2951 (0.8); 0.1084 (2.2); 0.0492 (0.8); 0.0385 (23.7); 0.0276 (0.8) I-021: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2042 (6.1); 8.3131 (16.0); 8.3103 (15.3); 7.8559 (12.6); 7.7956 (2.0); 7.7763 (6.4); 7.7567 (7.4); 7.7441 (10.8); 7.7260 (4.5); 7.6973 (11.1); 7.6138 (6.3); 7.5954 (5.7); 7.5056 (6.2); 7.4848 (9.2); 7.3778 (7.6); 7.3570 (6.1); 4.3250 (2.8); 4.3127 (3.4); 4.2920 (6.2); 4.2785 (6.6); 4.2580 (3.7); 4.2440 (3.4); 3.3014 (21.7); 3.2987 (20.8); 2.5385 (0.4); 2.5006 (30.8); 2.4973 (32.4); 2.0722 (4.1); 2.0691 (3.8); -0.0002 (7.3); -0.0034 (6.7) I-022: .sup.1H-NMR(300.2 MHz, CDCl₃): δ =

8.6334 (4.2); 8.6386 (2.5); 8.6217 (2.4); 8.4961 (8.9); 8.0835 (0.7); 8.0643 (1.2); 8.0445 (0.7); 7.7306 (0.4); 7.7038 (2.1); 7.6846 (5.5); 7.6814 (5.1); 7.5833 (2.6); 7.5695 (0.5); 7.5534 (1.2); 7.5430 (1.6); 7.5356 (1.4); 7.5229 (1.1); 7.5149 (0.6); 7.4538 (2.8); 7.4370 (2.7); 7.3989 (2.5); 7.3722 (2.8); 7.2985 (15.8); 7.0857 (2.8); 7.0013 (1.6); 6.9747 (1.4); 4.3441 (1.3); 4.3244 (1.3); 4.2958 (2.7); 4.2761 (2.6); 4.2474 (1.4); 4.2278 (1.3); 2.5275 (8.4); 2.5204 (4.8); 2.4699 (16.0); 2.3240 (11.4); 2.0832 (0.9); 1.2966 (1.1); 0.1077 (0.6); 0.0478 (0.6); 0.0371 (16.1); 0.0262 (0.6) I-023: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3497 (3.0); 9.3299 (3.0); 8.2081 (16.0); 7.9533 (0.5); 7.8882 (6.0); 7.8757 (2.7); 7.8710 (3.0); 7.8606 (5.7); 7.8533 (3.5); 7.8396 (5.3); 7.7540 (5.4); 7.7473 (4.8); 7.7258 (4.1); 7.7092 (4.6); 7.6877 (3.9); 7.6639 (5.3); 7.6409 (2.1); 7.5805 (3.5); 7.5764 (3.5); 7.5592 (3.1); 7.5551 (3.1); 7.4844 (0.9); 7.4805 (1.3); 7.4674 (3.3); 7.4633 (3.0); 7.4556 (3.4); 7.4498 (6.6); 7.4439 (3.2); 7.4363 (2.8); 7.4323 (3.0); 7.4191 (1.1); 7.4152 (0.8); 5.3414 (0.4); 5.3235 (1.8); 5.3054 (2.6); 5.2871 (1.8); 5.2689 (0.4); 3.3520 (164.4); 2.8902 (3.0); 2.7324 (2.8); 2.5264 (0.8); 2.5128 (19.0); 2.5086 (39.4); 2.5042 (52.6); 2.4998 (38.1); 2.4955 (18.5); 1.5598 (13.0); 1.5423 (12.9); 1.2383 (1.3); -0.0002 (3.6) I-024: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0867 (12.1); 8.0259 (1.5); 7.6755 (0.6); 7.6493 (3.0); 7.6289 (8.0); 7.6262 (7.3); 7.5168 (3.9); 7.4810 (0.4); 7.4744 (0.5); 7.4619 (5.1); 7.4548 (3.2); 7.4472 (2.2); 7.4329 (10.7); 7.2997 (38.6); 7.2666 (3.2); 7.2599 (3.2); 7.2387 (2.3); 7.2322 (2.6); 6.1438 (1.0); 6.1331 (1.1); 6.1204 (1.0); 6.1102 (1.0); 5.9880 (1.0); 5.9776 (1.1); 5.9646 (1.1); 5.9539 (1.0); 5.3390 (15.6); 4.3556 (0.6); 4.3452 (0.6); 4.3335 (0.6); 4.3225 (0.6); 4.3068 (0.7); 4.2959 (0.7); 4.2850 (0.7); 4.2737 (0.7); 4.2662 (0.6); 4.2552 (0.6); 4.2436 (0.6); 4.2321 (0.6); 4.2171 (0.7); 4.2063 (0.7); 4.1947 (0.8); 4.1837 (0.7); 3.9091 (0.7); 3.8915 (0.7); 3.8852 (0.8); 3.8679 (0.7); 3.8605 (0.7); 3.8377 (1.3); 3.8204 (1.2); 3.7975 (0.7); 3.7896 (0.7); 3.7723 (0.6); 3.7662 (0.6); 3.7489 (0.6); 2.2949 (0.6); 2.2767 (1.0); 2.2690 (1.3); 2.2608 (0.9); 2.2515 (2.6); 2.2405 (1.0); 2.2339 (1.2); 2.2253 (1.3); 2.2078 (0.7); 1.5813 (16.0); 1.2952 (0.9); 1.2016 (6.1); 1.1926 (6.8); 1.1877 (9.5); 1.1805 (5.6); 1.1675 (3.4); 1.1618 (5.5); 1.1534 (2.6); 1.1304 (0.5); 0.9210 (0.4); 0.0496 (1.6); 0.0392 (40.5) I-025: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.3970 (4.0); 9.0571 (16.0); 8.1441 (1.6); 8.1248 (2.8); 8.1055 (1.6); 7.6311 (1.1); 7.6048 (5.2); 7.5943 (4.4); 7.5850 (13.5); 7.5817 (12.0); 7.5688 (1.2); 7.5647 (1.2); 7.4700 (7.4); 7.4407 (15.6); 7.3789 (13.4); 7.3635 (5.4); 7.3501 (8.5); 7.3355 (2.2); 7.2991 (4.6); 4.1637 (3.5); 4.1435 (3.4); 4.1170 (7.4); 4.0968 (7.2); 4.0703 (3.7); 4.0501 (3.6); 2.6976 (0.6); 2.6853 (1.3); 2.6748 (1.9); 2.6629 (2.7); 2.6557 (2.7); 2.6435 (2.0); 2.6332 (1.4); 2.6209 (0.6); 1.7644 (1.4); 1.2926 (1.0); 1.0176 (1.9); 0.9989 (5.8); 0.9944 (7.4); 0.9769 (7.7); 0.9716 (6.0); 0.9543 (2.4); 0.9236 (0.4); 0.9012 (0.4); 0.7781 (0.3); 0.7371 (2.6); 0.7235 (5.8); 0.7205 (6.3); 0.7137 (7.1); 0.7083 (6.4); 0.7026 (6.0); 0.6849 (1.9); 0.0347 (3.8) I-026: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9018 (1.9); 7.9533 (0.4); 7.7774 (4.6); 7.7415 (0.5); 7.7215 (1.2); 7.7026 (0.9); 7.6561 (3.2); 7.6364 (0.8); 7.5951 (1.0); 7.5771 (0.7); 7.4828 (1.5); 7.4775 (0.7); 7.4692 (1.7); 7.4605 (1.9); 7.4523 (0.8); 7.4470 (1.7); 7.0841 (1.8); 7.0789 (0.6); 7.0619 (3.4); 7.0449 (0.5); 7.0396 (1.6); 3.3573 (18.7); 3.3511 (29.1); 3.3478 (29.2); 2.8914 (2.8); 2.7325 (2.6); 2.6144 (11.4); 2.5133 (5.9); 2.5089 (12.4); 2.5044 (16.6); 2.4998 (12.0); 2.4954 (5.8); 1.6263 (16.0); -0.0002 (0.3) I-027: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5950 (0.4); 7.5690 (1.5); 7.5457 (4.3); 7.5272 (0.5); 7.5222 (0.5); 7.4363 (2.1); 7.3796 (0.9); 7.3713 (1.5); 7.3639 (1.1); 7.3558 (3.3); 7.3488 (3.8); 7.2983 (8.4); 7.2454 (2.2); 7.2180 (3.0); 7.0767 (1.9); 7.0697 (1.8); 7.0494 (1.4); 7.0424 (1.3); 6.1817 (0.5); 6.1624 (0.9); 6.1436 (0.5); 4.1651 (0.7); 4.1413 (0.7); 3.8674 (1.1); 3.8456 (3.0); 3.8243 (3.1); 3.8023 (1.2); 3.1281 (2.1); 3.1057 (4.1); 3.0833 (1.9); 2.6461 (0.6); 2.6388 (0.4); 2.6190 (16.0); 2.3269 (15.9); 2.2242 (0.4); 2.0776 (3.1); 1.6132 (8.2); 1.3177 (1.1); 1.2939 (2.5); 1.2701 (0.9); 0.9183 (0.7); 0.0469 (0.4); 0.0362 (8.5) I-028: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0621 (0.6); 9.0464 (1.4); 9.0307 (0.6); 8.3094 (1.4); 7.7381 (0.6); 7.7181 (1.8); 7.6982 (1.5); 7.6712 (1.8); 7.6570 (6.7); 7.5842 (2.2); 7.5252 (1.2); 7.5045 (1.0); 7.4895 (2.4); 7.4691 (2.6); 7.3587 (2.6); 7.0405 (1.3); 7.0202 (1.2); 4.2688 (0.6); 4.2533 (0.6); 4.2335 (1.4); 4.2176 (1.4); 4.1981 (0.7); 4.1822 (0.7); 3.4810 (0.5); 3.4588 (0.8); 3.4369 (0.7); 3.3231 (377.2); 2.7115 (0.4);

2.6804 (0.6); 2.6759 (1.2); 2.6714 (1.7); 2.6668 (1.2); 2.6623 (0.6); 2.5993 (0.4); 2.5794 (16.0); 2.5415 (104.8); 2.5248 (5.2); 2.5199 (7.6); 2.5114 (103.4); 2.5069 (205.2); 2.5024 (267.4); 2.4978 (193.5); 2.4933 (94.2); 2.3681 (0.4); 2.3382 (0.6); 2.3338 (1.2); 2.3292 (1.7); 2.3247 (1.2); 2.3202 (0.6); 2.2952 (0.4); 2.2643 (0.4); 2.2568 (0.4); 2.2453 (1.0); 2.2380 (1.3); 2.2301 (1.0); 2.2185 (1.6); 2.2110 (1.0); 2.1996 (0.5); 2.0123 (0.6); 2.0078 (0.8); 2.0020 (0.6); 1.9825 (1.6); 1.9719 (1.8); 1.9630 (2.0); 1.9554 (1.6); 1.9410 (0.3); 1.9337 (0.6); 1.9255 (0.4); 1.7921 (0.4); 1.7762 (1.0); 1.7627 (0.5); 1.7592 (0.5); 1.7498 (0.4); -0.0003 (3.0) I-029: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3638 (3.1); 7.3569 (3.1); 7.3491 (1.6); 7.3225 (2.8); 7.2983 (9.6); 7.2181 (2.3); 7.1907 (2.9); 7.0295 (2.3); 7.0223 (3.1); 7.0022 (2.0); 6.9952 (2.8); 6.9391 (1.4); 6.9339 (1.6); 6.9119 (1.3); 6.9071 (1.4); 6.8625 (2.2); 6.8571 (2.7); 6.2724 (1.2); 6.2521 (0.7); 3.8363 (1.2); 3.8148 (3.2); 3.7933 (3.2); 3.7718 (1.2); 3.0968 (2.3); 3.0747 (4.2); 3.0525 (2.0); 2.4151 (16.0); 2.3069 (0.4); 1.9783 (0.3); 1.9610 (0.7); 1.9499 (0.8); 1.9335 (1.3); 1.9167 (0.8); 1.9059 (0.8); 1.8894 (0.4); 1.5964 (7.1); 1.3044 (1.3); 1.0457 (0.9); 1.0301 (2.4); 1.0237 (2.6); 1.0084 (1.7); 1.0019 (2.6); 0.9959 (2.3); 0.9809 (1.1); 0.9412 (0.5); 0.9197 (1.1); 0.8969 (0.5); 0.7565 (1.1); 0.7410 (3.2); 0.7360 (2.9); 0.7248 (2.8); 0.7194 (3.0); 0.7030 (0.8); 0.1075 (0.8); 0.0376 (8.2) I-030: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3152 (10.5); 7.9723 (1.1); 7.6904 (4.2); 7.6729 (5.9); 7.5352 (3.2); 7.5273 (4.0); 7.4980 (6.7); 7.4751 (1.2); 7.4660 (1.2); 7.4597 (1.9); 7.4527 (2.5); 7.4450 (7.4); 7.4167 (3.0); 7.3046 (36.3); 5.3440 (1.2); 4.2784 (1.7); 4.2582 (1.7); 4.2306 (3.7); 4.2104 (3.6); 4.2005 (0.8); 4.1827 (1.9); 4.1768 (2.0); 4.1626 (1.8); 4.1530 (1.9); 4.1292 (0.8); 4.1079 (0.6); 2.0895 (9.9); 2.0521 (0.7); 1.6060 (16.0); 1.3266 (2.3); 1.3028 (4.8); 1.2790 (2.2); 1.0031 (0.4); 0.9785 (0.9); 0.9540 (0.4); 0.1123 (1.9); 0.0533 (1.0); 0.0426 (31.1); 0.0317 (1.1) I-031: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3389 (0.5); 9.2040 (0.9); 8.1063 (1.6); 7.9541 (2.4); 7.8653 (2.1); 7.7723 (0.9); 7.6898 (0.6); 7.6707 (1.1); 7.6339 (0.6); 7.6142 (0.3); 7.6003 (0.5); 4.6871 (1.1); 4.6728 (1.1); 3.3281 (12.0); 2.8936 (16.0); 2.7348 (14.0); 2.6160 (5.5); 2.5134 (4.8); 2.5090 (10.0); 2.5046 (13.3); 2.5000 (9.5); 2.4957 (4.6); -0.0002 (2.2) I-032: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9417 (4.5); 8.8312 (4.0); 8.8227 (4.1); 8.3484 (14.0); 7.9412 (2.6); 7.9347 (4.2); 7.9283 (2.6); 7.8152 (1.5); 7.4743 (4.2); 7.4619 (3.6); 7.4568 (4.9); 7.4507 (4.7); 7.4467 (6.3); 7.3268 (3.9); 7.3204 (3.6); 7.2998 (42.8); 7.2936 (3.7); 6.1401 (1.1); 6.1299 (1.1); 6.1146 (1.2); 6.1043 (1.1); 5.9835 (1.1); 5.9734 (1.2); 5.9586 (1.2); 5.9479 (1.1); 5.3388 (0.4); 4.3915 (0.7); 4.3812 (0.8); 4.3686 (0.6); 4.3579 (0.7); 4.3426 (0.8); 4.3324 (0.9); 4.3194 (0.8); 4.3091 (0.8); 4.2959 (0.6); 4.2856 (0.7); 4.2728 (0.7); 4.2625 (0.7); 4.2472 (0.8); 4.2367 (0.8); 4.2240 (0.9); 4.2136 (0.8); 4.1958 (0.6); 4.1719 (1.5); 4.1481 (1.5); 4.1245 (0.8); 4.1034 (0.5); 3.8755 (0.9); 3.8590 (0.9); 3.8504 (0.8); 3.8335 (0.8); 3.8268 (0.7); 3.8100 (1.4); 3.8013 (0.8); 3.7932 (1.0); 3.7847 (1.4); 3.7678 (0.8); 3.7611 (0.8); 3.7447 (0.7); 3.7353 (0.6); 3.7190 (0.6); 2.0835 (8.4); 1.5900 (16.0); 1.3218 (2.1); 1.2979 (5.2); 1.2742 (2.1); 0.9985 (0.4); 0.9741 (0.9); 0.9498 (0.4); 0.0494 (1.3); 0.0386 (41.6); 0.0278 (1.9) I-033: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3143 (2.0); 7.6810 (0.8); 7.6636 (1.4); 7.6449 (0.4); 7.6169 (1.0); 7.5904 (7.6); 7.5814 (6.7); 7.5731 (15.0); 7.5700 (16.0); 7.5368 (0.8); 7.4966 (7.7); 7.4849 (8.6); 7.4566 (12.2); 7.4471 (7.8); 7.4414 (12.0); 7.4368 (9.4); 7.4284 (5.8); 7.4216 (4.3); 7.4110 (3.0); 7.4026 (2.1); 7.3675 (0.6); 7.3606 (0.6); 7.2988 (20.5); 7.2853 (6.5); 7.2786 (6.2); 7.2575 (4.9); 7.2507 (4.9); 7.2357 (0.5); 6.5053 (1.9); 6.4844 (2.9); 6.4660 (1.9); 6.1322 (2.0); 6.1228 (2.3); 6.1070 (2.2); 6.0978 (2.1); 5.9762 (2.0); 5.9668 (2.2); 5.9510 (2.2); 5.9418 (2.0); 5.3365 (0.8); 4.4254 (0.3); 4.3617 (1.0); 4.3523 (1.1); 4.3382 (1.1); 4.3286 (1.1); 4.3127 (1.2); 4.3032 (1.3); 4.2891 (1.2); 4.2795 (1.3); 4.2648 (1.2); 4.2553 (1.1); 4.2412 (1.2); 4.2315 (1.1); 4.2159 (1.5); 4.2062 (1.3); 4.1923 (1.4); 4.1826 (1.3); 3.8415 (1.3); 3.8243 (1.6); 3.8163 (1.4); 3.7989 (1.4); 3.7926 (1.2); 3.7733 (1.9); 3.7675 (1.4); 3.7551 (1.7); 3.7491 (1.9); 3.7342 (1.7); 3.7301 (1.4); 3.7235 (1.2); 3.7062 (1.1); 3.6983 (1.0); 3.6810 (1.0); 3.1304 (0.5); 1.6209 (11.5); 1.4378 (0.5); 1.3350 (0.5); 1.2913 (4.6); 0.9392 (0.4); 0.9178 (1.0); 0.8931 (0.6); 0.1076 (3.6); 0.0470 (0.5); 0.0362 (18.4); 0.0254 (0.8) I-034: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0740 (2.0); 7.9542 (0.8); 7.7629 (5.4); 7.7516 (2.4); 7.7231 (1.4); 7.7033 (1.1); 7.6646 (1.4); 7.6411 (1.6); 7.6356

(1.8); 7.5897 (1.0); 7.5643 (1.0); 7.5435 (1.8); 7.5235 (1.8); 7.5259 (0.4); 7.5169 (1.2); 7.4973 (0.4); 3.3567 (14.3); 3.3505 (18.1); 3.3486 (17.9); 3.3446 (17.9); 2.8913 (5.6); 2.7330 (5.1); 2.6098 (11.5); 2.5133 (5.8); 2.5090 (12.2); 2.5045 (16.3); 2.5000 (11.7); 2.4955 (5.7); 1.6740 (16.0); -0.0002 (0.5) I-035: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0689 (0.6); 9.0535 (1.4); 9.0379 (0.7); 8.3101 (0.8); 7.7355 (0.6); 7.7158 (1.8); 7.6960 (1.5); 7.6676 (1.9); 7.6575 (6.4); 7.6484 (1.0); 7.5862 (2.2); 7.5315 (1.2); 7.5109 (1.0); 7.4811 (2.4); 7.4607 (2.6); 7.3975 (2.7); 7.0775 (1.4); 7.0596 (1.2); 7.0569 (1.2); 4.2676 (0.6); 4.2523 (0.6); 4.2326 (1.4); 4.2169 (1.4); 4.1973 (0.7); 4.1813 (0.7); 3.3237 (218.0); 2.9392 (0.5); 2.9338 (0.5); 2.9147 (1.0); 2.8955 (0.6); 2.8906 (0.6); 2.6803 (0.3); 2.6759 (0.7); 2.6714 (1.0); 2.6669 (0.7); 2.6623 (0.4); 2.5797 (16.0); 2.5417 (84.6); 2.5248 (3.0); 2.5200 (4.6); 2.5114 (60.0); 2.5069 (120.0); 2.5024 (158.2); 2.4978 (116.8); 2.4934 (58.3); 2.3680 (0.4); 2.3381 (0.4); 2.3338 (0.8); 2.3292 (1.0); 2.3246 (0.8); 2.3205 (0.4); 1.9799 (0.4); 1.9752 (0.4); 1.9614 (0.8); 1.9513 (0.9); 1.9478 (0.9); 1.9360 (1.0); 1.9328 (1.0); 1.9260 (0.9); 1.9125 (0.5); 1.9067 (0.5); 1.7438 (0.7); 1.7342 (1.1); 1.7227 (1.5); 1.7136 (1.0); 1.7067 (0.9); 1.6907 (0.5); 1.6816 (0.4); 1.6578 (0.4); 1.6512 (0.4); 1.6382 (0.6); 1.6300 (0.9); 1.6182 (1.2); 1.6107 (1.3); 1.5984 (1.3); 1.5919 (0.6); 1.5883 (0.6); 1.5832 (0.4); 1.4498 (0.4); 1.4302 (0.8); 1.4211 (0.8); 1.4136 (0.7); 1.4058 (1.0); 1.4003 (0.9); 1.3914 (0.7); 1.3850 (0.6); 1.3805 (0.6); 1.3756 (0.7); 0.2083 (0.4); -0.0002 (1.6) I-036: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.7437 (0.5); 8.7295 (1.0); 8.7156 (0.5); 8.0812 (6.9); 7.7605 (0.4); 7.7410 (1.3); 7.7208 (1.4); 7.7058 (1.7); 7.6937 (2.1); 7.6050 (1.1); 7.5851 (0.8); 7.1609 (2.9); 7.1395 (3.3); 6.7362 (0.4); 6.7289 (3.5); 6.7075 (3.2); 3.9028 (0.4); 3.6412 (16.0); 3.5171 (0.7); 3.5000 (1.8); 3.4851 (1.8); 3.4680 (0.8); 3.3261 (56.4); 2.7831 (1.3); 2.7657 (2.7); 2.7482 (1.2); 2.6754 (0.4); 2.6709 (0.6); 2.6663 (0.4); 2.5242 (2.0); 2.5106 (38.1); 2.5064 (76.0); 2.5020 (98.7); 2.4974 (71.9); 2.4932 (35.9); 2.3331 (0.4); 2.3288 (0.6); 2.3242 (0.4); -0.0002 (0.4) I-037: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.4807 (4.0); 8.4688 (4.1); 8.2534 (1.5); 8.1058 (16.0); 8.0164 (0.8); 7.9419 (4.1); 7.9219 (4.4); 7.7029 (1.3); 7.6828 (4.9); 7.6650 (13.1); 7.6468 (1.3); 7.5737 (0.4); 7.4931 (6.8); 7.4724 (2.6); 7.4668 (4.2); 7.4618 (2.3); 7.4495 (3.1); 7.3192 (0.4); 7.2593 (2.8); 7.2469 (2.9); 7.2396 (2.9); 7.2273 (2.6); 7.0640 (0.4); 4.1542 (0.4); 4.1382 (0.4); 3.9479 (3.7); 3.9325 (10.4); 3.9170 (10.7); 3.9015 (4.0); 3.2741 (4.8); 3.2584 (8.8); 3.2427 (4.4); 2.4427 (1.0); 2.2297 (1.5); 2.1284 (29.5); 2.1136 (0.6); 2.1064 (0.6); 2.1004 (0.4); 1.9632 (2.5); 1.9570 (6.5); 1.9514 (33.7); 1.9453 (60.9); 1.9392 (81.9); 1.9330 (56.6); 1.9269 (29.5); 1.7736 (0.4); 1.7676 (0.5); 1.7613 (0.3); 1.2851 (0.4); 1.2700 (0.8); 0.1460 (0.9); 0.0077 (7.1); -0.0002 (174.4); -0.1492 (0.9) I-038: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1500 (2.9); 8.3549 (16.0); 7.7930 (1.2); 7.7735 (4.1); 7.7540 (4.8); 7.7439 (5.5); 7.7241 (1.8); 7.7003 (5.9); 7.6260 (3.5); 7.6066 (2.7); 7.5867 (7.7); 7.5653 (9.9); 7.4181 (9.4); 7.3969 (7.6); 4.1915 (1.4); 4.1778 (1.5); 4.1570 (3.0); 4.1434 (3.0); 4.1223 (1.6); 4.1089 (1.5); 3.3024 (42.7); 2.5052 (14.7); 2.5008 (20.0); 2.4964 (15.0); 2.0719 (0.6); -0.0002 (7.2) I-039: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6217 (0.6); 7.5950 (4.6); 7.5912 (4.3); 7.5860 (3.8); 7.5778 (9.3); 7.5746 (9.7); 7.5255 (6.1); 7.4968 (9.2); 7.4476 (4.6); 7.4103 (0.9); 7.3899 (10.2); 7.3771 (3.4); 7.3619 (6.5); 7.2986 (17.0); 6.3031 (1.2); 6.2826 (2.3); 6.2623 (1.2); 4.2568 (2.5); 4.2360 (2.4); 4.2091 (5.3); 4.1883 (5.0); 4.1614 (2.7); 4.1406 (2.5); 2.8691 (6.3); 2.8631 (15.8); 2.8566 (16.0); 2.8503 (6.2); 1.6006 (12.4); 1.3191 (0.4); 1.2929 (2.2); 1.2654 (0.3); 0.9190 (0.6); 0.8952 (0.3); 0.1078 (4.0); 0.0478 (0.6); 0.0371 (15.7); 0.0261 (0.6) I-040: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1644 (0.5); 8.1445 (0.9); 8.1246 (0.5); 7.6145 (2.0); 7.5861 (2.5); 7.5689 (1.3); 7.5453 (3.9); 7.5146 (2.0); 7.5084 (2.1); 7.4867 (1.8); 7.4348 (0.8); 7.4270 (1.4); 7.4197 (0.8); 7.4135 (0.5); 7.4106 (0.5); 7.4045 (0.9); 7.3972 (0.6); 7.3145 (1.3); 7.3079 (1.2); 7.2986 (2.2); 7.2863 (1.1); 7.2797 (1.0); 5.3317 (0.8); 4.4173 (0.9); 4.3967 (0.8); 4.3674 (1.9); 4.3468 (1.8); 4.3175 (1.0); 4.2970 (0.9); 4.1197 (0.7); 3.8547 (1.6); 3.8362 (2.9); 3.8170 (1.8); 3.4061 (16.0); 3.3505 (0.5); 3.1150 (1.8); 3.0959 (2.8); 3.0773 (1.6); 2.2005 (0.9); 1.2910 (0.5); 0.0342 (1.6) I-041: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5857 (0.6); 7.5565 (4.0); 7.5357 (5.9); 7.5279 (5.1); 7.4596 (2.3); 7.4268 (4.3); 7.3995 (3.9); 7.3780 (1.1); 7.2988 (16.8); 6.3858 (0.5); 6.3659 (0.9); 6.3463 (0.5); 5.3371 (10.2); 4.2732 (1.1);

4.2521 (1.1); 4.2253 (2.3); 4.2041 (2.2); 4.1773 (1.3); 4.1673 (0.4); 4.1561 (1.2); 4.1433 (0.3); 3.7328 (0.4); 3.7204 (0.4); 3.7081 (0.3); 3.6979 (0.4); 3.6925 (0.4); 2.6852 (16.0); 2.6552 (1.0); 2.6299 (3.0); 2.6046 (3.1); 2.5796 (1.0); 2.2052 (0.9); 2.0798 (0.9); 1.6100 (4.7); 1.3375 (0.4); 1.3190 (0.7); 1.2931 (4.2); 1.2713 (0.9); 1.2555 (3.8); 1.2305 (7.8); 1.2052 (3.6); 1.1809 (0.4); 0.9176 (0.6); 0.8934 (0.5); 0.8676 (0.4); 0.1073 (6.9); 0.0950 (0.3); 0.0481 (0.4); 0.0373 (11.5); 0.0265 (0.5) I-042: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9406 (4.7); 8.8296 (4.3); 8.8211 (4.4); 8.3176 (16.0); 7.9490 (2.8); 7.9426 (4.5); 7.9361 (2.7); 7.8142 (1.0); 7.7948 (1.7); 7.7768 (1.0); 7.6043 (5.1); 7.5759 (6.3); 7.5401 (4.4); 7.5338 (4.5); 7.3595 (3.2); 7.3528 (3.0); 7.3312 (2.6); 7.3246 (2.5); 7.2995 (26.4); 5.3379 (0.7); 4.4987 (2.6); 4.4783 (2.5); 4.4494 (5.5); 4.4289 (5.3); 4.4000 (2.8); 4.3796 (2.7); 4.1941 (0.3); 4.1703 (1.0); 4.1464 (1.0); 4.1229 (0.4); 2.0821 (4.8); 2.0442 (0.9); 1.5965 (13.8); 1.3207 (1.3); 1.2968 (3.0); 1.2731 (1.2); 0.0488 (0.8); 0.0378 (25.6); 0.0268 (0.9) I-043: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.4794 (2.2); 9.0627 (6.0); 8.1365 (0.8); 8.1196 (1.5); 8.1008 (0.9); 7.6262 (0.5); 7.5999 (2.8); 7.5805 (7.6); 7.5774 (6.7); 7.5653 (0.7); 7.5606 (0.6); 7.4185 (3.7); 7.3941 (1.5); 7.3835 (2.2); 7.3763 (1.7); 7.3719 (1.1); 7.3633 (1.6); 7.3559 (1.0); 7.3297 (3.5); 7.2987 (10.6); 7.0402 (3.9); 6.9391 (2.1); 6.9125 (1.9); 4.2072 (1.9); 4.1877 (1.9); 4.1711 (0.4); 4.1595 (4.1); 4.1399 (4.0); 4.1117 (2.1); 4.0922 (2.0); 2.7019 (0.3); 2.6896 (0.7); 2.6790 (1.0); 2.6671 (1.5); 2.6599 (1.5); 2.6478 (1.1); 2.6376 (0.7); 2.6255 (0.3); 2.4905 (6.4); 2.4838 (11.6); 2.4765 (6.6); 2.3006 (16.0); 2.0831 (0.9); 1.6302 (2.5); 1.3209 (0.6); 1.2948 (3.1); 1.2734 (0.6); 1.0201 (1.0); 0.9969 (4.2); 0.9796 (4.4); 0.9741 (3.4); 0.9569 (1.4); 0.9258 (0.4); 0.9189 (0.5); 0.9041 (0.4); 0.8935 (0.4); 0.7484 (1.4); 0.7318 (3.5); 0.7250 (4.0); 0.7196 (3.6); 0.7141 (3.3); 0.6963 (1.0); 0.0489 (0.4); 0.0382 (9.3); 0.0273 (0.3) I-044: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8277 (1.7); 7.9522 (0.4); 7.7599 (3.9); 7.7430 (0.5); 7.7236 (1.2); 7.7039 (0.9); 7.6571 (3.4); 7.6376 (0.8); 7.5972 (1.1); 7.5780 (0.7); 7.3279 (2.6); 7.3075 (3.2); 7.0599 (2.7); 7.0398 (2.3); 3.3821 (17.7); 3.3732 (15.6); 3.3681 (17.4); 3.3562 (18.9); 2.8906 (2.6); 2.7322 (2.3); 2.6121 (11.7); 2.5217 (0.4); 2.5131 (6.0); 2.5087 (12.7); 2.5042 (17.1); 2.4996 (12.2); 2.4951 (5.9); 2.2440 (9.0); 1.6126 (16.0); -0.0002 (0.4) I-045: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5397 (0.6); 7.5242 (1.6); 7.5086 (1.8); 7.4990 (2.0); 7.4831 (0.8); 7.4660 (2.0); 7.4346 (2.2); 7.4179 (2.6); 7.4044 (2.0); 7.4010 (2.9); 7.3986 (2.6); 7.3811 (0.9); 7.2614 (7.1); 7.2287 (1.6); 7.2246 (1.4); 7.2119 (1.3); 7.2079 (1.2); 6.3927 (0.6); 6.3807 (0.9); 6.3687 (0.5); 6.0186 (0.5); 6.0126 (0.6); 6.0039 (0.6); 5.9979 (0.5); 5.9250 (0.5); 5.9190 (0.6); 5.9103 (0.6); 5.9043 (0.5); 4.2254 (0.3); 4.2179 (0.3); 4.2118 (0.3); 4.2021 (0.4); 4.1960 (0.4); 4.1885 (0.4); 4.1823 (0.4); 4.1756 (0.3); 4.1619 (0.3); 4.1461 (0.4); 4.1399 (0.4); 4.1325 (0.4); 3.8462 (0.4); 3.8350 (0.4); 3.8316 (0.4); 3.8203 (0.4); 3.8169 (0.4); 3.8044 (0.6); 3.7924 (0.6); 3.7908 (0.6); 3.7782 (0.4); 3.7748 (0.3); 3.7635 (0.3); 2.7056 (0.5); 2.6943 (0.7); 2.6906 (0.8); 2.6793 (1.8); 2.6666 (2.7); 2.6594 (16.0); 2.6521 (1.8); 2.6401 (0.5); 2.6373 (0.5); 2.0773 (0.4); 2.0010 (10.0); 1.5767 (2.0); 1.2572 (3.5); 1.2421 (7.0); 1.2269 (3.0); 0.0061 (0.4); -0.0002 (6.3) I-046: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0811 (0.6); 9.0655 (1.4); 9.0497 (0.6); 8.3100 (0.7); 7.7379 (0.6); 7.7183 (1.7); 7.6985 (1.5); 7.6694 (1.8); 7.6579 (6.4); 7.6502 (1.1); 7.5979 (2.1); 7.5329 (1.2); 7.5143 (3.3); 7.4939 (2.6); 7.4566 (2.6); 7.1344 (1.3); 7.1312 (1.3); 7.1142 (1.2); 7.1108 (1.2); 4.2726 (0.6); 4.2569 (0.6); 4.2372 (1.4); 4.2214 (1.3); 4.2015 (0.7); 4.1854 (0.6); 3.9603 (1.4); 3.9417 (1.9); 3.9216 (1.7); 3.9129 (0.7); 3.9036 (1.5); 3.8920 (1.5); 3.8828 (0.9); 3.8712 (0.8); 3.7844 (0.9); 3.7654 (2.2); 3.7450 (1.8); 3.7258 (0.7); 3.4830 (1.5); 3.4652 (2.1); 3.4625 (1.6); 3.4445 (1.8); 3.3809 (0.4); 3.3621 (1.2); 3.3426 (2.1); 3.3238 (181.8); 2.7118 (0.4); 2.6808 (0.3); 2.6761 (0.7); 2.6716 (0.9); 2.6670 (0.7); 2.6624 (0.3); 2.5822 (16.0); 2.5417 (94.9); 2.5250 (2.8); 2.5202 (4.2); 2.5116 (54.2); 2.5071 (107.5); 2.5025 (140.3); 2.4980 (101.6); 2.4935 (49.2); 2.3682 (0.4); 2.3339 (0.6); 2.3293 (0.9); 2.3248 (0.6); 2.2921 (0.4); 2.2805 (0.4); 2.2729 (0.6); 2.2612 (0.9); 2.2525 (0.5); 2.2499 (0.5); 2.2414 (0.9); 2.2302 (0.6); 2.2220 (0.4); 2.2104 (0.4); 1.8433 (0.4); 1.8239 (1.0); 1.8124 (0.4); 1.8037 (1.0); 1.7932 (0.9); 1.7842 (0.4); 1.7730 (0.8); 1.7535 (0.3); -0.0002 (1.6) I-047: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5817 (2.3); 7.4052 (0.6); 7.3774 (3.9); 7.3704 (2.9); 7.3650 (2.4); 7.3425

(0.4); 7.3369 (0.4); 7.2983 (10.9); 7.1501 (0.5); 7.1451 (0.4); 7.1345 (0.3); 7.1228 (1.8); 7.1142 (1.3); 7.1019 (3.6); 7.0930 (1.3); 7.0859 (1.4); 7.0660 (0.4); 6.8681 (0.6); 6.8556 (0.7); 6.8466 (1.0); 6.8375 (1.0); 6.8212 (0.6); 6.8141 (0.6); 6.5223 (0.4); 6.5039 (0.8); 6.4828 (0.4); 6.0902 (0.5); 6.0794 (0.6); 6.0687 (0.6); 6.0579 (0.5); 5.9357 (0.5); 5.9250 (0.5); 5.9144 (0.6); 5.9037 (0.5); 4.2173 (0.4); 4.2061 (0.4); 4.1954 (0.4); 4.1841 (0.5); 4.1339 (0.4); 4.1229 (0.4); 4.1123 (0.4); 4.0262 (0.3); 4.0056 (0.6); 3.9847 (0.4); 3.9565 (0.4); 3.9482 (0.4); 3.9280 (0.6); 3.9069 (0.4); 3.8787 (0.4); 3.8576 (0.4); 2.4597 (1.6); 2.4459 (16.0); 2.1560 (0.4); 2.1386 (0.5); 2.1274 (0.5); 2.1103 (0.9); 2.0928 (0.6); 2.0819 (0.6); 2.0423 (1.4); 1.5977 (3.1); 1.0814 (0.7); 1.0661 (1.9); 1.0592 (2.0); 1.0444 (1.1); 1.0375 (2.0); 1.0310 (1.8); 1.0163 (0.9); 0.8243 (0.9); 0.8092 (2.3); 0.8038 (2.1); 0.7923 (2.0); 0.7869 (2.4); 0.7703 (0.7); 0.1073 (0.8); 0.0481 (0.4); 0.0374 (10.8); 0.0265 (0.4) I-048: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0374 (1.5); 9.0160 (1.5); 7.8268 (6.6); 7.7205 (0.6); 7.7005 (1.6); 7.6813 (1.4); 7.6427 (1.9); 7.6238 (3.5); 7.5812 (1.4); 7.5591 (1.1); 7.3366 (3.0); 7.2483 (7.6); 5.1457 (0.8); 5.1292 (0.8); 5.1111 (0.3); 4.0555 (0.4); 4.0377 (1.1); 4.0199 (1.2); 4.0022 (0.4); 3.3230 (16.5); 2.7648 (0.6); 2.7502 (1.5); 2.7391 (1.6); 2.6702 (0.4); 2.6063 (16.0); 2.5234 (1.0); 2.5100 (22.6); 2.5057 (45.1); 2.5013 (58.8); 2.4969 (42.4); 2.4926 (20.8); 2.3282 (0.3); 2.0150 (0.4); 1.9888 (5.5); 1.9714 (0.6); 1.9563 (0.5); 1.8850 (0.4); 1.8655 (0.5); 1.8588 (0.6); 1.8398 (0.5); 1.7950 (0.3); 1.7716 (1.0); 1.7531 (1.3); 1.7305 (1.0); 1.3970 (0.6); 1.1922 (1.3); 1.1744 (2.5); 1.1567 (1.2); -0.0002 (0.9) I-049: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 11.7200 (2.0); 7.9527 (1.0); 7.8648 (1.0); 7.8288 (5.6); 7.7341 (0.7); 7.7144 (2.1); 7.6946 (1.7); 7.6632 (2.2); 7.6435 (1.2); 7.6076 (0.6); 7.5901 (2.4); 7.5506 (1.4); 7.5313 (1.0); 7.3642 (0.3); 7.1997 (2.3); 7.1806 (2.6); 7.1583 (0.4); 7.1273 (0.3); 7.1091 (0.3); 7.0279 (0.9); 7.0122 (2.9); 6.8897 (1.5); 6.8706 (1.3); 5.0383 (1.5); 4.9271 (7.7); 4.6788 (0.5); 3.3333 (30.3); 2.8917 (6.8); 2.7333 (6.0); 2.6104 (3.2); 2.5986 (16.0); 2.5367 (0.5); 2.5262 (1.7); 2.5120 (13.1); 2.5077 (25.7); 2.5033 (33.3); 2.4987 (24.2); 2.4944 (11.9); 2.4291 (4.6); 2.3808 (12.3); 2.2717 (0.9); 2.2271 (12.0); 2.0020 (0.4); 1.8525 (0.8); 1.2403 (1.2); -0.0002 (1.0) I-050: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.0846 (0.4); 9.0652 (0.8); 9.0457 (0.4); 7.7138 (0.9); 7.6877 (0.8); 7.6604 (1.0); 7.6346 (0.4); 7.5464 (1.2); 7.5198 (0.7); 7.4859 (1.3); 7.4566 (2.4); 7.4214 (2.7); 7.3931 (1.1); 5.8316 (0.3); 5.7784 (0.4); 5.6747 (0.3); 3.8795 (0.4); 3.8585 (0.4); 3.8330 (0.4); 3.8107 (0.4); 3.7899 (0.4); 3.3498 (16.0); 2.7092 (1.0); 2.5528 (7.2); 2.5341 (1.5); 2.5281 (3.1); 2.5220 (4.2); 2.5159 (3.0); 2.5100 (1.4); 2.1706 (7.0); 0.0199 (3.3) I-051: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.3477 (2.7); 9.3354 (5.3); 9.3230 (2.6); 8.3085 (3.3); 8.2927 (6.4); 8.2769 (3.7); 8.0907 (16.0); 7.8894 (7.7); 7.8743 (8.0); 7.8573 (9.2); 7.8380 (0.4); 7.7034 (0.9); 7.6865 (0.9); 7.5981 (6.9); 7.5816 (6.6); 7.5517 (1.4); 7.5348 (1.1); 7.4994 (5.6); 7.4824 (9.1); 7.4347 (6.3); 7.4179 (3.8); 4.2091 (2.4); 4.1966 (2.7); 4.1815 (5.2); 4.1690 (5.0); 4.1538 (2.8); 4.1413 (2.4); 3.3379 (7.9); 3.3129 (1.0); 3.2827 (1.9); 3.2526 (1.0); 2.5092 (3.2); -0.0002 (1.1) I-052: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1324 (0.8); 8.1121 (1.5); 8.0925 (0.8); 7.6143 (0.8); 7.5884 (2.6); 7.5636 (6.4); 7.5573 (3.4); 7.5456 (13.2); 7.4917 (4.2); 7.4624 (9.4); 7.4546 (4.5); 7.4025 (8.6); 7.3749 (5.2); 7.2983 (20.7); 5.3369 (16.0); 4.2546 (2.0); 4.2343 (1.9); 4.2078 (4.3); 4.1875 (4.1); 4.1611 (2.1); 4.1408 (2.1); 3.5918 (3.8); 3.5695 (10.4); 3.5475 (4.0); 2.1254 (0.4); 2.1054 (4.3); 2.0933 (4.4); 2.0832 (11.8); 2.0729 (4.4); 2.0609 (4.0); 2.0415 (0.4); 1.5990 (6.5); 1.2921 (0.8); 0.1067 (0.7); 0.0472 (0.7); 0.0365 (21.0); 0.0256 (0.7) I-053: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5319 (0.5); 7.5165 (1.7); 7.5008 (1.9); 7.4913 (2.2); 7.4751 (0.9); 7.4645 (2.2); 7.4060 (1.4); 7.3907 (1.0); 7.3685 (2.2); 7.3527 (2.4); 7.2606 (7.2); 7.1939 (2.6); 7.0498 (1.5); 7.0343 (1.3); 6.3172 (0.6); 6.3058 (1.0); 6.2939 (0.6); 6.0331 (0.5); 6.0268 (0.6); 6.0183 (0.6); 6.0120 (0.5); 5.9393 (0.5); 5.9330 (0.6); 5.9244 (0.6); 5.9182 (0.5); 5.2979 (4.4); 4.2170 (0.4); 4.2106 (0.4); 4.2032 (0.4); 4.1967 (0.4); 4.1907 (0.3); 4.1843 (0.3); 4.1768 (0.3); 4.1615 (0.4); 4.1550 (0.4); 4.1476 (0.4); 4.1411 (0.3); 3.8423 (0.3); 3.8317 (0.4); 3.8276 (0.4); 3.8167 (0.4); 3.8135 (0.4); 3.8019 (0.7); 3.7906 (0.5); 3.7873 (0.6); 3.7761 (0.4); 3.7726 (0.3); 3.7617 (0.3); 2.7104 (0.6); 2.7063 (0.7); 2.6953 (1.8); 2.6909 (1.8); 2.6801 (1.9); 2.6759 (1.9); 2.6617 (16.0); 2.3065 (11.3); 1.5703 (5.2); 1.2613 (3.4); 1.2462

(7.1); 1.2390 (0.7); 1.2310 (3.2); -0.0002 (6.5) I-054: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3029 (16.0); 7.9498 (1.9); 7.7222 (0.6); 7.6937 (6.2); 7.6796 (14.0); 7.6496 (0.5); 7.5446 (4.6); 7.5172 (2.7); 7.4890 (9.6); 7.4796 (2.4); 7.4704 (7.4); 7.4652 (7.4); 7.4502 (2.0); 7.4418 (2.6); 7.3039 (56.4); 5.3437 (0.4); 4.4985 (2.6); 4.4779 (2.5); 4.4500 (5.5); 4.4295 (5.3); 4.4015 (2.7); 4.3810 (2.6); 1.5974 (44.8); 1.2977 (0.7); 0.1119 (3.9); 0.0530 (2.0); 0.0423 (51.4); 0.0312 (1.6) I-055: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.7835 (2.6); 9.2088 (1.2); 9.1882 (2.4); 9.1681 (1.2); 8.0017 (0.4); 7.9483 (13.7); 7.3533 (3.7); 7.3267 (4.3); 7.2937 (2.1); 7.2843 (0.7); 7.2653 (3.8); 7.2431 (1.2); 7.2375 (2.2); 7.1133 (4.4); 7.0084 (2.4); 6.9821 (2.2); 6.7366 (2.4); 6.7321 (2.5); 6.7124 (1.9); 6.7079 (2.3); 6.7021 (2.0); 6.6529 (2.1); 6.6486 (3.2); 6.6360 (3.4); 6.6286 (7.5); 6.6231 (6.8); 6.2130 (0.5); 5.7860 (1.4); 4.1426 (1.2); 4.1219 (1.2); 4.0932 (2.6); 4.0727 (2.5); 4.0435 (1.4); 4.0230 (1.3); 3.3582 (17.6); 2.5341 (6.5); 2.5281 (8.5); 2.5222 (6.2); 2.4780 (0.4); 2.4420 (11.9); 2.2722 (16.0); 0.0367 (0.5); 0.0259 (9.9); 0.0151 (0.4) I-056: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6142 (0.4); 7.5880 (2.0); 7.5684 (5.4); 7.5652 (5.1); 7.5518 (0.4); 7.5482 (0.4); 7.4708 (2.4); 7.4500 (0.4); 7.4338 (1.1); 7.4237 (1.6); 7.4164 (1.3); 7.4030 (1.1); 7.3953 (0.6); 7.2974 (14.1); 7.0527 (2.2); 7.0271 (3.1); 7.0021 (2.7); 6.9123 (1.6); 6.8864 (1.1); 6.7641 (1.7); 6.7249 (2.0); 6.7050 (2.2); 6.6658 (2.3); 6.1252 (3.8); 6.0662 (3.1); 6.0154 (0.6); 5.9968 (1.1); 5.9764 (0.6); 5.8682 (3.6); 5.8289 (3.3); 3.7732 (1.4); 3.7505 (3.6); 3.7299 (3.6); 3.7075 (1.5); 3.1760 (0.6); 2.9577 (0.6); 2.9483 (2.2); 2.9256 (4.4); 2.9027 (2.0); 2.3681 (0.6); 2.3187 (16.0); 2.2947 (14.2); 2.2091 (0.6); 1.6312 (0.6); 1.6097 (8.2); 1.2907 (0.9); 0.1065 (1.3); 0.0469 (0.4); 0.0361 (11.3); 0.0252 (0.4) I-057: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1130 (1.6); 9.0985 (3.4); 9.0840 (1.8); 8.3767 (14.9); 7.7947 (1.2); 7.7756 (3.9); 7.7435 (16.0); 7.7247 (2.6); 7.6585 (3.7); 7.6393 (2.6); 7.5052 (1.7); 7.4842 (10.9); 7.4792 (8.3); 7.4752 (7.2); 7.4580 (1.4); 7.4542 (1.5); 6.0746 (1.2); 6.0613 (2.1); 6.0496 (1.3); 5.9593 (1.2); 5.9462 (2.3); 5.9343 (1.3); 3.9315 (1.8); 3.9166 (2.8); 3.9085 (1.7); 3.9013 (1.5); 3.8740 (2.2); 3.8596 (3.2); 3.8485 (1.6); 3.3018 (54.6); 2.5049 (18.0); 2.5007 (24.5); 2.4964 (18.7); 2.0718 (1.4); -0.0002 (8.8) I-058: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1613 (9.7); 9.1495 (10.3); 9.0079 (2.0); 8.9935 (4.1); 8.9786 (2.2); 7.9613 (2.4); 7.8576 (10.1); 7.8458 (10.1); 7.7625 (1.7); 7.7432 (5.1); 7.7235 (4.8); 7.6993 (5.9); 7.6685 (7.4); 7.6267 (7.6); 7.5996 (4.3); 7.5793 (3.6); 7.5700 (7.7); 7.5489 (8.9); 7.3765 (4.8); 7.3713 (5.0); 7.3554 (4.2); 7.3503 (4.1); 6.0788 (1.4); 6.0664 (2.8); 6.0534 (1.6); 5.9636 (1.4); 5.9511 (2.8); 5.9382 (1.6); 3.9147 (1.9); 3.9029 (4.2); 3.8883 (2.8); 3.8618 (2.0); 3.8575 (2.0); 3.8468 (4.0); 3.8319 (2.6); 3.8086 (0.4); 3.3133 (170.5); 2.8991 (16.0); 2.7402 (14.3); 2.5136 (21.6); 2.5092 (29.9); 2.5049 (22.6) I-059: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.9967 (1.3); 7.9566 (16.0); 7.9308 (6.6); 7.9104 (7.0); 7.7990 (1.8); 7.7357 (1.4); 7.7163 (4.4); 7.6967 (5.0); 7.6873 (6.1); 7.6675 (1.8); 7.5952 (0.5); 7.5707 (6.2); 7.5692 (6.1); 7.5288 (0.3); 7.5066 (3.6); 7.4871 (2.6); 7.2808 (6.2); 7.2604 (5.8); 5.4456 (1.1); 4.3717 (3.3); 4.3552 (3.3); 4.3387 (6.8); 4.3222 (6.7); 4.3058 (3.5); 4.2893 (3.4); 4.1591 (0.6); 4.1425 (0.6); 4.0677 (0.3); 4.0499 (0.3); 2.1295 (10.6); 1.9713 (1.6); 1.9635 (1.2); 1.9573 (3.2); 1.9516 (16.3); 1.9454 (29.4); 1.9393 (39.4); 1.9331 (27.1); 1.9269 (14.0); 1.2697 (0.4); 1.2214 (0.4); 1.2035 (0.8); 1.1858 (0.4); 0.1461 (0.4); 0.0079 (3.6); -0.0002 (89.3); -0.0073 (3.6); -0.0085 (3.7); -0.1494 (0.4) I-060: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1650 (9.5); 9.1533 (9.8); 9.0205 (3.8); 8.9995 (3.9); 7.9612 (1.0); 7.9336 (9.9); 7.9219 (9.6); 7.7501 (1.5); 7.7305 (4.4); 7.7100 (4.0); 7.6756 (13.4); 7.6587 (3.1); 7.6240 (4.4); 7.6057 (2.9); 6.8916 (16.0); 5.0722 (1.0); 5.0546 (2.2); 5.0391 (2.2); 5.0208 (1.0); 3.3132 (157.4); 2.8991 (5.8); 2.7401 (5.2); 2.6641 (5.8); 2.6506 (3.4); 2.6221 (0.3); 2.5134 (20.8); 2.5090 (27.8); 2.5047 (20.4); 2.0378 (0.7); 2.0240 (1.4); 2.0180 (1.2); 2.0109 (1.7); 1.9932 (1.6); 1.9782 (2.2); 1.9674 (1.2); 1.9480 (1.3); 1.9422 (1.3); 1.9347 (1.6); 1.9291 (1.8); 1.9154 (1.4); 1.8559 (0.6); 1.8378 (1.2); 1.8211 (1.5); 1.8151 (1.4); 1.8044 (1.2); 1.7981 (1.1); 1.7871 (1.0); 1.7698 (0.6); 1.7474 (1.2); 1.7279 (1.8); 1.7223 (1.7); 1.7035 (1.6); 1.6975 (1.6); 1.6783 (0.7) I-061: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1556 (1.8); 8.1659 (4.9); 7.9557 (0.4); 7.7859 (0.9); 7.7681 (1.5); 7.7600 (2.2); 7.7520 (1.8); 7.7308 (1.2); 7.7029 (2.0); 7.6961 (2.0); 7.6912 (1.7); 7.6440 (1.0); 7.6235 (0.7); 7.5667 (0.4);

7.5470 (1.9); 7.5422 (2.1); 7.5233 (1.2); 7.5041 (0.4); 3.3679 (14.5); 3.3616 (18.3); 3.3567 (17.9); 2.8932 (2.8); 2.7352 (2.5); 2.5159 (4.2); 2.5115 (8.9); 2.5070 (12.0); 2.5025 (8.6); 2.4981 (4.2); 1.6906 (16.0) I-062: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4540 (1.9); 7.4373 (1.7); 7.4265 (4.1); 7.3475 (1.2); 7.3212 (2.6); 7.2988 (10.6); 7.2283 (1.5); 7.2219 (1.4); 7.2003 (1.1); 7.1936 (1.2); 7.0151 (1.4); 6.9929 (1.9); 6.9899 (2.1); 6.9853 (2.2); 6.9663 (0.8); 6.9634 (0.8); 6.9584 (1.1); 6.9059 (1.6); 6.8995 (2.1); 6.8928 (1.2); 6.6096 (0.5); 6.5887 (0.8); 6.5686 (0.5); 6.0795 (0.4); 6.0689 (0.5); 6.0569 (0.5); 6.0465 (0.5); 5.9244 (0.5); 5.9140 (0.5); 5.9020 (0.5); 5.8916 (0.5); 4.1924 (0.4); 4.1819 (0.4); 4.1704 (0.4); 4.1599 (0.4); 4.1547 (0.3); 4.1055 (0.4); 4.0949 (0.3); 4.0836 (0.3); 4.0730 (0.3); 3.9551 (0.3); 3.9335 (0.5); 3.9129 (0.4); 3.8799 (0.4); 3.8599 (0.5); 3.8374 (0.4); 3.8105 (0.4); 2.4139 (16.0); 1.9615 (0.5); 1.9503 (0.6); 1.9335 (1.1); 1.9167 (0.6); 1.9056 (0.6); 1.8887 (0.3); 1.5969 (6.8); 1.3054 (1.7); 1.0399 (0.7); 1.0246 (1.8); 1.0179 (2.0); 1.0030 (1.2); 0.9963 (2.0); 0.9896 (1.8); 0.9751 (1.0); 0.9418 (0.6); 0.9203 (1.9); 0.8968 (0.7); 0.7582 (0.9); 0.7429 (2.3); 0.7368 (2.1); 0.7266 (2.0); 0.7207 (2.4); 0.7045 (0.8); 0.1080 (0.8); 0.0489 (0.4); 0.0382 (10.0); 0.0273 (0.4) I-063: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3849 (1.6); 7.3582 (1.8); 7.3298 (1.0); 7.3033 (2.7); 7.2987 (9.0); 7.2772 (1.4); 7.0892 (1.7); 7.0036 (2.1); 6.9819 (2.1); 6.9776 (2.9); 6.9588 (0.8); 6.9558 (0.7); 6.9508 (1.0); 6.9478 (0.9); 6.8944 (1.4); 6.8880 (1.8); 6.8813 (1.1); 6.5426 (0.4); 6.5226 (0.8); 6.5030 (0.4); 5.3373 (3.0); 4.2577 (0.8); 4.2367 (0.8); 4.2092 (1.8); 4.1882 (1.7); 4.1606 (0.9); 4.1396 (0.8); 2.5263 (5.2); 2.5196 (3.0); 2.3521 (16.0); 2.3441 (7.8); 1.9528 (0.5); 1.9415 (0.5); 1.9248 (1.0); 1.9134 (0.4); 1.9080 (0.5); 1.8968 (0.5); 1.5920 (2.4); 1.0326 (0.6); 1.0174 (1.6); 1.0106 (1.8); 1.0049 (1.0); 0.9957 (1.0); 0.9890 (1.8); 0.9823 (1.6); 0.9677 (0.8); 0.7511 (0.8); 0.7359 (2.0); 0.7297 (1.8); 0.7195 (1.7); 0.7137 (2.2); 0.6974 (0.6); 0.0393 (8.5) I-064: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5316 (0.3); 7.5084 (1.0); 7.4364 (0.5); 7.3907 (0.4); 7.3823 (0.6); 7.3553 (0.6); 7.2983 (2.8); 7.0800 (0.5); 4.1765 (0.4); 4.1557 (0.4); 3.3426 (0.7); 3.3263 (0.7); 2.4992 (1.5); 2.4921 (0.8); 2.3427 (2.1); 1.5893 (2.0); 1.3507 (6.6); 0.2343 (0.8); 0.2233 (16.0); 0.2137 (0.5); 0.2123 (0.6); 0.0384 (3.0) I-065: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2969 (13.4); 8.0973 (0.8); 8.0806 (1.4); 7.5107 (1.8); 7.4846 (4.3); 7.4582 (2.7); 7.3709 (3.6); 7.3444 (4.1); 7.2985 (26.4); 7.2673 (2.6); 7.2409 (2.1); 7.1761 (1.7); 7.1707 (2.4); 7.1407 (4.8); 7.1340 (3.9); 7.0734 (3.9); 6.9868 (2.1); 6.9603 (1.8); 4.2952 (2.0); 4.2753 (1.9); 4.2470 (4.3); 4.2271 (4.1); 4.1986 (2.3); 4.1789 (2.2); 4.1726 (1.3); 4.1487 (1.0); 4.1248 (0.3); 2.8917 (0.8); 2.8644 (0.9); 2.8502 (1.2); 2.8233 (1.3); 2.8094 (0.9); 2.7822 (0.9); 2.5181 (6.4); 2.5112 (11.8); 2.5037 (6.5); 2.3244 (16.0); 2.0836 (4.7); 2.0442 (2.1); 1.9862 (0.7); 1.9694 (0.8); 1.9596 (0.9); 1.9453 (1.2); 1.9292 (1.1); 1.9194 (1.3); 1.9034 (1.4); 1.8896 (0.7); 1.8798 (0.9); 1.8629 (0.9); 1.7413 (0.8); 1.7280 (0.9); 1.7144 (1.5); 1.7009 (1.9); 1.6862 (1.3); 1.6722 (1.8); 1.6588 (1.7); 1.6452 (1.0); 1.6320 (1.1); 1.5941 (1.5); 1.3219 (1.3); 1.2981 (2.7); 1.2743 (1.2); 0.1087 (1.2); 0.0497 (1.2); 0.0389 (32.4); 0.0280 (1.1) I-066: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3253 (0.5); 9.3056 (0.5); 9.1648 (1.4); 9.1451 (1.4); 8.8116 (0.6); 8.8085 (0.7); 8.8005 (0.7); 8.7974 (0.7); 8.7574 (0.6); 8.7545 (0.6); 8.7365 (0.7); 8.7335 (0.6); 8.4007 (2.5); 7.7066 (0.6); 7.6874 (1.7); 7.6683 (1.9); 7.6576 (1.2); 7.6477 (0.8); 7.6362 (2.0); 7.6291 (3.0); 7.6083 (1.3); 7.5899 (2.3); 7.5627 (0.6); 7.5315 (1.4); 7.5091 (1.1); 7.4915 (7.7); 7.4665 (1.2); 7.4452 (1.7); 7.4093 (3.0); 7.3881 (5.1); 7.3633 (2.0); 7.3469 (0.7); 7.3419 (1.6); 7.3383 (1.3); 7.3324 (5.9); 7.3158 (1.4); 7.3111 (3.3); 5.1550 (0.4); 5.1012 (0.8); 5.0830 (1.2); 5.0647 (0.8); 3.9924 (16.0); 3.9031 (3.9); 3.4801 (0.5); 3.3277 (98.7); 2.6759 (0.8); 2.6715 (1.1); 2.6670 (0.8); 2.5247 (4.8); 2.5112 (74.4); 2.5070 (142.2); 2.5026 (181.2); 2.4981 (132.5); 2.4939 (67.8); 2.3338 (0.8); 2.3293 (1.0); 2.3249 (0.8); 1.4717 (2.0); 1.4543 (2.0); 1.4169 (6.0); 1.3994 (6.0); 1.3765 (0.6); 1.2355 (0.4); -0.0001 (0.7) I-067: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.9759 (16.0); 7.9610 (0.3); 7.8057 (1.6); 7.7210 (1.4); 7.7016 (4.6); 7.6819 (7.1); 7.6759 (6.6); 7.6563 (1.7); 7.5779 (1.7); 7.5552 (7.5); 7.5405 (3.5); 7.5186 (1.8); 7.5035 (3.8); 7.4849 (2.9); 7.0514 (1.6); 7.0460 (1.6); 7.0232 (3.0); 7.0004 (1.4); 6.9950 (1.5); 6.9135 (1.6); 6.9090 (1.5); 6.8920 (3.0); 6.8707 (1.5); 5.4454 (1.4); 4.2524 (3.2); 4.2360 (3.2); 4.2182 (6.6); 4.2018 (6.5); 4.1839 (3.3); 4.1675 (3.3); 4.0677 (0.4); 4.0499 (0.4); 2.1321

(8.3); 1.9712 (1.9); 1.9633 (1.1); 1.9571 (2.7); 1.9514 (13.1); 1.9453 (23.5); 1.9392 (31.4); 1.9330 (21.6); 1.9268 (11.1); 1.2686 (0.6); 1.2214 (0.5); 1.2036 (0.9); 1.1857 (0.5); 0.9756 (0.4); 0.1460 (0.4); 0.0078 (3.1); -0.0002 (69.0); -0.1496 (0.4) I-068: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8340 (1.7); 8.8202 (3.4); 8.8063 (1.7); 8.7328 (5.5); 8.0979 (16.0); 7.9143 (2.9); 7.9085 (3.0); 7.8937 (3.3); 7.8880 (3.3); 7.7372 (1.3); 7.7177 (4.4); 7.6979 (5.9); 7.6906 (6.1); 7.6710 (1.8); 7.6267 (6.1); 7.5615 (3.6); 7.5349 (5.9); 7.5138 (4.6); 3.7726 (2.2); 3.7567 (6.0); 3.7413 (6.2); 3.7255 (2.5); 3.3433 (50.4); 3.1469 (4.0); 3.1305 (7.7); 3.1142 (3.7); 2.8945 (0.5); 2.7357 (0.5); 2.5115 (23.4); 2.5074 (30.8); 2.5031 (22.9); 1.2396 (1.2); -0.0002 (4.0) I-069: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1170 (1.9); 9.1015 (4.0); 9.0855 (2.1); 8.2929 (0.3); 8.2140 (15.5); 7.9610 (1.4); 7.8416 (7.6); 7.6666 (1.9); 7.6467 (4.9); 7.6267 (3.8); 7.5725 (4.9); 7.5529 (3.3); 7.5308 (16.0); 7.4424 (2.6); 7.4380 (2.6); 7.4211 (5.2); 7.4169 (5.5); 7.3801 (9.6); 7.3690 (6.9); 7.3592 (5.9); 7.3183 (3.6); 7.2979 (3.3); 7.2934 (3.0); 4.1716 (1.9); 4.1560 (2.1); 4.1371 (4.3); 4.1214 (4.4); 4.1024 (2.4); 4.0867 (2.2); 3.3133 (201.7); 2.8994 (8.5); 2.7404 (7.8); 2.5137 (23.8); 2.5094 (32.9); 2.5051 (25.3); 2.4545 (0.5) I-070: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3418 (1.9); 9.3263 (4.0); 9.3105 (2.0); 7.9619 (2.6); 7.8969 (6.7); 7.8934 (6.7); 7.7706 (1.5); 7.7507 (4.4); 7.7311 (4.2); 7.7125 (5.3); 7.6927 (2.4); 7.6190 (6.1); 7.5672 (3.5); 7.5475 (2.9); 7.4987 (4.5); 7.4775 (7.4); 7.4203 (4.5); 7.4164 (4.4); 7.3995 (2.8); 7.3952 (2.8); 4.3606 (1.6); 4.3448 (1.8); 4.3253 (3.6); 4.3097 (3.6); 4.2894 (2.0); 4.2738 (1.9); 3.5458 (4.2); 3.5282 (9.5); 3.5108 (5.0); 3.3148 (40.0); 3.2544 (44.9); 3.2324 (1.3); 3.2037 (0.5); 2.8997 (16.0); 2.8783 (4.3); 2.8609 (7.8); 2.8433 (4.0); 2.7407 (14.4); 2.5140 (25.0); 2.5098 (33.4); 2.5055 (25.2) I-071: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9675 (3.6); 8.9468 (3.6); 8.3636 (0.4); 8.3376 (15.3); 7.9609 (1.4); 7.7911 (0.4); 7.7725 (16.0); 7.6337 (2.0); 7.6139 (4.8); 7.5939 (3.3); 7.5250 (4.7); 7.5058 (3.1); 7.3417 (6.1); 7.3074 (3.6); 7.2868 (3.0); 6.6696 (15.1); 4.8696 (0.9); 4.8500 (2.0); 4.8377 (1.9); 4.8201 (1.0); 3.3128 (175.6); 2.8992 (9.4); 2.7400 (8.4); 2.6506 (0.3); 2.6093 (4.1); 2.5992 (4.3); 2.5582 (0.5); 2.5134 (21.3); 2.5090 (28.8); 2.5047 (21.3); 1.8432 (0.6); 1.8122 (3.0); 1.7994 (3.3); 1.7870 (3.0); 1.7538 (0.9); 1.7407 (0.6); 1.7150 (1.3); 1.6971 (1.4); 1.6819 (1.1); 1.6560 (0.5); 1.5460 (0.3); 1.5267 (1.1); 1.5078 (1.9); 1.4859 (1.6); 1.4610 (0.8) I-072: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5664 (3.0); 7.5626 (2.5); 7.5573 (4.4); 7.4545 (2.5); 7.4051 (1.0); 7.3969 (1.4); 7.3933 (1.2); 7.3875 (1.0); 7.3825 (0.6); 7.3196 (2.2); 7.3036 (2.3); 7.2598 (3.8); 6.9924 (2.8); 6.8282 (1.5); 6.8124 (1.4); 6.5730 (0.7); 6.5655 (0.9); 6.5583 (0.8); 6.5511 (0.7); 5.2962 (2.5); 4.5774 (0.4); 4.5717 (0.4); 4.5612 (0.4); 4.5550 (0.4); 4.5507 (0.4); 4.5448 (0.5); 4.5339 (0.3); 4.5285 (0.4); 3.8495 (0.3); 3.8405 (0.4); 3.8306 (0.5); 3.8211 (0.5); 3.8127 (0.5); 3.8045 (0.4); 3.1446 (16.0); 2.4477 (7.7); 2.2214 (10.3); 1.2555 (0.7); -0.0002 (4.7) I-073: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.2415 (6.0); 8.2366 (6.3); 8.1662 (1.5); 8.0912 (16.0); 8.0065 (6.6); 8.0015 (6.3); 7.7094 (1.0); 7.6897 (4.0); 7.6718 (11.1); 7.6544 (1.0); 7.5141 (5.4); 7.4684 (2.0); 7.4629 (3.6); 7.4577 (2.1); 7.4524 (1.4); 7.4458 (2.6); 4.4476 (3.2); 4.4313 (3.2); 4.4145 (6.8); 4.3982 (6.7); 4.3814 (3.4); 4.3651 (3.4); 2.1293 (18.4); 1.9635 (1.3); 1.9574 (3.2); 1.9516 (17.3); 1.9454 (31.3); 1.9393 (42.1); 1.9331 (29.2); 1.9269 (15.1); 1.2685 (0.4); 0.1460 (0.4); 0.0079 (3.7); -0.0002 (93.6); -0.0084 (4.2); -0.1497 (0.5) I-074: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1051 (0.9); 9.0909 (1.9); 9.0759 (1.0); 7.9619 (1.9); 7.7580 (3.6); 7.7227 (0.9); 7.7030 (2.4); 7.6831 (1.9); 7.6470 (2.5); 7.6289 (1.7); 7.5354 (3.0); 7.5207 (1.2); 7.5162 (1.1); 7.4997 (4.6); 7.4957 (3.9); 7.4802 (6.1); 7.4592 (1.7); 7.2873 (0.4); 6.0275 (0.6); 6.0151 (1.2); 6.0026 (0.6); 5.9121 (0.6); 5.8997 (1.3); 5.8870 (0.6); 3.9219 (1.1); 3.9083 (1.8); 3.8944 (1.1); 3.8638 (1.1); 3.8499 (1.9); 3.8361 (1.1); 3.3153 (20.8); 2.9308 (0.3); 2.8997 (11.6); 2.7407 (10.4); 2.5463 (16.4); 2.5141 (12.1); 2.5098 (16.2); 2.5055 (12.3); 2.1730 (16.0) I-075: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.7145 (2.2); 8.7012 (1.2); 8.3161 (0.6); 8.0485 (16.0); 8.0174 (0.5); 8.0020 (0.3); 7.7353 (1.0); 7.7159 (3.2); 7.6964 (3.9); 7.6874 (4.4); 7.6679 (1.3); 7.5737 (4.4); 7.5059 (2.7); 7.4868 (2.1); 7.4575 (5.0); 7.4364 (6.0); 7.3309 (6.6); 7.3254 (7.5); 7.2738 (3.8); 7.2683 (3.2); 7.2528 (3.1); 7.2473 (2.7); 3.9026 (3.8); 3.5662 (1.4); 3.5538 (5.4); 3.5419 (5.5); 3.5200 (1.2); 3.5024 (0.5); 3.3273 (189.8); 2.6758 (1.4);

2.6713 (1.8); 2.6668 (1.3); 2.5415 (1.3); 2.5246 (7.1); 2.5111 (124.7); 2.5068 (240.1); 2.5024 (305.1); 2.4978 (218.3); 2.4934 (106.6); 2.3336 (1.3); 2.3291 (1.8); 2.3246 (1.3); 1.4451 (1.2); 1.2587 (0.5); 1.2347 (0.9); 1.2134 (8.5); 1.1974 (8.5); -0.0002 (1.3) I-076: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8055 (3.8); 8.8003 (2.6); 8.7906 (2.6); 8.7854 (3.8); 7.6537 (0.3); 7.6276 (1.8); 7.6073 (5.5); 7.6040 (4.5); 7.5868 (0.5); 7.5408 (2.4); 7.5281 (0.5); 7.5107 (1.1); 7.5015 (1.7); 7.4942 (1.1); 7.4802 (1.0); 7.4732 (0.6); 7.3619 (4.9); 7.3564 (3.1); 7.3472 (3.1); 7.3417 (4.9); 7.3166 (0.4); 7.2985 (24.7); 7.2380 (2.1); 7.2114 (2.5); 7.0425 (2.6); 6.9919 (1.8); 6.9652 (1.5); 6.9388 (1.2); 6.3845 (0.6); 6.3640 (1.1); 6.3442 (0.6); 4.0355 (1.2); 4.0150 (1.1); 3.9858 (2.5); 3.9653 (2.4); 3.9362 (1.3); 3.9155 (1.2); 3.6584 (4.1); 2.3930 (7.6); 2.3858 (4.4); 2.3633 (0.5); 2.3520 (0.4); 2.3135 (10.2); 1.6201 (16.0); 1.2921 (0.6); 0.0475 (0.8); 0.0367 (21.6); 0.0257 (0.8) I-077: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.8886 (0.9); 7.8784 (1.3); 7.5633 (0.4); 7.5531 (0.4); 7.5359 (0.9); 7.5205 (2.1); 7.5050 (4.7); 7.4889 (0.9); 7.4594 (3.0); 7.3873 (1.8); 7.3731 (1.3); 7.2594 (8.4); 7.0891 (2.3); 7.0737 (2.6); 6.9596 (3.3); 6.8904 (1.8); 6.8753 (1.5); 4.1832 (8.2); 3.7709 (1.4); 3.7573 (3.1); 3.7449 (3.0); 3.7313 (1.2); 3.1916 (16.0); 3.0161 (0.4); 2.9468 (2.4); 2.9329 (4.3); 2.9188 (2.1); 2.3019 (14.8); 2.2812 (1.5); 2.2672 (14.1); 2.2410 (0.4); 2.2228 (0.4); 2.2172 (0.6); 2.0834 (0.5); 2.0233 (15.4); 2.0021 (1.4); 1.4148 (1.2); 1.2552 (0.7); 1.1080 (3.6); 0.9900 (0.4); -0.0002 (8.3) I-078: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.0968 (1.4); 9.0854 (2.4); 9.0736 (1.3); 7.7752 (1.0); 7.7593 (2.3); 7.7429 (2.0); 7.7233 (3.3); 7.7081 (1.6); 7.5128 (5.6); 7.2891 (2.7); 7.2734 (2.8); 7.0235 (4.2); 6.7944 (2.4); 6.7788 (2.1); 4.4041 (0.4); 3.7558 (0.4); 3.5092 (16.0); 3.3192 (22.2); 2.5019 (26.1); 2.3838 (11.1); 2.1616 (13.7) I-079: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.9732 (16.0); 7.9006 (0.4); 7.7317 (1.3); 7.7121 (4.2); 7.6926 (4.8); 7.6833 (5.4); 7.6638 (1.7); 7.5980 (1.3); 7.5828 (1.1); 7.5552 (5.4); 7.4883 (3.2); 7.4689 (2.5); 7.3770 (7.5); 7.3715 (7.7); 7.3134 (7.5); 7.2927 (8.3); 6.9383 (4.5); 6.9329 (4.4); 6.9176 (4.0); 6.9122 (3.9); 5.4454 (7.3); 4.0675 (0.5); 4.0497 (0.6); 3.6129 (7.7); 3.5974 (7.7); 2.1296 (8.6); 1.9711 (2.4); 1.9634 (1.0); 1.9574 (2.5); 1.9515 (13.4); 1.9454 (24.2); 1.9392 (32.4); 1.9330 (22.2); 1.9269 (11.4); 1.2681 (0.6); 1.2214 (0.6); 1.2036 (1.2); 1.1857 (0.6); 1.0891 (3.4); 1.0766 (10.2); 1.0731 (10.2); 1.0613 (4.3); 1.0241 (0.4); 0.9008 (0.4); 0.8803 (0.4); 0.8760 (0.4); 0.8632 (4.2); 0.8512 (10.0); 0.8480 (10.1); 0.8354 (3.3); 0.1459 (0.4); 0.0079 (2.8); -0.0002 (73.0); -0.0085 (2.8); -0.1497 (0.3) I-080: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2612 (5.6); 8.0275 (0.8); 8.0161 (1.4); 7.4157 (1.4); 7.4115 (2.1); 7.3962 (4.5); 7.3909 (2.8); 7.3761 (1.6); 7.2622 (8.3); 7.2305 (1.5); 7.2194 (1.6); 7.2139 (2.1); 7.1985 (1.3); 7.1936 (1.2); 7.0804 (1.5); 7.0756 (2.4); 7.0708 (1.5); 6.9711 (1.2); 6.9665 (1.1); 6.9512 (1.1); 6.9464 (1.0); 6.0745 (0.5); 6.0667 (0.5); 6.0571 (0.5); 6.0492 (0.5); 5.9582 (0.5); 5.9504 (0.5); 5.9408 (0.5); 5.9330 (0.5); 4.2364 (0.3); 4.2279 (0.3); 4.2197 (0.4); 4.1780 (0.3); 4.1698 (0.3); 4.1614 (0.3); 3.8356 (0.4); 3.8311 (0.3); 3.8181 (0.3); 3.7946 (0.6); 3.7816 (0.6); 3.7641 (0.3); 2.9568 (6.7); 2.8836 (6.3); 2.5082 (16.0); 1.5752 (5.8); -0.0002 (2.3) I-081: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6023 (0.5); 7.5761 (3.0); 7.5675 (2.5); 7.5635 (2.8); 7.5571 (8.0); 7.5538 (7.5); 7.5421 (0.6); 7.5379 (0.6); 7.4811 (3.6); 7.4606 (0.5); 7.4541 (0.4); 7.4455 (1.6); 7.4341 (2.3); 7.4272 (2.1); 7.4147 (1.6); 7.4070 (0.9); 7.3821 (3.5); 7.3554 (4.0); 7.2983 (16.5); 7.0825 (4.0); 7.0098 (2.2); 6.9836 (1.9); 6.7410 (2.6); 6.7018 (3.0); 6.6820 (3.3); 6.6428 (3.4); 6.4092 (1.0); 6.3894 (1.8); 6.3691 (1.0); 6.1084 (6.0); 6.0494 (5.0); 5.8475 (6.0); 5.8082 (5.5); 4.2481 (2.0); 4.2274 (1.8); 4.1990 (4.2); 4.1783 (3.9); 4.1498 (2.1); 4.1291 (2.0); 2.5062 (12.0); 2.4993 (6.8); 2.3918 (0.4); 2.3575 (0.3); 2.3235 (16.0); 1.6009 (12.3); 1.2921 (0.4); 0.0480 (0.5); 0.0373 (13.7); 0.0279 (0.4); 0.0264 (0.5) I-082: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1835 (1.2); 9.1682 (2.5); 9.1527 (1.3); 8.2970 (11.6); 7.7924 (0.9); 7.7731 (2.8); 7.7536 (3.2); 7.7412 (3.9); 7.7108 (4.3); 7.6429 (2.5); 7.6233 (1.9); 7.3224 (3.5); 7.3024 (3.9); 7.0704 (4.3); 6.9036 (2.3); 6.8835 (2.2); 4.1667 (1.2); 4.1512 (1.2); 4.1300 (2.7); 4.1144 (2.7); 4.0932 (1.5); 4.0776 (1.4); 3.3012 (12.6); 2.5049 (9.3); 2.5005 (12.4); 2.4961 (9.2); 2.4216 (11.4); 2.2057 (16.0); 2.0715 (1.7); -0.0002 (4.1) I-083: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5788 (0.8); 7.5735 (0.5); 7.5641 (1.2); 7.5613 (1.4); 7.5462 (0.9); 7.5173 (1.2); 7.4686 (0.7); 7.4497 (0.4); 7.4152 (0.4); 7.4003 (0.7); 7.3937

(1.5); 7.3647 (0.8); 7.2987 (2.8); 4.2126 (0.6); 4.1917 (0.6); 4.1652 (0.3); 2.7897 (1.3); 1.7460 (2.9); 1.6093 (16.0); 0.0326 (3.1) I-084: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9551 (1.3); 8.9346 (1.3); 7.9562 (1.2); 7.7585 (6.3); 7.6933 (0.6); 7.6737 (1.7); 7.6565 (2.2); 7.6390 (2.2); 7.6308 (1.9); 7.6110 (0.8); 7.5671 (2.2); 7.5120 (1.2); 7.4920 (0.9); 7.3862 (1.9); 7.3656 (2.3); 7.2924 (4.3); 7.1282 (1.0); 7.1103 (1.7); 7.0922 (0.9); 7.0900 (1.0); 6.9004 (1.1); 6.8823 (1.9); 6.8631 (0.9); 5.4628 (0.7); 5.4447 (1.1); 5.4261 (0.8); 3.7143 (16.0); 3.3871 (126.0); 2.8954 (8.0); 2.7373 (7.1); 2.5910 (15.2); 2.5317 (0.3); 2.5269 (0.5); 2.5184 (7.5); 2.5140 (15.8); 2.5095 (21.3); 2.5050 (15.4); 2.5006 (7.4); 1.6015 (5.8); 1.5845 (5.7) I-085: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5558 (2.7); 7.5512 (1.8); 7.5384 (4.0); 7.5248 (0.3); 7.4747 (1.9); 7.4280 (2.1); 7.4183 (1.8); 7.4120 (2.4); 7.4079 (2.1); 7.3999 (3.2); 7.3892 (0.9); 7.3823 (1.2); 7.3757 (1.0); 7.3666 (0.7); 7.3586 (0.5); 7.2986 (1.7); 7.2319 (2.0); 7.2254 (2.2); 7.2043 (2.3); 7.1975 (1.6); 7.1861 (0.6); 6.0481 (0.4); 6.0383 (0.5); 6.0246 (0.5); 6.0147 (0.5); 5.8927 (0.5); 5.8828 (0.5); 5.8692 (0.5); 5.8592 (0.5); 5.3306 (0.6); 4.1644 (0.4); 4.1408 (0.7); 4.1363 (0.4); 4.1258 (0.4); 4.1170 (0.9); 4.1046 (0.4); 4.0940 (0.6); 4.0727 (0.6); 4.0453 (0.4); 4.0350 (0.3); 4.0241 (0.4); 3.8956 (0.4); 3.8928 (0.4); 3.8723 (0.4); 3.8674 (0.3); 3.8433 (0.6); 3.8232 (0.6); 3.7994 (0.4); 3.7942 (0.3); 3.7709 (0.3); 2.3148 (16.0); 2.0630 (3.8); 1.3072 (0.9); 1.2894 (1.2); 1.2834 (1.9); 1.2596 (0.9); 0.9886 (0.3); 0.9642 (0.6); 0.0331 (1.4) I-086: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2682 (10.5); 8.0280 (1.7); 8.0162 (3.3); 7.4785 (2.0); 7.4588 (4.5); 7.4390 (2.8); 7.4100 (3.3); 7.3895 (7.9); 7.2618 (20.2); 7.2372 (3.1); 7.2179 (2.6); 7.1961 (3.0); 7.1914 (2.7); 7.1753 (2.4); 7.1705 (2.4); 7.1290 (2.0); 7.1242 (2.6); 7.1039 (2.7); 7.0909 (4.4); 6.0772 (0.9); 6.0691 (1.1); 6.0598 (1.1); 6.0518 (1.0); 5.9610 (0.9); 5.9529 (1.1); 5.9434 (1.1); 5.9355 (1.0); 4.2866 (0.4); 4.2783 (0.5); 4.2697 (0.5); 4.2620 (0.5); 4.2500 (0.6); 4.2416 (0.6); 4.2331 (0.6); 4.2243 (0.7); 4.2124 (0.5); 4.2039 (0.5); 4.1959 (0.5); 4.1834 (0.6); 4.1752 (0.6); 4.1671 (0.6); 4.1590 (0.6); 3.8498 (0.4); 3.8358 (0.7); 3.8178 (0.6); 3.7989 (1.0); 3.7822 (1.0); 3.7643 (0.6); 3.7454 (0.6); 3.7289 (0.4); 2.9566 (16.0); 2.8834 (14.9); 2.8480 (0.9); 2.8277 (1.0); 2.8172 (1.5); 2.7967 (1.6); 2.7863 (1.1); 2.7659 (1.0); 1.9377 (0.6); 1.9252 (0.6); 1.9179 (0.7); 1.9068 (1.4); 1.8952 (1.1); 1.8877 (1.3); 1.8756 (1.5); 1.8653 (0.7); 1.8579 (0.7); 1.8453 (0.7); 1.6940 (0.5); 1.6844 (0.5); 1.6740 (0.9); 1.6638 (1.4); 1.6537 (1.0); 1.6434 (1.3); 1.6321 (1.0); 1.6236 (0.5); 1.6125 (0.5); 1.5701 (18.5); -0.0002 (5.8) I-087: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2187 (2.0); 9.2033 (4.2); 9.1877 (2.0); 8.3169 (0.6); 7.9848 (16.0); 7.7582 (1.8); 7.7390 (4.7); 7.7167 (10.0); 7.7116 (9.5); 7.6856 (2.6); 7.6573 (6.6); 7.5723 (3.8); 7.5528 (3.1); 7.5139 (5.8); 7.4929 (6.9); 7.2984 (4.1); 7.2949 (4.0); 7.2779 (3.5); 7.2739 (3.4); 4.2910 (1.9); 4.2750 (2.1); 4.2556 (4.1); 4.2400 (4.0); 4.2207 (2.2); 4.2048 (2.2); 4.1893 (2.5); 4.1636 (6.8); 4.1380 (7.0); 4.1124 (2.4); 3.9029 (3.3); 3.3294 (262.4); 2.6757 (2.3); 2.6717 (2.9); 2.6676 (2.3); 2.5069 (404.2); 2.5027 (494.5); 2.4985 (369.1); 2.3338 (2.2); 2.3294 (2.8); 2.3253 (2.2); 1.2984 (0.4); 1.2670 (0.4); 1.2581 (0.6); 1.2355 (1.0); 0.8616 (0.5); 0.8432 (0.5); -0.0002 (1.6) I-088: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3739 (3.2); 9.3544 (3.2); 8.6198 (16.0); 7.9592 (1.2); 7.7928 (1.5); 7.7747 (9.2); 7.7621 (6.6); 7.7543 (8.1); 7.7469 (8.1); 7.7298 (4.6); 7.6864 (3.5); 7.6675 (2.2); 7.6050 (1.9); 7.5853 (4.6); 7.5703 (3.7); 7.5517 (3.7); 7.5326 (1.2); 5.2991 (0.5); 5.2812 (1.9); 5.2632 (2.8); 5.2449 (1.9); 5.2264 (0.5); 3.3184 (59.9); 2.8967 (7.6); 2.7377 (6.6); 2.6806 (0.6); 2.6763 (0.8); 2.6716 (0.6); 2.5116 (98.7); 2.5072 (127.6); 2.5029 (91.6); 2.3387 (0.6); 2.3340 (0.8); 2.3296 (0.5); 1.5060 (13.2); 1.4884 (13.0) I-089: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1049 (0.8); 8.0869 (1.5); 8.0692 (0.9); 7.8663 (10.5); 7.6212 (0.6); 7.5953 (2.5); 7.5720 (7.4); 7.5489 (0.7); 7.4607 (3.6); 7.4261 (1.5); 7.4179 (2.5); 7.4105 (1.3); 7.3954 (1.6); 7.3553 (3.5); 7.3287 (4.0); 7.3046 (15.6); 7.0698 (3.9); 6.9752 (2.1); 6.9488 (1.8); 5.4528 (2.6); 4.2978 (1.8); 4.2779 (1.8); 4.2498 (3.9); 4.2299 (3.8); 4.2018 (2.0); 4.1819 (1.8); 2.6877 (0.7); 2.6725 (1.1); 2.6657 (1.4); 2.6614 (1.4); 2.6540 (1.2); 2.6439 (0.8); 2.6323 (0.4); 2.5152 (11.5); 2.5081 (6.5); 2.3200 (16.0); 1.6668 (1.1); 1.2985 (1.1); 0.9426 (1.0); 0.9246 (3.3); 0.9197 (4.0); 0.9031 (4.3); 0.8975 (3.4); 0.8811 (1.3); 0.6604 (1.2); 0.6447 (3.4); 0.6375 (4.1); 0.6267 (3.3); 0.6097 (1.0); 0.1141 (0.4); 0.0543 (0.5); 0.0436 (15.3); 0.0327 (0.6) I-090: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5678

(9.0); 7.9182 (0.7); 7.9009 (1.1); 7.8848 (0.6); 7.6785 (6.4); 7.6618 (5.6); 7.5315 (2.6); 7.5088 (1.5); 7.4806 (5.5); 7.4635 (4.1); 7.4583 (3.5); 7.4476 (1.8); 7.4409 (1.6); 7.4310 (1.8); 7.2994 (29.5); 4.4860 (1.4); 4.4654 (1.5); 4.4375 (3.1); 4.4171 (3.0); 4.3891 (1.6); 4.3686 (1.5); 4.1728 (0.3); 4.1488 (0.4); 2.0841 (1.5); 1.5788 (16.0); 1.3222 (1.2); 1.3058 (3.1); 1.2987 (3.4); 1.2749 (0.7); 0.9429 (1.0); 0.9212 (3.2); 0.8979 (1.2); 0.0497 (1.0); 0.0390 (28.5); 0.0282 (1.3) I-091: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2543 (1.4); 9.2351 (1.5); 7.8131 (6.2); 7.7246 (0.6); 7.7048 (1.7); 7.6856 (1.5); 7.6587 (1.3); 7.6442 (2.8); 7.6369 (7.5); 7.6279 (9.2); 7.6065 (1.3); 7.5728 (1.4); 7.5517 (1.1); 5.2156 (0.8); 5.1977 (1.2); 5.1796 (0.8); 3.3806 (61.2); 2.8934 (1.1); 2.7350 (1.0); 2.6169 (16.0); 2.5172 (5.7); 2.5128 (12.3); 2.5083 (16.7); 2.5038 (12.2); 2.4994 (6.0); 1.4706 (6.2); 1.4530 (6.2) I-092: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5933 (3.5); 7.5728 (3.8); 7.5697 (3.2); 7.5575 (0.3); 7.5521 (0.3); 7.4972 (1.7); 7.4363 (0.7); 7.4268 (1.4); 7.4192 (0.9); 7.4133 (0.6); 7.4005 (3.0); 7.3951 (3.3); 7.3898 (3.8); 7.3619 (0.5); 7.2986 (7.5); 6.6149 (0.4); 6.5947 (0.8); 6.5751 (0.4); 6.0797 (0.5); 6.0694 (0.5); 6.0560 (0.5); 6.0459 (0.5); 5.9241 (0.5); 5.9140 (0.5); 5.9005 (0.5); 5.8902 (0.5); 5.3367 (3.6); 4.2267 (0.3); 4.2164 (0.3); 4.2046 (0.3); 4.1943 (0.4); 4.1858 (0.8); 4.1622 (1.9); 4.1382 (1.9); 4.1259 (0.4); 4.1146 (1.1); 4.1039 (0.4); 4.0931 (0.5); 3.9309 (0.4); 3.9269 (0.4); 3.9074 (0.4); 3.8778 (0.6); 3.8583 (0.6); 3.8347 (0.4); 3.8288 (0.4); 2.4220 (16.0); 2.0777 (9.1); 2.0401 (0.4); 1.6210 (3.1); 1.3171 (2.1); 1.2932 (4.8); 1.2694 (2.1); 0.9947 (0.4); 0.9702 (0.8); 0.9458 (0.3); 0.1062 (0.4); 0.0356 (6.6) I-093: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5525 (0.4); 7.5262 (1.4); 7.5047 (4.2); 7.4832 (0.4); 7.4133 (3.8); 7.3868 (2.2); 7.3668 (0.9); 7.3578 (1.4); 7.3505 (0.9); 7.3432 (0.6); 7.3365 (0.9); 7.2983 (12.0); 7.1082 (2.2); 7.0500 (1.2); 7.0224 (1.0); 6.6085 (0.6); 6.5880 (1.1); 6.5680 (0.6); 4.8218 (0.3); 4.7868 (16.0); 4.5734 (11.3); 4.2706 (0.9); 4.2497 (0.8); 4.2211 (1.8); 4.2001 (1.7); 4.1715 (0.9); 4.1506 (0.9); 2.5347 (6.3); 2.3648 (8.4); 2.0422 (0.7); 1.6009 (4.7); 0.1074 (0.9); 0.0482 (0.5); 0.0376 (11.7); 0.0267 (0.5) I-094: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.1323 (0.4); 8.3939 (4.9); 7.6216 (0.4); 7.6175 (0.4); 7.6060 (3.6); 7.6025 (3.4); 7.5951 (1.5); 7.5905 (1.6); 7.5847 (1.8); 7.3479 (1.6); 7.2985 (6.0); 7.2863 (0.8); 7.2774 (0.9); 7.2655 (1.0); 7.2589 (0.9); 7.2478 (0.5); 7.0267 (1.7); 7.0012 (2.0); 6.9123 (1.9); 6.7390 (1.1); 6.7134 (0.9); 4.2143 (1.1); 4.1931 (2.0); 4.1750 (1.9); 4.1523 (1.1); 3.1164 (1.7); 3.0940 (2.8); 3.0719 (1.5); 2.7454 (1.0); 2.7349 (16.0); 2.3162 (10.9); 2.1973 (10.0); 1.5963 (1.4); 1.2950 (1.1); 0.0393 (6.1) I-095: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 11.8389 (1.6); 7.9539 (0.6); 7.8445 (5.6); 7.7185 (0.7); 7.6988 (2.0); 7.6793 (2.9); 7.6581 (8.4); 7.6506 (8.5); 7.6344 (1.6); 7.6293 (1.6); 7.5596 (2.4); 7.5227 (1.4); 7.5030 (1.1); 5.0568 (6.6); 3.3361 (28.8); 2.8932 (3.7); 2.7347 (3.3); 2.5975 (16.0); 2.5755 (0.5); 2.5090 (24.6); 2.5046 (31.1); 2.5002 (22.7); 1.2412 (1.0); -0.0002 (1.0) I-096: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9961 (5.0); 7.9874 (5.1); 7.8491 (5.0); 7.8435 (5.1); 7.6422 (0.4); 7.6158 (3.1); 7.6105 (2.8); 7.6057 (2.8); 7.5979 (7.6); 7.5949 (7.2); 7.4827 (3.9); 7.4627 (1.7); 7.4506 (2.1); 7.4437 (1.7); 7.4324 (1.5); 7.4244 (0.9); 7.3350 (3.4); 7.3048 (16.9); 7.0486 (4.1); 6.9415 (2.2); 6.9143 (2.0); 6.8446 (1.0); 6.8247 (1.8); 6.8039 (1.0); 6.6312 (3.4); 6.6249 (4.5); 6.6164 (3.2); 4.1403 (1.8); 4.1198 (1.7); 4.0918 (3.8); 4.0711 (3.6); 4.0431 (1.9); 4.0225 (1.8); 2.4671 (11.7); 2.3471 (0.5); 2.2917 (16.0); 1.6327 (11.0); 1.3108 (2.2); 0.9483 (0.8); 0.9267 (2.2); 0.9034 (0.9); 0.1151 (0.7); 0.0553 (0.6); 0.0446 (14.4); 0.0338 (0.5) I-097: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0618 (2.2); 9.0441 (2.2); 8.1378 (10.9); 7.7311 (0.8); 7.7120 (2.7); 7.6925 (3.0); 7.6803 (3.7); 7.6581 (4.7); 7.6404 (0.6); 7.5721 (2.3); 7.5522 (1.8); 7.4422 (4.2); 7.3385 (2.0); 7.3345 (1.8); 7.3183 (2.6); 7.3145 (2.5); 7.2073 (3.6); 7.1872 (2.7); 4.6964 (0.7); 4.6835 (1.4); 4.6650 (1.5); 4.6518 (0.8); 3.3217 (17.8); 3.3087 (1.5); 3.2861 (1.7); 3.2682 (2.7); 3.2501 (1.4); 3.2281 (1.7); 3.2097 (1.5); 2.9322 (1.5); 2.9198 (1.5); 2.8910 (1.3); 2.8762 (2.3); 2.8620 (1.6); 2.8336 (1.3); 2.8211 (1.3); 2.6711 (0.5); 2.5060 (70.2); 2.5017 (90.4); 2.4974 (65.2); 2.3330 (0.4); 2.3285 (0.5); 1.3973 (16.0); -0.0002 (8.0) I-098: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2571 (1.3); 9.2379 (1.3); 7.8122 (6.2); 7.7250 (0.6); 7.7058 (1.7); 7.6859 (1.5); 7.6590 (1.3); 7.6446 (2.7); 7.6371 (7.3); 7.6280 (8.9); 7.6064 (1.2); 7.5729 (1.4); 7.5513 (1.0); 5.2151 (0.8); 5.1969 (1.3); 5.1789 (0.8); 3.3912 (80.6); 2.8944 (1.0); 2.7361 (0.9);

2.6170 (16.0); 2.5312 (0.3); 2.5180 (6.5); 2.5137 (13.5); 2.5092 (18.0); 2.5047 (13.0); 2.5004 (6.3); 1.4705 (6.3); 1.4529 (6.2) I-099: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.2376 (7.4); 8.1332 (2.0); 8.0852 (16.0); 8.0124 (0.4); 7.7135 (1.3); 7.6937 (5.2); 7.6763 (14.2); 7.6611 (1.4); 7.6227 (2.4); 7.6026 (6.2); 7.5817 (10.2); 7.5616 (3.7); 7.5094 (7.4); 7.4747 (0.4); 7.4543 (4.4); 7.4372 (3.4); 4.3735 (3.8); 4.3577 (3.9); 4.3397 (8.0); 4.3239 (7.8); 4.3060 (4.1); 4.2902 (3.9); 2.3860 (0.6); 2.2210 (32.4); 2.1301 (7.2); 1.9512 (16.2); 1.9452 (28.6); 1.9391 (37.7); 1.9330 (26.6); 1.9269 (14.0); 1.2846 (0.4); 1.2684 (1.0); 0.1460 (0.4); -0.0002 (80.7); -0.1497 (0.4) I-100: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0114 (2.3); 7.6271 (0.6); 7.6161 (0.4); 7.5971 (1.8); 7.5852 (2.6); 7.5429 (0.3); 7.4915 (0.4); 7.4717 (2.1); 7.4501 (3.9); 7.4050 (3.8); 7.3838 (2.1); 7.3608 (1.1); 7.3453 (0.7); 7.3403 (0.7); 7.2784 (0.7); 7.2604 (25.4); 4.1834 (0.7); 4.1683 (0.7); 4.1477 (1.4); 4.1327 (1.4); 4.1120 (0.8); 4.0972 (0.8); 2.9550 (16.0); 2.8800 (14.9); 1.5752 (1.2); 1.5031 (0.6); -0.0002 (7.3) I-101: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1350 (5.2); 8.0915 (0.5); 8.0738 (0.8); 8.0544 (0.5); 7.6381 (0.7); 7.6119 (1.8); 7.5855 (1.3); 7.5176 (3.9); 7.4888 (4.9); 7.4202 (4.2); 7.3978 (2.4); 7.3929 (2.5); 7.3678 (1.1); 7.3649 (1.2); 7.3412 (0.9); 7.3381 (1.0); 7.3342 (0.8); 7.3042 (3.0); 6.9240 (1.1); 6.7363 (2.3); 6.5487 (1.2); 4.2744 (1.1); 4.2542 (1.1); 4.2273 (2.3); 4.2070 (2.2); 4.1802 (1.2); 4.1599 (1.1); 2.7630 (16.0); 1.6462 (0.5); 1.2986 (1.1); 0.0416 (2.9) I-102: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1299 (1.5); 9.1090 (1.5); 7.9529 (1.4); 7.9032 (6.4); 7.7318 (0.6); 7.7121 (1.6); 7.6930 (1.4); 7.6542 (1.8); 7.6335 (3.2); 7.5967 (1.3); 7.5746 (1.0); 7.2780 (1.9); 7.2534 (2.0); 6.9939 (3.0); 6.9777 (3.0); 5.2970 (0.4); 5.2785 (0.5); 5.2692 (0.5); 5.2600 (0.5); 5.2503 (0.5); 5.2320 (0.4); 3.3299 (38.6); 2.8928 (10.3); 2.7336 (8.9); 2.6292 (16.0); 2.5260 (0.6); 2.5212 (1.0); 2.5126 (13.9); 2.5082 (28.3); 2.5037 (37.1); 2.4991 (26.6); 2.4946 (12.8); 2.1696 (0.8); 2.1538 (0.9); 2.1363 (1.1); 2.1207 (1.0); 1.8413 (0.9); 1.8123 (1.1); 1.7797 (0.8); 1.3882 (10.6); 1.2957 (10.4); 1.2404 (0.8) I-103: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2346 (6.4); 8.1430 (0.9); 7.3331 (2.1); 7.3131 (2.4); 7.2602 (9.2); 7.1428 (2.0); 7.1230 (2.5); 7.0342 (2.5); 6.9938 (1.6); 6.9888 (1.7); 6.9741 (1.3); 6.9690 (1.5); 6.9590 (1.4); 6.9389 (1.3); 6.9150 (2.8); 6.9108 (2.4); 4.2337 (1.0); 4.2188 (1.0); 4.1976 (2.2); 4.1827 (2.2); 4.1614 (1.2); 4.1465 (1.1); 3.2133 (16.0); 2.9563 (2.3); 2.8838 (2.1); 2.4694 (7.1); 2.2947 (10.0); 1.5623 (6.1); -0.0002 (2.6) I-104: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2664 (0.3); 7.9976 (1.5); 7.5582 (1.5); 7.5385 (6.2); 7.5226 (16.0); 7.5051 (11.0); 7.4834 (14.0); 7.4552 (0.6); 7.4337 (0.8); 7.4056 (8.0); 7.3842 (13.4); 7.3628 (9.9); 7.3508 (3.4); 7.3441 (5.2); 7.3387 (3.6); 7.3336 (2.4); 7.3275 (3.6); 7.3222 (2.3); 7.2599 (117.9); 6.9960 (0.6); 6.3158 (2.0); 6.3002 (3.5); 6.2852 (1.9); 4.2229 (3.6); 4.2073 (3.6); 4.1863 (7.8); 4.1707 (7.4); 4.1497 (4.0); 4.1341 (3.7); 4.0036 (2.7); 2.9511 (11.2); 2.8722 (10.0); 1.9601 (1.1); 1.9454 (2.5); 1.9383 (2.5); 1.9308 (1.7); 1.9237 (4.9); 1.9167 (1.7); 1.9090 (2.7); 1.9020 (2.7); 1.8873 (1.3); 1.5433 (160.8); 1.5032 (0.6); 1.2722 (0.4); 1.2653 (0.4); 1.2596 (0.5); 1.2530 (0.6); 1.1783 (0.3); 1.1645 (2.2); 1.1504 (6.7); 1.1480 (7.6); 1.1446 (5.4); 1.1345 (3.9); 1.1291 (7.3); 1.1264 (7.1); 1.1133 (2.9); 1.0980 (0.5); 1.0922 (0.4); 1.0828 (0.5); 1.0765 (0.7); 1.0628 (0.4); 1.0560 (0.4); 0.9851 (0.4); 0.9695 (0.4); 0.9474 (3.0); 0.9324 (9.2); 0.9178 (8.6); 0.9040 (2.0); 0.7916 (0.4); 0.7794 (0.4); 0.0079 (1.6); -0.0002 (34.5); -0.0084 (1.8) I-105: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1263 (0.3); 7.7723 (0.4); 7.7604 (3.0); 7.6086 (0.6); 7.5835 (1.4); 7.5783 (1.8); 7.5736 (1.9); 7.4891 (0.8); 7.4370 (0.4); 7.4308 (0.6); 7.4238 (0.4); 7.4096 (0.6); 7.4055 (0.6); 7.3823 (1.2); 7.3768 (1.3); 7.3676 (1.7); 7.3400 (0.3); 7.2986 (5.6); 3.8095 (0.3); 3.2100 (16.0); 0.1065 (0.6); 0.0364 (4.4) I-106: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9558 (2.5); 8.9494 (2.6); 7.9244 (2.7); 7.9180 (2.6); 7.5996 (1.0); 7.5785 (3.2); 7.5157 (1.5); 7.4831 (0.7); 7.4741 (1.1); 7.4669 (0.7); 7.4603 (0.4); 7.4518 (0.6); 7.4451 (0.4); 7.2988 (14.9); 7.2761 (1.6); 7.0473 (1.6); 6.9634 (0.8); 6.9365 (0.7); 6.5245 (0.4); 6.5045 (0.7); 6.4841 (0.4); 5.3381 (0.3); 4.1064 (0.7); 4.0857 (0.7); 4.0570 (1.6); 4.0363 (1.5); 4.0075 (0.8); 3.9869 (0.8); 2.4480 (4.6); 2.4408 (2.6); 2.3000 (6.2); 2.2757 (0.3); 1.6109 (16.0); 0.0487 (0.5); 0.0378 (13.2); 0.0268 (0.5) I-107: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1235 (1.4); 9.1030 (1.4); 7.8225 (6.6); 7.7165 (0.5); 7.6963 (1.6); 7.6775 (1.3); 7.6363 (1.8); 7.6185 (3.5); 7.5731 (1.3); 7.5511 (1.1); 7.1053 (1.4); 7.0872 (1.5); 7.0324 (1.3);

7.0144 (1.5); 6.7283 (16); 6.7095 (2.7); 6.6908 (1.3); 5.2492 (0.4); 5.2339 (0.9); 5.2148 (0.9); 5.1994 (0.4); 4.2834 (0.9); 4.2748 (0.8); 4.2655 (1.2); 4.2541 (1.2); 4.2430 (0.8); 4.2346 (1.0); 4.2150 (0.3); 3.3329 (33.2); 2.6052 (16.0); 2.5250 (0.5); 2.5203 (0.7); 2.5116 (9.0); 2.5072 (18.5); 2.5027 (24.4); 2.4981 (17.7); 2.4937 (8.6); 2.1630 (0.4); 2.1600 (0.4); 2.1481 (0.5); 2.1397 (0.6); 2.1339 (0.5); 2.1279 (0.6); 2.1146 (0.7); 2.1029 (12.0); 2.0125 (0.4); 2.0034 (0.6); 1.9956 (0.7); 1.9864 (0.5); 1.9780 (0.6); 1.9693 (0.4); 1.9610 (0.4); 1.2406 (0.4) I-108: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1047 (1.5); 9.0894 (3.0); 9.0734 (1.4); 8.7025 (4.9); 8.6969 (4.8); 8.3163 (0.5); 8.0824 (16.0); 7.9229 (3.0); 7.9169 (3.0); 7.9018 (3.8); 7.8958 (3.7); 7.7473 (1.1); 7.7281 (3.6); 7.7100 (8.9); 7.6969 (4.8); 7.6903 (6.0); 7.6773 (1.6); 7.6163 (4.8); 7.5487 (2.7); 7.5291 (2.1); 4.2781 (1.5); 4.2625 (1.5); 4.2428 (3.4); 4.2270 (3.3); 4.2071 (1.7); 4.1915 (1.6); 3.9028 (0.8); 3.3274 (168.0); 2.6758 (1.3); 2.6713 (1.8); 2.6667 (1.3); 2.5415 (1.3); 2.5246 (7.2); 2.5112 (122.4); 2.5068 (235.1); 2.5023 (298.1); 2.4978 (213.9); 2.4934 (104.7); 2.3336 (1.3); 2.3291 (1.8); 2.3247 (1.3); 1.2357 (0.4); -0.0002 (1.3) I-109: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2829 (9.4); 7.6427 (0.9); 7.6167 (2.4); 7.5997 (1.9); 7.5736 (2.2); 7.5475 (0.8); 7.3016 (14.6); 7.2108 (0.8); 7.1949 (0.8); 7.1468 (2.5); 7.0389 (1.4); 7.0214 (2.7); 7.0132 (1.5); 6.9966 (2.7); 6.7785 (1.6); 6.7527 (1.4); 6.7064 (2.9); 3.6600 (0.5); 3.6468 (0.6); 3.6413 (0.6); 3.6353 (0.8); 3.6281 (0.7); 3.6201 (0.9); 3.6171 (0.9); 3.6097 (0.7); 3.6022 (0.8); 3.5963 (0.6); 3.5910 (0.6); 3.5777 (0.4); 2.4036 (0.5); 2.3752 (1.5); 2.3501 (1.5); 2.3336 (16.0); 2.0495 (0.5); 1.9991 (14.8); 1.5986 (7.0); 1.5716 (1.0); 1.5506 (1.4); 1.5418 (1.0); 1.5270 (1.2); 1.5208 (1.3); 1.5182 (1.2); 1.4972 (0.9); 1.2027 (0.9); 1.1897 (1.0); 1.1806 (1.4); 1.1674 (1.3); 1.1587 (0.9); 1.1457 (0.8); 0.0512 (0.5); 0.0403 (14.6); 0.0294 (0.5) I-110: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2787 (1.2); 9.2633 (2.7); 9.2476 (1.4); 7.8781 (6.6); 7.8031 (0.8); 7.7839 (2.4); 7.7632 (2.3); 7.7422 (3.6); 7.7228 (1.7); 7.6010 (7.8); 7.5846 (2.3); 7.3860 (4.2); 7.3829 (6.7); 7.3797 (4.2); 7.1959 (3.5); 7.1759 (4.1); 7.1641 (6.3); 7.0439 (4.4); 6.8587 (2.4); 6.8393 (2.2); 5.7502 (9.8); 4.0205 (1.2); 4.0043 (1.2); 3.9831 (2.6); 3.9675 (2.5); 3.9458 (1.4); 3.9302 (1.3); 3.3007 (32.3); 2.5043 (13.8); 2.4999 (18.8); 2.4955 (14.1); 2.3428 (11.6); 2.1972 (16.0); 2.1618 (0.4); 1.9872 (0.4); 1.2358 (0.5); 1.1748 (0.3); 0.0080 (0.4); -0.0002 (11.4) I-111: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1076 (0.4); 7.7211 (3.1); 7.5944 (0.7); 7.5694 (1.7); 7.4914 (1.1); 7.4624 (2.6); 7.4006 (2.3); 7.3732 (1.2); 7.2983 (1.2); 4.2537 (0.5); 4.2334 (0.5); 4.2069 (1.0); 4.1866 (1.0); 4.1600 (0.5); 4.1398 (0.5); 3.2051 (16.0); 3.0767 (0.5); 0.0339 (1.0) I-112: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0776 (0.7); 9.0620 (1.4); 9.0458 (0.7); 8.3097 (3.3); 7.8519 (0.3); 7.7379 (0.6); 7.7187 (1.8); 7.6990 (1.6); 7.6821 (0.4); 7.6693 (1.9); 7.6581 (6.4); 7.6502 (1.3); 7.5865 (2.4); 7.5447 (0.3); 7.5312 (1.4); 7.5152 (3.1); 7.4948 (2.5); 7.4304 (2.7); 7.1159 (1.3); 7.0957 (1.2); 4.2724 (0.6); 4.2577 (0.7); 4.2378 (1.4); 4.2221 (1.4); 4.2025 (0.7); 4.1871 (0.7); 3.9296 (1.2); 3.9240 (1.4); 3.9049 (1.3); 3.8970 (1.8); 3.4101 (1.4); 3.4011 (1.3); 3.3823 (2.4); 3.3744 (2.4); 3.3239 (957.9); 2.7594 (0.4); 2.7442 (0.6); 2.7326 (0.8); 2.7117 (1.0); 2.6899 (1.1); 2.6805 (1.6); 2.6760 (3.2); 2.6714 (4.4); 2.6668 (3.1); 2.6623 (1.5); 2.6279 (0.3); 2.5912 (2.3); 2.5799 (16.0); 2.5416 (166.2); 2.5248 (13.7); 2.5200 (20.7); 2.5114 (264.0); 2.5070 (519.0); 2.5024 (672.3); 2.4979 (482.6); 2.4934 (231.0); 2.3683 (0.6); 2.3384 (1.4); 2.3338 (3.1); 2.3293 (4.2); 2.3248 (3.0); 2.3203 (1.4); 2.2950 (1.1); 1.5955 (2.1); 1.5878 (2.2); 1.5732 (3.0); 1.5633 (2.0); 1.5455 (0.7); 1.5347 (0.8); 1.2601 (0.4); 1.2460 (0.5); 1.2352 (0.5); -0.0002 (6.2) I-113: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.3305 (6.6); 8.3262 (7.3); 8.1733 (1.9); 8.1489 (7.7); 8.1445 (7.6); 8.0917 (16.0); 8.0076 (0.4); 7.7130 (1.2); 7.6933 (4.5); 7.6751 (12.4); 7.6578 (1.3); 7.5175 (6.2); 7.4795 (0.3); 7.4632 (2.3); 7.4579 (4.0); 7.4530 (2.5); 7.4403 (2.9); 5.4456 (0.4); 4.4402 (3.4); 4.4239 (3.5); 4.4072 (7.2); 4.3909 (7.1); 4.3742 (3.7); 4.3579 (3.6); 4.0854 (0.3); 4.0677 (1.0); 4.0498 (1.0); 4.0320 (0.3); 2.1297 (19.9); 2.1068 (0.3); 1.9713 (4.3); 1.9636 (1.5); 1.9575 (3.5); 1.9517 (18.3); 1.9455 (33.3); 1.9394 (44.8); 1.9332 (31.4); 1.9271 (16.6); 1.2676 (0.7); 1.2215 (1.1); 1.2037 (2.2); 1.1859 (1.1); 0.1457 (0.5); 0.0077 (4.3); -0.0002 (104.0); -0.0083 (5.3); -0.1499 (0.5) I-114: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5875 (0.5); 7.5613 (3.0); 7.5536 (2.7); 7.5488 (3.0); 7.5426 (7.8); 7.5394 (7.6); 7.4580 (3.6); 7.4349 (0.6); 7.4282 (0.5);

7.4196 (1.6); 7.4084 (2.4); 7.3982 (4.6); 7.3894 (1.9); 7.3806 (1.2); 7.3715 (4.1); 7.2986 (12.4); 7.0848 (4.0); 7.0045 (2.2); 6.9782 (1.9); 6.5072 (1.0); 6.4873 (1.9); 6.4672 (1.0); 4.2891 (1.8); 4.2687 (1.8); 4.2394 (3.9); 4.2190 (3.7); 4.1897 (2.0); 4.1693 (1.9); 2.5186 (12.0); 2.5119 (6.9); 2.3567 (0.4); 2.3218 (16.0); 2.0392 (1.0); 1.9886 (0.6); 1.9689 (1.2); 1.9595 (1.2); 1.9495 (0.8); 1.9401 (2.5); 1.9308 (0.8); 1.9204 (1.3); 1.9111 (1.4); 1.8916 (0.7); 1.6081 (12.4); 1.4517 (0.6); 1.4307 (0.6); 1.2927 (5.1); 1.2177 (0.3); 1.1934 (1.2); 1.1766 (3.2); 1.1705 (3.9); 1.1658 (2.9); 1.1532 (2.0); 1.1469 (3.4); 1.1421 (3.4); 1.1249 (1.6); 1.1044 (0.4); 0.9935 (1.7); 0.9739 (4.4); 0.9545 (4.2); 0.9355 (1.2); 0.9179 (0.5); 0.9091 (0.4); 0.8942 (0.5); 0.8676 (0.3); 0.0483 (0.4); 0.0376 (11.4); 0.0266 (0.5) I-115: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5944 (0.4); 7.5656 (4.4); 7.5605 (3.3); 7.5483 (7.4); 7.4517 (3.8); 7.4247 (0.6); 7.4110 (1.7); 7.3908 (5.2); 7.3818 (1.8); 7.3641 (4.3); 7.2986 (8.7); 7.1072 (4.2); 7.0352 (2.3); 7.0087 (1.9); 6.8275 (1.0); 6.8070 (1.9); 6.7866 (1.0); 5.3988 (0.6); 5.3819 (1.7); 5.3627 (2.9); 5.3459 (2.0); 5.3270 (0.7); 4.8806 (1.6); 4.8531 (6.9); 4.8361 (9.2); 4.8224 (6.7); 4.8120 (1.9); 4.7955 (1.1); 4.2476 (1.6); 4.2269 (1.6); 4.1983 (3.4); 4.1776 (3.4); 4.1539 (1.2); 4.1489 (1.8); 4.1290 (1.8); 2.9674 (0.4); 2.8545 (0.3); 2.5190 (11.8); 2.5125 (7.1); 2.3724 (0.8); 2.3460 (16.0); 2.3052 (0.3); 2.0727 (2.5); 1.3150 (0.9); 1.2916 (2.8); 1.2674 (0.9); 0.3055 (0.4); 0.1938 (0.5); 0.1760 (1.1); 0.1223 (4.6); 0.1104 (100.1); 0.0982 (4.9); 0.0385 (7.4); 0.0276 (0.4); -0.0876 (0.4) I-116: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0741 (1.4); 9.0547 (1.4); 7.7418 (0.6); 7.7204 (7.1); 7.7025 (1.5); 7.6826 (1.8); 7.6628 (0.8); 7.6192 (2.1); 7.5188 (1.1); 7.4988 (0.9); 7.2622 (3.4); 7.2412 (4.2); 7.0720 (0.5); 7.0656 (4.6); 7.0610 (1.5); 7.0446 (3.8); 5.7574 (0.3); 4.7742 (0.5); 4.7624 (0.6); 4.7545 (0.6); 4.7498 (0.7); 4.7431 (0.7); 4.7382 (0.6); 4.7302 (0.6); 4.7185 (0.5); 3.6840 (16.0); 3.3323 (111.8); 3.3055 (0.3); 3.1983 (0.7); 3.1865 (0.7); 3.1635 (1.0); 3.1519 (0.9); 3.0322 (1.0); 3.0075 (1.0); 2.9975 (0.8); 2.9730 (0.7); 2.6710 (0.3); 2.5969 (14.7); 2.5245 (0.9); 2.5111 (20.8); 2.5067 (42.9); 2.5022 (56.8); 2.4977 (41.3); 2.4932 (20.3); 2.3289 (0.3); -0.0002 (0.4) I-117: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0548 (1.5); 9.0345 (1.5); 7.7689 (5.9); 7.7295 (0.7); 7.7096 (1.9); 7.6904 (1.5); 7.6566 (4.3); 7.6359 (1.1); 7.5817 (1.5); 7.5621 (1.1); 7.0772 (1.4); 7.0550 (3.9); 6.9489 (2.3); 6.9297 (1.7); 5.0681 (0.8); 5.0496 (1.2); 5.0313 (0.8); 3.3537 (40.0); 3.3502 (40.8); 2.8903 (2.0); 2.7316 (1.8); 2.6495 (1.3); 2.6362 (2.6); 2.6209 (1.5); 2.6009 (16.0); 2.5735 (0.4); 2.5462 (0.6); 2.5259 (1.6); 2.5118 (9.8); 2.5077 (19.0); 2.5032 (25.0); 2.4988 (18.5); 2.4945 (9.5); 2.4686 (0.3); 1.6631 (3.4); 1.6558 (2.9); 1.6483 (3.4); 1.6188 (0.5); 1.4062 (6.2); 1.3887 (6.2); 1.2402 (0.4) I-118: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2244 (1.5); 9.2035 (1.5); 7.9224 (0.4); 7.8490 (6.6); 7.7213 (0.6); 7.7010 (1.7); 7.6805 (1.4); 7.6548 (0.4); 7.6413 (2.0); 7.6256 (3.2); 7.6235 (3.2); 7.5871 (1.4); 7.5649 (1.1); 7.1938 (1.1); 7.1868 (1.2); 7.1667 (2.0); 7.1627 (1.4); 7.1524 (1.4); 7.1445 (1.8); 7.1306 (1.7); 7.0451 (0.9); 7.0380 (0.8); 7.0241 (1.4); 7.0170 (1.2); 7.0026 (0.6); 6.9955 (0.6); 5.2416 (0.4); 5.2220 (0.8); 5.2103 (0.8); 5.2028 (0.6); 5.1908 (0.4); 3.3376 (58.8); 3.1596 (0.3); 3.1497 (0.4); 3.1376 (0.9); 3.1277 (0.8); 3.1179 (0.8); 3.1074 (0.7); 3.0969 (0.7); 3.0869 (0.8); 3.0768 (0.8); 3.0670 (0.9); 3.0552 (0.4); 3.0448 (0.3); 2.6323 (1.2); 2.6140 (16.0); 2.5257 (0.6); 2.5210 (0.8); 2.5121 (10.9); 2.5078 (22.2); 2.5033 (29.4); 2.4988 (21.5); 2.4944 (10.6); 2.2080 (0.6); 2.1971 (0.8); 2.1872 (0.8); 2.1774 (1.0); 2.1672 (0.8); 2.1576 (0.8); 2.1477 (0.8); 2.1383 (0.4); 2.1285 (0.5); 1.2398 (0.4) I-119: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5359 (0.3); 7.5190 (3.0); 7.5092 (4.4); 7.4104 (2.4); 7.3383 (0.8); 7.3302 (1.2); 7.3271 (1.1); 7.3209 (0.9); 7.2579 (2.9); 7.0067 (1.9); 6.9915 (2.5); 6.9464 (2.9); 6.8477 (1.6); 6.8324 (1.3); 6.3986 (1.0); 4.1142 (0.9); 4.0484 (16.0); 3.7468 (1.1); 3.7335 (2.9); 3.7207 (3.0); 3.7073 (1.1); 2.9127 (2.0); 2.8988 (3.9); 2.8851 (1.9); 2.3115 (0.9); 2.2892 (0.9); 2.2844 (0.8); 2.2715 (12.9); 2.2470 (12.0); 2.1884 (0.4); 1.5738 (1.9); 1.2559 (0.9); -0.0002 (2.5) I-120: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5382 (3.3); 7.5340 (2.3); 7.5245 (4.9); 7.5211 (5.8); 7.4283 (3.5); 7.4154 (1.5); 7.4065 (1.1); 7.4009 (1.9); 7.3943 (1.3); 7.3851 (1.0); 7.3769 (0.7); 7.3240 (4.0); 7.2985 (12.6); 7.1766 (4.8); 7.1503 (3.4); 6.4488 (1.3); 6.4220 (1.4); 5.4046 (1.1); 5.3802 (1.4); 5.3555 (1.1); 2.3627 (16.0); 2.3218 (0.4); 1.9456 (0.4); 1.9259 (1.0); 1.9167 (1.0); 1.9065 (0.7); 1.8970 (1.9); 1.8886 (0.6); 1.8775 (1.1); 1.8682 (1.1); 1.8486 (0.6); 1.6565

(9.7); 1.6334 (10.5); 1.6237 (4.3); 1.5908 (0.5); 1.1326 (0.7); 1.1366 (0.7); 1.1200 (0.8); 1.1140 (1.1); 1.1072 (1.5); 1.1018 (1.0); 1.0909 (0.8); 1.0868 (0.7); 1.0779 (1.0); 1.0724 (0.9); 1.0654 (1.0); 1.0559 (1.0); 1.0520 (0.9); 1.0409 (1.0); 1.0371 (1.0); 1.0271 (1.2); 1.0235 (1.5); 1.0123 (0.8); 0.9960 (0.6); 0.9875 (0.5); 0.9824 (0.7); 0.9732 (0.5); 0.9602 (0.8); 0.9527 (1.6); 0.9421 (3.7); 0.9330 (2.4); 0.9226 (3.6); 0.9162 (1.6); 0.9124 (1.2); 0.9079 (1.0); 0.0375 (6.6) I-121: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3205 (1.3); 9.3049 (2.7); 9.2892 (1.3); 8.3005 (1.8); 8.2811 (3.7); 8.2612 (2.2); 8.0755 (14.7); 7.9528 (2.4); 7.8805 (5.0); 7.8618 (4.6); 7.8157 (0.7); 7.8071 (0.6); 7.7866 (0.5); 7.7368 (4.6); 7.7321 (4.8); 7.6975 (0.6); 7.6790 (0.5); 7.6658 (0.9); 7.6557 (0.4); 7.5822 (4.4); 7.5704 (4.6); 7.5615 (4.4); 7.5490 (5.3); 7.5354 (0.4); 7.5140 (1.0); 7.5001 (0.6); 7.4956 (0.5); 7.3016 (2.7); 7.2966 (2.8); 7.2805 (2.4); 7.2754 (2.4); 5.0320 (0.4); 4.2118 (1.3); 4.1958 (1.4); 4.1770 (3.0); 4.1612 (2.9); 4.1419 (1.5); 4.1263 (1.4); 3.3014 (32.4); 2.8907 (16.0); 2.7315 (14.0); 2.5094 (7.5); 2.5053 (15.4); 2.5008 (21.1); 2.4964 (15.4); 0.0079 (0.4); -0.0002 (9.7); -0.0083 (0.4) I-122: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1030 (1.8); 9.0875 (3.8); 9.0719 (1.8); 7.9609 (2.6); 7.8644 (7.1); 7.6340 (2.1); 7.6142 (5.0); 7.5945 (3.3); 7.5549 (15.0); 7.4960 (8.0); 7.4750 (11.5); 7.4441 (5.1); 7.4402 (5.0); 7.4231 (2.4); 7.4190 (2.5); 7.3829 (6.0); 7.3434 (3.4); 7.3232 (2.9); 7.2296 (2.8); 7.0903 (6.1); 6.9511 (3.0); 4.2765 (1.7); 4.2609 (1.9); 4.2420 (3.8); 4.2265 (3.7); 4.2076 (2.0); 4.1919 (1.8); 3.3117 (31.6); 2.8985 (16.0); 2.7397 (14.5); 2.5129 (14.0); 2.5087 (18.6); 2.5045 (14.0); 2.3118 (0.7); 2.2996 (1.6); 2.2909 (1.8); 2.2789 (3.2); 2.2669 (2.0); 2.2585 (1.7); 2.2463 (0.9); 1.0960 (1.4); 1.0846 (4.0); 1.0781 (5.8); 1.0693 (3.7); 1.0640 (4.1); 1.0577 (5.2); 1.0493 (2.4); 1.0332 (0.8); 1.0202 (0.6); 1.0134 (0.6); 0.9965 (2.4); 0.9879 (5.8); 0.9824 (5.7); 0.9763 (6.3); 0.9701 (5.2); 0.9584 (1.6) I-123: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0619 (1.9); 7.9539 (0.8); 7.8006 (4.9); 7.7519 (2.8); 7.7475 (1.5); 7.7306 (4.6); 7.7071 (1.0); 7.6621 (3.1); 7.6458 (4.6); 7.6288 (1.0); 7.6244 (2.7); 7.5991 (1.0); 7.5810 (0.7); 3.3721 (23.4); 3.3642 (38.9); 2.8927 (5.7); 2.7340 (4.8); 2.6448 (0.6); 2.6194 (12.1); 2.5149 (5.8); 2.5105 (12.3); 2.5060 (16.6); 2.5014 (11.9); 2.4970 (5.8); 1.6319 (16.0); 1.2996 (0.4) I-124: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5861 (3.7); 7.5823 (3.8); 7.5786 (2.9); 7.5712 (2.4); 7.5455 (3.5); 7.5196 (2.1); 7.5000 (0.6); 7.4949 (0.6); 7.4016 (8.2); 7.3980 (7.9); 7.3626 (1.4); 7.3352 (1.9); 7.3060 (3.7); 7.2985 (11.5); 7.2934 (4.4); 7.2012 (0.4); 7.1953 (0.5); 7.1854 (0.5); 6.4393 (1.3); 6.0962 (0.8); 6.0857 (0.9); 6.0803 (0.6); 6.0737 (0.9); 6.0631 (0.7); 5.9413 (0.8); 5.9306 (0.8); 5.9247 (0.6); 5.9187 (0.9); 5.9079 (0.7); 4.2770 (0.4); 4.2660 (0.4); 4.2557 (0.4); 4.2447 (0.4); 4.2283 (0.5); 4.2176 (0.5); 4.2067 (0.6); 4.1957 (0.7); 4.1913 (0.8); 4.1791 (0.6); 4.1683 (1.3); 4.1629 (0.7); 4.1443 (1.3); 4.1308 (0.6); 4.1204 (0.8); 4.0035 (0.4); 3.9838 (0.6); 3.9612 (0.5); 3.9548 (0.5); 3.9292 (0.7); 3.9090 (0.8); 3.8862 (0.6); 3.8800 (0.6); 3.8606 (0.7); 3.8422 (0.5); 3.1032 (0.5); 2.6412 (15.4); 2.6363 (7.6); 2.6255 (2.5); 2.3421 (16.0); 2.3374 (7.4); 2.0801 (4.4); 2.0750 (1.8); 1.8674 (0.7); 1.3192 (1.2); 1.3140 (0.6); 1.2954 (2.6); 1.2904 (1.2); 1.2716 (1.2); 1.2666 (0.5); 0.0372 (12.3); 0.0321 (4.7) I-125: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3180 (14.0); 7.8980 (1.3); 7.5322 (1.6); 7.5226 (2.3); 7.5135 (1.7); 7.5038 (2.3); 7.4957 (1.1); 7.4823 (1.2); 7.4655 (1.6); 7.4531 (2.0); 7.4421 (1.2); 7.4065 (2.4); 7.3775 (6.3); 7.3516 (4.4); 7.3016 (22.6); 7.0918 (3.9); 7.0171 (2.2); 6.9906 (1.8); 5.3412 (1.8); 4.3071 (2.1); 4.2873 (2.0); 4.2586 (4.4); 4.2389 (4.2); 4.2101 (2.2); 4.1903 (2.1); 2.5221 (6.5); 2.5151 (11.8); 2.5077 (6.5); 2.3704 (0.5); 2.3394 (16.0); 1.5946 (9.9); 0.0512 (0.6); 0.0404 (18.1); 0.0295 (0.6) I-126: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9872 (1.1); 7.5531 (0.5); 7.5336 (2.2); 7.5177 (5.7); 7.4086 (2.9); 7.3646 (1.1); 7.3582 (1.9); 7.3528 (1.4); 7.3420 (1.3); 7.2596 (14.4); 7.0336 (2.4); 7.0145 (2.9); 6.9679 (3.2); 6.8670 (1.8); 6.8483 (1.4); 6.0100 (0.7); 5.9964 (1.3); 5.9819 (0.7); 3.7789 (1.4); 3.7618 (3.6); 3.7466 (3.6); 3.7296 (1.4); 2.9550 (2.9); 2.9480 (8.3); 2.9382 (4.9); 2.9209 (2.2); 2.8691 (6.9); 2.2999 (16.0); 2.2807 (1.3); 2.2542 (14.8); 2.1940 (0.5); 2.1584 (0.6); 1.9213 (0.4); 1.9068 (0.9); 1.8998 (0.9); 1.8922 (0.6); 1.8851 (1.8); 1.8782 (0.7); 1.8704 (1.0); 1.8634 (1.0); 1.8488 (0.5); 1.5549 (21.2); 1.1427 (0.8); 1.1262 (2.8); 1.1132 (1.5); 1.1078 (2.6); 1.1047 (2.5); 1.0919 (1.0); 0.9504 (1.1); 0.9353 (3.4); 0.9210 (3.1); 0.9071 (0.7); -0.0002 (4.2) I-127: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ =

13.2756 (0.4); 9.2965 (1.2); 9.2840 (2.5); 9.2715 (1.2); 8.2917 (1.7); 8.2759 (3.2); 8.2600 (1.9); 8.1212 (9.9); 8.1025 (0.4); 8.0865 (0.7); 8.0706 (0.4); 7.9536 (2.6); 7.8855 (1.0); 7.8734 (4.2); 7.8587 (4.1); 7.6947 (0.8); 7.6796 (0.8); 7.6482 (1.0); 7.6301 (0.4); 7.5995 (0.4); 7.5807 (3.7); 7.5640 (3.6); 7.5543 (5.2); 7.5373 (6.8); 7.5166 (7.2); 7.4394 (6.4); 7.4224 (4.9); 4.9358 (0.3); 4.9081 (0.7); 4.8801 (0.4); 4.0594 (1.2); 4.0468 (1.2); 4.0313 (2.6); 4.0188 (2.5); 4.0032 (1.3); 3.9907 (1.2); 3.3247 (25.0); 2.8909 (16.0); 2.7316 (14.3); 2.5055 (14.6); 2.5023 (18.7); 2.4990 (13.7); -0.0002 (5.8) I-128: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9035 (1.9); 8.8135 (1.8); 8.8051 (1.8); 8.1862 (5.2); 7.9331 (1.3); 7.9267 (1.9); 7.9202 (1.2); 7.8980 (0.5); 7.8803 (0.7); 7.8609 (0.4); 7.4736 (1.8); 7.4453 (4.5); 7.4400 (2.0); 7.3141 (1.7); 7.3071 (1.7); 7.2994 (6.7); 7.2862 (1.2); 7.2795 (1.1); 6.1404 (0.5); 6.1301 (0.5); 6.1153 (0.5); 6.1050 (0.5); 5.9844 (0.5); 5.9739 (0.5); 5.9592 (0.5); 5.9489 (0.5); 5.3367 (0.5); 4.3320 (0.4); 4.3215 (0.4); 4.3091 (0.3); 4.2985 (0.4); 4.2370 (0.4); 4.2265 (0.4); 4.2140 (0.4); 4.2035 (0.3); 3.8773 (0.4); 3.8607 (0.4); 3.8520 (0.4); 3.8354 (0.4); 3.8286 (0.4); 3.8110 (0.6); 3.8033 (0.4); 3.7938 (0.4); 3.7861 (0.6); 3.7686 (0.4); 3.7617 (0.3); 2.7864 (16.0); 2.7755 (0.8); 2.7415 (0.5); 2.0813 (0.6); 1.6346 (2.4); 1.2948 (0.4); 1.2897 (0.4); 0.0349 (5.7) I-129: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0912 (1.1); 9.0711 (1.1); 7.9526 (0.5); 7.7893 (4.8); 7.7245 (0.5); 7.7043 (1.5); 7.6839 (1.3); 7.6470 (1.8); 7.6345 (2.4); 7.6314 (2.6); 7.5706 (1.2); 7.5497 (0.9); 7.2544 (1.1); 7.2495 (1.3); 7.2226 (1.1); 7.2176 (1.3); 7.1619 (0.8); 7.1401 (1.3); 7.1365 (1.3); 7.0812 (1.4); 7.0594 (2.1); 7.0378 (0.9); 5.1043 (0.7); 5.0859 (1.1); 5.0676 (0.7); 3.7899 (16.0); 3.4045 (20.1); 3.3939 (20.2); 3.3792 (59.0); 2.8919 (3.3); 2.7334 (2.9); 2.6069 (13.8); 2.5154 (5.6); 2.5110 (11.8); 2.5065 (16.0); 2.5020 (11.6); 2.4975 (5.6); 1.4194 (5.3); 1.4020 (5.3) I-130: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7715 (4.4); 7.6348 (5.9); 7.6004 (2.8); 7.5950 (2.7); 7.5904 (2.7); 7.5829 (6.1); 7.5800 (5.8); 7.4578 (3.8); 7.4434 (1.6); 7.4313 (1.8); 7.4243 (1.4); 7.4133 (1.3); 7.4053 (0.8); 7.3365 (2.8); 7.3098 (3.6); 7.2983 (13.5); 7.0445 (3.4); 6.9311 (1.9); 6.9043 (1.6); 6.8034 (0.9); 6.7840 (1.6); 6.7643 (0.9); 4.1545 (1.4); 4.1339 (1.4); 4.1060 (3.0); 4.0854 (2.9); 4.0574 (1.5); 4.0370 (1.4); 2.4706 (9.7); 2.3412 (0.4); 2.2863 (12.9); 2.2133 (16.0); 2.0431 (0.3); 1.6032 (5.4); 0.1086 (0.5); 0.0387 (16.1) I-131: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5676 (1.5); 7.5480 (6.4); 7.5325 (16.0); 7.5184 (1.8); 7.4845 (9.9); 7.4632 (14.5); 7.4260 (8.2); 7.3827 (14.7); 7.3610 (12.3); 7.3500 (3.9); 7.2596 (51.8); 6.6843 (4.6); 6.6549 (5.1); 6.6400 (5.4); 6.6105 (5.6); 6.2940 (2.1); 6.2790 (3.7); 6.2647 (2.0); 6.0283 (10.3); 5.9840 (9.0); 5.7952 (10.2); 5.7657 (9.5); 4.1719 (3.7); 4.1562 (3.7); 4.1360 (7.7); 4.1202 (7.3); 4.0999 (3.9); 4.0842 (3.7); 1.5402 (40.9); 1.3050 (0.7); 1.2654 (3.1); 0.8987 (1.5); 0.8821 (3.7); 0.8645 (1.6); -0.0002 (49.7) I-132: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2424 (16.0); 8.0141 (1.9); 7.5978 (1.7); 7.5782 (5.1); 7.5664 (3.8); 7.5469 (4.3); 7.5273 (1.5); 7.2597 (29.6); 7.1837 (6.3); 7.1036 (8.2); 7.0835 (4.2); 7.0699 (3.0); 7.0504 (2.8); 6.9828 (3.4); 6.9632 (6.5); 6.9438 (3.4); 6.8488 (3.4); 6.8291 (2.5); 3.4883 (0.8); 3.4767 (1.4); 3.4688 (1.6); 3.4576 (2.7); 3.4462 (1.7); 3.4385 (1.6); 3.4270 (0.9); 2.9530 (14.7); 2.8805 (13.3); 2.5035 (1.1); 2.4834 (2.6); 2.4639 (2.6); 2.4439 (1.2); 1.5522 (14.9); 1.5296 (3.1); 1.5249 (2.2); 1.5123 (2.2); 1.5075 (2.9); 1.4900 (1.7); 1.1968 (1.7); 1.1859 (1.9); 1.1799 (3.1); 1.1692 (3.1); 1.1633 (1.8); 1.1524 (1.5); 0.0080 (0.4); -0.0002 (12.4) I-133: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6229 (2.6); 7.6055 (3.6); 7.4812 (1.8); 7.4480 (0.8); 7.4393 (0.8); 7.4331 (1.1); 7.4265 (0.9); 7.4178 (0.7); 7.4096 (0.5); 7.3724 (1.7); 7.3458 (2.0); 7.2988 (2.5); 7.0966 (2.0); 7.0065 (1.1); 6.9803 (1.0); 6.6986 (0.5); 6.6781 (1.0); 6.6578 (0.5); 4.2905 (0.9); 4.2696 (0.8); 4.2421 (1.8); 4.2211 (1.7); 4.1936 (0.9); 4.1726 (0.9); 2.5240 (6.4); 2.5109 (16.0); 2.3332 (7.7); 1.6479 (2.6); 1.3044 (0.3); 1.2936 (0.4); 0.0378 (1.8) I-134: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5512 (0.8); 7.5291 (1.5); 7.5140 (1.8); 7.4909 (1.0); 7.3943 (2.0); 7.3678 (2.4); 7.3373 (1.1); 7.3097 (1.6); 7.2986 (4.3); 7.2833 (0.7); 7.0769 (2.6); 6.9867 (1.3); 6.9603 (1.2); 6.4945 (0.6); 6.4739 (1.0); 6.4535 (0.6); 4.2947 (1.1); 4.2737 (1.0); 4.2463 (2.3); 4.2253 (2.2); 4.1979 (1.2); 4.1867 (0.3); 4.1769 (1.1); 4.1631 (0.4); 4.1393 (0.4); 2.6180 (16.0); 2.5314 (7.2); 2.4366 (0.4); 2.4294 (0.3); 2.3531 (0.9); 2.3139 (9.8); 2.2875 (16.0); 2.2034 (0.3); 2.0759 (1.7); 1.3168 (0.4); 1.2931 (1.0); 1.2692 (0.4); 0.0377 (3.7) I-135: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3301 (9.1);

8.361 (1.4); 7.4849 (16); 7.4581 (4.2); 7.4312 (3.4); 7.3810 (6.0); 7.3545 (5.3); 7.3308 (0.5); 7.2985 (16.4); 7.2762 (2.9); 7.2693 (4.7); 7.2627 (2.9); 7.1867 (2.4); 7.1827 (2.2); 7.1632 (1.9); 7.1599 (2.0); 7.1559 (1.9); 7.1146 (0.4); 7.0799 (4.2); 7.0019 (2.2); 6.9750 (1.9); 5.1589 (3.3); 5.1385 (4.9); 5.1308 (4.2); 5.1104 (5.2); 5.0412 (4.8); 5.0197 (7.5); 4.9986 (3.8); 4.7039 (0.7); 4.6813 (1.4); 4.6763 (1.3); 4.6534 (2.1); 4.6308 (1.1); 4.6257 (1.0); 4.6030 (0.4); 4.3135 (1.7); 4.2938 (1.7); 4.2655 (3.6); 4.2457 (3.5); 4.2174 (1.9); 4.1975 (1.9); 3.4198 (0.4); 3.3835 (0.6); 3.2934 (0.5); 2.5181 (11.4); 2.4414 (0.4); 2.3346 (16.0); 2.0428 (4.7); 1.6386 (0.7); 1.4971 (0.3); 1.4510 (0.6); 1.2937 (6.8); 1.1453 (1.3); 0.9587 (0.4); 0.9179 (1.0); 0.8937 (1.1); 0.8708 (0.7); 0.2087 (0.8); 0.1891 (1.3); 0.1084 (0.4); 0.0483 (0.6); 0.0376 (14.9) I-136: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5149 (1.0); 7.5010 (2.5); 7.4218 (1.3); 7.3785 (0.6); 7.3741 (0.9); 7.3698 (0.6); 7.3605 (0.7); 7.3561 (0.5); 7.3489 (1.2); 7.3329 (1.2); 7.2593 (2.2); 7.0358 (1.4); 6.9730 (0.8); 6.9572 (0.7); 6.8458 (0.4); 6.8338 (0.7); 6.8218 (0.4); 4.2642 (5.2); 4.1917 (0.5); 4.1792 (0.5); 4.1614 (1.1); 4.1490 (1.0); 4.1313 (0.6); 4.1188 (0.5); 3.2589 (9.2); 2.4699 (4.0); 2.2687 (5.4); 1.3010 (16.0); 1.2654 (0.7); 0.8819 (0.6); -0.0002 (2.8) I-137: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0105 (3.9); 8.0019 (3.9); 7.6562 (0.5); 7.6296 (3.3); 7.6231 (3.1); 7.6183 (3.3); 7.6116 (7.4); 7.6084 (7.7); 7.5237 (3.7); 7.5023 (0.6); 7.4872 (1.7); 7.4759 (2.2); 7.4692 (2.0); 7.4573 (1.5); 7.4496 (1.0); 7.3374 (3.5); 7.3105 (4.4); 7.2984 (18.7); 7.0590 (4.1); 6.9789 (2.3); 6.9462 (3.4); 6.8332 (4.0); 6.8245 (3.8); 6.7633 (4.5); 6.6170 (1.1); 6.5976 (1.9); 6.5809 (3.1); 4.1196 (1.9); 4.0989 (1.8); 4.0697 (3.9); 4.0491 (3.7); 4.0198 (2.0); 3.9993 (1.9); 2.4574 (11.9); 2.3511 (0.5); 2.3063 (16.0); 2.0429 (0.5); 1.5965 (7.4); 0.1089 (0.8); 0.0494 (1.4); 0.0389 (22.5); 0.0280 (1.2) I-138: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1750 (1.7); 9.1554 (1.7); 8.1047 (7.8); 7.3679 (1.3); 7.3485 (2.8); 7.3292 (1.7); 7.2073 (3.4); 7.1831 (4.6); 7.1711 (5.0); 7.1135 (2.1); 7.0944 (1.8); 7.0707 (4.3); 7.0483 (1.8); 7.0260 (1.8); 7.0165 (1.0); 5.0919 (1.1); 5.0736 (1.6); 5.0555 (1.1); 3.9021 (0.8); 3.3264 (71.8); 2.6707 (0.8); 2.5407 (0.9); 2.5057 (109.0); 2.5018 (131.7); 2.3387 (15.5); 2.1847 (16.0); 1.4319 (7.6); 1.4145 (7.5); -0.0002 (0.4) I-139: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5648 (1.4); 7.5448 (6.8); 7.5291 (16.0); 7.4676 (10.8); 7.4630 (10.6); 7.4282 (8.3); 7.3650 (0.8); 7.3535 (3.0); 7.3468 (4.6); 7.3411 (3.9); 7.3312 (3.6); 7.2616 (8.9); 7.1971 (4.3); 7.1926 (4.1); 7.1767 (6.6); 7.1722 (6.4); 7.1076 (10.5); 7.0871 (6.6); 6.6454 (2.8); 6.6159 (3.1); 6.6012 (3.2); 6.5717 (3.3); 6.3179 (2.6); 6.0577 (0.4); 6.0301 (9.0); 5.9858 (7.6); 5.8198 (0.4); 5.7901 (0.6); 5.7769 (8.2); 5.7474 (7.5); 3.7356 (3.4); 3.7190 (9.3); 3.7028 (9.3); 3.6864 (3.4); 3.0067 (6.8); 2.9896 (13.1); 2.9725 (6.0); 2.0260 (0.8); 1.5927 (5.6); 1.2679 (0.6); 1.2560 (0.7); 1.2507 (0.7); 0.8811 (0.3); -0.0002 (8.0); -0.0082 (0.4) I-140: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5652 (0.5); 7.5452 (5.4); 7.5323 (7.1); 7.4424 (3.9); 7.4085 (0.6); 7.3988 (1.6); 7.3923 (1.7); 7.3879 (2.2); 7.3831 (2.0); 7.3764 (1.5); 7.3703 (1.1); 7.3481 (3.4); 7.3281 (3.7); 7.2583 (6.3); 7.0441 (4.3); 6.9548 (2.3); 6.9352 (2.1); 6.4342 (1.0); 6.4194 (1.8); 6.4047 (1.0); 4.2375 (1.7); 4.2220 (1.8); 4.2014 (3.6); 4.1859 (3.4); 4.1652 (1.8); 4.1498 (1.7); 2.4783 (12.0); 2.3178 (0.5); 2.2737 (16.0); 1.5702 (1.0); 1.2559 (0.4); -0.0002 (5.1) I-141: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2171 (0.7); 9.2028 (1.5); 9.1881 (0.8); 8.2950 (1.1); 8.2753 (2.0); 8.2555 (1.2); 8.1371 (7.3); 8.1245 (0.4); 7.9531 (2.5); 7.8640 (2.8); 7.8454 (2.6); 7.7457 (3.4); 7.6998 (0.4); 7.6148 (2.6); 7.5941 (2.5); 7.5248 (1.0); 7.5206 (1.0); 7.5040 (2.2); 7.4996 (2.3); 7.4716 (3.8); 7.4507 (1.8); 5.9230 (0.5); 5.9108 (1.0); 5.8978 (0.5); 5.8073 (0.5); 5.7956 (0.8); 5.7821 (0.5); 3.7820 (0.7); 3.7698 (1.5); 3.7555 (0.9); 3.7273 (0.6); 3.7197 (0.7); 3.7119 (1.2); 3.6964 (0.7); 3.3014 (10.9); 2.8909 (16.0); 2.7319 (14.3); 2.5053 (8.2); 2.5010 (11.1); 2.4967 (8.3); -0.0002 (4.3) I-142: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0909 (1.4); 9.0761 (3.0); 9.0616 (1.5); 8.0813 (13.8); 7.7637 (1.1); 7.7443 (9.8); 7.7250 (3.4); 7.7072 (4.3); 7.6869 (6.6); 7.6041 (2.9); 7.5839 (2.3); 7.4958 (0.6); 7.4755 (16.0); 7.4510 (0.5); 6.0461 (1.1); 6.0330 (1.9); 6.0210 (1.1); 5.9307 (1.0); 5.9178 (2.0); 5.9056 (1.1); 3.8979 (1.7); 3.8828 (2.6); 3.8729 (1.3); 3.8675 (1.2); 3.8398 (1.9); 3.8257 (2.9); 3.8127 (1.4); 3.3214 (30.9); 2.6710 (0.9); 2.6667 (0.7); 2.5062 (117.2); 2.5019 (150.2); 2.4976 (108.9); 2.3328 (0.7); 2.3285 (0.9); 2.3241 (0.6); -0.0001 (0.8) I-143: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9469 (1.2);

8.9256 (1.2); 7.8026 (5.0); 7.7189 (0.5); 7.6986 (1.4); 7.6782 (1.2); 7.6374 (1.6); 7.6237 (2.5); 7.6210 (2.6); 7.5793 (1.1); 7.5577 (0.9); 7.2172 (1.6); 7.1969 (1.6); 6.6562 (4.3); 6.6357 (1.3); 6.6290 (0.8); 5.1301 (0.6); 5.1125 (0.7); 3.6895 (16.0); 3.3643 (42.4); 2.8910 (1.3); 2.7320 (1.6); 2.7187 (1.3); 2.7042 (1.3); 2.6901 (0.5); 2.6030 (13.1); 2.5128 (5.8); 2.5085 (12.3); 2.5040 (16.7); 2.4995 (12.2); 2.4950 (6.0); 1.9702 (0.4); 1.9585 (0.5); 1.9493 (0.6); 1.9352 (0.3); 1.8823 (0.3); 1.8689 (0.4); 1.8563 (0.4); 1.8364 (0.4); 1.7657 (0.5); 1.7467 (0.9); 1.7368 (1.0); 1.7228 (0.8) I-144: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6228 (0.6); 7.5964 (2.5); 7.5752 (7.5); 7.5534 (0.7); 7.5042 (3.4); 7.4751 (3.6); 7.4468 (9.3); 7.4404 (5.8); 7.4330 (1.9); 7.4184 (1.5); 7.4106 (0.9); 7.2988 (18.5); 7.2767 (3.0); 7.2698 (2.8); 7.2488 (2.2); 7.2420 (2.1); 6.4540 (0.9); 6.4336 (1.6); 6.4130 (0.9); 6.0965 (0.9); 6.0865 (1.0); 6.0723 (1.0); 6.0623 (0.9); 5.9407 (0.9); 5.9307 (1.0); 5.9166 (1.0); 5.9064 (0.9); 4.3068 (0.5); 4.2967 (0.5); 4.2843 (0.5); 4.2742 (0.5); 4.2579 (0.7); 4.2477 (0.7); 4.2355 (0.6); 4.2250 (0.6); 4.2145 (0.6); 4.2042 (0.5); 4.1919 (0.5); 4.1817 (0.5); 4.1654 (0.7); 4.1552 (0.6); 4.1429 (0.7); 4.1328 (0.6); 3.9394 (0.6); 3.9205 (0.7); 3.9150 (0.7); 3.8961 (0.7); 3.8903 (0.6); 3.8681 (1.1); 3.8483 (1.0); 3.8252 (0.7); 3.8197 (0.6); 3.8006 (0.6); 3.7953 (0.5); 3.7763 (0.5); 2.8578 (0.5); 2.8399 (0.8); 2.8326 (0.7); 2.8148 (2.6); 2.7952 (2.9); 2.7897 (2.8); 2.7704 (2.8); 2.7522 (0.8); 2.7457 (0.9); 2.7275 (0.5); 2.0431 (1.9); 1.6050 (16.0); 1.3515 (5.7); 1.3265 (13.0); 1.3014 (5.6); 0.0472 (0.6); 0.0363 (19.1); 0.0252 (0.7) I-145: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5710 (0.6); 7.5465 (1.6); 7.5214 (1.6); 7.4942 (0.8); 7.3644 (1.0); 7.3491 (2.9); 7.3419 (3.6); 7.3090 (0.7); 7.3060 (0.7); 7.2985 (10.2); 7.2509 (2.2); 7.2235 (2.9); 7.0738 (1.8); 7.0667 (1.7); 7.0465 (1.3); 7.0394 (1.3); 6.1659 (0.4); 6.1479 (0.8); 6.1293 (0.4); 3.8857 (1.1); 3.8639 (2.9); 3.8426 (3.0); 3.8207 (1.2); 3.1384 (2.1); 3.1160 (3.9); 3.0937 (1.8); 2.6362 (0.7); 2.6219 (16.0); 2.3467 (16.0); 2.2077 (0.4); 2.0793 (0.8); 1.7589 (0.4); 1.2951 (0.5); 0.0478 (0.4); 0.0371 (10.6); 0.0261 (0.4) I-146: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4303 (1.6); 7.4034 (3.8); 7.3771 (5.8); 7.3517 (3.9); 7.3219 (3.1); 7.2986 (25.6); 7.2252 (2.9); 7.2187 (4.5); 7.2125 (2.8); 7.1798 (0.4); 7.1511 (0.4); 7.1338 (2.3); 7.0885 (4.5); 7.0107 (2.3); 6.9847 (2.0); 6.7764 (0.9); 6.7568 (1.6); 6.7366 (0.9); 4.9659 (1.6); 4.9404 (3.8); 4.9288 (2.2); 4.9214 (2.2); 4.8928 (0.4); 4.8136 (1.8); 4.7860 (4.6); 4.7711 (5.6); 4.7296 (1.5); 4.7076 (0.6); 4.5952 (0.4); 4.2494 (1.5); 4.2290 (1.4); 4.2005 (3.0); 4.1801 (2.8); 4.1518 (1.6); 4.1316 (1.4); 3.7932 (1.1); 3.7698 (3.0); 3.7464 (3.1); 3.7230 (1.2); 3.5267 (8.0); 3.3959 (0.4); 3.3833 (0.5); 2.9902 (0.7); 2.9097 (0.6); 2.5071 (11.5); 2.3447 (16.0); 1.6380 (0.9); 1.5721 (0.6); 1.5105 (0.5); 1.4800 (0.7); 1.4507 (0.9); 1.3030 (7.6); 1.2940 (10.9); 1.2801 (8.7); 1.2567 (4.5); 1.1956 (0.6); 1.1444 (1.8); 1.0466 (0.3); 1.0274 (0.4); 1.0158 (0.4); 0.9816 (0.4); 0.9184 (1.7); 0.8936 (1.6); 0.8693 (1.1); 0.2431 (0.5); 0.2321 (0.4); 0.2218 (0.9); 0.2095 (1.1); 0.1811 (2.1); 0.1711 (2.2); 0.1078 (0.7); 0.0485 (1.1); 0.0378 (22.3); 0.0272 (1.3) I-147: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.3199 (6.9); 7.8605 (1.2); 7.8454 (1.3); 7.6182 (0.4); 7.6007 (3.3); 7.5909 (6.6); 7.4925 (3.5); 7.4462 (0.3); 7.4376 (1.2); 7.4307 (1.8); 7.4269 (1.8); 7.4201 (1.5); 7.2592 (5.5); 6.5924 (6.6); 5.3524 (1.3); 5.3393 (1.5); 5.3266 (0.6); 2.6171 (0.3); 2.5832 (2.8); 2.5716 (2.8); 2.5383 (0.4); 2.2936 (0.4); 2.2843 (0.5); 2.2711 (1.2); 2.2632 (1.1); 2.2540 (0.8); 2.2435 (0.8); 2.2358 (0.4); 1.9206 (0.3); 1.9038 (1.5); 1.8897 (2.0); 1.8774 (3.2); 1.8732 (3.1); 1.8510 (1.3); 1.8296 (0.4); 1.5524 (1.8); 1.4224 (0.5); 1.3360 (0.7); 1.2840 (1.6); 1.2561 (16.0); 1.1608 (0.5); 1.1416 (0.4); 1.1304 (0.4); 1.1068 (0.7); 0.8928 (1.2); 0.8894 (1.2); 0.8804 (1.6); 0.8673 (1.2); 0.8412 (1.5); 0.7158 (0.4); -0.0002 (5.1) I-148: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1927 (2.9); 7.6091 (0.4); 7.5815 (1.4); 7.5554 (5.8); 7.5338 (16.0); 7.5169 (2.3); 7.4890 (9.7); 7.4601 (15.8); 7.4347 (3.6); 7.4142 (2.5); 7.3855 (7.6); 7.3632 (13.5); 7.3348 (11.4); 7.3267 (6.6); 7.3194 (3.7); 7.3122 (2.4); 7.2986 (47.4); 5.4637 (0.4); 4.2048 (4.0); 4.1845 (3.9); 4.1730 (0.8); 4.1578 (8.4); 4.1374 (8.1); 4.1107 (4.2); 4.0904 (4.1); 4.0504 (0.4); 4.0295 (0.4); 3.1671 (0.6); 3.1547 (1.4); 3.1443 (2.5); 3.1321 (3.4); 3.1219 (3.4); 3.1095 (2.6); 3.0991 (1.5); 3.0871 (0.7); 2.3765 (0.9); 2.3594 (2.2); 2.3490 (2.3); 2.3424 (1.6); 2.3322 (4.4); 2.3217 (1.6); 2.3150 (2.5); 2.3048 (2.3); 2.2878 (1.1); 1.6086 (12.7); 1.4613 (0.3); 1.3710 (0.4); 1.3217 (0.8); 1.2934 (4.2); 1.2557 (0.6); 1.2200 (2.6); 1.2050 (7.6); 1.1974 (8.6); 1.1883 (8.0); 1.1805 (8.3); 1.1679 (3.5); 1.1346 (0.6); 1.1182

(0.6); 1.0839 (0.7); 1.0633 (0.5); 1.0556 (0.6); 1.0338 (3.6); 1.0212 (7.9); 1.0131 (6.9); 1.0066 (4.6); 0.9941 (7.9); 0.9859 (7.1); 0.9713 (2.6); 0.9250 (2.3); 0.9191 (1.8); 0.9079 (5.8); 0.9016 (8.1); 0.8848 (8.4); 0.8787 (6.8); 0.8617 (3.3); 0.8320 (0.6); 0.8093 (0.6); 0.7966 (0.6); 0.7832 (0.5); 0.7432 (2.9); 0.7274 (7.0); 0.7195 (8.3); 0.7148 (7.0); 0.7077 (5.9); 0.6908 (2.1); 0.1073 (5.4); 0.0480 (1.1); 0.0372 (34.6); 0.0262 (1.3) I-149: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6475 (2.2); 7.6423 (1.7); 7.6302 (3.8); 7.5815 (2.0); 7.5531 (2.4); 7.5380 (1.9); 7.5342 (1.9); 7.5320 (2.0); 7.4885 (1.9); 7.4576 (0.4); 7.4440 (0.9); 7.4356 (0.9); 7.4294 (1.3); 7.4233 (1.0); 7.4136 (0.7); 7.4054 (0.6); 7.2986 (7.8); 7.2633 (1.3); 7.2567 (1.2); 7.2351 (1.0); 7.2284 (1.0); 6.6051 (0.5); 6.5840 (0.9); 6.5628 (0.5); 4.4884 (0.9); 4.4670 (0.9); 4.4518 (0.3); 4.4398 (2.0); 4.4184 (1.9); 4.3912 (1.0); 4.3698 (0.9); 2.5840 (16.0); 2.5607 (1.8); 1.6228 (4.4); 1.2914 (1.3); 0.9176 (0.6); 0.0357 (5.3) I-150: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1912 (1.3); 9.1714 (1.4); 7.8021 (6.2); 7.7319 (0.6); 7.7121 (1.8); 7.6925 (1.5); 7.6689 (2.3); 7.6547 (2.0); 7.6353 (1.0); 7.6096 (2.8); 7.5915 (1.4); 7.5718 (1.0); 7.4228 (1.4); 7.4177 (1.9); 7.4142 (1.6); 7.4034 (1.9); 7.3982 (2.8); 7.3943 (2.0); 7.2754 (2.1); 7.2559 (3.1); 7.2364 (1.3); 5.1556 (0.8); 5.1372 (1.2); 5.1191 (0.8); 3.3526 (18.2); 2.8912 (1.2); 2.7332 (1.0); 2.6096 (16.0); 2.5139 (4.5); 2.5095 (9.6); 2.5050 (13.0); 2.5004 (9.4); 2.4960 (4.6); 1.4425 (6.2); 1.4250 (6.1) I-151: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1772 (4.8); 8.0487 (0.4); 8.0302 (0.6); 7.6460 (1.4); 7.6393 (1.2); 7.6347 (1.2); 7.6278 (3.4); 7.6245 (3.2); 7.5124 (1.6); 7.4773 (0.7); 7.4656 (0.9); 7.4590 (0.8); 7.4469 (0.7); 7.4389 (0.4); 7.3754 (1.6); 7.3488 (1.8); 7.2987 (7.5); 7.0704 (1.7); 6.9811 (1.0); 6.9546 (0.8); 4.3137 (0.9); 4.2939 (0.9); 4.2655 (1.9); 4.2457 (1.8); 4.2174 (1.0); 4.1975 (1.0); 4.1703 (0.4); 4.1466 (0.4); 3.1040 (1.0); 3.0787 (3.3); 3.0534 (3.4); 3.0280 (1.2); 2.5225 (3.0); 2.5158 (5.3); 2.5085 (3.0); 2.3133 (7.2); 2.0832 (1.6); 1.6161 (16.0); 1.4315 (3.8); 1.4062 (8.0); 1.3809 (3.7); 1.3203 (0.8); 1.2965 (2.4); 1.2727 (0.6); 0.9402 (0.5); 0.9184 (1.6); 0.8953 (0.6); 0.1071 (1.8); 0.0364 (6.4) I-152: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0046 (0.4); 8.9895 (1.0); 8.9741 (1.0); 8.9591 (0.4); 7.7689 (4.8); 7.7285 (0.6); 7.7088 (1.6); 7.6887 (1.4); 7.6626 (1.9); 7.6392 (1.6); 7.6335 (1.5); 7.6172 (1.0); 7.5532 (1.8); 7.5498 (2.1); 7.5467 (2.0); 7.5356 (2.0); 7.5150 (1.7); 7.4745 (1.2); 7.4540 (2.1); 7.4242 (1.0); 7.4199 (0.9); 7.4039 (0.7); 7.3995 (0.6); 7.3020 (0.7); 7.2985 (0.7); 7.2820 (0.7); 6.3576 (1.0); 6.3487 (2.4); 6.0462 (0.4); 6.0150 (0.4); 5.9308 (0.5); 5.9189 (0.3); 5.8988 (0.5); 5.4665 (1.6); 5.1691 (1.4); 4.0377 (1.0); 4.0199 (1.0); 3.8871 (0.3); 3.8748 (0.5); 3.8661 (0.9); 3.8530 (0.9); 3.8389 (0.4); 3.8276 (0.6); 3.8114 (1.1); 3.7965 (1.0); 3.7826 (0.4); 3.3247 (38.8); 2.6755 (0.6); 2.6709 (0.9); 2.6664 (0.7); 2.5975 (16.0); 2.5244 (2.9); 2.5198 (4.4); 2.5110 (51.9); 2.5065 (105.2); 2.5019 (139.8); 2.4973 (102.5); 2.4929 (50.2); 2.3333 (0.6); 2.3288 (0.9); 2.3243 (0.6); 2.0491 (5.2); 1.9889 (4.2); 1.8421 (2.0); 1.8307 (2.1); 1.3976 (3.4); 1.1927 (1.2); 1.1749 (2.3); 1.1571 (1.1); -0.0002 (4.5) I-153: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4031 (1.5); 7.3765 (1.7); 7.2986 (10.2); 7.1174 (0.3); 7.0906 (3.3); 7.0764 (3.4); 7.0730 (3.7); 7.0636 (1.6); 7.0453 (0.4); 7.0111 (1.0); 6.9843 (0.8); 6.8402 (0.6); 6.8233 (0.8); 6.8183 (0.7); 6.8087 (1.0); 6.7948 (0.5); 6.7861 (0.4); 6.5500 (0.4); 6.5303 (0.7); 6.5108 (0.4); 4.3415 (0.5); 4.3017 (0.8); 4.2806 (0.8); 4.2527 (1.8); 4.2316 (1.7); 4.2035 (0.9); 4.1825 (0.9); 4.0773 (16.0); 2.5239 (5.3); 2.5172 (3.0); 2.3785 (0.4); 2.3335 (6.9); 2.1266 (0.4); 2.1158 (0.5); 2.0985 (0.8); 2.0816 (0.6); 2.0702 (0.5); 1.5897 (6.2); 1.2967 (0.5); 1.0682 (0.6); 1.0528 (1.6); 1.0460 (1.7); 1.0314 (0.9); 1.0242 (1.7); 1.0177 (1.6); 1.0031 (0.8); 0.9207 (0.5); 0.8077 (0.8); 0.7927 (1.8); 0.7868 (1.8); 0.7757 (1.7); 0.7700 (2.0); 0.7537 (0.6); 0.1084 (0.3); 0.0494 (0.4); 0.0386 (12.6); 0.0277 (0.5) I-154: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.6881 (0.4); 7.6355 (8.6); 7.5790 (1.6); 7.5595 (5.8); 7.5424 (16.0); 7.5284 (1.9); 7.5190 (1.7); 7.4557 (12.8); 7.4348 (10.6); 7.4177 (0.6); 7.4059 (0.7); 7.3911 (3.2); 7.3852 (5.4); 7.3798 (3.5); 7.3759 (2.5); 7.3677 (4.1); 7.3610 (7.4); 7.3565 (6.0); 7.3396 (3.9); 7.3353 (3.8); 7.2595 (57.9); 6.7008 (4.9); 6.6714 (5.5); 6.6565 (5.8); 6.6271 (5.9); 6.2856 (2.0); 6.2698 (3.6); 6.2547 (2.0); 6.0524 (10.4); 6.0081 (9.1); 5.8384 (0.4); 5.8223 (10.4); 5.8091 (0.5); 5.7929 (9.6); 4.3791 (3.5); 4.3631 (3.5); 4.3425 (7.4); 4.3265 (7.0); 4.3059 (3.7); 4.2900 (3.5); 3.3694 (0.8); 1.5387 (33.2); 1.3031 (0.5); 1.2648 (2.3); 0.8986 (1.1); 0.8820 (2.9); 0.8643 (1.3); 0.0078 (3.2); -0.0002 (59.6);

-0.0084 (2.7) I-155: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5401 (4.7); 7.5272 (5.2); 7.4207 (3.0); 7.4017 (0.4); 7.3923 (1.3); 7.3861 (1.3); 7.3800 (1.8); 7.3754 (1.5); 7.3698 (1.2); 7.3635 (0.9); 7.3433 (3.8); 7.3191 (2.6); 7.3043 (1.6); 7.2859 (2.6); 7.2670 (1.5); 7.2591 (5.5); 7.2466 (2.3); 7.2281 (1.1); 6.4631 (0.8); 6.4484 (1.4); 6.4335 (0.8); 4.2025 (1.4); 4.1870 (1.4); 4.1667 (3.0); 4.1512 (2.8); 4.1309 (1.5); 4.1154 (1.4); 2.3745 (0.4); 2.3467 (16.0); 1.5702 (1.6); 1.2988 (0.4); 1.2866 (0.4); 1.2822 (0.4); 1.2699 (0.4); 1.2563 (0.7); 0.0714 (0.6); -0.0002 (4.2) I-156: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2499 (16.0); 8.0864 (0.7); 8.0161 (1.6); 7.8729 (0.5); 7.6047 (2.0); 7.5854 (4.7); 7.5650 (3.4); 7.5452 (4.4); 7.5255 (1.7); 7.3756 (2.0); 7.3207 (0.4); 7.2596 (29.7); 7.1954 (3.2); 7.1766 (4.0); 7.0988 (2.8); 7.0790 (2.7); 7.0534 (2.6); 7.0381 (7.4); 7.0187 (2.0); 7.0162 (2.0); 6.9339 (3.2); 6.9312 (3.3); 6.9140 (5.4); 6.9113 (4.9); 6.8577 (2.5); 6.8549 (2.4); 6.8370 (3.4); 6.8195 (1.3); 6.8168 (1.3); 3.5217 (0.8); 3.5115 (1.7); 3.5018 (2.0); 3.4925 (2.6); 3.4835 (2.1); 3.4739 (1.8); 3.4636 (0.9); 2.9535 (12.5); 2.8813 (11.4); 2.5162 (1.1); 2.4961 (2.8); 2.4763 (2.9); 2.4563 (1.2); 1.6254 (1.6); 1.6085 (3.0); 1.6034 (2.0); 1.5916 (2.2); 1.5865 (3.0); 1.5694 (2.4); 1.5532 (6.5); 1.4098 (1.4); 1.3941 (1.3); 1.2109 (1.6); 1.2004 (1.8); 1.1940 (2.8); 1.1837 (2.8); 1.1773 (1.7); 1.1668 (1.5); 0.0078 (0.5); -0.0002 (13.1); -0.0082 (0.6) I-157: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.5213 (1.4); 8.7150 (6.7); 8.7097 (4.4); 8.7001 (4.4); 8.6949 (6.8); 8.0787 (0.9); 8.0598 (1.7); 8.0416 (0.9); 7.6316 (0.6); 7.6055 (3.5); 7.5996 (3.0); 7.5946 (3.1); 7.5877 (7.7); 7.5843 (7.7); 7.5742 (1.2); 7.5689 (1.3); 7.5482 (8.0); 7.5429 (5.0); 7.5334 (5.0); 7.5280 (7.7); 7.4641 (3.8); 7.4487 (0.9); 7.4417 (0.7); 7.4335 (1.7); 7.4218 (2.4); 7.4152 (2.1); 7.4035 (1.7); 7.3952 (1.0); 7.3589 (3.6); 7.3323 (4.1); 7.2986 (8.4); 7.0576 (4.0); 6.9542 (2.2); 6.9278 (1.9); 4.2552 (1.8); 4.2358 (1.8); 4.2074 (3.9); 4.1879 (3.7); 4.1594 (2.0); 4.1399 (1.9); 2.5037 (11.8); 2.4965 (6.9); 2.3628 (0.5); 2.3085 (16.0); 2.2280 (0.4); 2.2151 (0.8); 2.2062 (1.2); 2.1929 (1.6); 2.1844 (1.5); 2.1714 (1.2); 2.1627 (0.8); 2.1497 (0.3); 1.7133 (2.4); 1.2936 (1.2); 0.4755 (0.6); 0.4615 (1.0); 0.4486 (3.1); 0.4356 (5.0); 0.4223 (2.9); 0.4130 (2.6); 0.4055 (2.9); 0.3985 (3.2); 0.3913 (3.1); 0.3754 (2.9); 0.3499 (0.7); 0.1089 (2.8); 0.0474 (0.4); 0.0366 (8.3); 0.0256 (0.4) I-158: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.1372 (0.4); 8.7318 (0.6); 8.7248 (0.6); 8.0804 (2.3); 7.9699 (0.4); 7.9619 (0.4); 7.9418 (0.5); 7.9337 (0.5); 7.7379 (0.8); 7.7097 (0.7); 7.6485 (0.5); 7.6224 (0.4); 7.5460 (0.4); 7.4446 (0.6); 7.4166 (0.3); 7.4131 (0.4); 7.2993 (0.3); 7.1137 (0.8); 6.9282 (0.4); 4.2577 (0.5); 4.2367 (0.4); 3.3457 (16.0); 2.5343 (0.6); 2.5283 (1.2); 2.5223 (1.7); 2.5162 (1.2); 2.5104 (0.6); 1.2558 (0.3); 0.0199 (0.8) I-159: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2111 (1.6); 9.1909 (1.6); 7.9531 (1.3); 7.8137 (5.7); 7.7966 (2.9); 7.7525 (2.0); 7.7313 (2.9); 7.7137 (1.9); 7.6927 (2.4); 7.6862 (2.6); 7.6658 (2.1); 7.6466 (1.0); 7.5992 (3.5); 7.5771 (3.3); 7.5206 (1.6); 7.5170 (1.7); 7.4993 (1.3); 7.4956 (1.4); 7.2727 (2.4); 7.2669 (2.6); 7.1020 (1.6); 7.0958 (1.5); 7.0797 (1.4); 7.0734 (1.4); 5.2930 (0.8); 5.2749 (1.2); 5.2563 (0.8); 3.8489 (16.0); 3.3585 (45.7); 3.3538 (51.4); 2.8900 (7.6); 2.7320 (7.0); 2.6114 (14.5); 2.5083 (17.8); 2.5040 (23.9); 2.4997 (18.1); 1.5299 (5.6); 1.5125 (5.6); -0.0002 (0.4) I-160: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1859 (5.9); 8.0649 (0.5); 8.0475 (0.8); 8.0302 (0.5); 7.6589 (1.6); 7.6386 (4.5); 7.6231 (0.4); 7.6189 (0.4); 7.5396 (2.1); 7.4815 (0.9); 7.4712 (1.4); 7.4640 (3.1); 7.4507 (1.0); 7.4358 (4.6); 7.4258 (1.9); 7.2985 (7.9); 7.2658 (1.7); 7.2590 (1.6); 7.2379 (1.3); 7.2313 (1.2); 6.1459 (0.5); 6.1354 (0.6); 6.1222 (0.6); 6.1117 (0.6); 5.9904 (0.5); 5.9800 (0.6); 5.9668 (0.6); 5.9562 (0.6); 4.3162 (0.4); 4.3054 (0.4); 4.2937 (0.4); 4.2829 (0.4); 4.2741 (0.3); 4.2516 (0.3); 4.2253 (0.4); 4.2146 (0.4); 4.2030 (0.4); 4.1922 (0.4); 3.9022 (0.4); 3.8850 (0.4); 3.8784 (0.4); 3.8612 (0.4); 3.8535 (0.3); 3.8313 (0.6); 3.8140 (0.6); 3.7908 (0.4); 3.7830 (0.4); 3.7659 (0.3); 3.1093 (1.3); 3.0840 (4.0); 3.0587 (4.2); 3.0334 (1.4); 1.6160 (16.0); 1.4348 (4.6); 1.4095 (9.6); 1.3841 (4.4); 1.2955 (1.4); 0.9393 (0.4); 0.9174 (1.2); 0.8943 (0.5); 0.1061 (1.9); 0.0354 (7.0) I-161: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9499 (5.7); 7.9412 (5.7); 7.6323 (0.5); 7.6058 (3.2); 7.5990 (2.8); 7.5939 (3.1); 7.5876 (8.0); 7.5842 (7.9); 7.4838 (3.7); 7.4673 (0.7); 7.4518 (1.6); 7.4407 (2.2); 7.4341 (2.0); 7.4218 (1.6); 7.4139 (1.0); 7.3310 (3.6); 7.2986 (19.2); 7.0354 (4.0); 6.9266 (2.2); 6.8997 (1.9); 6.6942 (1.0); 6.6743 (2.0); 6.6542 (1.1); 6.5973 (5.9); 6.5885 (5.8); 5.0749 (1.5); 5.0680 (0.8); 5.0520 (2.7);

5.0311 (2.2); 4.1324 (1.4); 4.1112 (1.4); 4.0851 (3.0); 4.0708 (2.5); 4.0654 (4.2); 4.0436 (2.8); 4.0354 (2.1); 4.0282 (1.2); 4.0165 (1.7); 3.9865 (1.8); 3.9629 (2.5); 3.9416 (1.8); 3.9350 (1.4); 3.9143 (0.8); 2.4646 (12.0); 2.4577 (6.9); 2.4066 (0.5); 2.3834 (1.0); 2.3680 (1.0); 2.3615 (1.4); 2.3499 (1.2); 2.3418 (1.7); 2.3258 (1.0); 2.3170 (1.1); 2.3041 (0.7); 2.2708 (16.0); 2.1806 (0.5); 2.1568 (1.2); 2.1317 (1.7); 2.1244 (0.7); 2.1098 (2.1); 2.1047 (2.2); 2.0976 (2.2); 2.0869 (3.7); 2.0830 (3.5); 2.0692 (2.9); 2.0625 (2.3); 2.0465 (2.1); 2.0425 (1.6); 2.0384 (1.3); 2.0229 (0.6); 2.0125 (0.5); 1.6402 (1.9); 0.1085 (1.1); 0.0491 (0.9); 0.0383 (21.2); 0.0274 (0.9) I-162: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5253 (0.4); 7.5075 (3.4); 7.4978 (4.6); 7.4256 (2.6); 7.3564 (1.0); 7.3480 (1.4); 7.3450 (1.3); 7.3392 (1.1); 7.3210 (2.2); 7.3050 (2.4); 7.2587 (3.3); 7.0324 (3.1); 6.9957 (0.7); 6.9845 (1.2); 6.9728 (0.7); 6.9553 (1.7); 6.9393 (1.5); 4.1950 (1.0); 4.1825 (1.0); 4.1652 (2.1); 4.1528 (2.0); 4.1354 (1.1); 4.1229 (1.1); 4.1137 (1.0); 4.0181 (16.0); 2.4590 (8.2); 2.3379 (0.7); 2.2896 (11.1); 2.1585 (0.6); 1.5743 (4.8); 1.2660 (0.8); 0.8955 (0.5); 0.8820 (1.0); 0.8679 (0.5); -0.0002 (3.0) I-163: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9799 (1.5); 7.5488 (1.4); 7.5289 (6.5); 7.5140 (16.0); 7.5119 (14.5); 7.4470 (0.8); 7.4317 (2.3); 7.4159 (10.4); 7.3983 (4.5); 7.3761 (6.9); 7.3702 (4.4); 7.3600 (4.1); 7.3459 (7.0); 7.3261 (3.9); 7.2600 (56.7); 7.2464 (4.3); 7.1646 (2.3); 7.1442 (3.9); 7.1236 (1.8); 6.5222 (2.0); 6.5073 (3.6); 6.4919 (2.0); 4.6497 (0.3); 4.5149 (0.7); 4.4975 (0.7); 4.3857 (5.2); 4.3682 (15.9); 4.3507 (16.0); 4.3333 (5.1); 4.2019 (3.9); 4.1861 (3.9); 4.1652 (8.2); 4.1494 (7.8); 4.1284 (4.4); 4.1126 (3.9); 4.0892 (0.4); 2.9470 (10.5); 2.8625 (9.4); 1.5494 (70.5); 1.5197 (0.9); 1.5022 (0.6); 1.4779 (0.6); 1.4551 (16.4); 1.4377 (32.5); 1.4202 (15.8); 1.3975 (1.4); 1.3801 (0.8); 1.3637 (0.3); 1.2221 (0.6); -0.0002 (16.3) I-164: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8915 (5.8); 7.8564 (0.4); 7.8389 (0.7); 7.8194 (0.4); 7.7230 (1.6); 7.7177 (1.4); 7.7127 (1.4); 7.7053 (3.5); 7.7019 (3.5); 7.6781 (1.8); 7.6749 (1.8); 7.5708 (1.6); 7.5210 (1.4); 7.5122 (0.9); 7.4995 (1.3); 7.4930 (4.0); 7.4819 (0.9); 7.4733 (0.6); 7.4625 (1.8); 7.4567 (1.6); 7.4343 (0.7); 7.4285 (0.7); 7.2984 (10.6); 4.5105 (0.9); 4.4901 (0.9); 4.4618 (1.9); 4.4414 (1.8); 4.4131 (1.0); 4.3927 (0.9); 2.8416 (16.0); 1.5919 (2.5); 0.1065 (0.5); 0.0471 (0.4); 0.0363 (10.2); 0.0253 (0.4) I-165: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2909 (16.0); 7.8875 (4.3); 7.6128 (3.6); 7.5910 (5.8); 7.5693 (3.8); 7.4651 (8.1); 7.4365 (17.3); 7.3672 (3.6); 7.3443 (6.5); 7.3215 (4.8); 7.3000 (5.6); 7.2804 (7.2); 7.2748 (6.8); 7.2526 (5.6); 7.2468 (5.4); 7.2279 (4.9); 7.2007 (6.4); 7.1974 (6.3); 7.1736 (2.9); 7.1046 (0.4); 7.0795 (0.5); 7.0582 (0.4); 6.1365 (2.4); 6.1265 (2.7); 6.1142 (2.7); 6.1044 (2.4); 5.9817 (2.4); 5.9713 (2.7); 5.9595 (2.7); 5.9494 (2.3); 5.3341 (3.6); 4.3300 (1.2); 4.3200 (1.3); 4.3088 (1.4); 4.2979 (1.4); 4.2818 (1.7); 4.2710 (1.8); 4.2599 (1.8); 4.2483 (2.0); 4.2331 (1.5); 4.2219 (1.5); 4.2112 (1.4); 4.1948 (1.7); 4.1843 (1.8); 4.1731 (1.7); 4.1628 (1.6); 4.1426 (0.4); 4.1303 (0.4); 3.9437 (1.4); 3.9245 (2.0); 3.9031 (1.7); 3.8954 (1.6); 3.8715 (2.7); 3.8531 (2.8); 3.8295 (1.8); 3.8220 (1.6); 3.8012 (1.6); 3.7813 (1.1); 2.0786 (0.6); 1.6680 (0.9); 1.2907 (1.8); 1.0524 (0.4); 1.0342 (0.7); 1.0125 (0.6); 0.7945 (0.3); 0.0347 (3.3) I-166: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1659 (1.4); 9.1462 (1.4); 7.8144 (6.0); 7.7284 (0.6); 7.7084 (1.7); 7.6893 (1.5); 7.6503 (2.0); 7.6299 (3.6); 7.5747 (1.4); 7.5535 (1.1); 7.4708 (0.6); 7.4658 (0.7); 7.4513 (0.7); 7.4461 (0.8); 7.4412 (0.8); 7.4359 (0.8); 7.4213 (0.7); 7.4163 (0.7); 7.3764 (0.6); 7.3552 (1.4); 7.3498 (0.8); 7.3342 (1.0); 7.3285 (1.4); 7.3076 (0.9); 7.2571 (0.8); 7.2466 (0.9); 7.2308 (0.6); 7.2255 (0.6); 5.1495 (0.8); 5.1314 (1.3); 5.1134 (0.8); 3.3666 (48.2); 2.8933 (0.9); 2.7345 (0.8); 2.6131 (16.0); 2.5161 (5.8); 2.5117 (12.5); 2.5072 (17.0); 2.5027 (12.4); 2.4983 (6.1); 1.4366 (6.4); 1.4191 (6.4) I-167: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0837 (1.5); 9.0626 (1.5); 7.8219 (6.7); 7.7226 (0.6); 7.7029 (1.7); 7.6821 (1.5); 7.6425 (4.5); 7.6261 (1.1); 7.5989 (1.6); 7.5799 (1.0); 7.1683 (2.8); 7.0495 (1.0); 7.0300 (1.9); 6.9829 (2.8); 6.9633 (1.6); 5.1764 (0.4); 5.1627 (0.8); 5.1425 (0.8); 5.1288 (0.4); 4.7336 (0.4); 4.6959 (2.8); 4.6856 (2.7); 4.6483 (0.4); 4.0183 (1.1); 4.0066 (1.2); 3.9900 (1.4); 3.9783 (1.3); 3.7575 (1.3); 3.7420 (1.3); 3.7291 (1.1); 3.7138 (1.1); 3.3311 (27.6); 2.6030 (16.0); 2.5246 (0.6); 2.5112 (9.8); 2.5070 (19.0); 2.5025 (24.5); 2.4980 (17.6); 2.4937 (8.6); 2.0599 (11.1); 1.2404 (0.8) I-168: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5200 (3.4); 7.5099 (3.7); 7.4944 (0.3); 7.4546 (2.9); 7.4375 (4.0); 7.4062 (2.2); 7.3579 (3.7); 7.3410

(2.8); 7.3209 (0.8); 7.3159 (0.9); 7.3108 (1.2); 7.3073 (1.1); 7.3029 (0.8); 7.2979 (0.7); 7.2602 (3.6); 7.1297 (0.5); 7.1182 (1.0); 7.1066 (0.6); 4.1419 (0.8); 4.1293 (0.9); 4.1126 (1.9); 4.1082 (1.4); 4.1001 (1.9); 4.0833 (1.1); 4.0708 (0.9); 4.0057 (16.0); 3.9933 (0.7); 1.5781 (3.2); 1.2553 (0.6); -0.0002 (3.2) I-169: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5247 (0.4); 7.5053 (4.6); 7.4925 (5.4); 7.4160 (3.1); 7.4021 (0.5); 7.3922 (1.4); 7.3861 (1.2); 7.3801 (1.8); 7.3754 (1.5); 7.3698 (1.0); 7.3635 (0.7); 7.2588 (5.8); 7.2330 (4.0); 7.2129 (5.7); 7.1263 (5.1); 7.1064 (3.5); 6.6583 (1.8); 6.6289 (2.0); 6.6140 (2.1); 6.5846 (2.1); 6.3749 (1.4); 6.3548 (1.3); 6.0263 (4.0); 5.9820 (3.5); 5.7381 (3.9); 5.7086 (3.6); 5.3097 (0.4); 5.2921 (1.2); 5.2737 (1.6); 5.2553 (1.1); 2.3201 (16.0); 2.2805 (0.5); 2.2736 (0.5); 1.5718 (8.8); 1.5591 (9.4); 1.5418 (9.2); 1.2648 (0.8); 0.8982 (0.4); 0.8817 (1.0); 0.8640 (0.4); -0.0002 (3.6) I-170: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8246 (0.8); 8.8102 (1.6); 8.7960 (0.8); 8.0999 (9.2); 7.7559 (0.7); 7.7366 (2.1); 7.7169 (2.2); 7.7042 (2.5); 7.6841 (0.9); 7.6498 (2.8); 7.5863 (1.6); 7.5668 (1.3); 7.5472 (3.3); 7.4247 (1.0); 7.4049 (2.4); 7.4011 (2.4); 7.3767 (4.0); 7.3569 (1.7); 3.5764 (1.0); 3.5594 (2.6); 3.5441 (2.6); 3.5268 (1.1); 3.3228 (107.8); 2.9392 (1.9); 2.9218 (3.8); 2.9040 (1.8); 2.6752 (0.6); 2.6706 (0.8); 2.6661 (0.6); 2.5408 (66.4); 2.5238 (2.0); 2.5189 (2.9); 2.5102 (55.7); 2.5059 (117.5); 2.5015 (157.9); 2.4970 (112.4); 2.4926 (53.1); 2.3524 (0.4); 2.3367 (16.0); 1.2346 (0.4); 0.0079 (0.4); -0.0003 (14.6); -0.0083 (0.5) I-171: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.3983 (0.6); 8.3454 (4.9); 7.6200 (1.8); 7.6159 (1.6); 7.6105 (1.4); 7.6024 (3.6); 7.5993 (3.8); 7.4677 (1.9); 7.4542 (0.4); 7.4394 (0.8); 7.4273 (1.1); 7.4205 (0.9); 7.4096 (0.8); 7.4016 (0.5); 7.3541 (1.8); 7.3275 (2.1); 7.2983 (6.8); 7.0687 (2.1); 6.9356 (1.1); 6.9092 (1.0); 4.7075 (1.1); 4.6904 (1.0); 4.6593 (2.2); 4.6421 (2.2); 4.6110 (1.1); 4.5939 (1.1); 2.7610 (16.0); 2.5037 (6.3); 2.4965 (3.5); 2.3094 (8.4); 2.0818 (1.0); 1.5964 (1.7); 1.3207 (0.3); 1.2968 (1.0); 0.1094 (0.3); 0.0388 (7.2) I-172: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1274 (3.2); 8.0424 (0.5); 7.6674 (1.3); 7.6494 (0.4); 7.6226 (1.0); 7.5962 (0.8); 7.5275 (0.9); 7.4972 (1.2); 7.4687 (2.1); 7.4359 (1.2); 7.4308 (1.1); 7.4096 (1.4); 7.3712 (0.7); 7.3437 (0.6); 7.3047 (9.1); 6.9326 (0.7); 6.7450 (1.4); 6.5574 (0.7); 5.3438 (0.7); 4.4997 (0.6); 4.4793 (0.6); 4.4520 (1.3); 4.4314 (1.3); 4.4042 (0.7); 4.3838 (0.6); 2.7607 (9.7); 2.0892 (0.6); 2.0515 (0.8); 1.6051 (16.0); 1.3031 (0.6); 0.0535 (0.3); 0.0428 (8.1) I-173: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6831 (5.1); 8.6788 (4.9); 8.4906 (4.8); 8.4848 (4.7); 8.2775 (11.7); 8.0155 (1.2); 7.8072 (3.5); 7.8017 (5.0); 7.7965 (3.2); 7.7431 (1.4); 7.3354 (3.5); 7.3154 (3.9); 7.2601 (45.4); 7.0519 (4.1); 6.9961 (0.4); 6.9806 (2.2); 6.9615 (2.0); 4.2545 (1.9); 4.2397 (1.8); 4.2183 (3.9); 4.2035 (3.7); 4.1821 (2.0); 4.1673 (1.8); 2.9551 (8.7); 2.8821 (7.7); 2.4727 (11.7); 2.3057 (16.0); 1.5505 (26.7); -0.0002 (2.4) I-174: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9765 (2.3); 7.5521 (1.4); 7.5325 (6.6); 7.5175 (15.4); 7.5155 (14.0); 7.4972 (9.7); 7.4757 (13.7); 7.4501 (1.0); 7.4177 (7.6); 7.3926 (13.4); 7.3712 (9.5); 7.3631 (3.8); 7.3552 (4.7); 7.3497 (3.6); 7.3393 (3.4); 7.3340 (2.1); 7.2601 (50.0); 6.5519 (2.0); 6.5370 (3.4); 6.5220 (1.9); 4.6377 (0.3); 4.6200 (0.4); 4.4915 (0.6); 4.4740 (0.7); 4.3562 (4.6); 4.3388 (14.5); 4.3213 (14.6); 4.3039 (4.6); 4.1942 (3.4); 4.1783 (3.4); 4.1577 (7.2); 4.1419 (6.9); 4.1212 (3.7); 4.1054 (3.4); 2.9467 (16.0); 2.8611 (14.4); 1.5522 (58.4); 1.5245 (0.6); 1.5067 (0.9); 1.4891 (0.5); 1.4768 (0.3); 1.4445 (14.8); 1.4271 (29.4); 1.4096 (14.2); 1.3851 (1.3); 1.3675 (0.7); -0.0002 (14.7) I-175: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2980 (0.6); 8.2885 (16.0); 8.0328 (1.0); 8.0128 (1.5); 7.4742 (4.5); 7.4462 (6.0); 7.4387 (3.9); 7.4338 (4.8); 7.4280 (3.8); 7.2985 (26.9); 7.2550 (3.6); 7.2481 (3.4); 7.2270 (2.9); 7.2202 (2.7); 7.2052 (1.0); 7.1776 (6.2); 7.1601 (6.9); 7.1550 (6.2); 7.1470 (3.6); 7.1280 (0.9); 7.1198 (0.4); 6.9473 (0.4); 6.9337 (1.6); 6.9181 (2.4); 6.9116 (1.8); 6.9027 (2.6); 6.8880 (1.4); 6.8798 (1.2); 6.1490 (1.1); 6.1381 (1.2); 6.1269 (1.2); 6.1161 (1.1); 5.9946 (1.1); 5.9837 (1.2); 5.9725 (1.2); 5.9618 (1.1); 4.3347 (0.6); 4.3237 (0.7); 4.3130 (0.6); 4.3019 (0.7); 4.2860 (0.8); 4.2750 (0.9); 4.2642 (0.8); 4.2529 (1.1); 4.2395 (0.6); 4.2287 (0.7); 4.2177 (0.7); 4.2017 (0.9); 4.1906 (0.8); 4.1799 (0.9); 4.1690 (0.8); 3.9672 (0.8); 3.9493 (1.0); 3.9456 (1.0); 3.9275 (0.9); 3.9186 (0.7); 3.9005 (0.8); 3.8966 (0.9); 3.8911 (1.0); 3.8787 (0.8); 3.8732 (1.1); 3.8695 (1.0); 3.8515 (0.8); 3.8424 (0.8); 3.8244 (0.8); 3.8206 (0.8); 3.8026 (0.6); 2.1946 (0.5); 2.1774 (1.1); 2.1663 (1.2); 2.1491 (2.2); 2.1317 (1.3); 2.1208 (1.2); 2.1032 (0.6);

1.5830 (15.7); 1.4704 (0.4); 1.1190 (1.6); 1.1037 (4.3); 1.0969 (4.6); 1.0910 (2.3); 1.0820 (2.4); 1.0751 (4.5); 1.0686 (4.1); 1.0538 (2.1); 0.8550 (2.2); 0.8399 (5.1); 0.8339 (4.7); 0.8229 (4.4); 0.8175 (5.4); 0.8009 (1.6); 0.1080 (0.6); 0.0489 (1.2); 0.0382 (33.6); 0.0272 (1.1) I-176: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1496 (5.0); 8.0688 (0.7); 7.6258 (0.6); 7.5998 (1.5); 7.5734 (1.2); 7.5092 (1.4); 7.4835 (0.8); 7.4032 (1.7); 7.3717 (2.6); 7.3450 (2.7); 7.2987 (5.7); 7.0660 (1.9); 6.9800 (1.0); 6.9535 (0.9); 6.9145 (1.1); 6.7268 (2.2); 6.5391 (1.1); 4.3061 (1.0); 4.2863 (1.0); 4.2580 (2.2); 4.2382 (2.1); 4.2099 (1.1); 4.1901 (1.1); 4.1714 (0.6); 4.1476 (0.6); 2.7536 (16.0); 2.5191 (3.2); 2.5120 (5.9); 2.5046 (3.2); 2.3149 (8.0); 2.0826 (2.6); 1.6068 (2.3); 1.3210 (0.7); 1.2971 (1.6); 1.2733 (0.7); 0.0384 (7.0) I-177: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9869 (0.5); 7.5423 (0.5); 7.5225 (2.3); 7.5073 (5.9); 7.4239 (3.0); 7.4017 (0.5); 7.3974 (0.4); 7.3890 (1.3); 7.3821 (2.2); 7.3767 (1.7); 7.3659 (1.6); 7.3505 (3.8); 7.3263 (3.1); 7.3228 (3.1); 7.3038 (2.7); 7.2851 (1.4); 7.2598 (20.7); 6.4753 (0.8); 6.4599 (1.3); 6.4447 (0.7); 4.3815 (1.8); 4.3641 (5.7); 4.3466 (5.8); 4.3292 (1.8); 4.1971 (1.4); 4.1815 (1.4); 4.1601 (2.9); 4.1445 (2.8); 4.1230 (1.5); 4.1074 (1.4); 2.9479 (3.6); 2.8663 (3.2); 2.4158 (0.7); 2.3841 (0.5); 2.3653 (16.0); 1.5489 (27.9); 1.4471 (5.9); 1.4296 (11.8); 1.4122 (5.8); 1.3961 (0.5); -0.0002 (5.8) I-178: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2807 (4.5); 8.0898 (0.4); 8.0704 (0.7); 8.0507 (0.4); 7.6673 (1.8); 7.5729 (0.8); 7.5468 (2.0); 7.5204 (1.5); 7.5034 (1.3); 7.4752 (2.8); 7.4626 (1.6); 7.4368 (2.3); 7.4088 (0.6); 7.4036 (0.6); 7.2993 (12.7); 7.1599 (0.9); 7.1539 (0.9); 7.1331 (0.8); 7.1276 (0.8); 5.3387 (1.2); 5.1788 (2.1); 5.1585 (2.5); 5.1514 (2.4); 5.1310 (2.5); 4.8374 (2.3); 4.8162 (4.3); 4.7953 (2.3); 4.4871 (0.8); 4.4665 (0.8); 4.4388 (1.8); 4.4184 (1.7); 4.3908 (0.9); 4.3704 (0.9); 4.3248 (0.6); 4.3203 (0.6); 4.2976 (1.0); 4.2755 (0.5); 4.2709 (0.5); 1.5999 (16.0); 0.1069 (1.4); 0.0469 (0.5); 0.0373 (12.0); 0.0266 (0.5) I-179: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.0565 (5.7); 7.9632 (0.7); 7.9519 (1.1); 7.9405 (0.6); 7.6221 (2.8); 7.4657 (1.4); 7.4644 (1.4); 7.4496 (1.9); 7.4483 (2.0); 7.4388 (1.9); 7.4218 (3.7); 7.3949 (2.2); 7.3918 (2.2); 7.3777 (1.3); 7.3717 (2.4); 7.3676 (3.2); 7.3637 (2.1); 7.3579 (1.9); 7.3415 (3.1); 7.3253 (1.6); 7.2669 (1.2); 7.1463 (1.6); 7.1433 (1.5); 7.1299 (1.3); 7.1269 (1.3); 4.4183 (1.1); 4.4060 (1.1); 4.3897 (2.3); 4.3773 (2.2); 4.3610 (1.2); 4.3487 (1.1); 2.7086 (16.0); 2.0409 (1.0); 1.6830 (0.6); 1.2566 (0.6); -0.0002 (1.2) I-180: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.8047 (0.9); 7.7539 (7.5); 7.6864 (0.8); 7.6667 (2.4); 7.6471 (2.3); 7.6322 (2.9); 7.6127 (1.1); 7.5321 (3.2); 7.4593 (1.9); 7.4397 (1.5); 7.3321 (2.9); 7.3122 (3.1); 7.0607 (4.0); 6.9459 (1.9); 6.9261 (1.7); 4.1873 (1.6); 4.1711 (1.6); 4.1515 (3.3); 4.1354 (3.2); 4.1157 (1.7); 4.0996 (1.6); 3.8426 (3.6); 3.6402 (0.9); 3.1357 (0.4); 3.1197 (0.4); 2.4413 (9.6); 2.2787 (0.7); 2.2660 (1.0); 2.2578 (1.2); 2.2453 (2.0); 2.2317 (14.3); 2.2127 (0.8); 2.1577 (16.6); 2.1417 (17.5); 1.9714 (0.6); 1.9633 (0.6); 1.9516 (7.4); 1.9455 (13.6); 1.9394 (18.7); 1.9332 (13.2); 1.9271 (7.0); 1.7429 (0.4); 1.7309 (0.5); 1.7171 (0.5); 1.6699 (0.4); 1.6578 (0.5); 1.6443 (0.4); 1.4356 (16.0); 1.2724 (0.5); 1.2553 (0.4); 1.2194 (0.6); 1.2102 (1.6); 1.2034 (0.9); 1.1930 (1.6); 1.1145 (0.7); 1.1100 (0.7); 1.1019 (2.0); 1.0955 (3.4); 1.0879 (1.9); 1.0810 (2.3); 1.0750 (3.0); 1.0674 (1.8); 1.0546 (0.7); 1.0461 (1.6); 1.0375 (3.6); 1.0330 (3.4); 1.0260 (3.4); 1.0198 (2.7); 1.0071 (0.8); 0.9215 (0.3); 0.9048 (0.4); -0.0002 (9.2) I-181: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9885 (1.3); 7.5438 (0.7); 7.5242 (2.9); 7.5080 (7.9); 7.4929 (0.7); 7.4353 (4.0); 7.4080 (0.5); 7.3943 (1.7); 7.3880 (2.7); 7.3825 (2.0); 7.3711 (2.0); 7.3621 (3.7); 7.3419 (3.8); 7.2599 (23.8); 7.0818 (0.4); 7.0503 (4.2); 6.9890 (2.3); 6.9690 (2.0); 6.5176 (1.0); 6.5027 (1.8); 6.4880 (1.0); 4.5058 (0.3); 4.4882 (0.3); 4.3845 (2.4); 4.3670 (7.5); 4.3496 (7.6); 4.3321 (2.4); 4.2272 (1.7); 4.2115 (1.7); 4.1899 (3.7); 4.1743 (3.5); 4.1527 (1.9); 4.1370 (1.7); 2.9483 (9.3); 2.8677 (8.2); 2.4788 (11.8); 2.3487 (0.7); 2.3257 (0.5); 2.2972 (16.0); 1.5530 (28.3); 1.5169 (0.3); 1.4487 (7.7); 1.4313 (15.4); 1.4138 (7.5); 1.3984 (0.7); 1.3807 (0.4); -0.0002 (7.0) I-182: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1604 (3.1); 8.0338 (16.0); 7.9610 (0.6); 7.6695 (2.0); 7.6497 (4.7); 7.6299 (3.3); 7.5888 (6.4); 7.5676 (11.1); 7.5400 (4.4); 7.5117 (11.8); 7.4902 (7.0); 7.4657 (6.0); 7.4219 (3.4); 7.4015 (2.9); 7.2465 (2.7); 7.1073 (5.9); 6.9681 (2.9); 4.1496 (1.4); 4.1361 (1.6); 4.1151 (3.2); 4.1013 (3.2); 4.0803 (1.9); 4.0666 (1.7); 3.3119 (34.8); 2.8986 (3.6); 2.7399 (3.3); 2.5131 (13.7); 2.5088 (18.4); 2.5046 (14.0) I-183: .sup.1H-NMR(300.2

MHz, CDCl₃): δ = 8.7255 (5.4); 7.6072 (0.4); 7.5808 (2.0); 7.5719 (1.9); 7.5618 (4.8); 7.5588 (4.5); 7.5329 (2.6); 7.5043 (3.3); 7.4965 (2.7); 7.4929 (2.5); 7.4904 (2.5); 7.4752 (0.4); 7.4173 (2.4); 7.3953 (0.4); 7.3800 (1.1); 7.3689 (1.4); 7.3619 (1.3); 7.3492 (1.1); 7.3415 (0.6); 7.2986 (1.5); 7.1846 (2.1); 7.1784 (2.1); 7.1571 (2.2); 7.1501 (1.7); 7.1412 (0.8); 4.4198 (1.0); 4.3985 (1.0); 4.3717 (2.1); 4.3504 (2.1); 4.3235 (1.1); 4.3022 (1.0); 2.3096 (16.0); 2.2837 (1.0); 1.7875 (0.6); 1.2912 (0.4); 0.0328 (1.4) I-184: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0414 (1.2); 9.0214 (1.2); 7.9532 (0.5); 7.7818 (6.2); 7.7216 (0.6); 7.7014 (1.7); 7.6810 (1.4); 7.6414 (2.9); 7.6355 (2.6); 7.6298 (2.0); 7.5670 (1.3); 7.5468 (1.0); 6.9734 (3.0); 6.9694 (3.3); 6.8683 (1.1); 6.8646 (1.0); 6.8482 (2.1); 6.8442 (2.1); 6.8093 (4.3); 6.7893 (2.2); 5.9561 (3.9); 5.9539 (5.4); 5.9451 (5.0); 5.9429 (4.4); 5.0732 (0.8); 5.0547 (1.2); 5.0363 (0.8); 3.3536 (18.8); 3.3480 (20.0); 2.8908 (3.7); 2.7324 (3.2); 2.6043 (16.0); 2.5130 (5.3); 2.5086 (11.2); 2.5041 (15.0); 2.4995 (10.8); 2.4951 (5.2); 1.4067 (6.1); 1.3893 (6.0); -0.0002 (0.3) I-185: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3113 (9.3); 8.1070 (0.7); 8.0894 (1.1); 8.0705 (0.7); 7.5727 (1.5); 7.5466 (3.8); 7.5202 (2.8); 7.4553 (5.0); 7.4279 (7.9); 7.2989 (14.4); 7.2313 (2.5); 7.2243 (2.2); 7.2035 (1.8); 7.1966 (1.9); 7.1769 (1.7); 7.1737 (1.8); 7.1691 (1.6); 7.1659 (1.5); 7.1502 (1.5); 7.1469 (1.5); 7.1424 (1.4); 7.1392 (1.2); 6.1397 (0.8); 6.1290 (0.8); 6.1164 (0.8); 6.1057 (0.8); 5.9845 (0.8); 5.9740 (0.8); 5.9613 (0.8); 5.9507 (0.8); 5.3371 (3.1); 5.1756 (4.0); 5.1553 (4.8); 5.1480 (4.6); 5.1277 (4.8); 4.8371 (2.6); 4.8316 (2.6); 4.8160 (4.6); 4.8106 (4.6); 4.7950 (2.5); 4.7895 (2.4); 4.3588 (0.5); 4.3465 (0.7); 4.3364 (0.6); 4.3234 (1.3); 4.3175 (1.1); 4.3102 (0.8); 4.2955 (2.0); 4.2887 (1.1); 4.2699 (1.3); 4.2594 (0.6); 4.2472 (0.8); 4.2367 (0.5); 4.2212 (0.6); 4.2104 (0.5); 4.1988 (0.6); 4.1881 (0.5); 3.9036 (0.5); 3.8868 (0.6); 3.8804 (0.6); 3.8634 (0.6); 3.8550 (0.5); 3.8375 (0.6); 3.8317 (1.0); 3.8148 (1.0); 3.8088 (0.6); 3.7916 (0.6); 3.7831 (0.5); 3.7661 (0.5); 3.7598 (0.5); 3.7428 (0.4); 1.6152 (16.0); 1.2907 (0.3); 0.1066 (4.9); 0.0469 (0.5); 0.0363 (12.0); 0.0254 (0.5) I-186: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5591 (1.1); 7.5369 (3.4); 7.5151 (0.4); 7.4789 (1.6); 7.4440 (0.8); 7.4350 (1.2); 7.4276 (0.8); 7.4190 (1.9); 7.4056 (0.5); 7.3922 (1.7); 7.3164 (0.5); 7.2984 (10.3); 7.2772 (0.5); 7.0800 (1.7); 7.0266 (0.9); 7.0003 (0.8); 5.3374 (0.4); 5.1145 (0.4); 5.1063 (0.5); 5.0931 (0.5); 5.0852 (0.6); 5.0801 (0.5); 5.0668 (0.5); 5.0586 (0.4); 4.2888 (0.4); 4.2678 (0.4); 4.2355 (0.7); 4.2142 (0.7); 4.1847 (0.6); 4.1645 (0.8); 4.1312 (0.4); 4.1112 (0.4); 3.7565 (1.0); 3.7300 (1.0); 3.7196 (1.3); 3.6931 (1.2); 3.4962 (1.2); 3.4877 (1.3); 3.4593 (1.0); 3.4509 (0.9); 3.4197 (0.3); 3.4109 (0.3); 3.3444 (16.0); 2.5297 (5.0); 2.5225 (2.9); 2.3066 (6.7); 2.0441 (10.0); 1.6074 (4.0); 1.4618 (6.4); 1.4405 (6.3); 0.0478 (0.4); 0.0371 (9.8); 0.0261 (0.4) I-187: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2772 (13.9); 8.0239 (0.8); 8.0060 (1.3); 7.9891 (0.8); 7.3858 (3.6); 7.3592 (4.1); 7.2985 (15.1); 7.1914 (0.8); 7.1637 (3.6); 7.1552 (2.7); 7.1429 (7.4); 7.1346 (2.5); 7.1273 (2.9); 7.1074 (0.9); 7.1001 (0.5); 7.0647 (3.8); 6.9806 (2.1); 6.9541 (1.8); 6.9253 (1.3); 6.9129 (1.3); 6.9039 (2.0); 6.8948 (2.0); 6.8785 (1.2); 6.8714 (1.1); 4.3034 (2.0); 4.2835 (2.0); 4.2560 (4.4); 4.2359 (4.2); 4.2084 (2.2); 4.1885 (2.1); 2.5212 (6.3); 2.5142 (11.7); 2.5066 (6.4); 2.3101 (16.0); 2.1942 (0.4); 2.1767 (0.9); 2.1656 (1.0); 2.1486 (1.9); 2.1315 (1.0); 2.1203 (1.0); 2.1026 (0.6); 1.5882 (7.2); 1.1174 (1.4); 1.1021 (3.6); 1.0953 (3.8); 1.0894 (2.0); 1.0804 (2.1); 1.0735 (3.8); 1.0669 (3.4); 1.0522 (1.8); 0.8535 (1.8); 0.8384 (4.2); 0.8323 (4.0); 0.8214 (3.7); 0.8159 (4.6); 0.7993 (1.4); 0.0498 (0.6); 0.0465 (0.4); 0.0390 (18.9); 0.0313 (0.5); 0.0281 (0.6) I-188: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8469 (0.8); 8.8328 (1.6); 8.8187 (0.8); 7.9597 (2.2); 7.7449 (0.6); 7.7256 (1.9); 7.7060 (1.9); 7.6914 (2.4); 7.6721 (1.0); 7.5923 (2.6); 7.5341 (1.5); 7.5146 (1.3); 6.9382 (2.2); 6.9180 (2.6); 6.6562 (3.6); 6.6101 (2.7); 6.5899 (2.5); 3.8206 (16.0); 3.6089 (0.8); 3.5923 (2.2); 3.5769 (2.4); 3.5608 (1.0); 3.3391 (102.1); 2.9644 (1.6); 2.9474 (3.2); 2.9305 (1.6); 2.8975 (12.7); 2.7382 (11.6); 2.5092 (11.3); 2.5053 (8.7); 2.4163 (12.2); 2.2342 (14.2) I-189: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9343 (0.5); 7.6545 (1.2); 7.3850 (3.5); 7.3583 (4.0); 7.2987 (18.2); 7.1249 (0.9); 7.0984 (2.9); 7.0718 (9.7); 7.0636 (3.7); 7.0487 (2.0); 7.0427 (2.5); 7.0217 (1.0); 7.0156 (0.8); 6.9822 (2.1); 6.9560 (1.9); 6.8512 (1.3); 6.8432 (1.3); 6.8284 (2.3); 6.8219 (1.9); 6.8033 (1.2); 6.7973 (1.1); 5.0611 (0.5); 5.0403 (1.0); 5.0176 (1.6); 4.9996 (5.9); 4.9961 (5.6); 4.9789 (6.2);

4.9579 (2.1); 4.6461 (3.0); 4.6316 (4.6); 4.6258 (4.8); 4.6086 (2.5); 4.2570 (1.8); 4.2369 (1.7);
4.2094 (3.9); 4.1891 (3.8); 4.1616 (2.0); 4.1414 (1.9); 2.5208 (11.7); 2.5137 (6.7); 2.3230 (16.0);
2.1651 (0.4); 2.1477 (0.9); 2.1366 (1.0); 2.1195 (1.8); 2.1025 (1.1); 2.0914 (1.0); 2.0835 (0.8);
2.0738 (0.5); 1.5925 (14.5); 1.3458 (0.5); 1.3064 (3.3); 1.2741 (0.4); 1.0859 (1.3); 1.0705 (3.4);
1.0638 (3.8); 1.0490 (2.0); 1.0419 (3.7); 1.0353 (3.5); 1.0208 (1.7); 0.9429 (1.2); 0.9211 (3.8);
0.8978 (1.4); 0.8234 (1.7); 0.8083 (4.2); 0.8024 (4.1); 0.7914 (3.7); 0.7856 (4.5); 0.7693 (1.3);
0.1090 (0.6); 0.0499 (0.8); 0.0391 (22.3); 0.0282 (0.8) I-190: .sup.1H-NMR(300.2 MHz, CDCl₃):
 δ = 8.1441 (2.4); 8.0166 (0.4); 7.5170 (0.4); 7.5137 (0.5); 7.5112 (0.5); 7.5080 (0.4); 7.4904 (0.6);
7.4871 (0.7); 7.4846 (0.8); 7.4814 (0.6); 7.4115 (0.8); 7.4046 (1.9); 7.3985 (0.8); 7.3766 (2.0);
7.3494 (1.5); 7.3038 (8.4); 7.2147 (0.6); 7.2115 (0.6); 7.2071 (0.6); 7.2040 (0.5); 7.1875 (0.5);
7.1844 (0.5); 7.1799 (0.4); 7.1768 (0.4); 7.0778 (1.0); 6.9985 (0.6); 6.9717 (0.5); 5.3428 (2.3);
4.3033 (0.5); 4.2835 (0.5); 4.2555 (1.0); 4.2356 (1.0); 4.2075 (0.5); 4.1877 (0.5); 2.7602 (7.6);
2.5163 (3.0); 2.5092 (1.7); 2.3382 (4.2); 2.0885 (0.7); 2.0508 (0.7); 1.6081 (16.0); 1.3021 (0.6);
0.1119 (0.4); 0.0422 (7.0) I-191: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1024 (5.1); 8.0138
(0.5); 7.8352 (1.0); 7.5941 (0.8); 7.5801 (1.5); 7.5689 (1.3); 7.5568 (1.6); 7.5422 (1.0); 7.3656
(1.1); 7.3487 (2.0); 7.3436 (2.6); 7.3275 (2.6); 7.2604 (4.3); 7.0233 (2.8); 6.9394 (1.5); 6.9235
(1.4); 4.2545 (1.1); 4.2426 (1.1); 4.2259 (2.3); 4.2140 (2.2); 4.1973 (1.2); 4.1854 (1.1); 2.9527
(3.1); 2.8804 (3.0); 2.7191 (16.0); 2.4769 (7.9); 2.2929 (0.4); 2.2570 (11.2); 2.1325 (0.4); 1.5894
(1.9); -0.0002 (3.8) I-192: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9952 (1.4); 7.6834 (0.7);
7.6424 (8.4); 7.5969 (0.4); 7.5661 (1.5); 7.5468 (5.4); 7.5295 (15.7); 7.4741 (6.6); 7.4527 (11.3);
7.4430 (8.0); 7.3769 (10.4); 7.3598 (6.8); 7.2599 (87.6); 6.9960 (0.4); 6.4446 (2.0); 6.4293 (3.5);
6.4151 (1.8); 4.6766 (0.3); 4.5385 (0.4); 4.5204 (0.8); 4.5034 (0.8); 4.4853 (0.4); 4.4086 (3.5);
4.3942 (6.8); 4.3773 (15.1); 4.3718 (9.0); 4.3598 (16.0); 4.3424 (5.4); 4.3344 (3.9); 4.3184 (3.4);
2.9510 (9.9); 2.8715 (9.2); 1.5439 (103.2); 1.5034 (0.6); 1.4686 (14.0); 1.4512 (27.8); 1.4337
(13.6); 1.4107 (1.8); 1.4021 (0.7); 1.3928 (0.9); 1.3726 (0.3); -0.0002 (25.5) I-193: .sup.1H-
NMR(300.2 MHz, CDCl₃): δ = 8.1140 (5.0); 7.8807 (0.4); 7.8608 (0.7); 7.8413 (0.4); 7.6673 (2.1);
7.6641 (2.2); 7.6324 (1.1); 7.6131 (1.6); 7.5908 (0.8); 7.5144 (1.4); 7.4861 (3.3); 7.4493 (1.8);
7.4434 (1.7); 7.4321 (0.9); 7.4211 (0.8); 7.4150 (0.8); 7.4044 (1.2); 7.3781 (0.5); 7.2983 (9.8);
4.5083 (1.0); 4.4875 (1.0); 4.4611 (2.1); 4.4403 (2.1); 4.4139 (1.1); 4.3931 (1.0); 2.7584 (16.0);
1.5960 (4.6); 1.2273 (0.7); 0.0473 (0.4); 0.0364 (10.1); 0.0255 (0.3) I-194: .sup.1H-NMR(400.1
MHz, d.sub.6-DMSO): δ = 8.9942 (0.8); 8.9798 (1.6); 8.9651 (0.8); 7.7577 (3.4); 7.7373 (6.3);
7.6417 (1.0); 7.6220 (2.2); 7.6023 (1.4); 7.5314 (0.9); 7.5272 (0.9); 7.5103 (2.8); 7.5059 (3.4);
7.4902 (4.6); 7.4811 (1.6); 7.4693 (1.5); 7.4359 (2.6); 7.3976 (1.5); 7.3772 (1.3); 7.2304 (1.3);
7.0911 (2.7); 6.9519 (1.3); 6.0445 (0.5); 6.0322 (1.0); 6.0189 (0.6); 5.9288 (0.5); 5.9166 (1.0);
5.9036 (0.6); 3.8826 (0.8); 3.8705 (1.6); 3.8560 (1.0); 3.8298 (0.7); 3.8235 (0.7); 3.8143 (1.3);
3.7990 (0.8); 3.3116 (13.4); 2.8986 (1.1); 2.7397 (1.0); 2.6030 (16.0); 2.5131 (6.4); 2.5088 (8.6);
2.5046 (6.5) I-195: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0301 (1.2); 9.0097 (1.3);
7.9524 (0.7); 7.7712 (5.7); 7.7285 (0.6); 7.7090 (1.6); 7.6895 (1.3); 7.6518 (4.5); 7.6322 (1.1);
7.5730 (1.4); 7.5540 (1.0); 7.2498 (2.5); 7.1024 (1.2); 7.0990 (1.2); 7.0819 (1.3); 7.0786 (1.4);
6.6523 (2.8); 6.6318 (2.6); 5.0833 (0.8); 5.0646 (1.2); 5.0463 (0.8); 4.4758 (2.1); 4.4542 (4.0);
4.4321 (2.4); 3.3640 (21.8); 3.3531 (26.5); 3.3509 (26.3); 3.0677 (0.4); 3.0500 (0.8); 3.0290 (1.3);
3.0191 (0.8); 3.0074 (0.7); 2.9971 (1.4); 2.9756 (0.7); 2.9581 (0.4); 2.8906 (4.8); 2.7318 (4.2);
2.6011 (16.0); 2.5124 (6.9); 2.5080 (14.9); 2.5035 (20.2); 2.4990 (14.8); 2.4946 (7.3); 1.4113 (6.1);
1.3939 (6.0); 1.2406 (0.4) I-196: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1857 (5.0); 8.0635
(0.4); 8.0452 (0.6); 8.0286 (0.4); 7.6619 (1.2); 7.6412 (3.6); 7.6247 (0.5); 7.5846 (2.1); 7.5431
(1.6); 7.4791 (0.7); 7.4700 (1.2); 7.4627 (0.8); 7.4570 (0.5); 7.4485 (0.8); 7.4412 (0.5); 7.4248
(0.3); 7.3967 (2.7); 7.3908 (4.9); 7.3616 (0.3); 7.2990 (8.8); 6.1314 (0.5); 6.1208 (0.5); 6.1076
(0.5); 6.0970 (0.5); 5.9759 (0.5); 5.9652 (0.5); 5.9520 (0.5); 5.9415 (0.5); 3.8814 (0.4); 3.8746
(0.3); 3.8577 (0.4); 3.8270 (0.5); 3.8100 (0.5); 3.8042 (0.3); 3.1100 (1.1); 3.0847 (3.4); 3.0594
(3.4); 3.0341 (1.2); 1.6122 (16.0); 1.4356 (3.8); 1.4104 (8.0); 1.3850 (3.7); 1.2948 (1.4); 0.9396

(0.4); 0.9180 (1.3); 0.8948 (0.5); 0.1065 (2.1); 0.0361 (7.5) I-197: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.3380 (2.8); 7.3312 (1.4); 7.3221 (3.1); 7.3153 (1.5); 7.2593 (5.9); 7.0583 (0.5); 7.0456 (0.8); 7.0283 (8.5); 7.0181 (3.6); 7.0141 (5.5); 7.0020 (0.5); 6.9984 (0.6); 6.9612 (2.0); 6.9450 (2.2); 6.9283 (1.0); 6.7605 (1.4); 6.7553 (1.3); 6.7518 (1.2); 6.7471 (2.1); 6.7415 (1.8); 6.7286 (1.0); 5.2199 (0.3); 5.2103 (1.1); 5.2006 (1.1); 5.1910 (0.4); 5.0635 (0.8); 5.0539 (2.6); 5.0443 (2.7); 5.0347 (0.9); 4.3597 (0.4); 4.3529 (0.4); 4.3451 (0.5); 4.3383 (0.5); 4.3157 (0.4); 4.3059 (0.8); 4.3001 (1.1); 4.2954 (1.1); 4.2906 (1.2); 4.2846 (0.9); 4.2751 (0.5); 4.1835 (0.8); 4.1772 (0.9); 4.1709 (1.3); 4.1660 (1.6); 4.1608 (1.3); 4.1532 (1.2); 4.1475 (1.9); 4.1432 (1.8); 4.1347 (1.7); 4.1304 (2.3); 4.1172 (1.6); 4.1045 (0.9); 4.1004 (1.2); 4.0866 (0.5); 3.9612 (1.5); 3.9441 (2.5); 3.9293 (1.8); 3.8371 (1.9); 3.8282 (1.9); 3.8198 (1.5); 3.8108 (1.4); 3.6290 (0.6); 3.6196 (1.0); 3.6126 (0.9); 3.6024 (1.0); 3.5955 (1.4); 3.5891 (1.7); 3.5760 (1.0); 3.5718 (0.9); 3.5584 (0.7); 3.5425 (0.4); 3.5335 (0.4); 3.5275 (0.4); 3.5177 (0.4); 3.4598 (0.7); 3.4492 (1.2); 3.4385 (0.8); 3.4335 (0.7); 3.4224 (0.9); 3.4119 (0.5); 2.4612 (11.8); 2.3337 (0.4); 2.2958 (16.0); 2.0864 (0.5); 2.0760 (1.0); 2.0692 (1.2); 2.0591 (2.1); 2.0489 (1.3); 2.0423 (1.2); 2.0318 (0.6); 1.9975 (1.6); 1.4670 (10.5); 1.4574 (10.6); 1.3989 (4.4); 1.3892 (4.5); 1.2558 (0.6); 1.0057 (1.2); 0.9959 (3.7); 0.9927 (3.9); 0.9790 (3.7); 0.9759 (3.7); 0.9668 (1.4); 0.7506 (1.5); 0.7406 (4.7); 0.7386 (4.8); 0.7311 (4.2); 0.7281 (5.0); 0.7184 (1.3); 0.0713 (0.5); -0.0002 (4.4) I-198: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1464 (2.8); 8.0247 (0.4); 7.4645 (0.5); 7.4376 (1.4); 7.4107 (1.1); 7.3760 (1.0); 7.3624 (0.8); 7.3588 (1.0); 7.3560 (1.0); 7.3522 (1.4); 7.3355 (0.4); 7.3318 (0.5); 7.3293 (0.5); 7.3259 (0.4); 7.3042 (8.5); 7.2586 (0.8); 7.2516 (1.4); 7.2448 (0.8); 7.1694 (0.7); 7.1660 (0.7); 7.1619 (0.6); 7.1586 (0.5); 7.1426 (0.6); 7.1391 (0.6); 7.1350 (0.5); 7.1316 (0.4); 7.0778 (1.2); 6.9963 (0.6); 6.9701 (0.6); 5.3433 (0.6); 4.3047 (0.6); 4.2850 (0.5); 4.2568 (1.2); 4.2371 (1.2); 4.2089 (0.6); 4.1892 (0.6); 2.7610 (8.6); 2.5167 (3.3); 2.5094 (1.8); 2.3368 (4.6); 2.0511 (0.6); 1.6083 (16.0); 1.3097 (1.4); 0.9469 (0.5); 0.9248 (1.5); 0.9018 (0.6); 0.0427 (7.3) I-199: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5287 (0.5); 7.5089 (2.5); 7.4947 (5.9); 7.4039 (3.5); 7.3904 (1.5); 7.3826 (1.8); 7.3771 (1.4); 7.3678 (1.3); 7.2766 (4.5); 7.2594 (19.0); 7.1458 (4.9); 7.1261 (3.6); 6.3003 (1.3); 6.2802 (1.3); 5.3549 (0.4); 5.3371 (1.2); 5.3187 (1.7); 5.3003 (1.2); 4.3656 (0.3); 4.3482 (1.0); 4.3427 (0.8); 4.3306 (1.2); 4.3252 (2.1); 4.3075 (2.3); 4.2885 (2.3); 4.2709 (2.1); 4.2655 (1.1); 4.2534 (0.8); 4.2479 (0.9); 2.9454 (0.9); 2.8652 (0.8); 2.3509 (0.8); 2.3265 (16.0); 2.2823 (0.8); 1.6098 (9.3); 1.5925 (9.2); 1.5483 (19.0); 1.5244 (0.5); 1.4948 (0.4); 1.4071 (0.4); 1.3890 (0.4); 1.3755 (5.7); 1.3580 (11.4); 1.3406 (5.5); -0.0002 (4.6) I-200: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1133 (5.2); 7.8800 (0.4); 7.8605 (0.7); 7.8416 (0.4); 7.6515 (0.6); 7.6436 (0.8); 7.6288 (1.1); 7.6259 (1.1); 7.6149 (1.4); 7.6050 (0.9); 7.5913 (1.0); 7.5847 (2.3); 7.5562 (2.4); 7.5111 (1.8); 7.5075 (1.8); 7.5047 (1.9); 7.4300 (0.8); 7.4021 (1.2); 7.3740 (0.5); 7.2985 (8.7); 7.2890 (1.3); 7.2674 (1.0); 7.2606 (1.0); 4.5113 (1.0); 4.4905 (1.0); 4.4641 (2.2); 4.4434 (2.1); 4.4170 (1.1); 4.3962 (1.0); 2.7572 (16.0); 1.6050 (1.3); 1.2272 (0.6); 0.0364 (8.4) I-201: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9353 (6.0); 8.9235 (0.4); 7.9265 (0.5); 7.9078 (0.8); 7.8901 (0.5); 7.6931 (0.4); 7.6671 (1.5); 7.6452 (4.3); 7.6294 (0.5); 7.5775 (2.6); 7.5754 (2.5); 7.5485 (2.0); 7.4883 (0.9); 7.4799 (1.4); 7.4726 (1.0); 7.4689 (0.8); 7.4584 (1.1); 7.4508 (0.6); 7.3874 (7.0); 7.2987 (5.1); 6.1291 (0.6); 6.1183 (0.7); 6.1054 (0.6); 6.0945 (0.6); 5.9736 (0.6); 5.9627 (0.7); 5.9498 (0.7); 5.9390 (0.6); 5.8366 (3.2); 4.3107 (0.4); 4.2997 (0.4); 4.2883 (0.4); 4.2774 (0.4); 4.2687 (0.3); 4.2199 (0.4); 4.2088 (0.4); 4.1975 (0.4); 4.1867 (0.3); 3.8980 (0.3); 3.8809 (0.4); 3.8742 (0.4); 3.8570 (0.5); 3.8494 (0.4); 3.8321 (0.5); 3.8275 (0.6); 3.8104 (0.6); 3.7872 (0.4); 3.7793 (0.3); 2.3237 (16.0); 2.0413 (0.5); 1.6246 (0.9); 0.0363 (4.5) I-202: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1748 (2.4); 9.1592 (5.2); 9.1439 (2.4); 7.9608 (1.5); 7.6801 (2.1); 7.6605 (5.8); 7.6409 (4.6); 7.6090 (6.2); 7.5896 (3.2); 7.5718 (0.4); 7.5529 (9.8); 7.5314 (13.2); 7.4184 (8.5); 7.4071 (16.0); 7.3860 (13.0); 5.8159 (7.7); 5.8019 (7.9); 4.6007 (3.0); 4.5834 (4.8); 4.5602 (4.2); 4.4935 (0.6); 4.4673 (2.6); 4.4533 (2.3); 4.4422 (1.3); 4.4251 (0.5); 4.1391 (5.8); 4.1299 (6.9); 4.1093 (7.9); 4.0944 (4.8); 4.0731 (2.4); 4.0575 (2.2); 3.3121 (159.6); 2.8990 (9.6); 2.7399 (8.7); 2.5135 (28.4); 2.5091 (39.0); 2.5048 (29.2) I-203: .sup.1H-NMR(400.1

MHz, d.sub.6-DMSO): δ = 9.1068 (1.2); 9.0922 (2.5); 9.0779 (1.2); 8.0613 (11.4); 7.9607 (0.4); 7.7585 (5.5); 7.6685 (1.4); 7.6488 (3.4); 7.6291 (2.3); 7.5368 (3.0); 7.5168 (2.6); 7.4915 (16.0); 7.4710 (0.8); 7.4480 (2.4); 7.4278 (2.0); 7.2430 (2.0); 7.1037 (4.2); 6.9646 (2.1); 6.0499 (0.9); 6.0370 (1.8); 6.0248 (0.9); 5.9347 (0.9); 5.9218 (1.9); 5.9093 (0.9); 3.8975 (1.5); 3.8835 (2.5); 3.8703 (1.4); 3.8394 (1.6); 3.8256 (2.6); 3.8121 (1.4); 3.3114 (23.7); 2.8986 (2.5); 2.7397 (2.3); 2.5130 (10.6); 2.5087 (14.2); 2.5045 (10.7) I-204: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5549 (0.7); 7.5286 (1.7); 7.4982 (3.0); 7.4691 (4.0); 7.4407 (1.5); 7.4149 (1.0); 7.3903 (3.8); 7.3623 (2.2); 7.3124 (1.9); 7.2983 (3.7); 7.2866 (1.1); 7.2834 (1.2); 7.2800 (0.9); 7.2600 (0.8); 7.2567 (0.9); 7.2527 (0.8); 7.0731 (0.5); 7.0523 (1.1); 7.0313 (0.5); 6.8659 (1.1); 6.6782 (2.3); 6.4906 (1.2); 4.1864 (0.9); 4.1654 (0.8); 4.1389 (1.9); 4.1179 (1.8); 4.0914 (0.9); 4.0704 (0.9); 2.2769 (16.0); 1.6432 (4.2); 1.2921 (0.8); 0.9177 (0.4); 0.0358 (3.5) I-205: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0585 (1.3); 9.0381 (1.3); 7.7720 (6.1); 7.7301 (0.6); 7.7103 (1.7); 7.6910 (1.4); 7.6576 (3.6); 7.6358 (1.0); 7.5841 (1.4); 7.5646 (1.0); 7.1422 (2.5); 7.0959 (0.9); 7.0764 (1.7); 7.0728 (1.7); 7.0337 (2.6); 7.0141 (1.4); 5.0822 (0.8); 5.0637 (1.1); 5.0454 (0.8); 3.3628 (27.9); 3.3529 (39.6); 2.8905 (1.3); 2.7320 (1.1); 2.6016 (16.0); 2.5125 (7.2); 2.5081 (15.5); 2.5036 (21.0); 2.4990 (15.2); 2.4946 (7.4); 2.1451 (11.4); 2.0714 (11.9); 1.4126 (6.1); 1.3952 (6.1); -0.0002 (0.4) I-206: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1362 (1.4); 9.1161 (1.5); 7.8091 (6.7); 7.7325 (0.6); 7.7126 (1.9); 7.6929 (4.0); 7.6557 (2.0); 7.6361 (1.1); 7.6026 (1.5); 7.5846 (1.0); 7.5813 (1.0); 7.1784 (2.4); 7.1733 (2.9); 7.1338 (2.8); 7.1287 (2.3); 5.1990 (0.9); 5.1806 (1.3); 5.1619 (0.9); 4.5703 (1.4); 4.5606 (1.0); 4.5480 (2.4); 4.5391 (2.4); 4.5262 (1.2); 4.5171 (1.4); 3.3328 (44.4); 3.1839 (1.6); 3.1620 (3.0); 3.1403 (1.5); 2.8923 (0.4); 2.7335 (0.3); 2.6100 (16.0); 2.5121 (13.6); 2.5081 (25.7); 2.5036 (33.0); 2.4990 (24.3); 2.4947 (12.4); 1.3867 (6.3); 1.3692 (6.3); 1.2405 (0.6) I-207: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 20.0124 (0.4); 10.0224 (0.4); 9.3809 (1.0); 9.3655 (2.3); 9.3488 (1.0); 9.0570 (0.4); 8.3155 (10.9); 8.1369 (0.6); 7.7526 (1.1); 7.7323 (2.9); 7.7130 (2.5); 7.6917 (3.5); 7.6698 (1.5); 7.6192 (0.5); 7.5873 (4.1); 7.5643 (2.4); 7.5447 (2.0); 7.3534 (3.0); 7.3336 (3.4); 7.3038 (1.1); 7.2871 (0.7); 7.1044 (4.2); 7.0546 (0.9); 6.9787 (0.4); 6.9608 (1.9); 6.9424 (1.8); 6.8147 (0.5); 6.7975 (0.4); 5.8126 (0.5); 5.7938 (1.1); 5.7760 (0.6); 4.6906 (0.5); 4.6189 (0.6); 4.5999 (1.3); 4.5812 (0.7); 4.1825 (0.9); 4.1680 (0.9); 4.1454 (1.9); 4.1300 (1.9); 4.1059 (1.1); 4.0909 (1.1); 3.9846 (2.2); 3.9732 (2.3); 3.9557 (2.6); 3.9448 (2.4); 3.8761 (0.4); 3.7812 (0.6); 3.7535 (0.6); 3.7345 (0.6); 3.5993 (0.4); 3.5345 (0.6); 3.5147 (1.0); 3.5077 (0.9); 3.4802 (1.0); 3.4613 (0.8); 3.3370 (3221.7); 3.3038 (12.7); 3.2515 (4.9); 3.2335 (0.9); 3.1956 (1.4); 3.1672 (0.9); 2.7913 (0.4); 2.7825 (0.4); 2.6807 (9.8); 2.6763 (13.3); 2.6717 (9.8); 2.5466 (17.0); 2.5294 (50.5); 2.5160 (868.8); 2.5118 (1671.2); 2.5073 (2151.6); 2.5027 (1564.0); 2.4984 (767.0); 2.4315 (11.8); 2.3385 (9.7); 2.3340 (13.1); 2.3296 (9.5); 2.2824 (1.7); 2.2723 (1.1); 2.2470 (16.0); 2.2247 (2.4); 2.2069 (4.7); 2.2015 (3.3); 2.0772 (15.9); 1.5880 (2.2); 1.5613 (2.0); 1.3970 (0.5); 1.3308 (0.4); 1.2386 (0.5); 0.0044 (1.7) I-208: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 8.0396 (16.0); 7.6707 (0.8); 7.6510 (3.7); 7.6349 (10.5); 7.6184 (0.8); 7.5355 (1.1); 7.5162 (5.0); 7.4333 (0.3); 7.4195 (1.7); 7.4131 (3.3); 7.4078 (2.2); 7.4021 (1.3); 7.3970 (2.1); 7.3913 (1.4); 6.9561 (3.0); 6.9371 (4.7); 6.8766 (3.8); 6.8566 (9.0); 5.4461 (3.2); 4.4261 (0.4); 4.4182 (0.5); 4.4136 (0.6); 4.4061 (1.4); 4.3987 (1.2); 4.3944 (1.3); 4.3858 (2.0); 4.3772 (1.3); 4.3730 (1.3); 4.3655 (1.4); 4.3579 (0.5); 4.3534 (0.5); 4.3456 (0.4); 3.0961 (1.5); 3.0842 (1.5); 3.0557 (2.0); 3.0436 (1.9); 2.8693 (3.6); 2.8526 (7.0); 2.8359 (3.7); 2.7972 (2.0); 2.7776 (1.9); 2.7568 (1.5); 2.7375 (1.5); 2.4618 (0.3); 2.1843 (26.2); 2.1478 (48.9); 2.1188 (0.4); 2.1126 (0.6); 2.1064 (1.1); 2.1002 (0.8); 2.0952 (0.7); 2.0905 (1.0); 2.0878 (1.1); 2.0827 (1.1); 2.0800 (1.1); 2.0739 (1.3); 2.0716 (1.3); 2.0663 (1.3); 2.0638 (1.3); 2.0581 (1.6); 2.0555 (1.6); 2.0503 (1.6); 2.0478 (1.5); 2.0422 (0.8); 2.0345 (0.7); 1.9677 (1.5); 1.9633 (3.2); 1.9572 (8.3); 1.9514 (42.0); 1.9453 (73.3); 1.9391 (96.6); 1.9329 (67.7); 1.9267 (34.6); 1.9136 (1.5); 1.8970 (1.3); 1.8785 (0.5); 1.7737 (0.4); 1.7675 (0.6); 1.7614 (0.4); 1.2849 (0.3); 1.2699 (0.7); 1.0834 (0.5); 0.8808 (0.5); 0.1461 (0.4); 0.0078 (4.2); -0.0003 (98.5); -0.0085 (3.8); -0.1496 (0.4) I-209: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2518 (9.6); 8.0159 (0.4); 7.7993

(1.4); 7.4301 (1.2); 7.4260 (1.3); 7.4094 (2.4); 7.3947 (1.4); 7.3898 (1.4); 7.3364 (3.5); 7.3165 (3.8); 7.2594 (30.5); 7.2502 (3.2); 7.2460 (2.2); 7.2348 (2.3); 7.2297 (2.0); 7.2203 (2.7); 7.1994 (2.6); 7.1788 (1.0); 7.0305 (4.1); 6.9455 (2.2); 6.9253 (2.0); 4.2523 (1.8); 4.2373 (1.8); 4.2166 (3.7); 4.2018 (3.5); 4.1810 (1.9); 4.1660 (1.8); 2.9547 (3.0); 2.8824 (2.8); 2.4716 (11.5); 2.2759 (16.0); 2.1577 (0.4); 1.5436 (25.3); -0.0002 (1.5) I-210: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.6587 (2.9); 7.7285 (0.6); 7.7088 (1.8); 7.6891 (1.6); 7.6634 (2.0); 7.6462 (6.6); 7.5367 (2.5); 7.5110 (1.4); 7.4913 (1.1); 7.1231 (3.5); 7.1034 (4.2); 6.8923 (3.8); 6.8730 (3.2); 3.3269 (19.8); 2.8901 (0.9); 2.8626 (6.3); 2.7310 (0.8); 2.5640 (16.0); 2.5061 (18.6); 2.5017 (24.6); 2.4974 (18.0); 2.1415 (12.4); 1.2402 (0.6); 0.8456 (1.0); 0.8278 (3.4); 0.8168 (1.5); 0.7324 (1.4); 0.7213 (3.3); 0.7039 (0.9); -0.0002 (3.4) I-211: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1988 (1.6); 9.1836 (3.5); 9.1680 (1.8); 7.9613 (2.4); 7.6843 (1.5); 7.6647 (4.0); 7.6448 (3.2); 7.6119 (4.2); 7.5924 (2.3); 7.5658 (6.6); 7.5444 (9.2); 7.4433 (5.5); 7.4293 (9.7); 7.4079 (8.1); 7.1077 (0.9); 7.0950 (2.6); 7.0821 (2.7); 7.0704 (1.0); 4.1666 (1.4); 4.1513 (1.5); 4.1306 (3.1); 4.1152 (3.0); 4.0941 (1.7); 4.0787 (1.6); 3.3121 (107.0); 2.8991 (16.0); 2.8008 (14.2); 2.7879 (14.5); 2.7402 (14.4); 2.5136 (18.7); 2.5092 (25.8); 2.5048 (19.5) I-212: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1084 (1.7); 9.0940 (3.4); 9.0793 (1.7); 8.0638 (16.0); 7.9607 (2.4); 7.6669 (2.0); 7.6464 (9.8); 7.6275 (3.3); 7.5716 (5.5); 7.5506 (7.0); 7.5358 (4.2); 7.5166 (3.0); 7.4845 (5.7); 7.4479 (3.3); 7.4277 (2.8); 7.3831 (4.1); 7.3781 (4.0); 7.3622 (3.3); 7.3572 (3.3); 7.2414 (2.8); 7.1021 (5.9); 6.9629 (2.9); 6.0650 (1.2); 6.0522 (2.4); 6.0398 (1.2); 5.9494 (1.2); 5.9370 (2.5); 5.9244 (1.2); 3.9017 (2.2); 3.8879 (3.7); 3.8743 (2.1); 3.8438 (2.3); 3.8298 (3.8); 3.8163 (2.1); 3.3117 (32.2); 2.8985 (14.8); 2.7396 (13.4); 2.5130 (13.5); 2.5087 (18.0); 2.5045 (13.5) I-213: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1937 (1.2); 9.1739 (1.2); 7.8043 (6.3); 7.7302 (0.6); 7.7104 (1.7); 7.6908 (1.4); 7.6631 (2.4); 7.6584 (2.8); 7.6346 (1.0); 7.5874 (1.4); 7.5682 (1.0); 7.4711 (2.7); 7.3716 (0.9); 7.3682 (0.6); 7.3562 (1.3); 7.3527 (2.2); 7.3377 (1.6); 7.3186 (3.0); 7.2999 (1.5); 7.2857 (1.4); 7.2813 (2.2); 7.2768 (1.3); 7.2665 (0.7); 7.2620 (1.0); 7.2577 (0.6); 5.1618 (0.8); 5.1434 (1.2); 5.1250 (0.8); 3.3663 (18.7); 3.3568 (28.2); 2.8914 (1.2); 2.7330 (1.0); 2.6102 (16.0); 2.5141 (5.5); 2.5097 (11.5); 2.5051 (15.4); 2.5006 (11.0); 2.4962 (5.3); 1.4448 (6.3); 1.4272 (6.3); -0.0002 (0.3) I-214: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0162 (0.7); 9.0069 (0.8); 8.9961 (0.8); 8.9867 (0.8); 7.9526 (0.6); 7.7674 (6.6); 7.7264 (0.6); 7.7077 (1.5); 7.6864 (1.2); 7.6475 (4.3); 7.6286 (1.0); 7.5706 (1.4); 7.5528 (0.9); 7.2086 (2.3); 7.0893 (1.1); 7.0688 (1.2); 6.6117 (1.6); 6.6085 (1.7); 6.5913 (1.5); 6.5881 (1.6); 5.0780 (0.5); 5.0721 (0.5); 5.0558 (0.7); 5.0405 (0.5); 5.0349 (0.5); 4.8611 (0.4); 4.8448 (0.7); 4.8420 (0.8); 4.8263 (0.8); 4.8235 (0.7); 4.8072 (0.5); 3.3319 (26.9); 3.1977 (0.4); 3.1760 (0.4); 3.1575 (0.8); 3.1351 (0.7); 3.1164 (0.5); 3.0946 (0.4); 2.8918 (4.8); 2.7334 (4.0); 2.6671 (0.6); 2.6478 (0.5); 2.6275 (0.4); 2.6008 (16.0); 2.5825 (0.6); 2.5635 (0.5); 2.5430 (0.5); 2.5254 (0.8); 2.5210 (0.9); 2.5121 (10.2); 2.5076 (20.9); 2.5030 (27.4); 2.4984 (19.5); 2.4939 (9.3); 1.4096 (3.9); 1.4069 (4.0); 1.3923 (3.9); 1.3895 (3.9); 1.3322 (4.2); 1.3166 (4.7); 1.3127 (4.8); 1.2970 (4.3); 1.2408 (0.5) I-215: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3531 (2.4); 7.3460 (2.5); 7.2986 (8.2); 7.2264 (2.0); 7.1991 (2.5); 7.1525 (0.5); 7.1260 (1.4); 7.0992 (2.9); 7.0908 (1.4); 7.0758 (1.0); 7.0699 (1.2); 7.0490 (0.5); 7.0428 (0.4); 7.0020 (1.6); 6.9949 (1.5); 6.9746 (1.2); 6.9676 (1.2); 6.8696 (0.6); 6.8616 (0.6); 6.8466 (1.2); 6.8399 (1.0); 6.8216 (0.6); 6.8157 (0.5); 6.2262 (0.4); 6.2082 (0.7); 6.1896 (0.4); 5.3369 (1.1); 3.8782 (1.0); 3.8569 (2.5); 3.8352 (2.5); 3.8137 (1.1); 3.1285 (1.8); 3.1064 (3.2); 3.0845 (1.6); 2.4593 (16.0); 2.3015 (0.3); 2.1128 (0.4); 2.1013 (0.5); 2.0845 (0.9); 2.0674 (0.5); 2.0561 (0.5); 1.5942 (6.3); 1.0801 (0.6); 1.0647 (1.7); 1.0580 (1.9); 1.0432 (1.1); 1.0361 (1.9); 1.0296 (1.7); 1.0150 (0.9); 0.8220 (0.8); 0.8069 (2.1); 0.8010 (2.0); 0.7900 (1.9); 0.7844 (2.2); 0.7680 (0.7); 0.1076 (0.6); 0.0377 (7.1); 0.0268 (0.4) I-216: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4207 (8.4); 8.1695 (8.3); 7.6569 (0.3); 7.6306 (2.5); 7.6247 (2.2); 7.6200 (2.2); 7.6127 (6.3); 7.6093 (6.6); 7.5940 (0.5); 7.5196 (2.9); 7.5018 (0.5); 7.4948 (0.3); 7.4871 (1.3); 7.4751 (1.8); 7.4684 (1.5); 7.4569 (1.2); 7.4488 (0.7); 7.3284 (2.9); 7.2986 (23.0); 7.0485 (3.2); 6.9494 (1.8); 6.9235 (1.5); 6.6805 (0.8); 6.6604 (1.6); 6.6398 (0.8); 4.4252 (2.2); 4.4014

(7.2); 4.3777 (7.3); 4.3539 (2.3); 4.1493 (1.5); 4.1287 (1.5); 4.1009 (3.2); 4.0803 (3.1); 4.0524 (1.6); 4.0318 (1.6); 2.4588 (9.6); 2.4517 (5.4); 2.2979 (12.8); 1.6027 (14.4); 1.4393 (7.5); 1.4156 (16.0); 1.3918 (7.3); 1.2944 (0.5); 0.1083 (2.0); 0.0492 (0.8); 0.0383 (23.7); 0.0273 (0.8) I-217: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2469 (0.7); 9.2319 (1.5); 9.2168 (0.7); 8.3167 (3.7); 7.7176 (0.8); 7.6981 (2.0); 7.6788 (1.5); 7.6445 (1.9); 7.6252 (1.0); 7.5400 (2.5); 7.5093 (1.4); 7.4894 (1.1); 7.3263 (2.3); 7.3061 (2.6); 7.0976 (2.7); 6.9748 (1.4); 6.9545 (1.2); 5.7954 (0.5); 4.6189 (0.3); 4.6002 (0.6); 4.1447 (0.8); 4.1304 (0.7); 4.1080 (1.6); 4.0921 (1.5); 4.0700 (0.8); 4.0545 (0.8); 3.8685 (0.3); 3.4049 (0.7); 3.3351 (765.0); 3.2773 (0.9); 3.2655 (0.7); 2.9207 (1.2); 2.9020 (3.9); 2.8832 (4.0); 2.8647 (1.3); 2.6809 (3.2); 2.6764 (4.3); 2.6718 (3.1); 2.6674 (1.5); 2.5466 (2.3); 2.5298 (14.1); 2.5250 (22.0); 2.5164 (265.4); 2.5120 (532.8); 2.5074 (697.8); 2.5028 (506.6); 2.4984 (246.3); 2.4362 (7.7); 2.4090 (0.4); 2.3433 (1.4); 2.3388 (3.1); 2.3342 (4.3); 2.3296 (3.0); 2.2495 (10.2); 2.1460 (16.0); 2.0778 (4.0); 1.2576 (4.8); 1.2390 (10.7); 1.2204 (4.7); 0.0045 (0.9) I-218: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.0987 (5.1); 7.9717 (0.9); 7.4054 (1.1); 7.3892 (2.7); 7.3729 (1.8); 7.3259 (2.1); 7.3099 (3.6); 7.2939 (1.1); 7.2922 (1.2); 7.2906 (1.2); 7.2597 (13.7); 7.2113 (1.6); 7.2073 (2.7); 7.2032 (1.6); 7.1172 (1.3); 7.1156 (1.3); 7.1128 (1.3); 7.1009 (1.2); 7.0993 (1.2); 7.0965 (1.2); 7.0324 (2.5); 6.9465 (1.3); 6.9307 (1.3); 5.2977 (0.9); 4.2380 (1.0); 4.2262 (1.0); 4.2092 (2.2); 4.1974 (2.2); 4.1805 (1.1); 4.1687 (1.1); 2.7164 (16.0); 2.4721 (7.0); 2.2922 (10.0); 2.0035 (1.1); 1.5548 (25.3); 1.3027 (0.6); 1.2890 (0.8); 1.2657 (2.3); 1.2549 (1.7); 0.8957 (1.4); 0.8821 (3.2); 0.8679 (1.6); 0.0060 (0.5); -0.0002 (11.6) I-219: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1051 (5.3); 8.0178 (0.4); 7.8329 (0.8); 7.5984 (0.7); 7.5791 (1.6); 7.5590 (1.5); 7.5401 (0.9); 7.3709 (0.9); 7.3465 (2.7); 7.3261 (2.5); 7.2597 (26.0); 7.0239 (2.3); 6.9423 (1.2); 6.9217 (1.1); 4.2635 (1.0); 4.2486 (1.0); 4.2278 (2.2); 4.2129 (2.1); 4.1920 (1.1); 4.1771 (1.0); 2.9552 (2.8); 2.8829 (2.6); 2.7209 (16.0); 2.4775 (6.5); 2.2935 (0.4); 2.2578 (9.0); 1.5471 (15.3); -0.0002 (1.4) I-220: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.6328 (11.8); 7.9198 (0.8); 7.9038 (1.4); 7.8858 (0.8); 7.7332 (6.6); 7.7161 (5.2); 7.6876 (0.4); 7.5464 (3.4); 7.5231 (0.3); 7.5107 (1.5); 7.5022 (1.5); 7.4920 (2.0); 7.4856 (1.6); 7.4804 (1.2); 7.4721 (0.9); 7.3793 (3.5); 7.3527 (4.0); 7.3040 (14.5); 7.0919 (3.9); 7.0049 (2.2); 6.9782 (1.9); 5.3433 (0.4); 4.3273 (1.9); 4.3075 (1.8); 4.2791 (4.0); 4.2593 (3.9); 4.2308 (2.0); 4.2111 (2.0); 2.5174 (11.7); 2.5102 (6.4); 2.3309 (16.0); 2.0884 (0.3); 1.5993 (13.9); 1.3327 (0.4); 1.3025 (0.4); 1.2884 (0.4); 0.1138 (0.4); 0.0539 (0.5); 0.0431 (13.4); 0.0322 (0.4) I-221: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9850 (0.6); 7.5515 (0.5); 7.5318 (2.3); 7.5166 (5.5); 7.4147 (2.8); 7.3663 (1.1); 7.3594 (1.7); 7.3538 (1.3); 7.3435 (1.2); 7.3379 (0.7); 7.2595 (13.1); 7.0273 (2.3); 7.0082 (3.0); 6.9624 (3.2); 6.8731 (1.8); 6.8545 (1.4); 6.1053 (0.7); 6.0918 (1.2); 6.0785 (0.7); 4.3658 (1.7); 4.3483 (5.4); 4.3308 (5.4); 4.3134 (1.7); 3.7641 (1.4); 3.7472 (3.6); 3.7317 (3.6); 3.7150 (1.5); 2.9474 (4.4); 2.9334 (2.5); 2.9163 (4.6); 2.8992 (2.2); 2.8684 (3.9); 2.3341 (0.7); 2.2880 (16.0); 2.2549 (14.6); 2.1909 (0.6); 1.5508 (13.8); 1.4420 (5.6); 1.4245 (11.1); 1.4070 (5.6); 1.3891 (0.5); -0.0002 (3.8) I-222: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5662 (8.2); 8.0482 (0.6); 8.0301 (1.1); 8.0117 (0.6); 7.6932 (0.3); 7.6668 (2.1); 7.6583 (1.8); 7.6478 (5.7); 7.6446 (4.8); 7.6326 (0.4); 7.5269 (2.7); 7.5012 (1.1); 7.4900 (1.5); 7.4829 (1.3); 7.4706 (1.1); 7.4629 (0.6); 7.3886 (2.5); 7.3621 (2.9); 7.3040 (11.0); 7.0814 (2.8); 6.9939 (1.6); 6.9667 (1.4); 5.9433 (4.3); 5.5523 (2.9); 5.5494 (2.9); 4.3318 (1.4); 4.3120 (1.3); 4.2836 (2.9); 4.2638 (2.8); 4.2355 (1.4); 4.2158 (1.4); 2.5292 (8.5); 2.5220 (4.7); 2.3340 (12.4); 2.3218 (12.3); 1.6060 (16.0); 0.0535 (0.4); 0.0427 (10.1); 0.0319 (0.4) I-223: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1613 (5.1); 7.9345 (0.6); 7.9155 (0.4); 7.6444 (0.6); 7.6209 (1.0); 7.6154 (1.1); 7.5859 (1.2); 7.5627 (0.7); 7.4189 (0.8); 7.3929 (1.3); 7.3652 (22.9); 7.2989 (15.1); 5.8332 (0.5); 5.8219 (0.6); 5.8077 (0.6); 5.7964 (0.6); 5.6743 (0.6); 5.6631 (0.6); 5.6489 (0.6); 5.6376 (0.6); 4.2184 (0.4); 4.2072 (0.4); 4.1959 (0.3); 4.1845 (0.4); 4.1264 (0.4); 4.1150 (0.4); 4.1039 (0.4); 4.0926 (0.4); 3.8866 (0.3); 3.8700 (0.4); 3.8613 (0.4); 3.8444 (0.4); 3.8224 (0.6); 3.8125 (0.4); 3.8060 (0.4); 3.7967 (0.5); 3.7804 (0.4); 3.2529 (0.3); 2.8413 (1.2); 2.7754 (16.0); 1.5936 (9.7); 1.2283 (1.1); 0.0482 (0.6); 0.0374 (15.0); 0.0266 (0.5) I-224: .sup.1H-NMR(600.4 MHz, d.sub.6-DMSO): δ = 8.0623 (2.4); 7.7214 (0.5);

7.7081 (1.3); 7.7034 (4.4); 7.6950 (0.9); 7.6520 (1.0); 7.6390 (0.7); 7.5731 (1.4); 7.5445 (0.8); 7.5311 (0.7); 7.5278 (0.7); 7.5075 (0.4); 7.4932 (0.6); 7.4380 (0.7); 7.4239 (0.4); 7.2309 (2.1); 7.2279 (0.8); 7.2200 (1.0); 7.2169 (3.4); 7.2130 (0.5); 7.1733 (0.5); 7.1693 (3.8); 7.1660 (1.0); 7.1584 (0.8); 7.1553 (2.4); 5.7520 (0.4); 5.3952 (1.0); 3.3051 (90.1); 3.0744 (4.4); 2.6449 (2.1); 2.6150 (0.6); 2.6120 (0.9); 2.6089 (0.7); 2.5998 (11.4); 2.5210 (2.1); 2.5180 (2.5); 2.5148 (2.6); 2.5061 (49.0); 2.5031 (102.1); 2.5000 (137.6); 2.4970 (100.3); 2.4940 (47.4); 2.3870 (0.6); 2.3840 (0.8); 2.3809 (0.6); 1.2951 (16.0); -0.0002 (0.9) I-225: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2467 (1.2); 9.2313 (2.6); 9.2156 (1.2); 7.9610 (2.4); 7.6902 (1.0); 7.6705 (2.9); 7.6508 (2.3); 7.6194 (3.0); 7.6000 (1.6); 7.5598 (4.9); 7.5384 (6.5); 7.4489 (3.9); 7.4288 (2.3); 7.4103 (8.0); 7.3893 (5.0); 6.4397 (1.2); 6.4261 (2.5); 6.4123 (1.2); 4.9757 (1.9); 4.9625 (4.3); 4.9493 (2.0); 4.1602 (1.0); 4.1442 (1.0); 4.1237 (2.2); 4.1083 (2.1); 4.0872 (1.2); 4.0719 (1.1); 3.5857 (1.5); 3.5719 (4.4); 3.5583 (4.6); 3.5447 (1.8); 3.3123 (86.8); 3.2727 (1.8); 3.2590 (4.4); 3.2450 (4.2); 3.2310 (1.4); 2.8989 (16.0); 2.7398 (14.3); 2.5133 (14.5); 2.5090 (19.8); 2.5046 (14.5) I-226: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0798 (1.9); 9.0643 (4.0); 9.0488 (2.0); 7.9607 (0.4); 7.6861 (16.0); 7.6427 (2.3); 7.6229 (5.5); 7.6022 (10.9); 7.5807 (12.1); 7.5060 (15.6); 7.4847 (11.3); 7.4233 (6.5); 7.3787 (3.8); 7.3584 (3.1); 7.2332 (3.2); 7.0938 (6.8); 6.9545 (3.4); 4.1323 (2.0); 4.1166 (2.2); 4.0972 (4.5); 4.0816 (4.4); 4.0622 (2.4); 4.0465 (2.2); 3.3141 (87.3); 2.8984 (2.4); 2.7397 (2.2); 2.5966 (40.8); 2.5130 (16.2); 2.5088 (21.5); 2.5045 (16.0) I-227: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2166 (1.2); 9.1971 (1.3); 7.9550 (0.6); 7.8076 (6.4); 7.7326 (0.6); 7.7130 (1.5); 7.6921 (1.3); 7.6547 (7.1); 7.6499 (4.4); 7.6385 (1.1); 7.5824 (1.4); 7.5620 (3.9); 7.5412 (3.9); 7.4065 (1.7); 7.4015 (1.7); 7.3855 (1.3); 7.3804 (1.3); 5.1534 (0.8); 5.1353 (1.2); 5.1171 (0.8); 3.3835 (25.7); 3.3787 (39.2); 3.3743 (46.6); 2.8936 (4.0); 2.7348 (3.5); 2.6115 (16.0); 2.5171 (5.4); 2.5126 (11.6); 2.5081 (15.7); 2.5035 (11.4); 2.4990 (5.5); 1.4416 (6.1); 1.4241 (6.0) I-228: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4710 (16.0); 8.4403 (6.2); 8.1265 (1.0); 8.1086 (1.7); 8.0879 (1.1); 7.7601 (5.6); 7.7205 (3.5); 7.7012 (9.4); 7.6979 (8.6); 7.6854 (1.4); 7.6446 (0.3); 7.6042 (5.7); 7.6003 (4.0); 7.5776 (4.2); 7.5369 (0.6); 7.5304 (0.5); 7.5208 (1.8); 7.5105 (2.8); 7.5033 (2.4); 7.4901 (2.4); 7.4820 (1.9); 7.4754 (0.8); 7.4449 (1.2); 7.4395 (1.0); 7.4170 (6.3); 7.4115 (6.8); 7.4045 (9.0); 7.3769 (1.7); 7.3064 (6.2); 7.2988 (34.3); 7.2250 (0.4); 7.2185 (0.3); 7.1644 (0.5); 6.1562 (1.1); 6.1458 (1.3); 6.1323 (1.3); 6.1219 (1.2); 6.0008 (1.1); 5.9904 (1.2); 5.9770 (1.3); 5.9665 (1.2); 4.4019 (0.6); 4.3914 (0.6); 4.3793 (0.6); 4.3688 (0.6); 4.3531 (0.7); 4.3427 (0.8); 4.3305 (0.7); 4.3201 (0.8); 4.3110 (0.7); 4.3006 (0.6); 4.2885 (0.7); 4.2780 (0.6); 4.2622 (0.8); 4.2514 (0.7); 4.2397 (0.8); 4.2291 (0.7); 4.1690 (0.9); 4.1452 (0.9); 4.1216 (0.3); 3.9374 (0.7); 3.9202 (0.8); 3.9133 (0.8); 3.9057 (0.5); 3.8962 (0.9); 3.8882 (0.9); 3.8668 (1.2); 3.8494 (1.2); 3.8435 (0.9); 3.8261 (0.8); 3.8184 (0.8); 3.8015 (0.6); 3.7945 (0.7); 3.7775 (0.6); 3.1384 (0.6); 2.0818 (4.4); 1.7188 (3.6); 1.4488 (0.8); 1.3192 (1.2); 1.2954 (2.6); 1.2716 (1.2); 1.1420 (2.4); 1.0728 (0.4); 1.0489 (0.5); 1.0251 (0.5); 0.1058 (7.2); 0.0462 (0.9); 0.0354 (32.5); 0.0245 (1.4) I-229: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0213 (1.4); 9.0010 (1.4); 7.9521 (0.7); 7.7693 (6.5); 7.7265 (0.6); 7.7065 (1.7); 7.6875 (1.4); 7.6483 (4.3); 7.6284 (1.1); 7.5717 (1.4); 7.5526 (1.0); 7.2486 (2.6); 7.1010 (1.3); 7.0976 (1.2); 7.0806 (1.4); 7.0770 (1.4); 6.6504 (2.9); 6.6299 (2.7); 5.0833 (0.9); 5.0647 (1.2); 5.0464 (0.9); 4.4758 (2.2); 4.4543 (4.2); 4.4322 (2.5); 3.3304 (27.6); 3.0683 (0.4); 3.0509 (0.8); 3.0298 (1.4); 3.0204 (0.8); 3.0081 (0.7); 2.9983 (1.4); 2.9769 (0.8); 2.9594 (0.4); 2.8911 (5.0); 2.7325 (4.5); 2.6010 (16.0); 2.5247 (0.5); 2.5112 (10.1); 2.5070 (20.6); 2.5025 (27.3); 2.4980 (20.0); 2.4936 (10.0); 1.4115 (6.2); 1.3941 (6.2); 1.2404 (0.5) I-230: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9168 (5.5); 7.9080 (5.5); 7.6276 (0.6); 7.6013 (3.3); 7.5938 (2.9); 7.5827 (8.1); 7.5793 (7.5); 7.5685 (0.8); 7.5635 (0.7); 7.4799 (3.7); 7.4630 (0.6); 7.4482 (1.7); 7.4365 (2.3); 7.4297 (2.0); 7.4175 (1.6); 7.4095 (0.9); 7.3414 (3.6); 7.3148 (4.2); 7.2983 (24.6); 7.0391 (4.1); 6.9219 (2.2); 6.8954 (1.9); 6.6557 (1.0); 6.6365 (1.9); 6.6171 (1.0); 6.3145 (6.2); 6.3056 (6.0); 4.1691 (1.9); 4.1486 (1.9); 4.1207 (4.1); 4.1002 (3.9); 4.0723 (2.1); 4.0519 (2.0); 2.4787 (12.0); 2.4718 (6.7); 2.4503 (0.6); 2.3451 (0.4); 2.2732 (16.0); 2.0655 (0.6); 2.0490 (1.1); 2.0375 (1.3); 2.0211 (2.3);

2.0046 (1.3); 1.9932 (13); 1.9767 (0.6); 1.6070 (8.7); 1.2944 (1.1); 1.0778 (1.5); 1.0631 (3.6); 1.0549 (4.2); 1.0412 (2.5); 1.0347 (3.8); 1.0266 (3.6); 1.0134 (1.9); 0.9915 (0.4); 0.9639 (0.3); 0.9246 (0.4); 0.9076 (0.4); 0.8750 (2.1); 0.8613 (4.6); 0.8538 (4.2); 0.8452 (4.2); 0.8381 (4.6); 0.8220 (1.4); 0.1084 (2.4); 0.0493 (1.2); 0.0385 (26.0); 0.0276 (1.1) I-231: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 8.7846 (1.1); 8.7735 (1.9); 8.7623 (0.9); 8.0888 (5.9); 7.7555 (1.0); 7.7392 (2.4); 7.7234 (2.1); 7.6995 (3.1); 7.6856 (4.8); 7.6123 (2.0); 7.5959 (1.5); 7.0474 (2.7); 7.0321 (2.9); 6.9118 (3.7); 6.7791 (2.1); 6.7639 (1.8); 3.5016 (1.6); 3.4883 (3.1); 3.4750 (3.0); 3.4612 (1.2); 3.3319 (3.8); 2.8178 (2.6); 2.8033 (4.2); 2.7888 (2.1); 2.5046 (1.1); 2.2585 (16.0); 2.2399 (0.5); 2.2219 (0.4); 2.2159 (0.4); 2.1646 (14.6); -0.0002 (0.4) I-232: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2795 (12.7); 8.1473 (1.4); 8.1280 (0.8); 7.3788 (3.5); 7.3523 (4.0); 7.3015 (25.6); 7.2705 (5.2); 7.2437 (2.9); 7.0803 (3.8); 7.0117 (2.2); 6.9856 (1.8); 6.6921 (2.0); 6.6896 (2.2); 6.6851 (2.3); 6.6826 (2.2); 6.6653 (1.8); 6.6626 (1.9); 6.6583 (2.2); 6.6556 (2.0); 6.6170 (1.9); 6.6145 (1.9); 6.6095 (2.6); 6.5904 (1.4); 6.5876 (1.5); 6.5829 (2.8); 6.5804 (2.4); 6.5698 (3.7); 6.5628 (5.2); 6.5555 (2.2); 5.3413 (3.9); 4.2815 (2.0); 4.2615 (1.9); 4.2332 (4.2); 4.2132 (4.0); 4.1986 (0.4); 4.1848 (2.1); 4.1744 (0.7); 4.1649 (2.1); 4.1506 (0.5); 3.8640 (5.5); 2.5202 (6.4); 2.5135 (11.7); 2.5061 (6.4); 2.3439 (16.0); 2.2704 (0.5); 2.0875 (2.1); 1.5984 (12.0); 1.3478 (0.5); 1.3244 (1.2); 1.3007 (3.1); 1.2769 (0.8); 0.9440 (0.8); 0.9224 (2.4); 0.8992 (0.9); 0.1104 (1.3); 0.0512 (0.9); 0.0404 (26.0); 0.0295 (0.9) I-233: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.0602 (1.1); 9.0487 (2.1); 9.0370 (1.2); 7.8022 (6.2); 7.7844 (1.2); 7.7691 (2.1); 7.7535 (2.2); 7.7311 (4.6); 7.5479 (1.3); 7.5321 (3.2); 7.5159 (4.1); 7.5133 (4.1); 7.5002 (4.8); 7.4835 (1.8); 6.0570 (0.7); 6.0484 (1.0); 6.0457 (1.0); 6.0370 (0.8); 5.9646 (0.7); 5.9561 (1.0); 5.9532 (1.0); 5.9446 (0.8); 3.9395 (0.4); 3.9235 (0.6); 3.9105 (1.0); 3.8966 (0.8); 3.8796 (1.0); 3.8716 (1.1); 3.8666 (1.3); 3.8542 (0.9); 3.8440 (0.6); 3.8357 (0.8); 3.8258 (0.9); 3.8170 (0.6); 3.8076 (0.4); 3.7975 (0.4); 3.3441 (3.6); 2.6060 (16.0); 2.5683 (0.4); 2.5057 (0.8) I-234: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2779 (0.8); 9.2627 (1.8); 9.2473 (0.9); 7.9612 (2.4); 7.6866 (0.8); 7.6669 (2.1); 7.6472 (1.7); 7.6128 (2.2); 7.5931 (1.2); 7.4750 (2.9); 7.4560 (1.8); 7.4359 (1.4); 7.2934 (2.4); 7.2734 (2.7); 7.0648 (3.0); 6.8913 (1.6); 6.8714 (1.5); 6.4239 (0.9); 6.4103 (1.8); 6.3967 (1.0); 4.9665 (1.3); 4.9533 (3.1); 4.9402 (1.4); 4.1108 (0.7); 4.0956 (0.8); 4.0729 (1.6); 4.0575 (1.6); 4.0347 (0.9); 4.0193 (0.8); 3.5863 (1.0); 3.5726 (3.1); 3.5591 (3.4); 3.5456 (1.4); 3.3121 (63.4); 3.2970 (2.4); 3.2828 (3.8); 3.2689 (3.4); 3.2552 (1.4); 2.8991 (16.0); 2.7402 (14.1); 2.5135 (11.0); 2.5091 (15.1); 2.5047 (11.4); 2.4005 (7.8); 2.2240 (10.8) I-235: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0150 (3.2); 8.7090 (6.5); 8.7037 (6.6); 7.9720 (3.7); 7.9660 (3.7); 7.9509 (4.4); 7.9449 (4.4); 7.7240 (16.0); 7.7164 (8.1); 7.6950 (6.3); 7.6284 (2.2); 7.6088 (5.3); 7.5890 (3.5); 7.4936 (4.5); 7.4744 (3.4); 7.3944 (6.4); 7.3560 (3.6); 7.3359 (3.1); 7.2243 (3.1); 7.0849 (6.7); 6.9456 (3.3); 4.2523 (1.8); 4.2195 (3.6); 4.1841 (1.9); 3.3121 (26.6); 2.8986 (0.4); 2.7395 (0.4); 2.5962 (39.8); 2.5130 (13.2); 2.5087 (17.5); 2.5045 (13.1) I-236: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2383 (1.5); 9.2182 (1.5); 7.9532 (0.5); 7.8164 (7.9); 7.7483 (2.1); 7.7356 (0.9); 7.7269 (2.6); 7.7161 (2.0); 7.6954 (4.0); 7.6698 (2.1); 7.6503 (1.0); 7.6261 (2.8); 7.6007 (1.5); 7.5713 (2.1); 7.5501 (2.2); 7.5248 (1.6); 7.5209 (1.8); 7.5036 (1.4); 7.4995 (1.5); 7.2886 (1.6); 7.2852 (1.7); 7.2677 (1.4); 7.2641 (1.5); 5.3080 (0.8); 5.2897 (1.2); 5.2712 (0.8); 3.3698 (36.6); 3.3631 (56.7); 3.3598 (62.3); 2.8901 (2.9); 2.7320 (2.6); 2.6126 (16.0); 2.5268 (0.4); 2.5132 (9.2); 2.5089 (19.5); 2.5044 (26.4); 2.4999 (19.4); 2.4955 (9.6); 2.4401 (11.2); 2.3700 (0.3); 1.5339 (6.0); 1.5165 (5.9); 1.2382 (0.3); -0.0002 (0.4) I-237: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3491 (9.8); 8.0537 (9.4); 7.6696 (0.4); 7.6406 (3.7); 7.6346 (3.0); 7.6259 (7.2); 7.6229 (7.6); 7.6088 (0.6); 7.5308 (3.7); 7.5101 (0.5); 7.4968 (1.6); 7.4831 (2.1); 7.4765 (2.0); 7.4664 (1.6); 7.4584 (1.0); 7.3238 (3.5); 7.2981 (19.6); 7.0734 (4.1); 6.9790 (2.2); 6.9529 (1.9); 6.6691 (1.0); 6.6486 (1.9); 6.6285 (1.0); 4.1443 (1.9); 4.1235 (1.9); 4.1170 (2.4); 4.0953 (3.9); 4.0746 (3.7); 4.0463 (2.0); 4.0255 (1.9); 2.5184 (0.7); 2.4618 (12.0); 2.4548 (6.6); 2.3965 (0.3); 2.3248 (16.0); 2.0405 (1.9); 1.6050 (9.0); 1.2945 (0.7); 0.1086 (1.6); 0.0488 (0.8); 0.0382 (16.8); 0.0272 (0.5) I-238: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5570 (1.8); 7.5516 (1.4);

7.5425 (3.0); 7.5396 (3.3); 7.4550 (1.6); 7.4110 (0.7); 7.4021 (0.7); 7.3972 (1.0); 7.3881 (2.0); 7.3724 (0.5); 7.3613 (1.8); 7.2986 (3.6); 7.0724 (1.8); 6.9900 (1.0); 6.9633 (0.8); 6.5969 (0.4); 6.5777 (0.8); 6.5576 (0.4); 4.2838 (0.8); 4.2634 (0.8); 4.2347 (1.7); 4.2142 (1.6); 4.1855 (0.9); 4.1650 (0.8); 2.5778 (16.0); 2.5043 (5.2); 2.3137 (7.0); 1.6055 (0.6); 1.2948 (0.5); 0.0388 (4.0) I-239: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0252 (2.4); 9.0110 (4.1); 8.9982 (2.7); 8.9680 (0.4); 8.3158 (0.5); 8.0864 (16.0); 8.0805 (7.2); 7.7596 (1.7); 7.7419 (4.6); 7.7221 (5.0); 7.7027 (6.8); 7.6814 (9.3); 7.5988 (4.3); 7.5810 (3.6); 7.4555 (6.5); 7.4358 (11.0); 7.3784 (11.2); 7.3735 (8.9); 7.3577 (7.7); 7.2511 (0.5); 7.1957 (0.3); 5.8053 (1.4); 5.7880 (2.2); 5.7793 (1.8); 5.7555 (1.4); 5.6703 (2.2); 3.8729 (0.7); 3.8531 (1.6); 3.8366 (2.5); 3.8230 (3.0); 3.8030 (2.9); 3.7977 (2.7); 3.7870 (2.6); 3.7713 (1.9); 3.7624 (2.1); 3.7474 (1.9); 3.7177 (0.8); 3.3210 (174.5); 3.3165 (103.2); 2.8312 (0.4); 2.6704 (2.0); 2.5056 (268.7); 2.5012 (366.7); 2.4967 (331.7); 2.4058 (0.5); 2.3284 (2.1); 1.2504 (0.4); 1.2284 (0.6); 0.1461 (0.9); 0.0075 (24.0); -0.0004 (231.4); -0.0061 (97.0); -0.0696 (0.4); -0.0772 (0.3); -0.1495 (1.0); -0.1552 (0.6) I-240: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3174 (14.7); 7.9784 (1.1); 7.9600 (1.8); 7.9422 (1.1); 7.6761 (6.4); 7.6586 (8.7); 7.6341 (0.3); 7.5361 (4.3); 7.4908 (0.5); 7.4782 (1.8); 7.4701 (1.9); 7.4626 (2.5); 7.4561 (2.2); 7.4477 (1.6); 7.4396 (1.2); 7.3622 (4.6); 7.3351 (5.1); 7.2982 (22.5); 6.9473 (5.2); 6.8639 (2.8); 6.8374 (2.5); 5.3376 (2.3); 4.2966 (2.3); 4.2769 (2.3); 4.2483 (4.9); 4.2285 (4.7); 4.1999 (2.5); 4.1802 (2.4); 2.5065 (14.8); 2.4994 (8.3); 1.9042 (0.6); 1.8873 (1.2); 1.8759 (1.4); 1.8593 (2.5); 1.8429 (1.4); 1.8315 (1.4); 1.8147 (0.7); 1.5911 (16.0); 1.2933 (0.6); 1.0485 (1.7); 1.0332 (4.6); 1.0264 (5.0); 1.0113 (2.7); 1.0049 (4.8); 0.9985 (4.4); 0.9835 (2.0); 0.7248 (2.1); 0.7095 (5.8); 0.7038 (5.0); 0.6931 (4.6); 0.6873 (5.9); 0.6710 (1.6); 0.1079 (5.2); 0.0483 (0.9); 0.0375 (22.6); 0.0266 (0.9) I-241: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3033 (0.9); 9.2884 (2.0); 9.2735 (1.0); 7.9613 (2.4); 7.6786 (0.8); 7.6589 (2.3); 7.6391 (1.9); 7.6043 (2.4); 7.5846 (1.4); 7.4729 (3.1); 7.4517 (1.9); 7.4308 (1.5); 7.2951 (2.5); 7.2751 (2.8); 7.0644 (3.2); 6.8888 (1.7); 6.8696 (1.6); 6.2544 (1.8); 6.2301 (2.0); 4.0843 (0.8); 4.0694 (0.8); 4.0453 (1.7); 4.0304 (1.6); 4.0062 (1.0); 3.9911 (0.9); 3.5998 (0.8); 3.5847 (0.6); 3.5751 (0.8); 3.5493 (0.3); 3.3116 (71.7); 2.8993 (16.0); 2.7403 (14.3); 2.5136 (12.0); 2.5093 (16.8); 2.5049 (12.9); 2.4028 (8.2); 2.2232 (11.6); 1.8908 (1.5); 1.8630 (1.7); 1.7219 (1.4); 1.6897 (1.7); 1.5808 (0.8); 1.5521 (0.9); 1.4834 (0.5); 1.4586 (1.4); 1.4277 (1.5); 1.4028 (0.7); 1.2662 (0.5); 1.2355 (1.3); 1.2043 (1.4); 1.1735 (0.7); 1.1457 (0.6); 1.1152 (0.8); 1.0850 (0.6) I-242: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9961 (0.8); 8.9817 (1.6); 8.9668 (0.9); 7.7402 (6.3); 7.6413 (3.7); 7.6206 (2.3); 7.6009 (1.5); 7.5671 (2.5); 7.5461 (3.2); 7.4991 (1.8); 7.4797 (1.5); 7.4333 (2.6); 7.4007 (3.0); 7.3964 (3.3); 7.3799 (2.7); 7.3752 (2.8); 7.2291 (1.3); 7.0898 (2.7); 6.9505 (1.3); 6.0595 (0.5); 6.0472 (1.0); 6.0341 (0.6); 5.9439 (0.5); 5.9318 (0.9); 5.9185 (0.6); 3.8907 (0.6); 3.8851 (0.7); 3.8751 (1.4); 3.8599 (1.0); 3.8353 (0.7); 3.8203 (1.2); 3.8054 (0.8); 3.3123 (14.2); 2.8988 (1.0); 2.7400 (0.9); 2.6032 (16.0); 2.5132 (6.0); 2.5089 (8.1); 2.5047 (6.2) I-243: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.3132 (0.8); 8.2568 (3.7); 8.0288 (0.3); 7.7602 (0.8); 7.7415 (2.4); 7.7224 (2.2); 7.6915 (2.9); 7.6729 (4.9); 7.6093 (2.0); 7.5885 (1.6); 7.5273 (1.6); 7.5245 (1.7); 7.5048 (2.3); 7.4026 (3.4); 7.3834 (2.6); 5.7884 (0.5); 4.5936 (0.6); 4.5802 (0.4); 4.3080 (2.2); 4.2916 (3.7); 4.2749 (2.4); 3.4622 (0.5); 3.4501 (0.5); 3.4348 (0.6); 3.3397 (515.8); 3.3363 (593.5); 3.3304 (1011.5); 3.2501 (0.4); 3.1413 (2.0); 3.1254 (3.3); 3.1084 (2.0); 2.6755 (2.8); 2.6710 (3.8); 2.6665 (2.8); 2.5413 (33.3); 2.5243 (9.1); 2.5108 (239.2); 2.5065 (498.4); 2.5020 (665.5); 2.4975 (483.1); 2.4931 (238.8); 2.4451 (16.0); 2.4186 (0.5); 2.4109 (0.5); 2.3332 (2.8); 2.3287 (3.9); 2.3241 (2.9); 2.2922 (0.4); 2.1739 (0.5); 1.2978 (0.4); 1.2585 (0.5); 1.2350 (0.8); -0.0002 (7.7) I-244: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1630 (1.3); 9.1435 (1.3); 7.9542 (0.5); 7.7907 (6.0); 7.7297 (0.5); 7.7092 (1.6); 7.6903 (1.3); 7.6509 (1.9); 7.6327 (3.5); 7.5707 (1.3); 7.5490 (1.2); 7.4909 (0.4); 7.4847 (3.9); 7.4803 (1.5); 7.4683 (1.6); 7.4636 (5.7); 7.4578 (0.9); 7.3689 (4.9); 7.3477 (3.5); 5.1174 (0.8); 5.0991 (1.2); 5.0809 (0.9); 3.3898 (53.5); 2.8928 (3.2); 2.7345 (2.8); 2.6099 (16.0); 2.5169 (5.0); 2.5125 (10.5); 2.5080 (14.1); 2.5035 (10.2); 2.4991 (4.9); 1.4317 (6.2); 1.4142 (6.2) I-245: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO):

$\delta = 9.0478$ (2.0); 9.0267 (2.0); 8.1857 (11.7); 7.7487 (0.7); 7.7288 (2.2); 7.7195 (0.4); 7.7088 (2.3); 7.6824 (4.9); 7.6779 (4.1); 7.6337 (1.9); 7.6139 (1.3); 7.2161 (2.8); 7.1965 (3.1); 6.9174 (3.6); 6.8959 (2.0); 6.8761 (1.7); 5.7556 (3.6); 5.1515 (0.4); 5.1378 (0.9); 5.1195 (1.1); 5.1018 (0.5); 3.3219 (58.5); 2.7245 (0.8); 2.7068 (2.0); 2.6912 (2.0); 2.6750 (1.3); 2.6705 (1.0); 2.6658 (0.7); 2.5238 (2.2); 2.5189 (3.4); 2.5104 (42.8); 2.5060 (86.2); 2.5014 (112.5); 2.4968 (80.8); 2.4923 (39.0); 2.3328 (0.5); 2.3282 (0.7); 2.3237 (0.5); 2.2177 (16.0); 2.0181 (0.4); 2.0050 (0.6); 1.9938 (0.6); 1.9827 (0.8); 1.9737 (1.0); 1.9602 (0.6); 1.8824 (0.5); 1.8702 (0.7); 1.8573 (0.7); 1.8375 (0.7); 1.8033 (0.4); 1.7813 (0.9); 1.7770 (0.8); 1.7622 (1.4); 1.7514 (1.7); 1.7391 (1.3); -0.0003 (4.6) I-246: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): $\delta = 8.7461$ (0.7); 8.7321 (1.3); 8.7178 (0.7); 7.7602 (6.1); 7.7165 (0.6); 7.6970 (1.8); 7.6772 (1.6); 7.6545 (2.1); 7.6349 (1.0); 7.5779 (2.5); 7.5222 (1.4); 7.5023 (1.1); 7.1991 (0.6); 7.1912 (0.8); 7.1847 (0.8); 7.1766 (1.3); 7.1687 (0.8); 7.1620 (0.7); 7.1541 (0.7); 7.1470 (0.6); 7.1354 (0.6); 7.1241 (1.3); 7.1125 (1.3); 7.1010 (0.9); 7.0895 (0.8); 7.0358 (0.4); 7.0266 (0.7); 7.0160 (0.8); 7.0059 (1.1); 6.9972 (0.6); 6.9843 (0.5); 3.5856 (1.0); 3.5690 (2.6); 3.5536 (2.7); 3.5371 (1.0); 3.3292 (41.8); 2.8885 (1.6); 2.8717 (3.1); 2.8549 (1.5); 2.6761 (0.4); 2.6715 (0.6); 2.6673 (0.4); 2.5904 (16.0); 2.5070 (73.4); 2.5027 (91.6); 2.4982 (67.1); 2.3339 (0.4); 2.3294 (0.5); 2.3250 (0.4); -0.0002 (0.3) I-247: .sup.1H-NMR(300.2 MHz, CDCl₃): $\delta = 8.2795$ (16.0); 8.1331 (2.0); 8.1133 (1.2); 7.5136 (5.8); 7.4847 (11.4); 7.4247 (11.8); 7.4004 (9.4); 7.3742 (4.1); 7.3059 (25.6); 7.1014 (3.8); 7.0753 (3.3); 7.0128 (2.6); 7.0072 (3.2); 6.9862 (2.2); 6.9802 (2.9); 6.9416 (4.4); 6.9354 (5.9); 6.9286 (3.3); 5.3450 (5.8); 4.2593 (2.8); 4.2390 (2.7); 4.2123 (5.9); 4.1921 (5.8); 4.1653 (3.0); 4.1450 (2.9); 2.0307 (0.7); 2.0139 (1.4); 2.0025 (1.6); 1.9860 (3.0); 1.9694 (1.7); 1.9581 (1.6); 1.9415 (0.8); 1.5992 (8.5); 1.3536 (0.3); 1.3122 (0.5); 1.2991 (0.6); 1.0981 (1.8); 1.0821 (4.9); 1.0759 (5.3); 1.0608 (2.8); 1.0540 (5.3); 1.0475 (4.9); 1.0329 (2.3); 0.8064 (2.2); 0.7907 (6.5); 0.7849 (5.7); 0.7747 (5.2); 0.7685 (6.7); 0.7524 (1.8); 0.1149 (0.9); 0.0557 (0.9); 0.0450 (25.4); 0.0342 (1.0) I-248: .sup.1H-NMR(300.2 MHz, CDCl₃): $\delta = 8.1266$ (5.0); 7.9036 (0.4); 7.8855 (0.6); 7.8679 (0.4); 7.6500 (0.6); 7.6278 (1.4); 7.6047 (1.7); 7.5821 (0.8); 7.5260 (2.2); 7.4970 (3.7); 7.4243 (4.1); 7.3966 (2.8); 7.3734 (0.5); 7.2984 (6.6); 5.3364 (6.6); 4.2825 (1.0); 4.2620 (1.0); 4.2360 (2.2); 4.2155 (2.1); 4.1895 (1.1); 4.1690 (1.1); 2.7653 (16.0); 1.6067 (6.0); 1.2269 (0.5); 0.0362 (6.4) I-249: .sup.1H-NMR(300.2 MHz, CDCl₃): $\delta = 8.3968$ (0.5); 8.3882 (0.5); 8.0680 (0.6); 8.0595 (0.6); 7.9858 (10.8); 7.9770 (11.0); 7.8213 (11.1); 7.8157 (11.1); 7.7976 (0.9); 7.7924 (0.7); 7.6769 (0.6); 7.6732 (0.6); 7.6611 (0.4); 7.6364 (0.8); 7.6077 (10.2); 7.6026 (7.1); 7.5903 (16.0); 7.5795 (2.1); 7.5764 (1.9); 7.5660 (0.6); 7.5143 (0.4); 7.4855 (1.0); 7.4631 (10.2); 7.4337 (21.1); 7.4033 (1.4); 7.3900 (3.3); 7.3809 (3.1); 7.3756 (5.0); 7.3694 (4.1); 7.3582 (4.1); 7.3466 (15.7); 7.3180 (9.2); 7.2984 (15.9); 7.0106 (2.2); 6.9898 (4.2); 6.9691 (2.2); 6.6232 (7.6); 6.6169 (9.2); 6.6146 (8.7); 6.6083 (7.2); 6.5789 (0.4); 6.5727 (0.5); 6.5642 (0.4); 6.5135 (0.3); 6.5076 (0.4); 4.1012 (3.8); 4.0801 (3.8); 4.0542 (8.2); 4.0331 (8.0); 4.0072 (4.2); 3.9862 (4.3); 3.9673 (0.5); 2.0358 (1.3); 1.6858 (4.4); 1.2953 (0.9); 0.0484 (0.6); 0.0378 (14.6); 0.0269 (0.6) I-250: .sup.1H-NMR(300.2 MHz, CDCl₃): $\delta = 8.7990$ (2.2); 8.6869 (1.6); 8.6705 (1.7); 7.6472 (0.7); 7.6262 (2.2); 7.5848 (1.0); 7.5488 (0.5); 7.5400 (0.8); 7.5327 (0.5); 7.5185 (0.4); 7.2985 (22.1); 7.2730 (1.4); 7.2713 (1.3); 7.2548 (2.1); 7.2275 (1.1); 7.0412 (1.1); 6.9758 (0.6); 6.9475 (0.6); 6.4376 (0.4); 2.3905 (1.7); 2.3837 (3.2); 2.3763 (1.8); 2.3233 (4.3); 1.5876 (16.0); 1.2929 (1.4); 0.9195 (0.4); 0.1070 (1.0); 0.0482 (0.6); 0.0466 (0.4); 0.0450 (0.4); 0.0375 (20.8); 0.0266 (0.8) I-251: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): $\delta = 9.0184$ (1.2); 9.0029 (2.4); 8.9874 (1.2); 8.7096 (3.9); 8.7043 (3.9); 7.9674 (2.8); 7.9615 (4.7); 7.9466 (2.8); 7.9407 (2.7); 7.7137 (4.3); 7.6926 (3.7); 7.6538 (9.7); 7.6180 (1.3); 7.5983 (3.2); 7.5786 (2.1); 7.4852 (2.7); 7.4662 (2.0); 7.3789 (3.8); 7.3379 (2.2); 7.3176 (1.9); 7.2192 (1.8); 7.0799 (3.9); 6.9406 (1.9); 4.2564 (1.2); 4.2408 (1.2); 4.2208 (2.7); 4.2051 (2.6); 4.1851 (1.4); 4.1694 (1.3); 3.3118 (25.4); 2.8986 (16.0); 2.7397 (14.5); 2.5130 (10.2); 2.5087 (13.5); 2.5045 (10.2); 2.3269 (0.5); 2.3146 (1.0); 2.3062 (1.2); 2.2941 (2.0); 2.2819 (1.2); 2.2737 (1.1); 2.2614 (0.5); 1.0942 (0.9); 1.0825 (2.4); 1.0762 (3.7); 1.0679 (2.4); 1.0619 (2.4); 1.0558 (3.3); 1.0477 (1.6); 1.0313 (0.6); 1.0076 (1.7); 0.9991 (3.7); 0.9940 (3.7);

0.9875 (4.1); 0.9814 (3.1); 0.9695 (0.9) I-252: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4702 (16.0); 8.4341 (6.5); 8.1276 (1.0); 8.1101 (1.6); 8.0918 (1.0); 7.7621 (4.2); 7.7575 (7.0); 7.7528 (4.1); 7.7179 (3.4); 7.7097 (2.9); 7.7054 (3.1); 7.6990 (8.9); 7.6957 (8.4); 7.6844 (0.8); 7.6800 (0.8); 7.6646 (0.4); 7.5728 (3.9); 7.5382 (0.6); 7.5315 (0.5); 7.5231 (1.7); 7.5118 (2.5); 7.5048 (2.4); 7.4922 (2.0); 7.4782 (4.7); 7.4500 (10.6); 7.4327 (0.8); 7.4258 (0.7); 7.3647 (0.5); 7.3576 (0.3); 7.3282 (0.4); 7.2987 (28.4); 7.2877 (3.9); 7.2805 (3.4); 7.2597 (2.7); 7.2529 (2.6); 6.1710 (1.0); 6.1604 (1.1); 6.1469 (1.2); 6.1365 (1.1); 6.0155 (1.0); 6.0050 (1.1); 5.9915 (1.2); 5.9813 (1.1); 4.4022 (0.6); 4.3916 (0.6); 4.3797 (0.7); 4.3689 (0.6); 4.3534 (0.7); 4.3427 (0.8); 4.3309 (0.7); 4.3203 (0.8); 4.3113 (0.7); 4.3004 (0.6); 4.2886 (0.7); 4.2781 (0.6); 4.2623 (0.8); 4.2517 (0.8); 4.2399 (0.8); 4.2293 (0.7); 4.1923 (0.4); 4.1686 (1.2); 4.1447 (1.2); 4.1210 (0.4); 3.9396 (0.7); 3.9225 (0.8); 3.9156 (0.8); 3.8984 (0.8); 3.8908 (0.7); 3.8695 (1.1); 3.8523 (1.1); 3.8287 (0.8); 3.8211 (0.8); 3.8040 (0.6); 3.7969 (0.7); 3.7801 (0.6); 2.0813 (5.7); 2.0472 (1.9); 1.6503 (13.6); 1.3188 (1.7); 1.2949 (3.4); 1.2711 (1.5); 1.1421 (0.7); 1.0522 (0.4); 0.1057 (5.8); 0.0458 (1.0); 0.0350 (25.8); 0.0241 (0.8) I-253: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3098 (14.5); 7.9547 (1.5); 7.9304 (1.5); 7.7026 (0.3); 7.6747 (5.8); 7.6573 (9.6); 7.6455 (5.2); 7.6227 (3.1); 7.5953 (6.6); 7.5546 (6.4); 7.5321 (2.1); 7.5034 (1.4); 7.4972 (1.9); 7.4881 (1.7); 7.4825 (2.6); 7.4759 (2.1); 7.4666 (1.6); 7.4582 (1.1); 7.3048 (11.2); 5.4822 (0.5); 5.4588 (2.0); 5.4351 (3.0); 5.4114 (2.0); 5.3881 (0.5); 4.1741 (1.0); 4.1503 (1.0); 4.1265 (0.3); 2.0871 (4.3); 1.7042 (16.0); 1.6809 (16.0); 1.6197 (1.2); 1.3256 (1.3); 1.3018 (2.8); 1.2780 (1.2); 0.9634 (0.4); 0.9389 (0.3); 0.0537 (0.3); 0.0429 (10.5); 0.0320 (0.5) I-254: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6122 (0.5); 7.5860 (3.5); 7.5788 (3.0); 7.5743 (3.1); 7.5675 (8.5); 7.5643 (8.9); 7.5481 (5.7); 7.5193 (8.5); 7.4594 (4.2); 7.4330 (8.1); 7.4039 (6.4); 7.3933 (2.6); 7.3808 (1.8); 7.3725 (1.1); 7.2987 (20.4); 6.4557 (1.0); 6.4350 (2.0); 6.4141 (1.1); 4.2668 (2.2); 4.2457 (2.1); 4.2189 (4.8); 4.1977 (4.5); 4.1709 (2.4); 4.1497 (2.3); 2.7423 (1.9); 2.7172 (6.4); 2.6921 (6.6); 2.6672 (2.0); 1.5946 (14.3); 1.3015 (7.2); 1.2766 (16.0); 1.2514 (6.6); 0.1076 (1.1); 0.0482 (0.7); 0.0374 (20.6); 0.0266 (0.7) I-255: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0844 (10.0); 8.0427 (0.6); 8.0239 (1.0); 8.0078 (0.6); 7.6778 (0.5); 7.6507 (2.1); 7.6294 (5.9); 7.6123 (0.5); 7.5837 (3.5); 7.5192 (2.6); 7.4600 (1.0); 7.4513 (1.9); 7.4442 (1.3); 7.4371 (0.8); 7.4291 (1.3); 7.4231 (1.3); 7.3955 (4.3); 7.3896 (5.6); 7.3863 (6.3); 7.3584 (0.7); 7.3077 (0.6); 7.2986 (34.0); 6.1275 (0.8); 6.1168 (0.8); 6.1041 (0.9); 6.0934 (0.8); 5.9724 (0.8); 5.9614 (0.9); 5.9486 (0.9); 5.9378 (0.8); 5.3378 (7.1); 4.3544 (0.4); 4.3435 (0.4); 4.3323 (0.4); 4.3212 (0.4); 4.3059 (0.5); 4.2949 (0.5); 4.2837 (0.5); 4.2727 (0.5); 4.2646 (0.5); 4.2541 (0.4); 4.2424 (0.4); 4.2313 (0.4); 4.2159 (0.6); 4.2051 (0.5); 4.1935 (0.6); 4.1828 (0.5); 3.9033 (0.5); 3.8862 (0.6); 3.8795 (0.6); 3.8622 (0.6); 3.8544 (0.5); 3.8374 (0.6); 3.8320 (0.9); 3.8146 (0.9); 3.8092 (0.6); 3.7915 (0.5); 3.7837 (0.5); 3.7664 (0.4); 3.7602 (0.5); 3.7430 (0.4); 2.2941 (0.4); 2.2757 (0.8); 2.2682 (0.9); 2.2599 (0.6); 2.2504 (1.9); 2.2394 (0.7); 2.2319 (0.8); 2.2245 (1.0); 2.2063 (0.5); 2.0450 (16.0); 1.5807 (13.6); 1.2932 (0.5); 1.2092 (1.4); 1.2004 (4.2); 1.1916 (4.6); 1.1868 (6.4); 1.1844 (6.1); 1.1787 (3.6); 1.1664 (2.4); 1.1606 (3.9); 1.1518 (1.8); 1.1295 (0.4); 0.0488 (1.3); 0.0456 (0.8); 0.0380 (37.0); 0.0271 (1.2) I-256: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2177 (0.4); 9.2023 (0.8); 9.1869 (0.4); 7.9612 (0.9); 7.7155 (0.4); 7.6959 (0.9); 7.6762 (0.8); 7.6467 (1.0); 7.6273 (0.5); 7.4976 (1.3); 7.4859 (0.8); 7.4655 (0.6); 7.3032 (1.1); 7.2832 (1.2); 7.0750 (1.4); 6.9091 (0.7); 6.8892 (0.7); 4.1555 (0.3); 4.1402 (0.4); 4.1178 (0.8); 4.1024 (0.8); 4.0797 (0.4); 4.0644 (0.4); 3.3187 (10.2); 2.9032 (16.0); 2.7399 (5.3); 2.5134 (4.6); 2.5090 (6.4); 2.5047 (4.8); 2.4134 (3.6); 2.2299 (4.9) I-257: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5453 (1.2); 7.5247 (3.5); 7.5036 (0.3); 7.4232 (1.6); 7.3867 (0.7); 7.3775 (1.4); 7.3706 (2.2); 7.3559 (0.9); 7.3444 (1.9); 7.2985 (10.6); 7.0696 (1.8); 6.9993 (1.5); 6.9741 (1.4); 4.2381 (0.8); 4.2176 (0.8); 4.1880 (1.6); 4.1676 (1.5); 4.1379 (0.8); 4.1175 (0.8); 3.7533 (0.4); 3.7386 (16.0); 3.5733 (0.8); 3.5506 (1.7); 3.5329 (1.8); 3.5103 (0.8); 2.5142 (2.0); 2.4980 (5.6); 2.4911 (6.4); 2.4681 (2.0); 2.3286 (6.9); 2.0838 (0.5); 2.0608 (1.7); 2.0430 (4.7); 2.0380 (2.6); 2.0148 (1.5); 1.9916 (0.4); 1.5954 (4.2); 0.0487 (0.5); 0.0379 (11.1); 0.0270 (0.4) I-258: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9907 (1.8); 8.9761 (3.7);

8.9613 (2.0); 8.7028 (0.4); 7.9613 (2.6); 7.7598 (7.2); 7.6621 (2.0); 7.6484 (15.2); 7.6311 (2.6); 7.6112 (5.2); 7.5914 (3.5); 7.5344 (2.1); 7.5302 (2.0); 7.5134 (5.8); 7.5092 (6.2); 7.4917 (13.6); 7.4710 (6.8); 7.4220 (5.9); 7.3808 (3.4); 7.3606 (3.3); 7.3114 (2.3); 7.2250 (2.9); 7.0857 (6.2); 6.9465 (3.0); 6.0414 (1.2); 6.0293 (2.4); 6.0162 (1.3); 5.9263 (1.2); 5.9138 (2.3); 5.9007 (1.3); 3.8786 (1.9); 3.8657 (3.6); 3.8515 (2.4); 3.8194 (1.8); 3.8085 (3.4); 3.7942 (2.2); 3.5581 (0.7); 3.5435 (0.7); 3.3115 (36.9); 2.9596 (0.5); 2.9429 (1.0); 2.9256 (0.5); 2.8989 (16.0); 2.7401 (14.6); 2.5132 (17.7); 2.5090 (23.8); 2.5048 (18.7); 2.3305 (0.8); 2.3181 (1.6); 2.3098 (1.9); 2.2976 (3.2); 2.2902 (1.8); 2.2856 (2.2); 2.2774 (2.0); 2.2649 (1.0); 1.1053 (1.4); 1.0938 (4.0); 1.0874 (6.0); 1.0787 (4.1); 1.0733 (4.3); 1.0670 (5.6); 1.0588 (2.9); 1.0428 (1.0); 1.0232 (0.8); 1.0129 (2.5); 1.0044 (5.7); 0.9991 (6.3); 0.9929 (7.0); 0.9868 (5.9); 0.9750 (2.0) I-259: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2674 (10.5); 8.0861 (1.1); 7.5634 (5.6); 7.5353 (7.5); 7.5116 (7.1); 7.4188 (2.1); 7.3941 (2.9); 7.3879 (0.8); 7.3693 (1.0); 7.3656 (0.6); 7.2985 (20.5); 7.2754 (2.2); 7.2687 (2.1); 7.2475 (5.8); 7.2435 (6.8); 7.2310 (0.6); 7.2184 (4.2); 7.2062 (0.4); 4.4886 (1.8); 4.4681 (1.8); 4.4409 (3.9); 4.4204 (3.8); 4.3930 (2.0); 4.3726 (1.9); 2.0831 (0.7); 1.5829 (16.0); 1.2975 (0.8); 0.1081 (0.8); 0.0492 (0.8); 0.0384 (20.6); 0.0274 (0.6) I-260: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3093 (5.2); 7.8234 (0.5); 7.8038 (0.3); 7.6838 (0.4); 7.6631 (0.8); 7.6358 (0.9); 7.6071 (1.0); 7.5840 (0.6); 7.4487 (0.7); 7.4218 (1.0); 7.3847 (1.5); 7.3581 (1.6); 7.3019 (16.6); 7.0752 (1.6); 6.9976 (0.9); 6.9701 (0.8); 5.3415 (7.3); 4.3152 (0.8); 4.2952 (0.8); 4.2675 (1.7); 4.2475 (1.7); 4.2198 (0.9); 4.1998 (0.8); 3.5416 (0.9); 3.5235 (0.9); 2.5230 (2.6); 2.5160 (4.8); 2.5087 (2.7); 2.3078 (6.6); 2.0496 (16.0); 1.5957 (11.0); 0.1100 (0.5); 0.0510 (0.5); 0.0403 (15.4); 0.0293 (0.6) I-261: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2789 (7.1); 7.8560 (1.0); 7.8380 (1.0); 7.6278 (0.3); 7.6072 (4.0); 7.5945 (5.5); 7.4708 (3.1); 7.4495 (1.3); 7.4390 (1.8); 7.4343 (1.5); 7.4274 (1.2); 7.4213 (0.8); 7.2585 (11.1); 7.2378 (5.8); 7.1706 (5.2); 7.1510 (3.4); 5.3357 (0.4); 5.3183 (1.2); 5.3006 (1.8); 5.2829 (1.2); 5.2654 (0.3); 2.3317 (16.0); 2.3174 (0.8); 1.6197 (9.3); 1.6025 (9.2); 1.5833 (1.1); 1.5535 (2.7); -0.0002 (7.1) I-262: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1968 (1.0); 9.1816 (2.2); 9.1664 (1.2); 8.0174 (0.4); 7.9615 (2.5); 7.6816 (1.0); 7.6620 (2.6); 7.6425 (2.0); 7.6050 (2.7); 7.5855 (1.6); 7.4372 (4.2); 7.4141 (1.8); 7.3031 (2.9); 7.2832 (3.2); 7.0767 (3.8); 6.9378 (2.0); 6.9182 (1.9); 4.1145 (1.0); 4.0986 (1.0); 4.0762 (2.1); 4.0608 (2.0); 4.0382 (1.1); 4.0224 (1.1); 3.6060 (3.0); 3.5905 (8.1); 3.5752 (3.5); 3.3110 (66.0); 2.8993 (16.0); 2.7404 (14.6); 2.5135 (13.1); 2.5093 (18.2); 2.5051 (14.2); 2.4193 (0.7); 2.3987 (9.8); 2.2381 (13.2); 2.2170 (1.1); 1.8311 (3.0); 1.8156 (8.0); 1.7998 (3.3) I-263: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0692 (1.5); 9.0538 (3.1); 9.0382 (1.5); 7.9613 (0.7); 7.6298 (1.8); 7.6099 (16.0); 7.5901 (3.0); 7.5790 (6.3); 7.5576 (8.7); 7.4930 (3.4); 7.4736 (2.8); 7.4587 (8.4); 7.4375 (6.1); 7.4036 (4.8); 7.3595 (2.7); 7.3392 (2.3); 7.2265 (2.3); 7.0871 (4.9); 6.9479 (2.4); 4.1347 (1.5); 4.1190 (1.6); 4.0998 (3.4); 4.0841 (3.3); 4.0649 (1.7); 4.0492 (1.6); 3.3121 (24.3); 2.8985 (4.4); 2.7398 (4.0); 2.5130 (11.3); 2.5088 (15.0); 2.5047 (11.5); 2.3265 (0.6); 2.3142 (1.3); 2.3058 (1.4); 2.2936 (2.5); 2.2815 (1.6); 2.2734 (1.4); 2.2610 (0.7); 1.0979 (1.1); 1.0863 (3.1); 1.0800 (4.6); 1.0714 (3.0); 1.0658 (3.1); 1.0595 (4.2); 1.0514 (2.0); 1.0356 (0.5); 1.0304 (0.6); 1.0159 (0.6); 1.0069 (2.0); 0.9984 (4.6); 0.9932 (4.6); 0.9869 (5.2); 0.9807 (4.0); 0.9689 (1.2) I-264: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1230 (5.1); 7.9406 (0.4); 7.9236 (0.7); 7.9067 (0.4); 7.6311 (0.5); 7.6095 (1.0); 7.5872 (0.6); 7.5235 (2.4); 7.4947 (4.1); 7.4219 (4.6); 7.3933 (3.4); 7.3657 (0.6); 7.2987 (6.9); 7.1273 (1.1); 6.9449 (2.2); 6.7626 (1.1); 4.2788 (1.1); 4.2584 (1.0); 4.2322 (2.3); 4.2118 (2.2); 4.1857 (1.1); 4.1652 (1.1); 2.7608 (16.0); 1.6014 (6.1); 1.2949 (0.4); 0.0375 (6.7) I-265: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.3701 (2.1); 7.3541 (2.3); 7.3424 (1.2); 7.3261 (2.5); 7.3182 (0.5); 7.3099 (1.7); 7.3020 (0.4); 7.2598 (15.7); 7.2358 (1.8); 7.2199 (1.4); 7.1781 (0.4); 7.1643 (2.8); 7.1144 (0.7); 7.1025 (1.3); 7.0896 (0.9); 7.0805 (1.6); 7.0769 (1.6); 7.0640 (1.4); 7.0604 (1.4); 7.0484 (0.4); 7.0279 (2.7); 6.9395 (1.5); 6.9238 (1.4); 4.6665 (8.7); 4.1999 (0.9); 4.1875 (1.0); 4.1707 (1.9); 4.1582 (1.9); 4.1412 (1.0); 4.1288 (1.0); 3.7261 (2.2); 3.7178 (2.9); 3.7140 (2.4); 3.7089 (3.0); 3.5522 (2.7); 3.5471 (2.3); 3.5433 (3.0); 3.5350 (2.5); 3.5175 (0.5); 3.4794 (0.3); 3.3439 (16.0); 2.4938 (7.2); 2.3820 (0.3);

2.2923 (0.6); 2.2576 (10.3); 1.5632 (5.5); 1.4138 (0.4); 1.2553 (2.8); 1.1072 (1.2); 0.8804 (0.4); 0.8445 (0.3); -0.0002 (14.2) I-266: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9180 (2.2); 7.9597 (0.8); 7.5212 (0.8); 7.5016 (1.7); 7.4805 (1.0); 7.3378 (6.3); 7.3172 (4.0); 7.2350 (1.3); 7.2167 (1.0); 7.2124 (0.9); 7.0470 (2.7); 7.0271 (2.4); 3.3276 (161.0); 2.8982 (4.3); 2.7394 (4.0); 2.5650 (10.1); 2.5088 (7.5); 2.2684 (10.1); 2.2509 (9.2); 1.6144 (16.0) I-267: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.2295 (0.9); 9.2178 (1.8); 9.2058 (1.0); 7.6517 (2.7); 7.5629 (2.6); 7.5460 (3.2); 7.3949 (1.8); 7.3909 (1.8); 7.3782 (1.6); 7.3741 (1.6); 7.1788 (0.8); 7.1630 (2.2); 7.1471 (1.6); 7.1109 (0.9); 7.1082 (1.1); 7.0940 (1.6); 7.0805 (0.7); 7.0778 (0.7); 6.9453 (0.9); 6.9323 (1.6); 6.9189 (0.8); 6.0507 (0.5); 6.0421 (0.8); 6.0311 (0.6); 5.9587 (0.5); 5.9500 (0.8); 5.9390 (0.6); 3.9481 (0.5); 3.9356 (0.9); 3.9305 (0.8); 3.9225 (1.0); 3.9112 (0.6); 3.9007 (0.7); 3.8882 (1.0); 3.8833 (0.8); 3.8752 (1.0); 3.8638 (0.6); 3.3192 (5.6); 2.5084 (2.2); 2.5049 (3.2); 2.5015 (2.5); 2.2614 (16.0); 2.0847 (0.6); 2.0781 (0.7); 2.0680 (1.2); 2.0578 (0.8); 2.0512 (0.7); 2.0408 (0.4); 1.9920 (0.4); 1.0403 (0.8); 1.0314 (2.3); 1.0272 (2.5); 1.0189 (1.4); 1.0146 (2.4); 1.0103 (2.6); 1.0022 (1.0); 0.7971 (0.9); 0.7884 (2.6); 0.7849 (2.9); 0.7786 (2.7); 0.7747 (3.0); 0.7657 (1.0) I-268: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.7397 (0.6); 8.7255 (1.2); 8.7113 (0.6); 8.0835 (7.9); 7.7511 (0.4); 7.7309 (1.4); 7.7110 (1.6); 7.6964 (3.3); 7.5892 (1.2); 7.5694 (0.9); 6.8436 (2.4); 6.8393 (2.6); 6.7536 (0.8); 6.7492 (0.7); 6.7334 (1.8); 6.7289 (1.7); 6.7042 (3.3); 6.6838 (1.4); 3.9026 (4.1); 3.6965 (16.0); 3.6558 (0.4); 3.6423 (15.8); 3.5436 (0.7); 3.5265 (1.8); 3.5113 (1.9); 3.4943 (0.8); 3.3265 (61.2); 2.7849 (1.4); 2.7673 (2.8); 2.7498 (1.3); 2.6754 (0.5); 2.6710 (0.7); 2.6665 (0.5); 2.5413 (0.9); 2.5242 (2.8); 2.5107 (49.8); 2.5065 (94.9); 2.5020 (119.9); 2.4975 (86.3); 2.4932 (42.7); 2.3333 (0.5); 2.3288 (0.7); 2.3243 (0.5); -0.0002 (0.5) I-269: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6203 (0.6); 7.5944 (2.8); 7.5741 (8.2); 7.5429 (7.7); 7.5358 (10.6); 7.5259 (9.4); 7.5067 (2.5); 7.4945 (2.3); 7.4853 (2.9); 7.4777 (2.1); 7.4725 (1.5); 7.4636 (2.2); 7.4480 (5.2); 7.4416 (5.4); 7.4302 (4.0); 7.4188 (2.4); 7.4155 (2.7); 7.2986 (8.0); 7.2006 (3.3); 7.1740 (4.0); 7.0236 (4.1); 6.9381 (2.3); 6.9117 (1.9); 6.1478 (1.0); 6.1280 (2.0); 6.1080 (1.1); 3.9828 (1.8); 3.9623 (1.7); 3.9336 (3.8); 3.9132 (3.6); 3.8845 (1.9); 3.8641 (1.8); 2.3872 (12.0); 2.3372 (0.4); 2.2882 (16.0); 1.6548 (0.4); 1.3159 (0.6); 1.2969 (1.0); 0.0505 (0.4); 0.0400 (8.7); 0.0292 (0.5) I-270: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8088 (1.6); 8.7948 (3.2); 8.7806 (1.6); 8.0714 (16.0); 8.0706 (15.4); 7.7534 (1.4); 7.7340 (4.4); 7.7144 (4.5); 7.6994 (5.2); 7.6796 (2.0); 7.6452 (5.9); 7.5888 (3.4); 7.5687 (2.6); 7.3850 (1.4); 7.3634 (3.1); 7.3464 (3.1); 7.3248 (1.5); 7.0994 (1.6); 7.0930 (1.7); 7.0737 (2.6); 7.0687 (2.7); 7.0500 (1.7); 7.0436 (1.7); 6.8588 (1.5); 6.8534 (1.5); 6.8376 (2.8); 6.8326 (2.8); 6.8161 (1.4); 6.8114 (1.3); 3.5615 (2.2); 3.5447 (6.1); 3.5293 (6.2); 3.5127 (2.4); 3.3303 (162.0); 2.8747 (3.7); 2.8576 (7.2); 2.8404 (3.3); 2.6762 (0.6); 2.6717 (0.8); 2.5071 (96.4); 2.5026 (126.1); 2.4982 (94.1); 2.3296 (0.7); 1.9891 (1.2); 1.3978 (6.2); 1.1930 (0.3); 1.1755 (0.6); 0.0079 (0.7); -0.0002 (19.0); -0.0079 (0.7) I-271: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7366 (5.4); 7.6624 (1.5); 7.6360 (10.1); 7.6195 (16.0); 7.5077 (10.4); 7.4836 (1.9); 7.4475 (6.3); 7.4405 (5.3); 7.4214 (8.7); 7.3918 (21.3); 7.3728 (20.6); 7.3442 (5.5); 7.3048 (13.4); 7.3022 (17.4); 7.2970 (31.3); 7.2748 (4.0); 7.2131 (8.1); 7.1902 (7.8); 4.1916 (0.4); 4.1713 (0.4); 4.0685 (3.0); 4.0490 (3.0); 4.0202 (6.1); 3.9999 (5.7); 3.9714 (3.2); 3.9511 (2.9); 2.0553 (0.3); 2.0159 (0.5); 2.0043 (0.4); 1.8586 (1.3); 1.7235 (0.4); 1.4819 (0.4); 1.4583 (0.7); 1.4012 (0.3); 1.3713 (0.7); 1.2934 (6.1); 1.1863 (0.5); 1.1560 (0.4); 1.1373 (0.5); 0.9154 (1.1); 0.8944 (1.1); 0.8690 (0.8); 0.0428 (11.7); 0.0401 (15.5); 0.0348 (28.8); 0.0241 (1.1) I-272: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2643 (1.3); 9.2492 (2.8); 9.2339 (1.4); 7.9612 (2.5); 7.6863 (1.2); 7.6666 (3.1); 7.6469 (2.6); 7.6150 (3.3); 7.5954 (1.9); 7.5440 (5.4); 7.5226 (7.2); 7.4356 (4.3); 7.4209 (2.8); 7.3914 (7.4); 7.3701 (5.6); 6.2766 (2.5); 6.2525 (2.6); 4.1406 (1.0); 4.1256 (1.1); 4.1043 (2.2); 4.0891 (2.1); 4.0675 (1.3); 4.0521 (1.2); 3.5605 (0.4); 3.5344 (1.0); 3.5186 (0.8); 3.5087 (1.1); 3.4839 (0.4); 3.3120 (98.3); 2.8992 (16.0); 2.7403 (14.3); 2.5136 (16.2); 2.5092 (22.5); 2.5049 (17.2); 1.8689 (2.0); 1.8433 (2.3); 1.7307 (1.9); 1.6988 (2.3); 1.5916 (1.1); 1.5605 (1.2); 1.4838 (0.7); 1.4591 (1.9); 1.4270 (2.0); 1.4017 (0.9); 1.2509 (0.7); 1.2211 (1.8); 1.1890 (2.0); 1.1565 (1.3); 1.1165 (1.2); 1.0862

(0.8) I-273: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2211 (1.5); 9.2074 (3.2); 9.1933 (1.5); 7.9963 (16.0); 7.9608 (1.6); 7.8686 (6.5); 7.8652 (6.7); 7.6712 (2.0); 7.6516 (4.8); 7.6318 (3.1); 7.5415 (4.1); 7.5220 (3.1); 7.5023 (4.7); 7.4811 (7.4); 7.4446 (5.8); 7.4102 (6.9); 7.3893 (5.2); 7.2475 (2.7); 7.1082 (5.9); 6.9690 (2.9); 4.2954 (1.5); 4.2814 (1.6); 4.2615 (3.2); 4.2468 (3.2); 4.2265 (1.7); 4.2127 (1.6); 3.3114 (35.9); 2.8987 (9.4); 2.7397 (8.4); 2.5130 (15.6); 2.5088 (20.9); 2.5046 (15.9) I-274: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1771 (3.2); 9.1558 (3.3); 8.2294 (16.0); 7.7495 (1.2); 7.7297 (3.8); 7.7103 (3.8); 7.6909 (6.4); 7.6667 (2.1); 7.6443 (3.4); 7.6247 (2.1); 7.4898 (5.5); 7.4861 (5.7); 7.3420 (3.0); 7.3370 (2.8); 7.3216 (3.5); 7.3166 (3.4); 7.0957 (5.2); 7.0752 (4.4); 5.2002 (0.8); 5.1801 (2.0); 5.1627 (1.5); 5.1470 (0.7); 3.3396 (101.4); 2.7093 (4.4); 2.6937 (2.8); 2.6758 (0.7); 2.6714 (0.8); 2.6666 (0.7); 2.5417 (70.0); 2.5066 (76.4); 2.5023 (100.1); 2.4980 (73.0); 2.3293 (0.5); 2.3245 (0.4); 2.0612 (0.6); 2.0471 (1.4); 2.0366 (1.4); 2.0289 (1.1); 2.0188 (1.4); 2.0045 (0.9); 1.8964 (0.8); 1.8783 (1.2); 1.8652 (1.7); 1.8536 (1.3); 1.8322 (0.5); 1.8169 (0.5); 1.7991 (0.9); 1.7788 (1.5); 1.7646 (2.5); 1.7499 (2.7); 1.7252 (1.1); 1.7021 (0.4); 1.6962 (0.4); -0.0004 (4.3) I-275: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2783 (0.9); 9.2625 (1.9); 9.2471 (1.0); 8.8532 (6.2); 8.7171 (3.4); 8.7047 (3.6); 8.2810 (0.3); 8.1579 (6.9); 8.0315 (1.5); 7.9596 (2.7); 7.7818 (0.3); 7.7526 (0.3); 7.7257 (3.2); 7.7134 (3.2); 7.6995 (0.8); 7.6801 (1.6); 7.6611 (1.7); 7.6440 (1.7); 7.6278 (1.3); 7.6024 (0.7); 7.5221 (1.4); 7.5021 (2.2); 7.4821 (1.0); 7.4725 (0.6); 7.4543 (1.5); 7.3396 (2.4); 7.3195 (5.4); 7.3070 (0.8); 7.2962 (0.8); 7.1845 (1.4); 7.1613 (0.3); 7.0750 (3.5); 6.9378 (1.8); 6.9189 (1.7); 4.1719 (0.8); 4.1563 (0.9); 4.1355 (1.9); 4.1198 (1.9); 4.0993 (1.3); 4.0833 (1.2); 3.3279 (453.0); 2.8982 (16.0); 2.7392 (14.8); 2.5128 (14.9); 2.5089 (19.4); 2.5050 (14.8); 2.4401 (8.2); 2.3526 (0.5); 2.3053 (0.7); 2.2816 (0.8); 2.1959 (11.5); 2.1663 (0.8) I-276: .sup.1H-NMR(600.1 MHz, CD₃CN): δ = 7.9139 (16.0); 7.6812 (1.1); 7.6681 (3.8); 7.6551 (8.7); 7.6444 (0.9); 7.6418 (1.0); 7.3806 (4.4); 7.2973 (0.4); 7.2785 (1.8); 7.2753 (3.5); 7.2718 (2.5); 7.2633 (3.5); 7.2601 (2.7); 7.2391 (0.4); 7.1961 (0.9); 7.1919 (8.2); 7.1892 (3.3); 7.1780 (10.0); 7.1740 (1.8); 7.0453 (1.2); 7.0409 (11.3); 7.0376 (3.7); 7.0300 (3.0); 7.0267 (9.2); 7.0224 (1.2); 3.3253 (0.9); 3.3176 (1.9); 3.3125 (2.0); 3.3101 (1.3); 3.3049 (3.8); 3.2997 (1.3); 3.2973 (2.1); 3.2922 (2.0); 3.2846 (1.0); 2.4204 (1.2); 2.4079 (2.5); 2.3935 (2.6); 2.3810 (1.3); 2.1325 (35.2); 1.9633 (1.0); 1.9552 (2.3); 1.9511 (2.7); 1.9472 (15.4); 1.9431 (26.9); 1.9390 (39.3); 1.9349 (27.1); 1.9308 (14.0); 1.4302 (2.0); 1.4196 (2.5); 1.4176 (2.5); 1.4152 (2.3); 1.4070 (2.4); 1.4045 (2.7); 1.4026 (2.4); 1.3920 (2.1); 1.3877 (2.1); 1.2424 (2.0); 1.2348 (2.2); 1.2313 (3.2); 1.2237 (3.2); 1.2204 (2.1); 1.2127 (1.8); -0.0001 (2.4) I-277: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2798 (8.4); 7.8974 (1.0); 7.6259 (4.8); 7.6130 (4.6); 7.4474 (2.9); 7.4305 (0.4); 7.4211 (1.2); 7.4147 (1.2); 7.4082 (1.6); 7.4032 (1.4); 7.3987 (1.1); 7.3924 (0.8); 7.3233 (3.4); 7.2968 (2.5); 7.2861 (1.6); 7.2675 (3.0); 7.2595 (7.6); 7.2485 (2.1); 7.2410 (2.4); 7.2227 (0.8); 4.2218 (1.5); 4.2070 (1.4); 4.1861 (3.0); 4.1713 (3.0); 4.1504 (1.5); 4.1355 (1.5); 2.3340 (16.0); 1.5582 (2.5); -0.0002 (6.2) I-278: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2497 (0.8); 9.2342 (1.7); 9.2187 (0.8); 8.0383 (7.8); 8.0149 (5.1); 7.9530 (0.4); 7.7505 (4.8); 7.7297 (4.2); 7.6994 (1.8); 7.6795 (2.4); 7.6642 (5.3); 7.6597 (5.2); 7.5845 (1.8); 7.5625 (3.0); 7.5416 (2.9); 7.5133 (0.3); 7.4620 (1.7); 7.4408 (1.1); 7.3402 (0.4); 4.2107 (0.7); 4.1948 (0.7); 4.1736 (1.5); 4.1580 (1.5); 4.1372 (0.8); 4.1211 (0.9); 3.8864 (16.0); 3.3310 (194.3); 2.8914 (2.2); 2.7487 (0.3); 2.7322 (2.0); 2.6759 (0.6); 2.6719 (0.8); 2.6675 (0.6); 2.5526 (7.3); 2.5071 (103.9); 2.5027 (133.0); 2.4984 (98.7); 2.4517 (0.9); 2.3339 (0.6); 2.3292 (0.8); 2.3252 (0.6); 1.2399 (0.8); -0.0002 (0.3) I-279: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5642 (0.4); 7.5381 (1.6); 7.5172 (7.1); 7.4883 (4.4); 7.4232 (2.2); 7.3974 (4.0); 7.3684 (3.2); 7.3582 (1.7); 7.3509 (1.0); 7.3446 (0.6); 7.3362 (0.9); 7.3292 (0.5); 7.2986 (2.2); 7.0356 (0.6); 7.0149 (1.1); 6.9942 (0.6); 4.2035 (1.0); 4.1825 (1.0); 4.1556 (2.1); 4.1345 (2.0); 4.1076 (1.1); 4.0865 (1.0); 2.7807 (2.6); 2.5718 (9.3); 2.5584 (16.0); 2.2061 (15.8); 1.9799 (0.4); 1.7622 (0.5); 1.2892 (0.4); 0.0326 (2.1) I-280: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 10.0222 (6.0); 7.6718 (1.9); 7.6521 (3.5); 7.6322 (2.2); 7.6171 (7.2); 7.6119 (6.1); 7.6069 (5.8); 7.5993 (15.2); 7.5960 (16.0); 7.5853 (1.4); 7.5808 (1.3); 7.5636 (0.4); 7.5520 (0.3); 7.5321 (0.4); 7.4791 (1.6); 7.4581 (10.5); 7.4476

(10.5); 7.4185 (20.5); 7.3946 (13.7); 7.3904 (9.9); 7.3783 (5.7); 7.3687 (11.7); 7.3605 (5.0); 7.3519 (2.7); 7.3348 (14.8); 7.3061 (12.0); 7.2986 (16.2); 7.2924 (2.5); 7.2852 (6.5); 7.2781 (1.7); 7.2604 (2.1); 7.1143 (11.3); 7.0891 (9.4); 4.1926 (0.9); 4.1688 (2.7); 4.1449 (2.7); 4.1212 (1.0); 4.1008 (0.4); 4.0284 (4.0); 4.0082 (3.9); 3.9817 (8.6); 3.9615 (8.3); 3.9351 (4.4); 3.9149 (4.2); 3.1937 (0.5); 2.7896 (4.2); 2.0809 (13.1); 1.6715 (0.7); 1.6502 (0.6); 1.6229 (0.4); 1.3472 (0.4); 1.3201 (3.6); 1.2962 (8.9); 1.2725 (3.4); 0.9980 (0.4); 0.9736 (0.7); 0.9489 (0.4); 0.9432 (0.3); 0.9211 (0.9); 0.8975 (0.4); 0.0506 (0.4); 0.0398 (13.7); 0.0287 (0.5) I-281: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0686 (1.5); 9.0537 (3.2); 9.0387 (1.5); 7.9611 (0.9); 7.6320 (1.9); 7.6069 (16.0); 7.6011 (7.9); 7.5796 (9.9); 7.5060 (10.2); 7.4846 (7.2); 7.4781 (3.4); 7.4078 (5.3); 7.3603 (3.0); 7.3399 (2.6); 7.2282 (2.5); 7.0889 (5.5); 6.9496 (2.7); 4.1280 (1.5); 4.1128 (1.6); 4.0932 (3.3); 4.0780 (3.2); 4.0581 (1.8); 4.0430 (1.6); 3.3118 (30.2); 2.8985 (5.5); 2.7397 (4.9); 2.5130 (13.9); 2.5088 (18.5); 2.5045 (13.9); 2.3267 (0.7); 2.3142 (1.4); 2.3056 (1.6); 2.2935 (2.9); 2.2816 (1.8); 2.2731 (1.5); 2.2609 (0.8); 1.0984 (1.3); 1.0869 (3.4); 1.0805 (5.2); 1.0719 (3.4); 1.0663 (3.5); 1.0600 (4.6); 1.0518 (2.2); 1.0361 (0.6); 1.0303 (0.6); 1.0162 (0.7); 1.0069 (2.2); 0.9984 (5.1); 0.9932 (5.1); 0.9868 (5.7); 0.9807 (4.5); 0.9689 (1.4) I-282: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8914 (0.5); 8.1878 (1.4); 8.1399 (4.6); 7.7186 (0.8); 7.7153 (0.7); 7.6948 (0.9); 7.6917 (0.9); 7.6882 (0.8); 7.3665 (1.0); 7.3405 (2.2); 7.3141 (1.4); 7.2988 (12.6); 7.2731 (1.4); 7.0395 (1.2); 7.0136 (1.1); 6.9257 (0.8); 6.9227 (0.8); 6.9178 (1.1); 6.9148 (1.0); 6.8993 (0.5); 6.8914 (1.3); 6.8879 (1.5); 6.8841 (1.8); 6.8782 (2.0); 6.8712 (0.9); 6.7172 (1.0); 6.5310 (2.0); 6.3448 (1.0); 5.3368 (2.0); 4.1700 (0.7); 4.1462 (0.7); 4.0358 (0.9); 4.0166 (2.0); 4.0059 (0.7); 3.9959 (2.0); 3.9764 (1.0); 3.2272 (1.2); 3.2068 (1.9); 3.1869 (1.2); 2.7329 (15.0); 2.0825 (3.8); 2.0449 (1.7); 1.9703 (0.5); 1.9592 (0.5); 1.9424 (1.0); 1.9256 (0.6); 1.9143 (0.5); 1.6292 (16.0); 1.3198 (1.0); 1.2959 (2.0); 1.2721 (0.9); 1.0525 (0.7); 1.0373 (1.7); 1.0305 (1.9); 1.0249 (1.0); 1.0155 (1.0); 1.0088 (1.8); 1.0023 (1.6); 0.9876 (0.9); 0.7629 (0.8); 0.7476 (2.1); 0.7415 (1.9); 0.7311 (1.8); 0.7253 (2.3); 0.7091 (0.6); 0.1057 (1.5); 0.0465 (0.4); 0.0358 (12.0); 0.0249 (0.5) I-283: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1101 (5.1); 7.9129 (0.4); 7.8936 (0.7); 7.8737 (0.4); 7.6676 (1.9); 7.6647 (2.0); 7.6351 (0.5); 7.6115 (1.0); 7.5897 (0.6); 7.5380 (0.5); 7.5099 (2.3); 7.4813 (3.5); 7.4423 (1.8); 7.4364 (1.7); 7.4248 (1.1); 7.4142 (0.9); 7.4082 (0.8); 7.3979 (1.4); 7.3708 (0.5); 7.2987 (9.0); 7.1322 (1.1); 6.9499 (2.2); 6.7675 (1.1); 5.3368 (1.2); 4.5031 (1.0); 4.4824 (1.0); 4.4559 (2.2); 4.4352 (2.1); 4.4086 (1.1); 4.3879 (1.0); 2.7532 (16.0); 1.5970 (8.1); 1.2945 (0.6); 0.1076 (0.7); 0.0482 (0.3); 0.0374 (8.9); 0.0265 (0.4) I-284: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0486 (0.8); 7.5807 (1.8); 7.5764 (2.6); 7.5719 (1.7); 7.4117 (1.1); 7.3841 (3.9); 7.3679 (2.8); 7.3621 (2.4); 7.3400 (0.7); 7.3341 (0.7); 7.2983 (16.9); 7.1332 (0.5); 7.1250 (0.4); 7.1098 (3.6); 7.0976 (2.0); 7.0937 (2.0); 7.0903 (2.3); 7.0847 (2.9); 7.0669 (0.4); 6.8353 (0.7); 6.8221 (0.7); 6.8146 (1.1); 6.8030 (1.2); 6.7906 (0.6); 6.7814 (0.6); 6.5242 (0.5); 6.5039 (0.8); 6.4836 (0.5); 6.0940 (0.5); 6.0833 (0.6); 6.0725 (0.6); 6.0619 (0.5); 5.9398 (0.5); 5.9286 (0.6); 5.9182 (0.6); 5.9071 (0.5); 4.2207 (0.4); 4.2098 (0.4); 4.1992 (0.4); 4.1875 (0.6); 4.1374 (0.4); 4.1265 (0.4); 4.1158 (0.4); 4.1048 (0.4); 4.0206 (0.4); 4.0005 (0.6); 3.9795 (0.4); 3.9720 (0.3); 3.9510 (0.5); 3.9428 (0.4); 3.9305 (0.3); 3.9227 (0.6); 3.9016 (0.4); 3.8940 (0.3); 3.8734 (0.5); 3.8525 (0.4); 2.9917 (6.8); 2.9179 (5.8); 2.9164 (5.4); 2.6317 (16.0); 2.6191 (1.6); 2.4618 (0.4); 2.3537 (1.3); 2.3368 (15.9); 2.1340 (0.6); 2.1232 (0.6); 2.1057 (1.1); 2.0883 (0.6); 2.0774 (0.6); 2.0602 (0.4); 1.2925 (0.4); 1.0627 (0.8); 1.0476 (2.1); 1.0407 (2.3); 1.0346 (1.2); 1.0261 (1.3); 1.0190 (2.3); 1.0124 (2.1); 0.9979 (1.1); 0.8146 (1.1); 0.7998 (2.5); 0.7969 (2.2); 0.7938 (2.4); 0.7826 (2.2); 0.7772 (2.6); 0.7607 (0.9); 0.0479 (0.7); 0.0371 (20.8); 0.0261 (0.9) I-285: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5413 (0.4); 7.5256 (2.0); 7.5127 (5.1); 7.4441 (0.5); 7.4320 (2.3); 7.3927 (0.4); 7.3840 (1.0); 7.3792 (1.6); 7.3751 (1.2); 7.3660 (1.1); 7.3492 (0.5); 7.3408 (2.0); 7.3339 (0.6); 7.3248 (2.2); 7.2597 (6.0); 7.0387 (3.0); 6.9582 (2.6); 6.9443 (2.0); 5.2972 (2.1); 4.5276 (1.1); 4.5213 (1.2); 4.5063 (1.5); 4.5000 (1.5); 4.3956 (1.4); 4.3824 (1.5); 4.3744 (1.1); 4.3611 (1.1); 4.2179 (0.6); 4.2052 (0.6); 4.1883 (0.9); 4.1756 (1.0); 4.1538 (1.0); 4.1416 (1.0); 4.1236 (1.3); 4.1119 (1.5); 3.8576 (0.3); 3.5145 (4.7); 3.5038 (4.6); 3.3943 (16.0);

3.3648 (3.0); 3.3529 (10); 2.4705 (7.8); 2.2826 (9.8); 1.5840 (1.2); 1.2558 (0.4); -0.0002 (6.1) I-286: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.8440 (1.2); 8.8297 (2.3); 8.8153 (1.2); 8.3150 (0.5); 8.0710 (16.0); 7.7418 (1.1); 7.7225 (3.4); 7.7030 (3.7); 7.6910 (4.1); 7.6713 (1.4); 7.6376 (4.4); 7.5752 (2.6); 7.5554 (1.9); 7.2116 (1.2); 7.2036 (1.4); 7.1969 (1.4); 7.1889 (2.5); 7.1809 (1.4); 7.1742 (1.3); 7.1663 (1.3); 7.1420 (1.1); 7.1305 (1.2); 7.1192 (2.6); 7.1076 (2.6); 7.0961 (1.7); 7.0846 (1.6); 7.0339 (0.9); 7.0246 (1.4); 7.0141 (1.4); 7.0039 (2.0); 6.9957 (1.1); 6.9822 (0.9); 6.9734 (0.5); 3.9029 (0.9); 3.5966 (1.8); 3.5799 (4.8); 3.5646 (4.9); 3.5481 (1.9); 3.3286 (95.0); 2.8954 (2.8); 2.8785 (5.5); 2.8618 (2.6); 2.6760 (0.8); 2.6714 (1.0); 2.6669 (0.8); 2.6622 (0.4); 2.5249 (3.9); 2.5200 (6.2); 2.5115 (70.3); 2.5071 (137.6); 2.5026 (175.9); 2.4980 (124.7); 2.4935 (59.6); 2.3339 (0.7); 2.3293 (1.0); 2.3248 (0.7); 2.3204 (0.4); 1.3383 (0.4); 1.3206 (0.6); 1.3028 (0.3); 1.2442 (0.4); 1.2349 (0.3); -0.0002 (0.8) I-287: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2968 (11.8); 7.8416 (0.8); 7.8237 (1.4); 7.8055 (0.8); 7.3728 (3.4); 7.3463 (4.0); 7.3048 (2.9); 7.1670 (1.4); 7.1608 (2.4); 7.1536 (1.7); 7.1396 (1.4); 7.1335 (2.5); 7.1262 (1.7); 7.0908 (5.3); 7.0862 (4.7); 7.0799 (3.8); 7.0737 (1.7); 7.0242 (2.2); 6.9976 (1.9); 6.9514 (1.6); 6.9440 (2.8); 6.9367 (1.4); 6.9222 (1.6); 6.9148 (2.8); 6.9075 (1.4); 4.2977 (1.9); 4.2780 (1.8); 4.2497 (4.0); 4.2299 (3.9); 4.2017 (2.0); 4.1819 (1.9); 2.5121 (11.6); 2.5049 (6.5); 2.3510 (16.0); 1.6531 (4.2); 0.0442 (2.6) I-288: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0859 (10.8); 8.0260 (1.2); 7.6760 (0.4); 7.6488 (2.3); 7.6282 (6.6); 7.6123 (0.6); 7.5162 (2.9); 7.4801 (0.4); 7.4609 (4.1); 7.4534 (2.4); 7.4462 (1.8); 7.4321 (8.5); 7.4256 (3.9); 7.2986 (70.9); 7.2658 (2.8); 7.2590 (2.6); 7.2380 (2.0); 7.2312 (1.9); 6.9478 (0.4); 6.1430 (0.8); 6.1320 (0.9); 6.1190 (0.8); 6.1083 (0.8); 5.9879 (0.9); 5.9765 (0.8); 5.9640 (0.9); 5.9530 (0.8); 5.3382 (15.6); 4.3547 (0.5); 4.3446 (0.5); 4.3330 (0.4); 4.3215 (0.5); 4.3062 (0.6); 4.2954 (0.7); 4.2837 (0.6); 4.2727 (0.6); 4.2654 (0.6); 4.2539 (0.5); 4.2424 (0.5); 4.2313 (0.5); 4.2163 (0.6); 4.2056 (0.6); 4.1939 (0.7); 4.1829 (0.6); 3.9083 (0.5); 3.8913 (0.6); 3.8849 (0.6); 3.8675 (0.6); 3.8596 (0.5); 3.8368 (1.0); 3.8197 (1.0); 3.7964 (0.6); 3.7885 (0.6); 3.7715 (0.6); 3.7650 (0.6); 3.7478 (0.4); 2.2941 (0.5); 2.2765 (0.8); 2.2678 (1.0); 2.2597 (0.7); 2.2505 (2.1); 2.2396 (0.8); 2.2315 (0.9); 2.2248 (1.1); 2.2061 (0.5); 2.0837 (1.6); 2.0456 (1.5); 1.5762 (16.0); 1.3216 (0.4); 1.2979 (0.8); 1.2096 (1.7); 1.2010 (4.8); 1.1918 (5.2); 1.1871 (7.4); 1.1791 (4.1); 1.1666 (2.8); 1.1609 (4.3); 1.1520 (2.0); 1.1298 (0.4); 0.0492 (3.0); 0.0384 (79.1); 0.0275 (3.1); -0.1600 (0.3) I-289: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1846 (0.4); 9.1693 (0.8); 9.1540 (0.4); 7.9611 (0.6); 7.7189 (0.3); 7.6991 (1.0); 7.6795 (0.8); 7.6528 (1.0); 7.6333 (0.5); 7.5756 (1.6); 7.5543 (2.2); 7.4724 (1.3); 7.4589 (0.8); 7.4313 (2.4); 7.4099 (1.6); 4.2009 (0.4); 4.1856 (0.4); 4.1649 (0.8); 4.1494 (0.8); 4.1287 (0.4); 4.1132 (0.4); 3.3110 (23.5); 2.9058 (16.0); 2.8994 (5.5); 2.7399 (3.8); 2.5134 (4.4); 2.5091 (6.1); 2.5047 (4.5) I-290: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0737 (1.2); 9.0585 (2.4); 9.0431 (1.2); 7.9611 (0.6); 7.6277 (1.4); 7.6080 (3.3); 7.5883 (2.2); 7.5678 (10.1); 7.4884 (2.8); 7.4692 (2.1); 7.4021 (4.0); 7.3682 (2.3); 7.3480 (2.0); 7.3242 (3.5); 7.3042 (3.8); 7.2268 (1.9); 7.0870 (7.1); 6.9619 (2.4); 6.9478 (3.0); 4.1144 (1.2); 4.0989 (1.2); 4.0777 (2.6); 4.0621 (2.6); 4.0405 (1.4); 4.0250 (1.3); 3.3119 (21.2); 2.8985 (3.6); 2.7398 (3.2); 2.5130 (9.8); 2.5088 (13.1); 2.5046 (10.0); 2.4245 (11.5); 2.3261 (0.5); 2.3139 (1.1); 2.3055 (1.3); 2.2934 (2.2); 2.2814 (1.4); 2.2729 (1.2); 2.2610 (0.9); 2.2362 (16.0); 2.1863 (0.4); 1.1017 (0.9); 1.0903 (2.6); 1.0838 (3.8); 1.0751 (2.4); 1.0697 (2.7); 1.0634 (3.5); 1.0550 (1.6); 1.0390 (0.5); 1.0262 (0.4); 1.0191 (0.4); 1.0025 (1.6); 0.9938 (3.8); 0.9884 (3.8); 0.9823 (4.2); 0.9761 (3.4); 0.9644 (1.0) I-291: .sup.1H-NMR(600.4 MHz, d.sub.6-DMSO): δ = 8.7712 (0.8); 8.7615 (1.5); 8.7519 (0.7); 8.1155 (1.2); 8.0769 (9.3); 7.8052 (4.3); 7.8023 (4.4); 7.7212 (3.0); 7.0755 (0.4); 7.0622 (0.4); 7.0538 (2.5); 7.0410 (2.8); 6.9820 (0.4); 6.9426 (2.9); 6.8398 (1.5); 6.8267 (1.4); 5.7519 (1.3); 3.4713 (1.2); 3.4605 (2.2); 3.4475 (2.2); 3.4372 (1.3); 3.4240 (0.3); 3.4088 (0.3); 3.3409 (0.3); 3.3075 (333.4); 3.2861 (0.6); 2.8080 (2.1); 2.7954 (3.3); 2.7835 (2.0); 2.6153 (1.3); 2.6123 (1.8); 2.6093 (1.2); 2.6062 (0.6); 2.5213 (3.2); 2.5182 (3.9); 2.5151 (3.9); 2.5063 (105.8); 2.5033 (221.5); 2.5003 (303.0); 2.4973 (220.7); 2.4943 (104.7); 2.3873 (1.3); 2.3842 (1.8); 2.3812 (1.3); 2.2817 (0.6); 2.2763 (2.1); 2.2646 (16.0); 2.2333 (2.2); 2.2234 (0.6); 2.1938 (13.7); 1.9073 (0.4); 1.2588 (0.4);

1.2366 (0.4); 0.8763 (0.6); 0.8632 (0.5); 0.0053 (0.8); -0.0001 (29.2); -0.0057 (1.0) I-292: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1727 (1.8); 9.1572 (3.6); 9.1413 (1.7); 8.5198 (16.0); 7.9590 (2.2); 7.8018 (1.3); 7.7825 (4.1); 7.7624 (6.1); 7.7561 (5.9); 7.7365 (1.8); 7.7090 (5.8); 7.6321 (3.6); 7.6132 (2.8); 7.5871 (7.7); 7.5657 (9.6); 7.4239 (9.3); 7.4027 (7.3); 4.1895 (1.8); 4.1738 (1.9); 4.1549 (3.9); 4.1392 (3.8); 4.1200 (2.0); 4.1042 (1.9); 3.3172 (71.1); 2.8968 (14.2); 2.7373 (12.6); 2.6806 (0.8); 2.6763 (1.0); 2.5116 (110.7); 2.5073 (141.1); 2.5030 (102.6); 2.3385 (0.6); 2.3342 (0.8); 2.3298 (0.6) I-293: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5531 (0.5); 7.5341 (1.5); 7.5150 (3.2); 7.4926 (0.7); 7.4742 (2.2); 7.4329 (1.0); 7.4281 (1.4); 7.4099 (0.9); 7.3216 (0.9); 7.3090 (0.5); 7.2594 (8.3); 7.0747 (1.7); 7.0555 (2.2); 6.9851 (2.4); 6.9376 (1.4); 6.9186 (1.0); 3.7538 (1.1); 3.7365 (2.6); 3.7212 (2.6); 3.7039 (1.1); 3.6803 (1.9); 3.6661 (3.4); 3.6518 (2.0); 3.1548 (16.0); 2.9951 (2.1); 2.9807 (3.4); 2.9667 (1.9); 2.9325 (1.8); 2.9150 (3.4); 2.8974 (1.6); 2.3146 (11.8); 2.3011 (0.5); 2.2701 (10.9); 1.5593 (12.8); -0.0002 (4.8) I-294: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5688 (0.3); 7.5429 (1.2); 7.5185 (2.8); 7.4904 (0.4); 7.4549 (2.0); 7.4306 (0.9); 7.4235 (1.3); 7.4166 (0.7); 7.3993 (0.9); 7.3905 (2.0); 7.3635 (1.9); 7.2986 (4.2); 7.0856 (1.9); 7.0004 (1.0); 6.9740 (0.9); 6.4226 (0.4); 6.4025 (0.8); 6.3823 (0.5); 4.2819 (0.9); 4.2611 (0.9); 4.2452 (0.4); 4.2333 (2.0); 4.2124 (1.9); 4.1847 (1.1); 4.1638 (1.1); 4.1408 (1.2); 4.1290 (0.4); 4.1258 (0.4); 4.0981 (16.0); 2.5283 (5.9); 2.3794 (0.5); 2.3277 (7.5); 2.2898 (1.1); 2.2246 (15.8); 1.6079 (3.1); 1.2950 (0.7); 0.9202 (0.4); 0.0382 (4.0) I-295: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9917 (1.8); 8.9774 (3.8); 8.9629 (1.9); 7.9609 (1.9); 7.6527 (16.0); 7.6457 (7.6); 7.6294 (2.4); 7.6095 (5.0); 7.5898 (3.4); 7.5681 (5.6); 7.5471 (7.2); 7.5335 (0.4); 7.4899 (4.3); 7.4707 (3.3); 7.4190 (6.1); 7.4037 (4.7); 7.3988 (4.5); 7.3825 (6.4); 7.3779 (6.6); 7.3601 (3.0); 7.2234 (2.9); 7.0841 (6.1); 6.9448 (3.0); 6.0565 (1.2); 6.0438 (2.3); 6.0309 (1.3); 5.9407 (1.2); 5.9286 (2.2); 5.9153 (1.3); 3.8813 (1.8); 3.8696 (3.6); 3.8552 (2.3); 3.8287 (1.6); 3.8222 (1.7); 3.8133 (3.1); 3.7983 (1.9); 3.3117 (38.9); 2.8986 (11.4); 2.7398 (10.4); 2.5130 (15.9); 2.5088 (21.3); 2.5047 (16.3); 2.3308 (0.8); 2.3184 (1.6); 2.3099 (1.8); 2.2978 (3.2); 2.2858 (2.0); 2.2774 (1.8); 2.2651 (0.9); 1.1048 (1.4); 1.0932 (3.9); 1.0868 (5.8); 1.0782 (3.8); 1.0726 (4.0); 1.0664 (5.2); 1.0582 (2.5); 1.0420 (0.7); 1.0368 (0.7); 1.0219 (0.7); 1.0131 (2.5); 1.0045 (5.7); 0.9992 (5.9); 0.9929 (6.5); 0.9868 (5.2); 0.9749 (1.6) I-296: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5955 (0.7); 7.5741 (2.4); 7.5383 (1.1); 7.5021 (0.5); 7.4928 (0.8); 7.4854 (0.5); 7.4707 (0.4); 7.4262 (2.0); 7.4047 (0.8); 7.3986 (2.4); 7.2987 (7.2); 7.1871 (1.8); 7.1605 (1.5); 6.3481 (0.9); 2.9875 (0.7); 2.9088 (0.6); 2.4717 (11.0); 2.3629 (6.9); 1.8664 (16.0); 1.5877 (2.4); 0.1091 (0.5); 0.0392 (7.0) I-297: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0483 (1.2); 9.0337 (2.6); 9.0190 (1.3); 8.3366 (0.8); 8.1057 (16.0); 7.7857 (0.9); 7.7660 (2.8); 7.7466 (2.6); 7.7286 (3.5); 7.7108 (5.7); 7.6253 (2.3); 7.6049 (1.9); 7.5403 (5.5); 7.5197 (7.5); 7.4117 (6.9); 7.3907 (5.1); 5.8117 (0.8); 5.8004 (1.1); 5.7957 (1.0); 5.7844 (0.9); 5.7768 (3.7); 5.6937 (0.8); 5.6829 (1.1); 5.6773 (1.0); 5.6667 (0.9); 5.2375 (0.5); 3.8897 (0.4); 3.8695 (0.8); 3.8537 (1.5); 3.8384 (1.4); 3.8316 (1.1); 3.8284 (1.1); 3.8181 (1.4); 3.8032 (1.3); 3.7959 (0.5); 3.7871 (0.9); 3.7819 (1.0); 3.7676 (1.0); 3.7567 (0.8); 3.7463 (0.3); 3.7317 (0.3); 3.3428 (118.6); 3.3197 (0.4); 2.7025 (0.4); 2.6980 (0.8); 2.6935 (1.1); 2.6889 (0.8); 2.6842 (0.4); 2.5470 (3.1); 2.5423 (4.5); 2.5335 (59.7); 2.5290 (125.1); 2.5243 (174.4); 2.5198 (133.4); 2.5153 (66.2); 2.3603 (0.4); 2.3558 (0.8); 2.3513 (1.1); 2.3467 (0.8); 2.3423 (0.4); 1.2818 (0.5); 1.2569 (6.8); 0.8766 (0.6); 0.0225 (0.6); -0.0002 (2.9) I-298: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2285 (1.8); 9.2131 (3.6); 9.1974 (1.7); 8.4844 (16.0); 7.9589 (1.9); 7.8676 (6.2); 7.8638 (6.4); 7.8061 (1.4); 7.7865 (4.2); 7.7669 (5.2); 7.7585 (5.7); 7.7388 (1.8); 7.7062 (5.9); 7.6227 (3.4); 7.6034 (2.6); 7.5081 (5.0); 7.4869 (6.9); 7.3799 (3.9); 7.3758 (3.9); 7.3590 (2.9); 7.3546 (2.9); 4.3265 (1.7); 4.3106 (1.8); 4.2917 (3.7); 4.2760 (3.6); 4.2568 (1.9); 4.2411 (1.8); 3.3730 (0.3); 3.3171 (77.4); 2.8969 (12.0); 2.7374 (10.7); 2.6765 (1.0); 2.6717 (0.8); 2.5117 (125.2); 2.5074 (163.0); 2.5031 (119.8); 2.3386 (0.7); 2.3342 (1.0); 2.3298 (0.7) I-299: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2141 (0.9); 9.1984 (1.9); 9.1826 (0.9); 8.1057 (5.0); 8.0262 (8.7); 7.9525 (2.2); 7.8244 (5.6); 7.7281 (0.6); 7.7080 (1.9); 7.6880 (3.2); 7.6819 (3.0); 7.6670 (3.8); 7.5800 (2.0);

7.5607 (1.4); 7.4808 (3.2); 7.4062 (2.3); 7.3856 (3.4); 7.3121 (1.9); 7.2907 (1.3); 4.1584 (0.9); 4.1430 (0.9); 4.1212 (1.9); 4.1056 (1.8); 4.0841 (0.9); 4.0682 (0.9); 3.8589 (16.0); 3.3250 (70.8); 2.8906 (14.6); 2.7481 (0.4); 2.7313 (12.6); 2.6754 (0.5); 2.6708 (0.6); 2.6663 (0.5); 2.5240 (2.2); 2.5106 (41.5); 2.5063 (81.5); 2.5018 (107.2); 2.4973 (80.2); 2.4930 (40.7); 2.4681 (8.8); 2.3330 (0.5); 2.3286 (0.7); 2.3242 (0.6); 1.2398 (0.9) I-300: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2364 (16.0); 7.8001 (1.4); 7.7863 (2.4); 7.7722 (1.4); 7.6331 (1.8); 7.6158 (3.4); 7.5983 (2.2); 7.5842 (1.9); 7.5640 (3.7); 7.5464 (2.3); 7.4767 (7.2); 7.4554 (11.5); 7.3886 (11.3); 7.3673 (7.0); 7.2617 (3.0); 4.2208 (2.8); 4.2055 (2.8); 4.1858 (6.0); 4.1705 (5.9); 4.1507 (3.1); 4.1354 (3.0); 1.6068 (1.6); 1.2597 (0.9); -0.0002 (2.3) I-301: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2264 (0.8); 9.2110 (1.7); 9.1954 (0.8); 7.9612 (2.4); 7.6802 (0.7); 7.6605 (1.9); 7.6408 (1.5); 7.6049 (2.0); 7.5857 (1.1); 7.4689 (2.6); 7.4489 (1.6); 7.4290 (1.3); 7.2999 (2.1); 7.2799 (2.4); 7.0966 (0.4); 7.0847 (1.3); 7.0691 (3.4); 6.9152 (1.4); 6.8958 (1.4); 4.1172 (0.7); 4.1026 (0.7); 4.0794 (1.5); 4.0638 (1.5); 4.0407 (0.8); 4.0254 (0.8); 3.3117 (53.5); 2.8991 (16.0); 2.8142 (6.8); 2.8014 (7.0); 2.7402 (14.4); 2.5136 (9.2); 2.5092 (12.8); 2.5049 (9.9); 2.4036 (7.1); 2.2302 (9.7) I-302: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1239 (1.2); 9.1040 (1.2); 7.7915 (6.0); 7.7249 (0.6); 7.7052 (1.6); 7.6858 (1.4); 7.6465 (1.8); 7.6259 (3.0); 7.6241 (3.0); 7.5693 (1.3); 7.5481 (1.0); 7.4475 (1.9); 7.4429 (0.9); 7.4336 (2.2); 7.4261 (2.4); 7.4172 (1.0); 7.4121 (2.1); 7.1251 (2.4); 7.1200 (0.8); 7.1083 (0.9); 7.1029 (4.5); 7.0858 (0.7); 7.0806 (2.2); 5.1499 (0.8); 5.1316 (1.2); 5.1134 (0.8); 3.3534 (16.9); 3.3485 (18.8); 3.3447 (19.2); 2.8911 (2.1); 2.7324 (1.9); 2.6073 (16.0); 2.5131 (6.5); 2.5087 (13.8); 2.5042 (18.6); 2.4997 (13.5); 2.4952 (6.5); 1.4371 (6.4); 1.4196 (6.3); -0.0002 (0.4) I-303: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5862 (11.0); 7.5599 (11.7); 7.4913 (6.9); 7.4160 (5.2); 7.3923 (16.3); 7.3873 (16.2); 7.3585 (1.3); 7.2974 (6.3); 7.1929 (0.5); 7.1685 (0.5); 6.6486 (2.1); 6.6303 (3.4); 6.0629 (1.8); 6.0535 (1.7); 6.0392 (1.9); 6.0303 (1.4); 5.9070 (1.8); 5.8978 (1.7); 5.8835 (1.9); 5.8741 (1.3); 4.2674 (0.8); 4.2577 (0.8); 4.2455 (0.9); 4.2354 (0.8); 4.2183 (1.2); 4.2084 (1.1); 4.1958 (1.2); 4.1862 (1.1); 4.1758 (1.0); 4.1659 (0.9); 4.1538 (1.0); 4.1438 (0.8); 4.1267 (1.2); 4.1168 (1.1); 4.1045 (1.1); 4.0949 (0.8); 3.9308 (0.9); 3.9117 (1.3); 3.8874 (1.2); 3.8594 (1.8); 3.8396 (2.3); 3.8167 (1.5); 3.7913 (1.0); 3.7671 (0.5); 3.1037 (0.4); 3.0812 (0.6); 3.0600 (0.3); 2.8435 (0.4); 2.8179 (1.0); 2.7996 (1.7); 2.7925 (1.8); 2.7753 (4.2); 2.7517 (5.8); 2.7274 (4.2); 2.7091 (1.7); 2.6842 (0.8); 2.0314 (0.5); 1.6537 (1.3); 1.3836 (0.5); 1.3266 (8.1); 1.3017 (16.0); 1.2769 (7.3); 0.0345 (5.9) I-304: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0363 (1.6); 7.6740 (2.1); 7.6708 (2.1); 7.6684 (2.1); 7.5589 (0.5); 7.5352 (1.1); 7.5153 (0.7); 7.4966 (2.1); 7.4684 (2.9); 7.4380 (0.5); 7.4137 (1.1); 7.4111 (1.1); 7.3901 (0.9); 7.3608 (1.5); 7.3458 (1.6); 7.3391 (2.1); 7.3177 (1.2); 7.3110 (1.4); 7.2985 (15.2); 7.0977 (1.2); 6.9150 (2.4); 6.7324 (1.2); 6.4557 (0.5); 6.4345 (0.9); 6.4132 (0.5); 4.4928 (1.1); 4.4711 (1.0); 4.4454 (2.3); 4.4239 (2.2); 4.3982 (1.2); 4.3766 (1.1); 2.9890 (13.3); 2.9119 (11.8); 2.6448 (0.6); 2.6287 (16.0); 2.3049 (15.8); 1.6140 (3.5); 0.1064 (1.0); 0.0474 (0.6); 0.0366 (14.6); 0.0257 (0.4) I-305: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2815 (0.7); 8.2781 (0.8); 8.2745 (0.9); 8.2712 (0.7); 8.2544 (0.8); 8.2509 (0.9); 8.2473 (1.0); 8.2440 (0.8); 8.1512 (4.3); 8.1399 (2.1); 8.1326 (1.0); 7.9248 (0.3); 7.9044 (0.6); 7.8860 (0.3); 7.7487 (0.9); 7.7215 (2.1); 7.6943 (1.3); 7.6730 (1.7); 7.6345 (1.1); 7.6310 (1.1); 7.6268 (1.1); 7.6235 (0.9); 7.6072 (0.7); 7.6037 (0.6); 7.5995 (0.7); 7.5962 (0.5); 7.5246 (0.9); 7.4964 (2.7); 7.4711 (1.5); 7.4655 (1.4); 7.4427 (0.5); 7.4372 (0.5); 7.3038 (11.2); 5.3429 (0.4); 4.5082 (0.8); 4.4876 (0.8); 4.4598 (1.6); 4.4393 (1.6); 4.4114 (0.8); 4.3910 (0.8); 2.7765 (12.3); 1.6085 (16.0); 1.3010 (0.4); 1.2950 (0.4); 0.1111 (0.4); 0.0518 (0.3); 0.0410 (9.8) I-306: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9745 (2.9); 8.9671 (2.9); 8.3872 (7.9); 8.2036 (2.4); 8.1986 (2.5); 8.1610 (2.5); 8.1333 (2.3); 7.8510 (1.5); 7.8240 (1.9); 7.7988 (1.0); 7.7941 (0.9); 7.7757 (1.5); 7.7708 (1.8); 7.7659 (0.9); 7.7476 (1.2); 7.7428 (1.0); 7.6426 (4.5); 7.6394 (4.1); 7.6256 (4.1); 7.6117 (2.2); 7.5984 (0.4); 7.5882 (0.9); 7.5848 (0.8); 7.5220 (2.2); 7.4551 (0.9); 7.4468 (1.0); 7.4372 (1.3); 7.4306 (1.1); 7.4249 (0.8); 7.4164 (0.6); 7.3041 (14.2); 5.3419 (5.4); 4.9718 (4.5); 4.9519 (4.5); 1.6342 (16.0); 0.1126 (0.3); 0.0529 (0.5); 0.0421 (13.1); 0.0312 (0.5) I-307: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.8520

(6.0); 7.9013 (0.5); 7.8898 (0.9); 7.8784 (0.5); 7.6495 (0.4); 7.6337 (1.6); 7.6206 (4.1); 7.6093 (0.4); 7.6077 (0.4); 7.4977 (2.1); 7.4833 (2.7); 7.4661 (3.8); 7.4371 (0.8); 7.4322 (1.4); 7.4279 (0.9); 7.4257 (0.6); 7.4233 (0.6); 7.4192 (1.0); 7.4147 (0.6); 7.3879 (3.6); 7.3709 (2.6); 7.2627 (2.3); 5.2967 (2.5); 4.2296 (0.9); 4.2174 (0.9); 4.2011 (2.0); 4.1890 (1.9); 4.1726 (1.0); 4.1605 (0.9); 4.0683 (16.0); 3.9452 (0.3); 2.3750 (0.5); 2.3619 (15.1); 1.5878 (0.9); -0.0002 (2.2) I-308: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1918 (1.3); 9.1765 (2.7); 9.1611 (1.3); 7.9612 (1.2); 7.6768 (1.1); 7.6570 (3.2); 7.6372 (2.5); 7.6026 (3.2); 7.5828 (1.7); 7.4505 (4.3); 7.4332 (2.6); 7.4132 (2.0); 7.2901 (3.5); 7.2702 (3.9); 7.0624 (4.4); 6.9041 (2.3); 6.8837 (2.1); 5.7996 (4.1); 5.7854 (4.2); 4.5715 (1.5); 4.5522 (2.5); 4.5306 (2.1); 4.4664 (0.4); 4.4406 (1.4); 4.4259 (1.2); 4.4158 (0.7); 4.1313 (2.6); 4.1222 (2.6); 4.1057 (2.8); 4.0984 (3.2); 4.0853 (1.4); 4.0614 (2.4); 4.0460 (2.3); 4.0229 (1.3); 4.0077 (1.2); 3.3113 (79.2); 2.8990 (7.6); 2.7399 (6.8); 2.5134 (15.7); 2.5090 (21.6); 2.5047 (16.1); 2.4032 (11.6); 2.2479 (0.4); 2.2254 (16.0) I-309: .sup.1H-NMR(400.2 MHz, CDCl₃): δ = 8.2884 (16.0); 7.6225 (2.9); 7.6066 (11.9); 7.5882 (4.7); 7.5685 (1.4); 7.3534 (5.8); 7.3226 (3.4); 7.3016 (13.7); 7.2892 (14.6); 7.2629 (15.1); 7.2230 (3.1); 7.2103 (2.3); 7.2053 (3.3); 6.6469 (3.2); 6.5059 (6.5); 6.3648 (3.2); 3.8571 (2.8); 3.8412 (6.7); 3.8257 (6.7); 3.8095 (2.9); 3.0235 (4.5); 3.0069 (8.3); 2.9902 (4.1); 1.6023 (2.4); 1.2532 (1.6); -0.0001 (10.1); -0.0082 (0.3) I-310: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1069 (1.4); 9.0869 (1.4); 7.9515 (0.4); 7.7863 (5.0); 7.7231 (0.6); 7.7033 (1.7); 7.6834 (1.4); 7.6510 (4.0); 7.6304 (1.1); 7.5786 (1.4); 7.5587 (1.0); 7.2181 (1.0); 7.1977 (2.3); 7.1775 (1.4); 6.9698 (3.8); 6.9525 (1.7); 6.7936 (1.3); 6.7761 (1.2); 6.7702 (1.2); 5.1281 (0.8); 5.1094 (1.2); 5.0911 (0.8); 3.6567 (16.0); 3.3556 (34.1); 3.3510 (34.1); 3.3477 (32.7); 2.8901 (2.1); 2.7317 (2.0); 2.6061 (13.6); 2.5068 (15.0); 2.5031 (20.0); 2.4990 (15.8); 1.4343 (5.7); 1.4169 (5.7) I-311: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3533 (2.8); 7.3462 (2.9); 7.2986 (11.0); 7.2419 (2.3); 7.2145 (2.8); 7.1351 (0.5); 7.1077 (2.3); 7.1017 (1.6); 7.0884 (3.6); 7.0810 (1.5); 7.0732 (1.5); 7.0538 (0.4); 6.9914 (1.8); 6.9842 (1.7); 6.9641 (1.4); 6.9569 (1.4); 6.8377 (0.7); 6.8243 (0.7); 6.8164 (0.9); 6.8072 (1.1); 6.7912 (0.6); 6.7840 (0.6); 6.2222 (0.4); 6.2025 (0.7); 6.1838 (0.4); 3.8711 (1.0); 3.8499 (2.8); 3.8280 (2.8); 3.8066 (1.2); 3.1276 (2.0); 3.1054 (3.5); 3.0836 (1.8); 2.6154 (16.0); 2.3523 (15.9); 2.2021 (0.4); 2.1078 (0.5); 2.0967 (0.6); 2.0795 (1.0); 2.0622 (0.6); 2.0511 (0.6); 2.0422 (1.1); 1.6062 (2.5); 1.0613 (0.7); 1.0461 (1.9); 1.0392 (2.1); 1.0332 (1.1); 1.0246 (1.2); 1.0174 (2.1); 1.0107 (1.9); 0.9963 (1.0); 0.8123 (1.0); 0.7974 (2.2); 0.7911 (2.2); 0.7804 (2.0); 0.7748 (2.4); 0.7583 (0.8); 0.1072 (1.0); 0.0482 (0.4); 0.0374 (12.4); 0.0265 (0.5) I-312: .sup.1H-NMR(400.0 MHz, CD₃CN): δ = 7.7417 (1.6); 7.7069 (6.6); 7.7047 (6.6); 7.6964 (16.0); 7.6762 (4.0); 7.6564 (3.6); 7.6375 (4.5); 7.6182 (1.8); 7.5264 (5.1); 7.4719 (4.4); 7.4506 (9.1); 7.4273 (2.4); 7.3808 (3.8); 7.3766 (3.6); 7.3596 (2.4); 7.3554 (2.3); 4.3448 (2.7); 4.3285 (2.7); 4.3112 (5.6); 4.2948 (5.5); 4.2775 (2.8); 4.2611 (2.7); 2.2665 (0.8); 2.2541 (1.6); 2.2457 (1.9); 2.2334 (3.0); 2.2213 (1.9); 2.2130 (1.8); 2.2006 (0.9); 2.1302 (47.6); 2.1130 (1.1); 2.1067 (0.9); 2.1005 (0.6); 1.9635 (4.2); 1.9573 (9.7); 1.9516 (51.2); 1.9455 (94.0); 1.9393 (126.6); 1.9331 (87.6); 1.9270 (45.1); 1.7740 (0.6); 1.7677 (0.7); 1.7616 (0.5); 1.1093 (1.3); 1.1039 (1.3); 1.0967 (3.6); 1.0904 (6.0); 1.0826 (3.3); 1.0759 (3.8); 1.0700 (5.3); 1.0621 (2.9); 1.0572 (1.5); 1.0488 (1.1); 1.0379 (2.9); 1.0301 (6.6); 1.0249 (5.6); 1.0179 (6.3); 1.0116 (4.7); 0.9991 (1.3); -0.0002 (14.0) I-313: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2708 (0.8); 8.2671 (1.0); 8.2638 (1.0); 8.2605 (0.7); 8.2440 (0.9); 8.2401 (1.1); 8.2369 (1.1); 8.2335 (0.8); 8.1779 (4.2); 8.1423 (1.3); 8.1352 (2.1); 8.1280 (1.1); 7.9416 (0.7); 7.9226 (0.4); 7.7338 (0.9); 7.7066 (2.1); 7.6797 (1.5); 7.6422 (1.3); 7.6384 (1.4); 7.6346 (1.3); 7.6312 (1.0); 7.6150 (0.6); 7.6112 (0.6); 7.6074 (0.7); 7.6039 (0.5); 7.3856 (1.6); 7.3589 (1.8); 7.3040 (10.7); 7.0845 (1.9); 7.0149 (1.1); 6.9883 (0.9); 5.3431 (1.8); 4.3221 (0.9); 4.3025 (0.8); 4.2736 (1.8); 4.2539 (1.7); 4.2251 (0.9); 4.2053 (0.9); 2.7774 (13.0); 2.5218 (5.4); 2.3275 (7.6); 1.6100 (16.0); 0.1120 (0.3); 0.0524 (0.4); 0.0417 (9.2); 0.0308 (0.3) I-314: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3173 (15.8); 8.0135 (1.2); 7.9938 (2.2); 7.9750 (1.3); 7.6882 (7.3); 7.6710 (9.2); 7.6460 (0.4); 7.5472 (4.9); 7.5161 (0.6); 7.5038 (2.2); 7.4941 (2.0); 7.4879 (2.8); 7.4814 (2.5); 7.4732 (1.8); 7.4652 (1.3); 7.4327 (4.9); 7.4057 (5.4); 7.3039

(13.7); 7.301 (5.6); 6.9468 (3.1); 6.9198 (2.8); 4.2867 (2.3); 4.2867 (2.3); 4.2586 (4.9); 4.2381 (4.6); 4.2093 (2.5); 4.1894 (2.4); 3.9643 (0.5); 2.5430 (16.0); 2.4086 (0.6); 2.3697 (1.0); 2.3518 (1.8); 2.3362 (1.9); 2.3210 (1.9); 2.3023 (1.2); 1.8630 (0.7); 1.8439 (1.3); 1.8328 (1.1); 1.8279 (1.2); 1.8218 (1.4); 1.8174 (1.4); 1.8143 (1.4); 1.8064 (1.0); 1.7983 (1.3); 1.7955 (1.3); 1.7764 (0.9); 1.6142 (1.7); 1.4666 (1.6); 1.4476 (3.0); 1.4344 (1.8); 1.4288 (1.8); 1.4161 (2.8); 1.3970 (1.5); 1.3773 (0.4); 1.3515 (0.5); 1.3282 (0.8); 1.2993 (2.8); 1.2214 (1.3); 1.2012 (2.2); 1.1918 (1.5); 1.1884 (1.4); 1.1820 (1.4); 1.1717 (2.0); 1.1521 (1.0); 0.9242 (0.4); 0.9000 (0.4); 0.1149 (1.4); 0.0539 (0.6); 0.0432 (13.5); 0.0323 (0.5) I-315: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2186 (6.5); 7.7852 (0.6); 7.7711 (1.1); 7.7570 (0.6); 7.6279 (3.3); 7.6003 (1.1); 7.5749 (1.6); 7.5572 (1.0); 7.4706 (1.7); 7.4494 (3.9); 7.4208 (2.4); 7.4172 (2.3); 7.4064 (1.3); 7.4004 (1.3); 7.3959 (1.2); 7.3865 (1.8); 7.3661 (0.8); 7.2657 (1.4); 4.4427 (1.2); 4.4271 (1.2); 4.4072 (2.5); 4.3916 (2.4); 4.3717 (1.3); 4.3561 (1.2); 1.9938 (16.0); 1.6170 (0.5); 1.2598 (0.6); -0.0002 (1.0) I-316: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1925 (1.3); 9.1769 (2.6); 9.1616 (1.3); 8.7769 (5.7); 8.7622 (5.9); 8.4613 (8.3); 8.1081 (6.1); 8.0932 (5.8); 7.9591 (2.9); 7.7898 (1.0); 7.7704 (2.8); 7.7508 (2.8); 7.7282 (3.7); 7.7066 (5.5); 7.6428 (2.6); 7.6228 (2.0); 7.3481 (3.3); 7.3281 (3.6); 7.0857 (4.4); 6.9282 (2.4); 6.9087 (2.2); 4.1837 (1.3); 4.1685 (1.3); 4.1468 (2.7); 4.1313 (2.6); 4.1097 (1.4); 4.0941 (1.2); 3.3186 (40.9); 2.8965 (16.0); 2.7374 (14.8); 2.6764 (0.7); 2.5111 (86.0); 2.5074 (106.8); 2.4412 (11.7); 2.3342 (0.7); 2.2197 (15.6) I-317: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.5163 (0.3); 7.3064 (0.3); 7.0974 (0.3); 5.7792 (2.0); 3.9609 (2.7); 3.3470 (16.0); 2.5338 (1.3); 2.5279 (2.7); 2.5218 (3.7); 2.5158 (2.6); 2.5099 (1.2); 2.4408 (2.6); 2.4301 (1.0); 2.2524 (1.2); 0.0200 (2.1) I-318: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0374 (1.1); 9.0163 (1.1); 8.1747 (5.2); 7.7497 (0.4); 7.7308 (1.2); 7.7102 (1.2); 7.6834 (3.8); 7.6651 (0.8); 7.6319 (1.2); 7.6127 (0.8); 7.2428 (1.1); 7.2214 (1.3); 6.6695 (4.4); 6.6509 (1.3); 6.6443 (0.8); 5.1224 (0.6); 5.1050 (0.6); 3.6947 (16.0); 3.3815 (19.9); 3.3749 (23.8); 3.3710 (22.9); 3.3661 (26.3); 2.7448 (0.5); 2.7265 (1.1); 2.7105 (1.0); 2.6949 (0.5); 2.5143 (4.4); 2.5099 (9.3); 2.5054 (12.4); 2.5009 (8.9); 2.4964 (4.3); 1.9820 (0.4); 1.9695 (0.5); 1.9605 (0.5); 1.9466 (0.4); 1.8780 (0.3); 1.8661 (0.3); 1.8514 (0.4); 1.8324 (0.4); 1.8124 (0.4); 1.7924 (0.5); 1.7866 (0.4); 1.7610 (0.7); 1.7451 (0.8); -0.0002 (0.4) I-319: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1820 (1.0); 9.1673 (1.8); 9.1521 (0.9); 8.8556 (5.6); 8.7191 (3.1); 8.7067 (3.2); 8.2433 (6.6); 8.1088 (1.5); 7.9594 (2.6); 7.7574 (3.8); 7.7359 (2.9); 7.7235 (3.4); 7.7031 (1.4); 7.6842 (0.8); 7.6632 (0.7); 7.6447 (1.6); 7.6285 (1.3); 7.6068 (0.4); 7.5464 (0.7); 7.5422 (0.6); 7.5250 (3.8); 7.5217 (4.0); 7.5128 (4.9); 7.5028 (2.3); 7.4922 (1.3); 7.4829 (0.9); 7.4537 (1.2); 7.3186 (2.4); 7.2950 (0.6); 7.1837 (1.2); 6.0935 (0.5); 6.0828 (0.7); 6.0686 (0.5); 5.9780 (0.5); 5.9677 (0.7); 5.9536 (0.5); 3.9723 (0.4); 3.9565 (0.7); 3.9400 (0.5); 3.9198 (0.7); 3.8990 (1.0); 3.8841 (0.7); 3.8721 (0.5); 3.8633 (0.6); 3.8503 (0.7); 3.8396 (0.5); 3.8276 (0.4); 3.3271 (461.8); 3.2757 (0.4); 2.8981 (16.0); 2.7390 (14.6); 2.5129 (14.0); 2.5087 (18.4); 2.5046 (13.6) I-320: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3444 (1.8); 9.3255 (1.8); 8.1952 (8.4); 8.1921 (4.0); 8.1911 (4.0); 7.7539 (0.8); 7.7344 (2.4); 7.7136 (2.3); 7.6881 (7.6); 7.6678 (2.5); 7.6420 (16.0); 7.6172 (2.3); 5.2152 (1.2); 5.1972 (1.8); 5.1792 (1.2); 3.4040 (35.2); 3.3907 (39.7); 3.3806 (47.6); 2.8945 (1.8); 2.7361 (1.6); 2.5318 (0.4); 2.5186 (8.4); 2.5141 (17.7); 2.5096 (23.8); 2.5051 (17.2); 2.5006 (8.3); 1.4859 (9.2); 1.4683 (9.1) I-321: .sup.1H-NMR(600.4 MHz, d.sub.6-DMSO): δ = 9.1468 (1.4); 9.1364 (2.8); 9.1261 (1.4); 8.0390 (16.0); 7.7494 (1.4); 7.7363 (3.6); 7.7230 (2.9); 7.6991 (3.6); 7.6861 (1.9); 7.6505 (4.4); 7.5921 (2.5); 7.5782 (2.0); 7.5543 (5.5); 7.5419 (6.5); 7.4644 (1.1); 7.4521 (3.3); 7.4399 (2.4); 7.4043 (4.6); 7.3915 (6.3); 7.3791 (2.4); 5.7520 (7.4); 4.1340 (1.4); 4.1235 (1.5); 4.1100 (3.4); 4.0995 (3.4); 4.0860 (1.6); 4.0755 (1.5); 3.3064 (283.7); 2.6152 (1.8); 2.6122 (2.4); 2.6091 (1.8); 2.6061 (0.8); 2.5211 (6.3); 2.5180 (8.8); 2.5148 (11.5); 2.5062 (154.6); 2.5032 (306.4); 2.5002 (411.0); 2.4971 (298.7); 2.4941 (141.4); 2.3902 (0.9); 2.3871 (1.8); 2.3841 (2.4); 2.3811 (1.7); 2.3783 (0.8); 0.0053 (0.8); -0.0001 (18.0); -0.0056 (0.6) I-322: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2125 (1.6); 9.1966 (3.4); 9.1811 (1.6); 8.0193 (16.0); 7.7647 (1.4); 7.7451 (10.2); 7.7256 (4.1); 7.7097 (5.0); 7.6900 (2.0); 7.6272 (5.6);

7.5705 (6.2); 7.5630 (3.6); 7.5492 (7.5); 7.2415 (3.3); 7.2367 (3.3); 7.2204 (3.0); 7.2155 (3.0); 4.3037 (1.7); 4.2877 (1.7); 4.2691 (3.7); 4.2533 (3.6); 4.2345 (1.9); 4.2187 (1.8); 3.3453 (160.3); 3.3389 (155.7); 3.3371 (144.2); 2.6769 (0.4); 2.6724 (0.6); 2.6682 (0.5); 2.5429 (72.5); 2.5256 (2.2); 2.5122 (42.4); 2.5081 (85.0); 2.5037 (112.0); 2.4993 (81.0); 2.3352 (0.5); 2.3307 (0.6); 2.1967 (0.7); 1.2340 (0.4); -0.0002 (2.2) I-323: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.6720 (1.4); 8.6574 (2.8); 8.6429 (1.4); 8.3164 (0.3); 8.0392 (16.0); 7.7500 (1.2); 7.7306 (3.7); 7.7109 (3.9); 7.6985 (4.6); 7.6786 (1.6); 7.6249 (5.0); 7.5450 (2.8); 7.5255 (2.2); 7.2797 (6.6); 7.2586 (10.9); 7.1976 (11.7); 7.1765 (6.9); 3.9028 (2.7); 3.5197 (0.4); 3.5037 (0.8); 3.4868 (2.2); 3.4706 (4.4); 3.4549 (4.1); 3.4368 (2.3); 3.4186 (0.8); 3.4034 (0.6); 3.3299 (155.0); 3.0627 (1.1); 3.0450 (2.2); 3.0273 (2.2); 3.0098 (1.1); 2.9849 (0.3); 2.6760 (1.0); 2.6715 (1.3); 2.6670 (1.0); 2.5246 (5.7); 2.5070 (178.6); 2.5026 (220.8); 2.4981 (159.0); 2.3337 (1.0); 2.3294 (1.3); 2.3250 (1.0); 1.2985 (0.3); 1.2672 (0.4); 1.2585 (0.4); 1.2325 (13.6); 1.2150 (13.0); -0.0002 (0.8) I-324: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1899 (0.7); 9.1774 (1.4); 9.1649 (0.7); 8.8468 (4.4); 8.7087 (2.5); 8.6989 (2.7); 8.1538 (5.5); 8.0164 (0.4); 7.9540 (2.5); 7.7877 (0.6); 7.7720 (1.6); 7.7563 (1.4); 7.7413 (2.3); 7.7313 (1.9); 7.7153 (3.4); 7.7054 (2.6); 7.6672 (1.3); 7.6517 (1.1); 7.3252 (1.9); 7.3092 (2.2); 7.0717 (2.3); 6.9066 (1.2); 6.8906 (1.2); 4.1625 (0.6); 4.1500 (0.6); 4.1332 (1.4); 4.1207 (1.3); 4.1039 (0.7); 4.0914 (0.7); 3.3184 (11.9); 2.8911 (16.0); 2.7325 (14.3); 2.5058 (3.4); 2.5024 (4.6); 2.4990 (3.4); 2.4273 (6.0); 2.2076 (9.2); -0.0002 (1.8) I-325: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9285 (0.7); 8.9139 (1.4); 8.8992 (0.7); 8.1175 (7.0); 7.7646 (0.5); 7.7441 (1.7); 7.7243 (1.7); 7.7072 (2.2); 7.6912 (3.3); 7.6064 (1.5); 7.5860 (1.1); 7.3348 (2.0); 7.3233 (0.6); 7.3133 (2.1); 6.7648 (1.3); 6.7602 (2.6); 6.7532 (3.4); 6.7486 (3.8); 6.7441 (2.8); 6.7397 (1.1); 5.7551 (16.0); 4.6537 (1.1); 4.6308 (2.6); 4.6079 (1.4); 4.4551 (1.4); 4.4412 (1.4); 4.4320 (1.1); 4.4180 (1.1); 3.7556 (0.6); 3.7397 (0.8); 3.7335 (0.7); 3.7175 (0.7); 3.5908 (0.4); 3.5725 (1.1); 3.5579 (2.3); 3.5430 (2.0); 3.5276 (1.0); 3.3207 (42.7); 2.6752 (0.4); 2.6709 (0.5); 2.6666 (0.4); 2.5063 (63.5); 2.5019 (82.0); 2.4976 (61.0); 2.3332 (0.4); 2.3286 (0.5); 1.9888 (0.6); 1.3559 (1.0); 1.2353 (0.4); 1.1752 (0.4); 0.0079 (0.7); -0.0001 (16.0); -0.0079 (0.7) I-326: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 9.2745 (0.3); 9.2540 (16.0); 7.5865 (0.9); 7.5708 (3.4); 7.5573 (9.5); 7.5515 (6.0); 7.5442 (1.1); 7.5344 (5.8); 7.4798 (4.4); 7.4760 (4.5); 7.4671 (0.4); 7.4411 (4.0); 7.3961 (0.4); 7.3848 (1.6); 7.3797 (3.2); 7.3754 (2.0); 7.3724 (1.1); 7.3705 (1.2); 7.3666 (2.1); 7.3618 (1.2); 7.2604 (24.5); 7.1721 (2.9); 7.1680 (2.8); 7.1551 (2.6); 7.1511 (2.6); 6.3500 (1.0); 6.3375 (1.9); 6.3251 (1.0); 4.4383 (2.2); 4.4254 (2.1); 4.4096 (4.7); 4.3968 (4.5); 4.3809 (2.4); 4.3681 (2.2); 2.0011 (0.5); 1.5542 (18.5); 1.2648 (0.6); 1.2553 (0.7); 0.8818 (0.7); 0.8675 (0.3); 0.0063 (1.0); -0.0002 (25.2); -0.0068 (1.0) I-327: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1371 (1.2); 9.1215 (2.5); 9.1059 (1.2); 7.9737 (13.3); 7.9522 (1.6); 7.6923 (1.5); 7.6885 (1.8); 7.6803 (2.6); 7.6738 (1.9); 7.6706 (1.8); 7.6666 (1.9); 7.6326 (3.2); 7.6276 (5.2); 7.3070 (3.8); 7.2871 (8.2); 7.2816 (3.9); 7.2773 (6.8); 7.2743 (6.6); 7.2659 (0.6); 7.2611 (0.5); 7.0759 (4.3); 6.9332 (2.2); 6.9131 (2.0); 4.1191 (1.2); 4.1034 (1.2); 4.0823 (2.7); 4.0666 (2.6); 4.0454 (1.4); 4.0297 (1.3); 3.3326 (59.6); 2.8920 (11.1); 2.7333 (9.8); 2.5256 (1.0); 2.5122 (19.2); 2.5079 (37.8); 2.5034 (49.0); 2.4989 (35.7); 2.4946 (17.6); 2.4147 (11.2); 2.2418 (16.0); 1.2400 (1.2); -0.0002 (1.4) I-328: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2052 (1.7); 9.1897 (3.6); 9.1741 (1.7); 8.0308 (15.6); 7.7605 (1.4); 7.7411 (4.2); 7.7215 (4.1); 7.7046 (4.9); 7.6850 (2.0); 7.6471 (5.5); 7.5826 (3.3); 7.5630 (2.5); 7.4331 (5.2); 7.4118 (5.9); 7.3688 (5.5); 7.1459 (3.0); 7.1424 (3.0); 7.1251 (2.6); 7.1213 (2.6); 4.1622 (1.7); 4.1465 (1.8); 4.1257 (3.8); 4.1100 (3.6); 4.0891 (1.9); 4.0733 (1.8); 3.3227 (237.7); 3.2863 (0.4); 2.6751 (0.7); 2.6706 (0.9); 2.6665 (0.7); 2.5410 (58.8); 2.5061 (100.3); 2.5016 (133.1); 2.4972 (103.8); 2.4562 (16.0); 2.3327 (0.6); 2.3284 (0.8); 2.3239 (0.6); -0.0002 (0.4) I-329: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.7603 (6.6); 8.3162 (0.8); 8.0247 (16.0); 7.7557 (1.3); 7.7363 (4.0); 7.7168 (4.2); 7.7042 (5.0); 7.6847 (1.8); 7.5976 (5.4); 7.5533 (3.1); 7.5339 (2.4); 7.2748 (8.5); 7.2539 (10.6); 7.2393 (0.8); 7.1053 (11.8); 7.0844 (9.2); 3.9025 (1.1); 3.3263 (259.7); 2.9016 (14.2); 2.6753 (2.4); 2.6710 (3.1); 2.6665 (2.2); 2.5242 (11.5); 2.5105 (218.6); 2.5065 (413.6); 2.5020 (518.4); 2.4975

(370.7); 2.4934 (181.2); 2.3333 (2.2); 2.3288 (3.0); 2.3244 (2.2); 1.2356 (0.4); 0.9055 (2.2); 0.8878 (7.7); 0.8767 (3.3); 0.8492 (0.4); 0.8377 (0.6); 0.8274 (0.6); 0.7880 (3.2); 0.7770 (7.3); 0.7594 (2.1); -0.0002 (2.8) I-330: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.6095 (0.8); 7.5904 (0.8); 7.5374 (0.4); 7.5181 (1.4); 7.4983 (3.0); 7.4777 (3.1); 7.4574 (1.1); 7.4528 (1.5); 7.4478 (0.8); 7.4341 (0.8); 7.2965 (2.8); 7.2764 (3.9); 7.2596 (8.9); 7.1936 (0.4); 7.1754 (3.4); 7.1556 (2.4); 5.2825 (0.8); 5.2645 (1.2); 5.2465 (0.8); 3.8111 (0.4); 3.8000 (0.5); 3.7933 (0.6); 3.7881 (0.8); 3.7822 (0.7); 3.7773 (0.8); 3.7702 (0.8); 3.7593 (0.6); 3.7108 (0.6); 3.6996 (0.8); 3.6935 (0.8); 3.6876 (0.6); 3.6824 (0.8); 3.6764 (0.6); 3.6707 (0.5); 3.6593 (0.4); 3.2424 (1.1); 3.2332 (16.0); 3.0592 (0.4); 3.0532 (0.4); 3.0417 (0.4); 3.0353 (0.9); 3.0244 (1.0); 3.0183 (1.1); 3.0100 (1.2); 3.0078 (1.1); 2.9992 (1.1); 2.9925 (0.9); 2.9813 (0.8); 2.9759 (0.4); 2.3580 (0.8); 2.3407 (10.8); 1.6010 (6.6); 1.5837 (6.5); 1.5593 (11.3); -0.0002 (4.9) I-331: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1462 (2.0); 9.1253 (2.3); 9.1024 (0.3); 8.2182 (10.8); 7.7483 (0.9); 7.7290 (2.7); 7.7094 (2.7); 7.6884 (6.5); 7.6676 (1.6); 7.6270 (2.3); 7.6078 (1.4); 7.4824 (3.9); 7.3553 (1.5); 7.3517 (1.5); 7.3351 (2.8); 7.3317 (2.8); 7.3140 (0.5); 7.2787 (4.0); 7.2587 (2.5); 7.2258 (0.4); 7.1538 (0.3); 5.4774 (0.6); 5.4576 (1.9); 5.4376 (1.9); 5.4178 (0.6); 4.0383 (0.5); 4.0205 (0.5); 3.3207 (41.0); 3.0034 (0.4); 2.9957 (0.5); 2.9820 (0.5); 2.9737 (0.6); 2.9631 (1.0); 2.9553 (1.2); 2.9413 (1.1); 2.9333 (1.1); 2.9113 (0.7); 2.8903 (1.5); 2.8698 (1.1); 2.8498 (0.7); 2.8287 (0.4); 2.6754 (0.4); 2.6707 (0.6); 2.6663 (0.4); 2.5062 (74.4); 2.5018 (96.6); 2.4974 (72.8); 2.4776 (1.9); 2.4687 (1.2); 2.4576 (0.7); 2.4494 (0.5); 2.3330 (0.4); 2.3287 (0.6); 2.3243 (0.4); 1.9888 (2.1); 1.9584 (0.4); 1.9367 (1.3); 1.9270 (0.5); 1.9158 (1.4); 1.9051 (1.2); 1.8941 (0.7); 1.8844 (1.2); 1.8625 (0.5); 1.3978 (16.0); 1.1929 (0.6); 1.1751 (1.1); 1.1572 (0.5); 0.0080 (0.5); -0.0002 (12.4) I-332: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0377 (1.4); 9.0177 (1.4); 8.1195 (7.3); 7.7179 (0.5); 7.6985 (1.8); 7.6791 (2.0); 7.6679 (2.3); 7.6527 (2.4); 7.6331 (2.1); 7.6100 (2.4); 7.5607 (1.4); 7.5413 (1.0); 7.3851 (2.1); 7.3645 (2.4); 7.3110 (4.5); 7.1229 (1.0); 7.1050 (1.8); 7.0848 (1.0); 6.8868 (1.2); 6.8688 (2.0); 6.8493 (1.0); 5.4415 (0.8); 5.4237 (1.2); 5.4053 (0.8); 3.7164 (16.0); 3.3816 (40.4); 3.3772 (58.2); 3.3751 (58.9); 3.3725 (57.4); 2.8901 (0.4); 2.7321 (0.3); 2.5132 (6.4); 2.5088 (13.5); 2.5043 (18.2); 2.4997 (13.2); 2.4953 (6.4); 1.6142 (5.9); 1.5972 (5.8) I-333: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4518 (8.3); 7.6191 (0.6); 7.5932 (2.3); 7.5710 (8.5); 7.5439 (4.8); 7.5224 (3.2); 7.5163 (3.2); 7.4671 (3.1); 7.4234 (1.3); 7.4156 (2.2); 7.4084 (1.2); 7.3925 (1.4); 7.2985 (19.0); 7.2108 (2.1); 7.2041 (2.0); 7.1825 (1.8); 7.1758 (1.7); 6.5053 (0.8); 6.4836 (1.5); 6.4628 (0.8); 4.5058 (1.6); 4.4843 (1.6); 4.4577 (3.5); 4.4362 (3.4); 4.4096 (1.8); 4.3881 (1.7); 2.0808 (0.4); 2.0518 (0.4); 2.0349 (0.8); 2.0235 (0.9); 2.0070 (1.8); 1.9903 (1.0); 1.9791 (1.0); 1.9623 (0.5); 1.6106 (16.0); 1.3726 (0.4); 1.3266 (1.4); 1.3026 (5.0); 1.2993 (4.8); 1.2912 (4.4); 1.2816 (3.6); 1.2750 (3.1); 1.2585 (1.5); 1.2389 (0.4); 1.0669 (1.3); 1.0504 (3.7); 1.0445 (3.0); 1.0340 (2.8); 1.0274 (3.5); 1.0104 (0.9); 0.9399 (0.6); 0.9181 (1.7); 0.8946 (0.8); 0.0469 (0.6); 0.0361 (17.7); 0.0252 (0.7) I-334: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3003 (2.0); 9.2846 (4.1); 9.2691 (2.0); 8.2666 (6.3); 8.2624 (6.7); 8.0294 (16.0); 7.8070 (3.0); 7.8030 (3.2); 7.7860 (3.9); 7.7817 (4.1); 7.7647 (1.5); 7.7451 (4.6); 7.7254 (4.6); 7.7102 (5.6); 7.6907 (2.1); 7.6468 (7.1); 7.6253 (11.6); 7.5525 (3.6); 7.5329 (2.9); 4.2802 (1.8); 4.2641 (1.9); 4.2473 (4.0); 4.2314 (3.9); 4.2139 (2.1); 4.1982 (1.9); 3.4387 (0.3); 3.3988 (0.4); 3.3266 (755.1); 3.2641 (0.6); 2.9944 (1.6); 2.7108 (0.6); 2.6709 (2.0); 2.6665 (1.5); 2.5783 (0.4); 2.5412 (117.0); 2.5060 (221.3); 2.5017 (293.9); 2.4975 (233.2); 2.3671 (0.5); 2.3330 (1.3); 2.3284 (1.8); 2.3243 (1.4); -0.0001 (1.0) I-335: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3238 (0.4); 7.9861 (1.3); 7.6202 (0.4); 7.5955 (1.7); 7.5834 (1.1); 7.5748 (3.7); 7.5527 (0.4); 7.5367 (0.4); 7.4796 (2.2); 7.4721 (7.0); 7.4636 (1.5); 7.4569 (0.8); 7.4492 (0.6); 7.4417 (0.8); 7.3977 (1.8); 7.3712 (2.1); 7.3052 (17.2); 7.1088 (1.9); 7.0903 (0.8); 7.0311 (1.0); 7.0039 (0.9); 5.3447 (1.9); 4.6763 (0.9); 4.6303 (1.9); 4.5837 (1.0); 4.0656 (3.7); 3.8353 (2.5); 3.7644 (16.0); 3.7476 (0.4); 3.7191 (1.5); 2.5302 (5.5); 2.5231 (3.3); 2.4922 (1.2); 2.3709 (9.7); 2.3269 (0.5); 2.0528 (11.0); 1.5969 (16.6); 1.2985 (0.4); 0.1138 (0.7); 0.0549 (0.5); 0.0440 (16.6); 0.0331 (0.6) I-336: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5747 (0.4); 7.5483 (4.1); 7.5273 (5.0); 7.5238 (4.3); 7.5028 (2.5);

7.4966 (2.5); 7.4316 (2.2); 7.3774 (0.9); 7.3681 (1.5); 7.3609 (1.0); 7.3539 (0.6); 7.3468 (1.0); 7.3391 (0.6); 7.2981 (2.0); 7.2026 (1.5); 7.1960 (1.4); 7.1744 (1.3); 7.1678 (1.2); 6.9706 (0.6); 6.9495 (1.2); 6.9284 (0.6); 5.3293 (0.7); 4.4199 (1.0); 4.3985 (0.9); 4.3715 (2.1); 4.3501 (2.0); 4.3231 (1.0); 4.3017 (1.0); 2.7728 (3.0); 2.5541 (16.0); 2.2262 (15.8); 2.0615 (1.0); 1.9642 (0.5); 1.3062 (0.4); 1.2891 (0.5); 1.2825 (0.7); 0.1070 (2.6); 0.0323 (1.8) I-337: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2551 (0.7); 9.2395 (1.4); 9.2239 (0.7); 7.9694 (7.6); 7.9530 (0.8); 7.3266 (2.1); 7.3066 (2.4); 7.2532 (0.6); 7.2489 (0.5); 7.2322 (1.5); 7.2282 (1.4); 7.2113 (1.1); 7.2076 (1.2); 7.1784 (0.9); 7.1747 (1.0); 7.1567 (1.4); 7.1383 (0.6); 7.1351 (0.5); 7.0708 (2.4); 6.9499 (1.3); 6.9376 (1.1); 6.9335 (1.7); 6.9213 (1.2); 6.9178 (1.6); 6.9008 (0.8); 6.8972 (0.7); 4.1183 (0.7); 4.1026 (0.7); 4.0815 (1.6); 4.0656 (1.5); 4.0443 (0.8); 4.0286 (0.7); 3.9032 (16.0); 3.3357 (32.7); 2.8922 (5.0); 2.7342 (4.4); 2.5263 (0.4); 2.5127 (8.8); 2.5084 (17.2); 2.5039 (22.2); 2.4994 (16.0); 2.4950 (7.8); 2.4210 (6.4); 2.2131 (9.2); -0.0002 (0.8) I-338: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6016 (1.4); 7.5817 (5.1); 7.5659 (0.4); 7.5622 (0.4); 7.5517 (2.3); 7.5344 (1.8); 7.5282 (1.8); 7.4798 (1.6); 7.4279 (0.8); 7.4179 (1.1); 7.4107 (0.9); 7.3974 (0.7); 7.3898 (0.4); 7.2994 (15.3); 7.2501 (1.2); 7.2434 (1.1); 7.2218 (1.0); 7.2151 (0.9); 6.4561 (0.4); 6.4349 (0.8); 6.4143 (0.4); 4.4815 (0.9); 4.4601 (0.9); 4.4331 (2.0); 4.4117 (1.9); 4.3847 (1.0); 4.3632 (1.0); 2.4207 (16.0); 2.0810 (0.8); 1.5852 (8.3); 1.2966 (0.6); 0.0497 (0.6); 0.0389 (15.9); 0.0297 (0.5); 0.0281 (0.6) I-339: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.6897 (1.1); 7.6824 (1.8); 7.6644 (3.0); 7.6451 (1.8); 7.6102 (0.9); 7.5818 (9.1); 7.5766 (6.1); 7.5644 (14.7); 7.5400 (0.6); 7.5011 (8.5); 7.4722 (16.0); 7.4125 (20.2); 7.3839 (7.8); 7.3599 (0.9); 7.3462 (2.9); 7.3376 (2.8); 7.3322 (4.3); 7.3260 (3.8); 7.3165 (2.9); 7.3077 (2.2); 7.2988 (10.2); 5.0630 (0.9); 5.0557 (0.8); 5.0426 (1.9); 5.0364 (1.6); 5.0198 (3.7); 5.0084 (11.6); 5.0043 (11.9); 4.9893 (12.0); 4.9687 (3.6); 4.6636 (0.5); 4.6553 (0.5); 4.6351 (5.2); 4.6225 (9.9); 4.6157 (8.7); 4.5996 (4.3); 4.1990 (3.6); 4.1852 (1.5); 4.1786 (3.6); 4.1618 (2.6); 4.1511 (7.7); 4.1379 (3.4); 4.1307 (7.5); 4.1144 (1.3); 4.1032 (3.9); 4.0828 (3.8); 2.0757 (9.0); 1.6713 (11.2); 1.3153 (2.6); 1.2915 (6.7); 1.2677 (2.5); 0.9691 (0.4); 0.9152 (0.3); 0.1085 (0.4); 0.0354 (7.9); 0.0245 (0.3) I-340: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3071 (1.2); 9.2871 (1.2); 8.1954 (6.8); 7.9537 (1.1); 7.8053 (2.4); 7.7586 (2.1); 7.7442 (3.7); 7.7384 (3.0); 7.7235 (1.8); 7.7065 (1.9); 7.6871 (0.8); 7.6527 (1.3); 7.6332 (0.8); 7.6107 (2.0); 7.5883 (2.2); 7.5263 (1.4); 7.5221 (1.5); 7.5050 (1.2); 7.5008 (1.3); 7.2754 (2.1); 7.2692 (2.2); 7.1039 (1.5); 7.0976 (1.5); 7.0816 (1.4); 7.0753 (1.4); 5.2881 (0.7); 5.2699 (1.0); 5.2516 (0.7); 3.8490 (16.0); 3.3872 (27.9); 3.3768 (57.7); 2.8912 (7.3); 2.7336 (6.4); 2.5241 (0.4); 2.5156 (6.2); 2.5112 (13.2); 2.5066 (17.7); 2.5021 (12.7); 2.4976 (6.1); 1.5457 (5.0); 1.5283 (5.0) I-341: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 10.5645 (0.6); 7.8033 (6.2); 7.4910 (0.4); 7.4684 (4.0); 7.4462 (1.7); 7.4198 (0.5); 7.3096 (1.9); 7.2834 (2.7); 7.2635 (4.9); 7.1684 (1.5); 7.1424 (1.1); 7.1172 (1.1); 7.1017 (0.7); 7.0946 (1.1); 7.0868 (0.7); 7.0583 (2.1); 6.9646 (3.1); 6.9615 (3.3); 6.8963 (3.2); 6.8931 (3.0); 6.5770 (2.3); 3.7639 (0.9); 3.7499 (1.6); 3.7365 (1.6); 3.7302 (1.4); 3.7238 (1.7); 3.7098 (1.0); 3.5305 (16.0); 2.9568 (1.2); 2.8848 (2.1); 2.8674 (2.0); 2.8473 (1.6); 2.1904 (12.0); 1.2538 (1.6); 0.0708 (0.4); -0.0009 (3.8) I-342: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0106 (2.0); 7.4349 (2.4); 7.4140 (2.8); 7.3876 (3.0); 7.2636 (16.4); 7.1833 (1.8); 7.1786 (1.7); 7.1625 (1.5); 7.1577 (1.4); 7.0807 (0.3); 7.0697 (3.7); 7.0563 (2.9); 7.0514 (2.9); 7.0373 (0.5); 6.7906 (0.8); 6.7754 (1.2); 6.7669 (1.3); 6.7571 (0.8); 6.7503 (0.7); 6.5158 (0.6); 6.5017 (1.1); 6.4866 (0.6); 6.0501 (0.6); 6.0420 (0.6); 6.0342 (0.7); 6.0259 (0.6); 5.9343 (0.6); 5.9261 (0.6); 5.9181 (0.7); 5.9102 (0.6); 4.1768 (0.4); 4.1686 (0.4); 4.1606 (0.4); 4.1518 (0.6); 4.1426 (0.3); 4.1346 (0.3); 4.1141 (0.4); 4.1058 (0.4); 4.0978 (0.4); 4.0897 (0.4); 3.9626 (0.4); 3.9471 (0.7); 3.9313 (0.4); 3.9261 (0.3); 3.9102 (0.6); 3.9046 (0.5); 3.8892 (0.7); 3.8733 (0.4); 3.8677 (0.4); 3.8522 (0.5); 2.9570 (13.7); 2.8818 (12.7); 2.5953 (16.0); 2.5824 (1.1); 2.3167 (0.7); 2.3016 (15.9); 2.0886 (0.6); 2.0802 (0.7); 2.0676 (1.2); 2.0547 (0.8); 2.0463 (0.8); 2.0334 (0.4); 1.6002 (8.7); 1.0177 (0.7); 1.0058 (2.3); 1.0012 (2.4); 0.9899 (1.3); 0.9847 (2.4); 0.9800 (2.4); 0.9691 (1.0); 0.7707 (0.9); 0.7589 (2.9); 0.7554 (2.7); 0.7465 (2.6); 0.7424 (3.0); 0.7303 (0.9); -0.0002 (1.5) I-343: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1323 (5.0);

7.8059 (0.6); 7.3416 (2.4); 7.3345 (2.6); 7.2984 (3.6); 7.2044 (2.0); 7.1771 (2.7); 7.1596 (0.5); 7.1563 (0.5); 7.1329 (1.3); 7.1299 (1.2); 7.1045 (1.4); 7.0914 (1.0); 7.0845 (1.2); 7.0682 (1.0); 7.0625 (1.2); 7.0578 (0.5); 7.0416 (2.2); 7.0347 (2.0); 7.0143 (1.2); 7.0072 (1.2); 6.8847 (0.6); 6.8781 (0.6); 6.8613 (1.0); 6.8587 (0.9); 6.8367 (0.6); 6.8311 (0.5); 4.1907 (0.4); 4.1669 (1.2); 4.1431 (1.2); 4.1193 (0.4); 3.8714 (1.0); 3.8496 (2.4); 3.8294 (2.4); 3.8072 (1.3); 3.8013 (1.2); 3.7929 (0.7); 3.7875 (0.9); 3.7791 (2.6); 3.7711 (1.0); 3.7655 (0.7); 3.7570 (1.1); 3.1283 (1.8); 3.1060 (3.5); 3.0837 (1.7); 2.7407 (16.0); 2.1494 (0.4); 2.1383 (0.5); 2.1210 (0.9); 2.1040 (0.5); 2.0928 (0.5); 2.0782 (5.6); 1.9079 (1.1); 1.8975 (1.1); 1.8859 (3.1); 1.8794 (0.8); 1.8743 (1.1); 1.8638 (1.0); 1.4662 (0.4); 1.3167 (1.5); 1.2929 (3.1); 1.2691 (1.5); 1.0909 (0.7); 1.0757 (1.7); 1.0689 (1.9); 1.0629 (1.0); 1.0541 (1.1); 1.0471 (1.8); 1.0404 (1.7); 1.0259 (0.9); 0.8340 (0.9); 0.8190 (2.0); 0.8127 (2.0); 0.8020 (1.8); 0.7964 (2.1); 0.7799 (0.7); 0.0341 (4.1) I-344: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1164 (0.8); 9.1007 (1.7); 9.0849 (0.8); 7.7434 (0.7); 7.7237 (2.0); 7.7039 (1.8); 7.6902 (6.5); 7.6757 (2.2); 7.6562 (1.1); 7.6079 (2.7); 7.5445 (1.6); 7.5265 (4.0); 7.3669 (1.6); 7.3458 (3.8); 7.3161 (2.1); 7.2944 (0.9); 4.1497 (0.8); 4.1335 (0.8); 4.1130 (1.8); 4.0971 (1.7); 4.0764 (0.9); 4.0605 (0.8); 3.3313 (164.1); 2.6788 (0.5); 2.6001 (16.0); 2.5490 (30.9); 2.5141 (61.1); 2.5097 (81.1); 2.5055 (63.9); 2.4619 (7.7); 2.3368 (0.5) I-345: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 14.9996 (0.9); 8.2820 (1.1); 7.6166 (5.6); 7.6064 (4.3); 7.5895 (0.4); 7.4498 (3.1); 7.4084 (1.1); 7.4034 (1.3); 7.3975 (1.6); 7.3939 (1.4); 7.3859 (0.8); 7.3173 (3.5); 7.3013 (3.9); 7.2586 (11.7); 7.0414 (3.8); 6.9548 (2.1); 6.9389 (1.9); 5.2972 (3.0); 4.2227 (1.3); 4.2109 (1.3); 4.1943 (2.8); 4.1825 (2.7); 4.1659 (1.4); 4.1541 (1.3); 2.4604 (10.7); 2.2827 (16.0); 2.0024 (4.5); 1.5422 (0.4); 1.2843 (0.5); 1.2556 (5.9); 0.8940 (0.5); 0.8803 (0.7); 0.8664 (0.4); 0.8594 (0.4); 0.8457 (0.5); 0.0062 (0.5); -0.0002 (11.7); -0.0068 (0.4) I-346: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2820 (3.0); 9.2625 (3.1); 8.1867 (16.0); 7.9546 (1.2); 7.7604 (1.4); 7.7397 (5.1); 7.7315 (6.1); 7.7219 (4.8); 7.6951 (4.9); 7.6752 (2.2); 7.6476 (3.5); 7.6272 (2.4); 7.6102 (7.1); 7.4271 (6.2); 7.4228 (6.5); 7.4076 (8.2); 7.4032 (8.8); 7.2811 (5.0); 7.2619 (5.7); 7.2420 (3.2); 5.1686 (0.5); 5.1511 (2.1); 5.1329 (3.1); 5.1147 (2.1); 5.0972 (0.5); 3.3758 (48.3); 3.3703 (73.1); 3.3675 (80.8); 2.8927 (8.3); 2.7348 (7.2); 2.5159 (11.2); 2.5116 (23.4); 2.5071 (31.4); 2.5026 (22.7); 2.4983 (11.0); 1.4572 (15.2); 1.4397 (15.0); 1.2399 (0.6); -0.0002 (0.6) I-347: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1798 (5.0); 7.7377 (0.6); 7.6215 (3.5); 7.6185 (3.0); 7.6096 (1.6); 7.6044 (2.3); 7.3941 (1.7); 7.3325 (0.7); 7.3234 (0.9); 7.3133 (1.2); 7.3069 (1.1); 7.2982 (10.5); 7.0275 (1.8); 7.0020 (2.1); 6.9244 (2.0); 6.7576 (1.1); 6.7330 (1.0); 3.8320 (1.0); 3.8098 (2.4); 3.7907 (2.4); 3.7684 (1.1); 2.9863 (1.8); 2.9639 (3.4); 2.9414 (1.6); 2.7486 (16.0); 2.3227 (11.7); 2.2053 (10.8); 1.5998 (9.4); 1.2950 (1.0); 0.1080 (0.7); 0.0487 (0.4); 0.0380 (9.8); 0.0271 (0.4) I-348: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1156 (0.9); 9.0998 (1.9); 9.0842 (0.9); 7.7413 (0.8); 7.7213 (2.2); 7.7012 (2.2); 7.6932 (6.4); 7.6739 (2.5); 7.6544 (1.2); 7.6018 (3.0); 7.5432 (1.8); 7.5233 (1.4); 7.4375 (2.5); 7.4164 (2.9); 7.3835 (3.1); 7.1794 (1.7); 7.1589 (1.5); 4.1542 (0.9); 4.1381 (0.9); 4.1175 (1.9); 4.1017 (1.9); 4.0809 (1.0); 4.0652 (0.9); 3.3304 (125.4); 2.6781 (0.5); 2.5994 (16.0); 2.5485 (25.4); 2.5090 (74.2); 2.4667 (8.7); 2.3359 (0.5) I-349: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.4208 (0.3); 8.0072 (2.6); 7.6410 (2.6); 7.6142 (2.6); 7.6021 (3.1); 7.5586 (0.4); 7.5431 (0.4); 7.5252 (0.4); 7.4766 (1.1); 7.4560 (4.9); 7.4485 (3.1); 7.4240 (1.0); 7.3819 (1.1); 7.2609 (13.7); 4.4157 (0.7); 4.4002 (0.8); 4.3796 (1.5); 4.3643 (1.5); 4.3434 (0.8); 4.3281 (0.8); 4.1208 (0.5); 2.9548 (16.0); 2.8782 (15.0); 1.5949 (0.6); -0.0002 (4.0) I-350: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4001 (5.6); 8.3970 (5.7); 8.0318 (0.8); 8.0124 (1.2); 7.9957 (0.8); 7.7172 (0.5); 7.6907 (2.5); 7.6708 (6.8); 7.6680 (6.2); 7.6552 (0.7); 7.5910 (4.1); 7.5551 (3.1); 7.4925 (1.3); 7.4826 (2.0); 7.4750 (1.7); 7.4617 (1.5); 7.4542 (0.9); 7.4324 (0.7); 7.4270 (0.5); 7.4041 (4.9); 7.3957 (7.6); 7.3672 (0.8); 7.2995 (20.0); 6.1380 (0.9); 6.1274 (1.0); 6.1141 (1.0); 6.1035 (1.0); 5.9824 (0.9); 5.9718 (1.0); 5.9585 (1.0); 5.9479 (0.9); 5.2358 (0.4); 5.2145 (1.3); 5.1941 (1.6); 5.1750 (1.4); 5.1538 (0.5); 4.3800 (0.4); 4.3695 (0.4); 4.3576 (0.4); 4.3468 (0.4); 4.3313 (0.5); 4.3205 (0.5); 4.3085 (0.5); 4.2981 (0.5); 4.2891 (0.4); 4.2783 (0.4); 4.2666 (0.5); 4.2555 (0.4); 4.2403 (0.5); 4.2293 (0.5);

4.2178 (0.5); 4.2070 (0.5); 4.1954 (0.5); 4.1716 (1.4); 4.1478 (1.5); 4.1241 (0.5); 3.9071 (0.5); 3.8901 (0.6); 3.8832 (0.6); 3.8661 (0.6); 3.8582 (0.5); 3.8365 (0.9); 3.8190 (0.9); 3.7962 (0.6); 3.7887 (0.5); 3.7715 (0.5); 3.7645 (0.5); 3.7476 (0.4); 3.3632 (2.2); 3.3463 (2.2); 3.3365 (2.1); 3.3198 (2.0); 2.0831 (6.5); 1.6523 (13.7); 1.6303 (13.6); 1.5954 (16.0); 1.3213 (1.7); 1.2975 (3.5); 1.2738 (1.7); 0.0493 (0.7); 0.0383 (19.0); 0.0279 (0.7) I-351: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7887 (2.4); 8.6944 (1.6); 8.6782 (1.6); 7.6311 (0.8); 7.6070 (2.4); 7.6022 (1.5); 7.5962 (1.6); 7.5866 (0.7); 7.5676 (2.3); 7.5364 (1.2); 7.5299 (1.4); 7.5094 (0.6); 7.5014 (0.9); 7.4940 (0.6); 7.4791 (0.6); 7.3419 (1.4); 7.3256 (1.4); 7.2986 (18.5); 7.2367 (0.8); 7.2302 (0.8); 7.2084 (0.7); 7.2016 (0.6); 6.5389 (0.3); 6.5178 (0.5); 4.5217 (0.4); 4.5001 (0.4); 4.4733 (0.8); 4.4519 (0.7); 4.4248 (0.4); 4.4034 (0.4); 2.4323 (1.0); 2.2277 (9.3); 2.0813 (0.5); 1.6033 (16.0); 1.3199 (0.3); 1.2919 (1.4); 0.1067 (0.6); 0.0479 (0.7); 0.0371 (16.5); 0.0261 (0.7) I-352: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1427 (2.9); 9.1227 (2.9); 8.1487 (16.0); 7.9528 (1.7); 7.7589 (1.3); 7.7394 (4.1); 7.7202 (8.9); 7.6970 (4.9); 7.6774 (2.0); 7.6397 (3.4); 7.6350 (2.2); 7.6195 (2.1); 7.0838 (2.9); 7.0641 (4.6); 7.0558 (6.4); 6.9541 (4.9); 6.9346 (3.8); 5.0818 (0.5); 5.0644 (1.8); 5.0461 (2.6); 5.0277 (1.8); 5.0101 (0.4); 3.3616 (53.7); 3.3536 (68.9); 3.3515 (70.2); 2.8911 (11.9); 2.7324 (10.2); 2.6731 (0.4); 2.6684 (0.4); 2.6487 (2.7); 2.6351 (5.3); 2.6201 (2.9); 2.5905 (0.4); 2.5736 (0.7); 2.5464 (1.2); 2.5315 (2.7); 2.5130 (16.8); 2.5086 (33.6); 2.5041 (44.7); 2.4996 (32.2); 2.4952 (16.0); 2.4627 (0.7); 1.6974 (0.7); 1.6601 (7.0); 1.6523 (5.8); 1.6446 (6.9); 1.6339 (2.9); 1.6146 (1.1); 1.6015 (0.5); 1.4221 (13.5); 1.4046 (13.4); 1.2398 (0.7); -0.0003 (1.0) I-353: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1232 (1.0); 7.8580 (3.7); 7.6879 (1.9); 7.5454 (2.1); 7.5088 (5.9); 7.4587 (3.8); 7.3838 (2.7); 7.3210 (0.8); 7.2610 (1.6); 7.0636 (2.2); 7.0491 (2.6); 6.9523 (4.2); 6.9107 (1.4); 6.8741 (2.4); 6.8604 (2.2); 6.7619 (1.1); 5.2896 (6.9); 4.5313 (1.9); 4.1797 (7.3); 3.7342 (3.7); 3.7226 (3.9); 3.0792 (11.9); 2.9143 (5.0); 2.9020 (3.1); 2.8753 (1.6); 2.8041 (0.5); 2.6768 (3.3); 2.4158 (0.4); 2.2907 (13.3); 2.2549 (16.0); 2.2074 (4.1); 2.1752 (0.6); 2.1476 (1.6); 1.5990 (0.4); 1.4644 (0.3); 1.4189 (1.5); 1.2577 (6.3); 1.2227 (1.4); 1.2088 (1.5); 1.1108 (4.3); 0.9909 (0.6); 0.8793 (1.0); 0.8490 (1.2); -0.0002 (1.2) I-354: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1902 (0.9); 9.1746 (1.8); 9.1586 (0.9); 8.2741 (2.7); 8.2699 (3.0); 7.8313 (1.3); 7.8273 (1.4); 7.8102 (1.6); 7.8061 (1.8); 7.7476 (0.8); 7.7278 (2.1); 7.7080 (1.9); 7.6948 (6.5); 7.6822 (2.4); 7.6624 (1.1); 7.6408 (3.0); 7.6194 (2.4); 7.5737 (2.7); 7.5143 (1.5); 7.4941 (1.2); 4.2739 (0.8); 4.2581 (0.9); 4.2407 (1.8); 4.2247 (1.7); 4.2072 (0.9); 4.1910 (0.8); 3.3316 (147.5); 2.6835 (0.4); 2.6791 (0.5); 2.5903 (16.0); 2.5492 (43.0); 2.5143 (56.7); 2.5100 (76.7); 2.5058 (62.5); 2.3368 (0.5); 2.3325 (0.4) I-355: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3007 (16.0); 8.0572 (0.7); 7.7011 (1.8); 7.6613 (1.1); 7.6397 (9.5); 7.6177 (4.3); 7.5830 (5.6); 7.5208 (2.8); 7.4948 (3.4); 7.4308 (2.5); 7.4047 (3.4); 7.3238 (5.4); 7.3043 (31.3); 7.2831 (5.2); 7.2763 (3.3); 7.2684 (1.6); 7.2570 (4.5); 7.2313 (1.8); 3.7898 (10.8); 3.7714 (10.8); 2.9996 (5.4); 2.9262 (4.8); 1.6063 (13.4); 1.2977 (2.0); 1.2757 (0.4); 1.1074 (2.3); 1.0845 (8.6); 1.0711 (8.0); 1.0361 (7.6); 1.0228 (8.5); 0.9996 (2.3); 0.9224 (0.6); 0.8980 (0.5); 0.1131 (1.2); 0.0534 (1.0); 0.0427 (30.1); 0.0318 (1.3) I-356: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0479 (2.0); 9.0267 (2.0); 8.1839 (9.2); 7.7493 (0.7); 7.7293 (2.3); 7.7091 (2.3); 7.6824 (4.7); 7.6775 (4.0); 7.6334 (2.0); 7.6129 (1.4); 7.2155 (2.8); 7.1959 (3.1); 6.9178 (3.8); 6.8956 (2.1); 6.8754 (1.8); 5.1512 (0.5); 5.1359 (1.0); 5.1186 (1.2); 5.1010 (0.5); 3.3339 (237.6); 2.7239 (0.8); 2.7063 (2.1); 2.6910 (2.1); 2.6757 (1.3); 2.6475 (0.3); 2.5414 (31.2); 2.5064 (79.7); 2.5020 (104.2); 2.4976 (78.0); 2.3329 (0.5); 2.3286 (0.6); 2.2175 (16.0); 2.0184 (0.4); 2.0048 (0.6); 1.9951 (0.7); 1.9832 (0.9); 1.9744 (1.0); 1.9603 (0.6); 1.8822 (0.6); 1.8690 (0.7); 1.8572 (0.8); 1.8372 (0.7); 1.8031 (0.4); 1.7805 (0.9); 1.7622 (1.5); 1.7512 (1.8); 1.7368 (1.4); -0.0002 (3.0) I-357: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0254 (1.9); 8.1689 (5.7); 7.9549 (0.6); 7.7710 (0.4); 7.7513 (1.3); 7.7306 (2.1); 7.7277 (2.0); 7.7004 (1.4); 7.6808 (0.7); 7.6545 (1.0); 7.6350 (0.7); 7.4945 (0.3); 7.4875 (3.1); 7.4826 (1.1); 7.4709 (1.2); 7.4658 (4.1); 7.4590 (0.6); 7.3243 (0.5); 7.3174 (4.3); 7.3124 (1.3); 7.3007 (1.0); 7.2957 (3.4); 7.2888 (0.4); 3.3619 (11.3); 3.3566 (12.9); 3.3523 (15.6); 3.3493 (17.8); 2.8923 (4.1); 2.7340 (3.5); 2.5149 (4.1); 2.5104 (8.6); 2.5059 (11.6);

2.5013 (8.3); 2.4968 (4.0); 1.6340 (16.0) I-358: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0258 (2.5); 7.9615 (2.6); 7.8359 (0.7); 7.7811 (5.9); 7.7757 (5.5); 7.7726 (5.3); 7.7598 (5.4); 7.6990 (0.5); 7.6772 (0.5); 7.6420 (0.8); 7.5954 (4.8); 7.5491 (2.0); 7.5321 (4.2); 7.5277 (4.2); 7.5054 (4.0); 7.5002 (3.9); 7.4760 (3.6); 7.4548 (3.1); 7.4339 (1.5); 7.4232 (1.8); 7.3536 (0.4); 7.3229 (0.4); 7.2876 (3.1); 7.2829 (3.0); 7.1527 (1.5); 7.1478 (1.5); 6.0541 (1.6); 5.9377 (1.6); 3.9390 (0.4); 3.9333 (0.4); 3.9021 (1.3); 3.8791 (1.7); 3.8663 (1.8); 3.8518 (1.6); 3.8294 (1.6); 3.8197 (1.4); 3.7753 (0.6); 3.5700 (0.4); 3.3235 (129.7); 3.3184 (117.2); 3.3148 (101.9); 2.9644 (0.4); 2.9044 (10.5); 2.8991 (9.7); 2.7450 (9.9); 2.7398 (9.4); 2.6075 (15.8); 2.6025 (16.0); 2.5143 (21.8); 2.5101 (24.1); 2.4696 (2.1); 2.4643 (2.0); 1.2466 (0.4) I-359: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0888 (1.5); 9.0733 (3.0); 9.0595 (1.5); 8.0788 (13.2); 7.7631 (1.1); 7.7429 (9.1); 7.7241 (3.4); 7.7054 (4.2); 7.6851 (6.4); 7.6033 (2.9); 7.5830 (2.3); 7.4956 (0.5); 7.4754 (15.5); 7.4504 (0.5); 6.0456 (1.0); 6.0326 (1.9); 6.0207 (1.0); 5.9307 (1.0); 5.9176 (2.0); 5.9053 (1.1); 4.0382 (0.5); 4.0206 (0.5); 3.8977 (1.7); 3.8825 (2.6); 3.8727 (1.3); 3.8674 (1.3); 3.8397 (1.9); 3.8253 (2.9); 3.8119 (1.4); 3.3191 (58.1); 2.6710 (0.9); 2.5062 (111.2); 2.5019 (140.9); 2.4976 (103.0); 2.3287 (0.8); 1.9887 (2.0); 1.3978 (16.0); 1.1929 (0.5); 1.1751 (1.1); 1.1571 (0.5); -0.0002 (4.0) I-360: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1717 (1.7); 9.1561 (3.6); 9.1405 (1.8); 7.9987 (16.0); 7.7684 (1.4); 7.7486 (4.2); 7.7290 (4.2); 7.7127 (5.2); 7.6933 (2.1); 7.6486 (5.8); 7.5745 (3.3); 7.5549 (2.6); 7.4240 (5.4); 7.4034 (5.9); 7.2531 (6.8); 6.8610 (3.4); 6.8427 (3.2); 4.2714 (1.6); 4.2558 (1.7); 4.2362 (3.6); 4.2205 (3.5); 4.2009 (1.9); 4.1853 (1.7); 3.3386 (136.8); 3.3345 (144.4); 2.6771 (0.4); 2.6723 (0.6); 2.5425 (57.5); 2.5077 (77.0); 2.5033 (99.3); 2.4990 (72.4); 2.3301 (0.6); 2.3256 (0.4); 2.1662 (0.6); 1.9071 (0.7); 1.8943 (1.4); 1.8856 (1.6); 1.8735 (2.8); 1.8612 (1.8); 1.8527 (1.6); 1.8404 (0.8); 0.9825 (1.7); 0.9713 (5.0); 0.9658 (5.4); 0.9504 (5.1); 0.9451 (5.0); 0.9344 (1.8); 0.6488 (1.8); 0.6375 (6.0); 0.6330 (5.6); 0.6256 (5.5); 0.6207 (6.0); 0.6092 (1.6); -0.0002 (2.4) I-361: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5289 (0.4); 7.5131 (2.0); 7.5002 (5.2); 7.4217 (2.6); 7.3765 (1.0); 7.3713 (1.5); 7.3668 (1.2); 7.3583 (1.3); 7.3502 (2.6); 7.3422 (0.5); 7.3341 (2.6); 7.2587 (3.2); 7.0429 (3.1); 6.9537 (1.6); 6.9378 (1.4); 6.4372 (0.7); 6.4252 (1.3); 6.4133 (0.7); 4.2185 (1.0); 4.2060 (1.0); 4.1891 (2.2); 4.1767 (2.2); 4.1597 (1.2); 4.1473 (1.1); 3.2734 (0.3); 3.2592 (0.8); 3.2450 (1.1); 3.2308 (0.8); 3.2167 (0.4); 2.9212 (0.6); 2.8140 (0.5); 2.4790 (8.6); 2.3099 (0.4); 2.2855 (11.3); 1.9871 (1.4); 1.5840 (0.8); 1.4001 (16.0); 1.3859 (16.0); 1.3435 (0.6); 1.3297 (0.6); 1.2970 (1.1); 1.1308 (0.5); 1.1176 (0.5); -0.0002 (3.3) I-362: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2942 (9.2); 8.2901 (16.0); 8.1185 (2.6); 7.5844 (9.1); 7.5807 (6.8); 7.4255 (3.1); 7.3991 (6.8); 7.3669 (24.0); 7.3636 (16.4); 7.3014 (12.6); 7.2973 (22.6); 7.0968 (4.8); 7.0709 (4.0); 7.0190 (3.8); 7.0157 (4.1); 7.0112 (4.0); 6.9921 (3.2); 6.9888 (3.5); 6.9844 (3.6); 6.9458 (7.0); 6.9403 (6.8); 6.1188 (1.7); 6.1080 (1.8); 6.0959 (1.9); 6.0852 (1.6); 5.9639 (1.7); 5.9531 (1.8); 5.9410 (1.9); 5.9304 (1.6); 5.3402 (1.4); 5.3360 (2.5); 4.3336 (0.8); 4.3226 (0.9); 4.3113 (0.8); 4.3003 (0.8); 4.2847 (1.1); 4.2737 (1.1); 4.2627 (1.0); 4.2515 (1.4); 4.2353 (0.8); 4.2242 (0.9); 4.2134 (0.8); 4.1974 (1.1); 4.1868 (1.0); 4.1754 (1.0); 4.1647 (0.9); 3.9017 (0.9); 3.8843 (1.4); 3.8790 (1.0); 3.8612 (1.1); 3.8532 (0.9); 3.8296 (1.7); 3.8116 (1.9); 3.7884 (1.1); 3.7797 (0.9); 3.7623 (1.1); 3.7396 (0.7); 2.0278 (0.7); 2.0108 (1.6); 1.9994 (2.0); 1.9831 (3.1); 1.9706 (1.9); 1.9662 (1.8); 1.9553 (1.7); 1.9382 (0.9); 1.5887 (15.1); 1.2953 (0.7); 1.0897 (2.0); 1.0744 (6.9); 1.0677 (6.6); 1.0522 (5.1); 1.0458 (7.0); 1.0402 (5.2); 1.0246 (2.4); 1.0023 (0.4); 0.9749 (0.3); 0.8029 (2.6); 0.7875 (8.7); 0.7814 (6.1); 0.7708 (7.8); 0.7656 (6.8); 0.7490 (1.9); 0.1072 (0.6); 0.0410 (13.0); 0.0368 (23.5); 0.0259 (1.0) I-363: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3803 (8.8); 8.0229 (0.7); 8.0049 (1.2); 7.9842 (0.7); 7.7092 (0.3); 7.6831 (2.7); 7.6776 (2.3); 7.6725 (2.3); 7.6651 (6.1); 7.6618 (6.0); 7.6504 (0.5); 7.6453 (0.5); 7.5284 (4.8); 7.4991 (6.4); 7.4773 (1.3); 7.4650 (1.8); 7.4582 (1.7); 7.4465 (1.7); 7.4345 (6.3); 7.4052 (3.2); 7.2992 (20.7); 5.2409 (0.5); 5.2187 (1.5); 5.2015 (1.6); 5.1969 (1.7); 5.1797 (1.6); 5.1579 (0.5); 4.2899 (1.7); 4.2697 (1.6); 4.2423 (3.6); 4.2221 (3.4); 4.1947 (1.8); 4.1745 (1.7); 3.2981 (4.4); 3.2812 (4.3); 1.6547 (13.5); 1.6327 (13.4); 1.6150 (0.3); 1.5925 (16.0); 1.3068 (0.9); 0.9205 (1.0); 0.8975 (0.4); 0.0491 (0.8); 0.0384 (21.7); 0.0275 (0.8) I-

364: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1727 (0.9); 9.1530 (0.9); 8.1757 (3.4); 8.1746 (3.8); 8.1712 (2.3); 7.9541 (0.6); 7.7535 (0.5); 7.7340 (1.6); 7.7145 (1.6); 7.7015 (2.2); 7.6912 (2.1); 7.6712 (0.8); 7.6302 (1.3); 7.6105 (0.8); 7.2669 (1.0); 7.2622 (1.2); 7.2353 (1.0); 7.2304 (1.3); 7.1717 (0.8); 7.1499 (1.3); 7.1471 (1.3); 7.0876 (1.4); 7.0657 (2.1); 7.0442 (1.0); 5.1023 (0.7); 5.0839 (1.0); 5.0660 (0.7); 3.7905 (16.0); 3.3893 (14.1); 3.3830 (11.8); 3.3787 (11.4); 3.3730 (13.5); 3.3602 (14.5); 2.8928 (3.9); 2.7341 (3.4); 2.5157 (5.0); 2.5113 (10.7); 2.5067 (14.4); 2.5022 (10.4); 2.4977 (5.0); 1.4360 (5.2); 1.4186 (5.2) I-365: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.4984 (0.6); 8.3632 (5.0); 7.6049 (0.6); 7.5791 (1.6); 7.5530 (1.2); 7.4905 (1.5); 7.4649 (0.8); 7.3639 (1.9); 7.3540 (2.6); 7.3459 (1.4); 7.3270 (2.4); 7.2982 (6.0); 7.0658 (2.1); 6.9353 (1.1); 6.9015 (1.5); 6.7132 (2.2); 6.5255 (1.1); 4.7050 (1.1); 4.6880 (1.0); 4.6568 (2.2); 4.6397 (2.1); 4.6086 (1.1); 4.5915 (1.1); 2.7861 (0.5); 2.7544 (16.0); 2.5430 (0.4); 2.5093 (3.5); 2.5026 (6.1); 2.4953 (3.4); 2.4057 (0.4); 2.3111 (8.2); 1.6010 (1.2); 1.2959 (0.4); 0.0389 (6.2) I-366: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1265 (1.0); 9.1122 (2.0); 9.0974 (1.0); 8.1058 (11.0); 7.7607 (0.7); 7.7410 (2.2); 7.7209 (2.4); 7.7015 (6.6); 7.6850 (1.4); 7.6191 (2.2); 7.6002 (1.5); 7.4064 (3.1); 7.3856 (3.8); 7.3079 (0.3); 7.2795 (3.3); 7.2157 (2.0); 7.2113 (1.8); 7.1950 (1.7); 7.1900 (1.6); 5.9610 (0.7); 5.9525 (0.8); 5.9431 (0.8); 5.9339 (0.7); 5.8443 (0.7); 5.8350 (0.8); 5.8254 (0.9); 5.8178 (0.7); 5.7561 (4.2); 3.8398 (0.3); 3.8335 (0.3); 3.8253 (0.3); 3.8120 (0.5); 3.8034 (0.6); 3.7973 (0.6); 3.7884 (0.5); 3.7425 (0.9); 3.7270 (1.2); 3.7190 (0.7); 3.7105 (0.7); 3.6934 (0.8); 3.6783 (0.8); 3.6603 (0.6); 3.6416 (0.3); 3.3191 (42.0); 2.6748 (0.9); 2.6704 (1.2); 2.6659 (0.9); 2.5235 (3.6); 2.5101 (83.0); 2.5059 (167.7); 2.5014 (220.5); 2.4969 (159.0); 2.4926 (77.4); 2.3499 (16.0); 2.3330 (1.2); 2.3280 (1.4); 2.3235 (1.1); 2.2921 (0.3); 1.9884 (0.5); 1.2350 (1.0); 1.1749 (0.5); 1.1634 (0.3); 0.8804 (0.6); 0.1463 (0.5); 0.0079 (4.9); -0.0002 (117.4); -0.0084 (5.2); -0.1497 (0.5) I-367: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.0714 (1.6); 9.0595 (3.3); 9.0477 (1.6); 8.0203 (16.0); 7.6482 (4.9); 7.6469 (4.8); 7.5612 (5.5); 7.5444 (6.6); 7.3695 (3.6); 7.3654 (3.6); 7.3525 (6.0); 7.3486 (3.3); 7.3365 (6.4); 7.3208 (3.7); 7.0232 (3.4); 7.0075 (3.2); 6.9949 (2.5); 6.9939 (2.5); 6.9905 (3.0); 6.9789 (2.2); 6.9779 (2.2); 6.9744 (2.8); 6.9379 (4.1); 6.9341 (5.8); 6.9303 (3.3); 6.0402 (1.1); 6.0295 (1.8); 6.0200 (1.1); 5.9479 (1.1); 5.9374 (2.0); 5.9277 (1.1); 3.8773 (1.5); 3.8648 (2.4); 3.8588 (1.3); 3.8526 (1.2); 3.8312 (2.0); 3.8193 (2.9); 3.8109 (1.3); 3.8072 (1.2); 3.3240 (13.9); 3.0802 (1.5); 2.5130 (1.4); 2.5095 (3.1); 2.5060 (4.2); 2.5024 (3.1); 2.4990 (1.4); 1.9932 (0.6); 1.9831 (1.4); 1.9764 (1.5); 1.9664 (2.8); 1.9564 (1.6); 1.9497 (1.5); 1.9395 (0.8); 1.1090 (4.5); 0.9999 (1.7); 0.9912 (4.9); 0.9868 (5.2); 0.9835 (2.4); 0.9785 (2.4); 0.9745 (5.0); 0.9701 (5.0); 0.9619 (1.9); 0.7073 (1.9); 0.6987 (5.5); 0.6947 (5.5); 0.6889 (5.3); 0.6848 (5.8); 0.6759 (1.7) I-368: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1447 (2.1); 8.1982 (4.8); 7.9540 (1.0); 7.7722 (0.5); 7.7549 (3.1); 7.7346 (6.2); 7.7026 (1.5); 7.6830 (0.8); 7.6699 (4.1); 7.6532 (1.9); 7.6486 (3.1); 7.6358 (0.8); 3.3606 (18.1); 3.3557 (21.4); 3.3493 (23.7); 2.8925 (6.6); 2.7333 (5.9); 2.5144 (6.1); 2.5100 (12.9); 2.5055 (17.5); 2.5009 (12.6); 2.4964 (6.0); 1.6458 (16.0) I-369: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5863 (2.6); 7.5826 (2.7); 7.5511 (0.6); 7.5291 (1.1); 7.5064 (0.7); 7.4746 (0.5); 7.4501 (1.2); 7.4474 (1.1); 7.4257 (0.8); 7.4230 (0.8); 7.3939 (7.3); 7.3905 (7.0); 7.3578 (1.2); 7.3310 (1.5); 7.2985 (11.9); 7.0980 (1.1); 6.9154 (2.3); 6.7327 (1.2); 6.4507 (0.4); 6.4322 (0.8); 6.4113 (0.4); 6.0940 (0.6); 6.0833 (0.7); 6.0714 (0.7); 6.0607 (0.6); 5.9391 (0.6); 5.9283 (0.7); 5.9164 (0.7); 5.9057 (0.6); 4.2293 (0.4); 4.2185 (0.4); 4.2075 (0.4); 4.1965 (0.4); 4.1914 (0.4); 4.1422 (0.4); 4.1315 (0.4); 4.1204 (0.4); 4.1095 (0.4); 3.9994 (0.4); 3.9796 (0.5); 3.9573 (0.4); 3.9275 (0.5); 3.9247 (0.5); 3.9049 (0.6); 3.8823 (0.4); 3.8755 (0.3); 3.8559 (0.4); 2.6379 (15.9); 2.6222 (1.1); 2.3421 (16.0); 1.6287 (1.2); 0.1073 (0.7); 0.0481 (0.5); 0.0374 (13.7); 0.0264 (0.5) I-370: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.7425 (0.6); 8.4040 (5.1); 7.3710 (1.2); 7.3522 (1.9); 7.3447 (2.7); 7.3256 (2.2); 7.3184 (1.7); 7.2981 (6.5); 7.0619 (2.0); 7.0390 (1.4); 7.0129 (1.2); 6.9945 (1.0); 6.9916 (1.0); 6.9865 (1.2); 6.9837 (1.0); 6.9676 (0.9); 6.9646 (0.8); 6.9597 (1.1); 6.9569 (0.9); 6.9208 (1.1); 6.9037 (1.8); 6.8974 (2.9); 6.8913 (2.0); 4.6992 (1.0); 4.6821 (1.0); 4.6511 (2.2); 4.6340 (2.1); 4.6029 (1.1); 4.5858 (1.1); 2.7461 (16.0); 2.5096 (3.3); 2.5029 (6.0); 2.4954 (3.3);

2.3209 (8.0); 1.9814 (0.5); 1.9701 (0.6); 1.9535 (1.1); 1.9367 (0.6); 1.9255 (0.6); 1.5998 (2.3); 1.3059 (0.7); 1.2992 (0.7); 1.0596 (0.7); 1.0445 (1.9); 1.0375 (2.0); 1.0226 (1.1); 1.0161 (2.0); 1.0096 (1.8); 0.9947 (0.9); 0.9213 (0.7); 0.7820 (0.9); 0.7667 (2.3); 0.7611 (2.0); 0.7504 (1.9); 0.7446 (2.5); 0.7281 (0.7); 0.0393 (6.9) I-371: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): 6= 9.1138 (0.9); 9.0982 (2.0); 9.0823 (1.0); 7.8576 (3.4); 7.8539 (3.6); 7.7456 (0.8); 7.7259 (2.4); 7.7060 (2.0); 7.6735 (8.5); 7.6555 (1.4); 7.5912 (3.0); 7.5291 (1.7); 7.5092 (1.5); 7.4964 (2.3); 7.4751 (3.6); 7.4119 (2.2); 7.4079 (2.2); 7.3909 (1.4); 7.3867 (1.4); 4.2936 (0.8); 4.2778 (0.9); 4.2590 (1.8); 4.2433 (1.8); 4.2245 (1.0); 4.2087 (0.9); 3.3521 (13.5); 2.5898 (16.0); 2.5487 (17.8); 2.5134 (6.0); 2.5093 (7.6); 2.5053 (5.6); -0.0002 (0.6) I-372: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1267 (1.0); 9.1122 (2.0); 9.0982 (1.0); 8.1030 (9.8); 7.7616 (0.7); 7.7426 (2.1); 7.7223 (2.2); 7.7044 (6.6); 7.6851 (1.3); 7.6194 (2.1); 7.5999 (1.4); 7.4220 (3.7); 7.3566 (0.4); 7.3319 (9.5); 7.3114 (0.6); 5.9478 (0.7); 5.9395 (0.8); 5.9299 (0.8); 5.9216 (0.7); 5.8303 (0.7); 5.8218 (0.8); 5.8126 (0.9); 5.8035 (0.8); 5.7561 (8.4); 3.8381 (0.3); 3.8104 (0.5); 3.8016 (0.6); 3.7965 (0.5); 3.7870 (0.5); 3.7390 (0.9); 3.7309 (0.7); 3.7243 (1.0); 3.7032 (0.6); 3.6863 (0.8); 3.6702 (0.8); 3.6530 (0.6); 3.6337 (0.3); 3.3187 (27.1); 2.6751 (0.7); 2.6703 (1.0); 2.6660 (0.7); 2.5098 (64.0); 2.5057 (125.1); 2.5013 (162.4); 2.4969 (117.7); 2.4927 (58.5); 2.3460 (16.0); 2.3331 (1.2); 2.3285 (1.2); 2.3236 (0.9); 2.2893 (0.3); 1.9886 (0.5); 1.2352 (0.7); 1.1746 (0.4); 0.1458 (0.4); 0.0074 (4.0); -0.0002 (82.2); -0.0084 (4.1); -0.1499 (0.4) I-373: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1546 (1.7); 9.1344 (1.7); 8.1477 (9.3); 7.9522 (0.4); 7.7600 (0.7); 7.7403 (2.4); 7.7205 (5.2); 7.6977 (2.8); 7.6783 (1.2); 7.6401 (1.9); 7.6199 (1.2); 7.1429 (3.4); 7.1021 (1.3); 7.0825 (2.2); 7.0789 (2.2); 7.0387 (3.5); 7.0193 (1.9); 5.0760 (1.0); 5.0577 (1.5); 5.0392 (1.1); 3.3825 (99.9); 3.3797 (102.7); 2.8917 (2.4); 2.7330 (2.1); 2.5280 (0.4); 2.5146 (9.5); 2.5103 (20.3); 2.5058 (27.5); 2.5013 (20.0); 2.4969 (9.7); 2.1437 (15.3); 2.0683 (16.0); 1.4277 (8.1); 1.4102 (8.2) I-374: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0410 (0.8); 9.0263 (1.6); 9.0117 (0.8); 7.9609 (1.6); 7.7779 (6.2); 7.7249 (0.4); 7.6431 (3.3); 7.6180 (1.2); 7.5973 (2.7); 7.5890 (2.0); 7.5770 (3.9); 7.5559 (3.2); 7.5213 (0.7); 7.4719 (1.5); 7.4517 (2.1); 7.4315 (1.0); 7.4224 (2.2); 7.4173 (3.1); 7.4016 (1.5); 7.3969 (1.5); 7.2814 (2.9); 7.1463 (1.5); 6.0795 (0.6); 6.0686 (0.9); 6.0537 (0.6); 5.9634 (0.6); 5.9529 (0.9); 5.9384 (0.6); 3.9214 (0.5); 3.9053 (0.9); 3.8864 (0.9); 3.8714 (0.9); 3.8617 (0.7); 3.8506 (1.0); 3.8354 (0.7); 3.8264 (0.7); 3.8145 (0.7); 3.8026 (0.5); 3.3178 (126.3); 2.8989 (9.4); 2.7400 (8.8); 2.6023 (16.0); 2.5132 (10.8); 2.5092 (14.0); 2.5054 (10.6); 2.4664 (1.7) I-375: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): 6= 9.0579 (0.8); 9.0422 (1.6); 9.0265 (0.7); 7.7333 (0.7); 7.7141 (2.1); 7.7055 (6.4); 7.6945 (1.7); 7.6681 (2.0); 7.6481 (1.0); 7.5918 (2.5); 7.5678 (3.3); 7.5464 (4.5); 7.5312 (1.5); 7.5109 (1.1); 7.4316 (4.2); 7.4103 (3.1); 4.1396 (0.8); 4.1239 (0.8); 4.1048 (1.8); 4.0890 (1.7); 4.0696 (0.9); 4.0542 (0.8); 3.3593 (0.4); 3.3181 (309.4); 2.6743 (1.4); 2.6699 (1.9); 2.6656 (1.4); 2.5898 (16.0); 2.5403 (38.0); 2.5052 (215.9); 2.5008 (288.4); 2.4963 (223.4); 2.3319 (1.4); 2.3275 (1.9); 2.3231 (1.4); -0.0002 (1.0) I-376: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3265 (0.8); 8.2843 (0.4); 8.2723 (16.0); 7.6870 (8.7); 7.6696 (9.8); 7.6413 (0.9); 7.6380 (0.8); 7.5755 (0.4); 7.4822 (7.4); 7.4756 (7.5); 7.4451 (4.4); 7.3574 (0.4); 7.3441 (1.7); 7.3352 (1.8); 7.3284 (2.6); 7.3220 (2.4); 7.3136 (1.7); 7.3016 (3.8); 7.1443 (5.7); 7.1171 (8.6); 7.0205 (5.0); 7.0139 (4.9); 6.9932 (3.3); 6.9866 (3.2); 5.3313 (13.2); 3.9082 (0.4); 3.8134 (0.4); 3.7950 (0.4); 3.7371 (8.9); 3.7185 (8.7); 2.1987 (2.7); 1.7006 (2.9); 1.3349 (0.3); 1.3120 (0.3); 1.2918 (0.7); 1.1323 (2.5); 1.1154 (6.8); 1.1107 (8.0); 1.0945 (3.8); 1.0449 (0.6); 1.0254 (0.5); 0.9756 (3.6); 0.9593 (7.9); 0.9379 (2.3); 0.1117 (2.8); 0.0344 (2.3) I-377: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0357 (1.6); 9.0209 (3.1); 9.0069 (1.6); 8.7404 (0.3); 8.3158 (0.4); 8.1642 (0.4); 8.1178 (0.6); 8.0954 (14.6); 8.0838 (1.9); 7.7580 (1.3); 7.7388 (4.1); 7.7193 (4.4); 7.7025 (5.8); 7.6805 (6.8); 7.6098 (3.3); 7.5906 (2.8); 7.5012 (3.4); 7.4869 (4.4); 7.4806 (4.6); 7.4667 (3.7); 7.2854 (0.5); 7.2720 (0.7); 7.2653 (0.7); 7.2500 (0.6); 7.1697 (4.1); 7.1480 (7.5); 7.1260 (3.6); 6.9836 (0.6); 6.9609 (1.0); 6.9389 (0.5); 6.3056 (1.2); 6.2903 (1.1); 5.7864 (1.1); 5.7757 (1.5); 5.7686 (1.4); 5.7559 (16.0); 5.6677 (1.1); 5.6572 (1.4); 5.6501 (1.3); 5.6401 (1.1); 4.6063 (0.6); 4.5905 (0.8); 4.5738 (0.6); 4.4143

(0.3); 4.4020 (0.4); 4.3963 (0.4); 4.3844 (0.4); 4.0377 (0.7); 4.0202 (0.7); 3.8898 (0.4); 3.8741 (0.6); 3.8550 (1.1); 3.8383 (1.5); 3.8210 (1.5); 3.8074 (2.2); 3.7924 (2.2); 3.7743 (1.1); 3.7559 (1.1); 3.7409 (1.2); 3.7309 (0.9); 3.7197 (0.5); 3.7052 (0.8); 3.6917 (0.6); 3.6670 (0.5); 3.6562 (0.4); 3.6075 (0.5); 3.5945 (0.4); 3.5383 (0.7); 3.5189 (0.8); 3.5060 (0.7); 3.3199 (53.0); 2.8713 (0.5); 2.8445 (0.5); 2.8276 (1.0); 2.8101 (0.4); 2.6704 (1.8); 2.5057 (250.1); 2.5015 (317.2); 2.4972 (231.3); 2.3283 (1.8); 1.9886 (2.8); 1.4013 (4.4); 1.3843 (4.6); 1.3689 (1.0); 1.3501 (0.6); 1.3320 (1.2); 1.3139 (1.2); 1.2954 (0.8); 1.2753 (0.4); 1.2358 (3.4); 1.2063 (0.5); 1.1928 (1.0); 1.1748 (1.8); 1.1642 (0.9); 1.1572 (1.1); 1.1478 (1.4); 1.1299 (0.9); 0.9362 (0.6); 0.9198 (0.6); 0.8805 (3.5); 0.8539 (0.5); 0.1460 (0.6); -0.0002 (148.8); -0.0083 (8.0); -0.1497 (0.7) I-378: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3683 (11.6); 8.0551 (2.0); 7.9230 (1.1); 7.8962 (1.2); 7.6522 (3.7); 7.6501 (3.7); 7.6451 (2.6); 7.6359 (6.7); 7.6328 (6.7); 7.5355 (3.3); 7.5024 (0.4); 7.4892 (1.4); 7.4750 (1.9); 7.4687 (1.7); 7.4593 (1.2); 7.4506 (0.8); 7.3035 (23.2); 6.6384 (8.6); 5.4209 (0.5); 5.4014 (1.2); 5.3779 (1.3); 2.9984 (16.0); 2.9246 (14.5); 2.6391 (1.6); 2.6223 (2.8); 2.3562 (0.4); 2.3179 (1.2); 2.3045 (0.9); 2.2906 (0.8); 2.2738 (0.9); 2.2568 (0.3); 1.9592 (1.1); 1.9362 (2.3); 1.9201 (4.4); 1.9075 (2.5); 1.9007 (2.5); 1.8838 (0.9); 1.8764 (0.8); 1.6153 (12.6); 1.2968 (1.9); 0.9231 (0.4); 0.8968 (0.4); 0.1117 (0.4); 0.0521 (0.7); 0.0413 (24.0); 0.0304 (0.8) I-379: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.2839 (2.0); 8.5933 (2.3); 8.3855 (4.7); 8.1069 (0.9); 8.0937 (0.8); 8.0894 (0.9); 8.0809 (1.1); 8.0784 (1.1); 8.0648 (1.0); 7.9575 (0.4); 7.8170 (0.5); 7.8128 (0.5); 7.7939 (0.9); 7.7891 (1.0); 7.7845 (0.5); 7.7662 (0.7); 7.7613 (0.6); 7.7266 (0.8); 7.7229 (0.8); 7.6998 (1.0); 7.6963 (0.7); 7.6759 (0.4); 7.6732 (0.4); 7.5800 (2.3); 7.5716 (1.4); 7.5549 (0.9); 7.3208 (2.0); 7.3166 (1.9); 7.2984 (15.7); 5.3373 (0.6); 5.2045 (2.6); 5.1859 (2.6); 1.6114 (16.0); 0.0474 (0.4); 0.0366 (12.9); 0.0257 (0.4) I-380: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1954 (5.0); 7.9872 (0.6); 7.9611 (0.6); 7.6099 (1.4); 7.5897 (4.0); 7.5866 (3.4); 7.5693 (0.3); 7.5192 (1.8); 7.4693 (0.8); 7.4594 (1.2); 7.4521 (0.9); 7.4468 (0.5); 7.4382 (0.8); 7.4309 (0.4); 7.2985 (1.6); 6.6189 (4.8); 5.3944 (0.6); 5.3703 (0.6); 2.7698 (16.0); 2.6109 (1.4); 2.6004 (1.3); 2.3021 (0.6); 2.2886 (0.5); 2.2759 (0.4); 2.2584 (0.4); 1.9513 (0.5); 1.9435 (0.5); 1.9270 (1.2); 1.9186 (1.2); 1.9088 (2.5); 1.8974 (1.4); 1.8890 (1.3); 1.7208 (0.4); 0.0334 (1.6) I-381: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.4227 (1.9); 8.7129 (9.3); 8.7079 (6.1); 8.6980 (6.2); 8.6929 (9.8); 8.0875 (1.3); 8.0680 (2.4); 8.0486 (1.3); 7.6402 (0.7); 7.6138 (4.7); 7.6071 (3.9); 7.6024 (4.1); 7.5954 (11.0); 7.5923 (10.6); 7.5829 (1.4); 7.5685 (0.6); 7.5631 (0.7); 7.5421 (10.9); 7.5369 (6.9); 7.5273 (6.8); 7.5220 (10.7); 7.5031 (6.9); 7.4740 (16.0); 7.4281 (1.0); 7.4215 (0.9); 7.4123 (2.8); 7.3995 (12.2); 7.3826 (3.4); 7.3713 (6.7); 7.2983 (8.7); 5.3303 (0.9); 4.2366 (0.8); 4.2164 (2.6); 4.1963 (2.6); 4.1693 (5.7); 4.1492 (5.5); 4.1223 (2.9); 4.1022 (2.8); 2.2305 (0.4); 2.2174 (0.9); 2.2089 (1.5); 2.1957 (2.1); 2.1870 (2.1); 2.1743 (1.7); 2.1654 (1.0); 2.1522 (0.5); 1.2911 (2.2); 1.2681 (0.5); 0.9141 (0.3); 0.8898 (0.4); 0.4741 (0.6); 0.4599 (0.9); 0.4461 (4.2); 0.4379 (6.5); 0.4337 (7.3); 0.4184 (5.6); 0.4114 (5.0); 0.4038 (4.5); 0.3959 (4.1); 0.3914 (3.7); 0.3876 (3.7); 0.3808 (4.1); 0.3547 (0.8); 0.1072 (1.3); 0.0338 (8.7); 0.0229 (0.4) I-382: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0755 (0.6); 9.0608 (1.3); 9.0461 (0.7); 8.0271 (6.2); 7.6517 (2.3); 7.5715 (2.1); 7.5505 (2.6); 7.4030 (1.2); 7.3867 (1.8); 7.3824 (4.0); 7.3657 (1.5); 7.3618 (2.6); 6.9027 (1.1); 6.8977 (1.3); 6.8827 (1.0); 6.8771 (1.3); 6.8345 (1.4); 6.8291 (2.7); 6.8234 (1.9); 6.8158 (1.7); 6.8112 (1.1); 6.7961 (1.4); 6.7910 (1.1); 6.0555 (0.4); 6.0424 (0.8); 6.0302 (0.5); 5.9397 (0.4); 5.9271 (0.9); 5.9147 (0.5); 3.8897 (0.8); 3.8755 (1.3); 3.8610 (0.7); 3.8315 (0.9); 3.8174 (1.4); 3.8037 (0.9); 3.7792 (16.0); 3.3145 (64.4); 2.8995 (1.7); 2.7406 (1.5); 2.5139 (6.6); 2.5095 (9.1); 2.5052 (7.0) I-383: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6320 (0.5); 7.6061 (2.5); 7.5851 (7.6); 7.5640 (0.7); 7.5231 (3.6); 7.5015 (0.5); 7.4954 (0.4); 7.4844 (1.6); 7.4751 (2.5); 7.4678 (1.6); 7.4613 (1.0); 7.4536 (1.5); 7.4460 (0.9); 7.4087 (3.3); 7.3821 (3.8); 7.2983 (24.9); 7.1897 (1.0); 7.1681 (1.6); 7.1468 (1.0); 7.0868 (3.8); 7.0306 (2.2); 7.0181 (1.2); 7.0040 (1.9); 5.3374 (1.0); 5.0467 (0.6); 4.4120 (0.4); 4.3878 (0.6); 4.3607 (0.6); 4.3363 (0.6); 4.3123 (0.4); 4.1946 (0.6); 4.1708 (1.6); 4.1470 (1.6); 4.1232 (1.0); 4.0958 (1.0); 4.0685 (1.2); 4.0446 (0.6); 3.9347 (0.3); 3.8893 (0.7); 3.8416 (0.6); 3.7981 (0.3); 3.7820 (0.4); 3.7622 (0.6); 3.7382

(1.3); 3.7142 (1.1); 3.6871 (0.4); 2.6536 (1.8); 2.6491 (1.8); 2.6265 (4.4); 2.5980 (3.8); 2.5157 (11.2); 2.4006 (1.0); 2.3761 (2.7); 2.3391 (16.0); 2.3099 (1.9); 2.0827 (7.0); 1.6174 (8.0); 1.4701 (11.4); 1.3207 (2.2); 1.2969 (5.0); 1.2731 (2.2); 1.2133 (0.5); 0.9175 (0.4); 0.8941 (0.4); 0.1196 (1.4); 0.1078 (26.6); 0.0956 (1.2); 0.0484 (1.0); 0.0377 (23.5); 0.0268 (1.0) I-384: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8832 (2.2); 8.1346 (4.9); 7.9528 (0.5); 7.7706 (0.5); 7.7510 (1.4); 7.7298 (1.9); 7.7237 (2.0); 7.6992 (1.6); 7.6801 (0.8); 7.6541 (1.1); 7.6351 (0.8); 7.3786 (3.0); 7.3567 (3.4); 6.8228 (0.4); 6.8151 (3.4); 6.7931 (3.2); 3.7091 (14.0); 3.3743 (42.1); 3.3726 (42.4); 3.3699 (41.9); 3.3685 (41.8); 2.8917 (3.2); 2.7335 (2.9); 2.5100 (10.1); 2.5057 (13.7); 2.5014 (10.3); 1.6328 (16.0) I-385: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1242 (1.2); 9.1088 (2.5); 9.0932 (1.2); 7.9608 (1.6); 7.8204 (0.4); 7.7023 (8.8); 7.6019 (2.2); 7.5819 (3.6); 7.5612 (1.7); 7.4710 (2.3); 7.4512 (3.1); 7.4375 (1.1); 7.4315 (1.4); 7.4185 (1.9); 7.3810 (0.4); 7.3622 (0.4); 7.3299 (3.4); 7.3100 (3.8); 7.2834 (4.1); 7.1482 (2.5); 7.0762 (4.5); 6.9562 (2.4); 6.9356 (2.2); 4.1292 (1.2); 4.1136 (1.4); 4.0921 (2.8); 4.0763 (2.8); 4.0550 (1.5); 4.0392 (1.4); 3.3179 (171.4); 2.8989 (8.9); 2.7401 (8.3); 2.5954 (22.8); 2.5092 (18.1); 2.4629 (1.4); 2.4318 (11.6); 2.3948 (1.9); 2.3106 (1.6); 2.2733 (1.1); 2.2419 (0.3); 2.2119 (16.0); 2.1750 (0.9); 1.2456 (0.4) I-386: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0996 (1.7); 9.0793 (1.8); 7.9595 (0.5); 7.7268 (0.6); 7.7073 (1.8); 7.6881 (1.9); 7.6738 (2.6); 7.6544 (1.0); 7.6306 (2.2); 7.6109 (2.3); 7.5365 (4.4); 7.5142 (1.4); 7.3972 (2.2); 7.3765 (2.6); 7.3147 (4.8); 7.1285 (1.2); 7.1094 (2.0); 7.0907 (1.2); 6.8596 (1.3); 6.8407 (2.1); 6.8222 (1.1); 5.4665 (0.9); 5.4487 (1.3); 5.4305 (0.9); 3.7196 (16.0); 3.3382 (96.5); 2.8973 (2.6); 2.7382 (2.4); 2.5088 (12.1); 2.3413 (15.2); 1.6151 (6.2); 1.5983 (6.2) I-387: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2370 (1.7); 9.2213 (3.6); 9.2056 (1.7); 8.0366 (15.9); 7.7600 (1.3); 7.7405 (4.1); 7.7210 (4.7); 7.7102 (5.4); 7.6904 (1.8); 7.6563 (7.6); 7.6321 (9.0); 7.5796 (3.3); 7.5602 (2.5); 7.4055 (3.2); 7.3853 (2.7); 4.2234 (1.6); 4.2075 (1.7); 4.1872 (3.6); 4.1714 (3.5); 4.1510 (1.8); 4.1352 (1.7); 3.3294 (192.7); 2.7185 (0.4); 2.6829 (0.6); 2.6788 (0.8); 2.6744 (0.6); 2.5607 (16.0); 2.5489 (59.6); 2.5139 (91.7); 2.5095 (121.6); 2.5052 (93.9); 2.3363 (0.8); 2.3319 (0.6) I-388: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 20.0082 (0.4); 9.0215 (2.0); 9.0063 (3.8); 8.9926 (2.0); 8.3142 (0.8); 8.1114 (0.3); 8.0811 (16.0); 7.7668 (1.6); 7.7465 (4.5); 7.7262 (4.5); 7.7093 (6.3); 7.6872 (12.9); 7.6654 (9.9); 7.6042 (3.8); 7.5841 (3.1); 7.5001 (0.7); 7.4796 (0.8); 7.3076 (0.3); 7.2328 (9.1); 7.2123 (8.4); 7.0706 (0.6); 7.0493 (0.6); 6.3043 (0.3); 5.7555 (3.5); 5.7465 (2.0); 5.7316 (1.3); 5.6412 (1.2); 5.6303 (1.7); 5.6132 (1.3); 4.0550 (0.5); 4.0371 (1.5); 4.0196 (1.6); 4.0017 (0.5); 3.8644 (0.4); 3.8479 (0.4); 3.8299 (1.3); 3.8137 (2.4); 3.7969 (2.7); 3.7789 (2.1); 3.7624 (2.0); 3.7460 (2.1); 3.7324 (1.6); 3.7206 (1.1); 3.6992 (0.6); 3.5285 (0.5); 3.5140 (0.4); 3.3178 (163.2); 3.1424 (0.3); 2.8079 (0.4); 2.7889 (0.5); 2.6700 (4.2); 2.5049 (593.4); 2.5008 (756.4); 2.4966 (556.9); 2.3277 (4.3); 1.9881 (6.5); 1.3976 (1.3); 1.3834 (0.8); 1.3072 (0.4); 1.2929 (0.5); 1.2347 (2.0); 1.1923 (1.9); 1.1744 (3.8); 1.1566 (2.1); 1.1470 (1.0); 0.8798 (1.2); 0.8526 (0.4); 0.1452 (1.7); -0.0004 (369.0); -0.1501 (1.8) I-389: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1918 (0.4); 8.1729 (0.8); 8.1525 (0.4); 7.5650 (1.2); 7.5420 (3.7); 7.5196 (0.4); 7.4991 (1.7); 7.4654 (0.8); 7.4566 (1.3); 7.4493 (0.8); 7.4351 (2.3); 7.4088 (1.9); 7.2991 (14.3); 7.0962 (1.9); 7.0595 (1.0); 7.0327 (0.9); 5.3382 (1.6); 4.2626 (0.9); 4.2425 (0.9); 4.2123 (1.9); 4.1923 (1.8); 4.1621 (1.0); 4.1423 (1.1); 3.8554 (1.6); 3.8368 (3.1); 3.8175 (1.8); 3.3993 (16.0); 3.1162 (1.8); 3.0973 (2.9); 3.0784 (1.6); 2.5421 (5.6); 2.5352 (3.2); 2.3266 (7.6); 1.5856 (7.9); 0.1087 (0.4); 0.0498 (0.5); 0.0390 (14.4); 0.0313 (0.4); 0.0297 (0.4); 0.0281 (0.5) I-390: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9918 (3.2); 8.9864 (3.3); 8.9778 (3.3); 8.9724 (3.2); 8.4964 (2.2); 8.4935 (2.6); 8.4916 (2.6); 8.4678 (2.4); 8.4650 (2.8); 8.3765 (0.4); 8.3690 (16.0); 8.3612 (0.4); 8.1570 (2.8); 8.1289 (3.3); 7.9665 (1.4); 7.7451 (2.7); 7.7215 (4.3); 7.7171 (2.6); 7.6933 (3.8); 7.6290 (3.8); 7.6074 (3.1); 7.5839 (8.4); 7.5612 (3.6); 7.5351 (1.0); 7.4975 (3.7); 7.4835 (3.6); 7.4689 (3.4); 7.4549 (3.4); 7.3795 (3.7); 7.3778 (3.7); 7.3251 (1.6); 7.3176 (2.2); 7.3103 (1.2); 7.3073 (1.2); 7.2983 (16.3); 7.2873 (1.2); 5.3342 (6.4); 5.2244 (8.3); 5.2055 (8.2); 2.1482 (0.4); 2.0779 (0.4); 1.6916 (1.2); 1.2903 (0.4); 0.1067 (3.9); 0.0458 (0.4); 0.0425 (0.3); 0.0351 (12.2); 0.0241 (0.4) I-391: .sup.1H-

NMR(300.2 MHz, CDCl₃): δ = 8.7796 (5.0); 7.9360 (0.4); 7.5638 (1.6); 7.5439 (4.4); 7.5408 (3.9); 7.5280 (0.3); 7.5238 (0.3); 7.4451 (2.1); 7.4187 (0.9); 7.4087 (1.4); 7.4012 (1.0); 7.3965 (0.6); 7.3878 (0.9); 7.3731 (2.1); 7.3464 (2.3); 7.2996 (1.7); 7.0770 (2.3); 7.0419 (0.6); 7.0216 (1.0); 7.0013 (0.6); 6.9769 (1.3); 6.9503 (1.1); 4.2617 (1.0); 4.2410 (1.0); 4.2130 (2.1); 4.1922 (2.0); 4.1642 (1.1); 4.1434 (1.0); 2.9550 (3.2); 2.8537 (2.8); 2.5172 (6.7); 2.5106 (3.8); 2.3351 (16.0); 2.3223 (9.4); 1.2971 (0.6); 0.9198 (0.4); 0.1141 (0.4); 0.0383 (1.6) I-392: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1870 (5.2); 7.9902 (0.7); 7.9640 (0.7); 7.6057 (1.4); 7.5850 (4.2); 7.5642 (0.3); 7.5172 (1.8); 7.4672 (0.8); 7.4573 (1.3); 7.4501 (0.9); 7.4439 (0.5); 7.4364 (0.8); 7.4286 (0.4); 7.2982 (1.1); 6.6135 (4.9); 5.3896 (0.6); 5.3655 (0.7); 2.7638 (16.0); 2.6026 (1.5); 2.5841 (0.9); 2.2979 (0.6); 2.2841 (0.5); 2.2717 (0.4); 2.2544 (0.4); 1.9491 (0.5); 1.9400 (0.5); 1.9231 (1.2); 1.9164 (1.3); 1.9063 (2.6); 1.8950 (1.4); 1.8859 (1.3); 1.8745 (0.5); 0.0304 (1.0) I-393: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9613 (1.4); 8.9398 (1.5); 7.8086 (6.5); 7.7186 (0.6); 7.6991 (1.7); 7.6796 (1.5); 7.6399 (1.9); 7.6203 (3.6); 7.5819 (1.4); 7.5601 (1.1); 7.1942 (2.0); 7.1746 (2.3); 6.9078 (2.7); 6.8821 (1.5); 6.8619 (1.3); 5.1449 (0.8); 5.1279 (0.8); 5.1101 (0.3); 3.3396 (81.2); 2.7169 (0.6); 2.7009 (1.6); 2.6861 (1.7); 2.6718 (1.0); 2.6026 (16.0); 2.5415 (16.6); 2.5243 (1.1); 2.5108 (20.5); 2.5067 (40.0); 2.5022 (51.8); 2.4978 (38.0); 2.2127 (11.6); 2.0081 (0.3); 1.9948 (0.4); 1.9832 (0.6); 1.9723 (0.7); 1.9641 (0.6); 1.9506 (0.5); 1.8885 (0.4); 1.8748 (0.6); 1.8636 (0.6); 1.8445 (0.6); 1.7578 (1.0); 1.7404 (1.5); 1.7301 (1.1); 1.7171 (1.0); -0.0002 (1.0) I-394: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1344 (2.7); 9.1155 (2.8); 8.1586 (15.4); 8.1546 (6.6); 7.9538 (0.4); 7.7510 (1.6); 7.7314 (4.8); 7.7118 (4.8); 7.6995 (6.7); 7.6868 (6.0); 7.6673 (2.6); 7.6243 (3.8); 7.6046 (2.6); 6.9821 (7.3); 6.9784 (9.0); 6.8776 (2.9); 6.8743 (2.9); 6.8576 (5.5); 6.8540 (5.7); 6.8150 (10.9); 6.7951 (5.8); 5.9559 (9.8); 5.9536 (14.0); 5.9427 (11.7); 5.9404 (12.5); 5.0864 (0.5); 5.0689 (2.2); 5.0506 (3.2); 5.0325 (2.3); 5.0148 (0.6); 3.3997 (44.8); 3.3884 (43.2); 3.3846 (50.6); 3.3737 (58.4); 2.8923 (2.5); 2.7338 (2.2); 2.5292 (0.6); 2.5158 (13.1); 2.5114 (27.5); 2.5068 (37.0); 2.5023 (26.7); 2.4979 (12.9); 1.4239 (16.0); 1.4065 (15.8); 1.2389 (0.4); -0.0002 (0.6) I-395: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2307 (0.4); 9.0789 (2.0); 9.0633 (4.2); 9.0476 (2.1); 8.8146 (0.9); 8.8099 (0.9); 8.7212 (6.9); 8.7159 (6.9); 8.1821 (0.4); 8.1767 (0.4); 8.1618 (0.6); 8.1559 (0.5); 8.0021 (3.8); 7.9962 (3.8); 7.9809 (4.5); 7.9751 (4.5); 7.9614 (0.6); 7.8296 (0.7); 7.8086 (0.9); 7.7547 (16.0); 7.7400 (7.6); 7.7189 (6.5); 7.6310 (0.5); 7.6008 (2.0); 7.5838 (3.8); 7.5688 (3.9); 7.5514 (3.9); 7.5327 (2.5); 7.5182 (1.8); 7.4613 (3.6); 7.4415 (4.9); 7.4213 (2.1); 7.4112 (3.4); 7.2762 (7.3); 7.1412 (3.6); 4.2723 (2.2); 4.2571 (2.3); 4.2369 (5.1); 4.2212 (4.8); 4.2010 (2.8); 4.1856 (2.4); 3.3172 (390.2); 3.2682 (0.5); 2.8989 (3.2); 2.7400 (3.0); 2.5956 (40.6); 2.5134 (29.3); 2.5092 (38.3); 2.5050 (28.5); 2.4537 (4.2); 1.2454 (0.7) I-396: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0785 (0.8); 9.0631 (1.7); 9.0476 (0.8); 7.7399 (0.8); 7.7202 (2.3); 7.7120 (6.6); 7.7009 (2.0); 7.6733 (2.2); 7.6538 (1.1); 7.6142 (2.8); 7.5617 (4.3); 7.5418 (4.5); 7.4877 (0.5); 7.4691 (1.7); 7.4514 (1.7); 7.4276 (3.0); 7.4086 (3.4); 7.3906 (1.1); 4.1399 (0.9); 4.1244 (1.0); 4.1039 (2.0); 4.0883 (2.0); 4.0677 (1.0); 4.0522 (1.0); 3.3300 (266.2); 2.6786 (1.0); 2.6743 (0.8); 2.6019 (16.0); 2.5489 (28.5); 2.5138 (112.2); 2.5095 (151.3); 2.5053 (124.2); 2.3362 (1.0); 2.3321 (0.8) I-397: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2886 (7.3); 7.7733 (1.3); 7.6839 (5.3); 7.6725 (2.6); 7.6681 (2.8); 7.6645 (2.9); 7.6372 (0.5); 7.4369 (2.9); 7.3906 (1.2); 7.3820 (1.4); 7.3703 (1.5); 7.3634 (1.3); 7.3525 (0.8); 7.2972 (0.5); 7.0464 (2.8); 7.0209 (3.2); 6.9679 (3.3); 6.5062 (1.8); 6.4808 (1.6); 5.3208 (1.0); 3.6283 (3.2); 3.6118 (3.1); 2.4569 (16.0); 2.1702 (15.6); 2.1023 (0.4); 1.3108 (1.2); 1.0302 (1.3); 1.0096 (4.7); 0.9961 (2.1); 0.9719 (0.6); 0.9483 (0.8); 0.9239 (2.4); 0.9108 (4.9); 0.8903 (1.3) I-398: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1090 (0.6); 8.0946 (0.9); 8.0802 (0.5); 7.5493 (0.6); 7.5292 (4.1); 7.5085 (6.5); 7.4902 (0.6); 7.4478 (2.2); 7.4142 (3.7); 7.3925 (3.1); 7.3854 (1.8); 7.3803 (1.0); 7.3671 (1.0); 7.2601 (7.3); 4.1811 (1.0); 4.1659 (1.0); 4.1443 (2.1); 4.1292 (2.0); 4.1074 (1.0); 4.0923 (1.0); 3.7895 (2.0); 3.7754 (3.4); 3.7613 (2.0); 3.3566 (16.0); 3.0163 (2.1); 3.0019 (3.3); 2.9880 (1.9); 1.5542 (6.9); -0.0002 (5.7) I-399: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2687 (15.7); 8.0164 (2.2); 7.9293 (1.9); 7.5523 (7.3); 7.4945 (1.2); 7.4783

(2.0); 7.4739 (3.0); 7.4579 (3.5); 7.4372 (1.9); 7.3794 (1.6); 7.3755 (1.4); 7.3585 (6.2); 7.3545 (6.6); 7.3440 (9.5); 7.3231 (2.3); 7.2597 (30.1); 7.1062 (1.5); 7.1006 (1.6); 7.0851 (2.6); 7.0815 (3.0); 7.0646 (1.4); 7.0592 (1.4); 7.0243 (2.7); 7.0193 (3.5); 6.9998 (6.4); 6.9782 (2.4); 6.9724 (3.5); 6.9668 (1.7); 6.0573 (1.4); 6.0493 (1.5); 6.0396 (1.5); 6.0317 (1.4); 5.9407 (1.4); 5.9328 (1.5); 5.9231 (1.5); 5.9153 (1.4); 4.2916 (0.7); 4.2835 (0.7); 4.2748 (0.8); 4.2668 (0.8); 4.2550 (0.9); 4.2469 (0.9); 4.2382 (0.9); 4.2300 (0.9); 4.2250 (0.9); 4.2165 (0.8); 4.2080 (0.8); 4.1998 (0.8); 4.1881 (0.9); 4.1800 (0.9); 4.1714 (0.9); 4.1634 (0.8); 3.8464 (0.8); 3.8339 (0.9); 3.8290 (0.9); 3.8160 (0.9); 3.8099 (0.8); 3.7927 (1.6); 3.7800 (1.6); 3.7627 (0.9); 3.7565 (0.8); 3.7437 (0.8); 3.7389 (0.8); 3.7261 (0.7); 2.9544 (16.0); 2.8820 (14.7); 1.5439 (11.9); 0.0078 (1.8); -0.0002 (44.3) I-400: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7360 (1.3); 7.7163 (1.3); 7.5785 (0.7); 7.5525 (2.5); 7.5321 (6.3); 7.4766 (0.7); 7.4503 (0.6); 7.3987 (3.4); 7.3658 (1.6); 7.3566 (2.1); 7.3490 (1.8); 7.3307 (3.9); 7.2984 (11.9); 7.0372 (3.6); 6.9268 (2.0); 6.9007 (1.8); 5.3362 (3.0); 4.2192 (1.5); 4.1995 (1.5); 4.1711 (3.0); 4.1517 (2.9); 4.1231 (1.6); 4.1036 (1.5); 3.9669 (0.4); 3.0294 (0.7); 3.0199 (1.4); 3.0066 (1.4); 2.9963 (1.4); 2.9846 (1.0); 2.9741 (0.6); 2.8371 (16.0); 2.5549 (0.4); 2.5489 (0.4); 2.5229 (0.5); 2.4829 (10.5); 2.2991 (14.2); 1.6298 (2.8); 1.2950 (3.5); 0.9282 (1.1); 0.9052 (3.5); 0.8876 (3.8); 0.8656 (1.5); 0.8384 (0.4); 0.8134 (0.3); 0.7477 (1.3); 0.7327 (3.3); 0.7240 (3.7); 0.6962 (0.9); 0.1086 (0.8); 0.0381 (10.5) I-401: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.2324 (13.9); 9.2164 (14.4); 8.3007 (0.5); 8.2899 (14.5); 8.2738 (13.9); 8.0023 (1.7); 7.9851 (2.9); 7.9662 (1.7); 7.7091 (1.0); 7.6828 (6.4); 7.6751 (5.3); 7.6707 (5.7); 7.6641 (16.0); 7.6608 (15.8); 7.6498 (1.5); 7.6448 (1.4); 7.5956 (0.5); 7.5783 (8.7); 7.5497 (11.9); 7.5365 (7.5); 7.5141 (7.6); 7.5105 (7.6); 7.5078 (8.1); 7.4986 (1.6); 7.4918 (1.0); 7.4827 (3.1); 7.4718 (4.6); 7.4649 (4.2); 7.4524 (3.3); 7.4444 (2.0); 7.2988 (18.5); 7.2940 (6.3); 7.2870 (5.3); 7.2654 (4.4); 7.2587 (4.3); 5.3357 (1.7); 4.5042 (4.5); 4.4837 (4.3); 4.4559 (9.4); 4.4354 (9.0); 4.4075 (4.7); 4.3870 (4.5); 3.4040 (0.6); 1.6284 (10.0); 0.0459 (0.5); 0.0351 (12.0); 0.0242 (0.4) I-402: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1184 (2.9); 9.0982 (3.0); 8.1491 (16.0); 7.9532 (1.6); 7.7578 (1.3); 7.7383 (4.0); 7.7183 (8.7); 7.6939 (4.6); 7.6745 (2.1); 7.6309 (3.2); 7.6115 (2.1); 7.2561 (5.7); 7.1111 (2.8); 7.1076 (2.8); 7.0906 (3.0); 7.0870 (3.0); 6.6581 (6.2); 6.6377 (5.8); 5.0969 (0.5); 5.0795 (1.8); 5.0610 (2.6); 5.0427 (1.9); 5.0256 (0.5); 4.4756 (4.6); 4.4539 (8.5); 4.4317 (5.2); 3.3628 (58.9); 3.3562 (82.1); 3.0918 (0.5); 3.0704 (1.0); 3.0526 (1.7); 3.0315 (2.8); 3.0119 (2.3); 2.9920 (2.9); 2.9706 (1.6); 2.9534 (1.0); 2.9316 (0.5); 2.8914 (10.4); 2.7332 (9.1); 2.5134 (11.3); 2.5091 (23.4); 2.5047 (31.4); 2.5002 (23.1); 1.4282 (13.3); 1.4108 (13.2); 1.2404 (0.4); -0.0002 (0.6) I-403: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9982 (1.9); 7.5280 (2.6); 7.5069 (3.5); 7.4940 (1.7); 7.4764 (4.1); 7.3930 (0.8); 7.3739 (1.7); 7.3557 (1.2); 7.3130 (1.6); 7.2930 (2.1); 7.2730 (1.0); 7.2604 (12.1); 7.1521 (1.7); 7.1486 (1.7); 7.1310 (1.5); 7.1275 (1.6); 7.0098 (1.3); 6.8728 (2.6); 6.7359 (1.3); 6.4034 (0.7); 6.3887 (1.2); 6.3731 (0.7); 4.4422 (1.2); 4.4260 (1.2); 4.4068 (2.4); 4.3907 (2.4); 4.3713 (1.3); 4.3551 (1.2); 2.9494 (11.8); 2.8726 (11.5); 2.6072 (0.5); 2.5913 (16.0); 2.2703 (15.9); 2.1768 (0.3); 1.5740 (5.6); -0.0002 (1.3) I-404: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2138 (1.8); 9.1980 (3.6); 9.1822 (1.7); 8.0365 (13.2); 7.7710 (1.4); 7.7514 (4.1); 7.7317 (4.0); 7.7142 (4.9); 7.6946 (2.0); 7.6626 (5.5); 7.5912 (3.2); 7.5719 (2.5); 7.5221 (5.8); 7.3691 (3.9); 7.3480 (6.5); 7.2911 (3.8); 7.2697 (2.2); 4.1648 (1.6); 4.1491 (1.7); 4.1286 (3.6); 4.1127 (3.5); 4.0919 (1.8); 4.0763 (1.7); 3.3289 (360.4); 3.2913 (0.3); 2.6786 (1.6); 2.5487 (18.5); 2.5094 (249.0); 2.5056 (196.9); 2.4592 (16.0); 2.3362 (1.6); 0.0080 (0.5) I-405: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3143 (13.1); 8.0135 (1.3); 7.6595 (1.1); 7.6333 (3.0); 7.6072 (2.3); 7.5485 (2.8); 7.5228 (1.6); 7.4183 (3.4); 7.3937 (2.0); 7.3904 (2.2); 7.3863 (1.8); 7.3721 (4.0); 7.3637 (2.0); 7.3597 (1.7); 7.3558 (1.4); 7.3458 (4.1); 7.3015 (26.1); 7.0782 (3.8); 6.9942 (2.1); 6.9674 (1.8); 6.9320 (2.2); 6.7444 (4.4); 6.5569 (2.2); 5.3411 (5.3); 4.3061 (2.0); 4.2863 (1.9); 4.2581 (4.3); 4.2382 (4.2); 4.2100 (2.2); 4.1902 (2.1); 2.5194 (6.3); 2.5124 (11.5); 2.5049 (6.4); 2.3241 (16.0); 1.5937 (17.9); 1.2950 (0.9); 0.9224 (0.6); 0.1105 (4.6); 0.0513 (0.8); 0.0404 (23.3); 0.0295 (0.8) I-406: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0278 (0.5); 9.0136 (1.0); 8.9987 (0.5); 8.1178 (0.4); 8.0783 (5.1); 7.7550 (0.4); 7.7362 (1.3);

7.7166 (1.4); 7.7046 (18); 7.6857 (0.6); 7.6822 (1.9); 7.687 (16.0); 7.5955 (1.1); 7.5758 (0.8); 5.9339 (0.3); 5.9212 (0.5); 5.9084 (0.3); 5.8162 (0.3); 5.8048 (0.5); 5.7907 (0.3); 5.7561 (1.0); 4.0382 (0.4); 4.0203 (0.4); 3.8914 (0.6); 3.8761 (0.5); 3.8687 (0.5); 3.8532 (0.5); 3.8363 (0.6); 3.8219 (0.6); 3.8090 (0.5); 3.3191 (22.3); 2.6751 (0.4); 2.6709 (0.6); 2.6661 (0.4); 2.5060 (75.2); 2.5016 (97.6); 2.4972 (70.3); 2.3328 (0.4); 2.3284 (0.6); 2.3237 (0.4); 1.9887 (1.6); 1.3321 (0.8); 1.3139 (0.8); 1.2957 (0.4); 1.2356 (0.8); 1.1927 (0.5); 1.1749 (0.9); 1.1571 (0.5); 0.8807 (1.0); 0.0079 (2.2); -0.0001 (50.8); -0.0082 (2.4) I-407: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2663 (16.0); 8.0170 (0.7); 7.8278 (1.9); 7.5540 (7.3); 7.3975 (1.8); 7.3934 (1.5); 7.3766 (6.2); 7.3725 (6.4); 7.3607 (9.5); 7.3399 (2.5); 7.2595 (30.6); 7.2318 (4.2); 7.2147 (5.7); 7.2001 (5.4); 7.1912 (2.1); 7.1761 (0.6); 7.1688 (0.5); 7.1584 (1.5); 7.1544 (1.6); 7.1443 (2.8); 7.1384 (2.6); 7.1310 (1.6); 7.1221 (1.2); 7.1139 (0.8); 6.0663 (1.4); 6.0583 (1.5); 6.0492 (1.6); 6.0413 (1.4); 5.9501 (1.4); 5.9422 (1.5); 5.9330 (1.6); 5.9251 (1.4); 4.2844 (0.8); 4.2763 (0.8); 4.2678 (0.8); 4.2598 (0.8); 4.2478 (0.9); 4.2397 (0.9); 4.2314 (0.9); 4.2230 (1.0); 4.2194 (1.0); 4.2111 (0.8); 4.2025 (0.8); 4.1947 (0.8); 4.1824 (0.9); 4.1744 (0.9); 4.1661 (0.9); 4.1577 (0.8); 3.8944 (0.8); 3.8808 (1.0); 3.8776 (1.0); 3.8640 (0.9); 3.8578 (0.8); 3.8399 (1.6); 3.8266 (1.6); 3.8090 (1.0); 3.8026 (0.8); 3.7892 (0.9); 3.7857 (0.8); 3.7722 (0.7); 2.9546 (5.5); 2.8821 (5.0); 1.5382 (9.6); -0.0002 (45.1); -0.0082 (1.9) I-408: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4683 (0.6); 7.6599 (0.9); 7.6406 (1.6); 7.6213 (0.9); 7.5892 (0.4); 7.5601 (4.6); 7.5552 (3.1); 7.5427 (7.5); 7.5289 (0.5); 7.4044 (3.6); 7.3785 (0.5); 7.3650 (1.7); 7.3561 (4.8); 7.3445 (2.0); 7.3293 (4.8); 7.2985 (2.6); 7.0797 (4.0); 6.9859 (2.2); 6.9593 (1.9); 5.0057 (0.4); 4.9968 (0.7); 4.9751 (6.0); 4.9702 (5.4); 4.9605 (6.7); 4.9436 (1.5); 4.9350 (0.8); 4.6381 (0.5); 4.6169 (2.1); 4.6066 (5.2); 4.5992 (4.3); 4.5890 (1.8); 4.5678 (0.4); 4.2324 (1.6); 4.2123 (1.6); 4.1838 (3.6); 4.1636 (3.4); 4.1353 (1.9); 4.1150 (1.8); 2.5059 (11.6); 2.4992 (6.7); 2.3274 (16.0); 2.3005 (0.4); 2.0746 (0.6); 1.7186 (3.4); 1.3696 (0.3); 1.3458 (0.8); 1.3060 (4.9); 1.2679 (0.4); 0.9427 (1.7); 0.9208 (5.5); 0.8976 (2.0); 0.0395 (2.5) I-409: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9978 (1.0); 7.5056 (0.7); 7.4885 (1.3); 7.4725 (0.8); 7.4028 (0.6); 7.3836 (1.4); 7.3645 (1.0); 7.3103 (3.9); 7.3049 (3.3); 7.2934 (1.9); 7.2731 (0.8); 7.2604 (11.5); 7.2084 (2.4); 7.1878 (2.9); 7.0242 (1.8); 7.0190 (1.8); 7.0036 (1.5); 6.9977 (2.2); 6.8590 (2.5); 6.7220 (1.2); 6.1258 (0.5); 6.1118 (0.9); 6.0974 (0.6); 3.8376 (1.2); 3.8214 (3.2); 3.8052 (3.3); 3.7890 (1.3); 3.0946 (2.3); 3.0778 (4.3); 3.0611 (2.1); 2.9495 (6.9); 2.8732 (6.4); 2.5973 (0.6); 2.5846 (16.0); 2.3124 (15.9); 2.1742 (0.4); 1.5654 (11.3); -0.0002 (1.2) I-410: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3991 (1.9); 7.3725 (2.1); 7.2986 (9.9); 7.1118 (0.3); 7.1016 (0.3); 7.0872 (4.0); 7.0749 (3.7); 7.0710 (3.1); 7.0625 (2.7); 7.0438 (0.4); 6.9803 (1.1); 6.9536 (1.0); 6.8204 (0.7); 6.8070 (0.6); 6.7998 (1.0); 6.7884 (1.2); 6.7754 (0.6); 6.7666 (0.5); 6.4773 (0.4); 6.4563 (0.8); 6.4362 (0.4); 4.3001 (1.0); 4.2791 (1.0); 4.2519 (2.2); 4.2309 (2.1); 4.2037 (1.1); 4.1827 (1.1); 2.6207 (16.0); 2.5384 (6.2); 2.5314 (3.5); 2.3259 (8.4); 2.2778 (15.7); 2.1236 (0.6); 2.1130 (0.7); 2.0956 (1.0); 2.0782 (0.6); 2.0673 (0.6); 1.6130 (7.6); 1.0539 (0.8); 1.0388 (1.9); 1.0319 (2.1); 1.0258 (1.1); 1.0172 (1.2); 1.0101 (2.1); 1.0034 (1.9); 0.9890 (1.0); 0.8041 (1.0); 0.7893 (2.2); 0.7867 (2.0); 0.7829 (2.2); 0.7722 (2.0); 0.7666 (2.4); 0.7502 (0.8); 0.1083 (1.0); 0.0489 (0.4); 0.0382 (11.6); 0.0272 (0.4) I-411: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0694 (0.7); 9.0538 (1.4); 9.0378 (0.7); 7.7331 (0.6); 7.7135 (1.8); 7.6935 (1.8); 7.6872 (6.6); 7.6654 (1.9); 7.6458 (0.9); 7.5980 (2.3); 7.5430 (1.3); 7.5231 (1.0); 7.3095 (2.2); 7.2895 (2.4); 7.0707 (2.5); 6.9254 (1.3); 6.9053 (1.2); 4.1176 (0.7); 4.1014 (0.7); 4.0802 (1.6); 4.0645 (1.6); 4.0429 (0.8); 4.0271 (0.8); 3.3195 (56.7); 2.6704 (0.4); 2.5920 (16.0); 2.5406 (23.6); 2.5101 (22.8); 2.5057 (44.8); 2.5011 (59.7); 2.4966 (45.0); 2.4921 (22.6); 2.4132 (6.6); 2.3280 (0.4); 2.2880 (0.3); 2.2209 (9.4) I-412: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2661 (6.7); 7.7886 (0.9); 7.7734 (0.6); 7.6530 (0.4); 7.6512 (0.4); 7.6367 (3.7); 7.6335 (3.7); 7.6135 (1.8); 7.5874 (0.4); 7.3504 (2.3); 7.3336 (1.0); 7.3259 (1.1); 7.3174 (0.6); 7.3112 (1.0); 7.3039 (1.2); 7.2956 (0.5); 7.1440 (2.4); 7.1143 (1.1); 7.0898 (1.6); 7.0161 (1.0); 6.9912 (2.4); 6.9669 (1.6); 6.9495 (1.9); 6.9244 (0.7); 3.7198 (4.3); 3.7023 (4.2); 2.1647 (12.4); 2.0032 (3.5); 1.3114 (0.4); 0.9667 (16.0) I-413: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1459 (1.2);

9.1304 (2.5); 9.1148 (12); 8.1032 (10.9); 7.9597 (0.9); 7.5798 (4.3); 7.5720 (2.8); 7.5631 (3.0); 7.5576 (6.7); 7.5353 (2.7); 7.3256 (4.4); 7.3051 (5.3); 7.2970 (1.9); 7.2879 (1.2); 7.0870 (4.4); 6.9582 (2.3); 6.9380 (2.1); 4.1325 (1.2); 4.1170 (1.2); 4.0956 (2.7); 4.0798 (2.6); 4.0582 (1.4); 4.0427 (1.3); 3.3482 (24.3); 2.8978 (5.9); 2.7389 (5.4); 2.5139 (29.9); 2.5095 (39.1); 2.5053 (29.7); 2.4221 (11.3); 2.2645 (0.8); 2.2443 (16.0); 2.1917 (0.5) I-414: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2487 (3.5); 9.2293 (3.6); 8.2034 (16.0); 8.2006 (8.9); 7.9554 (0.5); 7.7562 (1.4); 7.7369 (4.2); 7.7173 (3.8); 7.6935 (11.4); 7.6735 (2.6); 7.6339 (3.8); 7.6142 (2.5); 7.4873 (1.5); 7.4829 (1.7); 7.4678 (1.6); 7.4631 (1.9); 7.4585 (1.9); 7.4526 (1.8); 7.4378 (1.6); 7.4333 (1.7); 7.3836 (1.4); 7.3623 (3.2); 7.3573 (1.8); 7.3411 (2.3); 7.3358 (3.3); 7.3148 (2.1); 7.2590 (2.2); 5.1640 (0.5); 5.1458 (2.0); 5.1277 (3.0); 5.1096 (2.1); 5.0925 (0.5); 3.3627 (44.2); 3.3558 (59.6); 3.3500 (66.2); 2.8933 (3.0); 2.7346 (2.8); 2.5108 (28.7); 2.5066 (38.1); 2.5024 (28.2); 1.4512 (14.8); 1.4337 (14.7); 1.2397 (0.6); -0.0002 (0.5) I-415: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0030 (2.2); 7.5056 (0.8); 7.4882 (1.4); 7.4710 (0.9); 7.4349 (2.8); 7.4138 (4.2); 7.3931 (3.9); 7.3106 (1.3); 7.2908 (1.9); 7.2698 (0.9); 7.2609 (12.4); 7.2187 (1.7); 7.2139 (1.7); 7.1978 (1.4); 7.1930 (1.4); 7.0114 (1.2); 6.8744 (2.5); 6.7374 (1.2); 6.4548 (0.6); 6.4402 (1.0); 6.4254 (0.6); 6.0490 (0.6); 6.0412 (0.6); 6.0321 (0.6); 6.0243 (0.6); 5.9328 (0.6); 5.9249 (0.6); 5.9156 (0.6); 5.9080 (0.6); 4.1835 (0.4); 4.1755 (0.4); 4.1674 (0.4); 4.1589 (0.4); 4.1551 (0.4); 4.1385 (0.3); 4.1181 (0.4); 4.1101 (0.4); 4.1017 (0.4); 4.0937 (0.4); 3.9403 (0.4); 3.9243 (0.6); 3.9085 (0.4); 3.9040 (0.4); 3.8858 (0.7); 3.8704 (0.7); 3.8531 (0.4); 3.8485 (0.4); 3.8324 (0.4); 2.9507 (15.5); 2.8752 (14.5); 2.6020 (16.0); 2.5866 (0.5); 2.3086 (16.0); 1.5769 (4.6); -0.0002 (1.3) I-416: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.0315 (0.7); 9.0155 (1.5); 9.0005 (0.8); 8.6063 (3.1); 8.6016 (3.3); 8.4804 (3.3); 8.4756 (3.1); 7.7484 (6.6); 7.7112 (0.6); 7.6916 (1.8); 7.6721 (1.7); 7.6507 (2.0); 7.6310 (0.9); 7.5852 (2.4); 7.5125 (1.3); 7.4929 (1.0); 4.3601 (0.7); 4.3446 (0.7); 4.3249 (1.6); 4.3091 (1.5); 4.2894 (0.8); 4.2737 (0.7); 3.3189 (553.9); 2.6744 (1.7); 2.6699 (2.3); 2.6656 (1.7); 2.5972 (16.0); 2.5233 (5.6); 2.5098 (130.9); 2.5053 (277.4); 2.5008 (389.2); 2.4962 (292.2); 2.4918 (139.8); 2.3322 (1.6); 2.3276 (2.3); 2.3232 (1.6); 1.0430 (0.5); 1.0280 (0.5); 0.1457 (0.6); 0.0079 (5.1); -0.0003 (148.6); -0.0085 (4.8); -0.1497 (0.7) I-417: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3527 (0.4); 8.3340 (12.9); 8.3071 (1.7); 8.3036 (1.9); 8.3001 (2.0); 8.2968 (1.8); 8.2800 (2.0); 8.2764 (2.1); 8.2729 (2.3); 8.2696 (2.0); 8.1603 (2.9); 8.1529 (5.1); 8.1457 (2.7); 7.8816 (1.4); 7.8640 (0.8); 7.8247 (0.5); 7.7649 (2.3); 7.7376 (5.4); 7.7104 (3.4); 7.6526 (2.5); 7.6492 (2.8); 7.6449 (2.6); 7.6416 (2.4); 7.6254 (1.5); 7.6218 (1.7); 7.6176 (1.6); 7.6142 (1.4); 7.3810 (3.5); 7.3544 (4.0); 7.3013 (34.4); 7.0904 (3.9); 7.0234 (2.1); 6.9959 (1.8); 5.3413 (3.4); 4.3172 (2.0); 4.2974 (1.9); 4.2687 (4.2); 4.2489 (4.1); 4.2202 (2.2); 4.2005 (2.1); 2.5235 (6.4); 2.5167 (11.6); 2.5093 (6.5); 2.3900 (0.8); 2.3691 (0.4); 2.3603 (0.3); 2.3317 (16.0); 2.1932 (0.4); 1.5910 (12.3); 1.2934 (0.6); 0.1098 (0.5); 0.0507 (1.2); 0.0399 (35.0); 0.0289 (1.3) I-418: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2420 (1.7); 9.2263 (3.5); 9.2106 (1.7); 8.0209 (16.0); 7.9935 (6.3); 7.7996 (3.9); 7.7791 (4.6); 7.7524 (1.3); 7.7329 (4.1); 7.7132 (5.2); 7.7052 (5.6); 7.6855 (1.7); 7.5973 (5.6); 7.5487 (3.4); 7.5294 (2.6); 7.4892 (3.3); 7.4685 (2.9); 4.3576 (1.6); 4.3419 (1.7); 4.3236 (3.6); 4.3078 (3.5); 4.2894 (1.8); 4.2735 (1.7); 3.3404 (142.2); 3.3340 (145.2); 2.7132 (0.3); 2.6768 (0.5); 2.6725 (0.7); 2.5428 (87.9); 2.5079 (99.4); 2.5035 (130.3); 2.4992 (94.5); 2.3689 (0.4); 2.3303 (0.7); 2.1683 (1.0); -0.0001 (3.5) I-419: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5392 (3.7); 7.5293 (5.4); 7.4182 (2.8); 7.3671 (1.0); 7.3582 (1.5); 7.3552 (1.4); 7.3493 (1.1); 7.3442 (0.8); 7.2570 (3.6); 7.0573 (2.4); 7.0420 (2.9); 6.9634 (3.2); 6.8713 (1.8); 6.8562 (1.6); 6.0303 (0.7); 6.0190 (1.3); 6.0077 (0.8); 5.2939 (0.4); 3.7687 (1.3); 3.7554 (3.6); 3.7426 (3.8); 3.7293 (1.5); 2.9612 (2.4); 2.9474 (4.8); 2.9337 (2.4); 2.2980 (16.0); 2.2803 (0.9); 2.2532 (15.1); 2.2118 (0.7); 1.5521 (3.2); 1.2566 (0.5); -0.0002 (3.6) I-420: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1209 (3.3); 9.0996 (3.4); 8.2014 (16.0); 7.7495 (1.1); 7.7297 (3.5); 7.7091 (3.5); 7.6827 (9.6); 7.6668 (2.2); 7.6292 (3.3); 7.6097 (2.2); 7.3453 (6.0); 7.2928 (1.5); 7.2718 (9.6); 7.2670 (7.3); 7.2626 (5.7); 7.2457 (0.9); 7.2414 (1.0); 5.7555 (11.2); 5.1539 (0.8); 5.1390 (1.7); 5.1211 (1.8); 5.1043 (0.8); 3.3197 (40.7); 2.8010 (0.4);

2.7745 (1.3); 2.7580 (3.4); 2.7437 (3.6); 2.7299 (1.5); 2.7007 (0.5); 2.6749 (0.9); 2.6705 (1.1); 2.6664 (0.8); 2.5058 (139.3); 2.5015 (180.1); 2.4971 (133.7); 2.3325 (0.8); 2.3281 (1.0); 2.3239 (0.8); 2.0259 (0.8); 2.0122 (0.9); 1.9879 (1.6); 1.9685 (1.0); 1.8953 (0.4); 1.8539 (1.2); 1.8350 (1.3); 1.8118 (0.9); 1.7902 (1.9); 1.7670 (3.0); 1.7500 (2.1); 1.3555 (1.4); 1.2340 (0.5); 0.0078 (1.3); -0.0002 (32.6); -0.0083 (1.2) I-421: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2655 (10.6); 8.0157 (2.3); 7.8664 (1.5); 7.5606 (5.5); 7.4665 (2.6); 7.4595 (3.0); 7.4527 (2.8); 7.4457 (2.7); 7.4098 (1.8); 7.4058 (1.8); 7.3889 (3.8); 7.3849 (4.0); 7.3527 (6.1); 7.3319 (2.8); 7.2722 (2.2); 7.2598 (24.6); 7.2505 (4.3); 7.2305 (3.2); 7.1765 (1.7); 7.1677 (2.6); 7.1600 (1.8); 7.1546 (1.3); 7.1453 (1.6); 7.1377 (1.0); 6.0562 (1.0); 6.0479 (1.1); 6.0381 (1.1); 6.0301 (1.1); 5.9392 (1.0); 5.9314 (1.1); 5.9215 (1.1); 5.9135 (1.1); 4.2937 (0.5); 4.2863 (0.6); 4.2772 (0.6); 4.2691 (0.6); 4.2572 (0.6); 4.2493 (0.7); 4.2405 (0.6); 4.2325 (0.7); 4.2264 (0.6); 4.2181 (0.6); 4.2093 (0.6); 4.2013 (0.5); 4.1897 (0.7); 4.1814 (0.6); 4.1728 (0.7); 4.1649 (0.6); 3.8361 (0.6); 3.8231 (0.7); 3.8184 (0.8); 3.8054 (0.8); 3.7998 (0.7); 3.7823 (1.1); 3.7696 (1.1); 3.7530 (0.7); 3.7472 (0.6); 3.7344 (0.6); 3.7294 (0.6); 3.7164 (0.5); 2.9544 (16.0); 2.8816 (15.4); 1.5436 (9.5); -0.0002 (36.0) I-422: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5620 (1.2); 7.5539 (1.0); 7.5494 (1.1); 7.5431 (3.3); 7.5397 (3.2); 7.5332 (2.1); 7.5041 (2.9); 7.4468 (1.4); 7.4148 (2.8); 7.3869 (2.0); 7.3790 (1.1); 7.3720 (0.9); 7.3594 (0.6); 7.3516 (0.4); 7.2984 (3.3); 7.2245 (0.4); 7.2039 (0.7); 7.1833 (0.4); 4.5292 (1.9); 4.5210 (1.4); 4.5151 (2.0); 4.5087 (1.4); 4.5006 (2.0); 4.2164 (0.7); 4.1953 (0.7); 4.1682 (1.6); 4.1471 (1.5); 4.1200 (0.8); 4.0989 (0.8); 3.7525 (2.1); 3.7446 (1.4); 3.7381 (2.0); 3.7321 (1.4); 3.7239 (1.9); 3.4432 (16.0); 1.6451 (0.3); 1.2924 (0.5); 0.1086 (0.7); 0.0367 (2.8) I-423: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1095 (0.8); 9.0977 (1.8); 9.0857 (0.8); 7.7116 (0.8); 7.6957 (2.0); 7.6798 (1.5); 7.6370 (2.0); 7.6322 (2.5); 7.6300 (2.6); 7.6282 (2.6); 7.6262 (2.6); 7.6219 (1.3); 7.5516 (2.8); 7.5346 (4.7); 7.5303 (2.7); 7.4993 (1.4); 7.4832 (1.2); 7.3776 (1.9); 7.3734 (1.8); 7.3608 (1.6); 7.3566 (1.6); 6.0269 (0.5); 6.0168 (1.1); 6.0066 (0.5); 5.9345 (0.5); 5.9245 (1.1); 5.9142 (0.6); 3.9166 (1.0); 3.9055 (1.6); 3.8943 (1.0); 3.8701 (0.9); 3.8590 (1.6); 3.8478 (1.0); 3.3267 (10.1); 2.5424 (16.3); 2.5132 (0.7); 2.5096 (1.4); 2.5060 (1.9); 2.5024 (1.4); 2.4989 (0.6); 2.1726 (16.0) I-424: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5390 (0.5); 7.5169 (1.0); 7.4943 (0.6); 7.4508 (0.5); 7.4264 (1.1); 7.4238 (1.1); 7.3987 (2.5); 7.3719 (2.1); 7.3383 (1.1); 7.3107 (1.5); 7.2985 (12.2); 7.2847 (0.6); 7.0848 (2.7); 6.9892 (1.1); 6.9629 (0.9); 6.9028 (2.3); 6.7202 (1.1); 6.3936 (0.4); 6.3729 (0.8); 6.3527 (0.4); 4.3036 (1.0); 4.2827 (1.0); 4.2552 (2.2); 4.2342 (2.1); 4.2068 (1.1); 4.1858 (1.1); 2.6328 (16.0); 2.5364 (6.1); 2.5294 (3.5); 2.3198 (8.3); 2.3002 (15.7); 2.0814 (0.4); 2.0423 (0.4); 1.6497 (1.0); 0.1080 (0.7); 0.0490 (0.4); 0.0381 (14.3); 0.0272 (0.5) I-425: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1804 (2.2); 9.1649 (4.6); 9.1493 (2.2); 8.0697 (16.0); 7.7972 (7.4); 7.7765 (11.3); 7.7601 (1.8); 7.7406 (5.3); 7.7207 (6.9); 7.7060 (13.4); 7.6845 (7.6); 7.6253 (7.3); 7.5745 (4.4); 7.5555 (3.3); 4.2192 (2.2); 4.2034 (2.3); 4.1849 (4.9); 4.1690 (4.8); 4.1504 (2.5); 4.1345 (2.3); 3.3293 (226.9); 2.7189 (0.3); 2.6790 (1.2); 2.6751 (0.9); 2.5495 (72.7); 2.5137 (133.7); 2.5099 (176.4); 2.5058 (141.2); 2.3756 (0.4); 2.3367 (1.1) I-426: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9790 (1.4); 8.9652 (2.9); 8.9517 (1.5); 8.1216 (16.0); 8.1152 (1.4); 7.7209 (4.9); 7.7163 (5.3); 7.6931 (1.0); 7.6733 (3.1); 7.6530 (5.6); 7.6424 (11.1); 7.6197 (3.1); 7.6152 (2.6); 7.5723 (3.3); 7.5534 (2.2); 7.3606 (4.1); 7.3388 (3.6); 4.3373 (3.5); 4.3244 (7.0); 4.3113 (3.8); 4.2771 (0.4); 3.7774 (2.0); 3.7642 (5.1); 3.7508 (5.2); 3.7375 (2.1); 3.3401 (77.2); 3.3349 (82.5); 2.6738 (0.3); 2.5440 (38.1); 2.5269 (1.2); 2.5133 (22.9); 2.5091 (46.1); 2.5047 (61.0); 2.5002 (44.0); 2.4960 (21.4); 2.3313 (0.3); -0.0002 (1.7) I-427: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1459 (0.9); 9.1304 (1.9); 9.1147 (0.9); 7.9724 (9.3); 7.4725 (2.7); 7.4513 (3.0); 7.3555 (3.8); 7.3496 (4.0); 7.3226 (2.7); 7.3026 (3.1); 7.1609 (2.2); 7.1549 (2.1); 7.1401 (2.0); 7.1341 (1.9); 7.0875 (3.3); 6.9588 (1.8); 6.9385 (1.6); 4.1252 (0.9); 4.1095 (0.9); 4.0880 (2.1); 4.0722 (2.0); 4.0509 (1.0); 4.0350 (1.0); 3.3434 (26.7); 2.5138 (28.2); 2.5093 (36.9); 2.5049 (27.7); 2.4208 (8.6); 2.3703 (16.0); 2.2632 (0.6); 2.2447 (12.1); 2.1939 (0.3) I-428: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6840 (1.5); 7.6808 (1.5); 7.6783 (1.5); 7.6023 (0.3); 7.5762 (1.0); 7.5507 (2.7); 7.5252 (0.4);

7.5045 (1.4); 7.4762 (3.4); 7.4175 (0.7); 7.4107 (1.1); 7.4032 (0.7); 7.3828 (1.5); 7.3769 (1.3); 7.3547 (0.8); 7.3486 (0.8); 7.2986 (19.9); 6.3890 (0.4); 6.3678 (0.7); 6.3476 (0.4); 5.3379 (0.5); 4.4804 (0.8); 4.4589 (0.7); 4.4322 (1.6); 4.4107 (1.6); 4.3840 (0.8); 4.3624 (0.8); 4.1929 (1.1); 4.1691 (3.4); 4.1453 (3.5); 4.1215 (1.2); 2.6651 (0.4); 2.6458 (11.3); 2.3097 (11.2); 2.0819 (16.0); 1.5994 (4.2); 1.3200 (4.4); 1.2962 (8.8); 1.2724 (4.2); 0.0476 (0.9); 0.0368 (20.5); 0.0259 (0.8) I-429: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2724 (13.3); 8.0154 (2.2); 7.7861 (1.8); 7.5647 (6.1); 7.4187 (2.3); 7.4145 (2.1); 7.3979 (4.3); 7.3936 (4.2); 7.3511 (6.8); 7.3303 (3.7); 7.2908 (1.9); 7.2862 (3.0); 7.2815 (2.2); 7.2710 (2.2); 7.2597 (32.6); 7.2151 (5.2); 7.2127 (5.2); 6.9732 (1.8); 6.9678 (3.3); 6.9624 (1.9); 6.9515 (2.0); 6.9461 (3.4); 6.9407 (1.9); 6.0522 (1.1); 6.0442 (1.3); 6.0343 (1.3); 6.0262 (1.2); 5.9354 (1.2); 5.9276 (1.3); 5.9174 (1.3); 5.9095 (1.3); 4.2895 (0.6); 4.2811 (0.7); 4.2725 (0.7); 4.2643 (0.7); 4.2526 (0.8); 4.2445 (0.8); 4.2355 (0.8); 4.2276 (0.8); 4.2213 (0.8); 4.2134 (0.7); 4.2044 (0.7); 4.1964 (0.7); 4.1848 (0.8); 4.1764 (0.8); 4.1678 (0.9); 4.1598 (0.8); 3.8330 (0.8); 3.8199 (0.8); 3.8149 (0.9); 3.8022 (0.8); 3.7964 (0.8); 3.7809 (1.2); 3.7671 (1.3); 3.7502 (0.9); 3.7444 (0.8); 3.7314 (0.8); 3.7261 (0.8); 3.7135 (0.7); 2.9546 (16.0); 2.8818 (14.9); 1.5415 (13.1); -0.0002 (46.6) I-430: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7477 (0.8); 8.7333 (0.8); 7.9314 (0.5); 7.9256 (0.5); 7.9055 (1.1); 7.8998 (1.1); 7.8796 (0.7); 7.8739 (0.6); 7.6079 (2.0); 7.5864 (3.0); 7.5820 (2.5); 7.5645 (0.4); 7.5296 (1.2); 7.4963 (0.6); 7.4878 (1.0); 7.4767 (1.0); 7.4731 (1.0); 7.4604 (1.0); 7.4568 (1.0); 7.4512 (0.8); 7.4475 (0.6); 7.4348 (0.6); 7.4312 (0.6); 7.2987 (17.2); 7.2625 (1.1); 7.2358 (1.3); 7.0321 (1.3); 6.9542 (0.7); 6.9279 (0.6); 6.6989 (0.6); 4.0318 (0.6); 4.0112 (0.6); 3.9821 (1.3); 3.9615 (1.2); 3.9324 (0.7); 3.9117 (0.6); 2.4159 (3.8); 2.4086 (2.1); 2.2964 (5.0); 1.6141 (16.0); 0.0485 (0.8); 0.0378 (17.4); 0.0268 (0.7) I-431: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.8387 (5.6); 8.5089 (1.7); 7.9482 (0.7); 7.9366 (1.3); 7.9249 (0.7); 7.6626 (0.5); 7.6469 (1.9); 7.6319 (7.2); 7.5169 (2.6); 7.4682 (2.1); 7.4512 (4.3); 7.4327 (1.3); 7.4048 (2.0); 7.4024 (2.0); 7.3880 (1.2); 7.3853 (1.2); 7.2616 (5.2); 5.2993 (0.9); 4.4519 (1.0); 4.4397 (1.0); 4.4230 (2.2); 4.4108 (2.1); 4.3940 (1.1); 4.3818 (1.0); 2.4193 (16.0); 2.1373 (0.4); 1.6077 (4.1); 1.2549 (0.7); 1.2494 (0.3); 0.0715 (0.4); -0.0002 (3.6) I-432: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.3908 (5.6); 8.0805 (4.6); 8.0716 (4.6); 7.8193 (5.2); 7.8143 (5.1); 7.5588 (5.7); 7.5418 (6.5); 7.5149 (0.5); 7.4688 (4.0); 7.4464 (0.6); 7.4338 (1.7); 7.4254 (1.6); 7.4170 (2.0); 7.4108 (1.6); 7.4038 (1.2); 7.3956 (0.9); 7.3572 (3.4); 7.3306 (3.8); 7.2985 (5.4); 7.0604 (5.1); 7.0365 (2.1); 7.0162 (1.2); 6.9531 (2.3); 6.9268 (2.0); 6.5709 (3.1); 6.5648 (3.9); 6.5565 (2.9); 4.2562 (1.6); 4.2355 (1.6); 4.2071 (3.2); 4.1866 (3.0); 4.1581 (1.6); 4.1488 (0.9); 4.1375 (1.5); 4.1250 (0.5); 2.4967 (11.9); 2.2978 (16.0); 2.0663 (1.7); 1.6835 (1.5); 1.3570 (0.3); 1.3105 (0.9); 1.2942 (2.0); 1.2870 (1.6); 1.2630 (0.7); 0.9550 (0.4); 0.9317 (0.4); 0.9176 (0.4); 0.8938 (0.3); 0.0374 (3.3) I-433: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9089 (2.0); 8.1382 (5.7); 7.9526 (0.5); 7.7732 (0.4); 7.7535 (1.3); 7.7338 (1.3); 7.7214 (1.8); 7.7016 (1.4); 7.6821 (0.8); 7.6561 (1.0); 7.6366 (0.7); 7.3447 (2.7); 7.3242 (3.2); 7.0649 (2.7); 7.0450 (2.3); 3.3752 (29.6); 3.3657 (55.1); 2.8915 (3.6); 2.7328 (3.2); 2.5141 (5.8); 2.5097 (12.2); 2.5051 (16.5); 2.5006 (11.9); 2.4961 (5.7); 2.2439 (8.9); 1.6295 (16.0) I-434: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5596 (1.4); 8.4037 (0.4); 8.3806 (0.4); 8.3193 (0.4); 8.0542 (0.7); 7.6783 (0.4); 7.6443 (0.5); 7.6346 (0.5); 7.6198 (0.5); 7.5542 (1.5); 7.5510 (1.5); 7.4734 (6.7); 7.4582 (6.8); 7.4370 (5.5); 7.3807 (3.0); 7.3179 (3.2); 7.2984 (27.8); 7.2316 (0.3); 7.1820 (0.3); 7.1614 (0.4); 7.0897 (0.6); 7.0295 (5.1); 6.9442 (2.6); 6.9178 (2.2); 5.3368 (0.6); 5.2673 (1.2); 4.4639 (0.5); 4.4403 (0.5); 4.3462 (2.2); 4.3259 (2.2); 4.3041 (2.2); 4.2062 (1.0); 4.1850 (0.8); 4.1679 (1.0); 4.1447 (1.5); 4.1352 (1.4); 4.0947 (2.0); 4.0445 (1.1); 2.9883 (1.1); 2.9040 (0.9); 2.5119 (1.4); 2.4444 (11.1); 2.3775 (0.4); 2.3351 (2.0); 2.2927 (16.0); 2.0811 (1.3); 1.3197 (0.4); 1.2958 (1.0); 1.2720 (0.4); 0.1079 (1.4); 0.0486 (1.1); 0.0379 (26.9); 0.0269 (1.2) I-435: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1358 (0.8); 9.1199 (1.7); 9.1040 (0.8); 7.7338 (0.7); 7.7143 (2.0); 7.6944 (2.0); 7.6871 (6.6); 7.6690 (3.6); 7.6503 (2.4); 7.6289 (2.1); 7.5775 (2.6); 7.5344 (1.5); 7.5140 (1.2); 7.4327 (1.5); 7.4128 (1.2); 4.2068 (0.8); 4.1912 (0.8); 4.1708 (1.7); 4.1548 (1.6); 4.1344 (0.8); 4.1186 (0.8); 3.3793 (0.4); 3.3329 (348.7); 3.2931 (0.5);

3.2788 (0.3); 2.6833 (0.7); 2.6790 (1.0); 2.6745 (0.7); 2.5933 (16.0); 2.5623 (7.6); 2.5491 (33.6); 2.5142 (105.2); 2.5098 (140.9); 2.5054 (110.0); 2.3409 (0.6); 2.3367 (0.9); 2.3323 (0.6) I-436: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2784 (16.0); 7.9526 (2.8); 7.6442 (1.5); 7.6249 (12.5); 7.6020 (5.5); 7.5756 (1.7); 7.3678 (6.7); 7.3116 (3.9); 7.3061 (3.8); 7.2959 (2.9); 7.2892 (3.6); 7.2676 (0.4); 7.1596 (4.9); 7.1352 (5.3); 6.9514 (2.5); 6.9260 (5.2); 6.9006 (3.1); 6.6417 (3.5); 6.6171 (6.1); 6.5925 (2.8); 6.3877 (6.2); 6.3618 (5.6); 4.1862 (0.6); 4.1624 (1.8); 4.1386 (1.8); 4.1148 (0.6); 3.9043 (0.8); 3.8871 (1.4); 3.8681 (1.3); 3.8587 (2.6); 3.8417 (4.6); 3.8222 (5.4); 3.8142 (4.0); 3.8059 (5.4); 3.7840 (7.2); 3.7538 (5.3); 3.7152 (1.6); 3.7019 (2.9); 3.6875 (2.9); 3.6725 (2.2); 3.6577 (1.5); 3.6432 (0.6); 3.4644 (4.0); 3.4519 (3.7); 3.4340 (3.6); 3.4217 (3.2); 3.3366 (2.9); 2.0759 (7.6); 1.3186 (2.4); 1.2949 (4.3); 1.2711 (2.1); 0.0444 (1.0) I-437: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2234 (1.2); 9.2082 (2.5); 9.1926 (1.2); 8.0263 (12.6); 7.9599 (0.7); 7.8873 (5.5); 7.8657 (6.1); 7.4705 (5.7); 7.4492 (5.3); 7.3193 (3.7); 7.2993 (4.1); 7.0784 (4.3); 6.9374 (2.3); 6.9174 (2.1); 4.1263 (1.2); 4.1105 (1.2); 4.0889 (2.8); 4.0732 (2.6); 4.0517 (1.4); 4.0359 (1.3); 3.3487 (31.8); 2.8979 (4.7); 2.7390 (4.1); 2.6785 (0.4); 2.6740 (0.3); 2.5562 (0.4); 2.5421 (0.4); 2.5315 (1.3); 2.5181 (27.0); 2.5138 (53.1); 2.5093 (70.0); 2.5048 (52.2); 2.5006 (26.4); 2.4174 (11.4); 2.3405 (0.3); 2.3360 (0.5); 2.2589 (0.6); 2.2228 (16.0); 2.1777 (0.5) I-438: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2913 (16.0); 7.6634 (2.1); 7.6379 (8.2); 7.6138 (3.2); 7.5884 (1.0); 7.3045 (87.2); 7.2867 (8.6); 7.2826 (8.6); 7.2669 (2.8); 7.2594 (3.5); 7.2512 (4.9); 7.0771 (1.8); 7.0713 (1.9); 7.0540 (3.0); 7.0487 (3.2); 7.0299 (1.7); 7.0241 (1.8); 6.9535 (0.5); 6.7601 (1.6); 6.7397 (5.4); 6.7334 (6.8); 6.7071 (3.3); 6.6828 (0.9); 5.3445 (14.5); 3.4227 (1.4); 3.4069 (2.8); 3.3973 (1.8); 3.3914 (1.8); 3.3819 (2.8); 3.3663 (1.5); 3.2514 (0.7); 3.2227 (1.1); 3.1988 (1.2); 3.1682 (1.8); 3.1382 (1.2); 3.0580 (1.8); 3.0296 (2.0); 3.0039 (1.0); 2.9793 (1.0); 2.4928 (1.2); 2.4614 (1.9); 2.4512 (1.6); 2.4292 (1.2); 2.4185 (2.4); 2.3866 (1.3); 2.0915 (1.6); 2.0866 (1.8); 2.0644 (1.7); 2.0587 (1.6); 2.0497 (1.5); 2.0432 (1.4); 2.0209 (1.4); 1.6073 (3.4); 1.5913 (69.1); 1.5607 (3.6); 1.3455 (3.3); 1.3292 (3.8); 1.3242 (3.4); 1.3081 (3.1); 1.2988 (1.3); 0.2388 (0.4); 0.0542 (2.8); 0.0433 (85.6); 0.0325 (3.0); -0.1547 (0.4) I-439: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8088 (1.6); 8.7946 (3.0); 8.7806 (1.5); 8.1222 (16.0); 7.7591 (1.2); 7.7394 (3.8); 7.7199 (4.0); 7.7050 (4.8); 7.6838 (6.3); 7.5893 (3.1); 7.5700 (2.4); 7.3161 (6.0); 7.2836 (4.0); 7.2635 (5.6); 7.1768 (3.7); 7.1734 (3.5); 7.1570 (2.6); 7.1530 (2.5); 5.7569 (10.6); 3.6105 (0.8); 3.5948 (1.7); 3.5778 (2.0); 3.5618 (3.0); 3.5465 (1.6); 3.5063 (1.3); 3.4907 (2.3); 3.4747 (2.3); 3.4571 (1.4); 3.4423 (1.1); 3.3939 (0.6); 3.3774 (1.8); 3.3596 (2.3); 3.3430 (1.7); 3.3201 (58.2); 2.9201 (0.6); 2.8985 (0.8); 2.8803 (1.6); 2.8640 (1.7); 2.8585 (1.6); 2.8432 (1.4); 2.8194 (1.2); 2.8009 (2.0); 2.7811 (1.7); 2.7591 (0.9); 2.7405 (0.6); 2.6749 (0.6); 2.6704 (0.8); 2.6667 (0.7); 2.5236 (2.7); 2.5059 (109.8); 2.5016 (142.2); 2.4972 (102.7); 2.3281 (0.8); 2.2395 (0.6); 2.2186 (1.2); 2.2044 (1.4); 2.1983 (1.0); 2.1925 (1.2); 2.1860 (1.7); 2.1720 (1.4); 2.1669 (0.9); 2.1517 (0.6); 1.9887 (0.7); 1.8974 (0.7); 1.8813 (1.4); 1.8762 (1.0); 1.8651 (1.6); 1.8603 (1.6); 1.8490 (1.4); 1.8439 (1.4); 1.8329 (0.9); 1.8282 (1.1); 1.8125 (0.6); 1.3558 (1.3); 1.2345 (0.6); 1.1745 (0.4); -0.0002 (1.2) I-440: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.4687 (12.7); 8.9157 (6.4); 8.9095 (6.6); 8.0029 (6.6); 7.9967 (6.6); 7.5477 (4.9); 7.5302 (7.6); 7.5172 (0.7); 7.5053 (0.4); 7.4828 (3.8); 7.4602 (0.6); 7.4474 (1.7); 7.4391 (1.5); 7.4324 (2.1); 7.4258 (1.7); 7.4172 (1.2); 7.4091 (0.8); 7.3504 (3.5); 7.3237 (4.0); 7.2988 (6.9); 7.0695 (4.1); 7.0256 (1.1); 7.0052 (2.2); 6.9844 (1.2); 6.9659 (2.3); 6.9389 (2.0); 4.2759 (1.6); 4.2551 (1.5); 4.2265 (3.4); 4.2058 (3.2); 4.1771 (1.8); 4.1563 (1.7); 2.5021 (11.6); 2.3141 (16.0); 2.0690 (1.1); 1.6827 (8.7); 1.3119 (0.4); 1.2926 (0.8); 1.2882 (0.9); 1.2643 (0.4); 0.0368 (5.9) I-441: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2919 (16.0); 7.8813 (1.1); 7.8627 (1.7); 7.6674 (1.3); 7.6442 (2.6); 7.6215 (1.8); 7.6009 (5.7); 7.5722 (8.2); 7.5376 (1.1); 7.5131 (2.6); 7.5107 (2.6); 7.4895 (2.0); 7.4515 (9.9); 7.4227 (8.7); 7.3924 (1.2); 7.2988 (22.9); 7.1352 (2.6); 6.9532 (5.4); 6.7711 (2.7); 5.3375 (0.6); 4.2718 (2.6); 4.2514 (2.5); 4.2249 (5.6); 4.2045 (5.4); 4.1781 (2.8); 4.1577 (2.7); 1.5873 (14.3); 1.2944 (0.9); 0.1083 (1.2); 0.0490 (0.7); 0.0381 (19.7); 0.0272 (0.8) I-442: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6464 (0.4); 7.5931 (0.6); 7.5504 (7.7); 7.4680 (4.5);

7.4062 (5.2); 7.3797 (4.0); 7.2971 (6.2); 7.2878 (2.6); 7.0769 (4.9); 6.9940 (2.7); 6.9684 (2.6); 6.3738 (2.4); 4.2939 (1.6); 4.2734 (1.8); 4.2450 (3.3); 4.2252 (3.4); 4.1955 (1.8); 4.1773 (1.7); 3.1706 (1.8); 3.1458 (5.0); 3.1362 (2.7); 3.1212 (5.2); 3.1117 (2.4); 3.0967 (2.0); 2.5143 (13.4); 2.3089 (16.0); 1.6020 (2.2); 1.3566 (5.6); 1.3468 (3.5); 1.3320 (10.4); 1.3225 (5.0); 1.3074 (5.4); 1.2979 (2.5); 0.1072 (0.4); 0.0367 (5.8); 0.0275 (2.5) I-443: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8897 (0.8); 8.8756 (1.8); 8.8617 (0.9); 7.9597 (1.7); 7.7538 (0.7); 7.7343 (2.0); 7.7146 (2.0); 7.6976 (2.5); 7.6779 (1.1); 7.6303 (3.6); 7.6262 (3.6); 7.5756 (2.9); 7.5410 (1.6); 7.5213 (1.3); 7.3097 (1.2); 7.2891 (4.4); 7.2768 (3.2); 7.2725 (2.9); 7.2565 (0.9); 7.2520 (0.9); 3.6475 (0.9); 3.6316 (2.6); 3.6161 (2.7); 3.6004 (1.1); 3.3375 (121.1); 2.9568 (1.9); 2.9404 (3.7); 2.9240 (1.9); 2.8976 (9.9); 2.7382 (9.0); 2.5131 (10.5); 2.5091 (13.9); 2.5051 (10.6); 2.2724 (16.0) I-444: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2420 (2.9); 9.2227 (3.0); 8.1850 (0.5); 8.1735 (16.0); 7.9551 (1.4); 7.7568 (1.3); 7.7372 (3.9); 7.7178 (3.7); 7.6954 (7.4); 7.6728 (2.2); 7.6291 (3.3); 7.6086 (2.2); 7.4978 (1.0); 7.4916 (8.7); 7.4872 (3.4); 7.4752 (3.6); 7.4704 (13.1); 7.4646 (2.1); 7.3802 (11.1); 7.3591 (7.8); 5.1340 (0.5); 5.1166 (1.9); 5.0985 (2.8); 5.0804 (1.9); 5.0629 (0.5); 3.3622 (33.3); 3.3593 (37.5); 3.3556 (42.9); 3.3518 (48.0); 2.8925 (9.6); 2.7344 (8.3); 2.5288 (0.4); 2.5154 (10.5); 2.5110 (22.2); 2.5065 (29.8); 2.5019 (21.5); 2.4975 (10.3); 1.4464 (13.8); 1.4289 (13.8); 1.2395 (0.6); -0.0002 (0.8) I-445: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5988 (0.4); 7.5731 (1.3); 7.5470 (3.1); 7.5404 (1.8); 7.5194 (0.7); 7.5021 (1.9); 7.4774 (2.1); 7.4487 (5.0); 7.4422 (3.0); 7.4373 (2.1); 7.4252 (0.9); 7.2990 (11.9); 7.2752 (1.6); 7.2684 (1.5); 7.2473 (1.2); 7.2405 (1.1); 6.4183 (0.5); 6.3984 (0.8); 6.3781 (0.5); 6.1081 (0.5); 6.0977 (0.5); 6.0843 (0.5); 6.0742 (0.5); 5.9522 (0.5); 5.9422 (0.5); 5.9281 (0.5); 5.9183 (0.5); 4.2565 (0.4); 4.2461 (0.4); 4.2340 (0.3); 4.2237 (0.4); 4.1916 (0.4); 4.1674 (0.6); 4.1547 (0.4); 4.1435 (0.7); 4.1321 (0.4); 3.9439 (0.3); 3.9248 (0.4); 3.9201 (0.4); 3.9012 (0.4); 3.8950 (0.3); 3.8715 (0.6); 3.8526 (0.7); 3.8291 (0.4); 3.8229 (0.3); 3.0089 (1.2); 2.9840 (3.8); 2.9591 (3.8); 2.9342 (1.3); 2.3644 (16.0); 2.0814 (2.0); 1.6131 (3.2); 1.4108 (4.2); 1.3860 (8.8); 1.3611 (4.2); 1.3454 (0.7); 1.3194 (1.5); 1.3028 (3.4); 1.2959 (3.9); 1.2720 (0.9); 0.9404 (1.2); 0.9187 (3.6); 0.8954 (1.4); 0.0476 (0.4); 0.0367 (12.4); 0.0257 (0.5) I-446: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3023 (13.4); 7.8772 (0.8); 7.8601 (1.3); 7.6633 (1.0); 7.6389 (1.9); 7.6166 (1.2); 7.5313 (0.9); 7.5068 (2.0); 7.5044 (2.0); 7.4832 (1.5); 7.4805 (1.4); 7.4353 (2.2); 7.4079 (2.7); 7.3806 (4.5); 7.3540 (4.1); 7.2987 (18.7); 7.1330 (2.2); 7.0707 (3.8); 6.9904 (2.1); 6.9639 (1.9); 6.9509 (4.5); 6.7687 (2.2); 5.3376 (1.0); 4.3079 (2.1); 4.2879 (2.0); 4.2601 (4.4); 4.2402 (4.2); 4.2124 (2.2); 4.1925 (2.2); 2.5191 (6.6); 2.5122 (11.8); 2.5047 (6.5); 2.3072 (16.0); 1.5881 (9.5); 1.2944 (0.6); 0.1090 (1.0); 0.0496 (0.6); 0.0388 (16.6); 0.0278 (0.6) I-447: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3031 (13.0); 7.9551 (1.4); 7.5540 (1.5); 7.5507 (1.9); 7.5483 (1.8); 7.5449 (1.7); 7.5272 (2.4); 7.5240 (2.7); 7.5215 (2.9); 7.5183 (2.5); 7.4302 (3.5); 7.4228 (3.4); 7.4158 (5.0); 7.4091 (3.4); 7.4032 (6.0); 7.3759 (3.8); 7.3719 (3.8); 7.3449 (4.2); 7.3015 (34.9); 7.2240 (2.3); 7.2209 (2.4); 7.2165 (2.2); 7.2132 (2.1); 7.1965 (1.8); 7.1936 (1.8); 7.1890 (1.8); 7.1859 (1.6); 7.0839 (4.0); 7.0057 (2.1); 6.9789 (1.8); 5.3416 (5.7); 4.2989 (2.0); 4.2791 (2.0); 4.2509 (4.3); 4.2311 (4.2); 4.2029 (2.2); 4.1831 (2.1); 2.5190 (6.4); 2.5120 (11.8); 2.5046 (6.5); 2.4667 (0.4); 2.3721 (0.6); 2.3415 (16.0); 1.5890 (15.9); 1.2946 (0.6); 0.1102 (1.0); 0.0513 (1.1); 0.0405 (35.4); 0.0295 (1.2) I-448: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3520 (14.5); 7.7986 (1.8); 7.7144 (0.4); 7.6870 (4.1); 7.6703 (8.4); 7.6671 (8.2); 7.6497 (0.8); 7.5593 (4.0); 7.5066 (1.7); 7.4930 (2.1); 7.4865 (2.2); 7.4767 (1.8); 7.4681 (1.0); 7.3038 (84.9); 7.2800 (1.2); 7.2641 (2.0); 7.2507 (3.2); 7.2377 (2.2); 7.2252 (7.0); 7.2142 (5.5); 7.2070 (3.8); 7.1959 (4.4); 6.9529 (0.3); 6.8143 (0.5); 6.8019 (2.5); 6.7903 (2.7); 6.7852 (2.0); 6.7729 (2.1); 3.3281 (1.4); 3.3141 (2.0); 3.3015 (2.2); 3.2884 (2.3); 3.2725 (1.5); 3.1403 (3.5); 3.1156 (5.6); 3.0904 (3.8); 2.1794 (4.9); 2.1677 (0.8); 2.1545 (6.6); 2.1295 (4.2); 2.0522 (16.0); 1.6492 (2.9); 1.6284 (3.7); 1.6230 (3.2); 1.6021 (4.3); 1.5905 (58.5); 1.3306 (0.3); 1.2984 (1.7); 1.1672 (2.4); 1.1501 (3.3); 1.1299 (2.3); 0.2383 (0.4); 0.0536 (2.9); 0.0428 (83.3); 0.0319 (2.7) I-449: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6908 (7.0); 8.6866 (7.2); 8.5134 (6.6); 8.5076 (6.9); 8.2671 (14.6); 8.0131 (2.4); 7.8265 (4.3); 7.8212 (7.3);

7.8161 (4.5); 7.7826 (2.3); 7.4870 (5.8); 7.4656 (12.2); 7.4280 (11.7); 7.4067 (5.9); 7.2602 (26.9); 4.2172 (2.6); 4.2021 (2.7); 4.1811 (5.7); 4.1660 (5.6); 4.1448 (3.0); 4.1297 (2.9); 2.9548 (16.0); 2.8804 (15.2); 1.5556 (1.5); -0.0002 (39.6) I-450: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9235 (6.1); 8.4483 (3.3); 8.0161 (0.4); 7.9980 (0.7); 7.9789 (0.5); 7.6902 (1.4); 7.6698 (3.9); 7.6493 (0.3); 7.5860 (2.4); 7.5631 (1.7); 7.5041 (0.7); 7.4945 (1.2); 7.4872 (0.9); 7.4730 (0.8); 7.4661 (0.5); 7.3993 (3.6); 7.3950 (6.4); 7.2985 (10.2); 6.1409 (0.5); 6.1302 (0.6); 6.1169 (0.6); 6.1062 (0.5); 5.9853 (0.5); 5.9746 (0.6); 5.9614 (0.6); 5.9508 (0.5); 4.3284 (0.3); 4.3060 (0.3); 4.2484 (0.3); 4.2259 (0.3); 3.8987 (0.3); 3.8746 (0.3); 3.8457 (0.5); 3.8285 (0.5); 2.4644 (16.0); 1.6136 (9.1); 1.2934 (0.4); 0.0483 (0.3); 0.0375 (9.3) I-451: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.8526 (5.5); 7.9193 (0.5); 7.9079 (1.0); 7.8967 (0.6); 7.6571 (0.3); 7.6411 (1.7); 7.6287 (4.1); 7.6282 (4.1); 7.4960 (2.3); 7.4831 (2.8); 7.4661 (4.1); 7.4350 (0.8); 7.4297 (1.3); 7.4253 (1.0); 7.4169 (1.0); 7.3908 (3.8); 7.3739 (2.7); 7.2623 (3.1); 5.2979 (1.6); 4.2276 (0.9); 4.2155 (0.9); 4.1991 (2.0); 4.1870 (2.0); 4.1705 (1.0); 4.1584 (1.0); 4.0690 (0.6); 3.9455 (16.0); 2.3756 (15.4); 2.3627 (0.7); 1.5785 (0.9); -0.0002 (3.0) I-452: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9120 (5.6); 7.9800 (0.4); 7.9614 (0.6); 7.9435 (0.4); 7.6872 (1.3); 7.6773 (1.2); 7.6677 (3.6); 7.6645 (3.1); 7.6516 (0.5); 7.5892 (2.2); 7.5538 (1.6); 7.4948 (0.7); 7.4840 (1.0); 7.4767 (1.0); 7.4725 (0.6); 7.4640 (0.8); 7.4562 (0.5); 7.4326 (0.4); 7.4046 (2.6); 7.3986 (4.1); 7.3687 (0.4); 7.2982 (3.8); 6.1395 (0.4); 6.1289 (0.5); 6.1156 (0.5); 6.1049 (0.5); 5.9840 (0.5); 5.9733 (0.5); 5.9599 (0.5); 5.9493 (0.5); 5.3339 (1.3); 4.2186 (0.4); 4.0990 (0.8); 3.9813 (16.0); 3.8768 (0.3); 3.8599 (0.3); 3.8521 (0.4); 3.8308 (0.5); 3.8138 (0.4); 3.8077 (0.3); 2.4140 (15.0); 2.4011 (1.1); 1.6169 (1.0); 0.0354 (2.1) I-453: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8191 (0.8); 8.8051 (1.6); 8.7910 (0.8); 7.7526 (0.6); 7.7332 (1.9); 7.7134 (1.8); 7.6946 (2.2); 7.6750 (1.0); 7.5736 (2.6); 7.5380 (1.5); 7.5181 (1.2); 7.2763 (2.7); 7.2552 (5.8); 7.2199 (6.5); 7.1989 (3.1); 3.6123 (0.9); 3.5963 (2.4); 3.5808 (2.6); 3.5648 (1.1); 3.3165 (17.8); 2.8995 (1.1); 2.8535 (1.8); 2.8370 (3.4); 2.8206 (1.8); 2.7407 (1.0); 2.5141 (7.5); 2.5097 (10.3); 2.5054 (7.8); 2.2427 (16.0) I-454: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3231 (2.0); 9.3030 (2.0); 8.2034 (9.2); 7.9533 (0.6); 7.8290 (4.0); 7.7535 (6.4); 7.7447 (3.2); 7.7317 (3.8); 7.7247 (3.2); 7.7094 (3.3); 7.6899 (1.2); 7.6566 (2.2); 7.6277 (4.2); 7.5815 (2.7); 7.5606 (3.2); 7.5303 (2.3); 7.5264 (2.5); 7.5090 (1.9); 7.5052 (2.1); 7.2895 (2.3); 7.2862 (2.5); 7.2685 (2.0); 7.2651 (2.1); 5.3032 (1.2); 5.2851 (1.7); 5.2666 (1.2); 3.3617 (33.2); 3.3575 (32.8); 3.3488 (39.6); 2.8899 (3.6); 2.7322 (3.2); 2.5264 (0.5); 2.5129 (11.1); 2.5087 (22.9); 2.5042 (30.7); 2.4998 (22.3); 2.4394 (16.0); 2.3670 (0.3); 1.5490 (8.4); 1.5316 (8.3); -0.0002 (0.5) I-455: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0317 (0.6); 7.5965 (2.5); 7.5756 (1.3); 7.5507 (3.0); 7.5421 (1.7); 7.5210 (0.7); 7.5047 (1.9); 7.4547 (0.9); 7.4484 (1.4); 7.4413 (0.7); 7.4327 (0.6); 7.4245 (0.9); 7.4170 (0.6); 7.4013 (6.6); 7.2986 (16.1); 6.4123 (0.5); 6.3918 (0.8); 6.3731 (0.5); 6.0932 (0.6); 6.0830 (0.6); 6.0694 (0.6); 6.0593 (0.6); 5.9375 (0.5); 5.9274 (0.6); 5.9138 (0.6); 5.9037 (0.5); 4.2566 (0.3); 4.2463 (0.4); 4.2342 (0.3); 4.2236 (0.4); 4.1654 (0.4); 4.1550 (0.3); 4.1428 (0.4); 4.1324 (0.3); 3.9454 (0.3); 3.9263 (0.4); 3.9216 (0.4); 3.9025 (0.4); 3.8728 (0.7); 3.8538 (0.7); 3.8302 (0.4); 3.0108 (1.2); 2.9859 (3.7); 2.9610 (3.8); 2.9362 (1.2); 2.3630 (16.0); 2.0447 (1.6); 1.6321 (0.7); 1.4112 (4.2); 1.3863 (8.8); 1.3711 (0.8); 1.3614 (3.9); 1.2932 (0.8); 0.0469 (0.6); 0.0361 (15.9); 0.0252 (0.5) I-456: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4189 (1.1); 8.3988 (0.7); 8.3322 (10.8); 8.3212 (3.0); 8.3140 (2.9); 7.8540 (1.8); 7.8461 (1.8); 7.8258 (2.8); 7.8180 (2.7); 7.7259 (4.4); 7.6978 (2.8); 7.6637 (0.8); 7.6381 (1.5); 7.6236 (0.8); 7.6148 (0.8); 7.4821 (0.6); 7.4608 (1.7); 7.4401 (2.3); 7.4350 (4.6); 7.4107 (2.1); 7.3837 (0.7); 7.2985 (18.5); 7.1114 (1.8); 6.9294 (3.7); 6.7472 (1.8); 5.3373 (0.4); 4.5274 (1.8); 4.5069 (1.8); 4.4837 (3.8); 4.4632 (3.7); 4.4400 (1.9); 4.4195 (1.8); 1.5895 (16.0); 1.2934 (0.8); 0.1074 (1.1); 0.0481 (0.6); 0.0374 (16.7); 0.0265 (0.6) I-457: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3869 (3.5); 7.3603 (4.0); 7.2987 (17.6); 7.1030 (0.8); 7.0756 (6.5); 7.0582 (9.2); 7.0549 (9.0); 7.0470 (4.8); 7.0283 (1.7); 7.0199 (1.1); 6.9815 (2.4); 6.9548 (2.1); 6.8324 (0.4); 6.8194 (1.4); 6.8032 (2.1); 6.7974 (1.7); 6.7884 (2.2); 6.7738 (1.2); 6.7657 (1.1); 4.2658 (1.8); 4.2452 (1.8); 4.2170 (3.9); 4.1961 (4.2); 4.1712 (2.6); 4.1477 (3.6); 4.1241

(0.7); 3.0999 (11.5); 3.0817 (11.4); 2.5124 (11.8); 2.3208 (16.0); 2.1544 (0.4); 2.1373 (0.9); 2.1262 (1.0); 2.1090 (2.0); 2.0915 (1.3); 2.0830 (9.1); 2.0634 (0.6); 1.5946 (10.3); 1.3695 (0.4); 1.3450 (0.9); 1.3214 (3.6); 1.3054 (6.0); 1.2977 (8.7); 1.2738 (2.5); 1.0672 (1.3); 1.0517 (3.4); 1.0451 (3.8); 1.0304 (2.0); 1.0231 (3.7); 1.0166 (3.5); 1.0021 (1.7); 0.9809 (0.3); 0.9739 (0.4); 0.9427 (2.1); 0.9209 (6.5); 0.8976 (2.4); 0.8094 (1.7); 0.7944 (4.1); 0.7885 (4.2); 0.7775 (3.7); 0.7716 (4.5); 0.7555 (1.3); 0.0497 (0.7); 0.0389 (21.4); 0.0280 (0.9) I-458: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1071 (1.9); 9.0923 (3.9); 9.0776 (1.9); 8.0896 (16.0); 7.7743 (1.4); 7.7543 (4.0); 7.7338 (3.8); 7.7043 (10.6); 7.6875 (2.8); 7.6277 (3.9); 7.6050 (8.5); 7.5845 (5.9); 7.5634 (7.0); 7.3633 (4.1); 7.3583 (4.0); 7.3423 (3.5); 7.3373 (3.3); 6.0886 (1.2); 6.0756 (2.2); 6.0634 (1.2); 5.9732 (1.2); 5.9603 (2.4); 5.9480 (1.2); 4.0507 (0.3); 4.0330 (0.3); 3.9354 (2.2); 3.9209 (3.3); 3.9100 (1.6); 3.9058 (1.6); 3.8779 (2.4); 3.8637 (3.7); 3.8503 (1.8); 3.3533 (0.5); 2.5228 (0.8); 2.5186 (1.1); 2.5145 (0.8); 1.9986 (1.3); 1.3769 (0.5); 1.2027 (0.3); 1.1849 (0.7); 1.1671 (0.3); -0.0002 (0.6) I-459: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3247 (0.3); 8.3040 (12.4); 7.9628 (1.3); 7.9453 (0.8); 7.4909 (1.8); 7.4640 (5.1); 7.4372 (4.1); 7.3985 (2.4); 7.3947 (3.3); 7.3924 (3.0); 7.3887 (2.8); 7.3719 (4.8); 7.3618 (1.5); 7.3456 (4.1); 7.3014 (22.8); 7.2686 (2.8); 7.2615 (5.0); 7.2548 (2.9); 7.1780 (2.2); 7.1743 (2.3); 7.1703 (2.1); 7.1668 (1.9); 7.1513 (1.9); 7.1475 (1.9); 7.1435 (1.8); 7.1399 (1.6); 7.0833 (4.0); 7.0039 (2.1); 6.9774 (1.8); 5.3411 (8.0); 4.2996 (2.0); 4.2798 (1.9); 4.2516 (4.3); 4.2318 (4.1); 4.2036 (2.2); 4.1838 (2.1); 2.5187 (6.5); 2.5117 (11.7); 2.5042 (6.4); 2.3726 (0.6); 2.3397 (16.0); 2.2488 (0.5); 1.5920 (11.5); 1.2958 (0.4); 0.0512 (0.9); 0.0404 (23.1); 0.0295 (0.8) I-460: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5017 (3.6); 7.4888 (3.4); 7.3994 (2.3); 7.3712 (1.0); 7.3648 (1.0); 7.3579 (1.2); 7.3530 (1.0); 7.3487 (0.8); 7.3425 (0.6); 7.2588 (6.2); 7.2422 (4.1); 7.1327 (3.6); 7.1129 (2.6); 6.5405 (0.9); 6.5207 (1.0); 5.3356 (0.8); 5.3174 (1.2); 5.2990 (0.8); 2.3700 (0.9); 2.3569 (16.0); 2.3213 (11.8); 2.2665 (0.4); 1.7984 (0.3); 1.5932 (6.9); 1.5759 (7.2); 1.5687 (6.5); -0.0002 (3.9) I-461: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5869 (8.4); 8.5853 (8.5); 7.9110 (1.4); 7.6659 (5.3); 7.6490 (6.5); 7.5096 (3.5); 7.4684 (1.4); 7.4602 (1.3); 7.4518 (1.8); 7.4469 (1.6); 7.4380 (1.2); 7.4299 (0.9); 7.3654 (3.4); 7.3388 (3.8); 7.3001 (12.6); 7.2985 (12.8); 7.0749 (4.0); 6.9880 (2.2); 6.9618 (1.9); 4.2992 (1.8); 4.2796 (1.7); 4.2512 (3.7); 4.2315 (3.6); 4.2030 (1.9); 4.1835 (1.8); 4.1722 (0.4); 2.5077 (11.5); 2.3192 (16.0); 2.0840 (1.3); 1.6293 (8.2); 1.3209 (0.4); 1.2968 (1.4); 1.2734 (0.4); 0.1089 (0.3); 0.0474 (0.8); 0.0391 (14.6); 0.0374 (14.3) I-462: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2471 (16.0); 8.0127 (0.8); 7.9325 (2.0); 7.4853 (1.4); 7.4719 (7.3); 7.4503 (13.2); 7.4278 (2.4); 7.3947 (10.7); 7.3734 (6.2); 7.2593 (26.6); 7.1017 (1.6); 7.0970 (1.7); 7.0772 (3.0); 7.0602 (1.4); 7.0552 (1.5); 7.0103 (2.8); 7.0053 (3.7); 6.9863 (7.0); 6.9837 (6.4); 6.9660 (2.6); 6.9602 (3.7); 6.9546 (1.7); 4.2103 (2.8); 4.1952 (2.7); 4.1747 (5.9); 4.1596 (5.8); 4.1391 (3.1); 4.1240 (3.0); 2.9528 (5.9); 2.8800 (5.5); 1.5457 (18.9); 1.2559 (0.5); -0.0002 (2.1) I-463: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6935 (4.7); 8.6890 (4.7); 8.5217 (4.5); 8.5158 (4.6); 8.2571 (10.3); 8.0142 (2.1); 7.8354 (3.0); 7.8303 (4.8); 7.8248 (2.9); 7.7851 (0.8); 7.7721 (1.3); 7.7582 (0.8); 7.5541 (3.7); 7.5328 (4.4); 7.4985 (3.7); 7.4947 (3.8); 7.3130 (2.3); 7.3084 (2.2); 7.2918 (2.0); 7.2872 (2.0); 7.2604 (21.7); 4.4368 (1.7); 4.4216 (1.7); 4.4001 (3.6); 4.3848 (3.5); 4.3634 (1.8); 4.3481 (1.8); 2.9551 (16.0); 2.8810 (14.8); 1.5570 (1.5); 0.0077 (1.4); -0.0002 (32.0); -0.0080 (1.3) I-464: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9987 (0.7); 7.5837 (1.5); 7.5683 (4.1); 7.5523 (0.4); 7.4319 (2.1); 7.3687 (0.7); 7.3619 (1.2); 7.3564 (0.9); 7.3434 (3.3); 7.3382 (3.2); 7.2851 (11.5); 7.2248 (2.1); 7.2043 (2.7); 7.0737 (1.7); 7.0684 (1.6); 7.0532 (1.3); 7.0480 (1.3); 6.1917 (0.5); 6.1769 (0.8); 6.1626 (0.5); 3.8640 (1.0); 3.8475 (2.8); 3.8315 (2.8); 3.8150 (1.1); 3.1202 (2.0); 3.1034 (3.8); 3.0866 (1.8); 2.9709 (5.1); 2.8866 (4.6); 2.4252 (16.0); 2.3182 (0.4); 1.5772 (6.4) I-465: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1882 (0.9); 9.1727 (1.9); 9.1567 (1.0); 8.6193 (5.3); 8.3818 (2.9); 8.3698 (3.1); 8.1484 (6.2); 7.9605 (2.4); 7.8788 (3.5); 7.7922 (0.7); 7.7729 (2.0); 7.7534 (1.9); 7.7305 (2.6); 7.7084 (7.2); 7.6962 (3.4); 7.6274 (1.8); 7.6075 (1.5); 7.5109 (2.1); 7.4897 (3.3); 7.4176 (2.1); 7.3959 (1.4); 4.3336 (0.8); 4.3179 (0.9); 4.2996 (1.8); 4.2839 (1.8); 4.2652 (1.0); 4.2499 (0.9); 3.9992 (16.0); 3.3257 (106.7); 2.8986

(12.5); 2.7395 (11.9); 2.5094 (14.5) I-466: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2959 (2.5); 9.2768 (2.6); 8.1978 (16.0); 7.9558 (1.6); 7.7605 (1.2); 7.7408 (3.8); 7.7211 (8.4); 7.6971 (4.4); 7.6774 (1.9); 7.6608 (6.2); 7.6558 (6.6); 7.6418 (3.2); 7.6212 (2.0); 7.5682 (6.3); 7.5579 (0.4); 7.5474 (8.3); 7.4188 (3.7); 7.4138 (3.7); 7.3979 (2.9); 7.3927 (2.9); 5.1686 (0.4); 5.1510 (1.8); 5.1328 (2.8); 5.1148 (1.9); 5.0969 (0.4); 3.3639 (29.5); 3.3540 (40.6); 3.3500 (42.5); 2.8937 (11.2); 2.7350 (9.6); 2.5296 (0.5); 2.5162 (11.7); 2.5118 (24.4); 2.5073 (32.6); 2.5027 (23.3); 2.4982 (11.2); 1.4557 (13.3); 1.4381 (13.2); 1.2392 (0.5); -0.0002 (0.8) I-467: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2490 (16.0); 7.8181 (2.2); 7.6198 (1.8); 7.6022 (3.2); 7.5847 (2.1); 7.4925 (1.8); 7.4777 (9.1); 7.4567 (13.6); 7.3932 (12.0); 7.3761 (7.1); 7.3723 (7.4); 7.3577 (1.8); 7.2591 (26.9); 7.0465 (3.1); 6.9099 (6.3); 6.7733 (3.1); 5.2970 (0.7); 4.2226 (2.9); 4.2073 (2.8); 4.1875 (6.1); 4.1722 (5.9); 4.1524 (3.1); 4.1371 (2.9); 2.7227 (0.7); 2.0016 (0.9); 1.5386 (31.9); 1.2549 (0.4); -0.0002 (18.2) I-468: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2846 (11.4); 8.1389 (1.3); 7.4130 (2.0); 7.3866 (4.5); 7.3688 (3.3); 7.3602 (3.0); 7.3424 (3.8); 7.2984 (34.0); 7.0898 (2.6); 7.0691 (4.6); 7.0266 (1.8); 7.0236 (1.8); 7.0186 (2.2); 7.0157 (2.0); 6.9997 (1.6); 6.9965 (1.7); 6.9885 (3.3); 6.9578 (1.8); 6.9427 (2.9); 6.9365 (3.7); 6.9296 (2.2); 5.3383 (16.0); 4.2876 (1.8); 4.2676 (1.7); 4.2394 (3.9); 4.2195 (3.7); 4.1913 (2.0); 4.1715 (1.9); 2.5102 (10.9); 2.5029 (6.0); 2.3295 (14.9); 2.0215 (0.4); 2.0045 (0.9); 1.9933 (1.0); 1.9766 (2.0); 1.9596 (1.1); 1.9485 (1.1); 1.9314 (0.5); 1.5813 (12.7); 1.0873 (1.3); 1.0720 (3.3); 1.0652 (3.6); 1.0501 (2.0); 1.0436 (3.6); 1.0372 (3.2); 1.0222 (1.6); 0.7992 (1.6); 0.7838 (4.2); 0.7780 (3.7); 0.7674 (3.4); 0.7617 (4.4); 0.7452 (1.2); 0.1077 (2.3); 0.0489 (1.4); 0.0382 (43.7); 0.0273 (1.6) I-469: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.6202 (3.2); 7.5303 (3.4); 7.5205 (5.2); 7.4275 (2.8); 7.4132 (2.2); 7.3963 (3.1); 7.3337 (1.0); 7.3231 (3.3); 7.3066 (1.6); 7.2605 (3.6); 7.1900 (0.7); 7.1779 (1.3); 7.1659 (0.8); 4.3569 (1.0); 4.3441 (1.0); 4.3273 (2.1); 4.3146 (2.0); 4.2977 (1.1); 4.2850 (1.0); 4.1289 (0.8); 4.0306 (16.0); 4.0151 (0.5); 1.5819 (3.9); 1.3029 (0.3); 1.2891 (0.4); 1.2658 (1.2); 1.2564 (1.0); 0.8954 (0.7); 0.8818 (1.4); 0.8678 (0.7); -0.0002 (3.1) I-470: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2416 (16.0); 8.0138 (0.8); 7.8152 (1.8); 7.4793 (6.3); 7.4579 (10.4); 7.4276 (0.4); 7.4130 (0.3); 7.3948 (9.8); 7.3734 (5.9); 7.2592 (30.1); 7.2473 (0.4); 7.2404 (0.4); 7.2273 (3.7); 7.2182 (2.9); 7.2094 (7.6); 7.1952 (4.7); 7.1884 (2.4); 7.1734 (0.5); 7.1538 (0.4); 7.1439 (1.4); 7.1396 (1.5); 7.1311 (2.5); 7.1232 (2.4); 7.1150 (1.7); 7.1085 (1.3); 7.1035 (0.9); 7.0993 (0.8); 4.2221 (2.7); 4.2068 (2.6); 4.1871 (5.7); 4.1718 (5.5); 4.1520 (2.9); 4.1368 (2.8); 2.9531 (5.7); 2.8802 (5.2); 1.5434 (17.4); -0.0002 (2.5) I-471: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6944 (4.4); 8.6900 (4.3); 8.5206 (4.1); 8.5148 (4.2); 8.2566 (9.3); 8.0147 (2.2); 7.8349 (2.8); 7.8298 (4.5); 7.8243 (2.6); 7.7803 (0.8); 7.7669 (1.3); 7.7529 (0.8); 7.6522 (4.4); 7.4847 (0.7); 7.4627 (8.7); 7.4361 (0.5); 7.2604 (21.5); 4.4343 (1.5); 4.4189 (1.5); 4.3976 (3.3); 4.3823 (3.2); 4.3609 (1.7); 4.3455 (1.6); 2.9550 (16.0); 2.8811 (15.0); 1.5538 (2.4); -0.0002 (31.0) I-472: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2048 (1.1); 9.1893 (2.4); 9.1734 (1.2); 8.0119 (11.9); 7.7528 (0.9); 7.7338 (2.8); 7.7140 (2.9); 7.7001 (3.5); 7.6801 (1.3); 7.6364 (8.0); 7.5665 (2.2); 7.5406 (4.6); 7.5197 (4.4); 7.2793 (2.2); 7.2624 (2.0); 7.2586 (2.0); 5.7564 (0.6); 5.4606 (5.1); 5.1917 (4.1); 4.3087 (1.1); 4.2930 (1.1); 4.2741 (2.4); 4.2580 (2.3); 4.2394 (1.2); 4.2230 (1.2); 3.3214 (175.2); 2.6748 (1.1); 2.6703 (1.5); 2.6659 (1.1); 2.5410 (0.6); 2.5238 (3.4); 2.5102 (94.9); 2.5059 (200.3); 2.5015 (270.2); 2.4970 (193.9); 2.4927 (92.4); 2.3328 (1.1); 2.3282 (1.5); 2.3235 (1.1); 2.0083 (16.0); 0.1459 (1.2); 0.0079 (8.7); -0.0002 (267.7); -0.0084 (9.7); -0.1499 (1.2) I-473: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9246 (5.4); 7.9720 (0.4); 7.9534 (0.7); 7.9343 (0.5); 7.6771 (1.4); 7.6565 (3.8); 7.6404 (0.4); 7.6358 (0.3); 7.5846 (2.3); 7.5551 (1.7); 7.4967 (0.7); 7.4873 (1.2); 7.4800 (0.9); 7.4740 (0.6); 7.4662 (0.8); 7.4587 (0.5); 7.4310 (0.4); 7.4030 (2.6); 7.3971 (3.4); 7.3936 (4.0); 7.3656 (0.5); 7.2983 (1.7); 6.1388 (0.5); 6.1283 (0.5); 6.1147 (0.6); 6.1041 (0.5); 5.9830 (0.5); 5.9725 (0.5); 5.9589 (0.6); 5.9484 (0.5); 4.3157 (0.3); 4.2342 (0.3); 4.2117 (0.3); 4.0969 (16.0); 3.8715 (0.3); 3.8644 (0.3); 3.8473 (0.3); 3.8191 (0.5); 3.8017 (0.4); 2.3986 (14.6); 1.6312 (0.7); 0.0341 (1.0) I-474: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1412 (2.4); 9.1267 (5.1); 9.1122 (2.7); 7.9617 (2.2); 7.7587 (1.9); 7.7389 (5.8);

7.7193 (5.6); 7.7007 (7.0); 7.6815 (3.2); 7.6379 (8.1); 7.5805 (4.7); 7.5608 (3.8); 7.5164 (0.4); 7.4721 (8.2); 7.4511 (13.6); 7.3897 (14.6); 7.3688 (9.4); 5.8163 (1.4); 5.8049 (2.2); 5.7900 (1.6); 5.6985 (1.4); 5.6866 (2.2); 5.6719 (1.6); 3.9942 (0.4); 3.9470 (0.4); 3.9314 (0.8); 3.9107 (1.4); 3.8948 (2.8); 3.8867 (2.0); 3.8782 (2.9); 3.8603 (2.4); 3.8419 (2.8); 3.8269 (2.8); 3.8146 (2.2); 3.8021 (1.6); 3.7916 (0.7); 3.7777 (0.8); 3.7663 (0.5); 3.5693 (5.1); 3.5516 (12.1); 3.5342 (6.4); 3.4946 (0.4); 3.4278 (0.4); 3.3154 (46.2); 3.2539 (60.4); 3.2305 (1.5); 3.2027 (0.7); 3.0753 (0.4); 2.9741 (0.5); 2.9566 (1.0); 2.9409 (3.3); 2.9317 (3.7); 2.9242 (6.1); 2.9142 (6.3); 2.9068 (4.2); 2.8997 (16.0); 2.8819 (1.6); 2.8644 (0.7); 2.7408 (12.3); 2.5141 (27.2); 2.5098 (36.5); 2.5056 (27.6) I-475: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1855 (1.0); 9.1697 (2.1); 9.1538 (1.1); 8.6183 (5.4); 8.3807 (2.9); 8.3687 (3.1); 8.1526 (5.1); 8.1501 (6.2); 7.9605 (2.4); 7.7899 (0.8); 7.7658 (4.6); 7.7512 (2.4); 7.7289 (3.0); 7.7074 (5.6); 7.6979 (6.2); 7.6257 (2.0); 7.6062 (1.7); 7.5854 (2.6); 7.5641 (2.9); 7.2806 (2.1); 7.2593 (1.9); 4.3389 (0.9); 4.3235 (1.0); 4.3051 (2.0); 4.2896 (2.0); 4.2712 (1.1); 4.2556 (1.0); 3.9968 (16.0); 3.3222 (117.4); 3.2733 (0.7); 2.8980 (11.4); 2.7390 (10.7); 2.5114 (14.6); 2.5081 (15.3) I-476: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.9914 (1.8); 8.1621 (5.0); 7.9542 (0.4); 7.7707 (0.4); 7.7510 (1.3); 7.7298 (1.7); 7.7235 (1.8); 7.6995 (1.4); 7.6799 (0.7); 7.6526 (1.0); 7.6333 (0.7); 7.5056 (1.5); 7.5004 (0.7); 7.4920 (1.7); 7.4834 (1.9); 7.4751 (0.8); 7.4699 (1.7); 7.0894 (1.7); 7.0843 (0.6); 7.0672 (3.3); 7.0502 (0.5); 7.0450 (1.6); 3.3800 (19.4); 3.3709 (33.2); 2.8929 (3.1); 2.7344 (2.7); 2.5158 (4.3); 2.5114 (9.0); 2.5069 (12.0); 2.5024 (8.6); 2.4979 (4.1); 1.6433 (16.0) I-477: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1240 (5.1); 7.9204 (0.7); 7.9006 (0.4); 7.6343 (0.5); 7.6108 (1.0); 7.5875 (2.7); 7.5587 (3.3); 7.5315 (0.4); 7.5070 (1.0); 7.5044 (1.0); 7.4830 (0.7); 7.4803 (0.7); 7.4537 (3.6); 7.4247 (3.2); 7.3957 (1.3); 7.3681 (0.5); 7.2985 (8.8); 7.1304 (1.0); 6.9480 (2.2); 6.7657 (1.0); 4.2756 (1.0); 4.2551 (1.0); 4.2290 (2.2); 4.2086 (2.1); 4.1825 (1.1); 4.1620 (1.1); 2.7620 (16.0); 1.5925 (4.5); 0.0376 (9.0); 0.0267 (0.3) I-478: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3043 (16.0); 7.9644 (1.1); 7.9464 (1.9); 7.9274 (1.1); 7.7295 (4.8); 7.7232 (5.2); 7.6907 (6.2); 7.6733 (9.8); 7.6474 (0.4); 7.5784 (5.4); 7.5498 (9.8); 7.4960 (0.4); 7.4828 (1.8); 7.4742 (1.7); 7.4684 (2.8); 7.4620 (2.3); 7.4524 (1.7); 7.4442 (1.2); 7.3570 (3.3); 7.3504 (3.2); 7.3288 (2.6); 7.3222 (2.6); 7.3016 (31.3); 4.5245 (2.7); 4.5041 (2.6); 4.4761 (5.6); 4.4556 (5.4); 4.4276 (2.8); 4.4073 (2.7); 2.0494 (1.6); 1.5900 (14.3); 1.2943 (0.8); 0.1101 (0.8); 0.0509 (1.0); 0.0400 (31.4); 0.0290 (1.1) I-479: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2071 (1.6); 9.1912 (3.2); 9.1755 (1.6); 8.6209 (4.7); 8.6154 (4.8); 8.0734 (16.0); 8.0498 (2.9); 8.0435 (2.8); 8.0287 (3.0); 8.0224 (3.0); 7.7567 (1.2); 7.7374 (3.8); 7.7180 (3.8); 7.7033 (4.6); 7.6834 (1.8); 7.6336 (5.1); 7.5613 (3.0); 7.5414 (2.4); 7.5121 (5.0); 7.4912 (4.7); 4.2330 (1.5); 4.2175 (1.6); 4.1991 (3.5); 4.1833 (3.4); 4.1648 (1.8); 4.1488 (1.7); 3.3333 (129.7); 3.3294 (135.2); 2.6762 (0.4); 2.6713 (0.6); 2.6670 (0.5); 2.5418 (11.1); 2.5111 (41.1); 2.5069 (83.7); 2.5025 (111.8); 2.4981 (81.7); 2.3335 (0.4); 2.3292 (0.6); 2.3249 (0.5); -0.0007 (2.9) I-480: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1570 (1.2); 9.1414 (2.5); 9.1258 (1.2); 7.9847 (12.9); 7.9601 (0.6); 7.5247 (1.8); 7.5049 (4.6); 7.4852 (3.5); 7.4352 (3.8); 7.4159 (2.4); 7.3516 (2.8); 7.3466 (4.4); 7.3428 (3.4); 7.3187 (6.0); 7.2987 (6.0); 7.0839 (4.3); 6.9439 (2.3); 6.9241 (2.1); 4.3170 (10.4); 4.1289 (1.2); 4.1133 (1.2); 4.0919 (2.7); 4.0762 (2.7); 4.0548 (1.4); 4.0391 (1.3); 3.3526 (15.5); 2.8977 (4.2); 2.7391 (3.7); 2.5316 (1.0); 2.5181 (17.8); 2.5139 (34.3); 2.5094 (44.4); 2.5049 (32.6); 2.4205 (11.3); 2.2627 (0.8); 2.2424 (16.0); 2.1938 (0.5) I-481: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2123 (5.2); 8.0553 (0.6); 8.0285 (0.6); 7.6067 (0.6); 7.5805 (1.6); 7.5542 (1.2); 7.4872 (1.4); 7.4615 (0.9); 7.4164 (1.8); 7.3905 (1.0); 7.3873 (1.1); 7.3834 (0.9); 7.3639 (0.7); 7.3605 (0.8); 7.3566 (0.8); 7.3053 (7.8); 6.8977 (1.1); 6.7100 (2.2); 6.6308 (4.8); 6.5223 (1.1); 5.4060 (0.6); 5.3815 (0.7); 5.3433 (1.7); 4.2006 (0.5); 4.1767 (1.6); 4.1529 (1.6); 4.1291 (0.5); 2.7790 (16.0); 2.6220 (1.4); 2.6084 (1.3); 2.3063 (0.6); 2.2923 (0.5); 2.2793 (0.4); 2.2624 (0.4); 2.0890 (7.3); 1.9604 (0.5); 1.9528 (0.5); 1.9334 (1.2); 1.9258 (1.2); 1.9173 (2.4); 1.9065 (1.4); 1.8970 (1.3); 1.8840 (0.4); 1.8729 (0.4); 1.6190 (2.7); 1.3268 (2.0); 1.3030 (4.3); 1.2792 (1.9); 0.0432 (7.6) I-482: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2501 (16.0); 8.0114 (1.5); 7.7839 (2.1); 7.4785 (6.0); 7.4570

(12.5); 7.4183 (11.9); 7.3969 (5.8); 7.2863 (2.3); 7.2518 (3.7); 7.2772 (2.7); 7.2594 (35.5); 7.2003 (6.1); 7.1977 (6.2); 6.9605 (2.3); 6.9552 (4.0); 6.9498 (2.3); 6.9388 (2.4); 6.9333 (4.0); 6.9280 (2.2); 4.2064 (2.9); 4.1913 (2.8); 4.1707 (6.0); 4.1555 (5.9); 4.1348 (3.1); 4.1197 (3.0); 2.9531 (10.7); 2.8796 (9.9); 1.5442 (26.6); -0.0002 (2.7) I-483: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6949 (4.5); 8.6906 (4.8); 8.5257 (4.4); 8.5199 (4.6); 8.2872 (10.0); 8.0175 (2.4); 7.8312 (2.9); 7.8259 (4.8); 7.8206 (3.0); 7.7825 (1.3); 7.5687 (4.7); 7.4334 (1.8); 7.4292 (1.7); 7.4125 (3.1); 7.4082 (3.1); 7.3581 (4.8); 7.3373 (2.8); 7.2602 (24.6); 6.0556 (0.9); 6.0478 (0.9); 6.0371 (1.0); 6.0294 (0.9); 5.9385 (0.9); 5.9309 (1.0); 5.9201 (1.0); 5.9124 (0.9); 4.3079 (0.4); 4.3005 (0.5); 4.2914 (0.5); 4.2834 (0.5); 4.2719 (0.6); 4.2638 (0.6); 4.2547 (0.6); 4.2470 (0.6); 4.2383 (0.5); 4.2306 (0.5); 4.2211 (0.5); 4.2131 (0.5); 4.2016 (0.6); 4.1939 (0.6); 4.1846 (0.6); 4.1767 (0.5); 3.8247 (0.6); 3.8119 (0.6); 3.8063 (0.6); 3.7935 (0.6); 3.7882 (0.5); 3.7744 (0.9); 3.7614 (0.7); 3.7561 (0.9); 3.7428 (0.6); 3.7374 (0.6); 3.7248 (0.5); 3.7187 (0.5); 3.7062 (0.4); 2.9567 (16.0); 2.8832 (14.8); 1.5570 (0.7); -0.0002 (36.1) I-484: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.6725 (0.7); 8.6589 (1.5); 8.6454 (0.7); 7.9618 (1.6); 7.7027 (0.7); 7.6829 (1.7); 7.6632 (1.3); 7.6254 (1.9); 7.6060 (1.0); 7.5094 (2.3); 7.4750 (1.3); 7.4552 (1.0); 7.0627 (1.8); 7.0576 (1.9); 6.9969 (2.1); 6.9763 (2.2); 6.4811 (2.5); 6.4754 (2.6); 6.1987 (1.4); 6.1928 (1.3); 6.1781 (1.3); 6.1723 (1.3); 3.7871 (0.8); 3.7474 (1.4); 3.7382 (14.1); 3.7143 (0.3); 3.6687 (16.0); 3.4225 (0.7); 3.4057 (1.7); 3.3910 (1.7); 3.3740 (0.8); 3.3159 (19.9); 2.8996 (10.3); 2.7406 (9.3); 2.6934 (1.4); 2.6757 (2.8); 2.6580 (1.6); 2.6397 (0.9); 2.6333 (0.9); 2.6259 (0.7); 2.5141 (8.9); 2.5098 (12.0); 2.5056 (9.1); 0.6570 (6.0); 0.6416 (2.9) I-485: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5074 (5.7); 7.4901 (7.4); 7.4643 (0.4); 7.4078 (3.8); 7.3780 (0.6); 7.3632 (4.8); 7.3490 (2.5); 7.3426 (2.6); 7.3358 (5.3); 7.2983 (22.5); 7.1836 (1.0); 7.1649 (1.8); 7.1450 (1.0); 7.0606 (4.2); 7.0180 (0.4); 6.9924 (2.3); 6.9650 (2.0); 6.7567 (0.6); 4.2129 (1.4); 4.1939 (1.7); 4.1707 (2.2); 4.1626 (3.2); 4.1467 (2.9); 4.1422 (3.1); 4.1232 (0.8); 4.1120 (1.6); 4.0915 (1.5); 3.5728 (1.4); 3.5511 (3.5); 3.5332 (3.6); 3.5117 (1.4); 2.5602 (2.8); 2.5378 (6.2); 2.5155 (3.5); 2.4850 (11.9); 2.3588 (0.3); 2.3228 (16.0); 2.1317 (0.5); 2.0838 (7.1); 2.0537 (2.8); 2.0316 (3.9); 2.0094 (2.5); 1.9870 (0.7); 1.4701 (5.1); 1.3208 (1.9); 1.2969 (4.1); 1.2787 (1.1); 1.2732 (1.9); 1.2594 (0.3); 0.1195 (1.3); 0.1078 (23.0); 0.0954 (0.9); 0.0483 (1.0); 0.0376 (22.2); 0.0267 (0.8) I-486: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1408 (0.9); 9.1253 (2.0); 9.1100 (1.0); 8.6214 (5.2); 8.3849 (2.8); 8.3728 (3.1); 8.1920 (6.1); 7.9607 (1.9); 7.7911 (0.6); 7.7715 (2.0); 7.7513 (2.0); 7.7279 (5.7); 7.7153 (4.9); 7.7033 (3.6); 7.6406 (2.0); 7.6207 (1.6); 7.5862 (3.0); 7.5653 (5.8); 7.5227 (5.7); 7.5017 (3.2); 4.1879 (0.9); 4.1728 (1.0); 4.1535 (2.0); 4.1381 (2.0); 4.1197 (1.1); 4.1039 (1.0); 3.9992 (16.0); 3.3257 (97.6); 2.8985 (9.5); 2.7396 (9.1); 2.5092 (14.1) I-487: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2896 (2.6); 9.2699 (2.7); 8.1889 (16.0); 8.1802 (0.7); 7.9544 (0.4); 7.7592 (1.2); 7.7396 (3.9); 7.7262 (5.5); 7.7206 (6.7); 7.6952 (4.4); 7.6765 (2.0); 7.6447 (3.1); 7.6264 (2.0); 7.6241 (2.0); 7.4741 (5.9); 7.3818 (2.2); 7.3628 (4.8); 7.3440 (3.4); 7.3248 (6.4); 7.3060 (3.5); 7.2901 (3.0); 7.2857 (4.6); 7.2814 (3.1); 7.2707 (1.6); 7.2662 (2.2); 7.2622 (1.4); 5.1752 (0.4); 5.1576 (1.8); 5.1393 (2.7); 5.1212 (1.9); 5.1033 (0.5); 3.4449 (0.3); 3.3975 (70.7); 3.3893 (111.8); 2.8932 (2.5); 2.7348 (2.2); 2.5307 (0.4); 2.5174 (10.1); 2.5130 (21.5); 2.5085 (29.3); 2.5039 (21.3); 2.4995 (10.4); 1.4602 (13.6); 1.4427 (13.7); 1.4263 (0.6); 1.2391 (0.4) I-488: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.7980 (0.9); 8.7844 (1.7); 8.7708 (0.9); 8.5666 (8.1); 7.9589 (0.5); 7.8006 (0.6); 7.7805 (1.9); 7.7601 (3.5); 7.7519 (5.6); 7.6636 (1.8); 7.6453 (1.3); 7.0555 (2.6); 7.0364 (2.9); 6.9122 (3.5); 6.7717 (1.9); 6.7530 (1.6); 3.5247 (1.2); 3.5078 (2.6); 3.4914 (2.6); 3.4744 (1.2); 3.3195 (19.3); 2.8967 (2.9); 2.8290 (2.2); 2.8110 (3.7); 2.7931 (1.9); 2.7376 (2.6); 2.6762 (0.4); 2.5112 (54.3); 2.5071 (68.3); 2.5031 (50.0); 2.3338 (0.4); 2.2624 (16.0); 2.1605 (14.5) I-489: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3336 (10.0); 7.7350 (1.0); 7.6500 (0.6); 7.6309 (6.1); 7.6088 (2.6); 7.5826 (0.7); 7.3376 (2.9); 7.3039 (9.0); 7.2957 (1.7); 7.2794 (1.3); 7.2722 (1.8); 7.2643 (0.8); 7.2085 (2.0); 7.1832 (2.1); 7.0314 (0.9); 7.0269 (0.9); 7.0055 (1.9); 7.0030 (2.0); 6.9802 (1.3); 6.9754 (1.2); 6.7923 (1.5); 6.7884 (1.7); 6.7674 (2.3); 6.7636 (2.8); 6.7488 (3.2); 6.7451 (2.8); 6.7388 (1.4); 6.7217 (2.4); 5.3413

(1.1); 4.3261 (0.6); 4.3148 (0.7); 4.3012 (0.6); 4.2892 (1.8); 4.2775 (1.4); 4.2640 (1.5); 4.2526 (1.3); 4.2316 (1.2); 4.2201 (1.4); 4.2074 (1.4); 4.1969 (2.6); 4.1828 (0.7); 4.1737 (3.8); 4.1585 (0.7); 4.1499 (3.6); 4.1261 (1.2); 4.0446 (0.6); 4.0292 (0.7); 4.0221 (0.6); 4.0065 (0.7); 3.9985 (1.4); 3.9831 (1.5); 3.9761 (1.4); 3.9607 (1.4); 3.9324 (1.3); 3.9151 (1.6); 3.9111 (1.6); 3.8939 (1.4); 3.8865 (0.7); 3.8691 (0.7); 3.8649 (0.7); 3.8479 (0.6); 3.3303 (0.3); 3.3097 (1.0); 3.2908 (1.3); 3.2722 (1.0); 2.2192 (0.4); 2.2079 (0.4); 2.1985 (0.5); 2.1944 (0.5); 2.1872 (0.6); 2.1831 (0.5); 2.1730 (0.9); 2.1613 (1.0); 2.1516 (0.8); 2.1477 (0.9); 2.1402 (0.9); 2.1364 (0.8); 2.1272 (0.7); 2.1156 (0.6); 2.0866 (16.0); 2.0457 (0.7); 2.0336 (0.7); 2.0218 (1.1); 2.0105 (1.1); 1.9985 (1.0); 1.9871 (0.9); 1.9750 (0.7); 1.9639 (0.6); 1.9515 (0.4); 1.9401 (0.3); 1.6266 (7.4); 1.3247 (4.3); 1.3008 (8.4); 1.2770 (4.1); 0.0416 (7.6) I-490: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1801 (1.2); 9.1651 (2.5); 9.1499 (1.2); 8.0103 (9.3); 7.6531 (1.5); 7.6308 (3.1); 7.6109 (1.8); 7.3524 (2.5); 7.3331 (7.3); 7.3022 (5.7); 7.0811 (4.5); 6.9301 (2.5); 6.9107 (2.2); 4.1317 (1.2); 4.1160 (1.2); 4.0946 (2.7); 4.0790 (2.6); 4.0575 (1.4); 4.0418 (1.3); 3.3398 (40.2); 2.6785 (0.3); 2.5094 (57.7); 2.4193 (11.7); 2.3360 (0.4); 2.2609 (0.6); 2.2272 (16.0); 2.1805 (0.5) I-491: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2404 (16.0); 8.0148 (1.2); 7.7574 (2.1); 7.6479 (7.2); 7.4703 (1.3); 7.4491 (12.8); 7.4212 (1.0); 7.2902 (2.2); 7.2853 (3.5); 7.2808 (2.6); 7.2587 (46.6); 7.2069 (5.8); 7.2049 (5.7); 6.9664 (2.2); 6.9611 (3.9); 6.9557 (2.2); 6.9447 (2.3); 6.9393 (3.9); 6.9339 (2.1); 4.4257 (2.6); 4.4104 (2.5); 4.3894 (5.4); 4.3741 (5.3); 4.3531 (2.8); 4.3378 (2.7); 2.9534 (8.1); 2.8807 (7.4); 1.5340 (47.6); 1.5033 (0.3); 1.2556 (0.4) I-492: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2444 (16.0); 8.0130 (1.7); 7.8728 (2.1); 7.4803 (6.2); 7.4587 (12.6); 7.4481 (4.7); 7.4413 (4.2); 7.4342 (4.1); 7.4146 (11.3); 7.3932 (5.9); 7.2594 (35.4); 7.2411 (5.4); 7.2214 (4.6); 7.1653 (2.5); 7.1561 (3.5); 7.1485 (2.6); 7.1430 (1.8); 7.1339 (2.1); 7.1261 (1.5); 4.2097 (2.8); 4.1946 (2.8); 4.1739 (5.9); 4.1588 (5.8); 4.1380 (3.0); 4.1229 (2.9); 2.9533 (12.2); 2.8802 (11.3); 1.5445 (26.1); -0.0002 (2.9) I-493: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0048 (1.3); 8.9907 (2.7); 8.9763 (1.3); 7.9618 (2.6); 7.6958 (1.1); 7.6761 (3.1); 7.6562 (2.4); 7.6214 (3.2); 7.6019 (1.7); 7.5150 (0.7); 7.4781 (4.2); 7.4558 (2.5); 7.4273 (5.0); 7.4058 (6.4); 7.3217 (6.8); 7.3009 (4.7); 7.1240 (3.3); 7.1192 (3.4); 5.7366 (0.7); 5.7228 (1.5); 5.7082 (0.7); 5.6187 (0.7); 5.6043 (1.6); 5.5904 (0.8); 3.7916 (1.2); 3.7776 (2.2); 3.7635 (1.2); 3.7369 (1.3); 3.7230 (2.2); 3.7085 (1.3); 3.3156 (26.0); 2.8995 (16.0); 2.7404 (14.5); 2.6547 (1.2); 2.6460 (1.4); 2.6399 (1.5); 2.6321 (1.2); 2.5140 (14.8); 2.5097 (19.9); 2.5055 (15.0); 0.6871 (4.0); 0.6694 (7.1) I-494: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1929 (0.4); 9.1816 (0.7); 9.1699 (0.4); 8.8543 (3.5); 8.7183 (1.4); 8.7085 (1.5); 8.2587 (0.4); 8.2392 (3.3); 8.1117 (0.4); 7.9562 (2.3); 7.7545 (1.8); 7.7365 (1.3); 7.7267 (1.2); 7.5402 (0.3); 7.5371 (0.3); 7.5234 (1.3); 7.5204 (1.5); 7.5125 (1.8); 7.4953 (0.8); 7.4759 (0.6); 7.3850 (0.5); 7.3743 (0.5); 7.3707 (0.5); 7.3583 (0.8); 7.3539 (0.9); 7.3446 (0.8); 7.3277 (0.4); 6.0682 (0.4); 6.0654 (0.3); 5.9762 (0.4); 5.9733 (0.4); 3.9087 (0.3); 3.8965 (0.4); 3.3268 (9.5); 2.8933 (16.0); 2.7346 (14.1); 2.5125 (0.8); 2.5091 (1.7); 2.5056 (2.3); 2.5020 (1.7); 2.4986 (0.8); -0.0002 (0.9) I-495: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.2159 (3.0); 9.1962 (3.1); 8.1712 (16.0); 7.9550 (0.6); 7.7542 (1.3); 7.7348 (3.8); 7.7144 (3.4); 7.6887 (11.2); 7.6698 (2.4); 7.6276 (3.7); 7.6080 (2.3); 7.4609 (4.5); 7.4470 (5.2); 7.4393 (5.8); 7.4306 (2.3); 7.4254 (5.1); 7.1400 (0.6); 7.1323 (5.9); 7.1273 (2.1); 7.1155 (2.3); 7.1101 (10.8); 7.0930 (1.8); 7.0879 (5.4); 7.0803 (0.6); 5.1669 (0.5); 5.1495 (1.9); 5.1313 (2.9); 5.1131 (2.0); 5.0956 (0.5); 3.3675 (39.2); 3.3641 (48.1); 3.3607 (48.9); 3.3574 (53.6); 2.8926 (4.1); 2.7343 (3.6); 2.5290 (0.4); 2.5155 (10.8); 2.5112 (22.9); 2.5066 (31.0); 2.5021 (22.5); 2.4977 (11.0); 1.4550 (15.0); 1.4376 (14.8); 1.2395 (0.4); -0.0002 (0.7) I-496: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1703 (1.1); 9.1548 (2.4); 9.1391 (1.1); 8.3165 (0.4); 8.0126 (14.8); 7.7672 (1.0); 7.7477 (2.9); 7.7281 (2.8); 7.7114 (3.3); 7.6916 (1.3); 7.6269 (3.8); 7.5676 (2.1); 7.5474 (1.7); 7.4327 (4.0); 7.4126 (4.4); 7.3834 (4.4); 6.9681 (2.3); 6.9482 (2.1); 4.2831 (1.2); 4.2672 (1.2); 4.2479 (2.6); 4.2321 (2.5); 4.2126 (1.3); 4.1969 (1.2); 3.9028 (3.2); 3.3260 (105.2); 2.6755 (0.9); 2.6709 (1.2); 2.6664 (0.9); 2.6618 (0.4); 2.5244 (3.9); 2.5196 (6.2); 2.5110 (79.8); 2.5065 (160.3); 2.5020 (207.7); 2.4974 (147.9); 2.4929 (70.5); 2.3470 (0.4); 2.3379 (0.5); 2.3333 (1.0); 2.3288

(1.3); 2.3242 (0.9); 2.2170 (16.0); -0.0003 (1.1) I-497: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.3020 (0.8); 9.2896 (1.5); 9.2771 (0.7); 7.7396 (0.7); 7.7238 (1.8); 7.7079 (1.4); 7.6808 (1.8); 7.6651 (1.0); 7.5882 (2.3); 7.5551 (1.3); 7.5393 (1.0); 7.3227 (2.2); 7.3067 (2.3); 7.0951 (2.4); 6.9683 (1.3); 6.9525 (1.2); 4.1651 (0.7); 4.1526 (0.7); 4.1352 (1.5); 4.1227 (1.4); 4.1052 (0.8); 4.0927 (0.7); 3.3213 (3.0); 2.5091 (0.7); 2.5056 (1.3); 2.5020 (1.6); 2.4984 (1.1); 2.4949 (0.5); 2.4323 (6.7); 2.2390 (9.3); 2.2090 (16.0); 0.8563 (0.5) I-498: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3129 (16.0); 7.9627 (1.7); 7.6825 (6.5); 7.6650 (8.6); 7.5152 (4.6); 7.5002 (0.6); 7.4865 (2.0); 7.4767 (2.4); 7.4709 (2.9); 7.4641 (2.4); 7.4542 (2.6); 7.4493 (3.1); 7.4318 (2.3); 7.4234 (1.8); 7.4054 (1.8); 7.3681 (4.0); 7.3408 (2.1); 7.3037 (11.0); 7.2918 (2.5); 7.2620 (2.3); 7.2153 (1.3); 7.2081 (1.2); 7.1873 (2.2); 7.1806 (1.9); 7.1599 (1.0); 7.1533 (0.9); 4.2849 (2.7); 4.2647 (2.6); 4.2374 (5.6); 4.2171 (5.5); 4.1898 (2.9); 4.1696 (2.8); 4.1493 (0.5); 2.0860 (2.2); 1.6137 (6.3); 1.3243 (0.7); 1.3004 (1.8); 1.2766 (0.7); 0.0415 (9.8); 0.0307 (0.4) I-499: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9369 (4.0); 8.8035 (3.6); 8.7952 (3.5); 8.3414 (11.1); 7.9213 (3.6); 7.7807 (1.4); 7.3856 (3.4); 7.3590 (4.0); 7.3047 (22.4); 7.0970 (4.0); 7.0230 (2.2); 6.9969 (1.9); 4.3232 (1.9); 4.3036 (1.9); 4.2748 (4.1); 4.2551 (3.9); 4.2263 (2.1); 4.2066 (2.0); 2.5193 (11.7); 2.5122 (6.5); 2.3387 (16.0); 1.6014 (10.8); 1.2990 (0.4); 0.1134 (0.7); 0.0539 (1.0); 0.0433 (21.9); 0.0324 (0.8) I-500: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.7914 (0.7); 8.7773 (1.4); 8.7630 (0.7); 7.9620 (0.7); 7.7530 (0.6); 7.7333 (1.6); 7.7136 (1.5); 7.6917 (1.9); 7.6720 (0.9); 7.6089 (2.2); 7.5645 (1.3); 7.5448 (1.1); 7.0344 (2.1); 7.0138 (2.3); 6.5184 (2.4); 6.5127 (2.6); 6.2915 (1.4); 6.2856 (1.4); 6.2709 (1.4); 6.2650 (1.3); 3.7695 (14.2); 3.7244 (0.4); 3.6845 (16.0); 3.5142 (0.8); 3.4974 (2.1); 3.4821 (2.2); 3.4658 (0.9); 3.3157 (13.2); 2.8998 (4.4); 2.7479 (1.6); 2.7409 (4.6); 2.7311 (3.1); 2.7141 (1.5); 2.5142 (7.1); 2.5099 (9.6); 2.5057 (7.2); 2.4809 (0.5); 2.2778 (13.1) I-501: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1974 (1.3); 9.1837 (2.6); 9.1693 (1.5); 8.8607 (7.0); 8.7244 (3.7); 8.7121 (4.0); 8.2447 (7.8); 8.1165 (0.7); 7.9609 (3.4); 7.7412 (3.7); 7.7290 (3.8); 7.6499 (5.1); 7.5965 (3.0); 7.5755 (3.9); 7.5189 (0.6); 7.4992 (1.5); 7.4801 (1.8); 7.4570 (1.0); 7.4182 (3.2); 7.3970 (3.3); 7.3762 (2.0); 7.3580 (3.5); 7.3446 (2.4); 7.3250 (1.0); 6.1072 (0.7); 6.0946 (1.3); 6.0828 (0.9); 5.9919 (0.8); 5.9795 (1.3); 5.9679 (0.9); 3.9981 (0.4); 3.9773 (0.6); 3.9609 (1.1); 3.9425 (0.9); 3.9205 (1.3); 3.9061 (1.9); 3.8623 (0.9); 3.8511 (1.2); 3.8394 (0.8); 3.8289 (0.5); 3.8159 (0.5); 3.8038 (0.4); 3.3256 (135.8); 2.8996 (16.0); 2.7404 (15.0); 2.5105 (20.0); 2.5073 (18.7) I-502: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1981 (0.9); 9.1783 (0.9); 8.1645 (5.1); 7.9534 (0.3); 7.7531 (0.4); 7.7335 (1.4); 7.7145 (2.8); 7.6915 (1.7); 7.6723 (0.7); 7.6370 (1.1); 7.6174 (0.7); 7.2243 (1.1); 7.2042 (2.3); 7.1838 (1.4); 6.9792 (1.6); 6.9749 (1.6); 6.9694 (2.0); 6.9641 (2.6); 6.8030 (1.0); 6.7981 (1.0); 6.7822 (0.9); 6.7781 (0.9); 5.1263 (0.7); 5.1079 (1.0); 5.0895 (0.7); 3.6584 (16.0); 3.3715 (17.3); 3.3659 (24.3); 3.3634 (24.2); 3.3617 (24.2); 2.8917 (2.2); 2.7337 (2.0); 2.5142 (4.3); 2.5099 (8.9); 2.5054 (11.9); 2.5009 (8.6); 2.4965 (4.2); 1.4519 (5.0); 1.4344 (5.0) I-503: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5659 (3.1); 7.3904 (0.8); 7.3627 (5.0); 7.3562 (3.9); 7.3510 (3.3); 7.3281 (0.6); 7.3228 (0.6); 7.3051 (1.5); 7.2983 (2.8); 7.2791 (2.6); 7.2527 (1.8); 6.9645 (2.2); 6.9574 (3.6); 6.9303 (3.5); 6.8971 (2.9); 6.8912 (3.5); 6.8849 (2.1); 6.8750 (1.4); 6.8550 (0.8); 6.0437 (0.6); 6.0333 (0.7); 6.0210 (0.7); 6.0106 (0.6); 5.8886 (0.6); 5.8782 (0.7); 5.8659 (0.7); 5.8555 (0.6); 4.1321 (0.4); 4.1215 (0.4); 4.1107 (0.4); 4.0999 (0.5); 4.0932 (0.4); 4.0714 (0.3); 4.0440 (0.4); 4.0334 (0.4); 4.0226 (0.4); 4.0121 (0.4); 3.9071 (0.4); 3.8863 (0.6); 3.8645 (0.4); 3.8587 (0.4); 3.8337 (0.6); 3.8124 (0.7); 3.7897 (0.4); 3.7835 (0.4); 3.7615 (0.5); 3.7407 (0.3); 2.5980 (0.4); 2.5751 (15.8); 2.5617 (1.1); 2.3797 (0.5); 2.2629 (16.0); 2.0295 (4.0); 1.9531 (0.4); 1.9361 (0.7); 1.9250 (0.8); 1.9083 (1.4); 1.8915 (0.8); 1.8804 (0.8); 1.8634 (0.4); 1.0116 (0.9); 0.9963 (2.4); 0.9896 (2.6); 0.9749 (1.5); 0.9681 (2.6); 0.9615 (2.2); 0.9471 (1.0); 0.7379 (1.2); 0.7227 (3.0); 0.7171 (2.8); 0.7065 (2.6); 0.7007 (3.0); 0.6845 (0.8); 0.0358 (2.0) I-504: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9788 (1.7); 8.9584 (1.7); 7.9601 (1.8); 7.7140 (6.1); 7.6761 (2.1); 7.6563 (2.3); 7.4013 (2.1); 7.3808 (2.5); 7.3113 (4.8); 7.1625 (0.5); 7.1492 (1.4); 7.1420 (3.1); 7.1287 (4.7); 7.1184 (2.0); 7.1133 (1.7); 7.1038 (0.6); 6.9520 (1.3); 6.9332 (2.2);

6.9153 (1.5); 6.9068 (13); 6.8960 (1.3); 6.8843 (0.9); 6.8785 (0.7); 5.4782 (0.9); 5.4595 (1.3); 5.4420 (0.9); 3.7363 (16.0); 3.3400 (90.0); 2.8973 (10.7); 2.7385 (9.8); 2.5741 (15.0); 2.5131 (7.2); 2.5092 (9.5); 2.5052 (7.4); 2.0746 (0.6); 2.0661 (0.7); 2.0540 (1.2); 2.0410 (0.8); 2.0331 (0.7); 2.0197 (0.4); 1.6137 (6.1); 1.5967 (6.3); 1.0373 (0.7); 1.0264 (2.2); 1.0212 (2.4); 1.0108 (1.4); 1.0054 (2.3); 1.0003 (2.4); 0.9903 (1.0); 0.7916 (0.9); 0.7771 (2.7); 0.7686 (2.6); 0.7641 (2.7); 0.7527 (0.9) I-505: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2349 (1.4); 9.2192 (2.8); 9.2036 (1.4); 8.3161 (0.3); 8.0260 (16.0); 8.0169 (0.3); 7.7608 (1.2); 7.7412 (3.5); 7.7217 (3.5); 7.7051 (6.0); 7.6861 (1.8); 7.6774 (2.6); 7.6740 (2.6); 7.6248 (4.7); 7.5534 (2.6); 7.5334 (2.1); 7.4596 (2.0); 7.4390 (4.2); 7.4185 (2.6); 7.2904 (3.0); 7.2866 (2.9); 7.2697 (2.3); 7.2656 (2.3); 4.1990 (1.3); 4.1834 (1.4); 4.1643 (2.9); 4.1484 (2.8); 4.1294 (1.5); 4.1135 (1.4); 3.9030 (3.7); 3.3300 (213.6); 2.6805 (0.4); 2.6761 (0.9); 2.6715 (1.3); 2.6669 (0.9); 2.6625 (0.4); 2.5250 (4.0); 2.5202 (6.2); 2.5116 (80.6); 2.5071 (163.5); 2.5026 (213.5); 2.4980 (152.7); 2.4935 (73.6); 2.3384 (0.4); 2.3339 (0.9); 2.3294 (1.3); 2.3248 (1.0); 2.3203 (0.4); -0.0002 (1.0) I-506: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5518 (0.3); 7.5356 (2.1); 7.5238 (5.2); 7.3969 (2.5); 7.3413 (0.8); 7.3356 (1.2); 7.3306 (1.2); 7.3236 (1.0); 7.2586 (4.2); 7.0119 (2.1); 6.9966 (2.5); 6.9514 (3.0); 6.8406 (1.6); 6.8254 (1.4); 6.1293 (0.6); 6.1185 (1.1); 6.1077 (0.6); 5.2955 (1.5); 3.7717 (1.2); 3.7588 (3.2); 3.7458 (3.4); 3.7327 (1.3); 2.9355 (2.2); 2.9219 (4.2); 2.9083 (2.0); 2.3853 (16.0); 2.2872 (14.4); 2.2696 (0.6); 2.2426 (13.3); 2.1584 (0.5); 1.5656 (9.3); -0.0002 (2.9) I-507: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5670 (7.6); 8.0400 (0.7); 8.0206 (1.2); 8.0007 (0.7); 7.8052 (0.7); 7.7374 (2.9); 7.7211 (0.6); 7.6937 (2.0); 7.6726 (5.5); 7.6513 (0.5); 7.5500 (2.6); 7.5331 (0.4); 7.5157 (1.1); 7.5062 (1.7); 7.4989 (1.1); 7.4919 (0.7); 7.4855 (1.2); 7.4774 (0.7); 7.4158 (0.4); 7.3846 (2.7); 7.3579 (3.0); 7.3035 (17.2); 7.0835 (2.8); 6.9927 (1.5); 6.9656 (1.3); 4.3313 (1.2); 4.3116 (1.2); 4.2832 (2.5); 4.2633 (2.4); 4.2350 (1.2); 4.2150 (1.2); 4.1981 (0.7); 4.1743 (1.9); 4.1505 (1.9); 4.1267 (0.7); 4.0874 (16.0); 3.9228 (0.5); 3.9088 (0.8); 2.9986 (1.1); 2.9251 (1.0); 2.6573 (1.3); 2.6347 (0.8); 2.5285 (8.2); 2.3223 (11.3); 2.0868 (8.6); 1.8682 (0.3); 1.7797 (0.6); 1.7681 (0.7); 1.7439 (0.7); 1.7202 (0.8); 1.4553 (0.6); 1.4345 (0.6); 1.3242 (2.6); 1.3004 (5.3); 1.2829 (6.5); 1.2767 (2.8); 0.0512 (0.4); 0.0404 (15.4); 0.0295 (0.6) I-508: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.5877 (5.0); 8.5830 (4.9); 8.4556 (4.8); 8.4499 (4.8); 8.2790 (11.1); 7.7476 (1.4); 7.6595 (3.3); 7.6539 (5.3); 7.6485 (3.1); 7.3357 (3.4); 7.3158 (3.8); 7.2599 (19.9); 7.0516 (4.1); 6.9806 (2.2); 6.9605 (2.0); 4.2551 (1.8); 4.2404 (1.8); 4.2190 (3.8); 4.2042 (3.7); 4.1827 (1.9); 4.1680 (1.8); 2.4724 (11.8); 2.3047 (16.0); 2.0042 (0.3); 1.5535 (6.8); -0.0002 (19.3) I-509: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8818 (5.6); 7.9452 (0.4); 7.9257 (0.7); 7.9054 (0.4); 7.6876 (1.5); 7.6744 (2.9); 7.6692 (4.5); 7.6658 (3.5); 7.6547 (0.4); 7.6511 (0.4); 7.5432 (1.5); 7.5155 (1.2); 7.4998 (0.4); 7.4871 (3.3); 7.4734 (1.1); 7.4667 (1.1); 7.4557 (2.2); 7.4502 (1.8); 7.4278 (0.7); 7.4219 (0.6); 7.2982 (6.3); 5.3358 (1.1); 4.5093 (0.8); 4.4889 (0.8); 4.4610 (1.8); 4.4405 (1.7); 4.4127 (0.9); 4.3922 (0.9); 4.0953 (0.6); 3.9770 (16.0); 2.4095 (15.3); 2.3940 (0.7); 2.0420 (0.3); 1.5970 (3.9); 0.0366 (4.7) I-510: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1034 (0.8); 9.0888 (1.7); 9.0741 (0.9); 7.9619 (1.0); 7.7522 (0.7); 7.7326 (2.0); 7.7129 (1.9); 7.6913 (2.4); 7.6721 (1.2); 7.5939 (2.8); 7.5558 (1.6); 7.5363 (1.3); 7.4697 (2.6); 7.4485 (5.1); 7.4081 (5.6); 7.3869 (3.0); 5.8377 (0.5); 5.8258 (0.8); 5.8116 (0.6); 5.7200 (0.5); 5.7083 (0.8); 5.6935 (0.6); 3.9145 (0.5); 3.8984 (0.9); 3.8821 (0.7); 3.8722 (0.5); 3.8604 (1.1); 3.8458 (1.2); 3.8288 (0.6); 3.8132 (0.6); 3.8007 (0.7); 3.7889 (0.5); 3.3155 (14.5); 2.8997 (6.0); 2.7407 (5.4); 2.5141 (8.3); 2.5099 (11.3); 2.5057 (8.7); 2.4648 (0.5); 2.2543 (16.0) I-511: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6420 (0.7); 8.1529 (4.9); 7.8786 (2.0); 7.8716 (2.1); 7.6431 (2.1); 7.6214 (2.4); 7.5813 (2.2); 7.5686 (3.8); 7.4054 (2.2); 7.3917 (0.9); 7.3816 (1.1); 7.3769 (1.0); 7.3692 (0.8); 7.3630 (0.5); 7.2600 (10.8); 7.2442 (1.4); 7.2370 (1.3); 7.2224 (1.2); 7.2153 (1.2); 4.4585 (0.9); 4.4434 (0.9); 4.4262 (2.0); 4.4112 (1.9); 4.3939 (1.0); 4.3789 (1.0); 3.7548 (16.0); 2.9551 (1.8); 2.8827 (1.8); 2.7191 (14.5); 2.6861 (0.5); 1.5640 (1.3); 1.2613 (0.4); 1.2446 (0.3); 0.0078 (0.5); -0.0002 (13.4) I-512: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3361 (2.0); 9.3206 (4.4); 9.3044 (2.6); 8.8534 (13.9); 8.7175 (7.4); 8.7051 (8.0); 8.1502 (16.0); 8.0531 (1.7);

7.9607 (2.4); 7.8742 (7.7); 7.7199 (7.1); 7.7076 (7.2); 7.5408 (4.8); 7.5197 (8.7); 7.5038 (3.4); 7.4801 (2.7); 7.4574 (6.3); 7.4365 (3.9); 7.4148 (1.6); 7.3946 (2.5); 7.3900 (2.4); 7.3752 (2.8); 7.3577 (1.6); 7.3175 (2.6); 7.3008 (3.3); 7.2803 (1.8); 7.2412 (0.4); 7.2210 (0.5); 4.3369 (1.7); 4.3206 (2.0); 4.3026 (4.2); 4.2872 (4.2); 4.2689 (2.6); 4.2534 (2.4); 4.2264 (0.4); 3.3585 (0.6); 3.3239 (332.2); 2.8986 (14.0); 2.7394 (12.9); 2.5092 (37.8); 2.5054 (29.5); 1.2442 (0.8) I-513: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9371 (1.7); 8.9168 (1.8); 7.9600 (1.2); 7.7201 (6.2); 7.4109 (3.4); 7.2784 (2.5); 7.2523 (5.4); 7.1480 (0.6); 7.1279 (2.1); 7.1170 (1.5); 7.1103 (4.2); 7.1000 (1.5); 7.0961 (1.5); 7.0801 (0.6); 6.9535 (1.9); 6.9321 (1.7); 6.9151 (0.8); 6.9073 (0.8); 6.8984 (1.4); 6.8929 (1.3); 6.8790 (0.8); 5.4316 (0.9); 5.4135 (1.3); 5.3958 (1.0); 3.7010 (16.0); 3.3383 (145.5); 2.8976 (7.0); 2.7384 (6.5); 2.5753 (15.4); 2.5130 (12.6); 2.5091 (16.6); 2.5051 (12.8); 2.2148 (13.2); 2.0630 (0.6); 2.0550 (0.8); 2.0424 (1.2); 2.0296 (0.8); 2.0217 (0.7); 2.0087 (0.4); 1.6036 (6.1); 1.5867 (6.2); 1.0317 (0.7); 1.0208 (2.2); 1.0156 (2.4); 0.9998 (2.3); 0.9946 (2.4); 0.9847 (1.0); 0.7814 (0.9); 0.7668 (2.8); 0.7584 (2.7); 0.7539 (2.8); 0.7425 (0.9) I-514: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1590 (1.8); 9.1434 (3.7); 9.1279 (1.8); 8.0572 (16.0); 7.7653 (1.4); 7.7454 (4.3); 7.7258 (4.3); 7.7098 (5.3); 7.6903 (2.2); 7.6496 (6.0); 7.5764 (3.5); 7.5612 (7.4); 7.5404 (11.7); 7.5016 (11.9); 7.4802 (5.9); 4.1539 (1.8); 4.1384 (1.8); 4.1190 (3.9); 4.1034 (3.8); 4.0843 (2.0); 4.0683 (1.9); 3.3413 (142.0); 3.3360 (122.7); 3.3336 (136.7); 2.6725 (0.6); 2.5427 (3.4); 2.5077 (76.8); 2.5034 (103.7); 2.4992 (78.7); 2.3305 (0.6); 2.2151 (0.6); 0.0000 (2.3) I-515: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4850 (10.0); 8.2617 (16.0); 8.1042 (0.9); 8.0848 (1.8); 8.0658 (1.0); 7.7032 (0.4); 7.6765 (2.8); 7.6569 (7.4); 7.5461 (3.8); 7.5162 (1.6); 7.5062 (2.2); 7.4986 (1.7); 7.4859 (1.5); 7.4782 (0.9); 7.3955 (3.5); 7.3690 (4.0); 7.3041 (16.8); 7.0865 (4.0); 6.9982 (2.2); 6.9724 (1.9); 4.3470 (1.7); 4.3272 (1.6); 4.2989 (3.6); 4.2792 (3.5); 4.2509 (1.8); 4.2311 (1.7); 2.5362 (11.7); 2.3232 (16.0); 1.6962 (0.3); 1.6708 (0.3); 1.2969 (0.4); 0.0528 (0.6); 0.0421 (14.1); 0.0313 (0.4) I-516: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.6369 (3.0); 7.5640 (0.4); 7.5480 (2.1); 7.5358 (5.3); 7.5269 (0.6); 7.4410 (3.2); 7.4348 (2.8); 7.4248 (3.2); 7.3607 (0.9); 7.3554 (1.4); 7.3502 (1.2); 7.3398 (2.7); 7.3227 (1.5); 7.2603 (4.0); 6.7089 (0.7); 6.6965 (1.4); 6.6841 (0.7); 4.3852 (1.0); 4.3724 (1.0); 4.3562 (2.2); 4.3434 (2.1); 4.3272 (1.1); 4.3144 (1.0); 2.3239 (16.0); 1.5693 (6.9); -0.0002 (3.8) I-517: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3344 (10.6); 7.6530 (1.7); 7.6296 (7.1); 7.6065 (2.8); 7.5803 (0.8); 7.3041 (8.2); 7.2953 (3.6); 7.2740 (3.2); 7.2681 (3.4); 7.2497 (3.4); 7.2443 (3.6); 7.2359 (1.0); 7.0850 (0.7); 7.0791 (0.7); 7.0613 (1.9); 7.0552 (2.0); 7.0446 (1.7); 7.0381 (2.9); 7.0309 (1.8); 7.0205 (2.5); 7.0152 (2.4); 6.9966 (1.1); 6.9912 (0.9); 6.9706 (2.6); 6.9475 (1.3); 6.9412 (1.0); 5.3411 (0.5); 4.1986 (1.1); 4.1748 (3.5); 4.1510 (3.6); 4.1272 (1.2); 3.9956 (0.5); 3.9808 (0.6); 3.9735 (0.5); 3.9587 (0.7); 3.9497 (1.6); 3.9349 (1.7); 3.9278 (1.7); 3.9129 (1.7); 3.9057 (1.6); 3.8894 (1.9); 3.8845 (1.8); 3.8684 (1.6); 3.8600 (0.6); 3.8436 (0.6); 3.8386 (0.7); 3.8226 (0.6); 3.2700 (1.0); 3.2511 (1.3); 3.2338 (0.9); 2.7853 (0.4); 2.7485 (1.0); 2.7282 (2.4); 2.7074 (2.1); 2.6865 (0.9); 2.0875 (16.0); 2.0604 (0.5); 2.0490 (0.9); 2.0293 (1.0); 2.0196 (1.0); 1.9999 (1.0); 1.9902 (0.8); 1.9712 (0.8); 1.9552 (0.9); 1.9379 (1.0); 1.9106 (0.8); 1.8892 (0.4); 1.8329 (0.6); 1.8035 (2.0); 1.7801 (2.1); 1.7659 (1.6); 1.7501 (1.6); 1.7294 (0.5); 1.6378 (7.4); 1.3256 (4.3); 1.3018 (8.7); 1.2780 (4.1); 0.0427 (6.1) I-518: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.5192 (4.6); 8.5132 (4.5); 8.4184 (4.1); 8.4130 (4.0); 8.2831 (11.8); 7.7769 (0.9); 7.7632 (1.4); 7.4442 (1.7); 7.4384 (2.9); 7.4326 (1.6); 7.4227 (1.7); 7.4168 (2.9); 7.4110 (1.5); 7.3381 (3.5); 7.3182 (3.9); 7.2597 (27.8); 7.0527 (4.0); 6.9956 (0.3); 6.9820 (2.2); 6.9621 (1.9); 5.2983 (0.6); 4.3054 (0.3); 4.2575 (1.9); 4.2427 (1.9); 4.2212 (4.0); 4.2064 (3.8); 4.1848 (2.0); 4.1701 (1.9); 2.4732 (11.7); 2.3048 (16.0); 1.5462 (19.6); 1.4222 (0.4); 1.3363 (0.4); 1.2847 (0.7); 1.2554 (5.8); 0.8804 (0.6); 0.8534 (0.5); 0.8450 (0.5); 0.8349 (0.5); -0.0002 (27.6); -0.0083 (1.2) I-519: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3088 (12.3); 7.9976 (0.9); 7.9791 (1.6); 7.9597 (0.9); 7.7130 (0.4); 7.6833 (4.0); 7.6777 (3.2); 7.6689 (6.8); 7.6661 (7.9); 7.5463 (3.6); 7.4943 (0.5); 7.4801 (1.6); 7.4670 (2.3); 7.4596 (4.8); 7.4508 (1.9); 7.4413 (1.4); 7.4315 (5.1); 7.4059 (4.5); 7.3303 (2.8); 7.2987 (22.7); 5.3380 (3.7); 4.3104 (2.0); 4.2903 (1.9); 4.2618 (4.2); 4.2416 (4.0);

4.2130 (2.2); 4.1929 (2.0); 3.1635 (9.2); 2.5503 (6.9); 2.5436 (12.3); 2.5362 (7.0); 2.2095 (0.8); 1.5898 (16.0); 1.2921 (0.6); 0.1075 (5.5); 0.0483 (0.9); 0.0374 (21.4); 0.0266 (0.9) I-520: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1637 (12.7); 7.9439 (2.1); 7.8363 (1.6); 7.5641 (5.1); 7.4208 (0.9); 7.4043 (1.7); 7.3997 (2.3); 7.3878 (3.3); 7.3841 (3.5); 7.3668 (7.4); 7.3432 (4.0); 7.3391 (3.8); 7.3220 (1.5); 7.3180 (1.6); 7.1896 (19.4); 7.0342 (1.2); 7.0285 (1.3); 7.0134 (2.1); 7.0098 (2.3); 6.9927 (1.1); 6.9881 (1.1); 6.9434 (2.2); 6.9383 (2.8); 6.9194 (5.3); 6.9168 (4.7); 6.8988 (2.0); 6.8930 (2.8); 6.8874 (1.3); 4.3607 (2.1); 4.3453 (2.0); 4.3247 (4.4); 4.3093 (4.3); 4.2886 (2.2); 4.2733 (2.1); 2.8831 (16.0); 2.8104 (14.6); 1.4791 (14.4) I-521: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2349 (16.0); 8.0138 (1.9); 7.9091 (2.2); 7.5303 (6.2); 7.5090 (7.3); 7.4769 (7.4); 7.4679 (3.9); 7.4516 (4.0); 7.4310 (2.1); 7.2594 (36.1); 7.2409 (3.5); 7.2365 (3.3); 7.1041 (1.7); 7.0984 (1.9); 7.0833 (3.2); 7.0780 (3.4); 7.0626 (1.6); 7.0573 (1.6); 7.0157 (3.1); 7.0110 (4.0); 6.9905 (7.2); 6.9853 (4.0); 6.9682 (2.6); 6.9626 (3.8); 6.9571 (1.8); 4.4336 (2.9); 4.4184 (2.9); 4.3977 (6.2); 4.3823 (6.0); 4.3616 (3.2); 4.3462 (3.0); 2.9535 (13.6); 2.8807 (12.8); 1.5463 (24.8); -0.0002 (2.6) I-522: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6616 (1.2); 7.6354 (7.7); 7.6321 (7.7); 7.6298 (7.8); 7.5973 (1.3); 7.5710 (5.7); 7.5502 (16.0); 7.5332 (1.5); 7.5292 (1.5); 7.5158 (1.8); 7.5114 (2.9); 7.4989 (0.7); 7.4876 (0.5); 7.4713 (0.4); 7.4344 (12.7); 7.4063 (10.5); 7.3765 (0.7); 7.3703 (0.6); 7.3592 (2.8); 7.3500 (5.0); 7.3429 (3.5); 7.3364 (2.0); 7.3281 (3.2); 7.3212 (2.0); 7.2987 (16.9); 7.2926 (6.2); 7.2864 (5.6); 7.2644 (3.8); 7.2583 (3.7); 7.0238 (1.7); 7.0035 (3.1); 6.9837 (1.7); 6.7111 (1.5); 5.3353 (1.3); 4.4043 (3.4); 4.3835 (3.3); 4.3557 (7.2); 4.3349 (6.9); 4.3070 (3.7); 4.2863 (3.5); 3.4540 (0.6); 3.4041 (1.1); 3.3540 (0.6); 2.9945 (0.6); 2.9828 (1.3); 2.9726 (2.1); 2.9603 (2.9); 2.9515 (3.0); 2.9390 (2.2); 2.9289 (1.4); 2.9167 (0.6); 2.2028 (5.6); 2.0100 (1.2); 1.6087 (4.9); 1.2919 (2.0); 0.9164 (0.5); 0.8981 (1.9); 0.8741 (7.5); 0.8568 (7.6); 0.8512 (6.3); 0.8334 (2.5); 0.8040 (0.4); 0.7810 (0.4); 0.7586 (0.4); 0.7461 (0.4); 0.7051 (2.7); 0.6890 (6.8); 0.6814 (8.0); 0.6767 (6.8); 0.6528 (1.7); 0.1077 (3.3); 0.0470 (0.5); 0.0362 (14.4); 0.0252 (0.6) I-523: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8840 (5.4); 7.9265 (0.4); 7.9069 (0.8); 7.8867 (0.4); 7.6685 (3.1); 7.6588 (3.8); 7.5434 (1.7); 7.5092 (1.3); 7.4808 (3.6); 7.4682 (0.9); 7.4495 (2.1); 7.4444 (1.8); 7.4214 (0.7); 7.4156 (0.6); 7.2984 (2.2); 4.5078 (0.9); 4.4872 (0.9); 4.4596 (1.9); 4.4391 (1.8); 4.4114 (0.9); 4.3909 (0.9); 4.0954 (16.0); 2.3932 (14.8); 2.0370 (1.2); 1.6173 (0.9); 0.0353 (1.7) I-524: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8307 (0.7); 8.8166 (1.4); 8.8025 (0.8); 7.7599 (0.5); 7.7402 (1.7); 7.7206 (1.6); 7.7011 (2.0); 7.6813 (1.0); 7.6533 (2.3); 7.5903 (1.3); 7.5701 (1.1); 7.0381 (2.1); 7.0175 (2.3); 6.5132 (2.5); 6.5075 (2.6); 6.2638 (1.4); 6.2579 (1.4); 6.2432 (1.4); 6.2373 (1.3); 3.7666 (14.2); 3.7260 (0.4); 3.6790 (16.0); 3.5833 (1.7); 3.5657 (3.7); 3.5482 (2.0); 3.5203 (0.9); 3.5038 (2.1); 3.4885 (2.2); 3.4719 (1.0); 3.3156 (15.7); 3.2539 (17.1); 3.2309 (0.4); 3.2157 (0.4); 2.9598 (1.5); 2.9424 (2.9); 2.9248 (1.5); 2.8998 (1.8); 2.7494 (1.5); 2.7409 (2.2); 2.7323 (3.1); 2.7150 (1.5); 2.5143 (7.8); 2.5100 (10.4); 2.5057 (8.0) I-525: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.7854 (0.6); 8.1731 (1.9); 8.1327 (5.4); 7.7060 (1.0); 7.6863 (1.1); 7.5883 (3.4); 7.5754 (3.3); 7.4322 (2.0); 7.3687 (0.7); 7.3625 (0.8); 7.3558 (1.1); 7.3510 (1.0); 7.3462 (0.7); 7.3400 (0.5); 7.2775 (1.8); 7.2600 (11.8); 6.6482 (1.1); 6.5086 (2.3); 6.3691 (1.1); 4.0124 (1.1); 3.9980 (2.4); 3.9828 (2.4); 3.9683 (1.1); 3.1975 (1.5); 3.1827 (2.2); 3.1679 (1.4); 2.7146 (16.0); 1.5679 (2.1); 0.0078 (0.6); - 0.0002 (13.5); -0.0083 (0.5) I-526: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3373 (1.5); 9.3213 (3.6); 9.3055 (2.0); 8.8533 (11.6); 8.7172 (6.2); 8.7048 (6.7); 8.1542 (13.8); 8.0532 (1.5); 7.9605 (2.6); 7.7660 (5.4); 7.7617 (5.9); 7.7203 (5.9); 7.7080 (6.0); 7.6191 (4.9); 7.5978 (5.8); 7.5838 (1.0); 7.5206 (0.8); 7.4996 (1.8); 7.4783 (2.1); 7.4590 (1.3); 7.4088 (0.9); 7.3924 (1.9); 7.3877 (1.9); 7.3730 (2.2); 7.3561 (1.2); 7.3326 (3.3); 7.3278 (3.5); 7.3121 (4.5); 7.3063 (4.2); 7.3004 (3.3); 7.2797 (1.6); 7.2403 (0.3); 7.2208 (0.4); 4.3417 (1.5); 4.3260 (1.6); 4.3076 (3.4); 4.2919 (3.4); 4.2735 (2.1); 4.2579 (1.9); 4.2277 (0.3); 3.3234 (260.8); 2.8988 (16.0); 2.7396 (14.6); 2.5136 (19.7); 2.5094 (27.2); 2.5052 (21.2) I-527: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3357 (2.7); 8.2516 (6.1); 8.2487 (5.0); 7.6672 (0.3); 7.6451 (3.6); 7.6329 (6.2); 7.5445 (4.0); 7.4869 (2.0); 7.4841 (2.0); 7.4741 (1.5); 7.4249 (4.4); 7.4051 (5.5); 7.2588 (9.1); 7.2561 (7.6); 7.2359 (5.3);

7.2166 (4.6); 5.1046 (3.7); 5.0875 (7.5); 5.0561 (7.5); 5.0390 (4.0); 2.3584 (16.0); 2.0882 (1.0); 2.0001 (1.4); 1.6984 (0.6); 1.2562 (0.6); -0.0002 (9.5); -0.0029 (8.0) I-528: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0029 (1.8); 8.9823 (1.9); 7.9600 (2.2); 7.7118 (6.3); 7.6694 (2.8); 7.6482 (3.1); 7.5275 (3.5); 7.5236 (3.5); 7.3560 (5.0); 7.1586 (0.6); 7.1382 (2.2); 7.1281 (1.5); 7.1209 (4.3); 7.1114 (1.6); 7.1073 (1.6); 7.0914 (0.6); 6.9135 (2.6); 6.9094 (2.5); 6.9044 (1.8); 6.8927 (2.3); 6.8880 (2.4); 5.4569 (0.9); 5.4387 (1.3); 5.4206 (1.0); 3.7302 (16.0); 3.3390 (98.6); 2.8974 (12.7); 2.7384 (11.7); 2.5750 (15.5); 2.5092 (11.4); 2.5053 (8.8); 2.0697 (0.6); 2.0615 (0.7); 2.0490 (1.3); 2.0363 (0.8); 2.0278 (0.7); 2.0150 (0.4); 1.5980 (6.1); 1.5809 (6.2); 1.0360 (0.7); 1.0251 (2.3); 1.0201 (2.5); 1.0041 (2.4); 0.9991 (2.5); 0.9892 (1.0); 0.7912 (0.9); 0.7772 (2.8); 0.7684 (2.8); 0.7641 (2.8); 0.7528 (0.9) I-529: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3209 (16.0); 7.9794 (1.7); 7.6817 (6.8); 7.6644 (9.2); 7.6506 (0.6); 7.5199 (4.7); 7.4999 (3.8); 7.4862 (2.1); 7.4779 (5.4); 7.4737 (5.8); 7.4654 (2.0); 7.4570 (1.2); 7.3827 (1.1); 7.3581 (3.0); 7.3336 (2.6); 7.3047 (13.7); 7.2885 (4.0); 7.2634 (2.1); 7.2239 (2.0); 7.1988 (2.9); 7.1736 (1.2); 5.3430 (0.4); 4.3324 (2.7); 4.3125 (2.6); 4.2839 (5.6); 4.2640 (5.4); 4.2354 (2.8); 4.2155 (2.7); 4.1762 (0.4); 4.1523 (0.4); 2.5729 (8.3); 2.5656 (15.3); 2.5580 (8.4); 2.2147 (0.5); 2.0888 (1.8); 1.6077 (12.6); 1.3268 (0.6); 1.3029 (1.4); 1.2791 (0.5); 0.0546 (0.5); 0.0438 (13.0); 0.0329 (0.4) I-530: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2281 (12.8); 8.0140 (2.2); 7.7901 (1.8); 7.6333 (5.7); 7.5188 (0.3); 7.4713 (3.3); 7.4501 (7.4); 7.4201 (4.3); 7.4164 (4.1); 7.3988 (1.9); 7.3952 (1.8); 7.2593 (20.9); 7.2297 (3.5); 7.2197 (2.8); 7.2124 (5.8); 7.1979 (4.5); 7.1902 (1.9); 7.1751 (0.5); 7.1501 (1.2); 7.1460 (1.3); 7.1369 (2.4); 7.1299 (2.2); 7.1221 (1.5); 7.1149 (1.2); 4.4466 (2.2); 4.4311 (2.2); 4.4111 (4.8); 4.3956 (4.7); 4.3756 (2.5); 4.3601 (2.4); 2.9532 (16.0); 2.8804 (15.0); 1.5465 (20.9) I-531: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2279 (14.6); 8.0134 (2.1); 7.7951 (1.8); 7.5435 (5.1); 7.5223 (6.0); 7.5015 (0.3); 7.4758 (5.6); 7.2677 (3.7); 7.2598 (29.0); 7.2469 (3.1); 7.2420 (3.1); 7.2286 (3.6); 7.2191 (2.8); 7.2109 (6.5); 7.1966 (4.6); 7.1893 (2.2); 7.1744 (0.5); 7.1618 (0.4); 7.1526 (1.3); 7.1484 (1.4); 7.1397 (2.5); 7.1322 (2.3); 7.1239 (1.6); 7.1170 (1.2); 7.1123 (0.9); 7.1080 (0.8); 4.4495 (2.4); 4.4341 (2.4); 4.4141 (5.2); 4.3986 (5.1); 4.3785 (2.7); 4.3630 (2.6); 2.9536 (16.0); 2.8803 (14.6); 1.5510 (17.0); 1.2556 (0.5); -0.0002 (2.2) I-532: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2978 (1.1); 9.2826 (2.4); 9.2669 (1.4); 8.8551 (8.2); 8.7192 (4.2); 8.7069 (4.5); 8.1910 (8.9); 8.0839 (0.9); 7.9606 (2.8); 7.7262 (4.0); 7.7139 (4.1); 7.6132 (4.1); 7.5922 (7.3); 7.5363 (7.0); 7.5153 (4.8); 7.5012 (2.1); 7.4776 (1.7); 7.4562 (1.0); 7.4080 (0.7); 7.3909 (1.4); 7.3868 (1.4); 7.3721 (1.6); 7.3539 (1.0); 7.3197 (1.6); 7.3029 (1.9); 7.2827 (1.0); 4.1906 (1.1); 4.1753 (1.2); 4.1562 (2.4); 4.1408 (2.5); 4.1219 (1.5); 4.1061 (1.4); 3.3258 (158.2); 2.8987 (16.0); 2.7395 (15.0); 2.5095 (20.3); 1.2448 (0.4) I-533: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4619 (1.7); 7.4341 (4.0); 7.3769 (1.1); 7.3497 (2.3); 7.3222 (1.4); 7.2992 (11.9); 7.2433 (1.4); 7.2363 (1.2); 7.2154 (1.0); 7.2086 (1.0); 6.8639 (0.9); 6.8560 (1.1); 6.8359 (0.8); 6.8281 (0.9); 6.8074 (0.9); 6.8022 (1.1); 6.7804 (0.7); 6.7756 (1.2); 6.7616 (1.7); 6.7540 (2.2); 6.7465 (1.0); 6.5795 (0.4); 6.5592 (0.7); 6.5388 (0.4); 6.0854 (0.4); 6.0753 (0.4); 6.0627 (0.4); 6.0524 (0.4); 5.9306 (0.4); 5.9202 (0.4); 5.9080 (0.4); 5.8975 (0.4); 5.3379 (1.5); 4.1928 (0.5); 4.1692 (0.8); 4.1449 (0.8); 4.1216 (0.4); 4.1162 (0.4); 4.1052 (0.3); 4.1002 (0.4); 4.0943 (0.4); 3.9415 (0.4); 3.9215 (0.3); 3.8889 (0.4); 3.8687 (0.5); 3.8328 (16.0); 2.4229 (14.3); 2.0819 (3.6); 1.5991 (11.5); 1.3204 (0.8); 1.2965 (1.7); 1.2727 (0.7); 0.9728 (0.5); 0.1073 (4.4); 0.0486 (0.5); 0.0377 (11.6); 0.0271 (0.4) I-534: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5594 (0.3); 7.5383 (2.4); 7.5331 (2.0); 7.5264 (4.0); 7.5245 (4.3); 7.4822 (2.8); 7.4608 (4.0); 7.4145 (2.2); 7.3767 (4.0); 7.3553 (2.9); 7.3441 (1.0); 7.3410 (1.2); 7.3360 (1.2); 7.3282 (0.9); 7.3218 (0.6); 7.2602 (5.7); 6.6676 (0.6); 6.6522 (1.1); 6.6372 (0.6); 5.2974 (1.0); 4.1829 (1.0); 4.1671 (1.0); 4.1471 (2.1); 4.1313 (2.0); 4.1112 (1.0); 4.0954 (1.0); 2.3091 (16.0); 1.5652 (4.4); -0.0002 (5.2) I-535: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2387 (16.0); 8.0127 (1.9); 7.7783 (1.3); 7.7653 (2.2); 7.5406 (5.7); 7.5193 (7.0); 7.4935 (6.2); 7.4909 (6.4); 7.2972 (4.0); 7.2922 (4.3); 7.2847 (4.1); 7.2765 (4.3); 7.2705 (5.1); 7.2595 (36.2); 7.2064 (5.9); 7.2043 (5.8); 6.9668 (2.3); 6.9614 (4.0); 6.9560 (2.1); 6.9451 (2.4); 6.9396 (4.0); 6.9342 (2.0); 4.4285 (2.7); 4.4132 (2.7);

4.3922 (5.7); 4.3769 (5.5); 4.3559 (2.9); 4.3405 (2.8); 2.9536 (13.4); 2.8803 (12.5); 1.5456 (25.2);
-0.0002 (2.7) I-536: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9333 (1.6); 8.9188 (3.4);
8.9040 (1.8); 7.9612 (2.4); 7.7050 (13.8); 7.6504 (5.9); 7.5609 (5.4); 7.5398 (7.0); 7.3942 (3.9);
7.3891 (3.9); 7.3732 (3.2); 7.3681 (3.2); 7.3342 (3.0); 7.3145 (6.4); 7.2948 (3.8); 6.9909 (3.8);
6.9714 (3.5); 6.9514 (2.9); 6.9472 (3.5); 6.9313 (2.4); 6.9272 (3.4); 6.9018 (4.8); 6.8974 (6.3);
6.0526 (1.1); 6.0399 (2.3); 6.0272 (1.2); 5.9370 (1.1); 5.9245 (2.2); 5.9116 (1.2); 3.8783 (2.0);
3.8645 (3.7); 3.8505 (2.3); 3.8208 (1.8); 3.8075 (3.5); 3.7932 (2.2); 3.3144 (181.7); 2.8993 (16.0);
2.7405 (14.3); 2.5927 (34.7); 2.5494 (0.5); 2.5138 (18.3); 2.5094 (25.2); 2.5050 (19.0); 2.4310
(0.4); 1.9950 (0.7); 1.9820 (1.4); 1.9736 (1.6); 1.9613 (3.0); 1.9489 (1.8); 1.9404 (1.7); 1.9278
(0.9); 1.0008 (1.7); 0.9899 (5.0); 0.9845 (5.5); 0.9741 (2.8); 0.9689 (5.4); 0.9636 (5.4); 0.9533
(2.2); 0.9366 (0.4); 0.7059 (2.0); 0.6952 (5.8); 0.6904 (6.0); 0.6830 (5.7); 0.6780 (6.4); 0.6667
(2.0) I-537: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2145 (1.1); 9.1996 (2.2); 9.1838
(1.2); 8.6068 (4.3); 8.5742 (2.4); 8.5622 (2.5); 8.0196 (6.4); 7.9606 (3.4); 7.8708 (4.3); 7.7953
(0.8); 7.7756 (2.3); 7.7559 (2.1); 7.7308 (3.0); 7.7116 (1.6); 7.6915 (3.7); 7.6232 (2.2); 7.6039
(1.8); 7.5252 (2.3); 7.5038 (3.5); 7.4940 (3.1); 7.4815 (2.9); 7.4101 (2.6); 7.3889 (1.9); 4.3331
(0.9); 4.3173 (1.1); 4.2990 (2.1); 4.2833 (2.1); 4.2647 (1.2); 4.2493 (1.1); 3.3221 (116.4); 2.8978
(16.0); 2.7386 (15.2); 2.5118 (16.7); 2.5082 (17.9); 2.3393 (15.2); 1.2448 (0.3) I-538: .sup.1H-
NMR(400.0 MHz, CD₃CN): δ = 8.0071 (16.0); 7.8600 (1.1); 7.7436 (5.4); 7.7393 (5.4); 7.7306
(3.8); 7.7109 (4.6); 7.7031 (4.9); 7.6834 (1.4); 7.5939 (4.7); 7.5449 (2.6); 7.5239 (8.6); 7.5014
(6.6); 7.4967 (5.6); 7.4803 (1.6); 7.4754 (1.6); 4.2095 (2.8); 4.1931 (2.8); 4.1761 (5.9); 4.1597
(5.8); 4.1427 (3.0); 4.1264 (2.9); 2.2793 (86.3); 2.2771 (89.0); 2.2691 (109.4); 2.2580 (201.4);
2.1372 (0.4); 1.9943 (4.5); 1.9881 (3.9); 1.9823 (22.0); 1.9762 (40.2); 1.9700 (54.1); 1.9638 (37.0);
1.9576 (19.0); 1.7984 (0.3) I-539: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 10.2628 (1.6); 10.2431
(1.6); 8.4329 (14.0); 8.2334 (4.5); 8.2052 (4.8); 7.8589 (2.5); 7.8549 (2.2); 7.8503 (1.8); 7.8343
(3.4); 7.8276 (3.1); 7.7971 (4.1); 7.7346 (6.5); 7.7314 (5.9); 7.7224 (4.0); 7.7147 (5.9); 7.6882
(0.9); 7.6754 (0.6); 7.6640 (2.2); 7.6559 (2.3); 7.6445 (2.2); 7.6385 (1.7); 7.6327 (1.1); 7.6250
(0.9); 7.6130 (0.8); 7.6073 (1.0); 7.5900 (2.6); 7.5841 (2.3); 7.5655 (4.8); 7.5612 (4.8); 7.5579
(3.8); 7.5430 (2.4); 7.5376 (3.0); 7.5199 (1.2); 7.5146 (0.8); 7.4490 (3.2); 7.4435 (3.2); 7.4330
(6.6); 7.4190 (2.4); 7.4048 (6.0); 7.3051 (10.1); 5.5500 (0.6); 5.5280 (2.3); 5.5065 (3.4); 5.4850
(2.4); 5.4629 (0.6); 4.1773 (0.4); 4.1535 (0.4); 2.0899 (1.9); 1.7617 (16.0); 1.7394 (15.9); 1.6418
(1.7); 1.3271 (0.6); 1.3032 (1.3); 1.2794 (0.6); 0.0544 (0.4); 0.0436 (9.8); 0.0327 (0.4) I-540:
.sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2330 (12.8); 8.0134 (2.1); 7.8699 (0.9); 7.8558 (1.6);
7.8423 (0.9); 7.5447 (4.4); 7.5234 (5.2); 7.4856 (4.8); 7.4609 (2.9); 7.4537 (3.2); 7.4470 (3.0);
7.4399 (3.0); 7.2938 (2.8); 7.2890 (2.8); 7.2724 (2.7); 7.2669 (4.9); 7.2597 (29.4); 7.2445 (4.1);
7.2249 (3.5); 7.1739 (2.0); 7.1644 (2.6); 7.1570 (2.0); 7.1515 (1.4); 7.1421 (1.6); 7.1346 (1.1);
4.4307 (2.1); 4.4154 (2.0); 4.3944 (4.3); 4.3791 (4.2); 4.3579 (2.2); 4.3427 (2.1); 2.9536 (16.0);
2.8804 (14.6); 1.5491 (15.0); -0.0002 (2.4) I-541: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ =
8.7379 (1.0); 8.7241 (1.9); 8.7100 (1.0); 8.0791 (9.8); 7.9535 (0.4); 7.7539 (0.7); 7.7335 (2.4);
7.7136 (2.5); 7.6968 (3.1); 7.6838 (4.1); 7.5939 (2.0); 7.5740 (1.5); 6.8315 (5.4); 6.6811 (12.0);
6.6622 (0.3); 5.8895 (16.0); 3.5257 (1.2); 3.5089 (3.3); 3.4935 (3.4); 3.4769 (1.4); 3.3483 (22.6);
3.3430 (30.4); 3.3400 (28.2); 2.8919 (2.3); 2.7722 (2.5); 2.7549 (5.1); 2.7337 (3.1); 2.5131 (7.8);
2.5090 (15.9); 2.5046 (21.1); 2.5001 (15.4); 1.2390 (0.6); -0.0002 (1.6) I-542: .sup.1H-
NMR(300.1 MHz, MeOD): δ = 8.8316 (2.4); 8.8155 (2.6); 8.2526 (4.2); 8.2314 (3.9); 8.0036
(16.0); 7.8268 (6.8); 7.7990 (8.6); 7.6508 (1.1); 7.6249 (3.2); 7.5986 (3.0); 7.5620 (11.1); 7.5342
(8.8); 7.5216 (4.8); 7.4852 (2.6); 7.4573 (1.8); 5.4981 (0.4); 4.9604 (17.5); 3.8268 (3.2); 3.8040
(7.2); 3.7813 (3.6); 3.3394 (1.8); 3.3340 (3.4); 3.3286 (4.7); 3.3232 (3.3); 3.3179 (1.7); 3.1089
(3.4); 3.0863 (6.8); 3.0635 (3.0); 3.0052 (0.8); 2.8719 (0.7) I-543: .sup.1H-NMR(400.1 MHz,
CDCl₃): δ = 8.0945 (4.9); 8.0166 (0.6); 7.8239 (0.6); 7.5498 (3.3); 7.5324 (1.5); 7.5127 (0.5);
7.2719 (1.3); 7.2686 (1.4); 7.2605 (10.7); 7.2529 (1.7); 7.2496 (1.6); 7.2142 (2.1); 7.2099 (1.9);
7.1903 (0.8); 7.1852 (1.1); 7.1796 (0.5); 7.1152 (0.8); 7.0997 (2.2); 7.0875 (2.3); 7.0684 (2.2);

7.0495 (0.7); 4.0086 (0.9); 3.9927 (2.3); 3.9771 (2.2); 3.9617 (1.0); 3.3158 (1.8); 3.2993 (3.0); 3.2830 (1.6); 2.9543 (4.9); 2.8822 (4.5); 2.7751 (0.6); 2.7216 (0.4); 2.6975 (14.4); 2.5238 (0.6); 2.4628 (16.0); 1.5895 (3.6); 0.0078 (0.5); -0.0002 (13.2); -0.0083 (0.5) I-544: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.9888 (1.3); 8.9744 (2.6); 8.9595 (1.4); 7.9612 (2.5); 7.7481 (10.7); 7.6499 (4.6); 7.5765 (4.2); 7.5555 (5.4); 7.4143 (3.0); 7.4093 (3.0); 7.3934 (2.5); 7.3883 (2.5); 7.1881 (0.9); 7.1676 (3.7); 7.1586 (2.4); 7.1506 (7.2); 7.1419 (2.4); 7.1373 (2.6); 7.1219 (1.0); 7.1172 (0.7); 6.9425 (1.2); 6.9344 (1.2); 6.9262 (2.2); 6.9200 (2.1); 6.9072 (1.4); 6.9024 (1.2); 6.0788 (0.9); 6.0675 (1.2); 6.0527 (1.0); 5.9628 (0.8); 5.9518 (1.2); 5.9483 (1.2); 5.9373 (1.0); 3.9345 (0.4); 3.9142 (0.8); 3.8984 (1.5); 3.8757 (1.3); 3.8609 (1.4); 3.8436 (1.5); 3.8278 (1.6); 3.8144 (1.2); 3.8033 (0.8); 3.7920 (0.4); 3.7784 (0.4); 3.3145 (140.5); 2.8992 (16.0); 2.7403 (14.4); 2.5966 (26.6); 2.5474 (0.4); 2.5137 (14.7); 2.5094 (20.0); 2.5050 (15.0); 2.1023 (0.4); 2.0889 (1.0); 2.0808 (1.2); 2.0683 (2.0); 2.0557 (1.3); 2.0472 (1.2); 2.0345 (0.6); 1.0459 (1.2); 1.0349 (3.6); 1.0295 (4.0); 1.0192 (2.2); 1.0138 (3.9); 1.0085 (4.0); 0.9984 (1.7); 0.9821 (0.4); 0.8021 (1.5); 0.7916 (4.2); 0.7871 (4.5); 0.7790 (4.3); 0.7742 (4.6); 0.7628 (1.5) I-545: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0983 (1.0); 9.0841 (2.1); 9.0699 (1.2); 8.6138 (4.1); 8.5809 (2.4); 8.5691 (2.5); 8.1246 (0.4); 8.1051 (5.9); 7.9610 (3.5); 7.7933 (0.8); 7.7738 (2.5); 7.7530 (6.7); 7.7371 (4.6); 7.7096 (2.0); 7.6618 (2.3); 7.6429 (1.9); 7.5178 (3.0); 7.5024 (10.2); 6.0829 (0.6); 6.0701 (1.3); 6.0583 (0.7); 5.9672 (0.6); 5.9551 (1.3); 5.9434 (0.8); 3.9390 (1.1); 3.9263 (2.1); 3.9131 (1.4); 3.8828 (1.2); 3.8689 (2.1); 3.8568 (1.3); 3.3266 (98.6); 2.9832 (0.4); 2.9002 (15.7); 2.7408 (15.1); 2.5113 (19.6); 2.5075 (19.3); 2.3573 (16.0) I-546: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6266 (3.6); 7.6246 (3.6); 7.6030 (1.4); 7.5893 (4.5); 7.5871 (4.7); 7.5818 (3.5); 7.4760 (1.5); 7.4503 (0.7); 7.4387 (0.9); 7.4319 (0.7); 7.4206 (0.6); 7.4123 (0.4); 7.3448 (1.4); 7.3182 (1.6); 7.2986 (8.1); 7.0478 (1.6); 6.9390 (0.9); 6.9127 (0.8); 6.6787 (0.4); 6.6591 (0.8); 6.6386 (0.4); 4.1682 (0.7); 4.1476 (0.7); 4.1196 (1.6); 4.0989 (1.5); 4.0710 (0.8); 4.0504 (0.8); 3.8587 (16.0); 2.4739 (4.8); 2.4669 (2.7); 2.2904 (6.3); 1.6088 (3.2); 1.2941 (0.4); 0.1090 (0.5); 0.0387 (8.0) I-547: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1125 (2.3); 9.0923 (2.3); 7.7190 (0.8); 7.6994 (2.3); 7.6762 (4.5); 7.6537 (1.5); 7.6149 (2.5); 7.6082 (2.9); 7.5938 (2.8); 7.5871 (3.1); 7.5124 (8.1); 7.4984 (6.8); 7.3666 (4.7); 7.3604 (5.4); 6.8030 (2.6); 6.7822 (2.6); 5.4488 (1.3); 5.4320 (1.9); 5.4176 (1.4); 3.7162 (14.1); 3.7096 (16.0); 3.3438 (77.7); 3.3366 (88.4); 2.9026 (0.4); 2.8954 (0.5); 2.7358 (0.4); 2.5101 (18.4); 2.3412 (13.8); 2.3346 (15.6); 1.5990 (7.6); 1.5885 (7.1); 1.5825 (7.4) I-548: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3140 (16.0); 7.9589 (1.3); 7.9389 (2.0); 7.7928 (3.1); 7.7894 (3.1); 7.7661 (3.4); 7.7187 (0.4); 7.6904 (6.6); 7.6727 (9.4); 7.6490 (0.9); 7.6335 (3.6); 7.6286 (3.2); 7.6070 (4.3); 7.6022 (3.9); 7.5911 (1.2); 7.5194 (4.9); 7.5039 (0.8); 7.4898 (2.0); 7.4750 (3.0); 7.4682 (2.3); 7.4589 (1.8); 7.4506 (1.2); 7.3036 (115.6); 7.2108 (3.0); 7.1845 (5.3); 7.1579 (2.4); 6.9527 (0.6); 5.3437 (5.9); 4.5370 (2.6); 4.5168 (2.6); 4.4885 (5.6); 4.4680 (5.4); 4.4400 (3.0); 4.4195 (2.8); 2.0891 (0.9); 1.5878 (86.1); 1.4703 (0.6); 1.2974 (3.8); 0.9247 (1.2); 0.9017 (0.6); 0.8781 (0.4); 0.2378 (0.6); 0.1240 (1.8); 0.1118 (53.6); 0.0996 (2.0); 0.0880 (0.5); 0.0531 (4.0); 0.0425 (119.0); 0.0315 (4.1); -0.0869 (0.4); -0.1558 (0.5) I-549: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5204 (2.5); 7.5164 (2.0); 7.5074 (4.4); 7.4192 (2.2); 7.3846 (0.3); 7.3740 (0.9); 7.3644 (1.3); 7.3596 (1.3); 7.3508 (1.2); 7.3391 (2.8); 7.3126 (2.1); 7.3067 (1.8); 7.2871 (2.0); 7.2684 (1.2); 7.2595 (5.3); 7.2366 (0.7); 6.6356 (0.6); 6.6208 (1.1); 6.6059 (0.6); 5.2960 (0.6); 4.1838 (1.0); 4.1681 (1.0); 4.1476 (2.1); 4.1319 (2.0); 4.1113 (1.0); 4.0957 (1.0); 2.3803 (0.4); 2.3531 (12.2); 2.3088 (16.0); 1.5735 (5.8); 1.2559 (0.4); -0.0002 (3.4) I-550: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7872 (1.5); 8.7818 (1.6); 8.7708 (1.6); 8.7655 (1.6); 8.6824 (1.9); 8.6763 (1.9); 7.8437 (0.8); 7.8372 (1.1); 7.8305 (0.8); 7.8173 (0.9); 7.8109 (1.3); 7.8043 (0.9); 7.6230 (1.4); 7.6015 (4.5); 7.5807 (0.4); 7.5355 (2.1); 7.5024 (2.2); 7.4871 (1.7); 7.4791 (1.9); 7.4625 (1.0); 7.2988 (25.7); 7.2182 (1.8); 7.1916 (2.1); 7.0309 (2.2); 7.0009 (1.1); 6.9924 (1.2); 6.9548 (1.2); 6.9267 (1.0); 6.4327 (0.5); 6.4136 (1.0); 6.3950 (0.5); 4.0342 (0.7); 4.0136 (0.7); 3.9850 (1.4); 3.9644 (1.4); 3.9361 (0.7); 3.9153 (0.7); 3.6590 (5.9); 2.3950 (6.3); 2.3658 (0.4); 2.3006 (8.4); 2.2079 (0.4); 1.6092 (16.0); 1.2922

(0.4); 0.0482 (0.9); 0.0374 (25.0); 0.0265 (0.9) I-551: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.7488 (1.5); 8.7351 (3.0); 8.7210 (1.5); 8.0763 (16.0); 7.7599 (1.1); 7.7409 (3.3); 7.7202 (3.6); 7.7035 (10.8); 7.6855 (1.9); 7.6058 (3.4); 7.5864 (2.3); 7.0880 (5.7); 6.9467 (2.8); 6.9435 (2.8); 6.9266 (3.1); 6.9233 (3.0); 6.5555 (6.2); 6.5353 (5.6); 4.4352 (5.2); 4.4134 (10.9); 4.3917 (5.6); 3.5118 (1.9); 3.4947 (5.0); 3.4795 (5.1); 3.4626 (2.1); 3.3411 (85.0); 3.0177 (3.7); 2.9960 (7.2); 2.9743 (3.5); 2.8911 (0.6); 2.7685 (3.7); 2.7510 (7.5); 2.7332 (3.9); 2.5258 (0.6); 2.5123 (14.6); 2.5081 (30.3); 2.5036 (40.4); 2.4991 (29.2); 2.4948 (14.3); 1.2389 (1.2); -0.0002 (4.6) I-552: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5103 (11.0); 8.4735 (0.4); 7.9923 (2.8); 7.7100 (1.3); 7.6837 (6.6); 7.6644 (16.0); 7.6613 (14.4); 7.5899 (9.7); 7.5562 (7.5); 7.5067 (1.1); 7.5000 (1.1); 7.4907 (3.3); 7.4804 (4.9); 7.4732 (4.4); 7.4602 (3.7); 7.4526 (2.4); 7.4313 (1.9); 7.4263 (1.6); 7.4033 (12.7); 7.3972 (18.7); 7.3674 (1.8); 7.2994 (11.8); 6.1390 (2.1); 6.1285 (2.4); 6.1149 (2.4); 6.1044 (2.2); 6.0681 (1.1); 6.0464 (3.3); 6.0247 (3.3); 6.0030 (1.2); 5.9834 (2.2); 5.9728 (2.4); 5.9594 (2.4); 5.9487 (2.2); 5.9101 (1.1); 5.8884 (3.3); 5.8666 (3.3); 5.8449 (1.1); 4.3933 (0.6); 4.3825 (0.8); 4.3771 (0.8); 4.3702 (0.9); 4.3663 (0.9); 4.3597 (0.9); 4.3547 (0.8); 4.3443 (1.3); 4.3338 (1.0); 4.3283 (1.0); 4.3216 (1.1); 4.3177 (1.1); 4.3110 (1.1); 4.3059 (1.0); 4.3016 (1.0); 4.2949 (1.0); 4.2909 (1.0); 4.2860 (0.9); 4.2785 (1.0); 4.2678 (0.9); 4.2635 (0.8); 4.2526 (1.3); 4.2417 (1.0); 4.2371 (1.0); 4.2298 (1.1); 4.2191 (1.0); 4.2150 (0.9); 4.2040 (0.7); 3.9151 (0.7); 3.8977 (1.0); 3.8918 (1.4); 3.8748 (1.5); 3.8676 (1.3); 3.8507 (1.4); 3.8441 (1.7); 3.8264 (1.9); 3.8040 (1.7); 3.7813 (1.1); 3.7738 (1.2); 3.7565 (1.0); 3.7504 (0.7); 3.7334 (0.6); 1.8583 (15.3); 1.8365 (15.3); 1.7772 (15.9); 1.7554 (15.0); 1.6136 (4.2); 1.5819 (0.3); 1.5611 (0.4); 1.2942 (5.3); 0.9406 (1.4); 0.9190 (3.8); 0.8957 (1.6); 0.1102 (1.7); 0.0479 (0.5); 0.0373 (8.7); 0.0265 (0.5) I-553: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0984 (0.9); 9.0840 (2.0); 9.0693 (1.1); 8.6130 (4.0); 8.5796 (2.3); 8.5672 (2.4); 8.1087 (6.7); 7.9606 (3.0); 7.7913 (0.7); 7.7716 (2.1); 7.7522 (2.0); 7.7284 (5.2); 7.7074 (1.6); 7.6611 (2.0); 7.6359 (4.4); 7.5910 (2.6); 7.5699 (3.1); 7.5169 (2.8); 7.5045 (2.9); 7.3765 (1.9); 7.3722 (1.9); 7.3556 (1.7); 7.3512 (1.7); 6.0965 (0.6); 6.0841 (1.2); 6.0715 (0.7); 5.9810 (0.6); 5.9687 (1.2); 5.9562 (0.7); 3.9440 (1.0); 3.9301 (1.9); 3.9164 (1.2); 3.8865 (1.1); 3.8731 (1.8); 3.8595 (1.2); 3.3245 (55.0); 2.8985 (16.0); 2.7394 (15.1); 2.5092 (14.2); 2.3563 (15.3) I-554: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5857 (0.4); 7.5595 (3.1); 7.5540 (2.9); 7.5491 (2.9); 7.5416 (7.4); 7.5384 (7.7); 7.4616 (3.6); 7.4377 (0.6); 7.4309 (0.5); 7.4233 (1.6); 7.4111 (2.2); 7.4043 (1.9); 7.3847 (4.3); 7.3581 (3.9); 7.2985 (11.7); 7.0691 (4.0); 6.9925 (2.2); 6.9656 (1.9); 6.6283 (1.0); 6.6083 (1.9); 6.5877 (1.0); 5.3365 (14.2); 4.4586 (0.7); 4.4494 (1.3); 4.4386 (1.9); 4.4291 (2.7); 4.4194 (1.8); 4.4087 (1.4); 4.3994 (0.7); 4.2672 (1.8); 4.2467 (1.7); 4.2173 (3.8); 4.1968 (3.6); 4.1674 (2.0); 4.1468 (1.8); 2.9789 (0.6); 2.8867 (0.6); 2.4996 (12.0); 2.4928 (6.9); 2.3183 (16.0); 2.0775 (0.4); 2.0378 (0.5); 1.6085 (1.4); 1.2940 (0.4); 0.9885 (0.8); 0.9789 (1.0); 0.9704 (2.4); 0.9617 (4.9); 0.9561 (4.2); 0.9471 (2.3); 0.9358 (1.4); 0.8866 (0.5); 0.8832 (0.5); 0.8778 (0.4); 0.8631 (0.4); 0.8285 (1.2); 0.8250 (1.2); 0.8060 (4.0); 0.7997 (2.6); 0.7927 (2.0); 0.7855 (3.1); 0.7792 (3.0); 0.7612 (0.7); 0.7578 (0.6); 0.1091 (0.9); 0.0491 (0.4); 0.0384 (11.3); 0.0274 (0.5) I-555: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5839 (2.3); 7.5819 (2.4); 7.3926 (0.3); 7.3652 (6.6); 7.3608 (3.4); 7.3481 (1.3); 7.3320 (0.4); 7.3218 (2.6); 7.2986 (10.7); 7.1463 (0.4); 7.0142 (1.4); 6.9911 (2.0); 6.9882 (2.2); 6.9836 (2.1); 6.9645 (0.9); 6.9613 (0.9); 6.9565 (1.2); 6.9535 (0.9); 6.9064 (1.7); 6.9002 (2.1); 6.8934 (1.2); 6.6250 (0.5); 6.6057 (0.9); 6.5854 (0.5); 6.0620 (0.5); 6.0516 (0.6); 6.0397 (0.6); 6.0293 (0.5); 5.9073 (0.5); 5.8967 (0.6); 5.8849 (0.6); 5.8744 (0.5); 4.1858 (0.4); 4.1751 (0.4); 4.1639 (0.4); 4.1532 (0.4); 4.1484 (0.3); 4.0993 (0.4); 4.0886 (0.3); 4.0774 (0.3); 3.9551 (0.3); 3.9344 (0.5); 3.9131 (0.4); 3.8838 (0.4); 3.8790 (0.4); 3.8588 (0.5); 3.8369 (0.4); 3.8301 (0.3); 3.8102 (0.5); 3.7888 (0.4); 2.4083 (16.0); 1.9618 (0.5); 1.9507 (0.6); 1.9339 (1.1); 1.9173 (0.7); 1.9061 (0.6); 1.5982 (6.3); 1.3048 (1.8); 1.0398 (0.7); 1.0247 (2.0); 1.0179 (2.1); 1.0121 (1.2); 1.0030 (1.4); 0.9963 (2.2); 0.9898 (1.8); 0.9751 (1.0); 0.9417 (0.7); 0.9200 (2.0); 0.8968 (0.7); 0.7588 (1.0); 0.7436 (2.5); 0.7376 (2.1); 0.7271 (2.1); 0.7216 (2.5); 0.7052 (0.8); 0.1078 (0.8); 0.0487 (0.4); 0.0380 (9.8); 0.0270 (0.4) I-556: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4620 (2.2); 7.4342

(4.4); 7.4252 (2.1); 7.3248 (1.3); 7.2987 (14.6); 7.2723 (1.7); 7.2292 (1.8); 7.2223 (1.6); 7.2014 (1.4); 7.1944 (1.3); 6.9864 (1.6); 6.9790 (2.9); 6.9512 (2.9); 6.9103 (2.0); 6.9039 (2.6); 6.8976 (1.3); 6.5313 (0.5); 6.5126 (0.9); 6.4930 (0.5); 6.0839 (0.6); 6.0732 (0.6); 6.0613 (0.6); 6.0511 (0.5); 5.9288 (0.6); 5.9185 (0.6); 5.9063 (0.6); 5.8957 (0.5); 4.2084 (0.4); 4.1937 (0.6); 4.1861 (0.4); 4.1696 (1.7); 4.1586 (0.4); 4.1460 (1.7); 4.1364 (0.4); 4.1213 (0.8); 4.1095 (0.4); 4.0981 (0.4); 4.0875 (0.4); 3.9428 (0.4); 3.9210 (0.5); 3.9011 (0.4); 3.8943 (0.4); 3.8684 (0.6); 3.8486 (0.6); 3.8261 (0.4); 3.8192 (0.4); 3.7970 (0.4); 2.6280 (16.0); 2.4486 (0.5); 2.3189 (16.0); 2.0815 (6.0); 1.9531 (0.6); 1.9418 (0.7); 1.9252 (1.3); 1.9083 (0.7); 1.8972 (0.7); 1.8800 (0.4); 1.6053 (6.3); 1.3202 (1.6); 1.2964 (3.2); 1.2726 (1.5); 1.0217 (0.8); 1.0060 (2.1); 0.9996 (2.3); 0.9849 (1.2); 0.9779 (2.3); 0.9713 (2.0); 0.9571 (1.0); 0.7548 (1.0); 0.7394 (2.6); 0.7336 (2.4); 0.7233 (2.2); 0.7171 (2.8); 0.7012 (0.8); 0.0484 (0.4); 0.0377 (11.8); 0.0270 (0.5) I-557: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0057 (1.7); 8.9850 (1.8); 7.9601 (0.5); 7.6502 (2.1); 7.6305 (2.3); 7.4756 (1.3); 7.4553 (3.1); 7.4349 (2.0); 7.3992 (2.2); 7.3786 (2.6); 7.3220 (1.8); 7.3192 (1.8); 7.2991 (1.5); 7.2759 (4.9); 7.2302 (2.0); 7.2251 (3.4); 7.2201 (2.0); 7.1495 (2.7); 7.1302 (3.2); 7.1125 (1.3); 6.9134 (1.3); 6.8944 (2.2); 6.8761 (1.2); 5.4683 (0.9); 5.4501 (1.3); 5.4320 (0.9); 3.7168 (16.0); 3.3402 (77.7); 2.8974 (3.0); 2.7386 (2.8); 2.5304 (14.4); 2.5131 (7.0); 2.5092 (8.9); 2.5053 (6.9); 2.2270 (14.2); 1.5864 (6.1); 1.5695 (6.2) I-558: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.2308 (1.6); 9.1825 (7.3); 8.3910 (13.3); 8.0233 (3.0); 7.9961 (3.5); 7.8767 (2.4); 7.8494 (4.2); 7.7892 (2.1); 7.7854 (2.0); 7.7664 (3.2); 7.7625 (3.4); 7.7389 (8.5); 7.7076 (4.8); 7.6809 (3.0); 7.6775 (3.1); 7.6540 (16.0); 7.6446 (5.3); 7.6326 (2.5); 7.6154 (0.6); 7.6097 (0.5); 7.3038 (13.3); 5.0190 (8.2); 5.0029 (8.2); 1.6593 (10.0); 1.2980 (0.4); 0.1137 (0.6); 0.0526 (0.5); 0.0418 (13.5); 0.0309 (0.5) I-559: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.3197 (6.0); 8.6041 (5.0); 8.5841 (5.3); 8.3798 (0.4); 8.3722 (16.0); 8.0208 (4.3); 7.9934 (3.8); 7.8817 (4.1); 7.8617 (3.8); 7.7892 (2.6); 7.7686 (3.5); 7.6512 (3.7); 7.6273 (3.3); 7.6240 (3.8); 7.6131 (0.8); 7.6099 (0.8); 7.5962 (7.2); 7.5927 (8.6); 7.5835 (3.0); 7.5725 (3.7); 7.5463 (0.8); 7.3914 (3.6); 7.3889 (3.3); 7.3443 (1.6); 7.3374 (2.1); 7.3286 (1.1); 7.3226 (2.1); 7.3154 (2.4); 7.3062 (1.3); 7.3049 (1.4); 7.2987 (13.8); 7.2895 (0.4); 5.3346 (1.9); 5.2059 (7.8); 5.1868 (7.7); 1.6810 (3.4); 1.2908 (0.4); 0.0463 (0.4); 0.0355 (11.5); 0.0246 (0.4) I-560: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.7800 (0.6); 8.7662 (1.1); 8.7518 (0.6); 8.0688 (5.7); 7.9993 (2.0); 7.9937 (2.1); 7.9539 (0.3); 7.7524 (0.4); 7.7327 (1.3); 7.7128 (1.5); 7.6965 (2.8); 7.6910 (2.3); 7.6034 (1.2); 7.5833 (0.9); 7.5773 (1.6); 7.5709 (1.2); 7.5559 (1.3); 7.5497 (1.2); 6.5529 (2.2); 6.5319 (2.1); 5.1233 (0.4); 5.1079 (1.1); 5.0924 (1.5); 5.0770 (1.2); 5.0615 (0.4); 3.5384 (0.7); 3.5219 (1.9); 3.5069 (2.0); 3.4905 (0.8); 3.3495 (59.7); 2.8926 (2.2); 2.7804 (1.3); 2.7637 (2.7); 2.7470 (1.2); 2.7338 (2.1); 2.5136 (6.9); 2.5096 (14.2); 2.5051 (18.9); 2.5007 (13.8); 1.2392 (0.6); 1.2218 (16.0); 1.2063 (15.7); -0.0002 (0.7) I-561: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0588 (0.6); 9.0431 (1.3); 9.0273 (0.7); 7.9611 (0.8); 7.8713 (2.3); 7.8677 (2.4); 7.6063 (5.3); 7.4838 (1.4); 7.4626 (3.1); 7.4295 (1.7); 7.4252 (1.7); 7.4085 (0.9); 7.4041 (0.9); 7.3798 (1.2); 7.3594 (2.4); 7.3393 (1.4); 6.8729 (1.1); 6.8686 (1.2); 6.8532 (1.0); 6.8475 (1.2); 6.7437 (1.2); 6.7384 (2.6); 6.7322 (3.1); 6.7112 (1.4); 6.7063 (1.1); 4.2695 (0.6); 4.2539 (0.7); 4.2350 (1.4); 4.2192 (1.4); 4.2004 (0.8); 4.1845 (0.7); 3.7768 (16.0); 3.3151 (77.1); 2.8993 (5.2); 2.7404 (4.7); 2.5802 (13.3); 2.5138 (7.1); 2.5094 (9.8); 2.5050 (7.4) I-562: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2163 (0.9); 9.2005 (2.0); 9.1846 (1.0); 8.6068 (4.7); 8.5735 (2.6); 8.5611 (2.8); 8.0276 (6.7); 7.9607 (3.0); 7.7930 (0.8); 7.7735 (2.3); 7.7538 (5.6); 7.7295 (2.9); 7.7101 (1.5); 7.6835 (3.4); 7.6222 (2.0); 7.6012 (4.2); 7.5798 (3.3); 7.4950 (2.8); 7.4825 (2.9); 7.2714 (1.8); 7.2674 (1.9); 7.2505 (1.7); 7.2462 (1.8); 4.3394 (0.9); 4.3239 (1.0); 4.3053 (2.0); 4.2899 (2.0); 4.2713 (1.1); 4.2550 (1.0); 3.3242 (113.7); 3.2751 (0.9); 2.8990 (16.0); 2.7398 (15.0); 2.5097 (15.8); 2.3391 (15.8) I-563: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1544 (4.9); 7.9126 (0.7); 7.8933 (0.4); 7.6505 (1.4); 7.6242 (2.1); 7.6003 (1.2); 7.4802 (1.8); 7.4523 (2.5); 7.4314 (2.8); 7.4267 (2.2); 7.4038 (1.2); 7.3767 (0.6); 7.2988 (13.4); 7.2835 (1.6); 7.2767 (1.5); 7.2555 (1.2); 7.2488 (1.1); 6.1495 (0.4); 6.1393 (0.5); 6.1272 (0.5); 6.1166 (0.5); 5.9950 (0.5); 5.9841 (0.5); 5.9723 (0.5);

5.9616 (0.5); 5.3379 (5.3); 4.2965 (0.4); 4.2857 (0.4); 4.2746 (0.3); 4.2633 (0.4); 4.2583 (0.3); 4.2094 (0.4); 4.1985 (0.4); 4.1874 (0.4); 4.1765 (0.3); 3.9565 (0.3); 3.9386 (0.4); 3.9339 (0.4); 3.9162 (0.4); 3.8844 (0.5); 3.8658 (0.6); 3.8606 (0.4); 3.8425 (0.4); 3.8165 (0.3); 2.7660 (15.3); 2.0488 (0.4); 1.6022 (16.0); 1.2913 (0.4); 0.1064 (6.0); 0.0472 (0.6); 0.0364 (14.0); 0.0256 (0.6) I-564: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4336 (1.4); 7.4271 (0.7); 7.4063 (4.1); 7.3871 (1.1); 7.3806 (3.8); 7.2983 (25.5); 7.2569 (1.2); 7.2533 (0.8); 7.2323 (1.8); 7.2075 (0.8); 7.2036 (0.6); 7.1941 (2.7); 7.1902 (3.3); 7.1830 (0.9); 7.1686 (1.5); 7.1651 (2.5); 7.0666 (2.1); 6.9829 (1.1); 6.9572 (1.0); 6.3210 (0.5); 6.3015 (0.8); 6.2814 (0.5); 5.3373 (12.9); 4.2655 (1.0); 4.2452 (0.9); 4.2162 (2.1); 4.1959 (2.0); 4.1668 (1.1); 4.1467 (1.1); 3.7510 (0.5); 3.7438 (0.5); 3.7172 (0.9); 3.6911 (0.5); 3.6830 (0.6); 2.6353 (0.3); 2.6055 (16.0); 2.5106 (6.0); 2.5037 (3.5); 2.4643 (0.4); 2.4580 (0.4); 2.4285 (1.1); 2.4213 (0.9); 2.4000 (1.4); 2.3926 (1.2); 2.3813 (0.6); 2.3727 (0.9); 2.3660 (0.9); 2.3531 (0.6); 2.3447 (0.6); 2.3233 (8.8); 2.2876 (1.3); 2.2811 (1.2); 2.2544 (0.9); 2.2462 (0.7); 2.0827 (0.9); 2.0485 (0.5); 2.0220 (0.8); 1.9870 (0.8); 1.9535 (0.4); 1.8467 (0.4); 1.8168 (0.7); 1.7870 (0.6); 1.5976 (12.5); 1.3208 (0.4); 1.2968 (1.2); 1.1646 (0.5); 1.1438 (0.4); 0.1746 (0.4); 0.1077 (53.4); 0.0954 (2.2); 0.0487 (1.0); 0.0380 (25.2); 0.0271 (0.9) I-565: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9763 (8.4); 7.8553 (0.5); 7.7371 (0.8); 7.7228 (8.3); 7.7080 (0.6); 7.6616 (0.4); 7.6349 (0.4); 7.6064 (4.6); 7.6017 (3.5); 7.5891 (7.4); 7.5656 (0.7); 7.5257 (0.5); 7.4958 (3.7); 7.4748 (0.6); 7.4613 (1.7); 7.4521 (1.6); 7.4469 (2.2); 7.4407 (1.8); 7.4312 (1.4); 7.4230 (1.0); 7.3277 (3.3); 7.2986 (8.8); 7.2759 (0.3); 7.0551 (4.3); 6.9504 (2.2); 6.9243 (1.9); 6.7400 (1.0); 6.7200 (2.0); 6.6997 (1.1); 5.3356 (1.2); 4.1480 (1.7); 4.1275 (1.6); 4.0994 (3.5); 4.0788 (3.4); 4.0507 (1.8); 4.0301 (1.8); 2.5059 (0.3); 2.4649 (11.5); 2.3721 (0.7); 2.3455 (0.5); 2.3006 (16.0); 1.6555 (3.9); 0.1123 (0.5); 0.0400 (5.3) I-566: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3972 (2.0); 7.3706 (2.3); 7.3075 (1.7); 7.2983 (13.9); 7.2817 (2.6); 7.2553 (1.7); 7.0882 (2.3); 7.0046 (1.4); 6.9792 (2.6); 6.9713 (2.8); 6.9642 (2.0); 6.9553 (1.2); 6.9521 (1.3); 6.9442 (2.2); 6.9390 (1.6); 6.8970 (2.0); 6.8907 (2.4); 6.8839 (1.3); 6.4526 (0.5); 6.4318 (1.0); 6.4122 (0.5); 4.2691 (1.1); 4.2482 (1.0); 4.2203 (2.3); 4.1994 (2.2); 4.1713 (1.2); 4.1505 (1.1); 2.6863 (0.3); 2.6198 (16.0); 2.5528 (0.6); 2.5323 (6.7); 2.5255 (3.9); 2.3898 (0.4); 2.3436 (8.9); 2.2657 (15.6); 2.1993 (0.3); 2.0449 (0.4); 1.9435 (0.6); 1.9324 (0.7); 1.9271 (0.5); 1.9155 (1.2); 1.8987 (0.7); 1.8876 (0.7); 1.8708 (0.4); 1.6071 (10.0); 1.2967 (1.4); 1.0149 (0.9); 0.9998 (2.2); 0.9928 (2.4); 0.9871 (1.3); 0.9780 (1.4); 0.9713 (2.3); 0.9646 (2.0); 0.9501 (1.2); 0.9414 (0.6); 0.9196 (1.4); 0.8963 (0.6); 0.7471 (1.1); 0.7320 (2.7); 0.7258 (2.4); 0.7155 (2.3); 0.7097 (2.8); 0.6934 (0.8); 0.1074 (0.5); 0.1041 (0.4); 0.0482 (0.6); 0.0375 (14.2); 0.0266 (0.6) I-567: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2839 (9.2); 7.9537 (0.6); 7.9335 (1.0); 7.9145 (0.6); 7.8542 (0.4); 7.5916 (2.9); 7.5632 (3.6); 7.5268 (2.5); 7.5204 (2.7); 7.3648 (0.4); 7.3342 (1.8); 7.3275 (1.8); 7.3057 (2.0); 7.2984 (20.0); 7.2317 (0.4); 7.2101 (3.5); 7.1813 (4.4); 7.0478 (3.5); 7.0399 (4.2); 6.9755 (2.9); 6.9675 (2.4); 6.9468 (2.3); 6.9387 (1.9); 4.4861 (1.5); 4.4657 (1.4); 4.4375 (3.1); 4.4170 (2.9); 4.4034 (0.4); 4.3887 (1.6); 4.3683 (1.5); 2.0833 (0.4); 1.5881 (16.0); 1.3658 (0.3); 1.3434 (0.6); 1.3033 (3.7); 1.2971 (3.7); 0.9408 (1.3); 0.9189 (4.2); 0.8956 (1.6); 0.1032 (0.4); 0.0477 (0.7); 0.0368 (20.7); 0.0258 (0.8); -0.0298 (0.4) I-568: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0047 (1.2); 8.9912 (2.4); 8.9772 (1.2); 8.3160 (0.3); 8.1277 (16.0); 7.7188 (1.0); 7.7006 (6.7); 7.6801 (5.2); 7.6738 (4.9); 7.6574 (1.0); 7.6542 (1.2); 7.6044 (1.8); 7.6002 (3.0); 7.5959 (1.8); 7.5814 (1.9); 7.2664 (0.5); 7.2601 (4.4); 7.2546 (1.6); 7.2412 (5.0); 7.2381 (6.4); 7.2256 (1.7); 7.2201 (4.9); 6.9315 (2.4); 6.9293 (2.0); 6.9145 (10.2); 6.9125 (10.3); 6.8930 (10.9); 4.1284 (3.6); 4.1147 (7.9); 4.1011 (4.1); 3.9026 (0.9); 3.7022 (2.1); 3.6886 (5.6); 3.6747 (5.4); 3.6608 (1.8); 3.3297 (180.6); 2.6756 (0.9); 2.6711 (1.2); 2.6666 (0.9); 2.5245 (4.2); 2.5196 (6.9); 2.5111 (80.0); 2.5067 (158.5); 2.5022 (205.0); 2.4976 (148.2); 2.4931 (73.0); 2.3380 (0.5); 2.3335 (0.9); 2.3289 (1.2); 2.3244 (0.9); -0.0002 (1.0) I-569: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5401 (2.5); 7.5366 (2.7); 7.5298 (5.3); 7.5189 (1.6); 7.5060 (1.3); 7.4891 (0.6); 7.4169 (2.6); 7.3642 (0.9); 7.3567 (1.3); 7.3533 (1.2); 7.3463 (1.0); 7.3418 (0.7); 7.2606 (4.5); 6.9104 (0.6); 6.8927 (1.2); 6.8717 (0.7); 6.8520 (0.7); 6.8351 (1.3); 6.8192 (0.7); 6.6784 (0.7); 6.6660 (1.2);

6.6537 (0.7); 4.2920 (10); 4.2792 (1.0); 4.2631 (2.1); 4.2503 (2.1); 4.2341 (1.1); 4.2213 (1.0); 2.3305 (16.0); 1.5707 (9.1); 1.2567 (0.4); -0.0002 (3.7) I-570: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.1830 (1.1); 9.1677 (2.3); 9.1520 (1.1); 7.9378 (11.6); 7.9285 (0.4); 7.4041 (2.0); 7.3845 (4.3); 7.3650 (2.7); 7.3333 (3.5); 7.3133 (3.9); 7.1666 (2.7); 7.1474 (2.3); 7.0902 (4.2); 7.0594 (4.2); 7.0425 (2.5); 7.0226 (2.0); 7.0180 (1.6); 6.9661 (2.2); 6.9463 (2.1); 4.1194 (1.2); 4.1038 (1.2); 4.0824 (2.6); 4.0666 (2.5); 4.0450 (1.3); 4.0295 (1.2); 3.3483 (16.5); 2.8976 (1.5); 2.7390 (1.3); 2.6862 (1.8); 2.6673 (5.2); 2.6483 (5.3); 2.6293 (1.8); 2.5179 (17.7); 2.5138 (33.7); 2.5093 (43.9); 2.5049 (32.8); 2.4240 (10.8); 2.2672 (0.6); 2.2405 (15.2); 2.1957 (0.5); 1.2275 (7.7); 1.2086 (16.0); 1.1896 (7.3) I-571: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2740 (5.7); 7.6072 (4.3); 7.5925 (2.6); 7.5732 (0.6); 7.3934 (2.1); 7.3032 (0.8); 7.2979 (1.1); 7.2879 (1.1); 7.2824 (1.2); 7.2750 (0.8); 7.2595 (12.9); 6.9725 (2.2); 6.9521 (2.3); 6.3545 (2.5); 6.3487 (2.6); 6.1831 (1.5); 6.1772 (1.4); 6.1625 (1.4); 6.1567 (1.3); 3.7801 (1.2); 3.7653 (2.4); 3.7491 (2.4); 3.7344 (1.2); 3.6994 (15.4); 3.6732 (16.0); 2.9027 (1.9); 2.8865 (3.1); 2.8704 (1.7); 1.5443 (10.2); -0.0002 (12.3) I-572: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5676 (0.3); 7.5419 (1.3); 7.5163 (3.5); 7.5113 (1.8); 7.4924 (0.4); 7.4396 (2.0); 7.4364 (1.6); 7.4219 (1.0); 7.4139 (1.5); 7.4062 (2.2); 7.3910 (0.9); 7.3796 (2.0); 7.2986 (6.6); 7.0922 (1.8); 7.0105 (1.0); 6.9839 (0.9); 6.3776 (0.4); 6.3572 (0.8); 6.3372 (0.4); 4.3003 (0.9); 4.2794 (0.9); 4.2514 (1.9); 4.2305 (1.8); 4.2025 (1.0); 4.1816 (0.9); 2.5375 (5.6); 2.5306 (3.2); 2.4307 (16.0); 2.3689 (0.4); 2.3323 (7.4); 2.1105 (0.6); 2.0997 (0.6); 2.0940 (0.4); 2.0834 (1.2); 2.0725 (0.5); 2.0668 (0.7); 2.0561 (0.6); 1.6068 (5.6); 1.2945 (0.5); 1.2698 (0.9); 1.2671 (0.8); 1.2518 (1.8); 1.2437 (2.1); 1.2357 (1.8); 1.2319 (1.5); 1.2273 (2.0); 1.2155 (0.8); 1.1062 (0.9); 1.0944 (2.0); 1.0858 (1.5); 1.0791 (1.2); 1.0672 (1.9); 1.0585 (1.5); 1.0439 (0.6); 0.1084 (0.5); 0.0376 (5.5) I-573: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.7495 (0.6); 8.7356 (1.2); 8.7215 (0.6); 8.0677 (6.1); 7.9530 (0.4); 7.7552 (0.4); 7.7361 (1.3); 7.7156 (1.4); 7.6977 (4.2); 7.6807 (0.8); 7.6015 (1.3); 7.5822 (0.9); 6.7395 (2.4); 6.7350 (2.9); 6.6933 (0.8); 6.6886 (0.7); 6.6728 (2.0); 6.6680 (2.0); 6.6482 (3.9); 6.6278 (1.5); 4.1367 (16.0); 3.5056 (0.8); 3.4887 (2.0); 3.4735 (2.0); 3.4567 (0.8); 3.3454 (29.6); 3.3439 (29.5); 2.8915 (2.8); 2.7326 (3.9); 2.7149 (3.0); 2.6974 (1.4); 2.5127 (4.8); 2.5086 (10.1); 2.5041 (13.5); 2.4997 (9.9); 2.4955 (4.9); 1.2388 (0.4); -0.0002 (0.9) I-574: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0484 (1.6); 9.0327 (3.3); 9.0168 (1.6); 7.9609 (2.5); 7.8710 (5.8); 7.8679 (6.0); 7.6027 (13.0); 7.4777 (3.5); 7.4564 (7.7); 7.4251 (4.4); 7.4210 (4.3); 7.4041 (2.0); 7.3999 (2.0); 7.3386 (2.8); 7.3189 (5.9); 7.2992 (3.5); 6.9922 (3.6); 6.9726 (3.3); 6.9168 (2.6); 6.9118 (3.1); 6.8967 (2.3); 6.8928 (3.0); 6.8657 (4.4); 6.8614 (5.9); 4.2677 (1.5); 4.2517 (1.6); 4.2331 (3.5); 4.2172 (3.4); 4.1985 (1.8); 4.1826 (1.6); 3.3142 (192.8); 2.8992 (16.0); 2.7401 (14.4); 2.5756 (32.7); 2.5509 (0.4); 2.5136 (19.7); 2.5093 (26.8); 2.5049 (19.8); 1.9989 (0.6); 1.9860 (1.3); 1.9776 (1.5); 1.9653 (2.7); 1.9528 (1.6); 1.9445 (1.5); 1.9317 (0.8); 1.0079 (1.6); 0.9969 (4.7); 0.9915 (5.1); 0.9812 (2.5); 0.9760 (4.9); 0.9707 (4.9); 0.9604 (1.8); 0.7100 (1.8); 0.6993 (5.6); 0.6945 (5.6); 0.6870 (5.2); 0.6821 (5.8); 0.6708 (1.6) I-575: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1722 (0.9); 9.1567 (2.0); 9.1415 (1.0); 8.6089 (4.8); 8.5752 (2.7); 8.5628 (2.9); 8.0675 (6.9); 7.9606 (2.6); 7.7938 (0.7); 7.7742 (2.1); 7.7547 (2.1); 7.7300 (2.9); 7.7094 (4.8); 7.6826 (0.4); 7.6370 (2.0); 7.6170 (1.6); 7.5801 (2.8); 7.5591 (6.4); 7.5272 (6.3); 7.5049 (5.6); 7.4916 (3.3); 4.1877 (0.8); 4.1720 (1.0); 4.1533 (1.9); 4.1377 (2.0); 4.1186 (1.1); 4.1029 (1.0); 3.3254 (124.2); 2.8986 (14.2); 2.7395 (13.3); 2.5094 (16.6); 2.3462 (16.0) I-576: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1064 (0.4); 9.0909 (0.8); 9.0755 (1.3); 9.0594 (0.6); 8.3102 (1.5); 7.7324 (0.8); 7.7129 (2.0); 7.6934 (1.8); 7.6813 (0.4); 7.6605 (6.3); 7.6475 (1.2); 7.6339 (0.8); 7.6262 (1.4); 7.5915 (2.4); 7.5729 (3.4); 7.5535 (3.0); 7.5431 (0.8); 7.5230 (1.9); 7.5045 (1.1); 7.2673 (1.4); 7.2440 (1.4); 7.2210 (0.3); 4.9624 (0.5); 4.8946 (2.7); 4.8794 (3.1); 4.8738 (3.1); 4.8587 (3.0); 4.5462 (0.4); 4.5144 (2.8); 4.4986 (4.9); 4.4828 (2.9); 4.2889 (0.8); 4.2726 (0.8); 4.2532 (1.6); 4.2372 (1.8); 4.2181 (1.5); 4.1997 (1.6); 4.1804 (0.6); 3.7184 (0.3); 3.6327 (0.4); 3.6184 (0.6); 3.6040 (0.4); 3.3239 (353.6); 3.2730 (0.4); 3.2672 (0.4); 3.2162 (1.2); 2.7118 (0.7); 2.6760 (1.4); 2.6716 (1.9); 2.6672 (1.4); 2.6029 (1.0); 2.5811 (16.0); 2.5611 (0.6); 2.5418 (166.3); 2.5249

(5.5); 2.5200 (8.4); 2.5114 (116.4); 2.5071 (229.6); 2.5026 (299.0); 2.4981 (219.5); 2.4939 (109.6); 2.4119 (1.0); 2.3681 (0.8); 2.3339 (1.4); 2.3294 (1.9); 2.3249 (1.4); 2.2952 (0.5); 1.3428 (0.4); -0.0002 (3.3) I-577: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.3524 (7.7); 7.8845 (1.5); 7.7366 (0.3); 7.7245 (0.7); 7.7111 (0.8); 7.6993 (0.4); 7.6437 (0.3); 7.6268 (4.7); 7.6169 (6.6); 7.4839 (3.6); 7.4441 (0.4); 7.4362 (1.3); 7.4274 (2.0); 7.4240 (1.8); 7.4185 (1.5); 7.4134 (1.1); 7.3544 (0.4); 7.3381 (0.6); 7.3262 (3.6); 7.3104 (3.7); 7.2678 (0.8); 7.2587 (10.4); 7.2384 (0.6); 7.2131 (0.4); 7.0339 (4.2); 6.9391 (2.2); 6.9234 (2.1); 5.2965 (4.5); 4.2508 (1.6); 4.2390 (1.6); 4.2220 (3.4); 4.2102 (3.4); 4.1932 (1.8); 4.1814 (1.8); 3.4203 (8.0); 2.4716 (11.5); 2.3221 (0.7); 2.2777 (16.0); 1.5511 (5.1); 1.2564 (0.9); -0.0002 (9.8); -0.5243 (2.7) I-578: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.7046 (0.6); 8.4073 (0.5); 8.2977 (5.7); 8.0171 (0.5); 7.8750 (1.9); 7.8680 (2.0); 7.6507 (2.0); 7.6288 (2.3); 7.4904 (1.0); 7.4885 (1.0); 7.4703 (1.3); 7.4685 (1.4); 7.3628 (1.4); 7.3425 (2.6); 7.3226 (2.6); 7.3181 (2.6); 7.3131 (1.6); 7.2736 (1.4); 7.2663 (1.6); 7.2598 (11.3); 7.2521 (1.6); 7.2446 (1.4); 7.1479 (1.2); 7.1440 (1.1); 7.1423 (1.1); 7.1274 (1.0); 7.1236 (0.9); 4.4407 (1.0); 4.4258 (1.0); 4.4091 (2.0); 4.3941 (2.0); 4.3772 (1.0); 4.3623 (0.9); 3.7928 (16.0); 3.7819 (1.5); 2.9545 (3.8); 2.8823 (3.5); 1.5547 (3.3); 0.0078 (0.6); -0.0002 (13.9); -0.0081 (0.6) I-579: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1158 (1.4); 9.1000 (2.8); 9.0841 (1.4); 7.9612 (2.5); 7.8691 (5.0); 7.8656 (5.2); 7.6786 (0.3); 7.6449 (11.2); 7.5071 (3.4); 7.4859 (6.1); 7.4385 (3.4); 7.4343 (3.3); 7.4175 (1.9); 7.4133 (1.9); 7.1881 (1.3); 7.1680 (3.5); 7.1483 (2.8); 7.1210 (1.7); 7.1170 (2.0); 7.0995 (2.5); 7.0828 (1.1); 7.0790 (1.0); 6.9435 (1.4); 6.9399 (1.4); 6.9243 (2.5); 6.9075 (1.3); 4.2881 (1.3); 4.2728 (1.4); 4.2542 (3.0); 4.2383 (2.9); 4.2196 (1.5); 4.2036 (1.4); 3.3146 (181.3); 2.8992 (16.0); 2.7401 (14.3); 2.5781 (27.7); 2.5137 (17.7); 2.5093 (24.2); 2.5049 (18.0); 2.1067 (0.5); 2.0938 (1.0); 2.0854 (1.2); 2.0728 (2.0); 2.0602 (1.2); 2.0518 (1.1); 2.0389 (0.6); 1.0503 (1.2); 1.0392 (3.7); 1.0338 (4.0); 1.0236 (2.2); 1.0181 (3.8); 1.0128 (4.0); 1.0027 (1.6); 0.8088 (1.5); 0.7983 (4.3); 0.7937 (4.6); 0.7858 (4.2); 0.7809 (4.6); 0.7695 (1.3) I-580: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0648 (0.8); 9.0502 (1.6); 9.0352 (0.9); 8.6262 (5.1); 8.3881 (2.9); 8.3761 (3.2); 8.2825 (0.4); 8.2480 (6.7); 7.9601 (2.4); 7.7911 (0.6); 7.7713 (2.0); 7.7612 (4.8); 7.7526 (4.2); 7.7301 (2.7); 7.7218 (3.6); 7.7098 (4.0); 7.6650 (1.6); 7.6451 (1.2); 7.4957 (7.6); 6.0893 (0.5); 6.0774 (0.9); 6.0641 (0.5); 5.9747 (0.5); 5.9625 (0.9); 5.9497 (0.6); 4.0095 (16.0); 3.9488 (0.5); 3.9342 (1.1); 3.9203 (1.0); 3.9094 (0.6); 3.8930 (0.6); 3.8780 (1.1); 3.8649 (1.0); 3.8539 (0.6); 3.3420 (138.3); 2.8980 (15.0); 2.7386 (13.5); 2.5141 (9.5); 2.5099 (13.1); 2.5057 (10.3) I-581: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7622 (0.6); 8.2921 (1.5); 8.1408 (5.0); 7.7252 (0.8); 7.7221 (0.8); 7.7186 (0.8); 7.6983 (0.9); 7.6955 (0.9); 7.6919 (0.9); 7.3149 (1.7); 7.2986 (9.9); 7.2880 (1.5); 7.1572 (0.5); 7.1536 (0.4); 7.1303 (1.4); 7.1015 (1.3); 7.0799 (0.9); 7.0735 (1.1); 7.0564 (1.0); 7.0510 (1.2); 7.0297 (0.5); 7.0239 (0.5); 6.8787 (0.7); 6.8725 (0.7); 6.8521 (1.1); 6.8306 (0.6); 6.8252 (0.6); 6.7357 (1.0); 6.5494 (2.1); 6.3631 (1.1); 5.3365 (4.4); 4.0522 (1.0); 4.0330 (2.2); 4.0227 (0.6); 4.0122 (2.2); 3.9925 (1.1); 3.2426 (1.4); 3.2221 (2.1); 3.2020 (1.2); 2.7366 (16.0); 2.1304 (0.4); 2.1190 (0.5); 2.1021 (0.9); 2.0846 (0.5); 2.0737 (0.5); 1.6330 (12.1); 1.0829 (0.7); 1.0677 (1.8); 1.0608 (1.9); 1.0460 (1.0); 1.0391 (1.9); 1.0325 (1.7); 1.0178 (0.8); 0.8237 (0.9); 0.8087 (2.1); 0.8029 (2.0); 0.7919 (1.8); 0.7862 (2.2); 0.7696 (0.6); 0.1059 (5.1); 0.0461 (0.4); 0.0352 (10.2); 0.0244 (0.4) I-582: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0017 (1.4); 8.9802 (1.4); 8.3108 (3.4); 7.8172 (6.4); 7.7165 (0.6); 7.6972 (1.6); 7.6771 (1.3); 7.6353 (2.0); 7.6203 (2.9); 7.5842 (1.3); 7.5618 (1.0); 7.3143 (1.8); 7.2945 (2.1); 7.1217 (2.6); 7.1103 (1.6); 7.0905 (1.2); 5.1837 (0.7); 5.1659 (0.7); 4.9188 (2.5); 4.9044 (2.9); 4.8981 (2.8); 4.8835 (2.8); 4.5595 (1.6); 4.5510 (1.8); 4.5429 (2.2); 4.5344 (2.3); 4.5281 (1.7); 4.5195 (1.6); 4.1953 (0.3); 4.1779 (0.7); 4.1577 (1.2); 4.1401 (0.7); 3.3253 (405.8); 2.7732 (0.5); 2.7587 (1.4); 2.7445 (1.5); 2.6807 (1.1); 2.6763 (2.2); 2.6717 (3.0); 2.6672 (2.2); 2.6630 (1.0); 2.6064 (16.0); 2.5864 (0.4); 2.5421 (2.1); 2.5251 (9.5); 2.5203 (14.9); 2.5117 (183.6); 2.5073 (366.2); 2.5027 (479.1); 2.4982 (347.3); 2.4937 (168.3); 2.3386 (1.0); 2.3341 (2.1); 2.3296 (2.9); 2.3250 (2.1); 2.3206 (1.0); 2.0727 (3.1); 2.0284 (0.3); 2.0022 (0.5); 1.9938 (0.6); 1.9708 (0.4); 1.9096 (0.4); 1.8851 (0.5); 1.8649 (0.5); 1.7816 (0.9); 1.7639 (1.3);

1.7540 (1.0); 1.7409 (0.9); -0.0001 (2.5) I-583: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3932 (1.1); 9.3780 (2.2); 9.3630 (1.1); 8.3164 (0.4); 8.2205 (16.0); 7.7539 (0.9); 7.7344 (3.0); 7.7141 (10.2); 7.6989 (4.0); 7.6945 (2.6); 7.6893 (2.2); 7.6839 (2.0); 7.6699 (2.7); 7.6445 (2.6); 7.6399 (1.6); 7.6246 (1.6); 7.6195 (1.6); 7.6143 (1.6); 7.5944 (3.1); 7.5698 (2.7); 7.5508 (3.0); 7.5317 (1.0); 4.6487 (5.6); 4.6336 (5.6); 3.9027 (1.4); 3.3267 (116.1); 2.6798 (0.5); 2.6756 (1.0); 2.6711 (1.4); 2.6665 (1.0); 2.6621 (0.5); 2.5413 (0.9); 2.5245 (5.0); 2.5197 (7.7); 2.5111 (88.6); 2.5067 (176.0); 2.5021 (226.8); 2.4975 (161.9); 2.4930 (78.1); 2.3378 (0.4); 2.3334 (0.9); 2.3289 (1.3); 2.3244 (0.9); 2.3198 (0.4); 1.2358 (0.3); -0.0002 (1.1) I-584: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3947 (13.5); 8.2842 (2.8); 8.1211 (0.4); 7.9864 (1.1); 7.9687 (1.8); 7.7166 (0.5); 7.6893 (4.3); 7.6718 (9.2); 7.6689 (8.3); 7.5582 (4.3); 7.5035 (1.2); 7.4894 (1.7); 7.4768 (3.9); 7.4689 (5.4); 7.4404 (6.8); 7.4100 (5.5); 7.3323 (3.5); 7.3041 (74.2); 6.9530 (0.3); 5.3438 (4.9); 4.4044 (8.8); 4.3221 (2.2); 4.3016 (2.2); 4.2730 (5.0); 4.2529 (4.8); 4.2239 (3.1); 4.2039 (2.8); 4.1717 (0.5); 4.1522 (0.7); 3.4736 (14.1); 3.4284 (3.0); 3.1743 (2.7); 3.1660 (10.6); 2.5589 (10.9); 2.5517 (16.0); 2.0891 (0.8); 2.0518 (5.5); 1.5955 (81.4); 1.3619 (0.7); 1.3255 (0.9); 1.2984 (2.4); 0.9245 (0.6); 0.8976 (0.4); 0.2387 (0.3); 0.1123 (1.9); 0.0534 (2.9); 0.0426 (72.1); 0.0317 (2.6) I-585: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 9.0650 (2.3); 9.0538 (2.3); 8.5377 (5.8); 8.3488 (16.0); 7.7004 (5.9); 7.6338 (0.6); 7.5975 (12.6); 7.5788 (4.3); 7.5724 (4.0); 7.5620 (1.4); 7.5548 (1.7); 7.2597 (17.6); 5.1269 (0.9); 5.1150 (1.7); 5.1016 (1.8); 5.0885 (1.8); 5.0754 (0.9); 2.9678 (3.4); 2.9526 (5.5); 2.9300 (3.6); 2.9178 (2.0); 2.9073 (1.5); 2.8976 (2.0); 2.8843 (3.2); 2.8740 (0.7); 2.0826 (1.5); 2.0644 (3.1); 2.0519 (4.1); 2.0380 (3.3); 2.0234 (1.4); 2.0131 (0.8); 1.7403 (0.9); 1.7177 (1.1); 1.7134 (1.2); 1.7082 (1.2); 1.7002 (1.2); 1.6914 (1.7); 1.6818 (1.4); 1.6736 (1.2); 1.6681 (1.3); 1.6580 (1.2); 1.6416 (1.2); 1.6207 (0.9); 1.4319 (1.1); -0.0002 (5.0) I-586: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2672 (16.0); 8.0157 (2.0); 7.6332 (1.6); 7.4803 (2.7); 7.4783 (2.8); 7.4763 (2.6); 7.4602 (3.6); 7.4582 (3.7); 7.3465 (3.9); 7.3261 (7.1); 7.3059 (3.5); 7.2718 (4.2); 7.2666 (7.2); 7.2594 (33.2); 7.0684 (3.1); 7.0646 (3.0); 7.0627 (2.9); 7.0495 (2.5); 7.0478 (2.7); 7.0440 (2.6); 6.7315 (3.1); 6.7272 (3.5); 6.7116 (4.1); 6.7074 (4.6); 6.6508 (2.3); 6.6467 (2.6); 6.6321 (4.8); 6.6281 (4.1); 6.5951 (5.4); 6.5757 (6.0); 6.5566 (2.4); 4.2084 (2.6); 4.2040 (5.0); 4.1994 (4.0); 4.1945 (6.7); 4.1906 (9.7); 4.1768 (9.6); 4.1730 (7.0); 4.1683 (4.1); 4.1636 (5.1); 4.1592 (2.8); 3.8102 (2.6); 3.7948 (5.8); 3.7785 (5.8); 3.7636 (2.8); 2.9538 (16.0); 2.9410 (5.0); 2.9244 (8.3); 2.9081 (4.6); 2.8818 (14.3); 1.5526 (12.4); 0.0078 (1.4); -0.0002 (39.6); -0.0083 (1.9) I-587: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1806 (1.5); 9.1651 (3.1); 9.1493 (1.5); 7.9610 (2.7); 7.9485 (14.4); 7.7596 (5.2); 7.7552 (5.4); 7.5673 (4.8); 7.5460 (5.5); 7.3623 (2.6); 7.3426 (5.5); 7.3229 (3.2); 7.2681 (3.0); 7.2635 (3.0); 7.2470 (2.6); 7.2422 (2.6); 7.0315 (3.4); 7.0116 (3.0); 6.9575 (2.6); 6.9534 (2.9); 6.9373 (2.2); 6.9333 (2.7); 6.8965 (4.0); 6.8920 (5.5); 4.2868 (1.5); 4.2711 (1.6); 4.2524 (3.3); 4.2366 (3.2); 4.2177 (1.7); 4.2018 (1.6); 3.3139 (159.6); 2.8991 (16.0); 2.7401 (14.4); 2.5135 (16.8); 2.5092 (22.7); 2.5049 (16.8); 2.0073 (0.6); 1.9943 (1.2); 1.9860 (1.4); 1.9736 (2.5); 1.9610 (1.5); 1.9527 (1.4); 1.9398 (0.7); 1.0145 (1.5); 1.0035 (4.4); 0.9981 (4.8); 0.9877 (2.4); 0.9826 (4.6); 0.9773 (4.5); 0.9670 (1.7); 0.7156 (1.7); 0.7047 (5.2); 0.7001 (5.2); 0.6925 (4.9); 0.6876 (5.4); 0.6763 (1.5) I-588: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.0499 (0.8); 9.0353 (1.6); 9.0201 (0.9); 8.6250 (5.0); 8.3877 (2.8); 8.3757 (3.1); 8.2507 (6.8); 7.9605 (2.4); 7.7880 (0.6); 7.7685 (1.8); 7.7475 (4.0); 7.7237 (4.8); 7.7111 (3.7); 7.6629 (1.6); 7.6407 (3.9); 7.5820 (2.3); 7.5610 (2.9); 7.3782 (1.7); 7.3734 (1.7); 7.3573 (1.5); 7.3524 (1.4); 6.1043 (0.5); 6.0920 (0.9); 6.0791 (0.5); 5.9892 (0.5); 5.9765 (0.9); 5.9639 (0.6); 4.0088 (16.0); 3.9774 (0.4); 3.9566 (0.6); 3.9407 (1.2); 3.9263 (1.2); 3.9137 (0.6); 3.9012 (0.6); 3.8853 (1.2); 3.8707 (1.1); 3.8587 (0.6); 3.3232 (105.9); 2.8985 (14.1); 2.7395 (12.9); 2.5132 (9.0); 2.5092 (12.2); 2.5050 (9.4) I-589: .sup.1H-NMR(601.6 MHz, CD₃CN): δ = 9.2049 (1.2); 8.2135 (16.0); 7.8156 (1.3); 7.7086 (1.5); 7.6955 (4.3); 7.6822 (3.9); 7.6664 (5.4); 7.6533 (2.3); 7.6443 (1.4); 7.6312 (0.7); 7.6196 (0.4); 7.5903 (4.9); 7.5506 (1.7); 7.5352 (0.5); 7.5202 (2.9); 7.5070 (2.4); 7.4891 (1.1); 7.4828 (6.5); 7.4729 (1.5); 7.4688 (7.2); 7.4615 (2.1); 7.4590 (1.3); 7.4473 (2.6); 7.4444 (5.0); 7.4422 (5.8); 7.4413 (5.8); 7.4391 (4.9);

7.4324 (1.9); 7.4303 (18); 7.4271 (1.4); 7.2509 (4.0); 7.2474 (3.9); 7.2369 (3.8); 7.2335 (3.6); 7.2260 (0.5); 7.2226 (0.6); 7.2199 (0.5); 7.2118 (0.4); 7.2085 (0.4); 7.2034 (1.1); 7.2000 (1.0); 7.1895 (1.0); 7.1860 (0.9); 7.1320 (0.5); 7.0672 (0.8); 7.0487 (4.1); 6.9778 (1.8); 6.9583 (7.8); 6.8885 (0.9); 6.8680 (3.8); 6.0730 (1.4); 6.0661 (1.6); 6.0631 (1.6); 6.0563 (1.5); 6.0304 (0.5); 6.0238 (0.6); 6.0209 (0.6); 6.0141 (0.5); 5.9967 (1.4); 5.9899 (1.6); 5.9868 (1.7); 5.9800 (1.5); 5.9542 (0.4); 5.9476 (0.5); 5.9446 (0.6); 5.9379 (0.5); 4.0246 (0.8); 4.0178 (0.9); 4.0142 (1.0); 4.0075 (1.0); 4.0005 (1.4); 3.9937 (1.4); 3.9901 (1.6); 3.9881 (1.3); 3.9833 (1.7); 3.9777 (1.3); 3.9710 (1.1); 3.9638 (1.5); 3.9570 (1.4); 3.9534 (1.4); 3.9508 (0.6); 3.9466 (1.4); 3.9402 (0.8); 3.9363 (1.4); 3.9295 (0.9); 3.9262 (2.5); 3.9193 (0.6); 3.9160 (1.5); 3.9122 (0.9); 3.9049 (0.6); 3.9020 (1.6); 3.8989 (1.6); 3.8949 (0.5); 3.8916 (1.2); 3.8886 (2.7); 3.8784 (1.4); 3.8747 (1.1); 3.8645 (1.6); 3.8544 (0.8); 3.5400 (0.4); 2.3743 (0.8); 2.1284 (169.7); 2.0262 (0.4); 2.0221 (0.5); 2.0180 (0.3); 1.9358 (3.0); 1.9277 (1.9); 1.9235 (2.4); 1.9197 (25.4); 1.9156 (46.7); 1.9115 (69.1); 1.9074 (48.2); 1.9033 (25.3); 1.7968 (0.4); 1.5046 (0.3); 1.2430 (1.2) I-590: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5655 (1.7); 7.5397 (2.7); 7.5165 (1.6); 7.4768 (2.2); 7.4488 (2.8); 7.4325 (1.9); 7.4279 (2.4); 7.4222 (1.9); 7.3555 (1.0); 7.3281 (1.4); 7.2986 (6.0); 7.2650 (1.8); 7.2583 (1.7); 7.2371 (1.4); 7.2304 (1.3); 6.5175 (0.5); 6.4977 (0.9); 6.4787 (0.5); 6.1064 (0.5); 6.0958 (0.6); 6.0835 (0.6); 6.0730 (0.5); 5.9513 (0.5); 5.9407 (0.6); 5.9285 (0.6); 5.9179 (0.5); 5.3350 (0.5); 4.2199 (0.4); 4.2091 (0.4); 4.1982 (0.4); 4.1873 (0.4); 4.1816 (0.4); 4.1325 (0.4); 4.1216 (0.4); 4.1108 (0.4); 4.1000 (0.4); 3.9944 (0.4); 3.9744 (0.5); 3.9519 (0.4); 3.9457 (0.3); 3.9216 (0.6); 3.9012 (0.7); 3.8780 (0.4); 3.8717 (0.3); 3.8515 (0.4); 2.6274 (15.6); 2.4494 (0.4); 2.3354 (16.0); 2.0769 (0.4); 1.3033 (0.5); 1.2935 (0.5); 0.9184 (0.5); 0.0364 (3.6) I-591: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2041 (1.7); 9.1830 (1.8); 8.1809 (6.8); 7.9603 (2.5); 7.3602 (3.3); 7.3211 (0.4); 7.2958 (7.4); 7.2751 (0.4); 7.2513 (0.6); 7.2304 (1.6); 7.2093 (1.3); 7.1749 (1.1); 7.1571 (1.6); 7.1382 (0.7); 6.9819 (0.9); 6.9788 (0.9); 6.9622 (1.7); 6.9450 (0.9); 5.1557 (0.4); 5.1398 (0.9); 5.1229 (1.0); 5.1043 (0.4); 3.9050 (16.0); 3.3295 (19.5); 2.8978 (14.4); 2.7893 (0.6); 2.7717 (1.7); 2.7573 (1.8); 2.7384 (13.9); 2.7141 (0.4); 2.5126 (10.5); 2.5088 (13.4); 2.0379 (0.3); 2.0232 (0.5); 2.0119 (0.5); 1.9938 (0.8); 1.9799 (0.5); 1.9053 (0.4); 1.8951 (0.6); 1.8794 (0.6); 1.8619 (0.6); 1.8400 (0.5); 1.8171 (0.8); 1.7975 (1.2); 1.7873 (1.5); 1.7730 (1.1) I-592: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.9659 (1.0); 8.9459 (1.1); 8.3108 (16.0); 7.8048 (4.7); 7.7153 (0.5); 7.6947 (1.1); 7.6747 (1.0); 7.6347 (1.4); 7.6182 (2.4); 7.5807 (1.0); 7.5588 (0.8); 7.2358 (1.4); 7.2159 (1.5); 6.9337 (2.3); 6.9106 (1.0); 5.1567 (0.5); 5.1373 (0.6); 3.4867 (0.4); 3.4469 (0.7); 3.4258 (1.0); 3.4039 (1.1); 3.3771 (1.2); 3.3257 (2037.8); 3.2781 (0.8); 2.7237 (0.9); 2.7085 (1.0); 2.6948 (0.7); 2.6805 (4.4); 2.6762 (9.4); 2.6716 (13.0); 2.6670 (9.6); 2.6626 (4.5); 2.6031 (11.9); 2.5251 (40.8); 2.5204 (62.5); 2.5117 (793.6); 2.5072 (1605.9); 2.5027 (2116.2); 2.4981 (1533.9); 2.4935 (743.0); 2.3637 (0.7); 2.3386 (4.6); 2.3340 (9.5); 2.3295 (13.2); 2.3249 (9.6); 2.3204 (4.5); 2.2621 (0.6); 2.2500 (1.0); 2.2440 (1.3); 2.2302 (1.0); 2.2233 (1.6); 2.2156 (0.9); 2.2009 (0.7); 2.1756 (0.5); 2.0728 (2.1); 2.0556 (0.5); 2.0503 (0.5); 2.0299 (0.8); 2.0041 (1.1); 1.9856 (1.9); 1.9806 (1.3); 1.9690 (1.6); 1.9504 (1.1); 1.9251 (0.6); 1.9091 (0.5); 1.8660 (0.6); 1.8452 (0.5); 1.8008 (0.5); 1.7831 (1.0); 1.7653 (1.0); 1.7444 (1.1); 1.2356 (0.6); 0.0079 (0.4); -0.0002 (9.5); -2.6466 (0.3) I-593: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3317 (10.0); 8.0869 (1.4); 8.0187 (2.3); 7.8923 (1.1); 7.8723 (1.1); 7.5807 (4.7); 7.5679 (6.8); 7.5397 (0.5); 7.5189 (0.7); 7.4766 (3.7); 7.4428 (0.5); 7.4324 (1.4); 7.4216 (2.0); 7.4170 (1.7); 7.4104 (1.3); 7.4038 (0.9); 7.3216 (0.6); 7.2590 (24.1); 7.2309 (0.3); 7.1925 (4.0); 7.1798 (4.2); 6.7883 (4.4); 6.7755 (4.1); 5.4852 (0.6); 5.4704 (1.4); 5.4519 (1.2); 5.4410 (0.6); 2.9566 (16.0); 2.8838 (15.0); 2.6752 (3.4); 2.6620 (2.0); 2.6184 (0.6); 2.3528 (0.4); 2.3403 (0.5); 2.3292 (1.4); 2.3164 (1.0); 2.3121 (1.0); 2.2909 (0.7); 2.2704 (0.6); 1.9141 (2.6); 1.9030 (4.3); 1.8990 (4.5); 1.8909 (3.2); 1.5892 (0.9); 1.4319 (3.4); -0.0002 (6.7) I-594: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1476 (1.4); 9.1333 (2.7); 9.1182 (1.3); 8.1096 (0.5); 8.0712 (12.8); 7.9610 (2.4); 7.7626 (5.6); 7.5289 (0.9); 7.5249 (0.8); 7.5079 (5.6); 7.5037 (6.4); 7.4994 (8.7); 7.4783 (1.3); 7.2096 (0.9); 7.1890 (3.8); 7.1820 (2.3); 7.1727 (6.6); 7.1657 (2.4); 7.1608 (2.4); 7.1455 (0.7); 7.1404 (0.5);

6.9749 (1.2); 6.9657 (1.2); 6.9588 (2.0); 6.9522 (2.0); 6.9395 (1.2); 6.9344 (1.0); 6.0612 (0.9); 6.0499 (1.4); 6.0361 (0.9); 5.9459 (0.9); 5.9348 (1.4); 5.9207 (1.0); 3.9104 (0.8); 3.8957 (2.1); 3.8825 (1.6); 3.8724 (1.1); 3.8531 (1.0); 3.8381 (2.2); 3.8235 (1.8); 3.8136 (0.9); 3.3138 (168.1); 2.8991 (16.0); 2.7400 (14.2); 2.5136 (17.6); 2.5092 (23.9); 2.5049 (17.7); 2.1141 (0.5); 2.1013 (1.0); 2.0928 (1.1); 2.0803 (2.0); 2.0675 (1.2); 2.0592 (1.1); 2.0464 (0.5); 1.0550 (1.2); 1.0440 (3.6); 1.0386 (3.9); 1.0284 (2.1); 1.0230 (3.6); 1.0176 (3.8); 1.0075 (1.5); 0.8123 (1.5); 0.8018 (4.1); 0.7972 (4.4); 0.7892 (4.0); 0.7843 (4.3); 0.7731 (1.2) I-595: .sup.1H-NMR(601.6 MHz, CD₃CN): δ = 9.2569 (16.0); 8.0574 (1.0); 7.7494 (2.2); 7.7362 (6.2); 7.7230 (4.9); 7.7011 (5.8); 7.6881 (3.1); 7.6072 (8.0); 7.6065 (8.2); 7.6037 (5.7); 7.5486 (3.6); 7.5476 (3.9); 7.5469 (3.8); 7.5459 (3.6); 7.5448 (3.5); 7.5352 (3.2); 7.5344 (3.3); 7.5334 (3.3); 7.5324 (3.1); 7.5315 (3.0); 7.5305 (2.9); 7.5179 (9.5); 7.5039 (10.7); 7.4895 (6.9); 7.4873 (7.8); 7.4861 (8.0); 7.4840 (7.2); 7.2600 (6.3); 7.2565 (6.2); 7.2460 (5.6); 7.2425 (5.6); 7.1221 (5.1); 7.0327 (11.2); 6.9435 (5.6); 6.0867 (2.1); 6.0802 (2.3); 6.0768 (2.4); 6.0703 (2.2); 6.0104 (2.1); 6.0040 (2.3); 6.0006 (2.4); 5.9941 (2.2); 4.0687 (1.2); 4.0623 (1.2); 4.0585 (1.2); 4.0521 (1.2); 4.0444 (2.3); 4.0379 (2.3); 4.0341 (2.3); 4.0310 (1.5); 4.0277 (2.4); 4.0246 (1.3); 4.0208 (1.4); 4.0143 (1.2); 4.0066 (2.4); 4.0002 (2.2); 3.9964 (4.5); 3.9899 (2.3); 3.9862 (3.7); 3.9760 (2.3); 3.9721 (1.4); 3.9618 (2.0); 3.9569 (2.3); 3.9516 (1.3); 3.9466 (3.7); 3.9364 (2.2); 3.9325 (1.4); 3.9222 (2.0); 3.9120 (1.2); 2.5362 (1.5); 2.2025 (335.7); 2.1155 (0.9); 2.1035 (0.4); 2.0949 (0.3); 2.0867 (0.6); 2.0826 (1.0); 2.0786 (1.3); 2.0745 (0.9); 2.0703 (0.5); 1.9923 (18.4); 1.9842 (5.2); 1.9800 (5.6); 1.9762 (70.3); 1.9721 (129.8); 1.9680 (177.6); 1.9638 (126.8); 1.9597 (65.8); 1.9551 (2.1); 1.9509 (1.1); 1.8614 (0.4); 1.8573 (0.8); 1.8532 (1.2); 1.8492 (0.8); 1.8450 (0.4); 1.6599 (0.6); 1.5004 (0.5); 1.4186 (0.8); 1.2993 (0.7) I-596: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5458 (2.6); 7.5367 (3.0); 7.5298 (3.0); 7.5158 (5.8); 7.4715 (0.4); 7.4281 (3.8); 7.3796 (2.0); 7.3661 (2.1); 7.2558 (2.1); 7.0468 (2.4); 7.0312 (3.0); 7.0120 (1.3); 6.9589 (4.6); 6.8645 (2.5); 6.8502 (2.1); 6.1944 (0.7); 6.0500 (1.0); 6.0399 (1.6); 5.2892 (0.4); 3.7628 (1.9); 3.7497 (4.4); 3.7371 (4.5); 3.7245 (2.0); 3.0628 (1.6); 3.0480 (4.1); 3.0331 (4.1); 3.0182 (1.6); 2.9471 (3.0); 2.9337 (5.4); 2.9206 (3.2); 2.2942 (15.4); 2.2877 (9.5); 2.2497 (16.0); 2.1681 (0.7); 1.5881 (0.8); 1.4000 (0.4); 1.3851 (0.6); 1.3579 (4.5); 1.3431 (8.3); 1.3282 (4.2); 1.2583 (0.5); 1.2520 (0.4); -0.0002 (2.0) I-597: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8980 (5.7); 7.8736 (0.4); 7.8547 (0.6); 7.8359 (0.4); 7.7172 (1.7); 7.7091 (1.3); 7.7005 (3.2); 7.6973 (3.3); 7.5608 (1.5); 7.5302 (2.0); 7.5011 (3.9); 7.4934 (1.5); 7.4866 (1.1); 7.4766 (0.8); 7.4680 (0.5); 7.4370 (3.4); 7.4089 (1.8); 7.2982 (7.6); 4.2956 (1.0); 4.2755 (0.9); 4.2477 (2.0); 4.2276 (1.9); 4.1998 (1.0); 4.1797 (1.0); 2.8443 (16.0); 1.5892 (5.8); 0.0369 (7.6) I-598: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2758 (1.7); 9.2601 (3.6); 9.2444 (1.9); 8.0059 (16.0); 7.9616 (1.3); 7.7558 (5.8); 7.7514 (6.2); 7.5949 (5.5); 7.5735 (6.4); 7.2861 (3.4); 7.2814 (3.5); 7.2651 (3.1); 7.2602 (3.1); 7.2066 (1.6); 7.1870 (4.4); 7.1672 (3.7); 7.1409 (2.2); 7.1369 (2.6); 7.1196 (3.2); 7.1027 (1.5); 7.0990 (1.4); 6.9755 (1.8); 6.9720 (1.9); 6.9564 (3.2); 6.9394 (1.7); 4.3046 (1.7); 4.2889 (1.8); 4.2701 (3.8); 4.2544 (3.8); 4.2357 (2.1); 4.2197 (1.9); 3.3140 (192.8); 2.8994 (7.2); 2.7405 (6.5); 2.5137 (20.5); 2.5094 (28.1); 2.5051 (21.4); 2.1139 (0.6); 2.1009 (1.2); 2.0925 (1.4); 2.0799 (2.6); 2.0673 (1.7); 2.0590 (1.5); 2.0462 (0.8); 1.0576 (1.5); 1.0465 (4.6); 1.0412 (5.1); 1.0307 (2.8); 1.0254 (4.9); 1.0201 (5.1); 1.0099 (2.2); 0.8149 (1.9); 0.8041 (5.4); 0.7997 (5.8); 0.7917 (5.5); 0.7869 (6.0); 0.7754 (1.9) I-599: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1950 (1.7); 9.1806 (3.2); 9.1688 (1.9); 8.8569 (6.9); 8.8514 (7.2); 8.7188 (3.7); 8.7123 (3.9); 8.7065 (4.3); 8.7025 (4.0); 8.7000 (4.0); 8.1989 (8.0); 8.1950 (7.7); 8.1920 (7.8); 8.0712 (0.7); 8.0642 (0.7); 7.9604 (4.0); 7.8050 (1.0); 7.7834 (3.1); 7.7485 (11.0); 7.7238 (5.9); 7.7193 (5.4); 7.7114 (4.6); 7.7068 (4.5); 7.6633 (4.0); 7.6448 (2.9); 7.5762 (4.7); 7.5556 (9.4); 7.5230 (9.3); 7.5061 (5.3); 4.1906 (1.5); 4.1759 (1.7); 4.1572 (3.3); 4.1428 (3.3); 4.1255 (2.1); 4.1098 (2.0); 3.3414 (145.0); 3.3374 (142.9); 3.3348 (144.3); 2.9019 (15.6); 2.8974 (15.6); 2.8959 (16.0); 2.7422 (14.7); 2.7378 (15.4); 2.7366 (15.5); 2.5099 (28.4); 1.2440 (0.4) I-600: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2625 (1.4); 9.2423 (1.5); 8.1044 (6.2); 7.9607 (1.4); 7.3865 (1.1); 7.3663 (2.3); 7.3462 (1.3); 6.8820 (1.1); 6.8777

(1.4); 6.8568 (1.6); 6.8397 (7.6); 6.8167 (1.5); 5.1257 (0.8); 5.1075 (0.8); 5.0921 (0.4); 3.7671 (16.0); 3.3300 (15.4); 2.8982 (8.6); 2.7388 (8.0); 2.5457 (0.6); 2.5302 (1.6); 2.5134 (9.4); 2.5092 (11.6); 2.5050 (8.9); 2.0517 (0.5); 2.0392 (0.6); 2.0306 (0.6); 2.0178 (0.5); 1.9038 (0.4); 1.8917 (0.4); 1.8784 (0.6); 1.8571 (0.5); 1.8425 (0.5); 1.8227 (0.6); 1.8038 (0.6); 1.7910 (1.0); 1.7766 (1.2) I-601: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3411 (0.4); 8.3036 (8.0); 7.7790 (1.0); 7.6751 (0.5); 7.6579 (5.4); 7.6497 (2.4); 7.6370 (2.4); 7.6106 (0.6); 7.3808 (2.6); 7.3317 (1.1); 7.3246 (1.5); 7.3096 (1.4); 7.3022 (3.7); 7.2943 (0.8); 7.2123 (4.6); 7.1856 (5.6); 6.9322 (4.5); 6.9060 (3.7); 5.3366 (2.0); 3.6945 (5.9); 3.6771 (5.8); 2.3934 (0.3); 2.2062 (16.0); 1.6721 (1.2); 1.2995 (0.4); 0.9864 (0.3); 0.9543 (8.0); 0.9447 (8.0); 0.9119 (0.4); 0.1177 (0.5); 0.0426 (2.1) I-602: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 9.1779 (0.8); 8.0086 (7.3); 7.9840 (0.4); 7.6066 (0.6); 7.5614 (3.5); 7.5184 (0.6); 7.4965 (5.5); 7.4737 (2.1); 7.4474 (0.6); 7.4088 (1.6); 7.3860 (2.6); 7.3311 (1.3); 7.3076 (2.3); 7.2799 (1.8); 7.2607 (102.6); 7.2168 (4.4); 7.1886 (3.4); 7.1634 (2.3); 7.0760 (2.2); 7.0510 (1.5); 6.9096 (0.5); 4.0866 (16.0); 3.9056 (2.4); 3.4898 (0.9); 3.1938 (1.9); 3.1722 (2.9); 3.1519 (1.7); 2.0078 (0.6); 1.6068 (8.6); 0.1955 (0.4); 0.0106 (4.4); -0.0001 (85.7); -0.0111 (3.0); -0.1988 (0.4) I-603: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4021 (9.1); 8.0709 (1.0); 7.9036 (2.9); 7.8916 (1.6); 7.8754 (4.3); 7.8599 (1.9); 7.8397 (4.4); 7.8101 (1.7); 7.6526 (0.3); 7.6261 (5.4); 7.6089 (4.5); 7.5802 (0.5); 7.5614 (0.8); 7.5578 (0.7); 7.5477 (4.6); 7.5385 (2.9); 7.5350 (2.8); 7.5243 (4.3); 7.5162 (8.6); 7.4893 (2.0); 7.4838 (1.8); 7.4527 (1.2); 7.4447 (1.3); 7.4339 (1.6); 7.4277 (1.4); 7.4223 (0.9); 7.4143 (0.7); 7.3040 (13.9); 4.9408 (5.6); 4.9216 (5.6); 1.6062 (16.0); 1.3276 (0.4); 1.2989 (1.5); 0.1149 (0.5); 0.0547 (0.5); 0.0440 (13.2); 0.0331 (0.6) I-604: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5222 (1.6); 7.5018 (4.7); 7.4990 (4.0); 7.4850 (0.4); 7.4814 (0.4); 7.4416 (2.2); 7.3985 (0.9); 7.3885 (1.5); 7.3810 (1.2); 7.3737 (2.5); 7.3601 (0.7); 7.3470 (2.4); 7.2987 (1.5); 7.0767 (2.4); 6.9897 (1.3); 6.9610 (1.5); 6.9367 (1.2); 6.9161 (0.6); 4.2415 (1.0); 4.2206 (0.9); 4.1923 (2.0); 4.1714 (2.0); 4.1431 (1.0); 4.1222 (1.0); 2.5559 (16.0); 2.5119 (6.9); 2.3596 (0.4); 2.3250 (9.2); 2.2189 (15.8); 1.7781 (1.3); 1.2966 (0.4); 0.0375 (1.3) I-605: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9255 (5.6); 7.8860 (0.4); 7.8685 (0.7); 7.8499 (0.4); 7.7239 (1.5); 7.7165 (1.2); 7.7119 (1.3); 7.7051 (3.6); 7.7024 (3.6); 7.6900 (0.4); 7.5903 (2.7); 7.5861 (2.5); 7.5767 (1.8); 7.5167 (0.7); 7.5060 (1.0); 7.4989 (1.0); 7.4863 (0.8); 7.4782 (0.5); 7.4316 (0.4); 7.4036 (2.8); 7.3951 (4.4); 7.3668 (0.4); 7.2988 (7.6); 6.1374 (0.5); 6.1267 (0.6); 6.1132 (0.6); 6.1024 (0.5); 5.9816 (0.5); 5.9709 (0.6); 5.9574 (0.6); 5.9467 (0.5); 4.3399 (0.3); 4.3293 (0.3); 4.3173 (0.3); 4.3066 (0.4); 4.2482 (0.3); 4.2255 (0.4); 4.2147 (0.3); 4.1924 (0.7); 4.1685 (2.2); 4.1447 (2.2); 4.1210 (0.8); 3.8885 (0.4); 3.8810 (0.4); 3.8641 (0.4); 3.8567 (0.3); 3.8366 (0.5); 3.8193 (0.4); 3.8148 (0.4); 3.7953 (0.3); 2.8442 (16.0); 2.0812 (10.0); 1.6028 (6.0); 1.3192 (2.6); 1.2954 (5.1); 1.2716 (2.5); 0.0358 (7.6) I-606: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2101 (5.0); 7.9827 (0.6); 7.9558 (0.6); 7.6176 (1.4); 7.5982 (3.8); 7.5949 (3.6); 7.5234 (1.7); 7.4740 (0.7); 7.4637 (1.1); 7.4565 (0.9); 7.4434 (0.7); 7.4362 (0.4); 7.2997 (18.2); 6.6290 (4.6); 5.4034 (0.6); 5.3791 (0.6); 2.7810 (16.0); 2.6205 (1.4); 2.6075 (1.3); 2.3103 (0.6); 2.2974 (0.5); 2.2838 (0.4); 2.2674 (0.4); 2.0843 (0.9); 1.9342 (1.3); 1.9244 (1.2); 1.9147 (2.6); 1.9031 (1.3); 1.8954 (1.3); 1.5851 (8.8); 1.2987 (0.5); 0.0501 (0.7); 0.0393 (19.1); 0.0283 (0.7) I-607: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2742 (1.7); 9.2589 (3.6); 9.2433 (1.8); 8.0491 (0.6); 8.0056 (16.0); 7.9611 (1.6); 7.8688 (6.0); 7.8651 (6.4); 7.5149 (4.7); 7.4937 (7.0); 7.4142 (3.9); 7.4098 (3.9); 7.3931 (2.8); 7.3889 (2.8); 7.2093 (1.5); 7.1895 (4.3); 7.1696 (3.6); 7.1424 (2.2); 7.1383 (2.5); 7.1211 (3.2); 7.1041 (1.5); 7.1007 (1.3); 6.9772 (1.7); 6.9734 (1.8); 6.9579 (3.2); 6.9408 (1.7); 4.2992 (1.6); 4.2839 (1.8); 4.2650 (3.7); 4.2493 (3.6); 4.2306 (2.0); 4.2148 (1.9); 3.3147 (242.4); 2.8993 (9.2); 2.7404 (8.2); 2.5138 (22.7); 2.5094 (31.4); 2.5050 (23.7); 2.1169 (0.5); 2.1045 (1.2); 2.0963 (1.4); 2.0835 (2.5); 2.0709 (1.6); 2.0627 (1.5); 2.0499 (0.8); 1.0592 (1.5); 1.0482 (4.5); 1.0429 (5.0); 1.0325 (2.8); 1.0271 (4.8); 1.0218 (5.1); 1.0116 (2.1); 0.9955 (0.5); 0.8181 (1.9); 0.8075 (5.3); 0.8029 (5.7); 0.7950 (5.4); 0.7902 (5.8); 0.7788 (2.0) I-608: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3503 (1.6); 9.3303 (1.7); 8.1314 (6.9); 7.9605 (2.4); 7.2505 (0.6); 7.2298 (1.6); 7.2267 (1.6); 7.2059 (1.2); 7.1720 (1.2);

7.1542 (1.6); 7.1354 (0.7); 6.9856 (0.9); 6.9823 (0.9); 6.9659 (1.6); 6.9486 (0.9); 6.8442 (5.9); 5.1522 (0.4); 5.1371 (0.9); 5.1192 (0.9); 5.1060 (0.4); 3.9017 (16.0); 3.3301 (17.0); 2.8981 (14.2); 2.7387 (13.1); 2.5520 (0.7); 2.5367 (1.7); 2.5131 (9.3); 2.5091 (12.3); 2.5053 (9.5); 2.0748 (0.5); 2.0554 (0.7); 2.0440 (0.6); 2.0357 (0.6); 1.9216 (0.4); 1.9069 (0.5); 1.8922 (0.7); 1.8694 (0.7); 1.8496 (0.8); 1.8325 (0.6); 1.8275 (0.6); 1.8169 (0.6); 1.8007 (1.0); 1.7783 (0.6); 1.7570 (0.5); 1.7415 (0.4) I-609: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 8.2839 (16.0); 7.6294 (1.5); 7.6171 (8.8); 7.6138 (9.6); 7.6090 (4.4); 7.6040 (4.0); 7.5944 (4.6); 7.5681 (0.9); 7.3713 (3.9); 7.2691 (1.8); 7.2610 (13.7); 7.2484 (2.2); 7.2412 (2.3); 7.2315 (1.2); 7.2150 (0.3); 7.2024 (0.9); 7.1932 (6.7); 7.1647 (8.3); 6.9321 (7.5); 6.9036 (6.0); 6.6175 (3.6); 6.3717 (7.5); 6.1260 (3.8); 3.8312 (2.2); 3.8095 (5.0); 3.7898 (5.0); 3.7676 (2.4); 2.9671 (3.9); 2.9447 (7.1); 2.9224 (3.5); 0.0000 (2.4) I-610: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7542 (0.9); 8.7511 (1.2); 8.7490 (1.2); 8.7459 (1.0); 8.7381 (1.0); 8.7349 (1.2); 8.7328 (1.2); 8.7296 (1.0); 7.8912 (0.8); 7.8854 (0.8); 7.8654 (1.6); 7.8596 (1.6); 7.8395 (1.0); 7.8337 (0.9); 7.5691 (1.1); 7.5436 (3.4); 7.5372 (2.0); 7.5194 (2.5); 7.5138 (1.9); 7.4907 (2.0); 7.4874 (1.5); 7.4831 (1.2); 7.4754 (1.6); 7.4680 (1.7); 7.4648 (2.0); 7.4613 (1.4); 7.4510 (0.9); 7.4432 (0.7); 7.4384 (1.2); 7.4347 (1.1); 7.4220 (1.1); 7.4184 (1.1); 7.4128 (1.0); 7.4091 (0.9); 7.3964 (1.0); 7.3928 (0.9); 7.2989 (3.0); 7.2353 (1.6); 7.2086 (2.0); 7.0186 (1.9); 6.9439 (1.1); 6.9172 (0.9); 6.6959 (0.5); 6.6759 (0.9); 6.6560 (0.5); 3.9897 (0.9); 3.9691 (0.8); 3.9399 (1.9); 3.9193 (1.8); 3.8901 (1.0); 3.8695 (0.9); 2.5154 (16.0); 2.3953 (5.7); 2.3881 (3.2); 2.2920 (7.7); 2.0770 (0.5); 1.8400 (7.6); 1.3029 (0.8); 1.2928 (0.7); 0.9179 (0.9); 0.8947 (0.3); 0.0363 (2.2) I-611: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 9.7840 (0.7); 8.3739 (1.6); 8.3598 (1.7); 7.9784 (8.7); 7.7873 (0.7); 7.7822 (0.7); 7.7614 (1.5); 7.7565 (1.5); 7.7359 (0.9); 7.7307 (0.9); 7.4589 (0.8); 7.4333 (2.9); 7.4261 (2.7); 7.3985 (2.5); 7.3901 (2.6); 7.3636 (2.1); 7.2796 (2.6); 7.2603 (9.6); 7.2539 (4.0); 7.2377 (1.2); 7.2198 (1.3); 7.2141 (1.2); 7.1961 (1.0); 7.1295 (1.9); 7.1036 (1.4); 6.9939 (1.4); 6.9682 (1.4); 6.9460 (2.5); 6.8102 (3.1); 3.8291 (1.2); 3.8136 (2.2); 3.7943 (2.1); 3.7882 (2.3); 3.7732 (1.5); 3.0046 (2.4); 2.9831 (3.0); 2.9628 (2.2); 2.2310 (16.0); 0.0102 (0.4); -0.0005 (9.2) I-612: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1394 (0.8); 8.0861 (5.5); 8.0156 (0.7); 7.5346 (3.0); 7.3549 (1.2); 7.3351 (2.8); 7.3236 (7.8); 7.3159 (2.3); 7.2599 (11.0); 7.0184 (1.6); 6.9988 (1.5); 6.9697 (1.2); 6.9659 (1.4); 6.9496 (1.0); 6.9457 (1.3); 6.9116 (1.9); 6.9073 (2.5); 6.0578 (0.6); 6.0495 (0.7); 6.0409 (0.7); 6.0327 (0.6); 5.9417 (0.6); 5.9333 (0.7); 5.9248 (0.7); 5.9165 (0.6); 4.2221 (0.4); 4.2137 (0.4); 4.2058 (0.4); 4.1971 (0.4); 4.1777 (0.3); 4.1574 (0.4); 4.1490 (0.4); 4.1411 (0.4); 4.1328 (0.4); 3.8585 (0.3); 3.8450 (0.4); 3.8420 (0.4); 3.8283 (0.4); 3.8044 (0.6); 3.7900 (0.6); 3.7727 (0.4); 3.7664 (0.4); 3.7529 (0.4); 3.7499 (0.4); 2.9537 (5.1); 2.8820 (4.6); 2.7071 (16.0); 1.9560 (0.6); 1.9475 (0.7); 1.9351 (1.2); 1.9227 (0.7); 1.9141 (0.7); 1.9013 (0.3); 1.5659 (12.5); 1.0220 (0.7); 1.0101 (2.1); 1.0055 (2.3); 0.9940 (1.2); 0.9891 (2.2); 0.9845 (2.1); 0.9733 (0.9); 0.7530 (0.8); 0.7412 (2.7); 0.7374 (2.4); 0.7290 (2.3); 0.7249 (2.8); 0.7127 (0.8); -0.0002 (2.3) I-613: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1350 (1.0); 9.0646 (0.7); 8.7270 (1.1); 8.7133 (2.4); 8.6995 (1.5); 7.9596 (2.7); 7.7713 (8.8); 7.4692 (2.2); 7.4655 (2.3); 7.4507 (2.6); 7.4469 (2.7); 7.2158 (1.2); 7.2006 (4.4); 7.1952 (5.9); 7.1758 (4.8); 7.1560 (4.4); 7.1357 (3.3); 7.1177 (1.8); 7.1136 (2.0); 7.0975 (2.3); 7.0798 (1.1); 6.9478 (0.6); 6.9293 (1.6); 6.9145 (2.5); 6.8973 (1.4); 6.8790 (0.4); 6.8632 (0.4); 6.7357 (0.5); 6.7278 (0.5); 6.7174 (0.4); 6.7080 (0.4); 3.9336 (0.6); 3.7005 (1.2); 3.6836 (3.3); 3.6678 (3.5); 3.6508 (1.6); 3.4526 (0.4); 3.4336 (0.4); 3.3398 (152.3); 3.1817 (2.6); 3.1640 (5.0); 3.1464 (2.5); 3.0761 (1.8); 2.8971 (16.0); 2.7380 (14.8); 2.7102 (0.5); 2.6819 (0.4); 2.6349 (0.4); 2.6286 (0.7); 2.5903 (24.8); 2.5804 (6.0); 2.5695 (25.3); 2.5132 (13.0); 2.5091 (17.3); 2.5050 (13.3); 2.4622 (0.5); 2.4408 (0.4); 2.0897 (0.5); 2.0770 (1.0); 2.0690 (1.3); 2.0564 (2.1); 2.0385 (3.8); 2.0231 (0.8); 1.2115 (3.4); 1.1948 (3.3); 1.1687 (0.8); 1.1518 (0.6); 1.0472 (1.2); 1.0361 (3.4); 1.0308 (4.0); 1.0205 (3.0); 1.0152 (4.2); 1.0099 (4.2); 1.0000 (2.3); 0.8011 (1.3); 0.7863 (4.8); 0.7735 (5.3); 0.7621 (2.2) I-614: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.9844 (1.3); 8.9630 (1.4); 8.3105 (9.1); 7.8195 (0.6); 7.8062 (6.2); 7.7158 (0.6); 7.6963 (1.6); 7.6763 (1.4); 7.6352 (1.9); 7.6198 (3.2); 7.5798 (1.4); 7.5575 (1.1); 7.2449 (1.8);

7.2251 (2.0); 6.9705 (2.7); 6.9607 (1.7); 6.9404 (1.2); 5.8064 (0.6); 5.7878 (1.1); 5.7696 (0.6); 5.1621 (0.7); 5.1412 (0.7); 5.1253 (0.4); 4.6143 (1.0); 4.5956 (1.8); 4.5771 (1.0); 3.9320 (1.6); 3.9113 (1.3); 3.9041 (2.0); 3.4649 (0.4); 3.4312 (1.4); 3.4032 (1.8); 3.3954 (2.1); 3.3823 (1.9); 3.3665 (3.0); 3.3280 (1644.3); 3.2542 (0.4); 2.7435 (0.8); 2.7279 (1.5); 2.7129 (1.5); 2.6951 (0.9); 2.6808 (3.4); 2.6763 (6.6); 2.6717 (9.2); 2.6672 (6.9); 2.6628 (3.4); 2.6300 (0.6); 2.6024 (16.0); 2.5774 (0.9); 2.5420 (5.2); 2.5251 (26.6); 2.5204 (41.7); 2.5117 (519.9); 2.5073 (1040.2); 2.5027 (1366.1); 2.4981 (992.1); 2.4936 (483.4); 2.3855 (0.4); 2.3386 (2.8); 2.3341 (6.0); 2.3296 (8.3); 2.3251 (6.2); 2.3206 (2.9); 2.0726 (1.3); 2.0111 (0.4); 1.9975 (0.5); 1.9782 (0.7); 1.9540 (0.4); 1.8644 (0.6); 1.8463 (0.5); 1.7918 (0.4); 1.7640 (0.9); 1.7486 (1.3); 1.7239 (0.9); 1.7056 (0.5); 1.6205 (1.9); 1.6098 (3.3); 1.6018 (3.0); 1.2369 (0.4); -0.0002 (4.1) I-615: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2791 (9.2); 7.9294 (1.1); 7.6520 (0.3); 7.6317 (4.6); 7.6188 (5.5); 7.4741 (3.1); 7.4546 (0.4); 7.4446 (1.2); 7.4382 (1.2); 7.4332 (1.7); 7.4284 (1.5); 7.4221 (1.1); 7.4159 (0.8); 7.3317 (2.0); 7.3121 (2.3); 7.2588 (7.9); 7.2249 (1.8); 7.2063 (2.2); 7.0643 (1.5); 7.0450 (2.3); 7.0258 (1.0); 5.2968 (0.4); 4.2878 (1.5); 4.2731 (1.5); 4.2516 (3.1); 4.2368 (3.0); 4.2153 (1.6); 4.2005 (1.5); 2.3986 (10.6); 2.3357 (0.4); 2.2983 (16.0); 1.5505 (3.5); 1.4318 (0.6); -0.0002 (5.1) I-616: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3064 (16.0); 8.0379 (1.1); 8.0177 (1.8); 8.0002 (1.1); 7.6692 (1.6); 7.6431 (4.3); 7.6167 (3.2); 7.5568 (3.9); 7.5233 (6.1); 7.4940 (10.8); 7.4387 (10.2); 7.4164 (6.2); 7.4114 (6.6); 7.3810 (2.8); 7.3542 (2.3); 7.3051 (19.8); 6.9391 (2.9); 6.7516 (5.8); 6.5642 (2.9); 4.2749 (2.7); 4.2547 (2.7); 4.2274 (5.8); 4.2072 (5.6); 4.1798 (3.1); 4.1597 (2.8); 2.0893 (2.5); 1.6006 (8.8); 1.3271 (0.8); 1.3032 (2.0); 1.2795 (0.8); 0.0544 (0.6); 0.0437 (19.3); 0.0329 (0.8) I-617: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3208 (9.4); 8.0174 (1.9); 7.8615 (1.0); 7.8432 (1.0); 7.6057 (0.3); 7.5848 (3.1); 7.5792 (2.5); 7.5724 (6.0); 7.5707 (6.1); 7.4900 (3.2); 7.4719 (0.4); 7.4614 (1.3); 7.4516 (1.7); 7.4466 (1.6); 7.4390 (1.2); 7.4326 (0.8); 7.2594 (13.3); 6.4313 (4.3); 5.3783 (1.0); 5.3606 (1.1); 2.9559 (14.0); 2.8832 (12.8); 2.6174 (0.6); 2.5753 (2.3); 2.5666 (2.2); 2.3925 (16.0); 2.3102 (0.4); 2.2949 (0.5); 2.2817 (1.0); 2.2713 (1.0); 2.2628 (0.8); 2.2497 (0.7); 1.8981 (0.9); 1.8905 (0.9); 1.8823 (1.4); 1.8745 (2.3); 1.8615 (3.8); 1.8493 (2.2); 1.8386 (1.0); 1.8327 (0.7); 1.6637 (0.3); 1.4318 (1.8); -0.0002 (3.8) I-618: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2630 (5.2); 8.0506 (0.7); 7.6664 (1.9); 7.4898 (1.3); 7.4617 (3.1); 7.4557 (1.4); 7.4279 (3.8); 7.4006 (2.0); 7.2988 (20.8); 6.9523 (1.1); 6.9468 (1.2); 6.9236 (0.9); 6.9192 (1.0); 6.8214 (1.0); 6.8165 (1.2); 6.7871 (2.8); 6.7791 (2.3); 6.7719 (1.0); 5.3381 (1.0); 4.4814 (1.0); 4.4607 (1.0); 4.4336 (2.0); 4.4132 (2.0); 4.3859 (1.0); 4.3654 (1.0); 3.8783 (16.0); 1.5829 (13.8); 0.0384 (20.8); 0.0275 (1.2) I-619: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1910 (2.2); 9.1767 (4.4); 9.1621 (2.5); 8.1160 (16.0); 7.9606 (2.6); 7.7601 (9.2); 7.6298 (6.3); 7.6093 (5.0); 7.5368 (2.2); 7.5144 (8.0); 7.5005 (11.7); 7.4760 (6.6); 7.4549 (2.6); 7.4346 (3.3); 7.3524 (0.5); 7.3344 (0.7); 7.2996 (6.5); 7.1646 (3.2); 6.0634 (1.4); 6.0518 (2.4); 6.0390 (1.6); 5.9486 (1.4); 5.9360 (2.3); 5.9236 (1.7); 3.9544 (0.3); 3.9400 (0.6); 3.9203 (1.2); 3.9032 (2.6); 3.8864 (3.1); 3.8737 (1.7); 3.8620 (1.9); 3.8468 (2.7); 3.8397 (2.2); 3.8293 (2.6); 3.8152 (1.5); 3.7898 (0.6); 3.7805 (0.4); 3.5862 (0.5); 3.5709 (0.6); 3.3257 (221.2); 2.9802 (0.4); 2.9639 (0.8); 2.9460 (0.4); 2.8989 (13.1); 2.7396 (12.4); 2.5099 (30.7); 1.2428 (0.4) I-620: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1144 (0.5); 8.1007 (0.8); 8.0872 (0.5); 8.0467 (5.4); 8.0158 (0.7); 7.4959 (2.2); 7.4746 (2.6); 7.4615 (2.4); 7.4592 (2.5); 7.3485 (1.2); 7.3287 (2.6); 7.3090 (1.5); 7.2599 (10.4); 7.2032 (1.4); 7.1986 (1.4); 7.1821 (1.2); 7.1775 (1.2); 7.0159 (1.6); 6.9964 (1.5); 6.9483 (1.2); 6.9442 (1.4); 6.9280 (1.0); 6.9241 (1.3); 6.8921 (1.9); 6.8878 (2.5); 4.4270 (1.0); 4.4116 (1.0); 4.3915 (2.2); 4.3761 (2.1); 4.3560 (1.1); 4.3406 (1.1); 2.9536 (4.8); 2.8820 (4.4); 2.6994 (16.0); 1.9520 (0.6); 1.9435 (0.7); 1.9310 (1.2); 1.9187 (0.7); 1.9102 (0.7); 1.8975 (0.3); 1.5639 (14.2); 1.0247 (0.7); 1.0128 (2.1); 1.0082 (2.2); 0.9967 (1.2); 0.9918 (2.2); 0.9873 (2.0); 0.9760 (0.8); 0.7506 (0.8); 0.7388 (2.7); 0.7350 (2.4); 0.7265 (2.3); 0.7224 (2.7); 0.7102 (0.7); -0.0002 (2.2) I-621: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 18.0412 (0.4); 12.9947 (0.4); 9.0609 (0.4); 9.0373 (1.2); 9.0148 (1.2); 8.9328 (0.4); 8.3118 (12.8); 7.8228 (5.3); 7.8004 (1.3); 7.7185 (0.6); 7.6981 (1.6); 7.6784 (1.4); 7.6380 (2.0); 7.6201 (3.6); 7.5984 (0.4);

7.5786 (1.4); 7.5556 (11); 7.5054 (0.4); 7.4913 (0.5); 7.3341 (2.3); 7.2652 (0.4); 7.2467 (6.0); 7.2219 (0.4); 7.2053 (0.4); 7.1791 (0.6); 7.1584 (0.6); 6.8050 (0.6); 6.7594 (0.4); 6.7347 (0.4); 5.8070 (0.5); 5.7873 (0.9); 5.7699 (0.5); 5.1415 (0.8); 5.1304 (0.8); 4.6139 (0.7); 4.5953 (1.4); 4.5770 (0.7); 3.7732 (0.4); 3.7295 (0.3); 3.7272 (0.4); 3.6934 (0.4); 3.6535 (0.4); 3.6170 (0.4); 3.5981 (0.4); 3.5741 (0.4); 3.5552 (0.5); 3.5369 (0.4); 3.5328 (0.5); 3.5072 (0.6); 3.4485 (0.9); 3.4375 (1.0); 3.3278 (2945.9); 3.2506 (0.4); 2.8560 (0.4); 2.7548 (1.4); 2.7388 (1.5); 2.6804 (5.9); 2.6761 (11.7); 2.6715 (16.0); 2.6670 (11.7); 2.6625 (7.2); 2.6071 (14.1); 2.6011 (5.0); 2.5418 (9.0); 2.5249 (59.1); 2.5201 (92.8); 2.5116 (978.3); 2.5071 (1927.0); 2.5026 (2503.5); 2.4980 (1809.5); 2.4935 (874.0); 2.4078 (0.8); 2.3720 (0.4); 2.3460 (0.8); 2.3385 (5.2); 2.3339 (11.0); 2.3294 (15.2); 2.3249 (11.1); 2.3205 (5.1); 2.2783 (0.4); 2.0729 (2.0); 2.0211 (0.4); 1.9947 (0.6); 1.9819 (0.8); 1.9753 (0.8); 1.8874 (0.5); 1.8572 (0.6); 1.8423 (0.7); 1.7968 (0.5); 1.7723 (0.9); 1.7555 (1.2); 1.7330 (1.0); 1.7083 (0.4); 1.2363 (0.6); 1.0450 (0.5); 0.8919 (0.6); 0.8706 (0.8); 0.8336 (0.4); 0.5697 (0.5); 0.5536 (0.4); -0.0002 (8.0); -3.0487 (0.3); -3.4068 (0.4); -3.4863 (0.4) I-622: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2769 (4.2); 7.8853 (0.6); 7.6237 (2.6); 7.6109 (2.4); 7.4594 (1.5); 7.4063 (0.6); 7.4001 (0.7); 7.3935 (0.8); 7.3886 (0.7); 7.3840 (0.5); 7.3776 (0.4); 7.2645 (1.9); 7.2589 (3.0); 7.2363 (0.8); 7.2167 (1.0); 7.1271 (1.4); 7.1077 (1.0); 5.2961 (0.8); 4.2114 (0.8); 4.1967 (0.7); 4.1760 (1.6); 4.1613 (1.5); 4.1405 (0.8); 4.1258 (0.8); 2.2300 (16.0); 1.5560 (2.1); -0.0002 (1.6) I-623: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2976 (1.2); 9.2821 (2.7); 9.2667 (1.5); 8.8576 (6.8); 8.7218 (3.5); 8.7096 (3.6); 8.1505 (7.2); 8.0325 (0.7); 7.9605 (3.2); 7.7307 (3.6); 7.7185 (3.5); 7.5203 (0.6); 7.4993 (1.4); 7.4776 (1.6); 7.4561 (0.9); 7.4112 (0.6); 7.3908 (1.5); 7.3758 (1.7); 7.3469 (4.3); 7.3275 (5.2); 7.3078 (1.0); 7.0855 (4.7); 6.9601 (2.5); 6.9403 (2.4); 4.1689 (1.1); 4.1534 (1.2); 4.1325 (2.5); 4.1169 (2.4); 4.0962 (1.4); 4.0805 (1.4); 3.3234 (132.3); 2.8985 (14.7); 2.7395 (14.3); 2.5103 (17.0); 2.5084 (16.9); 2.4423 (11.3); 2.2832 (0.4); 2.2174 (16.0); 2.1823 (0.5) I-624: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 8.2931 (10.0); 7.6415 (1.0); 7.6265 (1.0); 7.6089 (4.6); 7.6058 (5.8); 7.5851 (2.5); 7.5589 (0.6); 7.3482 (2.7); 7.2812 (1.1); 7.2744 (1.5); 7.2587 (7.7); 7.2524 (1.8); 7.2430 (0.7); 6.9848 (2.5); 6.9601 (2.9); 6.6948 (5.9); 6.6684 (1.6); 4.3049 (0.3); 3.8812 (1.4); 3.8593 (3.4); 3.8399 (3.3); 3.8178 (1.6); 3.1433 (2.6); 3.1208 (4.8); 3.0985 (2.3); 2.1490 (16.0); 1.9551 (0.3); 1.9369 (0.8); 1.9270 (0.8); 1.9192 (0.5); 1.9091 (1.5); 1.8987 (0.5); 1.8912 (0.9); 1.8811 (0.8); 1.8633 (0.4); 1.5810 (2.7); 0.9608 (0.6); 0.9475 (1.2); 0.9329 (2.9); 0.9267 (3.0); 0.9198 (1.8); 0.9126 (1.7); 0.9046 (3.1); 0.8983 (3.0); 0.8847 (1.4); 0.6423 (1.3); 0.6281 (3.0); 0.6226 (3.6); 0.6101 (3.1); 0.6045 (3.3); 0.5894 (1.0); -0.0005 (6.3) I-625: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1607 (0.9); 8.0802 (5.5); 8.0159 (0.5); 7.3390 (1.3); 7.3276 (2.2); 7.3193 (2.8); 7.3076 (2.4); 7.2996 (1.7); 7.2591 (9.3); 7.0227 (2.6); 7.0108 (1.8); 6.9910 (1.5); 6.9736 (1.2); 6.9691 (1.4); 6.9534 (1.0); 6.9489 (1.3); 6.9325 (1.4); 6.9117 (1.4); 6.9050 (2.2); 6.9003 (2.6); 4.2363 (1.0); 4.2215 (1.0); 4.2002 (2.2); 4.1853 (2.2); 4.1642 (1.1); 4.1493 (1.1); 2.9532 (3.6); 2.8819 (3.3); 2.7000 (16.0); 2.4730 (7.0); 2.2839 (9.9); 1.9475 (0.6); 1.9390 (0.7); 1.9266 (1.2); 1.9142 (0.7); 1.9056 (0.7); 1.8929 (0.3); 1.5647 (12.6); 1.0170 (0.7); 1.0053 (2.1); 1.0005 (2.2); 0.9890 (1.1); 0.9842 (2.2); 0.9796 (2.1); 0.9684 (0.8); 0.7469 (0.8); 0.7351 (2.7); 0.7313 (2.4); 0.7229 (2.3); 0.7188 (2.8); 0.7066 (0.7); -0.0002 (2.0) I-626: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2518 (1.6); 9.2305 (1.7); 8.2194 (6.9); 7.9606 (2.0); 7.4938 (2.8); 7.3621 (1.4); 7.3575 (1.4); 7.3417 (1.7); 7.3369 (1.6); 7.2456 (0.6); 7.2244 (1.6); 7.2215 (1.5); 7.2035 (1.2); 7.2007 (1.3); 7.1694 (1.2); 7.1515 (1.6); 7.1329 (0.7); 7.1071 (2.4); 7.0866 (2.1); 6.9932 (0.9); 6.9898 (0.9); 6.9735 (1.6); 6.9563 (0.9); 5.1987 (0.3); 5.1794 (0.9); 5.1638 (0.9); 3.8997 (16.0); 3.3299 (18.4); 2.8981 (12.1); 2.7387 (11.8); 2.7234 (2.1); 2.7172 (2.0); 2.5131 (9.6); 2.5091 (12.6); 2.5050 (9.6); 2.0585 (0.4); 2.0333 (0.7); 2.0184 (0.6); 2.0013 (0.6); 1.9162 (0.4); 1.8900 (0.8); 1.8741 (0.5); 1.8578 (0.3); 1.7936 (1.4); 1.7769 (1.5); 1.7526 (0.9) I-627: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2782 (11.7); 8.0189 (2.3); 7.6270 (6.0); 7.6141 (6.4); 7.4771 (3.6); 7.4521 (0.4); 7.4422 (1.4); 7.4362 (1.4); 7.4300 (2.1); 7.4254 (1.8); 7.4197 (1.3); 7.4135 (0.9); 7.2588 (36.8); 6.7863 (4.0); 6.7152 (2.0); 6.6827 (2.0); 4.3403 (1.2); 4.3372 (1.2); 4.3251 (1.2); 4.3220 (1.2); 4.3046 (2.4);

4.3014 (2.4); 4.2893 (2.4); 4.2861 (2.3); 4.2655 (1.2); 4.2532 (1.2); 4.2503 (1.2); 2.9554 (7.9);
2.8835 (7.1); 2.4493 (5.2); 2.4390 (10.3); 2.4287 (5.4); 2.3070 (0.5); 2.2649 (16.0); 1.5519 (3.4);
1.4318 (3.1); 0.0079 (0.4); -0.0002 (10.4) I-628: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ =
8.9831 (1.5); 8.9700 (1.5); 7.9548 (0.3); 7.8068 (6.5); 7.7291 (0.5); 7.7091 (1.6); 7.6893 (2.7);
7.6685 (1.8); 7.6528 (1.8); 7.6342 (3.5); 7.6027 (1.6); 7.5820 (2.1); 7.5585 (1.1); 7.4235 (1.0);
7.4043 (1.6); 7.3852 (0.7); 7.3186 (1.7); 7.2989 (1.5); 3.3310 (24.1); 3.3119 (0.9); 3.3062 (0.8);
3.3022 (0.8); 3.2926 (0.7); 2.8915 (2.2); 2.7330 (1.9); 2.6120 (16.0); 2.5263 (0.4); 2.5127 (9.1);
2.5084 (18.8); 2.5039 (24.8); 2.4993 (17.6); 2.4949 (8.3); 2.3216 (0.4); 2.2997 (0.7); 1.4188 (1.2);
1.4126 (1.1); 1.3996 (2.3); 1.3889 (1.2); 1.3840 (1.1); 1.3759 (1.2); 1.2398 (0.5); -0.0002 (4.2) I-
629: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2965 (2.3); 7.5863 (0.8); 7.5825 (0.8); 7.4592 (0.4);
7.4316 (0.8); 7.4046 (0.5); 7.3732 (2.1); 7.3699 (2.1); 7.2987 (15.1); 6.9540 (0.3); 6.9483 (0.4);
6.8373 (0.3); 6.8325 (0.4); 6.8299 (0.4); 6.8060 (0.5); 6.8031 (0.4); 6.7978 (0.6); 6.7903 (0.8);
6.7828 (0.3); 5.3380 (2.1); 3.8786 (6.3); 2.0835 (0.7); 1.5804 (16.0); 1.2978 (0.4); 0.0491 (0.5);
0.0383 (14.4); 0.0306 (0.4); 0.0275 (0.5) I-630: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ =
9.3183 (1.0); 9.3027 (2.2); 9.2866 (1.1); 8.0543 (9.3); 7.9605 (2.6); 7.9441 (0.5); 7.8648 (3.9);
7.8022 (0.9); 7.6427 (1.0); 7.6256 (1.9); 7.6095 (2.3); 7.5884 (2.0); 7.5694 (1.3); 7.5203 (2.6);
7.4989 (5.4); 7.4760 (2.6); 7.4562 (1.2); 7.4373 (4.0); 7.4160 (1.7); 7.4118 (1.7); 7.3026 (3.3);
7.2885 (0.5); 7.1676 (1.6); 4.3057 (0.9); 4.2902 (1.1); 4.2716 (2.2); 4.2558 (2.3); 4.2374 (1.4);
4.2214 (1.2); 3.3245 (151.7); 2.8987 (16.0); 2.7395 (14.5); 2.5137 (11.8); 2.5094 (16.3); 2.5052
(12.7) I-631: .sup.1H-NMR(300.1 MHz, CDCl₃): δ = 8.2775 (9.6); 7.6204 (0.4); 7.6067 (4.6);
7.6036 (5.6); 7.5943 (2.3); 7.5834 (3.0); 7.5573 (1.2); 7.3562 (2.7); 7.3033 (1.1); 7.2964 (1.4);
7.2817 (1.4); 7.2745 (1.6); 7.2603 (7.8); 7.1405 (3.1); 7.0826 (2.6); 7.0566 (3.5); 6.9199 (1.8);
6.9161 (1.8); 6.8940 (1.4); 6.8901 (1.3); 3.8851 (1.4); 3.8659 (3.2); 3.8428 (3.0); 3.8240 (1.6);
3.1331 (9.8); 3.1082 (3.8); 3.0877 (2.4); 2.1523 (16.0); 1.5926 (0.5); 1.2535 (0.4); 0.0102 (0.3);
-0.0005 (7.7) I-632: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0827 (5.3); 8.0369 (0.9); 8.0165
(1.6); 7.5381 (3.0); 7.3761 (0.7); 7.3552 (4.2); 7.3488 (3.0); 7.3451 (2.7); 7.3277 (0.5); 7.3240
(0.5); 7.2605 (11.5); 7.1379 (0.4); 7.1243 (2.6); 7.1177 (2.2); 7.1060 (3.6); 6.8585 (0.7); 6.8516
(0.7); 6.8422 (1.2); 6.8336 (1.0); 6.8183 (0.6); 6.0743 (0.6); 6.0661 (0.6); 6.0582 (0.6); 6.0499
(0.6); 5.9585 (0.6); 5.9503 (0.6); 5.9424 (0.6); 5.9340 (0.6); 4.2270 (0.4); 4.2187 (0.4); 4.2109
(0.4); 4.2020 (0.6); 4.1647 (0.4); 4.1563 (0.4); 4.1486 (0.4); 4.1403 (0.3); 3.9170 (0.3); 3.9016
(0.5); 3.8872 (0.4); 3.8649 (0.4); 3.8593 (0.4); 3.8506 (0.3); 3.8450 (0.5); 3.8292 (0.4); 3.8227
(0.3); 3.8083 (0.4); 2.9540 (9.4); 2.8821 (8.6); 2.7091 (16.0); 2.1292 (0.6); 2.1209 (0.6); 2.1080
(1.1); 2.0953 (0.7); 2.0870 (0.6); 1.5722 (12.5); 1.0526 (0.7); 1.0409 (2.0); 1.0363 (2.1); 1.0251
(1.1); 1.0197 (2.1); 1.0151 (2.0); 1.0041 (0.8); 0.8022 (0.8); 0.7905 (2.5); 0.7871 (2.4); 0.7780
(2.2); 0.7741 (2.5); 0.7619 (0.7); -0.0002 (2.5) I-633: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO):
 δ = 9.4382 (2.3); 9.4230 (4.1); 9.4076 (1.9); 8.1765 (1.8); 8.1679 (16.0); 8.0474 (6.4); 8.0432 (6.4);
7.8772 (0.4); 7.8547 (0.5); 7.8188 (0.3); 7.7761 (3.0); 7.7715 (2.9); 7.7540 (3.9); 7.7502 (3.8);
7.7383 (1.9); 7.7176 (4.9); 7.6984 (11.1); 7.6761 (6.1); 7.6566 (2.8); 7.6385 (4.6); 7.6239 (6.5);
7.6039 (3.5); 4.2741 (2.0); 4.2492 (4.6); 4.2329 (4.4); 4.2240 (2.8); 4.2079 (2.1); 3.3397 (320.9);
3.3357 (269.2); 3.3326 (262.3); 2.7123 (0.5); 2.6717 (1.3); 2.5425 (123.6); 2.5073 (191.6); 2.5032
(245.2); 2.4990 (182.5); 2.3746 (0.5); 2.3692 (0.7); 2.3304 (1.4); 1.2595 (0.4); -0.0002 (6.0) I-634:
.sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.6762 (2.9); 7.7245 (0.6); 7.7049 (1.8); 7.6850
(1.5); 7.6550 (7.2); 7.6384 (1.0); 7.5387 (2.4); 7.4981 (1.3); 7.4781 (1.1); 7.2670 (3.6); 7.2462
(4.7); 7.1128 (5.1); 7.0919 (4.0); 3.3258 (20.9); 2.9047 (6.3); 2.8924 (0.9); 2.7332 (0.5); 2.5694
(16.0); 2.5075 (18.6); 2.5030 (24.5); 2.4986 (17.8); 1.2402 (0.5); 0.8869 (1.0); 0.8692 (3.4); 0.8578
(1.5); 0.7578 (1.4); 0.7463 (3.2); 0.7429 (3.2); 0.7292 (0.9); -0.0002 (4.0) I-635: .sup.1H-
NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.8172 (0.8); 8.8031 (1.7); 8.7887 (0.8); 8.7140 (16.0);
8.0877 (8.6); 7.7425 (0.7); 7.7229 (2.2); 7.7032 (2.3); 7.6894 (2.7); 7.6697 (1.0); 7.6321 (3.1);
7.5536 (1.7); 7.5341 (1.4); 3.8026 (1.2); 3.7862 (3.2); 3.7708 (3.3); 3.7546 (1.3); 3.3452 (28.9);
3.3431 (27.8); 3.1879 (2.4); 3.1712 (5.0); 3.1543 (2.2); 2.8933 (1.3); 2.7340 (1.2); 2.5146 (6.0);

2.5106 (12.6); 2.5062 (16.9); 2.5017 (12.4); 2.4975 (6.2); 1.2388 (0.5); -0.0002 (1.7) I-636: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9165 (0.4); 7.8969 (0.8); 7.8774 (0.4); 7.5524 (0.4); 7.5274 (1.2); 7.5023 (2.6); 7.4965 (2.2); 7.4915 (1.6); 7.4621 (1.9); 7.4595 (1.8); 7.4402 (2.6); 7.4279 (0.8); 7.4129 (2.4); 7.2986 (3.3); 7.0883 (2.0); 7.0431 (1.1); 7.0164 (0.9); 4.2751 (0.8); 4.2549 (0.8); 4.2249 (1.8); 4.2047 (1.8); 4.1746 (0.9); 4.1545 (0.9); 3.8427 (1.5); 3.8233 (3.1); 3.8039 (1.7); 3.3951 (0.6); 3.3837 (16.0); 3.1578 (1.6); 3.1384 (2.8); 3.1190 (1.4); 2.5442 (5.8); 2.5374 (3.5); 2.3196 (7.7); 2.1111 (0.5); 2.1002 (0.6); 2.0953 (0.4); 2.0841 (1.1); 2.0730 (0.4); 2.0679 (0.6); 2.0570 (0.6); 1.6344 (3.0); 1.3465 (0.6); 1.3323 (1.8); 1.3237 (2.1); 1.3165 (1.9); 1.3077 (2.0); 1.2954 (1.2); 1.2684 (3.6); 1.2560 (0.6); 1.1083 (0.7); 1.0961 (1.8); 1.0871 (1.6); 1.0815 (1.1); 1.0691 (1.8); 1.0601 (1.6); 1.0463 (0.6); 0.1098 (8.4); 0.0977 (0.3); 0.0376 (2.7) I-637: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1906 (1.9); 9.1762 (3.9); 9.1614 (2.1); 8.1165 (12.5); 7.9605 (3.3); 7.6453 (8.9); 7.6293 (5.4); 7.6093 (4.0); 7.5787 (4.9); 7.5577 (6.1); 7.4927 (3.0); 7.4728 (4.4); 7.4528 (2.0); 7.4324 (2.6); 7.4055 (4.3); 7.3846 (3.5); 7.2974 (5.3); 7.1624 (2.6); 6.0786 (1.2); 6.0664 (2.0); 6.0545 (1.3); 5.9637 (1.1); 5.9509 (1.9); 5.9387 (1.3); 3.9442 (0.5); 3.9234 (1.0); 3.9073 (2.1); 3.8901 (2.6); 3.8758 (1.4); 3.8668 (1.5); 3.8519 (2.3); 3.8337 (2.0); 3.8187 (1.2); 3.8073 (0.5); 3.7931 (0.5); 3.3231 (174.1); 2.8988 (16.0); 2.7397 (15.5); 2.5104 (22.4); 1.2461 (0.4) I-638: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0377 (5.4); 8.0158 (1.0); 7.9923 (0.6); 7.9781 (0.9); 7.9647 (0.5); 7.5323 (2.3); 7.5111 (2.6); 7.4588 (2.6); 7.2602 (10.5); 7.2150 (1.5); 7.2106 (1.4); 7.1939 (1.3); 7.1895 (1.2); 7.1137 (3.7); 7.1003 (3.2); 7.0801 (0.4); 6.8557 (0.7); 6.8428 (1.1); 6.8323 (1.2); 6.8217 (0.7); 6.8155 (0.6); 4.4513 (1.1); 4.4358 (1.1); 4.4165 (2.2); 4.4010 (2.2); 4.3817 (1.2); 4.3663 (1.1); 2.9538 (6.2); 2.8820 (5.8); 2.6989 (16.0); 2.1248 (0.6); 2.1166 (0.6); 2.1037 (1.2); 2.0909 (0.7); 2.0825 (0.6); 1.5681 (10.0); 1.0574 (0.7); 1.0454 (2.1); 1.0408 (2.2); 1.0293 (1.2); 1.0242 (2.2); 1.0196 (2.1); 1.0085 (0.8); 0.8028 (0.8); 0.7908 (2.7); 0.7876 (2.5); 0.7784 (2.4); 0.7745 (2.6); 0.7622 (0.7); -0.0002 (2.2) I-639: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3035 (16.0); 8.1249 (1.5); 7.6989 (2.4); 7.6789 (2.4); 7.6409 (0.4); 7.6189 (1.8); 7.6004 (7.1); 7.5945 (6.4); 7.5864 (12.4); 7.5737 (1.7); 7.5424 (1.0); 7.4791 (7.1); 7.4571 (0.6); 7.4312 (0.7); 7.4203 (2.4); 7.4113 (3.4); 7.4062 (3.4); 7.3982 (2.6); 7.3921 (1.7); 7.2606 (7.0); 6.7517 (13.5); 5.2963 (0.4); 5.2784 (1.2); 5.2618 (2.6); 5.2450 (2.5); 5.2283 (1.1); 2.7679 (0.4); 2.7534 (0.7); 2.7262 (2.2); 2.7122 (5.6); 2.6978 (5.7); 2.6848 (2.2); 2.6564 (0.6); 2.2380 (0.7); 2.2257 (1.2); 2.2194 (1.3); 2.2156 (1.3); 2.2065 (1.9); 2.1973 (1.8); 2.1849 (1.8); 2.1776 (1.3); 2.1720 (1.2); 2.1641 (0.9); 1.9610 (1.1); 1.9375 (2.8); 1.9311 (3.4); 1.9229 (4.0); 1.9173 (3.5); 1.9109 (3.0); 1.9038 (2.6); 1.8886 (1.2); 1.8769 (0.6); 1.8643 (1.4); 1.8574 (1.4); 1.8476 (1.5); 1.8408 (1.8); 1.8325 (1.5); 1.8228 (1.5); 1.8156 (1.5); 1.8051 (1.2); 1.7956 (0.8); 1.7858 (0.6); 1.5787 (1.7); 1.2558 (1.0); -0.0002 (3.8) I-640: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2651 (16.0); 8.1173 (1.2); 8.0984 (2.0); 8.0800 (1.2); 7.6755 (5.7); 7.4919 (3.3); 7.4636 (8.5); 7.4305 (6.9); 7.4039 (8.0); 7.3774 (3.9); 7.3045 (39.0); 7.1008 (3.8); 7.0746 (3.2); 7.0119 (2.7); 7.0087 (2.7); 7.0039 (3.3); 6.9849 (2.2); 6.9818 (2.3); 6.9770 (3.2); 6.9437 (4.6); 6.9380 (5.5); 6.9312 (2.9); 5.3441 (10.2); 4.4823 (2.5); 4.4618 (2.5); 4.4345 (5.4); 4.4140 (5.2); 4.3867 (2.7); 4.3663 (2.6); 2.0325 (0.6); 2.0161 (1.3); 2.0048 (1.5); 1.9882 (2.8); 1.9714 (1.6); 1.9601 (1.5); 1.9433 (0.8); 1.5917 (19.4); 1.3001 (0.4); 1.0999 (1.8); 1.0846 (4.9); 1.0777 (5.4); 1.0624 (3.1); 1.0562 (5.3); 1.0499 (4.7); 1.0348 (2.3); 1.0129 (0.3); 0.8098 (2.2); 0.7942 (6.4); 0.7889 (5.2); 0.7777 (5.2); 0.7723 (6.4); 0.7557 (1.8); 0.1133 (0.5); 0.0544 (1.4); 0.0436 (40.2); 0.0326 (1.5) I-641: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.6706 (2.6); 7.9528 (0.7); 7.7298 (0.5); 7.7101 (1.6); 7.6903 (1.3); 7.6608 (1.8); 7.6522 (5.2); 7.6420 (0.9); 7.5709 (2.1); 7.5249 (1.2); 7.5046 (0.9); 7.1563 (3.2); 7.1349 (3.5); 6.6423 (3.7); 6.6209 (3.4); 3.5998 (16.0); 3.3273 (21.1); 2.8906 (4.6); 2.8443 (5.3); 2.7317 (4.1); 2.5685 (13.1); 2.5063 (16.6); 2.5021 (21.5); 2.4977 (15.5); 1.2400 (0.6); 0.8332 (0.8); 0.8154 (2.9); 0.8044 (1.2); 0.7244 (1.2); 0.7132 (2.8); 0.6960 (0.8); -0.0002 (3.0) I-642: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5690 (2.1); 7.5517 (1.4); 7.5404 (2.8); 7.5284 (4.1); 7.5176 (2.3); 7.5111 (2.3); 7.4256 (1.9); 7.3883 (0.8); 7.3803 (1.4); 7.3731 (0.8); 7.3670 (0.5); 7.3642 (0.5); 7.3580 (0.8); 7.3505 (0.5); 7.2985 (2.6);

7.2209 (1.3); 7.2142 (1.2); 7.1927 (1.1); 7.1860 (1.0); 6.5181 (0.5); 6.4786 (1.0); 6.4755 (0.5); 4.4583 (0.9); 4.4368 (0.9); 4.4101 (2.0); 4.3886 (1.9); 4.3619 (1.0); 4.3404 (0.9); 2.4143 (16.0); 2.0930 (0.6); 2.0823 (0.6); 2.0764 (0.4); 2.0661 (1.3); 2.0550 (0.5); 2.0494 (0.7); 2.0387 (0.7); 2.0222 (0.3); 1.6457 (1.2); 1.3015 (1.0); 1.2948 (0.9); 1.2517 (6.6); 1.2373 (0.7); 1.2218 (1.8); 1.2138 (2.2); 1.2057 (1.8); 1.2024 (1.6); 1.1975 (2.0); 1.1858 (0.9); 1.0981 (0.9); 1.0865 (2.0); 1.0780 (1.5); 1.0712 (1.2); 1.0594 (1.9); 1.0507 (1.5); 1.0358 (0.6); 0.9382 (0.3); 0.9166 (1.0); 0.8932 (0.4); 0.1079 (1.0); 0.0349 (2.1) I-643: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1089 (1.3); 9.0947 (2.8); 9.0805 (1.6); 8.8573 (8.1); 8.7191 (4.2); 8.7067 (4.7); 8.2389 (9.1); 8.0898 (0.8); 7.9606 (3.0); 7.8008 (0.9); 7.7717 (4.8); 7.7630 (4.1); 7.7409 (4.1); 7.7315 (5.4); 7.7193 (5.9); 7.6864 (3.2); 7.6665 (2.1); 7.6340 (5.1); 7.6113 (0.5); 7.5870 (3.7); 7.5660 (4.5); 7.5503 (0.7); 7.3690 (2.5); 7.3645 (2.9); 7.3483 (2.3); 7.3438 (2.5); 6.1030 (0.8); 6.0906 (1.5); 6.0783 (0.9); 5.9878 (0.7); 5.9757 (1.5); 5.9632 (0.9); 3.9395 (1.9); 3.9250 (1.4); 3.8977 (1.3); 3.8828 (2.1); 3.8681 (1.4); 3.8410 (0.4); 3.3320 (171.7); 2.8989 (16.0); 2.7394 (15.0); 2.5102 (21.6) I-644: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0752 (5.4); 8.0306 (1.0); 8.0162 (1.1); 7.3498 (2.1); 7.3299 (2.3); 7.2594 (9.7); 7.1037 (3.5); 7.0908 (2.6); 7.0856 (2.7); 7.0710 (0.5); 7.0157 (2.5); 6.9290 (1.3); 6.9091 (1.3); 6.8487 (0.7); 6.8335 (1.1); 6.8249 (1.3); 6.8156 (0.7); 6.8085 (0.6); 4.2536 (1.0); 4.2387 (1.0); 4.2180 (2.2); 4.2030 (2.2); 4.1823 (1.2); 4.1674 (1.1); 2.9533 (4.1); 2.8820 (3.8); 2.7012 (16.0); 2.4777 (7.0); 2.2632 (9.8); 2.1247 (0.6); 2.1164 (0.6); 2.1036 (1.2); 2.0907 (0.7); 2.0825 (0.7); 2.0693 (0.4); 1.5662 (8.8); 1.0492 (0.7); 1.0374 (2.1); 1.0326 (2.2); 1.0213 (1.2); 1.0162 (2.2); 1.0115 (2.1); 1.0004 (0.9); 0.7982 (0.8); 0.7864 (2.6); 0.7828 (2.4); 0.7740 (2.3); 0.7699 (2.7); 0.7577 (0.8); -0.0002 (2.1) I-645: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3699 (3.6); 7.3432 (4.1); 7.2986 (29.1); 7.1663 (0.6); 7.1042 (1.2); 7.0757 (3.2); 7.0608 (3.0); 7.0524 (7.7); 7.0383 (6.2); 7.0324 (6.9); 7.0119 (1.8); 7.0049 (1.4); 6.9240 (2.1); 6.8979 (1.9); 6.8248 (1.3); 6.8149 (1.3); 6.8026 (2.4); 6.7951 (1.9); 6.7773 (1.2); 6.7712 (1.1); 4.2508 (2.0); 4.2307 (1.9); 4.2026 (4.2); 4.1825 (4.1); 4.1541 (2.2); 4.1341 (2.0); 3.0529 (0.7); 3.0425 (1.2); 3.0300 (1.5); 3.0206 (1.6); 3.0079 (1.2); 2.9981 (0.7); 2.5269 (0.5); 2.4938 (11.8); 2.4865 (6.5); 2.3832 (0.6); 2.2984 (16.0); 2.1558 (0.4); 2.1382 (0.9); 2.1278 (1.0); 2.1103 (1.9); 2.0930 (1.1); 2.0832 (2.1); 2.0645 (0.5); 1.5843 (12.6); 1.3447 (0.5); 1.3214 (1.2); 1.3061 (3.3); 1.2981 (3.2); 1.2742 (0.5); 1.0715 (1.3); 1.0563 (3.6); 1.0494 (3.9); 1.0435 (2.0); 1.0348 (2.2); 1.0276 (3.8); 1.0210 (3.5); 1.0066 (1.8); 0.9427 (1.3); 0.9209 (4.0); 0.8971 (2.2); 0.8784 (2.9); 0.8721 (3.9); 0.8551 (4.0); 0.8490 (3.3); 0.8316 (1.4); 0.8148 (2.0); 0.7999 (4.4); 0.7936 (4.2); 0.7827 (4.0); 0.7772 (4.7); 0.7608 (1.5); 0.7008 (1.5); 0.6846 (3.5); 0.6769 (4.1); 0.6720 (3.4); 0.6652 (2.9); 0.6484 (0.9); 0.0496 (1.2); 0.0388 (37.6); 0.0279 (1.3) I-646: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.4411 (2.4); 9.4220 (2.4); 8.3163 (0.4); 8.2405 (16.0); 7.7450 (5.3); 7.7227 (2.5); 7.6102 (1.1); 7.5907 (4.0); 7.5832 (3.5); 7.5648 (2.7); 7.5457 (0.9); 7.4821 (0.5); 7.4769 (0.6); 7.4617 (1.1); 7.4567 (1.3); 7.4481 (0.8); 7.4428 (1.0); 7.4389 (1.7); 7.4312 (1.0); 7.4181 (0.8); 7.4134 (0.7); 7.3670 (0.6); 7.3628 (0.6); 7.3460 (1.3); 7.3421 (1.4); 7.3293 (1.6); 7.3249 (1.2); 7.3186 (1.8); 7.3166 (1.8); 7.3114 (4.0); 7.3038 (1.3); 7.2996 (1.9); 7.2792 (0.7); 5.2553 (0.4); 5.2380 (1.5); 5.2201 (2.3); 5.2020 (1.5); 5.1844 (0.4); 3.9031 (1.4); 3.7055 (0.7); 3.3325 (304.4); 3.1751 (0.4); 3.1621 (0.4); 2.6761 (1.1); 2.6715 (1.6); 2.6670 (1.1); 2.6625 (0.6); 2.5370 (1.4); 2.5249 (5.4); 2.5201 (8.6); 2.5115 (103.6); 2.5071 (206.4); 2.5026 (266.6); 2.4980 (191.0); 2.4935 (92.7); 2.4585 (0.7); 2.3383 (0.6); 2.3339 (1.1); 2.3293 (1.6); 2.3249 (1.1); 2.3204 (0.6); 1.4913 (10.9); 1.4737 (10.9); 1.4433 (0.4); 1.2345 (0.4); -0.0002 (1.1) I-647: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2196 (16.0); 7.6557 (3.0); 7.6166 (2.2); 7.6008 (8.6); 7.5962 (7.3); 7.5796 (5.9); 7.5637 (2.3); 7.5572 (2.1); 7.5385 (0.4); 7.4888 (1.4); 7.4270 (1.0); 7.4125 (2.3); 7.3956 (2.7); 7.3544 (12.2); 7.3382 (13.0); 7.2787 (3.4); 7.2648 (4.1); 7.2599 (14.6); 7.1768 (10.4); 7.1719 (14.1); 7.1549 (10.0); 7.0193 (4.2); 7.0040 (4.7); 3.8334 (1.0); 3.8237 (1.4); 3.8136 (2.0); 3.8026 (2.2); 3.7933 (2.3); 3.7823 (2.0); 3.7735 (1.5); 3.7625 (1.0); 3.4187 (0.4); 3.4070 (0.6); 3.4008 (0.5); 3.3974 (0.5); 3.3911 (0.6); 3.3796 (0.4); 2.0673 (1.9); 2.0496 (3.3); 2.0410 (0.6); 2.0308 (2.4); 2.0253 (2.1); 2.0074 (3.2); 1.9888 (2.0); 1.8102 (0.3); 1.7928

(0.7); 1.7835 (0.4); 1.7752 (0.4); 1.7661 (0.7); 1.7486 (0.4); 1.6682 (0.4); 1.6551 (0.4); 1.6387 (0.4); 1.6237 (0.5); 1.6112 (0.6); 1.6023 (2.2); 1.5904 (2.7); 1.5849 (2.9); 1.5817 (2.8); 1.5729 (3.1); 1.5698 (3.3); 1.5640 (3.5); 1.5542 (6.0); 1.2567 (0.9); -0.0002 (14.0) I-648: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5170 (0.6); 7.4972 (2.9); 7.4816 (7.6); 7.3747 (4.0); 7.3453 (0.4); 7.3326 (1.5); 7.3258 (2.4); 7.3202 (2.0); 7.3106 (5.0); 7.2908 (3.7); 7.2579 (5.3); 7.0037 (4.3); 6.9282 (1.5); 6.8941 (2.5); 6.8741 (2.2); 6.7800 (0.6); 5.2932 (0.8); 4.1812 (1.6); 4.1663 (1.6); 4.1444 (3.4); 4.1295 (3.2); 4.1076 (1.8); 4.0927 (1.6); 2.9623 (0.7); 2.9546 (1.2); 2.9457 (1.6); 2.9384 (1.6); 2.9295 (1.2); 2.9217 (0.8); 2.4433 (11.8); 2.2609 (16.0); 1.5835 (0.9); 1.2573 (1.5); 0.8449 (1.0); 0.8274 (4.0); 0.8136 (4.1); 0.7969 (1.2); 0.6624 (1.3); 0.6494 (3.8); 0.6447 (4.3); 0.6232 (1.0); -0.0002 (4.2) I-649: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7591 (2.1); 8.7418 (2.2); 7.6174 (0.3); 7.5915 (1.4); 7.5686 (4.7); 7.5460 (0.5); 7.5160 (2.4); 7.4851 (1.1); 7.4770 (1.8); 7.4636 (3.4); 7.4451 (3.1); 7.4079 (2.0); 7.3813 (2.3); 7.2988 (5.0); 7.0950 (2.4); 7.0100 (1.3); 6.9837 (1.1); 6.8151 (0.5); 6.7950 (1.0); 6.7751 (0.5); 4.3245 (0.8); 4.3041 (0.8); 4.2755 (1.6); 4.2550 (1.6); 4.2263 (0.8); 4.2059 (0.8); 2.5381 (7.0); 2.3447 (16.0); 2.3277 (9.8); 2.0724 (0.4); 1.2915 (0.6); 0.1092 (0.4); 0.0355 (4.9) I-650: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2640 (1.2); 7.5680 (0.5); 7.5414 (1.9); 7.5199 (5.3); 7.4984 (0.6); 7.4368 (1.4); 7.4187 (0.9); 7.4046 (0.7); 7.3815 (3.1); 7.3627 (1.3); 7.3540 (2.0); 7.3444 (3.3); 7.3328 (1.5); 7.3177 (3.1); 7.2986 (17.8); 7.0786 (0.6); 7.0374 (2.9); 6.9255 (1.6); 6.8985 (1.4); 5.3373 (1.8); 4.2375 (1.3); 4.2177 (1.2); 4.1892 (2.8); 4.1695 (2.6); 4.1411 (1.5); 4.1213 (1.4); 4.0826 (0.4); 4.0619 (0.3); 3.1686 (0.5); 3.1581 (0.9); 3.1463 (1.2); 3.1359 (1.2); 3.1235 (0.9); 3.1133 (0.6); 2.5125 (1.3); 2.4871 (8.4); 2.3856 (0.4); 2.3589 (2.4); 2.3416 (1.7); 2.3242 (1.2); 2.3139 (1.6); 2.2965 (11.7); 1.6037 (16.0); 1.3743 (0.4); 1.2933 (5.3); 1.2226 (1.1); 1.2077 (2.7); 1.2000 (3.0); 1.1909 (2.9); 1.1832 (2.9); 1.1707 (1.3); 1.1371 (0.4); 1.0314 (1.2); 1.0189 (2.7); 1.0108 (2.5); 1.0044 (1.7); 0.9917 (2.7); 0.9835 (2.4); 0.9691 (0.9); 0.9261 (1.1); 0.9180 (1.0); 0.9026 (3.1); 0.8856 (3.3); 0.8797 (2.7); 0.8628 (1.4); 0.7472 (1.1); 0.7314 (2.6); 0.7233 (3.0); 0.6950 (0.7); 0.1077 (12.0); 0.0957 (0.6); 0.0486 (0.8); 0.0378 (15.9) I-651: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1059 (1.1); 9.0913 (2.4); 9.0766 (1.4); 8.8564 (7.6); 8.7185 (4.0); 8.7062 (4.4); 8.2616 (0.4); 8.2324 (8.4); 8.0850 (0.7); 7.9604 (2.8); 7.8019 (0.8); 7.7799 (4.7); 7.7627 (3.1); 7.7497 (5.9); 7.7309 (4.9); 7.7187 (5.3); 7.6863 (2.6); 7.6659 (1.8); 7.6278 (0.3); 7.6233 (0.4); 7.5185 (0.9); 7.4973 (6.6); 7.4685 (0.9); 6.0878 (0.7); 6.0757 (1.4); 6.0630 (0.8); 5.9730 (0.7); 5.9606 (1.4); 5.9479 (0.8); 3.9439 (0.9); 3.9343 (1.8); 3.9195 (1.2); 3.8879 (1.1); 3.8777 (1.9); 3.8638 (1.2); 3.3289 (188.0); 2.8985 (16.0); 2.7393 (14.9); 2.5095 (19.4) I-652: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.4147 (3.5); 8.4104 (3.5); 8.3322 (3.5); 8.3258 (3.5); 8.2381 (8.5); 8.0144 (2.1); 7.9179 (0.6); 7.9038 (1.0); 7.8893 (0.6); 7.6403 (3.3); 7.4674 (1.4); 7.4462 (5.0); 7.4330 (3.0); 7.4291 (2.8); 7.4118 (0.8); 7.4080 (0.8); 7.2604 (18.0); 7.2191 (2.0); 7.2137 (3.2); 7.2083 (2.0); 4.4312 (1.3); 4.4158 (1.2); 4.3948 (2.8); 4.3795 (2.7); 4.3584 (1.4); 4.3431 (1.3); 2.9535 (16.0); 2.8807 (14.5); 2.0227 (0.4); 2.0099 (0.8); 2.0014 (0.8); 1.9888 (1.6); 1.9764 (0.9); 1.9679 (0.8); 1.9551 (0.4); 1.5675 (17.1); 1.1338 (1.0); 1.1213 (2.6); 1.1173 (2.7); 1.1050 (1.4); 1.1003 (2.7); 1.0962 (2.5); 1.0842 (1.1); 0.8125 (1.1); 0.8002 (3.5); 0.7966 (2.9); 0.7878 (2.7); 0.7839 (3.5); 0.7713 (1.0); -0.0002 (0.8) I-653: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9078 (5.0); 7.8091 (0.4); 7.7895 (0.8); 7.7696 (0.4); 7.5635 (1.1); 7.5376 (2.9); 7.5311 (1.6); 7.5106 (0.5); 7.4917 (1.8); 7.4634 (0.8); 7.4565 (1.3); 7.4494 (0.6); 7.4384 (0.5); 7.4325 (0.8); 7.4227 (1.8); 7.3957 (1.8); 7.2987 (2.3); 7.0882 (1.8); 7.0367 (1.0); 7.0100 (0.9); 4.2656 (0.8); 4.2453 (0.8); 4.2156 (1.8); 4.1954 (1.7); 4.1657 (0.9); 4.1454 (0.9); 3.7418 (1.6); 3.7230 (2.9); 3.7038 (1.8); 3.3685 (16.0); 2.9800 (1.7); 2.9609 (2.8); 2.9421 (1.5); 2.5348 (5.5); 2.5280 (3.1); 2.3226 (7.3); 1.6930 (2.1); 0.0363 (2.0) I-654: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2398 (2.0); 9.2242 (4.4); 9.2085 (2.3); 8.8513 (13.7); 8.7126 (7.4); 8.7003 (7.8); 8.1504 (16.0); 8.0292 (1.3); 7.9601 (1.7); 7.8018 (1.4); 7.7820 (4.4); 7.7629 (10.9); 7.7443 (6.4); 7.7246 (10.0); 7.7137 (9.0); 7.7011 (7.8); 7.6485 (4.0); 7.6288 (3.6); 7.6081 (0.6); 7.5933 (6.1); 7.5719 (7.3); 7.5564 (1.2); 7.2631 (3.8); 7.2589 (4.0); 7.2422 (3.7); 7.2376 (3.7); 4.3440 (1.8); 4.3281 (2.0); 4.3098

(4.2); 4.2938 (4.2); 4.2757 (2.6); 4.2599 (2.4); 3.3357 (281.8); 2.8982 (9.7); 2.7388 (9.0); 2.5098 (32.2); 2.5059 (25.6); 1.2427 (0.5) I-655: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.3667 (0.8); 9.3542 (1.7); 9.3417 (0.8); 7.3396 (2.2); 7.3236 (2.5); 7.1746 (0.8); 7.1587 (2.0); 7.1428 (1.4); 7.0988 (2.6); 7.0909 (1.1); 7.0770 (1.4); 7.0627 (0.7); 7.0599 (0.6); 6.9851 (1.4); 6.9692 (1.2); 6.9423 (0.8); 6.9397 (0.8); 6.9267 (1.4); 6.9133 (0.7); 4.1569 (0.6); 4.1444 (0.7); 4.1270 (1.5); 4.1144 (1.4); 4.0969 (0.8); 4.0844 (0.7); 3.3290 (90.6); 2.5266 (0.5); 2.5229 (0.6); 2.5121 (10.7); 2.5087 (21.8); 2.5051 (29.4); 2.5016 (21.0); 2.4982 (9.8); 2.4413 (7.0); 2.2352 (9.9); 2.2092 (16.0); 2.0762 (7.7); 2.0645 (1.2); 2.0542 (0.7); 2.0477 (0.6); 1.0412 (0.8); 1.0325 (2.2); 1.0282 (2.3); 1.0246 (1.2); 1.0198 (1.2); 1.0156 (2.2); 1.0113 (2.3); 1.0031 (0.8); 0.7944 (0.9); 0.7859 (2.5); 0.7821 (2.6); 0.7758 (2.4); 0.7719 (2.6); 0.7629 (0.8) I-656: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2417 (1.6); 9.2211 (1.6); 8.0772 (6.9); 7.9605 (2.4); 7.2498 (0.6); 7.2459 (0.6); 7.2287 (1.6); 7.2252 (1.5); 7.2077 (1.2); 7.2045 (1.2); 7.1703 (1.1); 7.1522 (1.5); 7.1333 (0.7); 6.9854 (0.9); 6.9823 (0.9); 6.9655 (1.6); 6.9483 (0.9); 6.4946 (3.4); 5.1687 (0.4); 5.1530 (0.8); 5.1353 (0.8); 3.9016 (16.0); 3.3300 (18.3); 2.8981 (14.2); 2.7388 (12.9); 2.5132 (9.6); 2.5091 (12.2); 2.5049 (9.6); 2.4773 (1.0); 2.4502 (0.4); 2.3473 (11.4); 2.0369 (0.4); 2.0201 (0.7); 1.9984 (0.6); 1.9867 (0.4); 1.9066 (0.4); 1.8915 (0.5); 1.8735 (0.6); 1.8567 (0.8); 1.8380 (0.8); 1.8221 (0.6); 1.8165 (0.6); 1.8059 (0.6); 1.7892 (0.6); 1.7672 (0.6); 1.7505 (0.6); 1.7296 (0.5); 1.7140 (0.4) I-657: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.6252 (3.2); 7.5474 (0.4); 7.5314 (2.2); 7.5193 (5.7); 7.4917 (0.3); 7.4362 (2.6); 7.4189 (4.0); 7.4123 (3.2); 7.3496 (0.4); 7.3394 (1.0); 7.3341 (1.6); 7.3295 (1.4); 7.3219 (1.3); 7.3056 (2.1); 7.3034 (2.0); 7.2887 (1.6); 7.2862 (1.6); 7.2627 (2.4); 6.7147 (0.8); 6.7022 (1.6); 6.6897 (0.9); 4.3819 (1.0); 4.3692 (1.0); 4.3529 (2.3); 4.3402 (2.2); 4.3240 (1.3); 4.3112 (1.2); 4.0975 (0.6); 4.0832 (0.6); 3.2306 (0.3); 3.2164 (0.8); 3.2022 (1.2); 3.1881 (0.9); 3.1741 (0.4); 2.0238 (2.5); 1.6454 (1.7); 1.3780 (15.7); 1.3638 (16.0); 1.3328 (0.9); 1.3181 (1.8); 1.2611 (1.0); 1.2470 (1.5); 1.2327 (0.8); 1.1139 (0.8); 1.1008 (0.8); 0.8710 (0.4); 0.8563 (0.5); 0.8428 (0.3); -0.0002 (1.9) I-658: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.4121 (4.2); 8.4088 (4.2); 8.3287 (3.8); 8.3227 (3.8); 8.2493 (11.2); 8.0136 (2.2); 7.9269 (1.5); 7.9127 (0.9); 7.4777 (4.6); 7.4562 (8.3); 7.4060 (7.9); 7.3847 (4.3); 7.2605 (19.3); 7.2109 (2.9); 7.2055 (4.7); 7.2003 (2.9); 4.2129 (1.9); 4.1978 (1.9); 4.1771 (4.2); 4.1620 (4.0); 4.1412 (2.1); 4.1261 (2.0); 2.9532 (16.0); 2.8803 (14.9); 2.0196 (0.5); 2.0068 (1.1); 1.9983 (1.2); 1.9859 (2.2); 1.9732 (1.3); 1.9648 (1.2); 1.9521 (0.6); 1.5738 (18.8); 1.1318 (1.3); 1.1193 (3.7); 1.1151 (3.9); 1.1028 (2.1); 1.0983 (3.8); 1.0941 (3.6); 1.0821 (1.5); 0.8078 (1.6); 0.7955 (5.0); 0.7919 (4.2); 0.7831 (3.9); 0.7791 (5.0); 0.7666 (1.3); -0.0002 (0.9) I-659: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.6837 (3.3); 8.6641 (3.3); 7.6160 (0.4); 7.5899 (1.8); 7.5751 (4.2); 7.5681 (5.3); 7.5469 (3.3); 7.5141 (2.5); 7.5081 (2.7); 7.4880 (2.5); 7.4610 (0.4); 7.4556 (0.4); 7.4426 (1.1); 7.4340 (1.8); 7.4214 (4.9); 7.4163 (3.5); 7.4063 (3.4); 7.4015 (4.4); 7.2985 (2.5); 7.2753 (1.3); 7.2546 (0.7); 7.2289 (1.6); 7.2224 (1.6); 7.2008 (1.4); 7.1942 (1.3); 5.3240 (1.5); 4.4815 (0.9); 4.4603 (0.9); 4.4326 (1.8); 4.4114 (1.8); 4.3836 (0.9); 4.3624 (0.9); 2.3303 (16.0); 2.3132 (0.6); 2.2927 (0.4); 2.0549 (0.5); 1.2870 (0.7); 0.0280 (1.7) I-660: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.7825 (1.4); 8.6910 (3.1); 8.6142 (1.7); 8.5991 (1.8); 8.1345 (0.8); 8.1174 (1.4); 7.6508 (0.7); 7.6445 (0.8); 7.6259 (2.6); 7.6066 (6.4); 7.6038 (6.3); 7.5861 (1.1); 7.5461 (2.8); 7.5294 (2.9); 7.5035 (6.0); 7.4760 (6.7); 7.4390 (1.8); 7.4289 (2.5); 7.4213 (2.2); 7.4030 (6.8); 7.3743 (3.6); 7.2987 (74.3); 7.2321 (0.4); 6.9477 (0.5); 5.3383 (0.4); 4.2724 (0.3); 4.2445 (0.8); 4.2221 (0.8); 4.1951 (0.9); 4.1794 (1.3); 4.1619 (0.7); 4.1502 (0.7); 4.1304 (1.4); 4.1129 (1.1); 4.0865 (0.9); 4.0676 (0.9); 2.1299 (0.8); 2.1162 (1.3); 2.1069 (1.3); 2.0932 (1.0); 1.7402 (0.7); 1.6403 (4.6); 1.4857 (0.7); 1.4603 (1.0); 1.4281 (0.6); 1.3738 (1.3); 1.2923 (16.0); 1.1437 (0.9); 1.0619 (0.5); 1.0379 (0.7); 1.0144 (0.6); 0.9744 (0.5); 0.9173 (2.6); 0.8916 (2.6); 0.8634 (1.8); 0.7753 (0.5); 0.7512 (0.5); 0.7258 (0.3); 0.6775 (0.4); 0.6534 (0.6); 0.6427 (0.8); 0.6234 (1.2); 0.6112 (0.8); 0.5884 (0.7); 0.5597 (0.9); 0.5481 (0.7); 0.5395 (0.9); 0.5266 (1.2); 0.5077 (0.9); 0.4849 (0.4); 0.4168 (0.5); 0.3975 (0.8); 0.3818 (1.0); 0.3632 (1.0); 0.3316 (0.4); 0.2324 (0.3); 0.1720 (0.4); 0.1502 (0.9); 0.1317 (0.9); 0.1183 (0.9); 0.1069 (2.1); 0.0479 (2.5); 0.0371 (73.0); 0.0263 (4.0); -0.0292

(0.5); -0.1624 (0.4) I-661: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2387 (1.8); 9.2234 (4.0); 9.2076 (2.1); 9.1876 (0.4); 8.8512 (12.8); 8.8301 (0.6); 8.7130 (7.0); 8.7007 (7.6); 8.1442 (16.0); 8.0961 (0.3); 8.0260 (1.4); 7.9603 (2.3); 7.8738 (6.8); 7.8045 (1.3); 7.7842 (4.0); 7.7640 (4.1); 7.7443 (5.6); 7.7312 (8.0); 7.7137 (7.6); 7.7013 (7.2); 7.6756 (0.5); 7.6488 (3.9); 7.6291 (2.9); 7.5693 (0.4); 7.5513 (0.4); 7.5186 (4.9); 7.4974 (7.1); 7.4817 (0.9); 7.4039 (4.0); 7.3997 (4.1); 7.3831 (3.3); 7.3788 (3.1); 4.3378 (1.6); 4.3219 (1.8); 4.3037 (3.7); 4.2878 (3.7); 4.2694 (2.3); 4.2537 (2.2); 4.2206 (0.3); 3.3333 (291.9); 2.8982 (13.9); 2.7389 (12.6); 2.5137 (23.5); 2.5095 (32.0); 2.5054 (24.6); 1.2420 (0.5) I-662: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 11.2331 (0.7); 9.1405 (0.5); 9.1287 (0.7); 9.1215 (1.1); 9.1062 (2.4); 9.0899 (1.2); 8.3096 (6.2); 7.8264 (9.8); 7.7869 (0.6); 7.7752 (0.6); 7.7501 (1.1); 7.7302 (3.1); 7.7103 (2.8); 7.6855 (3.6); 7.6656 (2.0); 7.6430 (4.2); 7.6071 (0.4); 7.5776 (2.5); 7.5580 (1.8); 7.4401 (0.3); 7.3447 (0.6); 7.3249 (0.8); 7.3151 (3.6); 7.2950 (3.8); 7.1119 (1.2); 7.0919 (0.8); 7.0698 (4.6); 6.9190 (2.2); 6.9010 (2.0); 6.6428 (0.9); 6.4329 (0.5); 5.2202 (0.3); 4.2690 (0.4); 4.2136 (0.4); 4.2008 (0.5); 4.1936 (0.5); 4.1818 (0.4); 4.1319 (1.4); 4.1165 (1.5); 4.0947 (2.9); 4.0791 (2.8); 4.0574 (1.8); 4.0408 (1.5); 4.0150 (0.6); 3.9789 (0.4); 3.9435 (0.6); 3.9173 (0.7); 3.8990 (0.5); 3.8712 (0.4); 3.8655 (0.5); 3.8450 (0.5); 3.8321 (0.5); 3.8068 (0.4); 3.7953 (0.4); 3.7826 (0.4); 3.7592 (0.5); 3.7414 (0.5); 3.7150 (0.6); 3.6886 (0.8); 3.6750 (0.8); 3.6624 (0.7); 3.6528 (0.7); 3.6354 (0.5); 3.6216 (0.5); 3.5732 (0.6); 3.5661 (0.6); 3.4995 (0.9); 3.4760 (1.0); 3.4545 (1.4); 3.3353 (2896.4); 3.2640 (3.2); 3.2463 (6.7); 3.2288 (3.5); 3.0005 (4.0); 2.9831 (7.7); 2.9650 (3.3); 2.8756 (0.5); 2.8314 (0.8); 2.8083 (0.4); 2.7001 (0.8); 2.6808 (3.1); 2.6767 (4.9); 2.6721 (6.8); 2.6676 (5.2); 2.6466 (0.9); 2.6142 (1.1); 2.5930 (1.5); 2.5810 (1.4); 2.5424 (6.4); 2.5255 (16.8); 2.5205 (25.6); 2.5120 (353.2); 2.5077 (716.4); 2.5032 (941.3); 2.4987 (678.9); 2.4944 (328.6); 2.4185 (11.8); 2.3817 (2.4); 2.3606 (0.8); 2.3345 (4.0); 2.3299 (5.5); 2.3256 (4.1); 2.3039 (2.6); 2.2921 (1.3); 2.2202 (16.0); 2.1921 (0.8); 2.0723 (7.5); 1.9638 (0.4); 1.9449 (0.5); 1.4016 (0.5); 1.3787 (0.4); 1.3431 (0.4); 1.2344 (5.3); 0.8549 (0.6); 0.8126 (0.5); 0.7906 (0.4); 0.7717 (0.4); 0.7607 (0.5); 0.7397 (0.6); 0.7208 (0.5); 0.2184 (6.0); 0.2103 (7.8); 0.1595 (0.4); 0.1391 (0.8); 0.1204 (4.8); 0.1169 (4.2); 0.1102 (3.7); 0.0993 (22.8); 0.0931 (9.3); 0.0698 (7.2); 0.0335 (0.4); 0.0080 (1.8); -0.0001 (55.5); -0.0084 (1.8); -0.0230 (2.2); -0.0835 (0.4) I-663: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0033 (1.4); 7.4926 (0.9); 7.4894 (0.9); 7.4733 (1.6); 7.4571 (1.0); 7.3484 (2.4); 7.3283 (2.6); 7.2600 (15.5); 7.2422 (1.8); 7.2247 (1.1); 7.1152 (1.2); 7.0947 (1.9); 7.0740 (0.9); 7.0538 (3.3); 6.9417 (1.8); 6.9217 (1.6); 6.3956 (0.7); 6.3797 (1.1); 6.3664 (0.6); 6.0433 (0.6); 6.0350 (0.7); 6.0265 (0.7); 6.0180 (0.6); 5.9274 (0.6); 5.9190 (0.7); 5.9105 (0.7); 5.9023 (0.6); 4.2138 (0.3); 4.2048 (0.3); 4.1967 (0.4); 4.1891 (0.3); 4.1768 (0.4); 4.1685 (0.4); 4.1607 (0.4); 4.1506 (0.6); 4.1333 (0.3); 4.1245 (0.3); 4.1130 (0.4); 4.1046 (0.4); 4.0967 (0.4); 4.0878 (0.4); 3.9286 (0.4); 3.9141 (0.5); 3.8971 (0.4); 3.8752 (0.7); 3.8601 (0.8); 3.8429 (0.4); 3.8384 (0.4); 3.8225 (0.4); 2.9517 (9.1); 2.8757 (8.6); 2.4081 (16.0); 1.8676 (0.3); 1.8548 (0.7); 1.8463 (0.8); 1.8342 (1.3); 1.8216 (0.8); 1.8139 (0.7); 1.8008 (0.4); 1.5588 (15.8); 1.0195 (0.9); 1.0074 (2.4); 1.0028 (2.5); 0.9865 (2.4); 0.9822 (2.2); 0.9707 (0.8); 0.6884 (1.0); 0.6764 (3.1); 0.6642 (2.6); 0.6602 (2.9); 0.6479 (0.8); -0.0002 (14.9) I-664: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2259 (0.4); 7.3480 (0.3); 7.3342 (3.4); 7.3182 (3.6); 7.2621 (5.1); 7.1000 (1.1); 7.0840 (2.9); 7.0679 (2.9); 7.0580 (2.0); 7.0541 (2.2); 7.0438 (2.2); 7.0411 (2.5); 7.0253 (5.4); 6.9182 (2.4); 6.9026 (2.1); 6.8390 (1.6); 6.8351 (1.9); 6.8244 (3.3); 6.8105 (2.4); 6.8073 (2.1); 5.2965 (2.4); 4.2133 (1.8); 4.2064 (1.0); 4.2010 (1.8); 4.1940 (1.0); 4.1850 (3.7); 4.1726 (3.5); 4.1566 (1.9); 4.1443 (1.7); 3.0293 (5.8); 3.0144 (13.2); 3.0053 (4.2); 2.9995 (5.6); 2.9379 (1.6); 2.4744 (12.3); 2.3439 (0.4); 2.2899 (0.6); 2.2635 (16.0); 2.2420 (0.9); 2.2301 (6.2); 2.2215 (6.9); 2.2151 (14.5); 2.2087 (5.9); 2.2001 (5.1); 2.1906 (0.6); 2.1010 (0.6); 2.0907 (1.2); 2.0840 (1.3); 2.0739 (2.0); 2.0636 (1.3); 2.0570 (1.2); 2.0466 (0.6); 1.6143 (1.2); 1.2554 (0.5); 1.0491 (0.4); 1.0390 (1.6); 1.0298 (4.0); 1.0260 (3.9); 1.0168 (2.7); 1.0128 (4.2); 1.0090 (3.8); 1.0000 (1.7); 0.9871 (0.3); 0.7927 (0.3); 0.7895 (0.4); 0.7791 (2.0); 0.7697 (4.9); 0.7666 (4.6); 0.7597 (4.3); 0.7564 (4.6); 0.7466 (1.6); -0.0002 (7.1) I-665: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1021 (1.5); 9.0871

(3.0); 9.0728 (1.6); 8.0478 (12.4); 7.9609 (2.5); 7.5676 (4.8); 7.5684 (4.5); 7.5474 (5.6); 7.5180 (1.6); 7.4989 (3.0); 7.4782 (1.9); 7.3699 (3.2); 7.3649 (3.2); 7.3490 (2.8); 7.3439 (2.7); 7.1892 (13.2); 7.1716 (4.0); 7.1662 (4.8); 6.0607 (0.9); 6.0475 (1.7); 6.0358 (1.0); 5.9453 (0.9); 5.9325 (1.8); 5.9204 (1.0); 3.8949 (1.5); 3.8801 (2.4); 3.8711 (1.4); 3.8645 (1.2); 3.8372 (1.9); 3.8227 (2.8); 3.8115 (1.4); 3.3363 (157.4); 2.8986 (16.0); 2.7392 (14.2); 2.5143 (14.3); 2.5101 (19.8); 2.5059 (15.5); 1.5680 (0.9); 1.5522 (3.3); 1.5481 (3.5); 1.5331 (1.4); 1.5196 (1.2); 1.5035 (3.4); 1.4993 (3.6); 1.4848 (1.5); 1.2302 (1.1); 1.2141 (3.5); 1.2090 (4.2); 1.1913 (4.3); 1.1868 (3.8); 1.1706 (1.2) I-666: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8152 (1.0); 8.8015 (2.0); 8.7873 (1.1); 8.0559 (6.8); 7.9609 (0.8); 7.4756 (1.3); 7.4561 (2.9); 7.4367 (1.8); 7.2362 (2.3); 7.2170 (2.0); 7.1762 (5.3); 7.1547 (1.9); 7.0533 (2.5); 7.0342 (3.0); 6.9408 (3.7); 6.8231 (2.0); 6.8044 (1.8); 3.4757 (1.1); 3.4588 (2.6); 3.4412 (2.8); 3.4249 (1.4); 3.3376 (80.4); 3.1251 (0.6); 3.1030 (0.8); 3.0941 (1.1); 3.0694 (1.1); 3.0418 (0.7); 2.8989 (4.6); 2.8083 (2.2); 2.7896 (3.8); 2.7718 (2.2); 2.7396 (4.3); 2.5107 (11.6); 2.2661 (16.0); 2.1918 (14.6); 2.0509 (0.6); 2.0353 (0.7); 2.0211 (1.5); 2.0056 (1.8); 1.9938 (1.9); 1.9849 (1.1); 1.9747 (1.3); 1.9629 (0.9) I-667: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9973 (1.5); 7.4968 (0.8); 7.4937 (0.9); 7.4774 (1.6); 7.4646 (2.7); 7.4449 (2.5); 7.2738 (3.0); 7.2601 (12.8); 7.2342 (0.8); 7.2309 (0.8); 7.2139 (1.6); 7.1967 (1.0); 7.1166 (1.1); 7.1135 (1.0); 7.0962 (1.7); 7.0930 (1.6); 7.0759 (0.7); 7.0726 (0.7); 6.9885 (1.5); 6.9684 (1.4); 6.3962 (0.6); 6.3818 (1.0); 6.3667 (0.6); 4.4413 (1.0); 4.4253 (1.1); 4.4058 (2.2); 4.3898 (2.1); 4.3701 (1.1); 4.3542 (1.0); 2.9504 (10.0); 2.8725 (9.4); 2.3798 (16.0); 2.3077 (10.3); 2.2031 (0.4); 1.5610 (13.6); -0.0002 (13.1) I-668: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9959 (0.6); 7.4978 (0.8); 7.4945 (0.8); 7.4783 (1.5); 7.4743 (1.0); 7.4625 (0.9); 7.4589 (0.9); 7.4033 (2.5); 7.3344 (1.6); 7.3133 (3.0); 7.2687 (2.1); 7.2596 (17.5); 7.2319 (0.7); 7.2286 (0.8); 7.2115 (1.6); 7.1944 (1.0); 7.1910 (0.9); 7.1211 (1.1); 7.1177 (1.0); 7.1007 (1.7); 7.0973 (1.6); 7.0801 (0.7); 7.0771 (0.7); 6.4306 (0.6); 6.4164 (1.0); 6.4020 (0.6); 4.2430 (1.0); 4.2269 (1.0); 4.2071 (2.1); 4.1911 (2.0); 4.1712 (1.1); 4.1552 (1.0); 2.9507 (4.5); 2.8721 (4.2); 2.5255 (7.3); 2.3610 (16.0); 1.5520 (19.1); -0.0002 (17.6) I-669: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0112 (0.7); 7.4912 (0.9); 7.4752 (1.5); 7.4593 (0.9); 7.4561 (0.8); 7.3617 (2.1); 7.3420 (2.4); 7.2594 (34.3); 7.2433 (1.9); 7.2261 (1.0); 7.2227 (1.0); 7.1875 (2.7); 7.1180 (1.0); 7.1148 (1.0); 7.0978 (1.7); 7.0943 (1.7); 7.0773 (0.8); 7.0455 (1.6); 7.0242 (1.4); 6.3381 (0.9); 6.0595 (0.5); 6.0523 (0.6); 6.0443 (0.6); 6.0349 (0.5); 5.9432 (0.5); 5.9349 (0.6); 5.9278 (0.6); 5.9187 (0.6); 4.2146 (0.3); 4.1873 (0.4); 4.1778 (0.4); 4.1702 (0.4); 4.1609 (0.6); 4.1514 (0.3); 4.1438 (0.3); 4.1231 (0.4); 4.1148 (0.4); 4.1068 (0.4); 4.0978 (0.4); 3.9480 (0.4); 3.9326 (0.5); 3.9155 (0.4); 3.8931 (0.7); 3.8782 (0.7); 3.8614 (0.4); 3.8407 (0.4); 2.9532 (5.2); 2.8796 (4.8); 2.4186 (16.0); 2.3015 (11.2); 1.5477 (27.7); -0.0002 (34.2) I-670: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9957 (1.5); 7.4823 (1.0); 7.4643 (1.7); 7.4467 (1.1); 7.2795 (2.5); 7.2597 (12.0); 7.2496 (2.2); 7.2299 (1.2); 7.1062 (1.3); 7.0860 (2.1); 7.0654 (1.0); 7.0160 (1.9); 6.9945 (2.0); 6.9848 (3.3); 6.5205 (0.7); 6.5072 (1.1); 6.4926 (0.7); 5.9250 (0.6); 5.9176 (0.7); 5.9049 (0.7); 5.8971 (0.7); 5.8057 (0.6); 5.7987 (0.7); 5.7864 (0.7); 5.7785 (0.6); 4.1548 (0.3); 4.1474 (0.4); 4.1366 (0.4); 4.1297 (0.4); 4.1181 (0.4); 4.1105 (0.4); 4.1009 (0.4); 4.0932 (0.4); 4.0828 (0.4); 4.0747 (0.4); 4.0645 (0.3); 4.0568 (0.4); 4.0453 (0.4); 4.0375 (0.4); 4.0278 (0.4); 4.0202 (0.4); 3.7602 (0.4); 3.7471 (0.4); 3.7399 (0.4); 3.7252 (0.6); 3.7138 (0.5); 3.7025 (0.7); 3.6918 (0.5); 3.6807 (0.6); 3.6650 (0.3); 3.6583 (0.3); 2.9490 (8.7); 2.8712 (8.5); 2.4374 (16.0); 2.3636 (13.7); 2.2923 (12.4); 1.5659 (10.8); -0.0002 (9.3); -0.0015 (9.2) I-671: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9822 (1.6); 7.5465 (3.2); 7.4992 (0.9); 7.4961 (0.9); 7.4798 (1.5); 7.4638 (1.0); 7.4605 (0.9); 7.3538 (7.7); 7.2609 (7.8); 7.2365 (1.7); 7.2194 (1.0); 7.2163 (1.0); 7.1243 (1.1); 7.1211 (1.1); 7.1038 (1.8); 7.1007 (1.7); 7.0833 (0.8); 7.0801 (0.7); 6.5537 (0.6); 6.5398 (1.1); 6.5256 (0.6); 6.0270 (0.6); 6.0189 (0.7); 6.0101 (0.7); 6.0021 (0.6); 5.9109 (0.6); 5.9028 (0.7); 5.8941 (0.7); 5.8860 (0.6); 4.1618 (0.4); 4.1534 (0.4); 4.1453 (0.4); 4.1367 (0.5); 4.1182 (0.3); 4.0973 (0.4); 4.0894 (0.4); 4.0813 (0.4); 4.0733 (0.4); 3.9544 (0.4); 3.9386 (0.6); 3.9225 (0.4); 3.9179 (0.4); 3.9001 (0.6); 3.8830 (0.7); 3.8663 (0.4); 3.8617 (0.4); 3.8454 (0.4); 2.9480 (10.7); 2.8648 (10.0); 2.4083 (16.0); 1.5783

(8.3); -0.0002 (7.6) I-672: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2714 (16.0); 8.0546 (1.0); 8.0444 (1.6); 7.5095 (2.3); 7.5016 (1.8); 7.4938 (6.0); 7.4779 (4.5); 7.4692 (0.7); 7.4666 (0.6); 7.4517 (4.6); 7.4360 (2.3); 7.4131 (5.0); 7.3961 (9.4); 7.3899 (4.2); 7.3510 (0.5); 7.3469 (0.4); 7.3342 (0.4); 7.3301 (0.5); 7.3119 (3.2); 7.3081 (5.0); 7.3046 (3.3); 7.2598 (58.0); 7.2068 (3.5); 7.2027 (3.4); 7.1900 (3.0); 7.1860 (2.9); 7.1775 (2.3); 7.1756 (2.5); 7.1730 (2.4); 7.1711 (2.2); 7.1617 (2.0); 7.1597 (2.2); 7.1571 (2.2); 7.1551 (2.0); 7.1315 (0.6); 7.1280 (0.5); 7.1082 (0.4); 7.1033 (0.6); 7.0919 (0.4); 7.0874 (0.6); 7.0481 (0.3); 6.0652 (1.1); 6.0588 (1.2); 6.0512 (1.2); 6.0448 (1.3); 5.9721 (1.1); 5.9656 (1.3); 5.9581 (1.3); 5.9517 (1.3); 5.6815 (9.6); 5.5137 (3.6); 5.5073 (3.5); 5.2854 (7.6); 5.2837 (7.7); 5.1912 (7.5); 5.1895 (7.7); 4.2745 (0.7); 4.2679 (0.7); 4.2612 (0.7); 4.2546 (0.7); 4.2452 (0.8); 4.2386 (0.8); 4.2319 (0.8); 4.2252 (0.9); 4.2214 (0.9); 4.2148 (0.8); 4.2081 (0.8); 4.2015 (0.8); 4.1920 (0.9); 4.1854 (0.8); 4.1787 (0.9); 4.1722 (0.8); 3.8463 (0.7); 3.8359 (0.8); 3.8323 (0.8); 3.8220 (0.8); 3.8170 (0.7); 3.8065 (0.8); 3.8031 (1.5); 3.7928 (1.5); 3.7896 (0.9); 3.7790 (0.8); 3.7740 (0.8); 3.7637 (0.8); 3.7600 (0.7); 3.7497 (0.6); 2.9552 (0.5); 2.8824 (0.4); 1.5463 (5.0); 1.5031 (0.8); 1.5001 (0.8); 1.4882 (0.4); 1.1045 (0.5); 1.1013 (0.6); 1.0868 (0.6); 1.0838 (0.5); 0.0063 (2.5); -0.0002 (68.0); -0.0068 (2.6) I-673: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1539 (1.6); 7.5772 (1.2); 7.5670 (1.3); 7.4342 (0.7); 7.3779 (0.3); 7.3740 (0.4); 7.3702 (0.4); 7.2596 (8.6); 6.9500 (0.8); 6.8917 (0.6); 6.8886 (0.6); 6.8765 (1.2); 6.8600 (0.4); 5.5303 (1.6); 5.5172 (1.6); 5.2983 (0.5); 2.7317 (5.0); 2.3475 (0.5); 2.2436 (0.4); 2.2310 (4.2); 2.2175 (0.4); 2.1810 (4.2); 1.6361 (0.4); 1.6210 (0.4); 1.6055 (0.4); 1.5607 (1.5); 1.4786 (0.4); 1.4316 (0.8); 1.4222 (0.7); 1.4147 (0.4); 1.3493 (0.4); 1.3360 (0.9); 1.3330 (0.9); 1.2999 (1.4); 1.2924 (1.5); 1.2841 (2.1); 1.2552 (16.0); 1.2224 (2.0); 1.1597 (0.4); 1.1414 (0.3); 1.1334 (0.4); 1.1067 (0.5); 1.0727 (0.4); 0.9951 (0.4); 0.8934 (1.3); 0.8889 (1.1); 0.8802 (2.2); 0.8662 (1.4); 0.8440 (1.7); 0.0695 (6.3); -0.0002 (8.1); -0.0065 (0.4) I-674: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5095 (0.4); 8.4873 (0.6); 8.4659 (0.4); 8.1937 (0.7); 8.1839 (4.8); 7.6291 (2.4); 7.6118 (4.0); 7.5011 (1.8); 7.4424 (0.4); 7.4295 (0.8); 7.4204 (0.8); 7.4153 (1.2); 7.4091 (1.0); 7.3995 (0.7); 7.3909 (0.5); 7.2985 (4.3); 7.2853 (3.9); 7.2780 (1.3); 7.2628 (1.4); 7.2553 (4.6); 7.2441 (0.5); 7.0108 (0.5); 6.9996 (4.4); 6.9921 (1.4); 6.9769 (1.2); 6.9696 (3.6); 6.9582 (0.4); 5.6420 (0.5); 5.6195 (0.5); 5.5789 (4.7); 5.5565 (4.6); 2.7724 (16.0); 1.6288 (1.2); 1.3272 (0.4); 1.2930 (1.8); 0.9377 (0.4); 0.9183 (1.1); 0.8950 (0.5); 0.1083 (0.4); 0.0366 (3.7) I-675: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1740 (1.4); 9.1624 (2.8); 9.1504 (1.4); 8.1040 (16.0); 7.7601 (5.2); 7.5561 (1.3); 7.5531 (1.5); 7.5406 (2.9); 7.5373 (2.3); 7.5350 (2.5); 7.5311 (2.2); 7.5283 (2.0); 7.5251 (1.9); 7.5181 (5.0); 7.5145 (5.2); 7.4998 (8.6); 7.4946 (1.8); 7.4828 (4.8); 7.4660 (1.8); 7.4630 (1.5); 7.3519 (2.4); 7.3356 (4.0); 7.3199 (1.8); 6.0458 (1.0); 6.0375 (1.4); 6.0339 (1.2); 6.0256 (1.0); 5.9535 (1.0); 5.9453 (1.4); 5.9416 (1.2); 5.9334 (1.1); 5.7609 (2.4); 4.6368 (9.9); 3.9214 (0.4); 3.9049 (0.8); 3.8925 (1.4); 3.8804 (1.2); 3.8753 (1.4); 3.8720 (1.2); 3.8633 (1.2); 3.8597 (1.1); 3.8540 (0.6); 3.8469 (1.6); 3.8351 (1.6); 3.8272 (1.0); 3.8244 (1.1); 3.8161 (0.8); 3.8065 (0.3); 3.7981 (0.3); 3.7955 (0.4); 3.3205 (35.1); 2.5151 (4.5); 2.5115 (9.7); 2.5079 (13.6); 2.5042 (9.9); 2.5007 (4.7) I-676: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.0925 (1.4); 9.0809 (2.9); 9.0689 (1.5); 8.0075 (16.0); 7.6863 (6.0); 7.4577 (0.8); 7.4540 (0.7); 7.4494 (1.2); 7.4460 (0.9); 7.4410 (1.7); 7.4373 (1.9); 7.4325 (6.0); 7.4290 (7.8); 7.4264 (10.9); 7.4097 (1.7); 7.2815 (0.7); 7.2759 (0.9); 7.2685 (1.4); 7.2617 (2.3); 7.2502 (2.2); 7.2433 (3.8); 7.2361 (5.7); 7.2257 (4.5); 7.2101 (0.5); 7.1783 (1.4); 7.1671 (1.2); 7.1645 (1.0); 7.1592 (0.6); 6.4529 (0.8); 6.4510 (0.9); 6.4221 (0.8); 6.4097 (0.7); 6.3901 (2.0); 6.3778 (0.4); 6.3667 (1.9); 5.9758 (1.0); 5.9674 (1.5); 5.9622 (1.6); 5.9558 (1.2); 5.9476 (2.5); 5.9387 (0.8); 5.9334 (2.4); 5.9245 (2.2); 5.9192 (0.8); 5.9103 (2.2); 5.8961 (0.7); 5.8837 (1.0); 5.8754 (1.5); 5.8722 (1.4); 5.8636 (1.1); 5.6897 (10.5); 3.8505 (0.4); 3.8339 (0.8); 3.8215 (1.5); 3.8172 (1.2); 3.8145 (1.3); 3.8050 (1.8); 3.7946 (1.1); 3.7883 (1.1); 3.7758 (1.7); 3.7665 (1.3); 3.7591 (1.3); 3.7565 (1.3); 3.7478 (0.9); 3.7384 (0.3); 3.7275 (0.3); 3.2513 (24.2); 2.4443 (2.8); 2.4407 (5.9); 2.4371 (8.2); 2.4334 (5.9); 2.4299 (2.7); 1.8430 (2.0); 1.8417 (2.0); 1.8309 (2.1); 1.7420 (7.4); 1.7276 (7.3) I-677: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2943 (16.0); 7.9246 (1.0); 7.9076

(1.5); 7.8885 (1.0); 7.5424 (1.5); 7.5368 (1.8); 7.5218 (1.7); 7.5163 (3.4); 7.5109 (2.2); 7.4960 (1.9); 7.4904 (2.1); 7.4712 (4.5); 7.4425 (8.9); 7.4373 (5.5); 7.4313 (4.2); 7.4233 (1.8); 7.4177 (1.6); 7.3993 (1.7); 7.3953 (3.2); 7.3904 (2.3); 7.3723 (2.4); 7.3666 (2.1); 7.2990 (12.1); 7.2879 (3.5); 7.2839 (6.5); 7.2770 (3.8); 7.2611 (3.7); 7.2567 (5.8); 7.2491 (2.9); 7.2348 (1.6); 7.2305 (1.6); 6.1406 (1.1); 6.1300 (1.2); 6.1181 (1.2); 6.1073 (1.2); 5.9858 (1.1); 5.9752 (1.2); 5.9633 (1.2); 5.9526 (1.2); 4.3346 (0.7); 4.3238 (0.7); 4.3127 (0.7); 4.3018 (0.7); 4.2858 (0.9); 4.2750 (0.9); 4.2639 (0.8); 4.2529 (0.9); 4.2483 (0.9); 4.2373 (0.7); 4.2262 (0.7); 4.2153 (0.7); 4.1993 (0.9); 4.1885 (0.8); 4.1774 (0.9); 4.1665 (0.8); 3.9544 (0.8); 3.9366 (1.0); 3.9319 (1.0); 3.9140 (0.9); 3.9057 (0.7); 3.8877 (0.8); 3.8808 (1.2); 3.8629 (1.3); 3.8579 (1.0); 3.8400 (0.9); 3.8317 (0.8); 3.8138 (0.7); 3.8091 (0.8); 3.7912 (0.6); 3.4190 (9.4); 2.0425 (3.6); 1.5979 (7.7); 0.0485 (0.5); 0.0377 (15.5); 0.0267 (0.5) I-678: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1223 (1.4); 9.1106 (3.0); 9.0989 (1.4); 8.7612 (5.2); 8.7588 (5.1); 8.7465 (4.3); 8.7441 (3.9); 8.7417 (4.2); 8.1158 (16.0); 8.0279 (4.3); 7.7569 (5.8); 7.5324 (1.7); 7.5289 (1.5); 7.5156 (5.5); 7.5121 (5.8); 7.5017 (9.2); 7.4850 (2.7); 7.3599 (2.5); 7.2497 (5.5); 7.1396 (2.7); 6.0466 (1.1); 6.0362 (2.2); 6.0262 (1.1); 5.9543 (1.1); 5.9440 (2.4); 5.9339 (1.1); 5.7612 (2.9); 3.9010 (1.9); 3.8899 (3.2); 3.8790 (1.7); 3.8547 (2.0); 3.8436 (3.3); 3.8327 (1.8); 3.3206 (88.8); 2.5151 (7.4); 2.5116 (15.6); 2.5080 (21.4); 2.5045 (15.4); 2.5010 (7.2) I-679: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 12.0589 (2.7); 9.3335 (1.2); 9.3178 (2.6); 9.3023 (1.2); 7.7485 (1.0); 7.7288 (3.0); 7.7092 (2.9); 7.6889 (3.4); 7.6692 (1.5); 7.6174 (4.0); 7.5772 (2.3); 7.5574 (1.7); 7.3318 (3.5); 7.3118 (3.9); 7.0989 (4.2); 6.9637 (2.2); 6.9443 (2.0); 4.1789 (1.0); 4.1627 (1.0); 4.1411 (2.2); 4.1255 (2.1); 4.1034 (1.1); 4.0875 (1.1); 4.0381 (0.8); 4.0203 (0.8); 3.3268 (20.8); 2.6761 (0.4); 2.6714 (0.5); 2.6670 (0.4); 2.5547 (1.6); 2.5375 (2.8); 2.5250 (2.9); 2.5201 (3.6); 2.5114 (28.6); 2.5070 (58.9); 2.5025 (78.2); 2.4979 (56.3); 2.4935 (27.2); 2.4316 (11.1); 2.3338 (0.4); 2.3292 (0.5); 2.3248 (0.4); 2.2473 (16.0); 2.2225 (4.6); 2.2061 (2.0); 2.0748 (1.5); 1.9890 (3.4); 1.5552 (4.3); 1.5465 (4.8); 1.5381 (4.7); 1.1930 (1.0); 1.1753 (1.9); 1.1575 (1.0); -0.0002 (2.1) I-680: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1982 (1.1); 9.1860 (2.3); 9.1737 (1.1); 8.7591 (4.0); 8.7565 (4.0); 8.7117 (3.4); 8.7094 (3.0); 8.7067 (3.4); 8.0604 (14.6); 7.9985 (3.4); 7.3628 (2.0); 7.3214 (3.7); 7.3055 (4.0); 7.2527 (4.4); 7.1426 (2.2); 7.0747 (4.1); 6.9219 (2.2); 6.9061 (2.0); 5.7611 (1.6); 4.1404 (1.1); 4.1283 (1.2); 4.1110 (2.5); 4.0987 (2.4); 4.0813 (1.2); 4.0691 (1.1); 3.3217 (52.2); 2.5150 (4.4); 2.5115 (8.9); 2.5078 (12.2); 2.5042 (8.8); 2.5006 (4.2); 2.4215 (11.2); 2.2141 (16.0) I-681: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2825 (12.7); 7.8864 (0.8); 7.8689 (1.3); 7.8508 (0.8); 7.5355 (1.2); 7.5299 (1.4); 7.5150 (1.4); 7.5095 (2.8); 7.5041 (1.8); 7.4893 (1.5); 7.4836 (1.6); 7.3959 (1.2); 7.3903 (1.4); 7.3780 (3.8); 7.3681 (2.8); 7.3631 (2.1); 7.3514 (4.2); 7.3455 (2.5); 7.3395 (1.8); 7.2987 (7.0); 7.2741 (2.3); 7.2701 (2.3); 7.2474 (2.8); 7.2438 (3.0); 7.2209 (1.2); 7.2167 (1.3); 7.0646 (3.8); 6.9815 (2.1); 6.9549 (1.8); 4.3032 (2.1); 4.2832 (2.0); 4.2557 (4.3); 4.2358 (4.2); 4.2083 (2.2); 4.1883 (2.1); 3.4149 (7.7); 2.5155 (6.5); 2.5085 (11.8); 2.5011 (6.5); 2.3111 (16.0); 1.6076 (9.0); 0.1107 (1.0); 0.0389 (7.8) I-682: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3079 (7.8); 7.8705 (0.8); 7.6200 (1.9); 7.6152 (3.0); 7.6105 (2.1); 7.4915 (3.3); 7.4856 (5.6); 7.4777 (1.3); 7.4659 (2.5); 7.4625 (2.9); 7.4564 (4.0); 7.4500 (2.7); 7.4154 (4.0); 7.3876 (1.7); 7.2988 (25.5); 6.1238 (0.6); 6.1136 (0.6); 6.0989 (0.7); 6.0890 (0.6); 5.9677 (0.6); 5.9575 (0.7); 5.9426 (0.7); 5.9327 (0.6); 4.3804 (0.4); 4.3703 (0.4); 4.3575 (0.4); 4.3470 (0.4); 4.3319 (0.4); 4.3216 (0.4); 4.3085 (0.4); 4.2985 (0.5); 4.2857 (0.4); 4.2755 (0.4); 4.2627 (0.4); 4.2521 (0.4); 4.2371 (0.5); 4.2267 (0.4); 4.2139 (0.4); 4.2034 (0.4); 3.8595 (0.4); 3.8432 (0.5); 3.8347 (0.4); 3.8182 (0.5); 3.8109 (0.4); 3.7922 (0.6); 3.7859 (0.5); 3.7759 (0.5); 3.7681 (0.6); 3.7504 (0.4); 3.7433 (0.4); 3.7268 (0.4); 3.7180 (0.4); 3.7019 (0.4); 1.7269 (0.3); 1.6292 (0.9); 1.5260 (0.4); 1.4614 (0.8); 1.3714 (0.9); 1.3225 (1.6); 1.2931 (16.0); 1.1409 (0.5); 1.1022 (0.4); 1.0383 (0.9); 1.0160 (0.8); 0.9184 (1.6); 0.8951 (1.2); 0.8643 (1.0); 0.8405 (0.5); 0.0491 (0.7); 0.0382 (29.4); 0.0273 (1.3) I-683: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5496 (0.6); 7.5295 (3.1); 7.5146 (7.5); 7.4379 (4.1); 7.4075 (0.5); 7.3946 (1.6); 7.3880 (2.3); 7.3825 (2.0); 7.3727 (1.9); 7.3523 (3.4); 7.3323 (3.6); 7.2585 (8.3); 7.0533 (4.4); 6.9936 (2.5); 6.9737

(2.2); 6.5571 (1.1); 6.5423 (2.0); 6.5277 (1.2); 4.4407 (0.7); 4.4181 (1.8); 4.3990 (1.6); 4.3755 (1.8); 4.3526 (2.2); 4.3300 (0.9); 4.2287 (1.0); 4.2130 (1.0); 4.1924 (1.8); 4.1767 (1.8); 4.1546 (1.9); 4.1392 (1.7); 4.1187 (1.1); 4.1034 (1.0); 2.4717 (12.1); 2.2970 (16.0); 2.1487 (0.7); 2.1374 (0.6); 2.1296 (0.8); 2.1192 (1.3); 2.1005 (1.3); 2.0899 (0.9); 2.0821 (0.6); 2.0706 (0.8); 1.6653 (0.5); 1.6533 (0.6); 1.6450 (0.7); 1.6362 (1.2); 1.6249 (1.2); 1.6166 (1.2); 1.6051 (1.4); 1.5968 (0.8); 1.5880 (0.7); 1.5759 (0.7); 1.5505 (4.3); 1.3710 (0.6); 1.3611 (0.7); 1.3516 (1.0); 1.3409 (1.3); 1.3285 (1.0); 1.3202 (1.3); 1.3091 (1.1); 1.3000 (0.7); 1.2896 (0.6); 1.2562 (0.6); -0.0002 (7.6) I-684: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5444 (0.6); 7.5244 (3.0); 7.5089 (7.6); 7.4362 (4.1); 7.4062 (0.5); 7.3933 (1.7); 7.3868 (2.3); 7.3812 (1.9); 7.3709 (1.9); 7.3574 (3.5); 7.3373 (3.6); 7.2587 (10.5); 7.0455 (4.4); 6.9806 (2.4); 6.9610 (2.2); 6.5190 (1.0); 6.5041 (1.9); 6.4891 (1.1); 6.0354 (0.4); 6.0213 (0.9); 6.0084 (0.9); 5.9948 (1.3); 5.9790 (1.4); 5.9656 (1.1); 5.9523 (1.2); 5.9383 (0.6); 5.4883 (2.5); 5.4455 (2.2); 5.3691 (2.8); 5.3430 (2.6); 4.8212 (5.7); 4.8073 (5.6); 4.2273 (1.5); 4.2118 (1.6); 4.1901 (3.3); 4.1746 (3.2); 4.1529 (1.8); 4.1374 (1.6); 2.4769 (11.9); 2.3153 (0.6); 2.2904 (16.0); 1.5495 (4.8); 1.2561 (1.0); 0.8445 (0.4); -0.0002 (10.0) I-685: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 12.5375 (0.7); 7.9974 (8.5); 7.5864 (3.8); 7.5600 (0.6); 7.5205 (2.2); 7.4964 (2.9); 7.4681 (1.3); 7.4414 (3.4); 7.4275 (3.2); 7.4018 (2.4); 7.3818 (3.2); 7.3560 (3.5); 7.2991 (9.5); 7.1637 (0.4); 7.1512 (0.4); 7.1267 (2.5); 7.1153 (2.7); 7.1016 (3.0); 7.0693 (5.5); 4.6129 (1.2); 4.5648 (2.4); 4.5173 (1.3); 3.1447 (0.4); 2.9206 (0.4); 2.9063 (0.7); 2.8942 (1.1); 2.8826 (1.6); 2.8702 (1.7); 2.8584 (1.2); 2.8466 (0.7); 2.5304 (1.0); 2.5009 (11.0); 2.4262 (0.3); 2.4015 (0.5); 2.3668 (16.0); 2.3199 (0.6); 1.7102 (0.3); 1.4595 (0.4); 1.3693 (0.5); 1.3212 (0.8); 1.2922 (1.6); 0.9217 (1.1); 0.8983 (4.4); 0.8791 (4.4); 0.8568 (1.6); 0.8278 (0.4); 0.6624 (1.3); 0.6390 (3.9); 0.6330 (3.6); 0.6090 (1.0); 0.0471 (0.4); 0.0363 (9.7); 0.0258 (0.5) I-686: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2537 (10.6); 7.9221 (0.9); 7.9115 (1.5); 7.9007 (0.8); 7.3418 (3.7); 7.3258 (4.0); 7.2774 (1.0); 7.2733 (1.3); 7.2596 (15.3); 7.2490 (5.2); 7.2443 (2.4); 7.2342 (4.1); 7.2180 (1.6); 7.1956 (1.8); 7.1917 (1.6); 7.1830 (1.7); 7.1804 (1.5); 7.1773 (1.8); 7.1696 (1.0); 7.1640 (0.8); 7.0345 (3.9); 6.9494 (2.2); 6.9335 (1.9); 5.2978 (0.4); 4.2480 (1.2); 4.2421 (1.2); 4.2361 (1.2); 4.2302 (1.2); 4.2193 (2.2); 4.2132 (2.2); 4.2074 (2.1); 4.2013 (2.0); 4.1904 (1.2); 4.1844 (1.3); 4.1784 (1.1); 4.1726 (1.2); 4.1585 (2.2); 4.1531 (2.7); 4.1456 (2.0); 3.2218 (2.9); 3.2135 (3.0); 3.2107 (3.1); 3.2024 (2.8); 2.8450 (3.0); 2.8400 (3.0); 2.8338 (2.8); 2.8288 (2.7); 2.4769 (11.4); 2.2801 (16.0); 1.5477 (11.6); 0.0060 (1.1); -0.0002 (16.1); -0.0067 (0.5) I-687: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5896 (0.6); 7.5634 (3.2); 7.5423 (9.3); 7.5250 (0.8); 7.4674 (4.3); 7.4503 (0.6); 7.4329 (1.9); 7.4235 (2.9); 7.4161 (2.2); 7.4056 (4.9); 7.3797 (4.2); 7.2992 (21.5); 7.1133 (1.0); 7.0807 (4.9); 7.0230 (2.4); 6.9960 (2.1); 6.5335 (0.5); 5.3379 (0.5); 4.5686 (4.2); 4.5599 (3.2); 4.5543 (4.6); 4.5481 (3.3); 4.5398 (4.5); 4.4309 (0.8); 4.4077 (2.2); 4.3844 (2.3); 4.3611 (0.8); 4.2787 (0.6); 4.2642 (1.8); 4.2435 (1.7); 4.2286 (1.3); 4.2145 (3.8); 4.1937 (3.6); 4.1788 (0.8); 4.1657 (2.5); 4.1436 (2.7); 4.1195 (0.4); 3.8071 (4.5); 3.7988 (3.3); 3.7925 (4.6); 3.7869 (3.4); 3.7782 (4.3); 3.6217 (2.5); 3.5984 (7.7); 3.5751 (7.8); 3.5518 (2.6); 2.5224 (13.2); 2.5159 (10.0); 2.3750 (0.4); 2.3354 (5.0); 2.3148 (15.3); 2.0810 (4.4); 1.6136 (9.0); 1.4922 (2.3); 1.4689 (4.7); 1.4456 (2.3); 1.3199 (1.3); 1.2959 (2.8); 1.2722 (1.3); 1.2292 (8.0); 1.2059 (16.0); 1.1825 (7.7); 0.1085 (0.6); 0.0490 (0.6); 0.0381 (17.4); 0.0274 (0.7) I-688: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6091 (0.4); 7.5823 (3.2); 7.5786 (3.2); 7.5733 (3.0); 7.5651 (6.9); 7.5621 (7.7); 7.4769 (3.7); 7.4546 (0.5); 7.4401 (1.6); 7.4278 (2.1); 7.4210 (2.0); 7.4102 (1.6); 7.3935 (3.7); 7.3667 (4.1); 7.2990 (16.0); 7.1021 (4.1); 7.0394 (2.2); 7.0129 (1.9); 6.7150 (1.0); 6.6941 (1.9); 6.6737 (1.0); 6.4974 (0.4); 6.4910 (0.7); 6.4843 (1.0); 6.4777 (1.0); 6.4712 (0.7); 6.4646 (0.4); 6.4449 (0.7); 6.4385 (1.0); 6.4319 (1.4); 6.4251 (1.4); 6.4186 (1.0); 6.4120 (0.6); 6.2320 (0.4); 6.2178 (0.6); 6.2113 (1.2); 6.2047 (0.7); 6.1972 (0.7); 6.1904 (1.2); 6.1838 (0.8); 6.1694 (0.6); 6.1589 (0.8); 6.1522 (0.5); 6.1446 (0.4); 6.1378 (0.8); 6.1314 (0.4); 4.9230 (0.8); 4.9146 (2.6); 4.9062 (4.0); 4.8993 (4.0); 4.8940 (3.9); 4.8856 (2.5); 4.8768 (0.8); 4.2853 (1.7); 4.2644 (1.6); 4.2358 (3.5); 4.2147 (3.4); 4.1860 (1.8); 4.1650 (1.8); 2.5172 (11.8); 2.3478 (16.0); 1.6035 (12.6); 0.0494 (0.5); 0.0385 (14.8); 0.0276 (0.6) I-689:

.sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6272 (1.4); 7.6097 (1.9); 7.5080 (0.9); 7.4524 (0.4); 7.4438 (0.4); 7.4370 (0.5); 7.4307 (0.5); 7.2990 (18.0); 7.2384 (11.6); 4.1937 (0.9); 4.1705 (1.9); 4.1480 (1.1); 3.1693 (0.8); 3.1483 (1.2); 3.1434 (1.2); 3.1267 (0.5); 3.1194 (0.5); 2.2299 (8.0); 1.5857 (16.0); 1.3041 (0.5); 0.9201 (0.5); 0.1072 (1.5); 0.0487 (0.6); 0.0379 (19.5); 0.0270 (0.8) I-690: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.6582 (2.0); 8.6544 (2.1); 8.5940 (1.9); 8.5858 (1.8); 7.7669 (1.7); 7.3935 (1.9); 7.3668 (2.2); 7.2989 (6.9); 7.0993 (2.2); 7.0343 (1.2); 7.0081 (1.0); 6.9628 (1.2); 6.7774 (2.4); 6.7603 (0.5); 6.7391 (1.0); 6.7186 (0.5); 6.5921 (1.2); 4.2916 (0.9); 4.2708 (0.9); 4.2425 (2.0); 4.2217 (1.9); 4.1933 (1.0); 4.1725 (1.0); 2.5285 (6.3); 2.3985 (16.0); 2.3608 (2.0); 2.3427 (8.5); 1.6419 (1.0); 0.0370 (8.2) I-691: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5678 (0.6); 8.1513 (5.1); 7.6233 (1.5); 7.6173 (1.3); 7.6125 (1.3); 7.6053 (3.6); 7.6021 (3.8); 7.5046 (1.8); 7.4665 (0.7); 7.4549 (1.0); 7.4483 (0.9); 7.4363 (0.7); 7.4282 (0.4); 7.2988 (2.7); 7.1752 (2.9); 7.0357 (3.1); 4.3377 (1.8); 4.3250 (1.6); 4.3203 (2.2); 4.3133 (1.6); 4.3019 (2.2); 4.0210 (1.1); 4.0096 (0.9); 4.0027 (2.2); 3.9913 (1.1); 3.9848 (2.0); 3.9668 (0.9); 2.8347 (0.6); 2.7507 (16.0); 2.0380 (0.5); 1.9595 (11.8); 1.8550 (0.8); 0.1052 (0.6); 0.0330 (2.7) I-692: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4600 (0.5); 7.4487 (0.5); 7.4387 (1.0); 7.4274 (1.1); 7.4168 (0.5); 7.4060 (0.6); 7.3827 (1.7); 7.3561 (2.0); 7.2988 (4.5); 7.1927 (2.8); 7.1884 (1.7); 7.1819 (1.5); 7.1786 (1.6); 7.1673 (2.6); 7.0769 (1.9); 6.9780 (1.0); 6.9511 (0.9); 6.9039 (1.0); 6.8665 (1.0); 6.8448 (1.1); 6.8074 (1.1); 6.5167 (0.4); 6.4959 (0.8); 6.4752 (0.4); 5.9049 (1.8); 5.9023 (1.8); 5.8459 (1.6); 5.8433 (1.6); 5.4788 (1.8); 5.4763 (1.8); 5.4415 (1.6); 5.4389 (1.7); 4.2890 (0.9); 4.2680 (0.9); 4.2411 (1.9); 4.2200 (1.8); 4.1931 (1.0); 4.1720 (0.9); 2.5285 (5.8); 2.5219 (3.3); 2.3769 (16.0); 2.3205 (7.8); 1.6276 (0.7); 0.0384 (4.5) I-693: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8691 (0.7); 8.8549 (1.4); 8.8406 (0.7); 7.9625 (0.9); 7.5001 (0.7); 7.4793 (1.4); 7.4587 (0.9); 7.1428 (3.7); 7.1348 (4.1); 7.0529 (1.8); 7.0338 (2.1); 6.9450 (2.6); 6.8325 (1.5); 6.8135 (1.2); 3.5181 (0.9); 3.5016 (2.1); 3.4850 (2.1); 3.4687 (0.9); 3.3123 (14.1); 2.9001 (4.6); 2.8048 (1.6); 2.7871 (3.0); 2.7694 (1.4); 2.7413 (4.4); 2.5101 (8.2); 2.2591 (16.0); 2.1998 (10.3); 1.5603 (0.5); 1.5416 (1.7); 1.5242 (0.6); 1.5117 (0.5); 1.4934 (1.7); 1.4757 (0.6); 1.2196 (0.6); 1.1990 (2.1); 1.1809 (2.0); 1.1596 (0.4) I-694: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.8749 (0.9); 8.8607 (1.7); 8.8465 (0.8); 7.9622 (0.8); 7.4582 (0.9); 7.4384 (1.9); 7.4171 (1.2); 7.2123 (2.0); 7.1929 (1.7); 7.1188 (5.4); 7.1021 (1.7); 7.0546 (2.1); 7.0355 (2.5); 6.9485 (3.1); 6.8385 (1.7); 6.8200 (1.4); 3.5129 (1.0); 3.4960 (2.4); 3.4796 (2.4); 3.4629 (1.0); 3.3125 (20.4); 3.1136 (0.5); 3.0929 (0.6); 3.0833 (0.9); 3.0609 (0.9); 3.0305 (0.5); 2.9001 (4.6); 2.8035 (1.9); 2.7857 (3.4); 2.7679 (1.7); 2.7413 (4.4); 2.5099 (10.4); 2.2622 (15.5); 2.2565 (16.0); 2.2025 (12.2); 2.0638 (0.4); 2.0441 (0.6); 2.0296 (0.6); 2.0135 (1.0); 1.9984 (1.1); 1.9836 (1.2); 1.9709 (1.3); 1.9624 (0.7); 1.9503 (0.8); 1.9398 (0.6) I-695: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3120 (1.0); 9.2967 (2.1); 9.2810 (1.0); 7.9623 (1.6); 7.4567 (1.2); 7.4360 (2.3); 7.4152 (1.6); 7.3407 (2.6); 7.3207 (2.9); 7.2117 (2.4); 7.1924 (2.0); 7.1115 (8.5); 7.0956 (2.4); 7.0092 (2.0); 6.9896 (1.8); 4.1588 (0.9); 4.1437 (1.0); 4.1213 (2.0); 4.1059 (1.9); 4.0837 (1.1); 4.0680 (0.9); 3.3123 (28.2); 3.1148 (0.6); 3.0926 (0.8); 3.0832 (1.1); 3.0618 (1.1); 3.0525 (0.8); 3.0307 (0.7); 2.9001 (8.7); 2.7413 (8.1); 2.5101 (13.6); 2.4424 (9.5); 2.2632 (12.7); 2.1950 (16.0); 2.0440 (0.6); 2.0306 (0.8); 2.0140 (1.1); 1.9982 (1.3); 1.9867 (1.1); 1.9768 (1.0); 1.9661 (1.5); 1.9546 (0.8); 1.9438 (0.9); 1.9330 (0.8); 1.9236 (0.3) I-696: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1849 (1.4); 9.1700 (2.6); 9.1557 (1.3); 7.9623 (2.6); 7.6621 (4.4); 7.5590 (2.1); 7.5530 (2.3); 7.5380 (2.7); 7.5320 (2.8); 7.4599 (1.5); 7.4408 (3.3); 7.4201 (2.1); 7.3963 (1.7); 7.3826 (2.1); 7.3669 (1.3); 7.2172 (3.3); 7.1981 (2.7); 7.1149 (9.4); 7.0971 (2.7); 6.0529 (0.9); 6.0403 (1.7); 6.0283 (0.9); 5.9364 (0.9); 5.9251 (1.8); 5.9134 (0.9); 3.9351 (1.5); 3.9226 (2.5); 3.9093 (1.6); 3.8748 (1.5); 3.8630 (2.5); 3.8497 (1.5); 3.3118 (43.7); 3.1165 (0.8); 3.0955 (1.1); 3.0859 (1.5); 3.0643 (1.6); 3.0333 (0.9); 2.9001 (14.2); 2.7412 (13.3); 2.5099 (20.7); 2.2518 (16.0); 2.0659 (0.4); 2.0454 (0.8); 2.0320 (1.0); 2.0153 (1.6); 2.0010 (1.9); 1.9908 (1.5); 1.9831 (1.6); 1.9697 (2.3); 1.9598 (1.2); 1.9483 (1.3); 1.9375 (1.1); 1.9177 (0.3) I-697: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5955 (0.4); 7.5793 (0.5); 7.3835 (0.5); 7.3559 (0.5); 7.3037 (7.4); 7.2204 (0.8); 7.0712 (0.5);

7.0436 (0.4); 6.2394 (0.5); 3.0793 (0.3); 2.0884 (0.8); 1.6162 (0.4); 1.4653 (0.4); 1.3730 (0.7); 1.3260 (1.9); 1.2979 (16.0); 1.1958 (0.6); 1.1699 (0.5); 1.1454 (0.7); 1.0889 (0.4); 0.9233 (1.6); 0.8982 (1.8); 0.8744 (1.3); 0.7569 (0.4); 0.0427 (6.8) I-698: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2690 (0.6); 8.2633 (11.7); 7.9122 (1.1); 7.9032 (1.0); 7.5516 (3.6); 7.3767 (0.7); 7.3574 (10.4); 7.3408 (0.6); 7.2970 (0.6); 7.2930 (0.7); 7.2894 (0.6); 7.2850 (0.9); 7.2808 (1.4); 7.2771 (1.4); 7.2733 (1.6); 7.2687 (2.4); 7.2611 (13.1); 7.2563 (1.6); 7.2483 (3.7); 7.2322 (1.4); 7.2046 (1.6); 7.2008 (1.6); 7.1920 (1.6); 7.1891 (1.4); 7.1863 (1.6); 7.1785 (0.9); 7.1730 (0.8); 6.0574 (1.0); 6.0509 (1.1); 6.0439 (1.1); 6.0374 (1.0); 5.9645 (1.0); 5.9580 (1.1); 5.9510 (1.1); 5.9445 (1.0); 5.2983 (16.0); 4.2748 (0.3); 4.2702 (0.4); 4.2685 (0.4); 4.2637 (0.4); 4.2618 (0.4); 4.2571 (0.4); 4.2553 (0.4); 4.2507 (0.4); 4.2454 (0.4); 4.2409 (0.5); 4.2392 (0.5); 4.2343 (0.5); 4.2325 (0.5); 4.2277 (0.5); 4.2259 (0.6); 4.2217 (0.6); 4.2187 (0.5); 4.2120 (0.4); 4.2100 (0.5); 4.2054 (0.5); 4.2036 (0.5); 4.1989 (0.4); 4.1937 (0.5); 4.1892 (0.5); 4.1874 (0.5); 4.1826 (0.5); 4.1807 (0.6); 4.1759 (0.5); 4.1742 (0.6); 4.1695 (0.5); 4.1631 (2.0); 4.1577 (2.4); 4.1555 (2.4); 4.1502 (2.1); 3.8831 (0.5); 3.8723 (0.6); 3.8699 (0.6); 3.8590 (0.6); 3.8538 (0.5); 3.8396 (0.9); 3.8289 (0.9); 3.8141 (0.6); 3.8092 (0.5); 3.7979 (0.6); 3.7849 (0.4); 3.2235 (2.7); 3.2153 (2.8); 3.2124 (3.2); 3.2041 (2.9); 2.8493 (1.9); 2.8479 (2.1); 2.8444 (2.1); 2.8429 (2.2); 2.8382 (2.0); 2.8367 (2.1); 2.8332 (2.0); 2.8317 (2.1); 2.1690 (0.4); 2.0039 (0.6); 1.5574 (3.6); 0.0063 (0.4); -0.0002 (13.2); -0.0067 (0.8) I-699: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2424 (10.1); 8.0626 (1.0); 8.0518 (1.6); 8.0410 (0.9); 7.3970 (2.1); 7.3811 (4.2); 7.3652 (2.5); 7.3216 (3.5); 7.3056 (3.7); 7.2563 (3.1); 7.0529 (2.4); 7.0483 (2.6); 7.0370 (5.9); 7.0129 (2.7); 6.9974 (2.4); 6.9460 (2.3); 6.9301 (2.1); 6.9011 (3.0); 6.8977 (4.0); 4.7299 (0.8); 4.7243 (1.1); 4.7197 (0.9); 4.7177 (1.0); 4.7119 (1.0); 4.7075 (0.7); 4.6027 (0.8); 4.5971 (1.1); 4.5925 (0.9); 4.5905 (1.0); 4.5847 (1.0); 4.5803 (0.7); 4.2249 (1.7); 4.2130 (1.6); 4.1959 (3.5); 4.1841 (3.4); 4.1669 (1.8); 4.1550 (1.6); 2.4701 (12.0); 2.4439 (1.1); 2.4302 (0.7); 2.4263 (0.7); 2.4222 (0.7); 2.4184 (0.7); 2.4077 (0.6); 2.4041 (0.6); 2.2937 (16.0); 1.6066 (0.7); 1.6007 (0.8); 1.5919 (0.9); 1.5844 (1.3); 1.5781 (1.3); 1.5694 (0.9); 1.5621 (1.1); 1.5557 (0.7); 1.5469 (0.8); 1.5396 (1.0); 1.5332 (0.7); 1.5244 (0.7); 1.5185 (0.6); 1.1587 (0.7); 1.1444 (1.5); 1.1378 (0.9); 1.1316 (1.5); 1.1235 (1.6); 1.1172 (0.8); 1.1107 (1.4); 1.0963 (0.6); -0.0002 (3.6) I-700: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2451 (11.8); 8.1682 (0.5); 8.0935 (1.0); 8.0828 (1.5); 8.0721 (0.9); 7.4200 (2.2); 7.4041 (4.7); 7.3882 (2.8); 7.3249 (3.6); 7.3089 (3.8); 7.2573 (6.8); 7.2513 (2.8); 7.2351 (2.2); 7.1177 (3.9); 7.0717 (2.4); 7.0684 (2.0); 7.0672 (1.9); 7.0567 (2.0); 7.0555 (2.1); 7.0522 (1.9); 7.0508 (1.8); 7.0253 (4.0); 6.9354 (2.2); 6.9195 (1.9); 5.2937 (0.4); 4.8964 (0.8); 4.8904 (0.8); 4.8843 (1.3); 4.8782 (1.3); 4.8721 (0.8); 4.8661 (0.7); 4.7650 (0.8); 4.7585 (0.8); 4.7531 (1.2); 4.7466 (1.2); 4.7409 (0.8); 4.7346 (0.7); 4.2246 (1.4); 4.2127 (1.4); 4.1972 (2.6); 4.1954 (2.6); 4.1853 (2.5); 4.1834 (2.5); 4.1667 (1.4); 4.1547 (1.3); 2.4685 (11.4); 2.3227 (0.8); 2.2785 (16.0); 2.1437 (0.5); 2.1315 (1.0); 2.1227 (0.8); 2.1196 (0.8); 2.1155 (1.2); 2.1115 (1.2); 2.1040 (0.7); 2.0990 (0.7); 2.0954 (1.0); 2.0833 (0.5); 1.5687 (0.5); 1.3435 (0.5); 1.3374 (0.6); 1.3281 (1.4); 1.3221 (1.4); 1.3124 (1.1); 1.3061 (1.3); 1.3048 (1.4); 1.2999 (0.6); 1.2928 (1.5); 1.2894 (1.0); 1.2842 (2.4); 1.2778 (3.0); 1.2721 (1.4); 1.2685 (2.0); 1.2666 (1.8); 1.2622 (1.6); 1.2573 (1.8); 1.2512 (0.6); 1.2459 (1.1); 1.2424 (0.5); 1.2403 (0.4); 1.2307 (0.4); 0.0062 (0.5); -0.0002 (7.5) I-701: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2623 (16.0); 8.2541 (0.3); 7.9194 (1.6); 7.9095 (1.5); 7.4290 (5.6); 7.4122 (6.7); 7.4039 (3.2); 7.4014 (5.3); 7.3998 (5.2); 7.3979 (5.4); 7.3240 (0.4); 7.3087 (0.5); 7.2987 (1.0); 7.2950 (1.4); 7.2917 (1.3); 7.2873 (1.4); 7.2859 (1.4); 7.2826 (2.2); 7.2791 (2.3); 7.2755 (2.4); 7.2699 (2.9); 7.2613 (18.1); 7.2460 (5.4); 7.2298 (2.8); 7.2226 (3.5); 7.2210 (3.4); 7.2032 (4.6); 7.1903 (2.5); 7.1864 (2.6); 7.1761 (1.4); 7.1714 (1.2); 6.0717 (1.3); 6.0653 (1.5); 6.0581 (1.4); 6.0517 (1.4); 5.9788 (1.3); 5.9724 (1.4); 5.9652 (1.4); 5.9588 (1.3); 4.2724 (0.6); 4.2685 (0.6); 4.2661 (0.7); 4.2620 (0.6); 4.2594 (0.7); 4.2554 (0.7); 4.2529 (0.7); 4.2489 (0.6); 4.2431 (0.7); 4.2392 (0.8); 4.2368 (0.8); 4.2326 (0.8); 4.2301 (0.8); 4.2260 (0.8); 4.2235 (0.9); 4.2200 (1.1); 4.2168 (0.8); 4.2141 (0.8); 4.2101 (0.7); 4.2074 (0.8); 4.2034 (0.8); 4.2009 (0.8); 4.1969 (0.7); 4.1911 (0.8); 4.1872 (0.9); 4.1847 (0.9); 4.1807 (0.9); 4.1780 (0.9); 4.1740 (1.0); 4.1715

(1.0); 4.1676 (0.9); 4.1595 (3.0); 4.1541 (3.5); 4.1522 (3.5); 4.1466 (2.8); 3.8753 (1.0); 3.8728 (1.0); 3.8619 (1.0); 3.8568 (0.9); 3.8426 (1.5); 3.8319 (1.5); 3.8173 (0.9); 3.8123 (0.9); 3.8010 (0.9); 3.7881 (0.6); 3.2223 (4.1); 3.2142 (4.2); 3.2112 (4.5); 3.2030 (4.1); 2.8460 (3.6); 2.8410 (3.6); 2.8348 (3.4); 2.8299 (3.1); 2.0036 (7.3); 1.5730 (0.5); 0.0708 (0.5); 0.0063 (0.9); -0.0002 (16.8); -0.0068 (0.6) I-702: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3851 (2.8); 7.3587 (3.4); 7.2984 (13.8); 7.2378 (0.6); 7.2188 (1.0); 7.2006 (0.6); 7.0851 (0.6); 7.0698 (4.8); 7.0579 (7.2); 7.0551 (7.2); 7.0494 (6.4); 7.0283 (0.7); 6.9841 (2.5); 6.9581 (2.2); 6.8011 (0.7); 6.7958 (1.0); 6.7816 (1.4); 6.7741 (1.6); 6.7633 (1.4); 6.7530 (0.8); 6.7425 (0.6); 5.2470 (0.5); 5.2309 (1.7); 5.2148 (1.7); 5.1987 (0.5); 5.0947 (0.7); 5.0787 (2.1); 5.0627 (2.1); 5.0468 (0.6); 4.3681 (0.7); 4.3543 (0.7); 4.3458 (0.9); 4.3321 (0.9); 4.3232 (1.0); 4.3099 (1.0); 4.2970 (0.8); 4.2849 (0.8); 4.2681 (0.4); 4.2550 (1.1); 4.2465 (1.0); 4.2332 (2.2); 4.2197 (0.8); 4.2050 (3.3); 4.1844 (2.9); 4.1708 (1.2); 4.1563 (1.2); 4.1474 (0.8); 4.1360 (1.2); 4.1275 (0.6); 4.1214 (0.6); 3.9999 (1.2); 3.9713 (1.9); 3.9472 (1.5); 3.8567 (1.6); 3.8412 (1.5); 3.8282 (1.1); 3.8126 (1.0); 3.6642 (0.5); 3.6461 (1.7); 3.6349 (0.8); 3.6227 (1.7); 3.6176 (1.7); 3.6035 (1.8); 3.5941 (1.6); 3.5833 (1.1); 3.5732 (1.1); 3.5696 (1.0); 3.5575 (0.9); 3.5509 (0.8); 3.5343 (0.8); 3.4834 (0.7); 3.4652 (1.3); 3.4469 (0.7); 3.4396 (0.6); 3.4212 (0.9); 3.4028 (0.4); 2.6244 (12.2); 2.6034 (14.7); 2.5056 (11.7); 2.3225 (16.0); 2.2901 (0.4); 2.1537 (0.4); 2.1356 (0.9); 2.1243 (1.0); 2.1078 (1.8); 2.0905 (1.1); 2.0822 (1.3); 2.0621 (0.5); 1.6304 (10.3); 1.4748 (8.6); 1.4588 (8.5); 1.4306 (7.1); 1.4145 (7.0); 1.2964 (0.4); 1.0541 (0.9); 1.0384 (3.2); 1.0320 (3.2); 1.0096 (3.2); 1.0045 (3.0); 0.9911 (1.2); 0.8029 (1.4); 0.7868 (4.1); 0.7836 (4.1); 0.7712 (3.6); 0.7653 (4.1); 0.7492 (1.1); 0.1076 (0.9); 0.0480 (0.6); 0.0372 (15.4); 0.0264 (0.6) I-703: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.4223 (2.3); 7.4056 (2.7); 7.3905 (2.9); 7.2599 (7.7); 7.1846 (1.6); 7.1812 (1.7); 7.1679 (1.4); 7.1645 (1.5); 7.0956 (0.6); 7.0793 (2.0); 7.0648 (3.5); 7.0523 (1.6); 7.0393 (0.5); 6.8187 (0.7); 6.8133 (0.7); 6.8051 (1.4); 6.8015 (1.3); 6.7897 (0.8); 6.7871 (0.8); 6.4753 (0.7); 6.4637 (1.2); 6.4522 (0.7); 6.0293 (0.6); 6.0230 (0.7); 6.0166 (0.7); 6.0102 (0.6); 5.9367 (0.6); 5.9304 (0.7); 5.9239 (0.7); 5.9176 (0.6); 4.1884 (0.3); 4.1820 (0.3); 4.1755 (0.3); 4.1655 (0.4); 4.1590 (0.4); 4.1526 (0.4); 4.1454 (0.6); 4.1383 (0.4); 4.1319 (0.4); 4.1252 (0.3); 4.1153 (0.4); 4.1088 (0.4); 4.1024 (0.4); 4.0959 (0.4); 3.9534 (0.4); 3.9409 (0.6); 3.9283 (0.4); 3.9244 (0.4); 3.9111 (0.6); 3.9077 (0.5); 3.8949 (0.7); 3.8820 (0.4); 3.8781 (0.4); 3.8652 (0.5); 2.4102 (16.0); 2.0857 (0.6); 2.0788 (0.7); 2.0688 (1.2); 2.0588 (0.8); 2.0521 (0.7); 2.0416 (0.4); 1.5509 (5.2); 1.0277 (0.7); 1.0180 (2.2); 1.0148 (2.5); 1.0013 (2.4); 0.9980 (2.5); 0.9888 (1.0); 0.7745 (0.8); 0.7626 (3.0); 0.7521 (3.1); 0.7422 (0.9); -0.0002 (9.3) I-704: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.4216 (2.6); 7.4048 (2.9); 7.3897 (3.1); 7.2600 (7.3); 7.1840 (1.8); 7.1806 (1.9); 7.1672 (1.5); 7.1639 (1.6); 7.0947 (0.8); 7.0784 (2.2); 7.0640 (3.6); 7.0515 (1.6); 7.0386 (0.5); 6.8178 (0.8); 6.8126 (0.9); 6.8043 (1.5); 6.8010 (1.4); 6.7864 (0.8); 6.4854 (0.8); 6.4739 (1.3); 6.4623 (0.7); 6.0282 (0.7); 6.0219 (0.7); 6.0154 (0.7); 6.0091 (0.6); 5.9356 (0.7); 5.9293 (0.7); 5.9229 (0.7); 5.9165 (0.6); 4.1927 (0.4); 4.1862 (0.4); 4.1800 (0.4); 4.1733 (0.4); 4.1634 (0.5); 4.1569 (0.5); 4.1505 (0.5); 4.1432 (0.7); 4.1362 (0.4); 4.1298 (0.4); 4.1231 (0.4); 4.1132 (0.4); 4.1066 (0.4); 4.1004 (0.4); 4.0938 (0.4); 3.9523 (0.4); 3.9397 (0.7); 3.9273 (0.5); 3.9234 (0.4); 3.9100 (0.6); 3.9068 (0.6); 3.8938 (0.8); 3.8810 (0.4); 3.8772 (0.4); 3.8640 (0.5); 2.4086 (16.0); 2.0955 (0.4); 2.0849 (0.7); 2.0779 (0.8); 2.0681 (1.3); 2.0581 (0.8); 2.0514 (0.7); 2.0408 (0.3); 1.5545 (4.5); 1.0273 (1.0); 1.0176 (2.5); 1.0145 (2.8); 1.0009 (2.5); 0.9976 (2.6); 0.9884 (0.9); 0.7740 (1.2); 0.7620 (3.3); 0.7516 (3.2); 0.7417 (0.8); -0.0002 (8.0) I-705: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.0436 (16.0); 7.9953 (1.3); 7.9845 (2.0); 7.9737 (1.3); 7.6229 (1.2); 7.6073 (4.0); 7.5918 (8.6); 7.5750 (1.2); 7.5437 (6.8); 7.4813 (5.2); 7.4139 (2.1); 7.4100 (3.5); 7.4060 (2.2); 7.3955 (2.6); 7.3734 (1.8); 7.3700 (1.6); 7.3566 (6.6); 7.3533 (6.8); 7.3453 (10.0); 7.3286 (2.4); 7.2606 (13.7); 6.0505 (1.4); 6.0441 (1.6); 6.0364 (1.6); 6.0299 (1.4); 5.9573 (1.4); 5.9508 (1.6); 5.9431 (1.6); 5.9366 (1.4); 4.2788 (0.8); 4.2722 (0.8); 4.2654 (0.8); 4.2588 (0.8); 4.2495 (0.9); 4.2429 (1.0); 4.2361 (0.9); 4.2295 (1.0); 4.2249 (0.9); 4.2183 (0.8); 4.2114 (0.9); 4.2049 (0.8); 4.1955 (1.0); 4.1889 (0.9); 4.1822 (0.9); 4.1756 (0.8); 3.8351 (0.9); 3.8247 (1.0); 3.8209 (0.9); 3.8105 (1.0);

3.7928 (0.9); 3.7921 (1.6); 3.7817 (1.6); 3.7680 (0.9); 3.7633 (0.9); 3.7529 (0.8); 3.7491 (0.8);
3.7388 (0.7); 2.2373 (0.8); 2.2271 (1.7); 2.2213 (1.8); 2.2161 (1.3); 2.2113 (3.3); 2.2043 (1.3);
2.2009 (1.8); 2.1951 (1.8); 2.1848 (0.9); 1.5590 (3.4); 1.2846 (0.4); 1.2558 (0.7); 1.1770 (0.9);
1.1644 (3.5); 1.1590 (7.0); 1.1550 (6.8); 1.1495 (6.1); 1.1455 (7.2); 1.1421 (7.6); 1.1366 (3.5);
1.1300 (4.0); 1.1251 (5.4); 1.1201 (3.3); 1.1081 (0.9); 0.8456 (0.4); 0.8394 (0.4); 0.0060 (0.8);
-0.0002 (16.2); -0.0067 (0.7) I-706: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.0436 (16.0);
7.9848 (2.8); 7.6231 (1.4); 7.6076 (4.6); 7.5923 (10.4); 7.5779 (2.0); 7.5755 (2.0); 7.5438 (8.2);
7.4816 (6.5); 7.4379 (0.4); 7.4285 (0.5); 7.4136 (3.0); 7.4100 (4.2); 7.4061 (2.8); 7.3956 (3.4);
7.3734 (2.4); 7.3702 (2.0); 7.3567 (8.3); 7.3534 (7.6); 7.3455 (11.0); 7.3288 (3.0); 7.2607 (13.2);
6.0507 (1.6); 6.0442 (1.8); 6.0365 (1.8); 6.0301 (1.7); 5.9573 (1.6); 5.9509 (1.8); 5.9432 (1.9);
5.9369 (1.7); 4.2788 (0.9); 4.2723 (1.0); 4.2655 (1.0); 4.2589 (1.0); 4.2495 (1.1); 4.2430 (1.1);
4.2362 (1.1); 4.2295 (1.2); 4.2250 (1.1); 4.2184 (1.0); 4.2115 (1.1); 4.2050 (1.0); 4.1956 (1.1);
4.1890 (1.1); 4.1822 (1.1); 4.1757 (1.0); 3.8352 (0.9); 3.8247 (1.2); 3.8212 (1.1); 3.8106 (1.2);
3.8061 (1.0); 3.7924 (1.9); 3.7819 (2.0); 3.7680 (1.2); 3.7635 (1.1); 3.7529 (1.2); 3.7494 (1.0);
3.7390 (0.9); 2.2374 (0.9); 2.2272 (1.9); 2.2214 (2.1); 2.2114 (3.6); 2.2043 (2.0); 2.2010 (2.2);
2.1952 (2.1); 2.1850 (1.2); 1.5589 (2.7); 1.3340 (0.4); 1.2846 (0.6); 1.2563 (1.4); 1.2145 (0.4);
1.2023 (0.4); 1.1770 (1.1); 1.1637 (4.7); 1.1589 (8.7); 1.1550 (8.3); 1.1493 (8.5); 1.1455 (9.9);
1.1423 (9.6); 1.1369 (5.0); 1.1300 (6.0); 1.1253 (7.2); 1.1203 (4.6); 1.1082 (1.6); 0.8452 (0.6);
0.8402 (0.6); -0.0002 (15.6) I-707: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1195 (0.7);
9.1051 (1.5); 9.0903 (0.7); 7.9529 (0.7); 7.7378 (0.6); 7.7181 (1.7); 7.6984 (1.6); 7.6781 (2.0);
7.6583 (0.8); 7.5940 (2.3); 7.5504 (1.3); 7.5305 (1.0); 7.1945 (2.5); 7.1472 (0.7); 7.1275 (2.0);
7.1086 (2.8); 7.0892 (1.0); 5.6863 (0.4); 5.6753 (0.6); 5.6695 (0.5); 5.6581 (0.4); 5.5673 (0.4);
5.5560 (0.6); 5.5496 (0.5); 5.5387 (0.5); 3.8449 (0.4); 3.8280 (0.6); 3.8156 (0.7); 3.8013 (0.8);
3.7899 (0.5); 3.7813 (0.6); 3.7657 (0.5); 3.7534 (0.5); 3.7388 (0.5); 3.7274 (0.4); 3.3249 (17.0);
2.8909 (4.7); 2.7320 (4.1); 2.5243 (0.6); 2.5066 (24.8); 2.5022 (32.1); 2.4978 (23.3); 2.2658 (14.2);
2.1844 (16.0); 1.2400 (0.7); 0.0078 (0.3); -0.0002 (8.4) I-708: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2443 (0.6); 9.2296 (1.4); 9.2148 (0.7); 7.9532 (0.9); 7.7419 (0.6); 7.7223 (1.7);
7.7026 (1.6); 7.6820 (1.8); 7.6624 (0.8); 7.6225 (2.1); 7.5709 (1.2); 7.5512 (0.9); 7.5269 (1.4);
7.5074 (1.8); 7.3961 (2.7); 7.3716 (1.0); 7.1086 (1.0); 6.9688 (2.5); 6.8293 (1.2); 6.0356 (0.4);
6.0283 (0.4); 6.0186 (0.4); 6.0108 (0.4); 5.9191 (0.4); 5.9108 (0.4); 5.9014 (0.4); 5.8929 (0.4);
3.8698 (0.3); 3.8612 (0.4); 3.8558 (0.4); 3.8106 (0.3); 3.8009 (0.4); 3.7931 (0.8); 3.7871 (0.5);
3.7773 (0.6); 3.7557 (0.5); 3.7394 (0.6); 3.7215 (0.4); 3.3250 (19.5); 2.8910 (7.3); 2.7327 (5.9);
2.7315 (6.2); 2.5249 (0.6); 2.5201 (1.0); 2.5115 (13.3); 2.5070 (27.7); 2.5024 (36.7); 2.4978 (26.0);
2.4932 (12.2); 2.4115 (10.0); 2.2472 (16.0); 1.2397 (0.6); 0.0080 (0.5); -0.0002 (14.5); -0.0086
(0.4) I-709: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1812 (0.7); 9.1665 (1.4); 9.1516
(0.7); 7.9536 (0.9); 7.7451 (0.6); 7.7255 (1.6); 7.7058 (1.5); 7.6846 (1.8); 7.6647 (0.8); 7.5969
(2.2); 7.5576 (1.2); 7.5373 (0.9); 7.4331 (2.2); 7.4133 (2.5); 7.2915 (2.5); 7.1229 (1.4); 7.1032
(1.2); 6.0165 (0.4); 6.0034 (0.9); 5.9904 (0.4); 5.9002 (0.4); 5.8874 (0.9); 5.8739 (0.4); 3.9123
(0.8); 3.8982 (1.4); 3.8842 (0.8); 3.8548 (0.8); 3.8407 (1.4); 3.8268 (0.8); 3.3251 (16.5); 2.8915
(6.7); 2.7325 (5.6); 2.5252 (0.5); 2.5203 (0.8); 2.5117 (11.9); 2.5073 (24.2); 2.5028 (31.7); 2.4983
(22.8); 2.4939 (11.0); 2.2668 (16.0); 2.2595 (9.9); 1.2393 (0.7); -0.0002 (9.2); -0.0082 (0.3) I-710:
.sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2107 (0.7); 9.1959 (1.4); 9.1811 (0.7); 7.7435
(0.6); 7.7239 (1.7); 7.7042 (1.6); 7.6826 (1.9); 7.6629 (0.8); 7.6057 (2.3); 7.5641 (1.2); 7.5439
(1.0); 7.3968 (2.2); 7.3760 (2.7); 7.2792 (2.2); 7.2301 (1.4); 7.2250 (1.2); 7.2094 (1.1); 7.2042
(1.0); 5.9691 (0.4); 5.9602 (0.5); 5.9518 (0.5); 5.9428 (0.4); 5.8524 (0.4); 5.8433 (0.5); 5.8351
(0.6); 5.8263 (0.4); 3.8461 (0.4); 3.8368 (0.4); 3.8323 (0.4); 3.8228 (0.3); 3.7930 (0.4); 3.7781
(0.8); 3.7699 (0.5); 3.7646 (0.6); 3.7605 (0.6); 3.7571 (0.6); 3.7401 (0.6); 3.7241 (0.7); 3.7070
(0.4); 3.3249 (19.3); 2.8912 (0.4); 2.7316 (0.4); 2.5249 (0.6); 2.5200 (1.0); 2.5115 (13.9); 2.5070
(28.3); 2.5025 (37.0); 2.4979 (26.4); 2.4934 (12.5); 2.3494 (10.8); 2.2774 (16.0); 1.2393 (1.0);
0.0080 (0.4); -0.0002 (11.9); -0.0085 (0.4) I-711: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ =

9.1772 (0.7); 9.1476 (1.4); 9.1478 (0.7); 7.9534 (1.1); 7.7452 (0.6); 7.7257 (1.7); 7.7061 (1.6); 7.6857 (1.9); 7.6660 (0.8); 7.6099 (2.2); 7.5609 (1.2); 7.5412 (0.9); 7.4165 (2.4); 7.3963 (2.6); 7.1789 (2.7); 7.0124 (1.4); 7.0084 (1.4); 6.9921 (1.3); 6.9880 (1.3); 5.9994 (0.4); 5.9865 (1.0); 5.9735 (0.4); 5.8836 (0.4); 5.8707 (0.9); 5.8573 (0.4); 3.9035 (0.8); 3.8896 (1.4); 3.8756 (0.8); 3.8460 (0.7); 3.8322 (1.3); 3.8180 (0.8); 3.3249 (21.3); 2.8914 (7.9); 2.7329 (6.7); 2.7319 (6.5); 2.5252 (0.6); 2.5204 (1.0); 2.5117 (13.8); 2.5072 (28.1); 2.5027 (37.0); 2.4981 (26.4); 2.4936 (12.5); 2.2547 (16.0); 1.9235 (0.6); 1.9150 (0.6); 1.9027 (1.2); 1.8902 (0.7); 1.8818 (0.6); 1.8691 (0.3); 1.2394 (0.8); 0.9859 (0.5); 0.9828 (0.5); 0.9749 (2.0); 0.9694 (2.2); 0.9620 (1.0); 0.9586 (0.9); 0.9540 (2.0); 0.9484 (2.1); 0.9412 (0.5); 0.9379 (0.6); 0.6791 (0.9); 0.6665 (2.2); 0.6624 (1.8); 0.6552 (2.0); 0.6503 (1.4); 0.6426 (0.8); 0.0080 (0.4); -0.0002 (11.2); -0.0085 (0.4) I-712: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2105 (0.7); 9.1958 (1.4); 9.1811 (0.7); 7.7450 (0.6); 7.7254 (1.7); 7.7057 (1.6); 7.6837 (1.8); 7.6641 (0.8); 7.6109 (2.2); 7.5651 (1.2); 7.5449 (0.9); 7.4227 (2.3); 7.3689 (0.7); 7.3644 (0.6); 7.3481 (1.9); 7.3435 (1.8); 7.3251 (3.6); 7.3043 (1.3); 5.9567 (0.4); 5.9482 (0.5); 5.9395 (0.5); 5.9308 (0.4); 5.8400 (0.4); 5.8312 (0.5); 5.8229 (0.6); 5.8139 (0.5); 3.8440 (0.4); 3.8349 (0.4); 3.8300 (0.4); 3.8209 (0.3); 3.7891 (0.4); 3.7725 (0.7); 3.7627 (0.5); 3.7545 (0.6); 3.7349 (0.6); 3.7190 (0.7); 3.7016 (0.4); 3.3262 (19.9); 2.8914 (2.0); 2.7329 (1.7); 2.7317 (1.7); 2.5252 (0.6); 2.5205 (0.8); 2.5118 (11.5); 2.5073 (23.5); 2.5027 (30.8); 2.4981 (22.0); 2.4936 (10.4); 2.3462 (10.8); 2.3297 (0.3); 2.2749 (16.0); 1.2392 (1.0); -0.0002 (7.0) I-713: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1851 (0.7); 9.1706 (1.5); 9.1560 (0.7); 7.9524 (1.1); 7.2033 (2.4); 7.1689 (0.8); 7.1484 (2.6); 7.1450 (2.6); 7.1362 (3.7); 7.1164 (0.7); 7.0962 (0.9); 7.0919 (1.0); 7.0741 (1.3); 7.0578 (0.6); 7.0538 (0.6); 6.9384 (0.7); 6.9344 (0.7); 6.9186 (1.2); 6.9021 (0.7); 6.8985 (0.6); 5.6872 (0.4); 5.6762 (0.6); 5.6695 (0.5); 5.6585 (0.4); 5.5674 (0.4); 5.5568 (0.6); 5.5492 (0.5); 5.5385 (0.5); 3.8386 (0.4); 3.8208 (0.6); 3.8139 (0.4); 3.8066 (0.7); 3.7936 (0.9); 3.7791 (0.6); 3.7600 (0.5); 3.7428 (0.4); 3.7284 (0.5); 3.7174 (0.4); 3.3240 (16.5); 2.8904 (8.4); 2.7321 (7.0); 2.7309 (6.9); 2.5241 (0.5); 2.5194 (0.9); 2.5108 (12.2); 2.5063 (25.1); 2.5017 (33.0); 2.4971 (23.3); 2.4925 (10.9); 2.2580 (16.0); 2.2383 (0.3); 2.1983 (12.6); 2.1906 (8.4); 2.0930 (0.3); 2.0803 (0.5); 2.0720 (0.6); 2.0594 (1.1); 2.0465 (0.6); 2.0384 (0.6); 1.2397 (0.6); 1.0407 (0.8); 1.0298 (2.1); 1.0243 (2.2); 1.0197 (1.2); 1.0140 (1.2); 1.0086 (2.1); 1.0032 (2.2); 0.9930 (0.8); 0.7926 (0.9); 0.7822 (2.3); 0.7771 (2.4); 0.7696 (2.2); 0.7643 (2.4); 0.7531 (0.7); 0.0081 (0.3); -0.0002 (9.6) I-714: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2991 (0.8); 9.2843 (1.7); 9.2698 (0.8); 7.9524 (1.6); 7.5463 (1.6); 7.5361 (0.5); 7.5253 (2.2); 7.4082 (3.2); 7.1752 (0.7); 7.1555 (2.1); 7.1362 (2.1); 7.1252 (1.1); 7.1205 (1.4); 7.1078 (1.8); 7.0872 (0.6); 7.0831 (0.6); 6.9706 (2.6); 6.9438 (0.8); 6.9394 (0.9); 6.9246 (1.5); 6.9077 (0.8); 6.9041 (0.8); 6.8309 (1.2); 6.0424 (0.5); 6.0351 (0.5); 6.0250 (0.6); 6.0172 (0.5); 5.9244 (0.5); 5.9168 (0.5); 5.9078 (0.6); 5.8994 (0.5); 3.8562 (0.4); 3.8476 (0.5); 3.8432 (0.5); 3.8341 (0.4); 3.8007 (0.5); 3.7849 (0.9); 3.7732 (0.6); 3.7650 (0.8); 3.7471 (0.6); 3.7307 (0.8); 3.7137 (0.4); 3.3252 (19.6); 2.8905 (10.5); 2.7311 (9.5); 2.5065 (29.8); 2.5021 (40.6); 2.4977 (32.0); 2.4195 (11.9); 2.2508 (16.0); 2.0812 (0.6); 2.0727 (0.7); 2.0604 (1.2); 2.0476 (0.8); 2.0395 (0.7); 2.0261 (0.3); 1.2391 (0.9); 1.0385 (0.8); 1.0273 (2.2); 1.0220 (2.5); 1.0118 (1.3); 1.0063 (2.3); 1.0010 (2.5); 0.9908 (0.9); 0.7930 (0.9); 0.7777 (3.0); 0.7698 (2.6); 0.7649 (2.9); 0.7536 (0.8); 0.0079 (0.3); -0.0002 (9.5); -0.0082 (0.5) I-715: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1749 (0.6); 9.1605 (1.3); 9.1459 (0.6); 7.9529 (1.5); 7.4088 (2.0); 7.3889 (2.2); 7.2161 (2.2); 7.1670 (0.6); 7.1475 (1.6); 7.1274 (1.2); 7.0881 (0.8); 7.0840 (0.9); 7.0679 (1.1); 7.0660 (1.1); 7.0497 (0.6); 7.0455 (0.6); 7.0369 (1.2); 7.0170 (1.1); 6.9391 (0.7); 6.9351 (0.7); 6.9192 (1.2); 6.9026 (0.6); 6.8990 (0.5); 5.8089 (0.4); 5.7981 (0.5); 5.7925 (0.4); 5.7817 (0.4); 5.6900 (0.4); 5.6791 (0.5); 5.6734 (0.4); 5.6625 (0.4); 3.9194 (0.4); 3.9033 (0.7); 3.8970 (0.5); 3.8873 (0.9); 3.8618 (16.0); 3.8350 (0.6); 3.8202 (0.5); 3.8091 (0.3); 3.3250 (21.8); 2.8911 (11.3); 2.7325 (9.7); 2.7313 (9.3); 2.5246 (0.6); 2.5199 (0.9); 2.5113 (12.0); 2.5068 (24.2); 2.5022 (31.6); 2.4976 (22.2); 2.4931 (10.4); 2.2499 (14.3); 2.0785 (0.5); 2.0703 (0.5); 2.0577 (1.0); 2.0448 (0.6); 2.0368 (0.5); 1.2398 (0.6); 1.0387 (0.7); 1.0277 (1.9); 1.0222 (2.0); 1.0177 (1.0); 1.0119 (1.0);

1.0066 (1.9); 1.0011 (1.9); 0.9909 (0.8); 0.7927 (0.8); 0.7823 (2.1); 0.7773 (2.1); 0.7697 (2.0); 0.7645 (2.1); 0.7533 (0.7); -0.0002 (9.6) I-716: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1394 (0.7); 9.1249 (1.4); 9.1102 (0.7); 7.9528 (1.4); 7.7084 (2.4); 7.7042 (2.5); 7.6088 (2.1); 7.5881 (2.7); 7.4456 (1.4); 7.4409 (1.4); 7.4246 (1.1); 7.4200 (1.1); 7.1677 (0.7); 7.1480 (1.8); 7.1280 (1.3); 7.0756 (0.9); 7.0716 (1.0); 7.0535 (1.3); 7.0371 (0.6); 7.0333 (0.6); 6.9384 (0.8); 6.9346 (0.8); 6.9186 (1.3); 6.9020 (0.7); 6.8985 (0.6); 5.8764 (0.4); 5.8641 (0.7); 5.8511 (0.4); 5.7596 (0.4); 5.7479 (0.7); 5.7345 (0.5); 3.9642 (0.4); 3.9487 (0.6); 3.9330 (0.4); 3.9273 (0.4); 3.9060 (0.4); 3.8904 (0.8); 3.8860 (0.6); 3.8744 (0.5); 3.8416 (0.4); 3.8356 (0.3); 3.8279 (0.5); 3.8167 (0.4); 3.3248 (21.7); 2.8910 (10.5); 2.7317 (8.9); 2.5248 (0.6); 2.5198 (0.9); 2.5112 (13.8); 2.5068 (28.4); 2.5023 (37.5); 2.4977 (26.9); 2.4932 (12.8); 2.2252 (16.0); 2.0793 (0.5); 2.0711 (0.6); 2.0584 (1.2); 2.0454 (0.7); 2.0374 (0.6); 1.2394 (0.9); 1.0395 (0.7); 1.0285 (2.1); 1.0231 (2.2); 1.0187 (1.2); 1.0128 (1.2); 1.0074 (2.1); 1.0020 (2.2); 0.9919 (0.8); 0.7929 (0.9); 0.7825 (2.4); 0.7775 (2.5); 0.7699 (2.3); 0.7647 (2.5); 0.7535 (0.7); -0.0002 (9.9); -0.0086 (0.3) I-717: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2425 (0.5); 9.2280 (1.0); 9.2130 (0.5); 7.9528 (1.0); 7.4496 (1.6); 7.4298 (1.8); 7.3059 (1.8); 7.1770 (0.4); 7.1574 (1.3); 7.1483 (1.1); 7.1376 (1.1); 7.1296 (0.9); 7.1092 (0.6); 7.1049 (0.7); 7.0872 (0.9); 7.0709 (0.4); 7.0669 (0.4); 6.9437 (0.5); 6.9397 (0.5); 6.9241 (0.9); 6.9074 (0.5); 6.9035 (0.4); 6.0128 (0.5); 5.8975 (0.4); 3.9054 (0.4); 3.8992 (0.4); 3.8895 (0.8); 3.8741 (0.5); 3.8501 (0.3); 3.8351 (0.7); 3.8236 (0.5); 3.8127 (0.3); 3.3254 (19.1); 2.8908 (7.0); 2.7315 (6.0); 2.5247 (0.4); 2.5112 (8.8); 2.5068 (18.1); 2.5023 (24.0); 2.4977 (17.3); 2.4932 (8.4); 2.2629 (16.0); 2.0851 (0.4); 2.0766 (0.4); 2.0640 (0.7); 2.0513 (0.4); 2.0431 (0.4); 1.2394 (0.5); 1.0438 (0.5); 1.0328 (1.4); 1.0273 (1.5); 1.0229 (0.8); 1.0170 (0.8); 1.0117 (1.4); 1.0063 (1.5); 0.9961 (0.6); 0.7968 (0.6); 0.7865 (1.6); 0.7815 (1.6); 0.7738 (1.5); 0.7687 (1.7); 0.7575 (0.5); -0.0002 (6.4) I-718: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2661 (0.7); 9.2513 (1.5); 9.2366 (0.7); 7.9529 (1.5); 7.4144 (2.2); 7.3936 (2.8); 7.2927 (2.2); 7.2567 (1.5); 7.2515 (1.2); 7.2359 (1.2); 7.2307 (1.0); 7.1768 (0.6); 7.1574 (1.8); 7.1375 (1.6); 7.1182 (1.0); 7.1137 (1.1); 7.0962 (1.3); 7.0800 (0.6); 7.0760 (0.5); 6.9447 (0.7); 6.9404 (0.7); 6.9251 (1.2); 6.9084 (0.7); 6.9046 (0.6); 5.9768 (0.4); 5.9681 (0.5); 5.9592 (0.6); 5.9503 (0.4); 5.8599 (0.4); 5.8507 (0.5); 5.8425 (0.6); 5.8333 (0.5); 3.8321 (0.4); 3.8229 (0.4); 3.8186 (0.4); 3.8092 (0.3); 3.7873 (0.5); 3.7707 (0.6); 3.7644 (0.5); 3.7540 (0.8); 3.7401 (0.5); 3.7351 (0.6); 3.7182 (0.7); 3.7015 (0.4); 3.3255 (31.2); 2.8910 (11.1); 2.7324 (9.3); 2.7314 (9.1); 2.5246 (0.6); 2.5198 (1.1); 2.5113 (14.9); 2.5068 (30.1); 2.5022 (39.3); 2.4976 (27.8); 2.4931 (13.1); 2.3592 (11.0); 2.2739 (16.0); 2.0830 (0.5); 2.0746 (0.6); 2.0618 (1.1); 2.0490 (0.6); 2.0409 (0.6); 1.2395 (0.8); 1.0399 (0.8); 1.0289 (2.1); 1.0235 (2.2); 1.0189 (1.2); 1.0132 (1.2); 1.0078 (2.1); 1.0024 (2.2); 0.9922 (0.9); 0.7946 (0.9); 0.7843 (2.4); 0.7792 (2.4); 0.7716 (2.3); 0.7664 (2.4); 0.7552 (0.8); 0.0080 (0.4); -0.0002 (11.2); -0.0086 (0.4) I-719: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2369 (0.8); 9.2225 (1.5); 9.2075 (0.8); 7.9528 (1.6); 7.4300 (2.5); 7.4098 (2.8); 7.1943 (3.0); 7.1790 (0.7); 7.1595 (1.9); 7.1396 (1.6); 7.1167 (0.9); 7.1123 (1.2); 7.0947 (1.3); 7.0784 (0.6); 7.0745 (0.6); 7.0180 (1.5); 7.0140 (1.5); 6.9977 (1.4); 6.9937 (1.4); 6.9454 (0.7); 6.9413 (0.8); 6.9258 (1.3); 6.9090 (0.7); 6.9055 (0.6); 6.0089 (0.5); 5.9975 (0.7); 5.9829 (0.5); 5.8927 (0.4); 5.8823 (0.7); 5.8779 (0.6); 5.8667 (0.5); 3.9017 (0.4); 3.8864 (1.0); 3.8772 (0.8); 3.8712 (0.7); 3.8666 (0.6); 3.8462 (0.5); 3.8300 (1.0); 3.8153 (1.0); 3.8043 (0.4); 3.3264 (39.4); 2.8910 (11.5); 2.7325 (9.5); 2.7315 (9.7); 2.5248 (0.7); 2.5202 (1.0); 2.5114 (13.8); 2.5070 (29.1); 2.5024 (38.9); 2.4978 (28.5); 2.4934 (14.0); 2.2536 (16.0); 2.0855 (0.6); 2.0769 (0.6); 2.0643 (1.1); 2.0515 (0.7); 2.0433 (0.6); 1.9284 (0.6); 1.9200 (0.7); 1.9075 (1.3); 1.8951 (0.8); 1.8868 (0.7); 1.8740 (0.3); 1.2393 (0.8); 1.0435 (0.8); 1.0324 (2.1); 1.0270 (2.3); 1.0226 (1.3); 1.0167 (1.2); 1.0114 (2.2); 1.0059 (2.3); 0.9958 (0.9); 0.9848 (0.5); 0.9721 (2.3); 0.9662 (2.7); 0.9512 (2.4); 0.9453 (2.5); 0.9330 (0.4); 0.7966 (0.9); 0.7862 (2.4); 0.7812 (2.6); 0.7735 (2.4); 0.7684 (2.6); 0.7572 (0.8); 0.6730 (1.4); 0.6668 (1.1); 0.6617 (2.0); 0.6567 (2.0); 0.6441 (1.4); -0.0002 (10.0); -0.0084 (0.4) I-720: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2636 (0.7); 9.2489 (1.4); 9.2341 (0.7); 7.9529 (1.5); 7.4324 (2.3); 7.3918 (0.8); 7.3873 (0.6); 7.3710 (1.8); 7.3663 (1.7);

7.3422 (3.5); 7.3214 (15); 7.1781 (0.6); 7.1583 (1.8); 7.1384 (1.6); 7.1187 (0.9); 7.1141 (1.1); 7.0967 (1.2); 7.0805 (0.6); 7.0764 (0.5); 6.9451 (0.7); 6.9406 (0.7); 6.9257 (1.2); 6.9088 (0.7); 6.9049 (0.6); 5.9645 (0.4); 5.9557 (0.5); 5.9468 (0.5); 5.9380 (0.4); 5.8475 (0.4); 5.8384 (0.5); 5.8302 (0.6); 5.8210 (0.4); 3.8294 (0.3); 3.8203 (0.4); 3.8159 (0.4); 3.8065 (0.3); 3.7845 (0.4); 3.7677 (0.6); 3.7621 (0.5); 3.7514 (0.7); 3.7380 (0.4); 3.7315 (0.6); 3.7149 (0.7); 3.6981 (0.4); 3.3251 (21.8); 2.8909 (11.2); 2.7326 (9.4); 2.7314 (9.4); 2.5248 (0.6); 2.5201 (0.8); 2.5113 (12.4); 2.5068 (25.6); 2.5022 (33.9); 2.4976 (24.2); 2.4931 (11.5); 2.3545 (10.8); 2.2721 (16.0); 2.0841 (0.5); 2.0761 (0.6); 2.0633 (1.1); 2.0504 (0.6); 2.0423 (0.6); 1.2394 (0.8); 1.0405 (0.7); 1.0295 (2.0); 1.0240 (2.2); 1.0195 (1.1); 1.0137 (1.1); 1.0084 (2.1); 1.0029 (2.2); 0.9928 (0.9); 0.7958 (0.9); 0.7854 (2.3); 0.7803 (2.4); 0.7727 (2.2); 0.7676 (2.4); 0.7564 (0.8); -0.0002 (10.0); -0.0085 (0.3) I-721: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2486 (13.7); 7.9807 (1.1); 7.9703 (1.8); 7.9599 (1.2); 7.5458 (6.1); 7.3683 (0.3); 7.3524 (16.0); 7.3335 (0.5); 7.2600 (16.2); 7.1530 (1.1); 7.1365 (3.8); 7.1272 (2.7); 7.1223 (8.0); 7.1143 (2.6); 7.1106 (3.1); 7.0982 (1.0); 7.0943 (0.8); 6.8853 (1.4); 6.8794 (1.4); 6.8720 (2.6); 6.8674 (2.4); 6.8567 (1.5); 6.8532 (1.4); 6.0575 (1.3); 6.0510 (1.5); 6.0445 (1.5); 6.0379 (1.4); 5.9649 (1.3); 5.9584 (1.5); 5.9518 (1.5); 5.9452 (1.4); 5.2982 (2.2); 4.2621 (0.6); 4.2555 (0.7); 4.2491 (0.7); 4.2425 (0.7); 4.2327 (0.8); 4.2261 (0.8); 4.2198 (0.8); 4.2124 (1.2); 4.2051 (0.7); 4.1987 (0.8); 4.1920 (0.7); 4.1823 (0.8); 4.1757 (0.8); 4.1693 (0.8); 4.1627 (0.8); 3.8934 (0.7); 3.8809 (1.0); 3.8695 (0.8); 3.8641 (0.7); 3.8510 (1.0); 3.8478 (1.0); 3.8398 (0.8); 3.8365 (1.1); 3.8237 (0.8); 3.8183 (0.7); 3.8057 (0.8); 3.7944 (0.6); 2.1396 (0.5); 2.1292 (1.2); 2.1225 (1.3); 2.1123 (2.4); 2.1020 (1.4); 2.0954 (1.3); 2.0850 (0.7); 1.5493 (7.4); 1.2554 (0.7); 1.0671 (1.5); 1.0578 (4.4); 1.0541 (4.8); 1.0451 (2.5); 1.0409 (4.7); 1.0371 (4.7); 1.0282 (2.0); 0.8080 (1.9); 0.7986 (5.3); 0.7956 (5.3); 0.7886 (4.9); 0.7854 (5.8); 0.7758 (1.8); 0.0062 (0.7); -0.0002 (18.5) I-722: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2482 (13.2); 7.9705 (1.8); 7.9601 (1.1); 7.5472 (5.7); 7.5456 (6.0); 7.3681 (0.3); 7.3524 (16.0); 7.2600 (15.1); 7.1527 (1.1); 7.1362 (3.8); 7.1269 (3.1); 7.1220 (7.8); 7.1141 (2.6); 7.1103 (2.9); 7.0979 (1.0); 7.0940 (0.7); 6.8850 (1.4); 6.8791 (1.5); 6.8717 (2.7); 6.8673 (2.2); 6.8565 (1.5); 6.8529 (1.3); 6.0574 (1.3); 6.0508 (1.5); 6.0443 (1.5); 6.0377 (1.3); 5.9647 (1.3); 5.9582 (1.5); 5.9516 (1.5); 5.9451 (1.3); 4.2617 (0.6); 4.2551 (0.7); 4.2487 (0.7); 4.2421 (0.7); 4.2324 (0.8); 4.2257 (0.8); 4.2193 (0.8); 4.2120 (1.2); 4.2047 (0.7); 4.1983 (0.7); 4.1917 (0.7); 4.1819 (0.8); 4.1753 (0.8); 4.1689 (0.8); 4.1623 (0.7); 3.8933 (0.7); 3.8825 (1.0); 3.8805 (1.0); 3.8695 (0.8); 3.8640 (0.7); 3.8529 (0.9); 3.8510 (1.0); 3.8477 (1.0); 3.8400 (0.9); 3.8368 (1.1); 3.8236 (0.8); 3.8182 (0.7); 3.8073 (0.8); 3.8053 (0.8); 3.7944 (0.6); 2.1393 (0.5); 2.1289 (1.2); 2.1223 (1.3); 2.1120 (2.3); 2.1017 (1.4); 2.0951 (1.2); 2.0847 (0.6); 1.5510 (5.4); 1.4319 (0.4); 1.2558 (0.6); 1.0669 (1.6); 1.0576 (4.6); 1.0539 (4.6); 1.0503 (2.5); 1.0449 (2.6); 1.0406 (4.7); 1.0369 (4.4); 1.0280 (1.8); 0.8078 (2.0); 0.7986 (5.4); 0.7953 (5.1); 0.7885 (5.0); 0.7852 (5.4); 0.7756 (1.6); -0.0002 (18.0); -0.0067 (0.8) I-723: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.4038 (1.9); 7.3868 (3.6); 7.3809 (1.8); 7.3123 (1.2); 7.2959 (2.4); 7.2794 (1.4); 7.2607 (3.8); 7.1846 (1.3); 7.1805 (1.3); 7.1678 (1.2); 7.1638 (1.2); 6.8158 (0.5); 6.8053 (1.8); 6.8017 (1.8); 6.7890 (1.3); 6.7848 (1.2); 6.7529 (1.0); 6.7495 (1.2); 6.7367 (0.9); 6.7334 (1.2); 6.7096 (1.5); 6.7051 (2.4); 6.7006 (1.2); 5.9849 (0.4); 5.9788 (0.5); 5.9714 (0.5); 5.9653 (0.4); 5.8920 (0.4); 5.8858 (0.5); 5.8785 (0.5); 5.8723 (0.4); 5.2970 (0.7); 3.8596 (0.4); 3.8290 (0.4); 3.8149 (0.5); 3.8014 (0.3); 3.7814 (16.0); 2.3418 (13.6); 1.9977 (4.2); 1.2555 (0.4); 1.2093 (0.5); 1.1970 (0.5); -0.0002 (4.2) I-724: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.4045 (2.0); 7.3873 (3.9); 7.3127 (1.3); 7.2962 (2.5); 7.2798 (1.4); 7.2608 (4.1); 7.1850 (1.5); 7.1811 (1.4); 7.1683 (1.2); 7.1643 (1.2); 6.8055 (1.8); 6.8011 (2.3); 6.7890 (1.6); 6.7855 (1.4); 6.7534 (1.2); 6.7500 (1.3); 6.7372 (1.1); 6.7340 (1.2); 6.7104 (1.8); 6.7059 (2.6); 6.7014 (1.2); 5.9859 (0.5); 5.9798 (0.6); 5.9725 (0.6); 5.9663 (0.5); 5.8930 (0.5); 5.8868 (0.6); 5.8795 (0.6); 5.8734 (0.5); 4.0918 (0.3); 4.0855 (0.4); 4.0790 (0.4); 4.0726 (0.4); 4.0693 (0.3); 4.0396 (0.3); 4.0332 (0.3); 4.0268 (0.3); 3.8607 (0.5); 3.8479 (0.4); 3.8443 (0.3); 3.8306 (0.5); 3.8161 (0.6); 3.8024 (0.5); 3.7987 (0.6); 3.7817 (16.0); 2.5976 (0.4); 2.3433 (13.6); 1.9980 (6.4); 1.2555 (0.4); -0.0002 (4.6) I-725: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5515

(3.2); 7.3779 (0.6); 7.3749 (0.5); 7.3611 (3.2); 7.3580 (3.6); 7.3535 (5.1); 7.3355 (1.5); 7.3186 (2.6); 7.3026 (1.8); 7.2611 (7.2); 7.2152 (1.5); 7.2134 (1.8); 7.2118 (1.9); 7.1979 (4.1); 7.1955 (3.9); 7.0810 (1.5); 7.0781 (1.4); 7.0766 (1.4); 7.0661 (1.1); 7.0638 (1.3); 7.0624 (1.4); 7.0602 (1.2); 6.5094 (0.6); 6.4975 (1.1); 6.4857 (0.7); 5.9981 (0.6); 5.9919 (0.7); 5.9841 (0.7); 5.9779 (0.7); 5.9048 (0.6); 5.8986 (0.7); 5.8907 (0.7); 5.8846 (0.7); 4.1868 (0.3); 4.1806 (0.4); 4.1735 (0.4); 4.1673 (0.4); 4.1574 (0.4); 4.1511 (0.4); 4.1441 (0.4); 4.1378 (0.4); 4.1329 (0.4); 4.1265 (0.4); 4.1195 (0.4); 4.1132 (0.4); 4.1033 (0.4); 4.0971 (0.4); 4.0901 (0.4); 4.0838 (0.4); 3.8628 (0.4); 3.8492 (0.5); 3.8372 (0.4); 3.8336 (0.4); 3.8193 (0.8); 3.8076 (0.8); 3.7934 (0.4); 3.7897 (0.4); 3.7760 (0.4); 3.7640 (0.3); 2.6249 (0.5); 2.5910 (15.2); 2.2777 (16.0); 2.2573 (0.4); 2.1648 (0.3); 2.0013 (5.8); 1.5814 (1.0); -0.0002 (7.8); -0.0065 (0.5) I-726: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5519 (3.6); 7.3783 (0.7); 7.3751 (0.6); 7.3615 (3.6); 7.3583 (4.3); 7.3539 (5.8); 7.3362 (1.8); 7.3193 (2.8); 7.3033 (1.9); 7.2611 (9.8); 7.2174 (1.2); 7.2158 (1.6); 7.2138 (2.1); 7.2121 (2.1); 7.1987 (4.9); 7.1961 (4.8); 7.1920 (2.2); 7.0834 (1.4); 7.0818 (1.6); 7.0790 (1.6); 7.0774 (1.6); 7.0671 (1.3); 7.0645 (1.6); 7.0634 (1.5); 7.0608 (1.4); 6.5007 (0.7); 6.4893 (1.2); 6.4778 (0.7); 5.9986 (0.7); 5.9924 (0.8); 5.9845 (0.8); 5.9784 (0.8); 5.9052 (0.7); 5.8991 (0.8); 5.8912 (0.8); 5.8850 (0.8); 4.1878 (0.3); 4.1815 (0.4); 4.1745 (0.4); 4.1683 (0.4); 4.1584 (0.4); 4.1521 (0.5); 4.1451 (0.5); 4.1389 (0.5); 4.1338 (0.4); 4.1275 (0.4); 4.1205 (0.4); 4.1142 (0.4); 4.1043 (0.5); 4.0981 (0.5); 4.0911 (0.5); 4.0848 (0.4); 3.8634 (0.4); 3.8518 (0.5); 3.8496 (0.5); 3.8379 (0.5); 3.8342 (0.4); 3.8198 (0.8); 3.8083 (0.8); 3.7940 (0.5); 3.7903 (0.5); 3.7786 (0.4); 3.7763 (0.5); 3.7647 (0.3); 2.5924 (15.7); 2.2786 (16.0); 2.0015 (10.8); 1.5789 (1.7); 1.2549 (0.3); 0.0063 (0.3); -0.0002 (10.9); -0.0066 (0.8) I-727: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1926 (1.9); 7.9731 (5.0); 7.9678 (12.0); 7.9559 (4.9); 7.8883 (4.0); 7.8841 (4.2); 7.7998 (5.6); 7.7890 (6.1); 7.5152 (4.3); 7.5043 (4.0); 7.3316 (3.6); 7.3156 (4.0); 7.2724 (3.2); 7.2681 (3.2); 7.2552 (3.0); 7.2508 (3.2); 7.0737 (4.2); 6.9397 (2.2); 6.9238 (2.1); 4.1243 (1.0); 4.1168 (1.0); 4.0955 (2.0); 4.0872 (1.9); 4.0658 (1.0); 4.0578 (1.0); 3.3269 (60.9); 2.5113 (2.0); 2.5078 (4.1); 2.5043 (5.6); 2.5007 (4.2); 2.4975 (2.1); 2.4209 (11.3); 2.2010 (16.0); 2.0762 (1.6) I-728: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.1751 (1.2); 9.1627 (2.6); 9.1502 (1.3); 8.1851 (3.8); 8.1800 (4.0); 7.9723 (13.8); 7.5178 (3.6); 7.5152 (3.3); 7.5129 (3.7); 7.3284 (3.7); 7.3125 (4.1); 7.0847 (4.1); 6.9678 (2.2); 6.9520 (2.0); 4.1196 (1.2); 4.1071 (1.2); 4.0900 (2.8); 4.0774 (2.7); 4.0601 (1.4); 4.0476 (1.3); 3.3198 (6.9); 2.9673 (2.6); 2.9524 (5.1); 2.9442 (4.0); 2.9377 (3.5); 2.9290 (6.0); 2.9136 (3.4); 2.5118 (1.7); 2.5083 (3.5); 2.5046 (4.9); 2.5010 (3.6); 2.4975 (1.8); 2.4215 (11.2); 2.2348 (16.0); 2.1708 (1.1); 2.1642 (0.5); 2.1555 (3.3); 2.1404 (4.5); 2.1320 (0.8); 2.1254 (3.2); 2.1102 (0.9) I-729: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2648 (16.0); 7.8331 (2.4); 7.5532 (7.7); 7.3933 (2.4); 7.3901 (2.3); 7.3766 (6.7); 7.3733 (6.7); 7.3594 (9.7); 7.3427 (3.2); 7.2607 (11.6); 7.2447 (0.5); 7.2275 (4.8); 7.2154 (6.3); 7.2020 (6.0); 7.1944 (2.2); 7.1820 (0.6); 7.1774 (0.4); 7.1533 (1.6); 7.1502 (1.8); 7.1416 (3.2); 7.1377 (3.0); 7.1319 (2.0); 7.1237 (1.5); 7.1182 (0.9); 6.0517 (1.7); 6.0454 (1.8); 6.0381 (1.8); 6.0318 (1.6); 5.9588 (1.7); 5.9524 (1.8); 5.9451 (1.8); 5.9388 (1.6); 4.2702 (0.9); 4.2637 (0.9); 4.2570 (1.0); 4.2505 (0.9); 4.2408 (1.1); 4.2344 (1.1); 4.2276 (1.1); 4.2210 (1.2); 4.2182 (1.2); 4.2114 (1.0); 4.2046 (1.0); 4.1982 (0.9); 4.1885 (1.1); 4.1820 (1.1); 4.1753 (1.1); 4.1688 (0.9); 3.8814 (1.0); 3.8707 (1.2); 3.8681 (1.2); 3.8571 (1.1); 3.8521 (1.0); 3.8378 (1.8); 3.8270 (1.8); 3.8129 (1.1); 3.8080 (1.0); 3.7971 (1.0); 3.7945 (1.0); 3.7836 (0.8); 2.9543 (1.6); 2.8802 (1.5); 1.5576 (3.2); 1.4319 (0.4); 1.2561 (0.4); -0.0002 (13.2) I-730: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2653 (16.0); 7.8328 (2.1); 7.5533 (7.1); 7.3935 (2.2); 7.3901 (1.9); 7.3768 (6.3); 7.3734 (5.9); 7.3596 (9.1); 7.3429 (3.0); 7.2606 (12.7); 7.2451 (0.4); 7.2278 (4.3); 7.2159 (5.5); 7.2024 (5.6); 7.1946 (2.0); 7.1822 (0.5); 7.1536 (1.4); 7.1503 (1.5); 7.1418 (2.9); 7.1378 (2.6); 7.1320 (1.7); 7.1256 (1.3); 7.1237 (1.4); 7.1181 (0.8); 6.0520 (1.5); 6.0456 (1.6); 6.0383 (1.6); 6.0320 (1.4); 5.9590 (1.5); 5.9526 (1.6); 5.9453 (1.6); 5.9390 (1.4); 4.2706 (0.8); 4.2641 (0.8); 4.2574 (0.8); 4.2509 (0.8); 4.2413 (1.0); 4.2348 (1.0); 4.2280 (1.0); 4.2214 (1.1); 4.2184 (1.0); 4.2118 (0.9); 4.2050 (0.9); 4.1986 (0.8); 4.1889 (1.0); 4.1824 (1.0); 4.1757 (1.0); 4.1692 (0.9); 3.8815 (0.9); 3.8708 (1.1); 3.8679 (1.0);

3.8571 (1.0); 3.8522 (0.9); 3.8472 (1.1); 3.8378 (1.6); 3.8270 (1.7); 3.8240 (1.1); 3.8129 (1.0); 3.8079 (0.9); 3.7972 (1.0); 3.7943 (0.9); 3.7836 (0.7); 2.9545 (0.7); 2.8806 (0.7); 2.0041 (0.5); 1.5554 (2.1); 1.2558 (0.3); -0.0002 (14.6); -0.0066 (0.7) I-731: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2345 (11.7); 8.1802 (0.7); 7.9836 (0.9); 7.9733 (1.4); 7.3692 (0.3); 7.3532 (0.4); 7.3378 (3.5); 7.3219 (3.8); 7.2587 (10.3); 7.2155 (0.7); 7.2078 (1.1); 7.2039 (1.4); 7.1969 (1.8); 7.1886 (1.8); 7.1838 (1.8); 7.1799 (2.0); 7.1641 (6.3); 7.1604 (3.0); 7.1524 (4.3); 7.1495 (3.1); 7.1435 (1.8); 7.1326 (0.6); 7.1278 (0.4); 7.0470 (0.4); 7.0247 (4.0); 6.9367 (2.1); 6.9208 (1.9); 4.2397 (1.7); 4.2277 (1.7); 4.2112 (3.8); 4.1992 (3.6); 4.1826 (1.9); 4.1707 (1.8); 4.1279 (0.4); 4.1135 (0.4); 2.7559 (1.4); 2.7409 (4.2); 2.7257 (4.3); 2.7105 (1.5); 2.4961 (0.4); 2.4738 (11.8); 2.3448 (0.6); 2.3239 (1.1); 2.2706 (16.0); 2.0433 (1.6); 1.5585 (9.2); 1.4351 (0.9); 1.2909 (7.6); 1.2758 (15.3); 1.2605 (7.5); 1.2440 (0.7); 0.0061 (0.8); -0.0002 (11.4); -0.0067 (0.4) I-732: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2188 (0.8); 8.2083 (1.3); 8.1979 (0.8); 8.1716 (12.0); 8.1032 (0.3); 7.6105 (2.6); 7.5954 (2.8); 7.3737 (4.9); 7.3657 (7.1); 7.2836 (1.2); 7.2760 (1.7); 7.2680 (1.6); 7.2579 (8.4); 7.2514 (1.0); 7.1632 (3.2); 7.1473 (3.7); 7.0131 (3.7); 6.9504 (2.0); 6.9346 (1.8); 6.9107 (1.8); 6.9042 (2.0); 6.8974 (2.0); 6.8909 (1.9); 5.2955 (10.2); 4.0696 (0.8); 4.0576 (1.4); 4.0451 (1.0); 4.0371 (1.3); 4.0305 (1.7); 4.0253 (1.8); 4.0187 (1.3); 4.0101 (1.1); 3.9981 (1.5); 3.9864 (0.8); 3.2461 (0.6); 3.2308 (0.9); 3.2146 (1.2); 3.1984 (1.2); 3.1841 (0.9); 3.0448 (0.8); 3.0362 (0.9); 3.0276 (1.1); 3.0190 (1.0); 3.0126 (0.7); 3.0039 (0.7); 2.9952 (0.8); 2.9866 (0.8); 2.8180 (0.6); 2.8048 (1.2); 2.8008 (0.7); 2.7912 (0.8); 2.7878 (1.4); 2.7759 (1.6); 2.7722 (0.9); 2.7627 (0.8); 2.7587 (1.2); 2.7455 (0.5); 2.3893 (10.7); 2.3530 (0.7); 2.3460 (0.9); 2.3446 (1.0); 2.3370 (1.2); 2.3299 (1.3); 2.3242 (1.0); 2.3213 (1.0); 2.3080 (16.0); 2.2926 (0.7); 1.5674 (6.6); -0.0002 (9.4); -0.0067 (0.5) I-733: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2515 (16.0); 8.0873 (1.3); 8.0769 (1.9); 7.4022 (5.8); 7.3951 (4.7); 7.3916 (6.3); 7.3888 (5.6); 7.3857 (6.8); 7.3729 (3.4); 7.3570 (6.6); 7.3412 (3.7); 7.2596 (19.1); 7.1896 (3.9); 7.1857 (3.7); 7.1728 (3.2); 7.1688 (3.1); 7.0526 (3.7); 7.0369 (3.3); 6.9739 (3.0); 6.9707 (3.0); 6.9692 (3.1); 6.9578 (2.6); 6.9545 (2.7); 6.9530 (2.8); 6.9044 (4.1); 6.9005 (5.6); 6.8968 (3.4); 6.0577 (1.3); 6.0513 (1.4); 6.0440 (1.4); 6.0375 (1.3); 5.9648 (1.3); 5.9584 (1.4); 5.9511 (1.4); 5.9446 (1.2); 5.2978 (6.1); 4.2593 (0.8); 4.2527 (0.8); 4.2461 (0.9); 4.2395 (0.8); 4.2300 (1.0); 4.2234 (1.0); 4.2168 (1.0); 4.2101 (1.0); 4.2070 (1.0); 4.2003 (0.8); 4.1937 (0.9); 4.1870 (0.8); 4.1775 (0.9); 4.1709 (0.9); 4.1643 (0.9); 4.1577 (0.8); 3.8380 (0.9); 3.8276 (1.0); 3.8244 (1.0); 3.8138 (0.9); 3.8087 (0.9); 3.7981 (1.0); 3.7946 (1.6); 3.7842 (1.6); 3.7809 (1.0); 3.7701 (0.9); 3.7650 (0.8); 3.7546 (0.8); 3.7513 (0.8); 3.7408 (0.6); 2.9550 (0.8); 2.8827 (0.8); 1.9696 (0.8); 1.9594 (1.6); 1.9527 (1.7); 1.9427 (2.9); 1.9327 (1.7); 1.9259 (1.5); 1.9157 (0.8); 1.5528 (2.7); 1.2552 (0.4); 1.0487 (0.4); 1.0369 (2.3); 1.0273 (5.4); 1.0238 (5.4); 1.0204 (3.2); 1.0145 (2.9); 1.0105 (5.4); 1.0069 (4.8); 0.9978 (2.1); 0.7833 (0.4); 0.7728 (0.4); 0.7533 (2.6); 0.7437 (6.7); 0.7405 (5.8); 0.7340 (5.4); 0.7306 (6.5); 0.7209 (1.8); 0.0062 (1.4); -0.0002 (22.0); -0.0067 (0.9) I-734: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1135 (5.1); 7.8640 (0.8); 7.6027 (1.0); 7.5992 (1.2); 7.5829 (1.8); 7.5759 (1.2); 7.5686 (1.0); 7.5461 (2.7); 7.3932 (0.8); 7.3899 (0.8); 7.3824 (1.3); 7.3766 (3.0); 7.3733 (3.3); 7.3668 (5.4); 7.3502 (1.4); 7.2605 (11.0); 6.0588 (0.6); 6.0523 (0.6); 6.0452 (0.6); 6.0387 (0.6); 5.9658 (0.6); 5.9593 (0.6); 5.9522 (0.6); 5.9457 (0.6); 5.2988 (2.2); 4.2720 (0.3); 4.2655 (0.4); 4.2589 (0.4); 4.2523 (0.4); 4.2427 (0.4); 4.2362 (0.4); 4.2296 (0.4); 4.2228 (0.4); 4.2200 (0.4); 4.2133 (0.3); 4.2067 (0.4); 4.2001 (0.3); 4.1905 (0.4); 4.1840 (0.4); 4.1774 (0.4); 4.1708 (0.3); 3.8858 (0.4); 3.8751 (0.4); 3.8723 (0.5); 3.8615 (0.4); 3.8566 (0.4); 3.8457 (0.4); 3.8421 (0.6); 3.8313 (0.6); 3.8283 (0.5); 3.8173 (0.4); 3.8124 (0.4); 3.8016 (0.4); 3.7988 (0.4); 2.9553 (0.8); 2.8828 (0.8); 2.7280 (16.0); 1.5518 (5.1); 0.0062 (0.8); -0.0002 (13.3); -0.0064 (1.0) I-735: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1135 (5.2); 7.8750 (0.5); 7.8645 (0.7); 7.8541 (0.4); 7.6027 (0.9); 7.5993 (1.0); 7.5899 (1.3); 7.5861 (1.5); 7.5828 (1.5); 7.5754 (0.9); 7.5686 (0.9); 7.5459 (2.5); 7.3931 (0.8); 7.3898 (0.8); 7.3824 (1.2); 7.3764 (2.8); 7.3731 (3.0); 7.3667 (5.0); 7.3501 (1.3); 7.2606 (9.1); 6.0588 (0.6); 6.0523 (0.6); 6.0452 (0.6); 6.0387 (0.5); 5.9658 (0.6); 5.9593 (0.6); 5.9521 (0.6); 5.9456 (0.5); 5.2986 (10.5); 4.2718 (0.3); 4.2652 (0.3); 4.2586

(0.3); 4.2520 (0.3); 4.2425 (0.4); 4.2359 (0.4); 4.2293 (0.4); 4.2226 (0.4); 4.2198 (0.4); 4.2064 (0.3); 4.1903 (0.4); 4.1837 (0.3); 4.1771 (0.3); 3.8860 (0.4); 3.8752 (0.4); 3.8725 (0.4); 3.8616 (0.4); 3.8567 (0.3); 3.8458 (0.4); 3.8423 (0.6); 3.8314 (0.6); 3.8284 (0.4); 3.8175 (0.4); 3.8125 (0.3); 3.8018 (0.3); 2.7279 (16.0); 1.5625 (0.5); 0.0063 (0.6); -0.0002 (11.0); -0.0068 (0.4) I-736: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2513 (16.0); 8.0874 (1.2); 8.0771 (1.8); 7.4024 (5.6); 7.3952 (4.6); 7.3917 (5.9); 7.3887 (5.4); 7.3858 (6.8); 7.3729 (3.4); 7.3570 (6.6); 7.3412 (3.9); 7.2597 (18.6); 7.1897 (3.9); 7.1857 (3.8); 7.1729 (3.3); 7.1689 (3.2); 7.0525 (3.6); 7.0369 (3.2); 6.9754 (2.6); 6.9739 (2.7); 6.9707 (3.0); 6.9691 (2.9); 6.9593 (2.4); 6.9577 (2.4); 6.9545 (2.8); 6.9529 (2.6); 6.9046 (4.1); 6.9007 (5.5); 6.8967 (3.4); 6.0579 (1.3); 6.0514 (1.4); 6.0442 (1.4); 6.0377 (1.3); 5.9650 (1.3); 5.9585 (1.4); 5.9512 (1.4); 5.9447 (1.2); 5.2977 (3.9); 4.2592 (0.8); 4.2526 (0.8); 4.2460 (0.8); 4.2394 (0.8); 4.2299 (0.9); 4.2233 (0.9); 4.2167 (0.9); 4.2100 (1.0); 4.2069 (1.0); 4.2002 (0.8); 4.1935 (0.8); 4.1870 (0.8); 4.1774 (0.9); 4.1708 (0.9); 4.1642 (0.9); 4.1576 (0.8); 3.8380 (0.9); 3.8277 (1.0); 3.8243 (1.0); 3.8139 (1.0); 3.8087 (0.9); 3.7983 (0.9); 3.7946 (1.7); 3.7842 (1.7); 3.7807 (1.0); 3.7702 (0.9); 3.7650 (0.9); 3.7547 (0.8); 3.7512 (0.8); 3.7409 (0.7); 2.9546 (0.8); 2.8823 (0.7); 1.9696 (0.8); 1.9595 (1.5); 1.9527 (1.6); 1.9498 (1.1); 1.9427 (2.9); 1.9357 (1.1); 1.9327 (1.7); 1.9259 (1.6); 1.9158 (0.8); 1.5525 (4.3); 1.2552 (0.4); 1.0368 (2.1); 1.0273 (5.0); 1.0237 (5.3); 1.0203 (3.0); 1.0145 (2.9); 1.0105 (5.3); 1.0069 (5.0); 0.9977 (2.3); 0.9845 (0.4); 0.7729 (0.3); 0.7533 (2.4); 0.7437 (6.5); 0.7405 (5.7); 0.7340 (5.4); 0.7306 (6.8); 0.7208 (2.1); 0.0700 (1.2); 0.0063 (1.0); -0.0002 (22.6); -0.0068 (1.1) I-737: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3695 (1.0); 9.3551 (1.9); 9.3408 (0.9); 7.9614 (1.9); 7.3434 (2.3); 7.3233 (2.5); 7.2770 (7.8); 7.1002 (3.6); 6.9819 (2.0); 6.9624 (1.8); 4.1731 (0.9); 4.1585 (1.0); 4.1368 (1.9); 4.1212 (1.8); 4.0991 (1.0); 4.0848 (0.9); 3.3142 (66.7); 3.1281 (0.6); 3.0986 (1.2); 3.0769 (1.2); 3.0472 (0.6); 2.8997 (8.5); 2.7406 (8.1); 2.5105 (17.6); 2.4455 (9.5); 2.4132 (0.6); 2.2674 (0.6); 2.2231 (16.0); 2.1891 (0.3); 2.1274 (0.6); 2.1142 (0.7); 2.0976 (1.2); 2.0816 (1.5); 2.0698 (1.4); 2.0546 (1.5); 2.0343 (0.9); 1.3613 (0.6); 1.3454 (0.5) I-738: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2187 (2.2); 7.9612 (2.6); 7.6528 (3.0); 7.5666 (2.6); 7.5459 (3.2); 7.4062 (1.6); 7.3819 (2.2); 7.3583 (1.2); 7.2825 (8.6); 6.0587 (1.3); 5.9441 (1.3); 3.9967 (0.3); 3.9368 (1.5); 3.8883 (1.4); 3.3132 (83.3); 3.1306 (0.7); 3.1020 (1.4); 3.0791 (1.5); 3.0486 (0.7); 2.8997 (11.8); 2.7407 (11.2); 2.5106 (23.1); 2.4126 (0.6); 2.4010 (0.6); 2.2715 (16.0); 2.1480 (0.3); 2.1007 (1.5); 2.0819 (1.8); 2.0682 (1.6); 2.0547 (1.9); 2.0335 (1.1); 1.4004 (0.6); 1.3838 (0.6); 1.3613 (0.6); 1.3446 (0.6) I-739: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4171 (2.5); 7.4101 (2.7); 7.3099 (2.1); 7.2991 (2.3); 7.2825 (2.8); 7.2168 (0.5); 7.1264 (1.8); 7.1193 (2.1); 7.0990 (1.6); 7.0914 (3.1); 7.0806 (1.6); 7.0689 (3.8); 7.0595 (1.2); 7.0524 (1.4); 7.0324 (0.4); 6.8467 (0.7); 6.8353 (0.7); 6.8254 (1.2); 6.8169 (1.1); 6.8002 (0.7); 6.7933 (0.6); 4.1853 (0.4); 4.1628 (0.9); 4.1370 (2.0); 4.1102 (2.4); 4.0860 (1.1); 4.0617 (0.4); 4.0073 (1.4); 3.6028 (16.0); 3.2442 (1.8); 3.2204 (3.6); 3.1952 (1.7); 2.3522 (15.6); 2.1375 (0.6); 2.1266 (0.6); 2.1094 (1.1); 2.0923 (0.6); 2.0813 (0.7); 2.0396 (1.3); 1.6435 (1.2); 1.3003 (0.9); 1.0575 (0.7); 1.0438 (1.8); 1.0373 (2.0); 1.0236 (1.1); 1.0155 (1.9); 1.0088 (1.8); 0.9954 (0.7); 0.9387 (0.3); 0.9169 (0.9); 0.8935 (0.4); 0.8076 (1.0); 0.7906 (2.2); 0.7863 (2.0); 0.7745 (2.2); 0.7691 (1.6); 0.7568 (0.7); 0.0358 (2.7) I-740: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3970 (3.8); 7.3906 (4.5); 7.3751 (5.6); 7.2985 (1.7); 7.2706 (2.4); 7.2435 (3.6); 7.1226 (1.0); 7.0964 (5.0); 7.0707 (6.4); 7.0430 (1.9); 7.0209 (0.6); 6.8521 (1.4); 6.8437 (1.1); 6.8297 (2.5); 6.8230 (2.0); 6.8048 (1.2); 6.7989 (1.2); 6.3406 (0.5); 5.3226 (1.6); 4.1302 (2.2); 4.1069 (4.3); 4.0833 (2.4); 3.9689 (1.7); 3.8635 (0.5); 3.8576 (0.5); 3.6161 (16.0); 3.2059 (2.3); 3.1986 (1.4); 3.1824 (4.1); 3.1591 (2.2); 3.0985 (0.6); 2.1575 (0.4); 2.1404 (0.9); 2.1292 (1.1); 2.1123 (1.9); 2.0954 (1.1); 2.0842 (1.0); 2.0668 (0.5); 1.2893 (1.5); 1.0625 (1.2); 1.0466 (3.1); 1.0409 (3.2); 1.0187 (3.0); 1.0133 (2.8); 0.9982 (1.0); 0.9332 (0.4); 0.9117 (1.2); 0.8886 (0.5); 0.8103 (1.7); 0.7950 (4.7); 0.7903 (4.6); 0.7784 (4.0); 0.7729 (4.8); 0.7563 (1.3); 0.0320 (1.5) I-741: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5276 (0.5); 7.5121 (1.7); 7.4964 (2.1); 7.4896 (2.4); 7.4739 (0.7); 7.4415 (2.3); 7.4197 (2.4); 7.4030 (2.9); 7.3945 (2.0); 7.3913 (2.7); 7.3886 (2.1); 7.3724 (1.4); 7.3571 (1.1);

7.2627 (2.8); 7.2208 (1.8); 7.2168 (1.7); 7.2040 (1.5); 7.2000 (1.4); 6.6699 (0.6); 6.6580 (1.0); 6.6460 (0.6); 6.0104 (0.6); 6.0044 (0.6); 5.9961 (0.6); 5.9900 (0.6); 5.9170 (0.6); 5.9109 (0.6); 5.9026 (0.6); 5.8965 (0.6); 5.2959 (1.5); 4.1796 (0.3); 4.1734 (0.3); 4.1664 (0.3); 4.1602 (0.3); 4.1502 (0.4); 4.1440 (0.4); 4.1370 (0.4); 4.1308 (0.4); 4.1246 (0.4); 4.1113 (0.3); 4.1051 (0.3); 4.0951 (0.4); 4.0889 (0.4); 4.0819 (0.4); 4.0757 (0.4); 3.8500 (0.4); 3.8383 (0.4); 3.8357 (0.4); 3.8240 (0.4); 3.8207 (0.4); 3.8069 (0.7); 3.7951 (0.7); 3.7811 (0.4); 3.7779 (0.4); 3.7661 (0.4); 3.7635 (0.4); 2.5682 (15.8); 2.2644 (16.0); -0.0002 (3.2) I-742: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5292 (0.6); 7.5137 (1.8); 7.4981 (2.2); 7.4906 (2.6); 7.4750 (0.9); 7.4437 (2.4); 7.4211 (2.5); 7.4043 (3.0); 7.3929 (2.8); 7.3905 (2.3); 7.3753 (1.6); 7.3599 (1.2); 7.2625 (3.0); 7.2221 (1.7); 7.2181 (1.8); 7.2053 (1.5); 7.2013 (1.5); 6.6373 (0.6); 6.6254 (1.2); 6.6135 (0.7); 6.0128 (0.6); 6.0068 (0.6); 5.9984 (0.7); 5.9924 (0.6); 5.9193 (0.6); 5.9133 (0.6); 5.9050 (0.7); 5.8989 (0.6); 5.2963 (1.4); 4.1858 (0.3); 4.1796 (0.3); 4.1726 (0.4); 4.1663 (0.4); 4.1564 (0.4); 4.1502 (0.4); 4.1432 (0.4); 4.1369 (0.4); 4.1308 (0.4); 4.1246 (0.4); 4.1175 (0.4); 4.1113 (0.4); 4.1014 (0.4); 4.0952 (0.4); 4.0881 (0.4); 4.0819 (0.4); 3.8523 (0.4); 3.8407 (0.4); 3.8382 (0.5); 3.8264 (0.4); 3.8231 (0.4); 3.8093 (0.8); 3.7974 (0.8); 3.7835 (0.4); 3.7802 (0.4); 3.7685 (0.4); 3.7659 (0.4); 2.9332 (0.5); 2.8414 (0.5); 2.5753 (16.0); 2.2696 (16.0); -0.0002 (3.4) I-743: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2706 (16.0); 7.8417 (1.8); 7.8314 (1.1); 7.6153 (1.4); 7.6017 (2.5); 7.5883 (1.6); 7.5023 (1.3); 7.4868 (2.8); 7.4720 (1.7); 7.4253 (5.0); 7.4085 (6.2); 7.4032 (4.6); 7.3995 (7.3); 7.3971 (6.9); 7.3812 (3.7); 7.3650 (1.5); 7.2607 (9.8); 7.2377 (3.7); 7.2337 (3.7); 7.2209 (3.1); 7.2169 (3.1); 7.0227 (2.6); 6.9133 (5.4); 6.8040 (2.7); 6.0671 (1.2); 6.0608 (1.3); 6.0533 (1.3); 6.0469 (1.3); 5.9741 (1.2); 5.9677 (1.3); 5.9602 (1.4); 5.9539 (1.3); 5.2977 (0.5); 4.2747 (0.7); 4.2682 (0.7); 4.2614 (0.7); 4.2549 (0.8); 4.2453 (0.8); 4.2389 (0.9); 4.2321 (0.8); 4.2255 (0.9); 4.2220 (0.9); 4.2154 (0.7); 4.2086 (0.8); 4.2021 (0.7); 4.1925 (0.9); 4.1861 (0.8); 4.1793 (0.9); 4.1728 (0.8); 3.8745 (0.8); 3.8639 (0.9); 3.8607 (0.9); 3.8501 (0.8); 3.8452 (0.8); 3.8343 (0.8); 3.8311 (1.6); 3.8205 (1.6); 3.8173 (1.0); 3.8065 (0.8); 3.8016 (0.8); 3.7910 (0.8); 3.7878 (0.8); 3.7772 (0.7); 2.1680 (0.8); 1.5663 (0.5); 1.2563 (0.6); 0.0063 (0.4); -0.0002 (11.3); -0.0066 (0.6) I-744: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.2702 (16.0); 7.8522 (1.4); 7.8420 (2.0); 7.6152 (1.8); 7.6015 (2.9); 7.5881 (1.9); 7.5023 (1.7); 7.4868 (3.3); 7.4720 (2.1); 7.4253 (5.8); 7.4085 (7.2); 7.4031 (5.3); 7.3994 (7.9); 7.3971 (7.3); 7.3811 (4.0); 7.3649 (1.7); 7.2608 (9.6); 7.2376 (4.1); 7.2336 (3.9); 7.2209 (3.4); 7.2168 (3.2); 7.0226 (2.8); 6.9132 (5.7); 6.8039 (2.8); 6.0670 (1.4); 6.0607 (1.5); 6.0532 (1.5); 6.0468 (1.4); 5.9740 (1.4); 5.9676 (1.5); 5.9602 (1.5); 5.9538 (1.3); 5.2977 (0.9); 4.2744 (0.9); 4.2679 (0.9); 4.2610 (0.9); 4.2546 (0.9); 4.2450 (1.0); 4.2385 (1.0); 4.2317 (1.0); 4.2252 (1.1); 4.2217 (1.0); 4.2151 (0.9); 4.2083 (0.9); 4.2018 (0.8); 4.1922 (1.0); 4.1857 (0.9); 4.1789 (1.0); 4.1724 (0.9); 3.8743 (1.0); 3.8637 (1.1); 3.8605 (1.1); 3.8499 (1.0); 3.8450 (0.9); 3.8342 (1.0); 3.8309 (1.8); 3.8204 (1.8); 3.8171 (1.2); 3.8063 (1.0); 3.8014 (0.9); 3.7909 (0.9); 3.7876 (0.9); 3.7770 (0.7); 2.1677 (0.8); 1.5616 (1.9); 1.2560 (0.6); 0.0062 (0.6); -0.0002 (10.9); -0.0067 (0.6) I-745: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3336 (5.3); 7.3084 (2.9); 7.2990 (2.9); 7.2822 (3.4); 7.2559 (1.4); 7.1255 (1.6); 7.0999 (1.9); 7.0030 (2.9); 6.9912 (3.7); 6.9857 (5.1); 6.9590 (4.7); 6.9529 (4.4); 6.9164 (3.8); 6.8871 (1.2); 6.8607 (3.1); 6.8353 (1.6); 6.2728 (4.7); 4.5449 (0.5); 4.4271 (5.3); 3.7884 (0.6); 3.7719 (0.6); 3.7524 (0.5); 3.6868 (0.4); 3.4644 (0.7); 3.4517 (16.0); 3.4296 (0.4); 3.4180 (0.3); 3.3846 (0.4); 3.2579 (0.8); 3.2405 (0.5); 3.1947 (15.2); 3.0372 (1.4); 3.0121 (2.7); 2.9870 (1.3); 2.8538 (1.5); 2.8319 (2.6); 2.8100 (1.0); 2.7335 (0.4); 2.6989 (12.6); 2.5472 (14.0); 2.3984 (10.4); 2.3691 (10.4); 2.3324 (0.7); 2.3246 (0.5); 2.3006 (9.9); 2.2582 (0.4); 2.2477 (0.4); 2.0354 (1.8); 1.9649 (11.0); 1.9345 (1.4); 1.9244 (1.0); 1.9183 (0.9); 1.9077 (1.5); 1.8909 (0.8); 1.8805 (0.6); 1.7596 (0.6); 1.0296 (0.7); 1.0146 (2.0); 1.0073 (2.1); 1.0017 (2.8); 0.9941 (2.7); 0.9863 (2.4); 0.9796 (2.7); 0.9735 (2.3); 0.9658 (2.4); 0.9521 (0.9); 0.7650 (0.8); 0.7497 (2.2); 0.7440 (2.1); 0.7337 (2.1); 0.7261 (3.2); 0.7171 (2.3); 0.7065 (2.0); 0.7005 (2.4); 0.6842 (0.7); 0.0410 (2.7) I-746: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4988 (2.1); 7.4721 (2.1); 7.3054 (2.2); 7.2987 (6.9); 7.1361 (0.4); 7.1096 (1.4); 7.0824 (2.4); 7.0732 (1.3); 7.0581 (0.9); 7.0522 (1.1); 7.0313 (0.5);

7.0250 (0.4); 6.9718 (1.1); 6.9751 (1.0); 6.8557 (0.6); 6.8479 (0.6); 6.8327 (1.1); 6.8264 (0.9); 6.8078 (0.6); 6.8019 (0.5); 6.4765 (0.4); 6.4553 (0.8); 6.4346 (0.4); 4.4886 (0.9); 4.4672 (0.8); 4.4417 (1.9); 4.4202 (1.8); 4.3947 (0.9); 4.3732 (0.9); 3.3952 (0.4); 2.4155 (0.4); 2.3946 (16.0); 2.3367 (7.9); 2.1310 (0.4); 2.1200 (0.5); 2.1029 (0.8); 2.0859 (0.5); 2.0747 (0.5); 1.6082 (0.5); 1.3021 (0.6); 1.0809 (0.6); 1.0655 (1.6); 1.0587 (1.8); 1.0440 (1.0); 1.0369 (1.8); 1.0303 (1.6); 1.0158 (0.8); 0.9183 (0.6); 0.8195 (0.8); 0.8044 (2.0); 0.7986 (1.9); 0.7876 (1.7); 0.7819 (2.1); 0.7654 (0.6); 0.0363 (7.8) I-747: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4382 (2.0); 7.4100 (2.4); 7.2991 (9.9); 7.2707 (2.1); 7.1328 (1.2); 7.1149 (1.7); 7.1046 (1.2); 7.0895 (3.2); 7.0821 (1.6); 7.0673 (1.0); 7.0616 (1.3); 7.0406 (0.4); 7.0344 (0.4); 6.8606 (0.7); 6.8523 (0.7); 6.8376 (1.2); 6.8311 (1.1); 6.8127 (0.6); 6.8065 (0.6); 6.5161 (0.5); 6.4954 (0.9); 6.4755 (0.5); 4.2972 (1.0); 4.2759 (0.9); 4.2497 (2.0); 4.2284 (2.0); 4.2021 (1.0); 4.1809 (1.0); 2.5660 (6.6); 2.3811 (16.0); 2.1300 (0.5); 2.1184 (0.6); 2.1017 (1.0); 2.0843 (0.6); 2.0735 (0.6); 1.5998 (4.3); 1.3667 (0.4); 1.3425 (1.0); 1.3022 (6.1); 1.0785 (0.6); 1.0629 (1.8); 1.0563 (2.1); 1.0417 (1.1); 1.0345 (2.0); 1.0279 (1.9); 1.0136 (0.9); 0.9403 (2.1); 0.9189 (6.1); 0.8956 (2.4); 0.8181 (0.9); 0.8025 (2.3); 0.7974 (2.3); 0.7863 (2.0); 0.7803 (2.5); 0.7641 (0.7); 0.0477 (0.4); 0.0370 (12.5) I-748: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4390 (2.2); 7.3718 (1.5); 7.3438 (2.9); 7.2989 (21.1); 7.2607 (0.8); 7.1450 (0.5); 7.1189 (1.6); 7.0927 (3.1); 7.0844 (1.4); 7.0692 (1.0); 7.0639 (1.3); 7.0427 (0.5); 7.0362 (0.4); 6.8634 (0.7); 6.8554 (0.7); 6.8404 (1.3); 6.8335 (1.1); 6.8152 (0.7); 6.8098 (0.6); 6.4741 (0.5); 6.4532 (0.9); 6.4344 (0.5); 4.3006 (1.0); 4.2789 (0.9); 4.2530 (2.1); 4.2318 (2.0); 4.2056 (1.0); 4.1842 (1.0); 2.5652 (6.6); 2.3864 (16.0); 2.1336 (0.5); 2.1219 (0.6); 2.1050 (1.0); 2.0885 (0.6); 2.0769 (0.6); 1.5905 (12.2); 1.3426 (0.5); 1.3025 (3.4); 1.0806 (0.6); 1.0652 (1.9); 1.0585 (2.1); 1.0437 (1.1); 1.0368 (2.0); 1.0303 (2.0); 1.0156 (0.9); 0.9407 (1.1); 0.9191 (3.3); 0.8956 (1.3); 0.8210 (0.8); 0.8058 (2.3); 0.8010 (2.3); 0.7890 (2.0); 0.7835 (2.5); 0.7669 (0.7); 0.0479 (0.9); 0.0370 (26.9); 0.0264 (1.2) I-749: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3188 (2.6); 7.2975 (1.9); 7.2660 (1.6); 7.1740 (1.7); 7.1484 (1.2); 7.1094 (0.4); 7.0803 (1.5); 7.0610 (2.6); 6.8140 (1.4); 6.6368 (1.2); 5.3332 (1.2); 4.2169 (0.8); 4.1990 (0.8); 4.1690 (1.5); 4.1528 (1.4); 4.1246 (0.8); 2.3611 (8.3); 2.2773 (16.0); 2.1089 (0.7); 2.0838 (1.0); 2.0704 (0.9); 1.6555 (1.4); 1.0435 (2.4); 1.0204 (2.3); 0.7810 (3.1); 0.0382 (1.0) I-750: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5529 (0.6); 7.5305 (1.1); 7.5088 (0.7); 7.4286 (0.5); 7.4024 (1.2); 7.3787 (0.9); 7.3656 (2.1); 7.3385 (3.5); 7.3102 (1.6); 7.2993 (1.7); 7.2836 (0.6); 7.0765 (2.4); 7.0703 (2.2); 6.9824 (1.3); 6.9558 (1.1); 6.8861 (2.4); 6.7788 (0.6); 6.7582 (1.1); 6.7376 (0.6); 6.7036 (1.2); 4.2559 (0.9); 4.2349 (0.9); 4.2076 (1.9); 4.1866 (1.8); 4.1592 (1.0); 4.1382 (0.9); 3.1977 (0.4); 2.5160 (6.7); 2.3712 (0.4); 2.3445 (16.0); 2.3168 (9.2); 1.6748 (0.8); 1.3047 (1.2); 0.9425 (0.4); 0.9210 (1.1); 0.8977 (0.4); 0.0396 (1.6) I-751: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2743 (0.3); 7.4116 (3.2); 7.3850 (3.7); 7.2985 (20.5); 7.1257 (1.0); 7.0990 (2.8); 7.0713 (7.4); 7.0628 (5.9); 7.0479 (2.0); 7.0417 (2.3); 7.0209 (0.9); 7.0146 (0.8); 6.9580 (2.0); 6.9311 (1.7); 6.8626 (1.2); 6.8547 (1.2); 6.8396 (2.2); 6.8332 (1.8); 6.8147 (1.1); 6.8088 (1.0); 6.3287 (0.8); 6.3097 (1.5); 6.2891 (0.8); 4.3102 (1.8); 4.2895 (1.7); 4.2624 (3.9); 4.2417 (3.7); 4.2145 (1.9); 4.1938 (1.9); 4.1676 (0.4); 4.1438 (0.4); 2.5285 (10.9); 2.5215 (6.3); 2.3653 (0.4); 2.2952 (14.5); 2.1461 (0.4); 2.1289 (0.8); 2.1179 (0.9); 2.1008 (1.7); 2.0809 (2.5); 2.0729 (1.0); 2.0549 (0.5); 1.5885 (16.0); 1.3201 (0.5); 1.2963 (1.1); 1.2725 (0.5); 1.0795 (1.3); 1.0642 (3.3); 1.0574 (3.6); 1.0514 (2.0); 1.0425 (2.0); 1.0355 (3.5); 1.0290 (3.2); 1.0143 (1.6); 0.8157 (1.8); 0.8006 (4.0); 0.7946 (3.8); 0.7836 (3.5); 0.7781 (4.2); 0.7616 (1.3); 0.1085 (2.8); 0.0494 (0.8); 0.0386 (23.7); 0.0277 (0.9) I-752: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4808 (0.4); 7.4753 (0.4); 7.3814 (0.5); 7.3622 (0.7); 7.3574 (0.7); 7.2991 (11.1); 7.0506 (0.7); 5.3390 (1.4); 5.1214 (0.4); 4.9272 (0.4); 2.2830 (2.8); 1.5879 (16.0); 1.0442 (0.3); 1.0372 (0.4); 1.0102 (0.8); 0.9871 (1.3); 0.9634 (0.6); 0.7933 (0.4); 0.7894 (0.4); 0.7762 (0.4); 0.7718 (0.3); 0.1069 (0.6); 0.0486 (0.4); 0.0377 (10.8); 0.0269 (0.5) I-753: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5073 (0.7); 7.4998 (0.8); 7.4818 (1.2); 7.4762 (1.1); 7.3936 (0.4); 7.3881 (0.4); 7.3769 (1.4); 7.3660 (0.9); 7.3581 (2.0); 7.3526 (2.0); 7.3425 (0.5); 7.2990 (12.3); 7.0725 (0.8); 7.0576 (0.6); 7.0491 (1.8); 7.0357 (0.5);

7.0294 (0.7); 6.8372 (0.3); 6.8155 (0.6); 6.8077 (0.5); 5.3385 (1.5); 5.1689 (0.9); 5.1186 (1.3); 4.9132 (1.2); 4.8629 (0.8); 3.6513 (0.4); 3.6251 (0.9); 3.6035 (0.9); 3.5956 (0.9); 3.5754 (0.9); 3.5697 (0.5); 3.5494 (0.3); 2.2597 (7.9); 2.1420 (0.5); 2.1124 (0.5); 1.6634 (0.3); 1.6414 (0.4); 1.6195 (0.4); 1.5912 (16.0); 1.0446 (0.9); 1.0380 (1.0); 1.0277 (0.5); 1.0225 (0.4); 1.0160 (0.9); 1.0095 (1.0); 0.9947 (0.4); 0.8072 (0.4); 0.7906 (1.0); 0.7865 (0.9); 0.7761 (1.0); 0.7690 (0.7); 0.7565 (0.3); 0.6936 (3.5); 0.6711 (3.4); 0.6460 (3.6); 0.6235 (3.4); 0.1070 (0.6); 0.0485 (0.4); 0.0376 (11.5); 0.0268 (0.5) I-754: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2132 (0.8); 8.1882 (0.8); 8.1198 (5.2); 7.4036 (1.1); 7.3772 (2.5); 7.3509 (1.5); 7.2985 (5.8); 7.1353 (1.8); 7.1097 (2.1); 7.0810 (1.3); 7.0550 (1.1); 6.9429 (0.9); 6.9400 (1.0); 6.9349 (1.3); 6.9318 (1.4); 6.9171 (2.2); 6.9082 (1.2); 6.9053 (1.0); 6.8660 (1.6); 6.8597 (2.1); 6.8528 (1.2); 6.8246 (1.1); 6.7992 (0.9); 5.3362 (13.8); 5.3105 (0.6); 5.2872 (1.6); 5.2625 (1.6); 5.2393 (0.6); 3.3451 (0.3); 3.2978 (1.5); 3.2756 (2.8); 3.2534 (1.5); 3.2291 (0.3); 2.7436 (16.0); 2.3527 (11.2); 2.2455 (10.3); 2.0012 (0.5); 1.9901 (0.6); 1.9849 (0.4); 1.9733 (1.1); 1.9618 (0.4); 1.9565 (0.6); 1.9454 (0.6); 1.6078 (4.6); 1.2974 (0.3); 1.0843 (0.7); 1.0691 (1.8); 1.0623 (2.0); 1.0567 (1.0); 1.0473 (1.1); 1.0407 (2.0); 1.0342 (1.7); 1.0194 (0.9); 0.8004 (0.9); 0.7851 (2.3); 0.7792 (2.0); 0.7687 (1.8); 0.7629 (2.4); 0.7466 (0.7); 0.0389 (7.2) I-755: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3817 (0.4); 9.3665 (0.9); 9.3509 (0.4); 9.0947 (0.8); 9.0797 (1.6); 9.0642 (0.8); 8.3163 (1.0); 7.7524 (0.5); 7.7432 (0.9); 7.7330 (1.4); 7.7239 (2.2); 7.7134 (1.4); 7.7040 (2.2); 7.6928 (8.2); 7.6801 (2.5); 7.6610 (1.6); 7.6400 (0.4); 7.6222 (2.8); 7.5890 (1.6); 7.5619 (2.3); 7.5417 (2.1); 7.3544 (1.2); 7.3344 (1.4); 7.3200 (2.4); 7.3000 (2.7); 7.1054 (1.6); 7.0755 (3.0); 7.0538 (0.4); 6.9622 (0.8); 6.9306 (1.7); 6.9109 (1.5); 4.1837 (0.4); 4.1691 (0.4); 4.1448 (0.9); 4.1315 (1.5); 4.1166 (1.0); 4.0953 (2.1); 4.0797 (1.8); 4.0583 (1.0); 4.0431 (0.9); 3.9842 (2.4); 3.9793 (2.4); 3.9744 (2.4); 3.9528 (2.9); 3.4987 (1.2); 3.4915 (1.3); 3.4709 (2.4); 3.4633 (2.2); 3.4437 (1.3); 3.4351 (1.2); 3.3375 (315.2); 3.3046 (1.8); 3.2868 (0.6); 3.2703 (1.2); 3.2544 (1.4); 3.2415 (0.7); 3.2057 (0.8); 3.1947 (1.0); 3.1783 (1.0); 3.1667 (1.4); 3.1522 (0.8); 3.1400 (0.7); 3.1270 (0.4); 2.7789 (0.4); 2.7614 (0.3); 2.6811 (0.9); 2.6766 (1.3); 2.6722 (1.0); 2.5469 (4.7); 2.5121 (165.2); 2.5076 (217.9); 2.5032 (166.6); 2.4237 (9.6); 2.3836 (1.0); 2.3388 (1.1); 2.3345 (1.4); 2.3299 (1.1); 2.2913 (0.5); 2.2799 (0.5); 2.2471 (6.4); 2.2242 (11.8); 2.1707 (0.6); 2.0777 (16.0); 1.8130 (2.5); 1.8031 (3.3); 1.7884 (2.8); 1.7773 (2.0); 1.7596 (0.9); 1.7551 (0.8); 1.7488 (1.0); 1.7268 (0.4); 1.7164 (0.3); 1.5888 (1.0); 1.5605 (0.9); 1.3987 (0.4) I-756: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4570 (2.6); 7.4290 (3.2); 7.4072 (2.1); 7.4018 (2.8); 7.3968 (2.3); 7.3665 (0.4); 7.2988 (15.9); 7.2015 (1.9); 7.1948 (1.9); 7.1736 (1.6); 7.1669 (1.6); 7.1275 (1.1); 7.1162 (0.8); 7.1000 (3.2); 7.0946 (2.3); 7.0809 (4.1); 7.0663 (1.9); 7.0469 (0.5); 6.8417 (0.8); 6.8275 (0.9); 6.8200 (1.1); 6.8111 (1.3); 6.7956 (0.8); 6.7878 (0.7); 6.0895 (0.6); 6.0788 (0.6); 6.0672 (0.7); 6.0563 (0.6); 5.9348 (0.6); 5.9242 (0.6); 5.9125 (0.7); 5.9017 (0.6); 4.2573 (0.3); 4.2465 (0.3); 4.2355 (0.3); 4.2247 (0.3); 4.2085 (0.4); 4.1972 (0.5); 4.1867 (0.4); 4.1714 (0.9); 4.1597 (0.4); 4.1482 (0.8); 4.1377 (0.3); 4.1222 (0.5); 4.1110 (0.4); 4.0997 (0.4); 4.0888 (0.4); 3.8930 (0.4); 3.8750 (0.5); 3.8709 (0.5); 3.8528 (0.4); 3.8445 (0.4); 3.8177 (0.6); 3.7994 (0.6); 3.7773 (0.5); 3.7688 (0.4); 3.7506 (0.4); 3.7463 (0.4); 3.1000 (0.5); 3.0902 (0.7); 3.0774 (1.0); 3.0684 (1.0); 3.0558 (0.8); 3.0458 (0.5); 2.1479 (0.6); 2.1371 (0.6); 2.1198 (1.2); 2.1028 (0.7); 2.0918 (0.7); 2.0828 (2.4); 1.5906 (16.0); 1.3453 (0.4); 1.3211 (1.3); 1.3050 (2.6); 1.2975 (3.2); 1.2736 (0.8); 1.0774 (0.8); 1.0620 (2.2); 1.0553 (2.5); 1.0406 (1.3); 1.0335 (2.4); 1.0269 (2.2); 1.0124 (1.1); 0.9422 (1.0); 0.9204 (3.0); 0.9078 (0.7); 0.8964 (2.6); 0.8893 (2.4); 0.8661 (2.4); 0.8546 (0.8); 0.8474 (0.7); 0.8224 (1.2); 0.8073 (2.8); 0.8014 (2.8); 0.7904 (2.6); 0.7848 (3.0); 0.7684 (1.0); 0.7291 (0.8); 0.7133 (2.5); 0.7053 (2.4); 0.7009 (2.4); 0.6935 (1.8); 0.6777 (0.6); 0.0490 (0.6); 0.0383 (20.0); 0.0273 (0.8) I-757: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3427 (3.9); 7.3357 (4.2); 7.2990 (14.6); 7.2023 (3.2); 7.1750 (4.0); 7.1203 (0.8); 7.0934 (2.2); 7.0663 (3.2); 7.0554 (2.1); 7.0398 (1.5); 7.0340 (1.9); 7.0129 (0.8); 7.0069 (0.7); 6.9948 (2.5); 6.9878 (2.4); 6.9675 (2.0); 6.9604 (1.9); 6.9010 (0.8); 6.8354 (1.0); 6.8277 (1.0); 6.8121 (1.8); 6.8064 (1.5); 6.7873 (0.9); 6.7816 (0.9); 3.8190 (1.4); 3.7973 (3.8); 3.7762 (3.9); 3.7546 (1.6); 3.1963 (9.9); 3.1781 (9.9); 3.0943

(2.9); 3.0721 (5.4); 3.0498 (2.6); 2.1253 (0.7); 2.1140 (0.8); 2.0968 (1.4); 2.0823 (1.4); 2.0688 (0.8); 2.0515 (0.4); 1.5935 (16.0); 1.3211 (0.4); 1.3046 (0.9); 1.2975 (1.0); 1.0750 (1.0); 1.0596 (2.6); 1.0529 (2.9); 1.0382 (1.6); 1.0310 (2.9); 1.0245 (2.7); 1.0100 (1.3); 0.9204 (0.9); 0.8973 (0.3); 0.8174 (1.3); 0.8021 (3.2); 0.7964 (3.2); 0.7853 (2.9); 0.7795 (3.5); 0.7633 (1.0); 0.0492 (0.6); 0.0384 (18.0); 0.0275 (0.8) I-758: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.3152 (0.5); 7.6629 (0.6); 7.6600 (0.6); 7.6567 (0.6); 7.6147 (0.7); 7.5866 (0.9); 7.3842 (0.5); 7.3773 (0.5); 7.3562 (0.4); 7.3493 (0.4); 7.1829 (0.5); 7.1563 (0.4); 7.1205 (0.3); 7.0971 (0.4); 6.9606 (0.4); 6.4762 (0.4); 6.4591 (0.4); 4.0386 (0.4); 3.3406 (16.0); 2.5348 (0.8); 2.5288 (1.6); 2.5227 (2.4); 2.5167 (1.7); 2.5107 (0.8); 2.0906 (0.4); 2.0098 (1.4); 1.2195 (0.4); 1.1958 (0.7); 1.1721 (0.4); 1.0599 (0.6); 1.0526 (0.6); 1.0392 (0.4); 1.0318 (0.6); 1.0245 (0.6); 0.8122 (0.6); 0.8059 (0.7); 0.7955 (0.6); 0.7889 (0.7); 0.0206 (0.8) I-759: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.0413 (0.4); 9.0222 (0.9); 9.0032 (0.4); 7.5524 (1.8); 7.5452 (1.8); 7.4393 (1.4); 7.4117 (1.7); 7.2161 (1.1); 7.2088 (1.4); 7.1886 (1.0); 7.1812 (1.8); 7.1529 (0.9); 7.1174 (0.5); 7.1116 (0.6); 7.0882 (0.8); 7.0663 (0.4); 6.9859 (0.4); 6.9802 (0.4); 6.9600 (0.8); 6.9375 (0.4); 6.9324 (0.3); 3.6318 (0.4); 3.6093 (1.2); 3.5892 (1.2); 3.5670 (0.5); 3.3403 (16.0); 3.0171 (0.8); 2.9944 (1.8); 2.9714 (0.8); 2.5345 (1.2); 2.5286 (2.7); 2.5226 (3.8); 2.5165 (2.8); 2.5107 (1.3); 2.1136 (0.3); 2.1027 (0.4); 2.0861 (0.6); 2.0684 (0.4); 2.0576 (0.4); 1.0738 (0.4); 1.0589 (1.1); 1.0517 (1.2); 1.0381 (0.7); 1.0309 (1.1); 1.0236 (1.2); 1.0103 (0.5); 0.8253 (0.5); 0.8115 (1.2); 0.8052 (1.4); 0.7947 (1.3); 0.7881 (1.4); 0.7727 (0.4); 0.0204 (2.7) I-760: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8868 (1.2); 7.8429 (1.0); 7.3560 (2.1); 7.3294 (2.4); 7.2987 (9.4); 7.1009 (0.6); 7.0732 (1.8); 7.0491 (3.5); 7.0260 (4.0); 7.0057 (0.7); 6.9993 (0.5); 6.9200 (1.4); 6.8946 (1.3); 6.8164 (0.8); 6.8073 (0.8); 6.7940 (1.5); 6.7871 (1.2); 6.7689 (0.8); 6.7629 (0.7); 4.2199 (1.2); 4.2001 (1.2); 4.1727 (2.4); 4.1529 (2.3); 4.1253 (1.2); 4.1057 (1.2); 3.0162 (0.5); 3.0061 (0.8); 2.9942 (1.1); 2.9836 (1.1); 2.9717 (0.8); 2.9609 (0.5); 2.8431 (16.0); 2.4899 (7.6); 2.2909 (10.4); 2.1493 (0.6); 2.1380 (0.7); 2.1209 (1.2); 2.1037 (0.7); 2.0929 (0.7); 2.0752 (0.4); 1.6164 (6.7); 1.0681 (0.8); 1.0525 (2.3); 1.0460 (2.4); 1.0313 (1.4); 1.0242 (2.3); 1.0177 (2.2); 1.0033 (1.0); 0.9082 (0.6); 0.8853 (2.6); 0.8679 (2.7); 0.8455 (1.0); 0.8164 (1.2); 0.8011 (2.8); 0.7959 (2.8); 0.7845 (2.6); 0.7791 (2.9); 0.7626 (0.9); 0.7269 (1.0); 0.7115 (2.5); 0.7034 (2.8); 0.6748 (0.6); 0.1081 (1.0); 0.0381 (8.4) I-761: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4636 (4.2); 7.4356 (5.4); 7.4136 (4.6); 7.3651 (0.3); 7.3416 (0.4); 7.3343 (0.4); 7.2988 (18.2); 7.2373 (4.0); 7.2307 (4.0); 7.2095 (3.1); 7.2027 (2.9); 7.1219 (0.6); 7.0951 (6.7); 7.0769 (5.4); 7.0679 (3.4); 7.0495 (0.8); 6.8342 (1.3); 6.8178 (1.8); 6.8128 (1.6); 6.8029 (2.1); 6.7889 (1.2); 6.7802 (1.1); 6.0903 (0.9); 6.0799 (1.0); 6.0682 (1.0); 6.0576 (0.9); 5.9357 (0.9); 5.9250 (1.0); 5.9134 (1.0); 5.9031 (1.0); 5.3368 (16.0); 4.2428 (0.4); 4.2322 (0.4); 4.2216 (0.4); 4.2111 (0.4); 4.1944 (0.9); 4.1831 (0.6); 4.1708 (1.6); 4.1605 (0.7); 4.1468 (1.4); 4.1353 (0.5); 4.1234 (0.8); 4.1075 (0.6); 4.0967 (0.6); 4.0863 (0.6); 4.0752 (0.5); 3.9269 (0.6); 3.9061 (0.9); 3.8855 (0.6); 3.8779 (0.5); 3.8515 (0.8); 3.8306 (1.0); 3.8097 (0.6); 3.8024 (0.6); 3.7812 (0.7); 3.7604 (0.5); 3.1979 (10.0); 3.1797 (10.0); 2.1609 (0.4); 2.1438 (1.0); 2.1327 (1.0); 2.1155 (2.0); 2.0981 (1.2); 2.0821 (5.0); 2.0702 (0.6); 1.5990 (11.2); 1.3681 (0.4); 1.3442 (1.0); 1.3204 (2.9); 1.3045 (6.5); 1.2969 (7.4); 1.2729 (1.7); 1.0732 (1.3); 1.0577 (3.7); 1.0510 (3.9); 1.0365 (2.1); 1.0292 (3.8); 1.0226 (3.7); 1.0083 (1.7); 0.9416 (2.3); 0.9199 (7.3); 0.8966 (2.7); 0.8164 (1.7); 0.8011 (4.4); 0.7958 (4.3); 0.7845 (3.9); 0.7785 (4.7); 0.7625 (1.3); 0.0487 (0.6); 0.0380 (20.4); 0.0270 (0.8) I-762: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3205 (9.7); 8.1422 (0.7); 8.1239 (1.0); 7.3387 (2.2); 7.3119 (2.7); 7.2988 (10.6); 7.1927 (0.4); 7.1663 (5.6); 7.1523 (2.9); 7.1486 (4.3); 7.1430 (3.1); 7.1401 (2.9); 7.1217 (0.7); 7.0244 (6.0); 6.9994 (1.7); 6.9240 (1.1); 6.9061 (1.3); 6.9024 (1.3); 6.8926 (1.8); 6.8791 (0.9); 6.8701 (0.8); 6.0094 (0.7); 5.9994 (0.8); 5.9824 (0.8); 5.9725 (0.8); 5.8511 (0.7); 5.8411 (0.8); 5.8242 (0.8); 5.8143 (0.7); 4.2659 (0.4); 4.2560 (0.4); 4.2427 (0.4); 4.2326 (0.5); 4.2172 (0.5); 4.2071 (0.5); 4.1948 (0.6); 4.1840 (0.6); 4.1723 (0.8); 4.1672 (0.5); 4.1568 (0.4); 4.1485 (0.8); 4.1440 (0.6); 4.1335 (0.4); 4.1248 (0.4); 4.1183 (0.6); 4.1083 (0.5); 4.0952 (0.6); 4.0850 (0.5); 3.7861 (0.5); 3.7701 (0.5); 3.7591 (0.5); 3.7431 (0.6); 3.7377 (0.5); 3.7237 (0.7); 3.7093 (0.9);

3.6956 (0.7); 3.6815 (0.6); 3.6760 (0.5); 3.6599 (0.4); 3.6488 (0.4); 3.6329 (0.4); 2.4079 (16.0); 2.3649 (0.4); 2.3137 (13.8); 2.1909 (0.4); 2.1732 (0.8); 2.1622 (0.8); 2.1449 (1.5); 2.1276 (0.9); 2.1166 (0.8); 2.0994 (0.5); 2.0836 (3.4); 1.5999 (7.9); 1.3218 (1.0); 1.2979 (2.3); 1.2742 (0.9); 1.1100 (1.0); 1.0946 (2.8); 1.0879 (3.0); 1.0731 (1.6); 1.0661 (3.0); 1.0595 (2.8); 1.0449 (1.3); 0.8492 (1.4); 0.8340 (3.4); 0.8282 (3.3); 0.8171 (3.0); 0.8114 (3.6); 0.7951 (1.0); 0.1096 (0.4); 0.0500 (0.4); 0.0391 (12.6); 0.0281 (0.5) I-763: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5752 (1.4); 7.5559 (3.8); 7.5528 (3.8); 7.5364 (0.3); 7.5054 (1.8); 7.4546 (0.8); 7.4441 (1.1); 7.4370 (0.9); 7.4242 (0.7); 7.4163 (0.4); 7.3166 (1.4); 7.2988 (4.2); 7.2890 (1.7); 7.0637 (1.3); 7.0400 (3.4); 6.6516 (0.5); 6.6318 (0.7); 6.6126 (0.5); 5.9825 (0.4); 5.9728 (0.5); 5.9552 (0.5); 5.9454 (0.4); 5.8239 (0.4); 5.8141 (0.5); 5.7965 (0.5); 5.7868 (0.4); 4.1807 (0.3); 4.1707 (0.3); 4.1568 (0.3); 4.1468 (0.3); 4.0811 (0.3); 4.0572 (0.3); 3.7291 (0.4); 3.7248 (0.3); 3.7126 (0.4); 3.7083 (0.3); 3.6965 (0.6); 3.6851 (0.4); 3.6807 (0.3); 3.6684 (0.4); 3.6642 (0.3); 2.4463 (16.0); 2.3960 (9.6); 2.3401 (8.4); 2.0768 (0.5); 1.6204 (2.3); 1.2944 (1.3); 0.0394 (4.3) I-764: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2521 (1.3); 9.2370 (2.4); 9.2220 (1.2); 8.0951 (0.4); 8.0066 (12.0); 7.9595 (0.8); 7.7079 (0.6); 7.5238 (1.4); 7.5060 (2.4); 7.4879 (1.5); 7.4684 (1.1); 7.4486 (2.2); 7.4310 (1.6); 7.3706 (2.4); 7.3511 (3.1); 7.3318 (4.6); 7.3120 (3.8); 7.1440 (0.3); 7.0766 (4.4); 6.9463 (2.3); 6.9275 (2.1); 4.1322 (1.3); 4.1178 (1.3); 4.0954 (2.7); 4.0804 (2.6); 4.0581 (1.4); 4.0437 (1.3); 3.3137 (694.9); 3.2909 (3.0); 3.2711 (0.8); 3.2622 (0.6); 2.8976 (5.6); 2.7384 (4.8); 2.6767 (0.3); 2.5119 (43.9); 2.5075 (57.3); 2.5032 (42.2); 2.4275 (11.8); 2.3298 (0.5); 2.3113 (0.9); 2.2725 (0.9); 2.2451 (0.3); 2.2011 (16.0); 2.1801 (0.9); 1.4887 (0.9); 1.4696 (3.1); 1.4531 (1.2); 1.4415 (1.0); 1.4220 (3.0); 1.4056 (1.2); 1.2012 (1.2); 1.1804 (3.8); 1.1624 (3.9); 1.1413 (0.9) I-765: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.1683 (1.6); 9.1540 (3.1); 9.1385 (1.5); 8.0934 (15.9); 7.9592 (2.4); 7.6457 (5.3); 7.5793 (5.3); 7.5583 (6.5); 7.5241 (1.5); 7.5049 (2.8); 7.4888 (2.9); 7.4724 (3.0); 7.4541 (1.9); 7.4032 (3.8); 7.3981 (3.7); 7.3822 (3.3); 7.3769 (3.4); 7.3713 (3.0); 7.3512 (3.6); 7.3312 (1.5); 6.0759 (1.1); 6.0646 (1.7); 6.0510 (1.1); 5.9603 (1.0); 5.9498 (1.7); 5.9354 (1.2); 3.9368 (0.4); 3.9153 (1.0); 3.8995 (2.6); 3.8854 (2.3); 3.8747 (1.3); 3.8590 (1.2); 3.8429 (2.2); 3.8287 (2.1); 3.8149 (1.0); 3.8038 (0.4); 3.7937 (0.3); 3.4380 (0.6); 3.3514 (3.6); 3.3133 (786.0); 3.2693 (0.7); 2.8976 (16.0); 2.7386 (13.7); 2.6762 (0.4); 2.5120 (48.7); 2.5075 (64.1); 2.5031 (46.6); 2.3344 (0.4); 2.3293 (0.3); 1.4865 (1.1); 1.4678 (3.7); 1.4511 (1.5); 1.4405 (1.2); 1.4201 (3.8); 1.4044 (1.5); 1.2048 (1.5); 1.1839 (4.6); 1.1663 (4.7); 1.1452 (1.0) I-766: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3715 (0.7); 9.3555 (1.5); 9.3401 (0.7); 7.9591 (1.3); 7.5044 (0.7); 7.4861 (1.2); 7.4699 (0.8); 7.4093 (0.6); 7.3894 (1.3); 7.3720 (1.0); 7.3443 (2.5); 7.3244 (2.7); 7.3098 (0.6); 7.0999 (2.6); 6.9864 (1.4); 6.9672 (1.2); 4.1728 (0.7); 4.1575 (0.7); 4.1355 (1.4); 4.1199 (1.4); 4.0977 (0.8); 4.0823 (0.7); 3.3562 (0.7); 3.3152 (168.3); 3.2777 (0.4); 2.8974 (8.8); 2.7385 (7.6); 2.5120 (10.0); 2.5075 (13.1); 2.5032 (9.7); 2.4443 (6.9); 2.4126 (0.6); 2.2283 (10.9); 2.2217 (16.0); 1.4811 (0.5); 1.4613 (1.8); 1.4449 (0.7); 1.4341 (0.6); 1.4140 (1.8); 1.3983 (0.7); 1.3615 (0.7); 1.3459 (0.7); 1.1944 (0.7); 1.1739 (2.2); 1.1560 (2.2); 1.1347 (0.5) I-767: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1663 (1.0); 8.1591 (5.6); 7.9894 (0.4); 7.9719 (0.7); 7.9534 (0.4); 7.6621 (0.5); 7.6512 (1.5); 7.6427 (1.5); 7.6321 (3.7); 7.6291 (3.4); 7.6109 (0.8); 7.5828 (0.4); 7.5169 (0.3); 7.4962 (1.9); 7.4687 (0.7); 7.4584 (1.1); 7.4511 (0.8); 7.4380 (0.8); 7.4303 (0.4); 7.3655 (1.7); 7.3389 (1.9); 7.2987 (8.8); 7.0669 (1.8); 6.9767 (1.0); 6.9496 (0.9); 4.3018 (0.9); 4.2820 (0.9); 4.2538 (2.0); 4.2341 (1.9); 4.2059 (1.0); 4.1861 (1.0); 2.6899 (16.0); 2.5152 (3.1); 2.5085 (5.6); 2.5012 (3.1); 2.3133 (7.6); 2.0443 (1.2); 1.5964 (1.9); 0.1088 (0.7); 0.0492 (0.4); 0.0385 (10.7); 0.0276 (0.3) I-768: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.1186 (10.4); 7.9810 (0.9); 7.9631 (1.6); 7.9447 (0.9); 7.8975 (0.9); 7.6767 (0.5); 7.6502 (2.8); 7.6300 (7.7); 7.5591 (0.4); 7.4957 (3.9); 7.4685 (1.7); 7.4591 (2.5); 7.4517 (1.7); 7.4380 (1.7); 7.4310 (1.0); 7.3628 (3.4); 7.3362 (3.9); 7.2987 (12.0); 7.0659 (4.0); 6.9746 (2.2); 6.9482 (2.0); 4.2980 (1.8); 4.2784 (1.8); 4.2501 (3.9); 4.2304 (3.8); 4.2022 (2.0); 4.1824 (1.9); 3.4596 (0.7); 3.4360 (1.0); 3.4127 (0.8); 3.3472 (2.3); 3.3227 (7.1); 3.2982 (7.2); 3.2738 (2.4); 2.5068 (11.8); 2.3127 (16.0); 1.7694 (1.0); 1.5286 (0.7); 1.5045 (1.8); 1.4809

(1.8); 1.4562 (1.1); 1.4448 (7.7); 1.4204 (15.6); 1.3959 (7.2); 1.2927 (0.9); 0.1084 (1.8); 0.0378 (14.0); 0.0271 (0.6) I-769: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 11.2190 (2.6); 9.1755 (1.2); 9.1630 (2.6); 9.1504 (1.3); 7.8885 (12.4); 7.4595 (3.9); 7.4421 (4.2); 7.4328 (2.9); 7.4273 (4.6); 7.4218 (3.0); 7.3558 (4.5); 7.3512 (5.0); 7.3473 (4.2); 7.3312 (4.2); 7.0871 (4.3); 6.9784 (2.2); 6.9624 (2.1); 6.9489 (3.0); 6.9443 (3.1); 6.9315 (2.8); 6.9269 (2.9); 6.4687 (2.3); 6.4647 (3.6); 6.4604 (2.5); 4.1247 (1.1); 4.1123 (1.1); 4.0951 (2.6); 4.0825 (2.6); 4.0652 (1.3); 4.0547 (1.5); 4.0408 (2.0); 4.0266 (2.0); 4.0123 (0.7); 3.3237 (8.5); 2.5118 (1.8); 2.5082 (3.8); 2.5046 (5.2); 2.5010 (3.9); 2.4975 (1.9); 2.4278 (11.0); 2.3566 (0.6); 2.3525 (0.4); 2.2873 (0.8); 2.2708 (0.4); 2.2292 (16.0); 2.1853 (0.4); 1.9923 (8.2); 1.2479 (0.7); 1.1928 (2.2); 1.1785 (4.4); 1.1643 (2.2); 0.8755 (0.4); 0.8618 (1.3); 0.8476 (0.6) I-770: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3022 (16.0); 8.0327 (1.0); 8.0149 (1.7); 7.9965 (1.0); 7.5895 (6.1); 7.5398 (0.3); 7.5328 (1.0); 7.5284 (1.0); 7.5103 (9.4); 7.5029 (4.2); 7.4865 (5.7); 7.4609 (1.6); 7.4246 (1.5); 7.4190 (1.2); 7.3967 (6.3); 7.3912 (6.6); 7.3804 (12.5); 7.3691 (4.0); 7.3529 (2.0); 7.2988 (14.3); 7.2635 (2.3); 7.2558 (3.7); 7.2475 (1.9); 7.2397 (2.0); 7.2323 (3.4); 7.2244 (1.7); 6.1186 (1.3); 6.1080 (1.4); 6.0954 (1.4); 6.0847 (1.3); 5.9635 (1.3); 5.9528 (1.4); 5.9402 (1.4); 5.9295 (1.3); 4.3426 (0.7); 4.3318 (0.7); 4.3204 (0.7); 4.3095 (0.7); 4.2939 (0.9); 4.2831 (0.9); 4.2716 (0.9); 4.2608 (0.9); 4.2541 (0.8); 4.2432 (0.7); 4.2318 (0.8); 4.2209 (0.7); 4.2052 (0.9); 4.1944 (0.9); 4.1830 (0.9); 4.1721 (0.8); 3.9048 (0.9); 3.8876 (0.9); 3.8814 (0.9); 3.8643 (1.0); 3.8560 (0.8); 3.8387 (0.8); 3.8328 (1.7); 3.8157 (1.6); 3.8097 (1.0); 3.7925 (0.9); 3.7842 (0.8); 3.7670 (0.8); 3.7608 (0.7); 3.7437 (0.6); 3.1928 (13.9); 2.0436 (5.4); 1.6251 (1.0); 0.0477 (0.6); 0.0369 (17.8); 0.0258 (0.6) I-771: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.8161 (9.5); 7.8647 (1.0); 7.8514 (1.7); 7.8377 (1.0); 7.6812 (0.4); 7.6607 (3.3); 7.6534 (3.0); 7.6469 (7.3); 7.5220 (3.7); 7.4871 (0.4); 7.4761 (1.4); 7.4672 (1.9); 7.4621 (1.8); 7.4535 (1.6); 7.4475 (1.1); 7.3423 (3.4); 7.3223 (3.8); 7.2640 (5.5); 7.0448 (4.1); 6.9504 (2.2); 6.9304 (2.1); 5.3003 (4.8); 4.2941 (1.0); 4.2792 (1.0); 4.2685 (0.8); 4.2580 (1.6); 4.2434 (1.5); 4.2316 (1.5); 4.2173 (1.6); 4.2063 (0.9); 4.1955 (1.2); 4.1809 (1.1); 3.3074 (0.4); 3.2888 (1.3); 3.2705 (1.6); 3.2547 (2.0); 3.2363 (1.9); 3.2179 (0.6); 3.0999 (0.5); 3.0815 (1.8); 3.0632 (2.1); 3.0473 (1.7); 3.0291 (1.4); 3.0108 (0.5); 2.4800 (11.5); 2.2846 (16.0); 1.6294 (6.7); 1.2720 (6.5); 1.2536 (14.7); 1.2351 (6.5); 0.0723 (0.8); -0.0002 (6.4) I-772: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 9.8529 (0.6); 9.8259 (0.6); 8.1621 (5.4); 7.5911 (0.8); 7.5716 (2.3); 7.5611 (1.8); 7.5415 (1.9); 7.5219 (0.7); 7.2763 (3.1); 7.2613 (2.5); 7.2527 (1.7); 7.2487 (1.6); 7.2254 (1.4); 7.1906 (1.2); 7.1712 (1.2); 7.1167 (2.1); 7.0975 (2.2); 6.8899 (2.7); 6.4403 (1.4); 6.4213 (1.3); 6.0176 (1.8); 5.9945 (1.8); 2.7211 (16.0); 2.6921 (0.8); 2.6760 (0.6); 2.2888 (0.4); 2.2759 (0.6); 2.2552 (0.8); 2.2173 (12.8); 2.1294 (0.5); 2.0565 (0.6); 2.0417 (12.0); 1.9411 (0.5); 1.6328 (0.8); -0.0002 (2.9) I-773: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3199 (1.6); 7.2984 (3.4); 7.1237 (0.4); 7.1058 (2.5); 7.0991 (2.0); 7.0967 (2.0); 7.0933 (1.8); 7.0806 (3.5); 7.0658 (0.4); 7.0517 (1.4); 7.0242 (3.5); 6.8437 (0.7); 6.8348 (0.6); 6.8216 (1.2); 6.8102 (0.9); 6.8035 (0.6); 6.7898 (0.5); 6.6951 (0.5); 6.6759 (0.8); 6.6564 (0.5); 5.9806 (0.4); 5.9706 (0.5); 5.9536 (0.5); 5.9435 (0.5); 5.8222 (0.4); 5.8122 (0.5); 5.7952 (0.5); 5.7851 (0.5); 5.3341 (0.4); 4.1631 (0.4); 4.1587 (0.4); 4.1481 (0.4); 4.1394 (0.4); 4.1352 (0.4); 4.1244 (0.3); 4.0599 (0.4); 4.0495 (0.3); 4.0363 (0.3); 3.7717 (0.3); 3.7616 (0.3); 3.7444 (0.4); 3.7404 (0.4); 3.7284 (0.4); 3.7234 (0.3); 3.7121 (0.6); 3.7012 (0.4); 3.6962 (0.4); 3.6842 (0.4); 3.6801 (0.4); 2.4573 (16.0); 2.3990 (10.1); 2.3306 (8.7); 2.1238 (0.6); 2.1129 (0.6); 2.0956 (1.0); 2.0782 (2.2); 2.0673 (0.6); 1.6567 (0.8); 1.3183 (0.4); 1.2945 (1.2); 1.2707 (0.4); 1.0632 (0.7); 1.0478 (1.8); 1.0411 (2.0); 1.0264 (1.1); 1.0193 (1.9); 1.0128 (1.8); 0.9982 (0.9); 0.8059 (0.9); 0.7908 (2.2); 0.7852 (2.2); 0.7739 (2.0); 0.7684 (2.3); 0.7519 (0.7); 0.0394 (2.2) I-774: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5712 (1.5); 7.5521 (3.9); 7.5494 (3.8); 7.4754 (1.8); 7.4363 (0.8); 7.4253 (1.1); 7.4181 (1.0); 7.4056 (0.8); 7.3956 (2.1); 7.3685 (2.0); 7.2985 (11.4); 7.0955 (2.0); 7.0198 (1.1); 6.9930 (1.0); 6.3840 (0.5); 6.3634 (0.9); 6.3427 (0.5); 4.2907 (1.0); 4.2699 (0.9); 4.2420 (2.0); 4.2211 (1.9); 4.1933 (1.0); 4.1722 (1.0); 2.5303 (6.0); 2.4099 (16.0); 2.3373 (8.2); 2.0806 (0.3); 1.5896 (14.8); 1.2953 (0.4); 0.0485 (0.4); 0.0378 (13.7); 0.0269 (0.5) I-775: .sup.1H-NMR(400.1 MHz, CDCl₃):

δ = 8.176 (2.7); 7.6017(0.8); 7.3360 (1.9); 7.3161(2.2); 7.2632 (15.1); 7.0530 (0.5); 7.0325 (1.9); 7.0235 (1.3); 7.0154 (3.9); 7.0029 (3.8); 6.9874 (0.6); 6.9142 (1.3); 6.8949 (1.2); 6.7628 (0.6); 6.7544 (0.7); 6.7464 (1.2); 6.7404 (1.1); 6.7272 (0.7); 6.7228 (0.7); 4.1908 (0.9); 4.1756 (0.9); 4.1548 (2.0); 4.1397 (2.0); 4.1186 (1.0); 4.1036 (1.0); 3.1055 (6.7); 3.0917 (6.8); 2.9587 (16.0); 2.8855 (15.0); 2.6415 (13.2); 2.4683 (6.7); 2.2674 (9.4); 2.1015 (0.5); 2.0933 (0.6); 2.0804 (1.1); 2.0673 (0.7); 2.0592 (0.6); 2.0459 (0.4); 1.6031 (3.9); 1.0176 (0.6); 1.0058 (1.9); 1.0011 (2.1); 0.9899 (1.1); 0.9846 (2.1); 0.9800 (2.0); 0.9690 (0.9); 0.7674 (0.8); 0.7556 (2.4); 0.7523 (2.4); 0.7431 (2.3); 0.7393 (2.6); 0.7271 (0.8); -0.0002 (1.4) I-776: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.4875 (0.6); 8.0183 (2.9); 7.7654 (1.1); 7.4201 (2.4); 7.3991 (2.8); 7.3703 (3.4); 7.2635 (15.2); 7.1796 (1.9); 7.1585 (1.7); 7.0752 (0.4); 7.0541 (3.2); 7.0400 (4.1); 7.0168 (0.6); 6.7797 (0.8); 6.7664 (1.4); 6.7567 (1.5); 6.7448 (0.9); 6.0433 (0.6); 6.0348 (0.7); 6.0281 (0.7); 6.0204 (0.7); 5.9274 (0.6); 5.9193 (0.7); 5.9127 (0.8); 5.9041 (0.7); 4.1452 (0.3); 4.1247 (0.4); 4.1164 (0.4); 4.1089 (0.4); 4.1007 (0.7); 4.0913 (0.4); 4.0845 (0.4); 4.0765 (0.4); 4.0637 (0.4); 4.0549 (0.4); 4.0479 (0.4); 4.0403 (0.4); 3.8779 (0.3); 3.8630 (0.6); 3.8480 (0.4); 3.8258 (0.6); 3.8176 (0.5); 3.8034 (0.7); 3.7888 (0.4); 3.7823 (0.4); 3.7667 (0.6); 3.7524 (0.3); 3.1731 (0.4); 3.1568 (7.8); 3.1432 (7.8); 2.9594 (16.0); 2.8862 (15.8); 2.6783 (15.2); 2.3820 (0.7); 2.1091 (0.6); 2.0999 (0.8); 2.0882 (1.3); 2.0764 (0.9); 2.0673 (0.8); 2.0542 (0.4); 1.6002 (9.3); 1.0240 (0.7); 1.0077 (2.7); 0.9899 (2.8); 0.9763 (1.1); 0.7743 (0.8); 0.7612 (3.4); 0.7479 (3.4); 0.7344 (1.0); -0.0002 (1.4) I-777: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9912 (1.0); 7.5633 (0.4); 7.5435 (1.6); 7.5275 (4.4); 7.4064 (2.2); 7.3526 (0.8); 7.3460 (1.3); 7.3404 (1.0); 7.3299 (1.1); 7.2627 (14.3); 6.7145 (3.8); 6.1414 (0.9); 6.1291 (0.6); 3.7943 (1.0); 3.7782 (2.8); 3.7626 (2.9); 3.7466 (1.3); 2.9530 (6.8); 2.8728 (6.6); 2.8666 (2.4); 2.8494 (3.6); 2.8329 (1.9); 2.4125 (16.0); 2.3530 (0.4); 2.3324 (0.8); 2.2914 (12.0); 2.2430 (0.4); 2.1709 (0.4); 2.0445 (12.0); 1.9211 (0.4); 1.5877 (5.0); -0.0002 (1.3) I-778: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0101 (0.7); 7.5649 (0.6); 7.5459 (1.7); 7.5263 (4.1); 7.4948 (2.9); 7.4585 (1.9); 7.4392 (1.3); 7.4158 (0.4); 7.4120 (0.3); 7.2950 (0.4); 7.2622 (54.2); 6.9981 (0.4); 6.4333 (3.3); 6.2549 (1.0); 6.2337 (1.1); 5.4260 (0.9); 5.4059 (0.9); 5.3951 (0.5); 2.9569 (3.7); 2.8816 (3.5); 2.6060 (0.4); 2.5936 (0.7); 2.5788 (1.8); 2.5615 (1.6); 2.5445 (0.9); 2.5118 (16.0); 2.4611 (0.3); 2.4465 (0.8); 2.4350 (0.4); 2.4248 (0.4); 2.3949 (11.5); 2.3119 (0.7); 2.2632 (0.4); 2.2197 (1.4); 2.1960 (0.7); 2.1742 (0.7); 1.9898 (0.4); 1.9648 (0.7); 1.9559 (0.8); 1.9387 (0.6); 1.9251 (0.7); 1.9029 (0.5); 1.8904 (0.6); 1.8574 (1.1); 1.8438 (1.1); 1.8341 (0.9); 1.8043 (0.5); 1.5776 (15.0); 1.4424 (0.6); 1.4272 (0.6); 1.3946 (0.4); 1.3661 (0.4); 1.3530 (0.4); 1.3258 (0.4); 1.2552 (1.1); 1.2069 (0.4); 1.1860 (0.4); 0.8554 (0.5); -0.0002 (5.0) I-779: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0107 (1.3); 7.3695 (1.6); 7.3495 (1.8); 7.2629 (11.7); 7.0596 (0.4); 7.0355 (4.5); 7.0218 (2.5); 7.0009 (0.5); 6.9705 (1.2); 6.9504 (1.0); 6.7601 (0.6); 6.7549 (0.7); 6.7433 (1.0); 6.7321 (0.9); 6.7203 (0.5); 6.5594 (0.5); 6.5445 (0.9); 6.5292 (0.5); 4.2517 (0.7); 4.2359 (0.8); 4.2147 (1.6); 4.1989 (1.6); 4.1776 (0.9); 4.1618 (0.8); 3.9620 (13.0); 2.9563 (8.2); 2.8818 (7.8); 2.4837 (16.0); 2.2972 (7.8); 2.0776 (0.5); 2.0691 (0.5); 2.0565 (1.0); 2.0438 (0.6); 2.0354 (0.6); 1.5979 (1.6); 1.0045 (0.5); 0.9926 (1.6); 0.9880 (1.8); 0.9767 (1.1); 0.9715 (1.8); 0.9669 (1.8); 0.9559 (0.8); 0.7536 (0.7); 0.7417 (2.1); 0.7384 (2.1); 0.7293 (2.0); 0.7254 (2.3); 0.7133 (0.8); -0.0002 (1.1) I-780: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2823 (11.9); 7.9799 (0.8); 7.9613 (1.3); 7.9441 (0.8); 7.5394 (1.0); 7.5299 (1.1); 7.5176 (2.2); 7.5062 (2.0); 7.4991 (1.1); 7.4856 (1.3); 7.3800 (3.5); 7.3534 (4.0); 7.2989 (14.1); 7.2811 (0.7); 7.2627 (4.7); 7.2562 (3.8); 7.2504 (3.4); 7.2377 (6.1); 7.2231 (0.4); 7.2129 (0.4); 7.0600 (3.8); 6.9707 (2.1); 6.9426 (3.7); 6.9051 (2.2); 6.8834 (2.2); 6.8460 (2.3); 5.9512 (3.7); 5.9490 (3.8); 5.8922 (3.4); 5.8899 (3.4); 5.5278 (3.8); 5.5257 (3.7); 5.4904 (3.5); 5.4883 (3.6); 5.3376 (5.5); 4.3051 (2.0); 4.2851 (2.0); 4.2576 (4.3); 4.2377 (4.1); 4.2101 (2.1); 4.1902 (2.1); 2.5170 (6.2); 2.5100 (11.7); 2.5026 (6.5); 2.3270 (0.3); 2.3008 (16.0); 1.5938 (8.4); 1.2946 (1.1); 0.0497 (0.6); 0.0388 (17.3); 0.0279 (0.6) I-781: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9200 (5.7); 7.8814 (0.4); 7.8632 (0.7); 7.8449 (0.4); 7.7006 (1.9); 7.6954 (1.4); 7.6833 (3.6); 7.5528 (1.6); 7.5127 (0.7); 7.5042 (0.6); 7.4988 (1.0); 7.4926 (0.9); 7.4826 (0.6); 7.4742 (0.4); 7.3813 (1.7); 7.3547 (1.9);

7.2987 (10.3); 7.0813 (1.9); 6.9924 (1.0); 6.9663 (0.9); 4.3465 (0.6); 4.3265 (0.9); 4.3067 (0.5); 4.2982 (1.0); 4.2781 (1.8); 4.2583 (0.9); 4.2498 (0.5); 4.2296 (1.0); 4.2100 (0.6); 3.0111 (16.0); 2.5168 (5.6); 2.5096 (3.1); 2.3229 (7.7); 2.0447 (1.5); 1.6133 (11.2); 1.2905 (0.6); 0.1068 (0.6); 0.0475 (0.4); 0.0366 (10.3); 0.0256 (0.3) I-782: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 9.3240 (0.3); 9.2647 (5.0); 8.0375 (0.3); 7.5370 (14.7); 7.4703 (0.7); 7.4340 (10.8); 7.4172 (13.7); 7.3196 (9.4); 7.3166 (8.8); 7.3028 (7.1); 7.2998 (6.5); 7.0686 (0.4); 7.0510 (0.4); 7.0342 (0.4); 6.9628 (4.0); 6.9469 (9.0); 6.9310 (6.7); 6.9008 (5.8); 6.8865 (7.8); 6.8713 (3.5); 6.7276 (4.8); 6.7144 (7.7); 6.7006 (4.1); 5.7828 (3.1); 5.6890 (3.1); 5.6570 (0.4); 4.2011 (0.4); 3.9929 (0.3); 3.9603 (0.3); 3.9395 (0.4); 3.9304 (0.4); 3.9260 (0.4); 3.9127 (0.4); 3.9062 (0.4); 3.8959 (0.3); 3.8738 (0.3); 3.8021 (0.4); 3.7884 (0.5); 3.7560 (0.5); 3.7429 (0.5); 3.6915 (1.8); 3.6821 (1.7); 3.6633 (3.0); 3.6539 (2.6); 3.6398 (2.0); 3.6119 (4.2); 3.6024 (4.5); 3.5890 (2.7); 3.5725 (3.2); 3.5602 (3.6); 3.5468 (2.4); 3.5311 (1.7); 3.5190 (1.1); 3.4776 (0.4); 2.4048 (24.4); 2.0027 (1.6); 1.9922 (3.5); 1.9856 (4.3); 1.9759 (6.5); 1.9659 (4.6); 1.9594 (3.9); 1.9490 (2.1); 1.8916 (0.4); 1.2596 (0.8); 1.2491 (0.6); 1.2351 (0.4); 1.1371 (1.2); 1.0852 (0.4); 1.0778 (0.4); 0.9353 (4.6); 0.9264 (12.6); 0.9227 (13.5); 0.9099 (13.3); 0.9061 (13.0); 0.8980 (5.6); 0.8682 (0.7); 0.7559 (0.4); 0.7407 (0.4); 0.7019 (0.6); 0.6716 (5.7); 0.6603 (16.0); 0.6531 (15.6); 0.6504 (15.3); 0.6411 (5.3); -0.0002 (0.9); -0.0339 (0.4); -0.0836 (0.4) I-783: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4531 (2.0); 7.4251 (2.6); 7.4093 (2.5); 7.2986 (2.5); 7.2307 (1.6); 7.2242 (1.5); 7.2029 (1.3); 7.1963 (1.2); 7.0901 (3.0); 7.0742 (2.2); 7.0708 (2.2); 7.0655 (2.8); 7.0475 (0.4); 6.9136 (0.8); 6.8305 (0.7); 6.8182 (0.7); 6.8095 (1.1); 6.7986 (1.1); 6.7868 (0.7); 6.7768 (0.6); 6.0668 (0.5); 6.0569 (0.5); 6.0437 (0.6); 6.0338 (0.5); 5.9118 (0.5); 5.9018 (0.5); 5.8887 (0.6); 5.8786 (0.5); 4.1695 (0.3); 4.1593 (0.4); 4.1483 (0.4); 4.1231 (16.0); 4.0802 (0.4); 4.0701 (0.4); 4.0590 (0.4); 4.0490 (0.3); 3.9182 (0.5); 3.8959 (0.4); 3.8666 (0.6); 3.8461 (0.6); 3.8227 (0.4); 3.8176 (0.3); 3.7938 (0.4); 2.1184 (0.5); 2.1074 (0.6); 2.0903 (1.1); 2.0731 (0.7); 2.0621 (0.6); 2.0447 (0.3); 1.2912 (0.4); 1.0589 (0.7); 1.0433 (2.0); 1.0367 (2.2); 1.0219 (1.3); 1.0149 (2.1); 1.0086 (2.0); 0.9939 (0.9); 0.8990 (0.3); 0.8779 (0.4); 0.7973 (0.9); 0.7820 (2.4); 0.7770 (2.3); 0.7654 (2.2); 0.7599 (2.5); 0.7435 (0.7); 0.0358 (1.7) I-784: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3722 (0.8); 7.3651 (1.1); 7.3601 (1.9); 7.3507 (0.9); 7.3462 (1.1); 7.3401 (1.5); 7.3334 (2.2); 7.3278 (1.1); 7.3180 (0.9); 7.2989 (1.2); 7.2187 (0.4); 7.2121 (0.5); 7.1912 (1.6); 7.1846 (1.1); 7.1727 (1.9); 7.1685 (2.8); 7.1638 (1.4); 7.1455 (1.3); 7.1414 (1.4); 7.1179 (0.4); 7.1141 (0.5); 7.0708 (1.9); 6.9777 (1.0); 6.9512 (0.9); 6.8647 (0.5); 6.8439 (1.0); 6.8233 (0.5); 5.3307 (0.4); 4.2481 (0.8); 4.2270 (0.8); 4.1999 (1.7); 4.1788 (1.6); 4.1516 (0.9); 4.1306 (0.8); 3.1936 (0.6); 2.5119 (5.6); 2.3565 (0.5); 2.3323 (16.0); 2.3206 (8.1); 1.7043 (1.2); 1.3062 (0.3); 0.9208 (0.4); 0.0397 (1.2) I-785: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5516 (0.6); 7.5360 (2.3); 7.5217 (6.8); 7.5190 (3.6); 7.5101 (0.6); 7.5076 (0.7); 7.5030 (0.4); 7.4542 (0.4); 7.4469 (13.1); 7.4428 (3.7); 7.4246 (1.4); 7.4199 (2.3); 7.4156 (1.2); 7.4117 (0.9); 7.4100 (0.9); 7.4063 (1.5); 7.4018 (0.9); 7.3703 (3.4); 7.3544 (3.7); 7.2589 (18.4); 7.0649 (3.4); 6.9872 (1.6); 6.9713 (1.4); 4.7408 (2.8); 4.7385 (3.6); 4.7366 (3.6); 4.7344 (3.0); 4.6531 (0.9); 4.6254 (1.7); 4.5927 (4.6); 4.5885 (4.3); 2.5176 (0.4); 2.4899 (9.5); 2.4487 (0.4); 2.3274 (14.5); 2.3101 (0.6); 1.9308 (0.8); 1.9138 (0.6); 1.9127 (0.6); 1.8575 (16.0); 1.5410 (16.7); 1.2549 (0.4); 0.0700 (2.3); 0.0063 (0.7); -0.0002 (21.5); -0.0068 (0.9) I-786: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3819 (0.8); 7.3750 (1.2); 7.3698 (2.0); 7.3603 (1.0); 7.3558 (1.2); 7.3508 (1.4); 7.3494 (1.4); 7.3426 (2.2); 7.3369 (1.1); 7.3277 (1.0); 7.2987 (2.8); 7.2335 (0.4); 7.2269 (0.6); 7.2059 (1.6); 7.1994 (1.1); 7.1872 (1.8); 7.1817 (2.6); 7.1584 (1.3); 7.1542 (1.4); 7.1308 (0.4); 7.1267 (0.5); 6.9527 (2.0); 6.8656 (1.1); 6.8385 (1.0); 6.5955 (0.5); 6.5751 (0.9); 6.5545 (0.5); 5.3349 (0.6); 4.2666 (0.8); 4.2456 (0.8); 4.2185 (1.8); 4.1975 (1.7); 4.1703 (0.9); 4.1493 (0.8); 3.2140 (0.9); 2.5211 (5.8); 2.5146 (3.4); 2.4170 (0.4); 2.3614 (16.0); 2.0739 (0.3); 1.8925 (0.5); 1.8812 (0.6); 1.8647 (1.0); 1.8480 (0.6); 1.8368 (0.6); 1.6368 (1.9); 1.3035 (0.4); 1.2923 (0.4); 1.0492 (0.8); 1.0340 (1.9); 1.0271 (2.1); 1.0215 (1.1); 1.0122 (1.2); 1.0056 (2.0); 0.9991 (1.8); 0.9844 (0.9); 0.7344 (1.0); 0.7192 (2.3); 0.7132 (2.1); 0.7027 (1.9); 0.6969 (2.4); 0.6807 (0.7); 0.0383 (3.5) I-787: .sup.1H-NMR(300.2 MHz, CDCl₃): δ

= 7.2989 (1.0); 7.1167 (0.4); 7.0891 (1.8); 7.0807 (1.3); 7.0684 (3.5); 7.0598 (2.7); 7.0524 (1.5); 7.0341 (2.2); 7.0255 (0.4); 6.9805 (0.3); 6.9662 (1.8); 6.8670 (1.1); 6.8400 (1.4); 6.8277 (0.7); 6.8187 (1.0); 6.8096 (0.9); 6.7930 (0.6); 6.7860 (0.5); 6.5084 (0.4); 6.4891 (0.8); 6.4697 (0.4); 3.7706 (0.8); 3.7475 (2.2); 3.7271 (2.2); 3.7043 (0.9); 2.9552 (1.5); 2.9321 (2.9); 2.9089 (1.3); 2.4054 (16.0); 2.3229 (10.7); 2.2715 (9.7); 2.2374 (0.5); 2.1851 (0.4); 2.1100 (0.5); 2.0989 (0.5); 2.0816 (0.9); 2.0704 (0.3); 2.0643 (0.5); 2.0535 (0.5); 1.7234 (0.8); 1.0634 (0.7); 1.0481 (1.7); 1.0413 (1.8); 1.0353 (1.0); 1.0266 (1.0); 1.0195 (1.8); 1.0129 (1.6); 0.9984 (0.8); 0.8060 (0.9); 0.7911 (2.0); 0.7849 (2.0); 0.7740 (1.8); 0.7684 (2.1); 0.7520 (0.6); 0.0454 (1.1) I-788: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5123 (1.0); 7.4832 (2.6); 7.4555 (2.3); 7.3851 (0.6); 7.3775 (0.8); 7.3631 (0.9); 7.3602 (1.0); 7.3521 (1.2); 7.3443 (0.7); 7.3308 (0.9); 7.2986 (4.3); 7.2119 (0.5); 7.1921 (1.6); 7.1783 (4.2); 7.1649 (1.4); 7.1580 (1.9); 7.1284 (0.4); 7.0142 (1.2); 6.9874 (1.1); 6.8087 (0.5); 6.7878 (1.0); 6.7668 (0.5); 5.3307 (2.0); 4.4551 (0.9); 4.4338 (0.8); 4.4076 (1.9); 4.3863 (1.8); 4.3602 (1.0); 4.3388 (0.9); 3.4191 (1.3); 3.3692 (2.6); 3.3192 (1.3); 2.3894 (4.8); 2.3647 (16.0); 2.3339 (8.7); 0.0349 (1.9) I-789: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4246 (1.8); 7.3965 (2.3); 7.3904 (0.9); 7.3817 (0.8); 7.3682 (1.0); 7.3661 (1.0); 7.3573 (1.0); 7.3523 (1.2); 7.3357 (0.9); 7.3004 (1.2); 7.2986 (2.2); 7.2640 (1.9); 7.2119 (0.4); 7.1929 (1.7); 7.1843 (3.0); 7.1822 (3.1); 7.1656 (2.2); 7.1633 (2.3); 7.1455 (1.2); 7.1176 (0.9); 6.7570 (0.5); 6.7361 (1.0); 6.7155 (0.5); 5.3340 (0.6); 4.2637 (0.9); 4.2425 (0.8); 4.2157 (1.8); 4.1944 (1.8); 4.1676 (0.9); 4.1464 (0.9); 3.2087 (0.4); 2.5513 (6.1); 2.3529 (16.0); 1.6470 (1.2); 1.3029 (0.9); 1.2946 (0.9); 0.9180 (1.0); 0.8949 (0.4); 0.0382 (1.3); 0.0364 (2.7) I-790: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3972 (1.1); 7.3884 (2.0); 7.3704 (2.8); 7.3619 (2.3); 7.3436 (2.0); 7.2992 (8.6); 7.2916 (1.5); 7.2877 (1.6); 7.2852 (1.7); 7.2817 (1.6); 7.2584 (1.0); 7.2550 (0.9); 7.2235 (1.5); 7.2165 (2.5); 7.2099 (1.4); 7.1314 (1.2); 7.1282 (1.4); 7.1241 (1.3); 7.1209 (1.2); 7.0970 (3.2); 7.0172 (1.2); 6.9914 (1.0); 6.4983 (0.5); 6.4776 (0.9); 6.4584 (0.5); 4.2780 (1.0); 4.2570 (0.9); 4.2294 (2.0); 4.2085 (2.0); 4.1809 (1.0); 4.1598 (1.0); 2.5290 (6.4); 2.3727 (16.0); 2.3468 (8.8); 2.3211 (0.5); 1.5923 (5.2); 1.3029 (0.7); 0.9205 (0.6); 0.1085 (0.3); 0.0494 (0.4); 0.0386 (10.9) I-791: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2936 (9.3); 7.9845 (1.2); 7.5459 (1.0); 7.5372 (1.2); 7.5232 (1.9); 7.5139 (1.5); 7.5089 (1.8); 7.4919 (1.2); 7.4689 (3.3); 7.4402 (4.8); 7.4316 (4.0); 7.4275 (3.1); 7.2995 (10.9); 7.2821 (2.5); 7.2718 (4.6); 7.2540 (7.0); 7.2288 (2.2); 7.2228 (2.1); 6.9442 (1.7); 6.9068 (1.8); 6.8851 (1.9); 6.8477 (2.0); 6.1449 (0.8); 6.1341 (0.9); 6.1227 (0.9); 6.1120 (0.9); 5.9902 (0.8); 5.9798 (0.9); 5.9682 (1.0); 5.9512 (3.9); 5.8921 (3.3); 5.5295 (3.6); 5.4921 (3.4); 5.3383 (16.0); 4.3361 (0.4); 4.3254 (0.5); 4.3145 (0.5); 4.3036 (0.5); 4.2873 (0.6); 4.2765 (0.6); 4.2656 (0.6); 4.2519 (0.7); 4.2400 (0.5); 4.2290 (0.5); 4.2180 (0.5); 4.2020 (0.6); 4.1913 (0.6); 4.1801 (0.6); 4.1694 (0.6); 3.9620 (0.6); 3.9402 (0.7); 3.9218 (0.6); 3.9132 (0.5); 3.8873 (0.8); 3.8689 (0.8); 3.8466 (0.6); 3.8381 (0.5); 3.8161 (0.6); 3.7976 (0.4); 1.5932 (6.1); 1.2929 (0.4); 0.1086 (0.5); 0.0490 (0.5); 0.0383 (13.2); 0.0276 (0.6) I-792: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.1395 (0.6); 9.1197 (1.4); 9.1003 (0.6); 8.0795 (6.6); 7.9586 (1.4); 7.9328 (1.7); 7.8139 (1.7); 7.8073 (2.4); 7.8014 (1.7); 7.7579 (2.7); 7.7006 (1.3); 7.6740 (2.6); 7.6480 (1.6); 7.5650 (1.4); 7.5599 (1.3); 7.5575 (1.3); 7.5382 (0.9); 7.5330 (1.0); 7.5197 (0.4); 7.4912 (6.4); 6.0885 (0.4); 6.0710 (0.9); 6.0549 (0.5); 5.9345 (0.4); 5.9175 (1.0); 5.9013 (0.5); 5.7776 (1.7); 3.9326 (0.8); 3.9141 (1.2); 3.8957 (0.7); 3.8553 (0.8); 3.8370 (1.3); 3.8191 (0.7); 3.3423 (16.0); 2.6313 (15.8); 2.5340 (1.8); 2.5283 (3.9); 2.5224 (5.4); 2.5165 (4.0); 0.0200 (3.3) I-793: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0907 (0.5); 8.3097 (0.4); 7.7748 (2.3); 7.7262 (0.6); 7.7066 (0.5); 7.6815 (0.6); 7.6195 (0.8); 7.5626 (0.4); 7.3180 (0.7); 7.2980 (0.8); 7.0696 (0.7); 6.9361 (0.4); 6.9151 (0.4); 4.2476 (0.4); 4.1239 (0.4); 4.1133 (0.3); 4.1102 (0.4); 4.1031 (0.4); 4.0923 (0.6); 4.0771 (0.6); 4.0554 (0.4); 4.0401 (0.4); 3.3282 (88.3); 3.2411 (0.4); 2.6719 (0.4); 2.5423 (4.5); 2.5254 (1.0); 2.5207 (1.6); 2.5121 (22.8); 2.5076 (46.7); 2.5030 (61.5); 2.4984 (44.6); 2.4938 (21.7); 2.4197 (2.1); 2.3298 (0.4); 2.2199 (2.9); 2.0723 (1.4); 1.3907 (16.0); 1.3729 (1.0); -0.0002 (2.9) I-794: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 10.8023 (0.3); 9.3200 (1.2); 9.3041 (2.2); 9.2891 (1.1); 9.0821 (9.2); 8.9856 (0.5); 8.3101 (10.8); 7.7368 (1.1);

7.7175 (2.9); 7.6976 (2.5); 7.6694 (3.1); 7.6486 (1.7); 7.6115 (0.6); 7.5719 (3.8); 7.5453 (2.3); 7.5263 (1.9); 7.3291 (3.6); 7.3089 (4.1); 7.2811 (0.5); 7.2742 (0.5); 7.2603 (0.5); 7.2518 (0.4); 7.1391 (0.5); 7.0996 (4.4); 6.9733 (2.1); 6.9527 (2.0); 5.8056 (0.5); 5.7869 (1.0); 5.7673 (0.5); 4.6146 (1.0); 4.5961 (1.6); 4.5773 (0.9); 4.4239 (0.4); 4.4150 (0.4); 4.2064 (0.4); 4.1799 (1.1); 4.1642 (1.3); 4.1420 (2.4); 4.1271 (2.5); 4.1064 (1.6); 4.0897 (1.5); 4.0572 (0.5); 4.0398 (1.2); 4.0272 (1.2); 4.0192 (2.1); 4.0064 (2.1); 3.9982 (1.4); 3.9861 (1.3); 3.8817 (0.8); 3.8551 (2.2); 3.8336 (3.3); 3.8151 (2.8); 3.7954 (0.9); 3.7813 (1.8); 3.7624 (3.4); 3.7416 (3.2); 3.7224 (1.8); 3.6998 (3.2); 3.6848 (3.2); 3.6785 (2.8); 3.6630 (2.7); 3.6465 (1.2); 3.6301 (1.1); 3.4562 (1.7); 3.3298 (3319.8); 3.2420 (0.6); 3.1478 (0.5); 3.1306 (1.1); 3.1093 (1.3); 3.0915 (1.0); 3.0750 (0.4); 2.7123 (0.7); 2.6808 (4.0); 2.6762 (8.4); 2.6717 (11.9); 2.6672 (8.8); 2.6628 (4.4); 2.6514 (0.6); 2.5420 (117.9); 2.5252 (36.7); 2.5205 (54.3); 2.5117 (693.4); 2.5073 (1414.5); 2.5028 (1866.6); 2.4982 (1375.8); 2.4938 (692.3); 2.4395 (11.8); 2.3674 (2.0); 2.3341 (8.2); 2.3296 (11.6); 2.3251 (8.8); 2.2890 (3.2); 2.2484 (16.0); 2.2204 (1.9); 2.2092 (1.6); 2.1994 (1.8); 2.1883 (1.1); 2.1795 (0.8); 2.1721 (1.9); 2.0724 (2.5); 2.0489 (0.6); 2.0313 (1.2); 2.0116 (1.3); 2.0001 (1.2); 1.9826 (1.0); 1.9626 (0.6); 1.9141 (0.4); 1.9019 (0.4); 1.5812 (0.4); 1.4675 (0.5); 1.4513 (0.5); 1.4421 (0.5); 1.4331 (0.4); 1.4199 (0.5); 1.4040 (0.5); 1.3821 (0.8); 1.3679 (0.6); 1.3425 (1.1); 1.2355 (0.7); 1.2008 (0.4); 1.1812 (0.6); 1.0572 (0.4); 0.0079 (1.4); -0.0002 (54.2); -0.0084 (2.1) I-795: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3286 (0.3); 9.1070 (1.2); 9.0915 (2.5); 9.0755 (1.2); 8.3106 (1.2); 7.8534 (12.3); 7.7438 (1.1); 7.7242 (3.3); 7.7045 (2.9); 7.6787 (3.3); 7.6584 (1.7); 7.6232 (4.0); 7.5911 (0.6); 7.5608 (2.3); 7.5421 (1.8); 7.3302 (0.6); 7.3151 (3.9); 7.2952 (4.2); 7.0977 (0.6); 7.0701 (4.1); 6.9187 (2.2); 6.8987 (2.0); 4.4380 (1.3); 4.1283 (1.3); 4.1124 (1.3); 4.0911 (2.8); 4.0752 (2.7); 4.0537 (1.4); 4.0379 (1.3); 3.5104 (0.4); 3.5017 (0.6); 3.4941 (0.6); 3.4887 (0.7); 3.4833 (0.4); 3.4472 (0.4); 3.4410 (0.7); 3.4360 (0.6); 3.4281 (0.7); 3.4197 (0.5); 3.3984 (0.4); 3.3895 (0.4); 3.3324 (402.1); 3.2823 (0.4); 3.2558 (1.8); 3.2513 (0.8); 3.2409 (0.8); 3.2371 (0.6); 3.2286 (0.7); 3.2186 (5.4); 3.2115 (0.8); 3.2025 (0.5); 3.1916 (3.2); 3.1726 (4.2); 3.1671 (2.8); 3.1523 (3.8); 2.8386 (0.6); 2.8240 (0.4); 2.8106 (2.0); 2.7960 (1.4); 2.7901 (2.0); 2.7867 (1.8); 2.7825 (2.2); 2.7710 (1.8); 2.7679 (1.8); 2.7620 (2.0); 2.7585 (1.6); 2.7547 (1.0); 2.7428 (1.7); 2.7337 (0.7); 2.7143 (0.6); 2.6808 (0.4); 2.6766 (0.9); 2.6720 (1.3); 2.6675 (1.0); 2.6630 (0.5); 2.5423 (8.9); 2.5255 (4.1); 2.5208 (6.1); 2.5121 (73.4); 2.5077 (149.9); 2.5031 (198.0); 2.4985 (144.0); 2.4939 (70.5); 2.4183 (11.6); 2.3391 (0.4); 2.3345 (0.9); 2.3299 (1.2); 2.3253 (0.9); 2.3208 (0.4); 2.2466 (2.2); 2.2195 (16.0); 2.0726 (1.2); -0.0002 (7.8) I-796: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0927 (0.5); 9.0771 (0.9); 9.0615 (0.4); 8.3098 (0.4); 7.7392 (0.5); 7.7196 (1.2); 7.6995 (1.2); 7.6940 (4.8); 7.6724 (1.2); 7.6532 (0.7); 7.6290 (1.5); 7.5626 (0.9); 7.5424 (0.7); 7.3104 (1.5); 7.2904 (1.7); 7.0687 (1.6); 6.9202 (0.8); 6.9008 (0.8); 4.1252 (0.5); 4.1091 (0.5); 4.0879 (1.1); 4.0722 (1.0); 4.0507 (0.5); 4.0353 (0.5); 3.7168 (1.6); 3.7009 (3.4); 3.6852 (1.6); 3.3315 (81.4); 3.2673 (0.7); 3.2637 (0.8); 3.2509 (0.6); 3.2426 (1.3); 3.2370 (16.0); 3.2106 (0.5); 3.1425 (1.4); 3.1268 (2.9); 3.1109 (1.3); 2.6722 (0.4); 2.5425 (12.1); 2.5256 (1.1); 2.5208 (1.6); 2.5121 (21.2); 2.5077 (42.8); 2.5032 (56.2); 2.4986 (41.2); 2.4941 (20.4); 2.4181 (4.5); 2.3298 (0.4); 2.2461 (0.5); 2.2221 (6.3); -0.0002 (2.7) I-797: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 20.0078 (1.5); 9.0381 (2.2); 8.3104 (13.2); 7.7133 (2.7); 7.6941 (2.8); 7.6715 (3.1); 7.6338 (11.5); 7.6244 (4.0); 7.5575 (2.2); 7.5379 (1.8); 7.3466 (1.1); 7.3277 (4.9); 7.3114 (16.0); 7.2665 (4.6); 7.2463 (5.6); 7.0427 (4.0); 6.8704 (2.2); 6.8507 (2.0); 5.7858 (1.0); 4.5958 (1.7); 4.2538 (11.6); 4.0551 (2.7); 4.0400 (2.7); 3.3280 (3955.0); 3.2555 (3.8); 2.6761 (11.4); 2.6715 (15.6); 2.6670 (11.6); 2.5419 (48.2); 2.5250 (48.3); 2.5202 (72.0); 2.5116 (896.2); 2.5071 (1806.4); 2.5026 (2365.1); 2.4980 (1722.7); 2.4935 (848.8); 2.3883 (10.7); 2.3339 (10.6); 2.3294 (14.6); 2.3248 (10.9); 2.2868 (1.5); 2.2096 (14.8); 2.1642 (1.5); 2.0725 (2.6); 1.3424 (1.9); 1.2348 (2.5); 0.1392 (3.0); 0.0080 (4.1); -0.0002 (107.1); -0.0085 (3.1); -0.0242 (1.0) I-798: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.0736 (1.1); 9.0580 (2.3); 9.0424 (1.1); 8.3108 (1.4); 7.7336 (1.0); 7.7140 (3.0); 7.6943 (2.6); 7.6667 (4.8); 7.6483 (1.6); 7.6101 (3.9); 7.5941 (10.3); 7.5501 (2.2); 7.5304 (1.7); 7.3083 (3.4); 7.2884 (3.7); 7.0685 (4.1); 6.9200 (2.2);

6.9002 (2.0); 5.7876 (0.5); 5.0531 (0.4); 5.0103 (0.4); 5.0030 (0.4); 4.9774 (0.3); 4.6152 (0.3); 4.5965 (0.6); 4.1203 (1.1); 4.1048 (1.2); 4.0834 (2.6); 4.0676 (2.5); 4.0463 (1.3); 4.0307 (1.2); 3.3304 (409.6); 3.2690 (0.4); 3.2128 (0.6); 3.2087 (0.3); 2.9930 (5.6); 2.9740 (6.3); 2.9120 (0.5); 2.8928 (0.7); 2.8737 (0.5); 2.7052 (0.6); 2.6857 (1.5); 2.6763 (1.3); 2.6717 (1.9); 2.6669 (3.1); 2.6472 (1.5); 2.6277 (0.6); 2.5421 (3.5); 2.5253 (4.6); 2.5205 (6.9); 2.5118 (94.2); 2.5074 (193.2); 2.5029 (256.5); 2.4983 (188.9); 2.4938 (94.8); 2.4153 (11.2); 2.3388 (0.6); 2.3342 (1.2); 2.3296 (1.7); 2.3252 (1.2); 2.3210 (0.6); 2.2477 (0.5); 2.2204 (16.0); 2.0831 (0.5); 2.0725 (0.5); 2.0650 (0.6); 2.0252 (0.6); 2.0070 (1.3); 1.9982 (1.4); 1.9912 (1.9); 1.9864 (1.8); 1.9786 (1.4); 1.9713 (1.7); 1.9560 (0.7); 1.9509 (0.7); 1.8721 (0.6); 1.8674 (0.5); 1.8475 (1.7); 1.8340 (2.6); 1.8272 (2.0); 1.8135 (2.3); 1.7985 (1.4); 1.7880 (0.6); 1.7696 (1.4); 1.7507 (1.9); 1.7465 (2.0); 1.7219 (2.2); 1.7017 (1.5); 0.0080 (0.4); -0.0002 (12.3); -0.0084 (0.5) I-799: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8991 (1.3); 7.8895 (1.3); 7.6259 (0.4); 7.5999 (1.8); 7.5804 (4.5); 7.5778 (4.7); 7.4799 (2.4); 7.4578 (0.4); 7.4408 (1.0); 7.4312 (1.5); 7.4240 (1.2); 7.4081 (2.9); 7.3811 (2.4); 7.2996 (6.6); 7.0921 (2.6); 7.0128 (1.4); 6.9864 (1.3); 6.5109 (0.6); 6.4898 (1.3); 6.4698 (0.7); 4.3155 (1.0); 4.2946 (1.0); 4.2670 (2.1); 4.2462 (2.1); 4.2186 (1.1); 4.1977 (1.1); 2.9496 (0.5); 2.9371 (0.8); 2.9256 (1.2); 2.9131 (1.2); 2.9012 (0.8); 2.8892 (0.6); 2.6912 (16.0); 2.6624 (0.4); 2.5379 (7.5); 2.3590 (0.5); 2.3225 (9.9); 2.2380 (0.4); 1.6269 (5.2); 1.2918 (3.2); 0.9169 (1.1); 0.8934 (3.2); 0.8747 (2.9); 0.8702 (2.7); 0.8516 (1.1); 0.6436 (0.9); 0.6266 (2.4); 0.6199 (2.5); 0.6139 (2.4); 0.6098 (2.3); 0.5902 (0.7); 0.1079 (5.5); 0.0371 (7.0) I-800: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 9.2572 (1.0); 7.7910 (0.6); 7.7636 (0.8); 7.7475 (0.6); 7.7194 (0.7); 7.5093 (11.1); 7.4942 (8.8); 7.4570 (7.6); 7.4467 (8.3); 7.4104 (3.3); 7.2992 (18.0); 7.2760 (3.7); 7.2701 (3.4); 7.2214 (0.7); 7.2026 (0.7); 7.1508 (0.4); 6.8284 (0.5); 6.8180 (0.5); 6.7987 (0.5); 6.2333 (1.3); 6.2146 (1.3); 6.0757 (1.3); 6.0576 (1.4); 4.6385 (0.6); 4.6253 (0.7); 4.5883 (0.8); 4.5782 (0.8); 4.5370 (0.7); 4.5250 (0.7); 4.4883 (0.8); 4.4776 (0.8); 4.1507 (0.8); 4.1285 (1.0); 4.1105 (1.2); 4.0969 (1.2); 4.0678 (1.0); 4.0402 (0.7); 4.0224 (0.5); 3.9117 (0.4); 3.8980 (0.4); 3.8541 (3.9); 2.7236 (0.4); 2.7155 (0.4); 2.6539 (1.4); 2.6287 (1.1); 2.5313 (13.0); 2.4708 (1.3); 2.4313 (1.4); 2.3998 (1.0); 2.3885 (1.2); 2.3543 (1.2); 2.3127 (0.7); 2.2875 (0.7); 2.2782 (0.7); 2.1860 (16.0); 1.9718 (0.3); 1.9167 (0.4); 1.8941 (0.3); 1.4604 (0.5); 1.4034 (1.0); 1.3735 (1.0); 1.2919 (11.9); 1.1952 (0.8); 1.1724 (0.8); 1.1482 (0.7); 1.0577 (0.3); 0.9176 (1.2); 0.8923 (1.2); 0.8670 (1.1); 0.1079 (12.6); 0.0374 (14.6) I-801: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8534 (0.4); 7.6108 (0.7); 7.5899 (2.0); 7.4909 (1.0); 7.4542 (0.4); 7.4457 (0.7); 7.4386 (0.4); 7.4233 (0.5); 7.4106 (1.0); 7.3838 (1.0); 7.2996 (7.8); 7.0935 (1.1); 7.0159 (0.6); 6.9885 (0.5); 6.3494 (0.5); 4.3246 (0.4); 4.3035 (0.4); 4.2763 (0.9); 4.2554 (0.9); 4.2278 (0.5); 4.2071 (0.5); 3.4515 (0.6); 3.4286 (1.2); 3.4063 (1.2); 3.3846 (0.6); 2.6986 (7.3); 2.5411 (3.2); 2.3238 (4.2); 1.6777 (0.6); 1.6534 (1.2); 1.6295 (1.3); 1.6035 (16.0); 1.2921 (0.4); 1.0201 (1.9); 0.9956 (3.8); 0.9708 (1.7); 0.1075 (0.9); 0.0377 (8.2) I-802: .sup.1H-NMR(600.1 MHz, CDCl₃): δ = 8.1678 (9.0); 7.9688 (0.8); 7.9597 (1.5); 7.9504 (0.8); 7.6407 (0.7); 7.6276 (2.6); 7.6158 (7.4); 7.6057 (0.6); 7.6042 (0.6); 7.4790 (3.6); 7.4453 (0.4); 7.4349 (1.3); 7.4312 (2.4); 7.4277 (1.4); 7.4243 (1.0); 7.4199 (1.8); 7.4163 (1.1); 7.3280 (3.5); 7.3147 (3.8); 7.2615 (13.8); 7.0328 (4.0); 6.9377 (2.1); 6.9244 (2.0); 4.4510 (0.8); 4.2461 (1.5); 4.2362 (1.5); 4.2221 (3.4); 4.2122 (3.3); 4.1980 (1.7); 4.1882 (1.6); 4.0989 (2.8); 3.4455 (1.6); 3.2241 (4.1); 3.2147 (6.9); 3.2053 (3.9); 3.1927 (0.3); 2.7323 (0.9); 2.5000 (0.9); 2.4746 (11.2); 2.3007 (1.0); 2.2938 (0.5); 2.2764 (16.0); 2.2652 (0.6); 1.6111 (2.0); 1.4271 (0.4); 1.3337 (1.3); 1.2847 (1.8); 1.2561 (1.8); 0.8813 (0.5); 0.8694 (0.3); -0.0001 (2.6) I-803: .sup.1H-NMR(600.1 MHz, CDCl₃): δ = 8.1675 (9.3); 7.9564 (0.8); 7.9471 (1.5); 7.9377 (0.8); 7.6199 (0.6); 7.6068 (2.5); 7.5956 (7.0); 7.5861 (0.5); 7.5845 (0.6); 7.4671 (3.3); 7.4244 (1.2); 7.4204 (2.2); 7.4167 (1.4); 7.4143 (0.9); 7.4127 (0.9); 7.4094 (1.6); 7.4057 (0.9); 7.3269 (3.3); 7.3136 (3.5); 7.2615 (14.5); 7.0303 (3.7); 6.9339 (2.0); 6.9206 (1.8); 4.2430 (1.4); 4.2332 (1.3); 4.2190 (3.1); 4.2092 (3.0); 4.1950 (1.5); 4.1852 (1.4); 4.1328 (2.3); 4.1209 (7.0); 4.1090 (7.0); 4.0971 (2.3); 3.3003 (3.4); 3.2883 (7.6); 3.2763 (3.9); 2.9154 (4.0); 2.9034 (8.0); 2.8914 (3.6); 2.4737 (10.2); 2.2748 (14.9); 1.5808 (9.6); 1.3337 (1.2); 1.2849 (1.6); 1.2554 (2.1);

1.2395 (8.1); 1.2276 (16.0); 1.2157 (7.8); 0.8806 (0.5); 0.8688 (0.3); 0.8444 (0.4); 0.8408 (0.4);
-0.0001 (2.8) I-804: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3197 (0.5); 9.3045 (1.0);
9.2892 (0.5); 7.9531 (0.5); 7.6815 (0.6); 7.6621 (1.3); 7.6424 (1.0); 7.6108 (1.2); 7.5912 (0.6);
7.4651 (1.6); 7.4501 (1.0); 7.4304 (0.7); 7.2847 (1.4); 7.2780 (0.4); 7.2647 (1.6); 7.0583 (1.9);
6.8780 (0.9); 6.8566 (1.2); 6.8407 (1.1); 6.8254 (0.5); 4.1040 (0.4); 4.0888 (0.4); 4.0658 (0.9);
4.0504 (0.8); 4.0273 (0.5); 4.0115 (0.5); 3.4301 (0.6); 3.4141 (1.4); 3.3963 (1.4); 3.3802 (0.6);
3.3299 (34.9); 2.8905 (4.0); 2.7318 (3.3); 2.7312 (3.3); 2.7165 (1.4); 2.6985 (2.1); 2.6817 (1.2);
2.5627 (2.5); 2.5249 (0.5); 2.5201 (0.7); 2.5113 (10.1); 2.5069 (20.7); 2.5023 (27.3); 2.4978 (19.7);
2.4933 (9.6); 2.3918 (4.6); 2.2145 (6.2); 2.2039 (1.3); 2.0612 (16.0); 1.2392 (1.0); -0.0002 (2.6) I-
805: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3451 (0.5); 9.3292 (1.1); 9.3233 (1.2);
9.3076 (2.2); 9.2921 (1.0); 7.9530 (2.1); 7.6846 (1.2); 7.6648 (3.3); 7.6452 (2.7); 7.6137 (3.4);
7.5939 (1.7); 7.4785 (3.5); 7.4587 (2.4); 7.4390 (1.9); 7.2910 (3.1); 7.2710 (3.5); 7.0659 (4.4);
6.9066 (0.8); 6.8915 (2.0); 6.8729 (1.6); 6.7698 (0.4); 6.7555 (0.9); 6.7404 (0.4); 6.4927 (0.9);
6.4788 (2.0); 6.4646 (1.0); 5.0690 (0.4); 5.0570 (1.6); 5.0449 (1.6); 5.0330 (0.4); 4.9771 (0.9);
4.9652 (3.6); 4.9532 (3.6); 4.9412 (1.0); 4.4027 (0.4); 4.3920 (0.5); 4.3839 (0.5); 4.3734 (0.4);
4.3490 (0.4); 4.3370 (0.9); 4.3241 (1.2); 4.3205 (1.2); 4.3069 (1.1); 4.2954 (0.4); 4.1009 (0.9);
4.0853 (1.0); 4.0715 (1.5); 4.0625 (2.0); 4.0551 (2.0); 4.0501 (2.4); 4.0339 (1.3); 4.0242 (1.3);
4.0083 (1.0); 3.9879 (0.4); 3.8638 (1.5); 3.8460 (1.9); 3.8424 (2.7); 3.8248 (2.0); 3.7679 (2.1);
3.7568 (2.0); 3.7465 (1.5); 3.7354 (1.4); 3.4761 (0.8); 3.4607 (0.8); 3.4547 (0.8); 3.4392 (0.8);
3.4160 (0.6); 3.4008 (0.9); 3.3907 (0.6); 3.3812 (1.7); 3.3688 (2.0); 3.3553 (2.0); 3.3391 (3.4);
3.3295 (99.4); 3.3056 (1.2); 3.2910 (0.6); 2.8903 (16.0); 2.7319 (13.0); 2.7308 (13.6); 2.6712 (0.4);
2.6666 (0.3); 2.5247 (1.1); 2.5200 (1.6); 2.5113 (26.1); 2.5068 (54.9); 2.5022 (73.7); 2.4976 (53.4);
2.4931 (25.7); 2.3927 (12.4); 2.3337 (0.4); 2.3290 (0.5); 2.3245 (0.4); 2.2753 (0.4); 2.2187 (13.6);
1.3231 (12.8); 1.3111 (12.8); 1.2615 (6.2); 1.2495 (6.5); 1.2391 (2.1); 0.8534 (0.6); -0.0002 (7.5)
I-806: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3303 (1.2); 9.3150 (2.6); 9.2995 (1.3);
9.2552 (0.5); 7.9531 (1.5); 7.7273 (0.6); 7.7072 (0.6); 7.6911 (0.7); 7.6769 (1.4); 7.6575 (3.5);
7.6376 (2.8); 7.6066 (3.5); 7.5864 (1.8); 7.5766 (0.8); 7.5475 (0.4); 7.5271 (0.4); 7.4895 (4.1);
7.4709 (0.4); 7.4583 (2.3); 7.4390 (1.9); 7.3291 (0.6); 7.3089 (0.8); 7.2955 (3.6); 7.2755 (4.0);
7.2607 (0.4); 7.0628 (4.6); 6.8940 (2.6); 6.8741 (2.5); 6.5059 (2.6); 6.4817 (2.7); 5.9975 (1.2);
5.9835 (1.2); 5.9716 (1.3); 5.9573 (1.6); 5.9546 (1.6); 5.9403 (1.4); 5.9284 (1.4); 5.9144 (1.4);
5.5468 (0.4); 5.5423 (0.4); 5.1278 (3.3); 5.0815 (4.0); 5.0794 (4.1); 5.0529 (3.2); 4.4688 (0.7);
4.4530 (1.0); 4.4443 (0.8); 4.4389 (0.9); 4.4295 (1.0); 4.4146 (0.6); 4.1085 (0.8); 4.0994 (0.8);
4.0929 (0.8); 4.0688 (1.1); 4.0524 (1.0); 4.0312 (1.0); 4.0152 (0.9); 3.9946 (1.0); 3.9801 (1.0);
3.9556 (0.7); 3.9402 (0.7); 3.3593 (0.4); 3.3333 (170.3); 2.8906 (11.4); 2.7315 (9.9); 2.6714 (0.4);
2.6673 (0.3); 2.5249 (1.2); 2.5115 (27.1); 2.5071 (55.6); 2.5026 (73.7); 2.4981 (53.4); 2.4937
(26.0); 2.4097 (2.3); 2.3938 (11.5); 2.3339 (0.3); 2.3294 (0.5); 2.3251 (0.4); 2.2195 (16.0); 2.2095
(4.6); 2.0101 (0.4); 1.9910 (0.3); 1.6639 (0.8); 1.6519 (0.7); 1.2971 (11.0); 1.2808 (10.9); 1.2389
(2.3); 0.8533 (0.7); 0.8350 (0.4); -0.0002 (6.7) I-807: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO):
 δ = 9.3075 (1.2); 9.2921 (2.7); 9.2766 (1.3); 7.6815 (1.2); 7.6618 (3.2); 7.6420 (2.6); 7.6106 (3.2);
7.5911 (1.6); 7.4796 (4.1); 7.4566 (2.4); 7.4368 (1.8); 7.2924 (3.7); 7.2723 (4.2); 7.0636 (4.3);
6.8940 (2.2); 6.8740 (2.0); 6.5587 (1.3); 6.5443 (2.7); 6.5300 (1.3); 4.1016 (1.0); 4.0863 (1.1);
4.0633 (2.3); 4.0478 (2.2); 4.0249 (1.2); 4.0098 (1.2); 3.5000 (2.8); 3.4860 (7.3); 3.4728 (4.6);
3.3821 (2.1); 3.3686 (5.0); 3.3547 (4.4); 3.3303 (80.8); 3.2705 (45.4); 2.8903 (0.8); 2.7308 (0.7);
2.6711 (0.4); 2.5248 (0.8); 2.5200 (1.3); 2.5113 (21.1); 2.5068 (43.7); 2.5023 (57.9); 2.4976 (41.6);
2.4931 (19.9); 2.3944 (11.3); 2.3291 (0.4); 2.2206 (16.0); 1.2581 (0.6); 1.2392 (2.1); 0.8530 (0.6);
-0.0002 (5.6) I-808: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2652 (0.4); 9.2498 (0.9);
9.2343 (0.4); 7.7487 (0.4); 7.7292 (1.1); 7.7097 (1.0); 7.6894 (1.2); 7.6696 (0.5); 7.5459 (1.5);
7.5352 (0.9); 7.5151 (0.6); 7.3142 (1.3); 7.2942 (1.4); 7.0642 (1.5); 6.8765 (0.8); 6.8565 (0.7);
4.1683 (0.4); 4.1531 (0.4); 4.1311 (0.8); 4.1156 (0.8); 4.0934 (0.4); 4.0781 (0.4); 3.5572 (1.6);
3.5422 (3.5); 3.5274 (1.9); 3.3344 (42.1); 3.2573 (1.8); 3.2426 (3.4); 3.2274 (2.0); 3.2225 (16.0);

2.8907 (0.7); 2.7312 (0.6); 2.5252 (0.4); 2.5204 (0.5); 2.5117 (7.3); 2.5073 (14.9); 2.5027 (19.6); 2.4981 (13.9); 2.4936 (6.6); 2.4088 (3.9); 2.2032 (5.6); 1.2392 (0.4); -0.0002 (2.2) I-809: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2826 (1.3); 9.2671 (2.8); 9.2515 (1.3); 7.9532 (1.1); 7.6754 (1.2); 7.6558 (3.3); 7.6360 (2.6); 7.6030 (3.2); 7.5834 (1.7); 7.4741 (4.2); 7.4506 (2.4); 7.4309 (1.8); 7.2960 (3.8); 7.2760 (4.2); 7.0611 (4.3); 6.9000 (2.2); 6.8800 (2.0); 6.7211 (1.3); 6.7061 (2.7); 6.6911 (1.3); 4.0967 (1.0); 4.0818 (1.0); 4.0585 (2.3); 4.0431 (2.2); 4.0198 (1.2); 4.0044 (1.1); 3.3358 (155.7); 3.3197 (2.0); 3.3034 (3.5); 3.2839 (3.4); 3.2683 (1.6); 2.8907 (8.6); 2.7322 (6.9); 2.7313 (6.9); 2.6718 (0.4); 2.5253 (1.1); 2.5205 (1.7); 2.5119 (22.8); 2.5074 (46.6); 2.5028 (61.2); 2.4982 (43.3); 2.4937 (20.2); 2.3936 (11.2); 2.3296 (0.4); 2.2209 (16.0); 1.4994 (1.6); 1.4818 (3.8); 1.4637 (3.8); 1.4463 (1.6); 1.2391 (1.0); 0.6591 (0.4); 0.6461 (0.8); 0.6398 (0.8); 0.6281 (1.4); 0.6205 (0.8); 0.6155 (0.8); 0.6085 (1.0); 0.5965 (0.5); 0.5910 (0.4); 0.4191 (1.6); 0.4090 (4.2); 0.4047 (4.5); 0.3992 (2.0); 0.3949 (2.2); 0.3888 (4.1); 0.3847 (3.8); 0.3750 (1.4); 0.0637 (1.5); 0.0535 (4.6); 0.0501 (5.0); 0.0414 (4.5); 0.0379 (4.6); 0.0274 (1.2); -0.0002 (3.4) I-810: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2694 (1.2); 9.2540 (2.7); 9.2385 (1.2); 9.0838 (0.6); 7.9529 (1.7); 7.7466 (1.0); 7.7271 (3.1); 7.7076 (3.1); 7.6916 (3.5); 7.6724 (1.5); 7.6536 (0.7); 7.6328 (0.6); 7.5994 (0.8); 7.5761 (4.2); 7.5474 (2.3); 7.5279 (1.8); 7.4040 (1.2); 7.3985 (1.1); 7.3925 (0.9); 7.3290 (3.7); 7.3091 (4.1); 7.2563 (0.9); 7.2364 (1.0); 7.1197 (1.3); 7.0678 (4.2); 7.0130 (1.0); 6.8918 (2.2); 6.8724 (2.0); 6.7571 (0.6); 6.7367 (0.5); 4.1519 (1.1); 4.1368 (1.1); 4.1149 (2.4); 4.0994 (2.4); 4.0775 (1.4); 4.0618 (1.4); 3.3303 (117.9); 2.8906 (13.6); 2.7311 (11.2); 2.6762 (0.3); 2.6714 (0.5); 2.6669 (0.4); 2.5249 (1.3); 2.5201 (1.9); 2.5115 (28.3); 2.5070 (58.8); 2.5024 (78.4); 2.4978 (56.5); 2.4933 (27.2); 2.4101 (11.1); 2.3754 (2.8); 2.3338 (0.4); 2.3292 (0.5); 2.3246 (0.4); 2.2082 (16.0); 2.1726 (4.1); 2.0101 (0.4); 1.9905 (0.4); 1.3758 (5.5); 1.2394 (2.3); 0.9374 (0.4); 0.9213 (1.3); 0.9092 (0.4); 0.8534 (0.8); 0.8354 (0.3); 0.6241 (0.4); 0.6117 (1.4); 0.6074 (1.4); 0.5947 (0.4); -0.0002 (6.9) I-811: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.3275 (1.2); 9.3121 (2.7); 9.2966 (1.3); 7.7662 (1.0); 7.7467 (3.2); 7.7272 (3.1); 7.7117 (3.6); 7.6920 (1.4); 7.5901 (4.1); 7.5686 (2.4); 7.5488 (1.8); 7.3232 (3.8); 7.3032 (4.2); 7.0711 (4.2); 6.8887 (2.2); 6.8693 (2.0); 4.1845 (1.1); 4.1688 (1.1); 4.1472 (2.4); 4.1316 (2.4); 4.1144 (2.0); 4.0898 (4.9); 4.0644 (4.8); 4.0390 (1.7); 3.3297 (88.3); 2.8906 (1.6); 2.7311 (1.4); 2.6714 (0.4); 2.5249 (0.9); 2.5202 (1.4); 2.5115 (23.2); 2.5070 (47.7); 2.5024 (63.0); 2.4978 (44.8); 2.4932 (21.1); 2.4151 (11.2); 2.3292 (0.4); 2.2064 (16.0); 1.2582 (0.5); 1.2393 (1.8); 0.8534 (0.6); -0.0002 (6.2) I-812: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1373 (0.8); 9.1206 (1.4); 9.1023 (1.3); 9.0859 (0.5); 7.9530 (2.0); 7.6878 (0.5); 7.6791 (0.6); 7.6683 (1.5); 7.6606 (1.5); 7.6488 (1.2); 7.6394 (1.2); 7.6067 (2.1); 7.5869 (1.1); 7.4617 (1.8); 7.4574 (2.0); 7.4270 (5.1); 7.4094 (1.2); 7.2677 (3.1); 7.2477 (3.4); 7.0891 (1.8); 7.0833 (1.9); 7.0294 (3.4); 6.8122 (1.0); 6.7959 (1.8); 6.7784 (1.2); 6.6366 (1.2); 6.6289 (1.2); 4.2005 (0.3); 4.1796 (0.4); 4.1630 (0.3); 4.0972 (0.3); 4.0643 (0.6); 4.0278 (0.4); 4.0112 (0.4); 3.9396 (0.4); 3.9276 (0.4); 3.9025 (0.4); 3.8902 (0.4); 3.3564 (0.4); 3.3337 (127.1); 2.8905 (16.0); 2.7322 (13.0); 2.7310 (13.6); 2.7177 (0.8); 2.7102 (0.7); 2.7005 (0.4); 2.6716 (0.4); 2.5250 (1.0); 2.5203 (1.6); 2.5116 (23.7); 2.5072 (49.0); 2.5026 (64.8); 2.4980 (46.3); 2.4934 (21.9); 2.4636 (0.4); 2.4552 (0.8); 2.4471 (1.1); 2.4388 (1.1); 2.4308 (0.9); 2.4224 (0.4); 2.3795 (9.2); 2.3340 (0.3); 2.3294 (0.4); 2.1931 (8.0); 2.1868 (10.4); 1.2928 (0.3); 1.2766 (0.6); 1.2688 (0.8); 1.2574 (1.0); 1.2495 (0.8); 1.2400 (1.3); 1.0330 (0.4); 1.0221 (0.5); 1.0167 (0.5); 1.0108 (0.5); 1.0056 (0.4); 1.0002 (0.5); 0.9134 (0.5); 0.9015 (0.6); 0.8929 (1.1); 0.8807 (1.2); 0.8687 (0.9); 0.8597 (1.1); 0.8523 (0.6); 0.8476 (0.8); 0.8366 (0.5); 0.8265 (0.4); 0.6977 (0.4); 0.6827 (0.6); 0.6790 (0.6); 0.6637 (0.6); 0.6564 (0.5); 0.6419 (0.3); 0.6086 (0.6); 0.5990 (0.7); 0.5949 (0.8); 0.5851 (1.2); 0.5754 (0.7); 0.5713 (0.7); 0.5618 (0.6); 0.5012 (0.4); 0.4852 (0.7); 0.4757 (0.7); 0.4603 (0.4); 0.4498 (0.9); 0.4331 (1.6); 0.4268 (1.2); 0.4174 (1.7); 0.4025 (1.7); 0.3940 (0.9); 0.3905 (0.8); 0.3824 (1.2); 0.3738 (0.5); 0.3698 (0.6); 0.3619 (0.5); 0.3213 (0.5); 0.3127 (0.6); 0.3094 (0.6); 0.3006 (1.2); 0.2890 (0.9); 0.2796 (0.9); 0.2698 (0.7); 0.2659 (0.8); 0.2558 (0.5); 0.2457 (0.7); 0.2230 (0.3); 0.1302 (0.5); 0.1180 (1.8); 0.1071 (2.3); 0.1013 (1.5); 0.0983 (1.6); 0.0944 (1.5); 0.0856 (1.3);

0.0813 (0.8); 0.0737 (1.2); 0.0621 (1.2); 0.0527 (1.2); 0.0398 (0.8); 0.0297 (0.5); -0.0002 (6.0) I-813: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1451 (1.1); 9.1295 (2.4); 9.1141 (1.2); 7.9524 (0.5); 7.8986 (15.0); 7.3328 (3.8); 7.3128 (4.4); 7.0904 (7.6); 7.0844 (4.7); 6.9946 (2.2); 6.9748 (2.0); 6.9253 (2.1); 6.9189 (1.9); 6.9039 (3.0); 6.8975 (2.9); 6.8186 (6.8); 6.7972 (4.6); 4.5992 (3.6); 4.5775 (7.7); 4.5557 (3.9); 4.1104 (1.2); 4.0946 (1.2); 4.0731 (2.8); 4.0573 (2.7); 4.0356 (1.4); 4.0200 (1.3); 3.3286 (51.8); 3.2374 (2.5); 3.2158 (5.0); 3.1941 (2.4); 2.8896 (4.1); 2.7313 (3.3); 2.7303 (3.4); 2.6706 (0.4); 2.5241 (1.0); 2.5194 (1.4); 2.5107 (21.6); 2.5062 (44.8); 2.5016 (58.9); 2.4970 (41.6); 2.4924 (19.5); 2.4188 (11.1); 2.3285 (0.4); 2.2637 (0.7); 2.2504 (16.0); 2.1999 (0.3); 1.2391 (1.3); 0.8533 (0.4); -0.0002 (5.0) I-814: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1928 (1.1); 9.1772 (2.4); 9.1616 (1.2); 7.9417 (15.7); 7.4715 (2.5); 7.4519 (5.2); 7.4323 (3.4); 7.3201 (3.9); 7.3002 (4.4); 7.2487 (2.8); 7.2296 (2.4); 7.1809 (2.5); 7.1762 (4.0); 7.1724 (3.1); 7.1486 (2.4); 7.1446 (1.7); 7.1303 (2.0); 7.1286 (2.0); 7.1244 (1.6); 7.0817 (4.0); 6.9576 (2.1); 6.9376 (2.0); 4.4604 (15.8); 4.1138 (1.2); 4.0982 (1.2); 4.0769 (2.8); 4.0611 (2.7); 4.0397 (1.4); 4.0239 (1.3); 3.3287 (49.6); 3.3221 (51.8); 2.8896 (1.6); 2.7315 (1.2); 2.7302 (1.3); 2.6706 (0.4); 2.5242 (1.0); 2.5195 (1.4); 2.5108 (21.6); 2.5063 (44.9); 2.5017 (59.2); 2.4970 (41.6); 2.4924 (19.4); 2.4149 (11.1); 2.3284 (0.4); 2.2588 (0.5); 2.2328 (16.0); 2.1876 (0.3); 1.2387 (0.5); -0.0002 (6.2) I-815: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2948 (1.1); 9.2791 (2.4); 9.2636 (1.2); 8.0705 (12.9); 7.9535 (1.6); 7.9497 (1.6); 7.9393 (1.4); 7.9344 (2.3); 7.9300 (1.7); 7.9196 (1.5); 7.9158 (1.5); 7.8298 (1.3); 7.8259 (1.3); 7.8095 (2.6); 7.8061 (2.4); 7.7897 (1.6); 7.7859 (1.4); 7.5670 (2.0); 7.5473 (3.5); 7.5266 (1.6); 7.3243 (3.8); 7.3043 (4.2); 7.0701 (4.1); 6.9341 (2.2); 6.9142 (2.0); 4.1354 (1.2); 4.1199 (1.2); 4.0986 (2.7); 4.0829 (2.6); 4.0615 (1.4); 4.0459 (1.3); 3.3295 (50.8); 2.8909 (3.1); 2.7312 (2.6); 2.6717 (0.4); 2.5253 (1.1); 2.5206 (1.6); 2.5118 (23.8); 2.5074 (49.0); 2.5028 (64.4); 2.4982 (45.7); 2.4937 (21.6); 2.4446 (0.4); 2.4206 (11.1); 2.3296 (0.4); 2.3056 (0.4); 2.2030 (16.0); 1.2386 (0.5); -0.0002 (6.0) I-816: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2515 (1.1); 9.2362 (2.4); 9.2204 (1.1); 7.9787 (13.5); 7.9533 (0.6); 7.3265 (3.8); 7.3065 (4.2); 7.2731 (0.7); 7.2608 (1.6); 7.2500 (1.8); 7.2385 (1.4); 7.2333 (1.3); 7.2133 (1.1); 7.2024 (0.5); 7.1934 (8.0); 7.1810 (4.3); 7.1586 (0.5); 7.0735 (4.2); 6.9484 (2.2); 6.9282 (2.0); 4.1195 (1.2); 4.1039 (1.2); 4.0826 (2.7); 4.0669 (2.6); 4.0455 (1.4); 4.0298 (1.3); 3.3289 (54.6); 2.8903 (4.9); 2.7315 (4.2); 2.6710 (0.4); 2.5245 (1.3); 2.5197 (2.0); 2.5111 (26.1); 2.5067 (52.2); 2.5021 (67.2); 2.4975 (47.1); 2.4930 (22.0); 2.4199 (11.2); 2.3334 (0.4); 2.3287 (0.6); 2.3244 (0.4); 2.2973 (13.2); 2.2933 (13.1); 2.2659 (0.4); 2.2083 (16.0); 2.1847 (0.4); 1.2392 (1.2); 0.8535 (0.4); -0.0002 (5.4) I-817: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1767 (0.8); 9.1610 (1.7); 9.1454 (0.8); 7.9321 (10.4); 7.3710 (1.5); 7.3516 (3.3); 7.3323 (2.0); 7.3239 (2.9); 7.3039 (3.2); 7.1239 (2.0); 7.1050 (1.9); 7.1035 (1.9); 7.0847 (3.1); 7.0209 (3.5); 7.0187 (4.2); 7.0173 (4.4); 6.9968 (1.5); 6.9913 (1.1); 6.9648 (1.6); 6.9452 (1.4); 4.1096 (0.9); 4.0939 (0.9); 4.0724 (2.0); 4.0567 (1.9); 4.0350 (1.0); 4.0193 (0.9); 3.3302 (41.6); 2.5243 (0.8); 2.5196 (1.2); 2.5109 (15.7); 2.5064 (32.4); 2.5018 (42.4); 2.4972 (29.7); 2.4926 (13.8); 2.4155 (8.2); 2.3460 (16.0); 2.3286 (0.4); 2.2906 (0.7); 2.2590 (0.4); 2.2378 (11.8); 1.2388 (0.4); -0.0002 (3.9) I-818: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2533 (1.0); 9.2378 (2.2); 9.2221 (1.0); 7.9996 (16.0); 7.9530 (0.4); 7.3503 (0.4); 7.3448 (0.6); 7.3301 (2.2); 7.3241 (4.5); 7.3205 (6.2); 7.3104 (2.6); 7.3061 (5.8); 7.2982 (4.0); 7.2860 (1.5); 7.2026 (1.5); 7.1970 (1.5); 7.1842 (2.3); 7.1784 (1.2); 7.1742 (1.3); 7.1705 (1.1); 7.1602 (1.0); 7.0677 (3.7); 6.9327 (1.9); 6.9129 (1.7); 4.1220 (1.0); 4.1063 (1.0); 4.0853 (2.4); 4.0695 (2.3); 4.0483 (1.2); 4.0327 (1.1); 3.3279 (49.1); 2.8902 (3.2); 2.7308 (2.6); 2.6711 (0.4); 2.5450 (34.1); 2.5328 (0.5); 2.5247 (1.2); 2.5200 (1.7); 2.5112 (24.2); 2.5067 (50.0); 2.5021 (65.6); 2.4975 (46.0); 2.4929 (21.4); 2.4179 (9.8); 2.3289 (0.4); 2.3243 (0.4); 2.2911 (0.9); 2.2634 (0.4); 2.2036 (14.2); 2.1810 (0.4); 1.2392 (0.9); -0.0002 (5.2) I-819: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.1928 (1.2); 9.1773 (2.6); 9.1616 (1.4); 8.0040 (15.8); 7.9701 (0.4); 7.6858 (0.6); 7.6779 (5.7); 7.6756 (7.1); 7.6700 (3.1); 7.6666 (3.8); 7.6617 (5.2); 7.6469 (4.5); 7.6447 (4.4); 7.5353 (0.4); 7.5284 (0.5); 7.5239 (2.2); 7.5177 (2.3); 7.5163 (2.4); 7.5089 (2.9); 7.5040 (1.7); 7.5008 (1.8); 7.4949 (1.7);

7.4898 (0.5); 7.4844 (0.5); 7.3143 (3.7); 7.2943 (4.2); 7.0734 (4.1); 7.0422 (0.3); 6.9158 (2.2); 6.8955 (2.1); 4.1288 (1.2); 4.1133 (1.2); 4.0919 (2.8); 4.0761 (2.8); 4.0548 (1.6); 4.0391 (1.5); 3.3275 (51.3); 3.2943 (1.7); 2.8904 (1.2); 2.7308 (1.0); 2.6711 (0.4); 2.6666 (0.3); 2.5246 (1.4); 2.5199 (2.0); 2.5113 (24.4); 2.5067 (51.6); 2.5022 (69.5); 2.4976 (51.2); 2.4931 (26.2); 2.4725 (4.4); 2.4684 (4.7); 2.4130 (11.4); 2.3791 (1.0); 2.3336 (0.4); 2.3289 (0.5); 2.3244 (0.4); 2.2541 (0.4); 2.2173 (16.0); 2.1840 (1.0); 2.1719 (0.6); 1.2397 (0.7); -0.0002 (6.1) I-820: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 9.2935 (1.1); 9.2777 (2.4); 9.2621 (1.2); 8.0518 (15.6); 7.6121 (0.9); 7.5928 (1.8); 7.5813 (0.8); 7.5780 (1.0); 7.5747 (1.0); 7.5111 (0.7); 7.5062 (1.0); 7.4901 (2.8); 7.4852 (1.9); 7.4759 (3.1); 7.4708 (5.4); 7.4534 (2.2); 7.4500 (2.9); 7.4323 (0.7); 7.4291 (0.9); 7.3218 (3.9); 7.3018 (4.3); 7.0656 (4.1); 6.9185 (2.2); 6.8985 (2.0); 4.1328 (1.2); 4.1171 (1.2); 4.0960 (2.7); 4.0802 (2.6); 4.0591 (1.3); 4.0434 (1.3); 3.3287 (61.2); 3.3153 (0.5); 2.8907 (0.6); 2.7325 (0.6); 2.7312 (0.6); 2.6764 (0.4); 2.6718 (0.5); 2.6673 (0.4); 2.5254 (1.3); 2.5207 (1.8); 2.5120 (28.7); 2.5075 (60.2); 2.5029 (79.2); 2.4982 (55.7); 2.4936 (26.2); 2.4447 (0.3); 2.4203 (11.1); 2.3342 (0.4); 2.3297 (0.5); 2.3250 (0.4); 2.3053 (0.4); 2.2913 (1.0); 2.2622 (0.4); 2.1833 (16.0); 2.1662 (0.5); 1.2393 (0.6); -0.0002 (8.6) I-821: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2640 (1.3); 9.2483 (2.7); 9.2330 (1.3); 7.9610 (0.8); 7.7298 (1.1); 7.7102 (3.0); 7.6907 (2.5); 7.6633 (3.4); 7.6438 (1.6); 7.5064 (5.2); 7.4831 (2.0); 7.3137 (3.5); 7.2938 (3.9); 7.0828 (4.4); 6.9059 (2.3); 6.8861 (2.1); 4.1787 (1.1); 4.1631 (1.1); 4.1409 (2.4); 4.1255 (2.3); 4.1028 (1.3); 4.0875 (1.2); 3.7048 (5.7); 3.6946 (8.0); 3.6833 (6.2); 3.3106 (88.4); 3.2029 (6.0); 3.1925 (7.8); 3.1817 (5.6); 2.8991 (5.2); 2.7400 (4.6); 2.5134 (17.5); 2.5090 (23.8); 2.5047 (17.7); 2.4199 (11.5); 2.2252 (16.0) I-822: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5593 (2.7); 7.3842 (0.6); 7.3799 (0.6); 7.3744 (1.4); 7.3633 (2.7); 7.3592 (3.0); 7.3534 (5.8); 7.3338 (2.3); 7.2620 (13.9); 7.2424 (1.2); 7.2141 (1.6); 7.2089 (2.7); 7.2038 (1.5); 7.0938 (1.2); 7.0899 (1.2); 7.0733 (1.1); 7.0695 (1.0); 6.4896 (0.5); 6.4746 (1.0); 6.4600 (0.6); 6.0175 (0.5); 6.0099 (0.6); 6.0000 (0.6); 5.9926 (0.6); 5.9011 (0.5); 5.8936 (0.6); 5.8837 (0.6); 5.8762 (0.6); 4.1748 (0.4); 4.1672 (0.4); 4.1582 (0.4); 4.1505 (0.4); 4.1449 (0.3); 4.1282 (0.3); 4.1079 (0.4); 4.1002 (0.4); 4.0914 (0.4); 4.0835 (0.4); 3.9012 (0.3); 3.8862 (0.5); 3.8691 (0.4); 3.8646 (0.3); 3.8464 (0.6); 3.8314 (0.7); 3.8137 (0.4); 3.8089 (0.4); 3.7916 (0.4); 2.5912 (0.8); 2.3878 (16.0); 1.5618 (12.8); 0.0078 (0.5); -0.0002 (15.9); -0.0080 (1.0) I-823: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.1674 (0.8); 8.1538 (0.6); 8.1263 (5.4); 7.3095 (1.8); 7.2886 (2.2); 7.2613 (10.1); 7.1337 (0.4); 7.1193 (1.4); 7.1134 (2.6); 7.1104 (2.9); 7.0972 (3.3); 7.0765 (0.5); 6.9860 (3.3); 6.9712 (1.6); 6.8454 (0.7); 6.8394 (0.8); 6.8283 (1.2); 6.8170 (1.1); 6.8050 (0.6); 5.9525 (0.5); 5.9451 (0.6); 5.9322 (0.6); 5.9248 (0.6); 5.8336 (0.5); 5.8264 (0.6); 5.8134 (0.6); 5.8060 (0.6); 4.1666 (0.4); 4.1594 (0.4); 4.1496 (0.4); 4.1419 (0.4); 4.1105 (0.3); 4.0915 (0.4); 4.0837 (0.4); 4.0741 (0.4); 4.0666 (0.4); 3.7181 (0.3); 3.7064 (0.3); 3.6978 (0.3); 3.6855 (0.4); 3.6822 (0.4); 3.6721 (0.5); 3.6611 (0.7); 3.6511 (0.5); 3.6400 (0.4); 3.6367 (0.4); 3.6242 (0.3); 2.7170 (16.0); 2.7003 (0.6); 2.3769 (11.4); 2.2759 (10.0); 2.1247 (0.6); 2.1161 (0.7); 2.1034 (1.1); 2.0908 (0.7); 2.0824 (0.7); 2.0691 (0.3); 1.5709 (11.2); 1.0447 (0.6); 1.0331 (2.0); 1.0282 (2.1); 1.0172 (1.1); 1.0118 (2.2); 1.0070 (2.1); 0.9961 (1.0); 0.7945 (0.8); 0.7827 (2.4); 0.7790 (2.4); 0.7704 (2.2); 0.7661 (2.7); 0.7542 (0.8); 0.0078 (0.4); -0.0002 (12.6) I-824: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3031 (7.4); 7.7128 (1.0); 7.6163 (4.9); 7.6034 (3.7); 7.5823 (0.4); 7.3976 (2.7); 7.3439 (1.0); 7.3374 (1.2); 7.3298 (1.5); 7.3252 (1.3); 7.3152 (0.8); 7.2618 (12.2); 6.6697 (5.0); 3.7816 (1.5); 3.7654 (3.5); 3.7507 (3.6); 3.7345 (1.7); 2.8714 (2.5); 2.8549 (4.8); 2.8384 (2.5); 2.2429 (16.0); 2.0468 (15.9); 1.5656 (9.6); 0.0077 (0.5); -0.0002 (15.0) I-825: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2883 (15.7); 7.9302 (2.2); 7.9166 (1.4); 7.6655 (0.5); 7.6441 (5.8); 7.6312 (11.1); 7.5155 (5.3); 7.4623 (0.5); 7.4517 (2.0); 7.4421 (2.9); 7.4373 (3.0); 7.4295 (2.4); 7.4231 (1.8); 7.2619 (59.2); 6.9980 (0.3); 6.8755 (16.0); 4.3187 (2.8); 4.3033 (2.8); 4.2829 (5.9); 4.2675 (5.8); 4.2472 (3.1); 4.2318 (2.9); 3.4996 (0.4); 3.4873 (0.4); 1.5556 (79.0); 0.1459 (0.4); 0.0077 (2.7); -0.0002 (73.5); -0.0082 (4.4); -0.1496 (0.4) I-826: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3068 (8.2); 7.8236 (0.9); 7.6126 (5.1); 7.5998 (4.1); 7.5787 (0.5); 7.4070 (2.9); 7.3860 (1.2); 7.3795 (1.3); 7.3721

(1.6); 7.3673 (1.3); 7.3636 (1.1); 7.3572 (0.8); 7.2623 (14.8); 5.9076 (2.7); 5.9073 (3.0); 5.7056 (2.4); 5.7005 (2.4); 3.8262 (1.6); 3.8113 (3.8); 3.7957 (3.9); 3.7807 (1.9); 2.9354 (2.6); 2.9198 (4.4); 2.9042 (2.6); 2.1309 (0.5); 2.0537 (16.0); 1.5681 (9.6); 0.0077 (0.6); -0.0002 (18.3); -0.0082 (1.1) I-827: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1881 (0.4); 8.1776 (0.6); 8.1672 (0.4); 8.1009 (5.3); 7.4002 (1.8); 7.3845 (2.0); 7.2594 (5.4); 7.0849 (3.0); 7.0775 (1.6); 7.0755 (1.7); 7.0735 (1.8); 7.0702 (2.4); 7.0593 (0.4); 6.9616 (1.1); 6.9457 (1.0); 6.9309 (2.0); 6.8254 (0.6); 6.8176 (0.5); 6.8132 (0.9); 6.8063 (1.0); 6.7988 (0.5); 6.7932 (0.5); 5.2043 (0.7); 5.1971 (0.8); 5.1888 (0.8); 5.1816 (0.7); 3.9519 (0.6); 3.9446 (0.6); 3.9387 (0.6); 3.9313 (0.6); 3.9240 (0.7); 3.9167 (0.7); 3.9108 (0.7); 3.9034 (0.6); 3.5699 (0.6); 3.5601 (0.7); 3.5544 (0.7); 3.5444 (0.8); 3.5421 (0.7); 3.5322 (0.6); 3.5264 (0.6); 3.5165 (0.6); 2.6975 (16.0); 2.6821 (0.6); 2.5084 (0.4); 2.3593 (0.4); 2.3490 (11.1); 2.3137 (0.4); 2.2474 (10.1); 2.1044 (0.5); 2.0978 (0.5); 2.0942 (0.4); 2.0875 (1.0); 2.0808 (0.4); 2.0771 (0.6); 2.0705 (0.6); 1.6169 (0.3); 1.0312 (0.7); 1.0220 (1.8); 1.0182 (1.9); 1.0143 (1.0); 1.0093 (1.0); 1.0050 (1.9); 1.0012 (1.9); 0.9923 (0.9); 0.7807 (0.9); 0.7717 (2.1); 0.7681 (2.1); 0.7614 (2.0); 0.7579 (2.3); 0.7484 (0.9); -0.0002 (7.0) I-828: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.8551 (0.5); 8.8400 (0.8); 8.8259 (0.5); 8.0806 (5.5); 7.3261 (1.9); 7.3061 (2.0); 7.2613 (12.1); 7.0875 (3.5); 6.9838 (2.1); 6.8512 (1.1); 6.8316 (1.1); 4.2419 (0.8); 4.2261 (0.9); 4.2069 (1.8); 4.1913 (1.8); 4.1719 (1.0); 4.1564 (0.9); 3.8375 (0.5); 3.7345 (16.0); 3.7001 (0.5); 2.9325 (0.8); 2.9136 (2.6); 2.8948 (2.7); 2.8847 (0.5); 2.8772 (1.0); 2.4723 (6.2); 2.3212 (0.3); 2.3054 (0.3); 2.2758 (8.5); 2.2216 (0.3); 1.5651 (5.0); 1.3977 (4.0); 1.3789 (8.2); 1.3600 (4.0); -0.0002 (0.4) I-829: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2655 (9.4); 8.0167 (2.2); 7.8915 (0.9); 7.8780 (1.5); 7.8644 (1.0); 7.3673 (1.4); 7.3607 (3.8); 7.3518 (3.4); 7.3402 (5.2); 7.3359 (4.5); 7.3184 (2.3); 7.2698 (2.6); 7.2619 (21.3); 7.2508 (3.4); 7.2298 (1.3); 7.0457 (4.0); 6.9913 (2.2); 6.9708 (2.0); 4.2628 (1.6); 4.2478 (1.6); 4.2269 (3.4); 4.2118 (3.4); 4.1909 (1.8); 4.1758 (1.8); 2.9569 (16.0); 2.8836 (14.8); 2.4870 (11.3); 2.4398 (0.4); 2.3118 (0.4); 2.2850 (15.9); 2.1706 (0.4); 1.7542 (1.8); 1.7409 (5.4); 1.7346 (5.8); 1.7222 (2.6); 1.6839 (0.3); 1.5741 (14.2); 1.5280 (0.6); 1.4900 (2.4); 1.4775 (5.7); 1.4711 (6.0); 1.4578 (2.3); -0.0002 (0.7) I-830: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.3589 (1.3); 8.2560 (8.2); 8.0172 (2.2); 7.6923 (2.8); 7.6709 (3.0); 7.3363 (2.5); 7.3164 (2.8); 7.2672 (3.3); 7.2608 (16.4); 7.2550 (2.7); 7.2480 (2.9); 7.2411 (2.1); 7.0217 (3.0); 6.9485 (2.0); 6.9433 (2.0); 6.9272 (3.5); 6.9222 (2.6); 6.9081 (1.6); 6.5884 (2.2); 4.2465 (1.2); 4.2316 (1.2); 4.2103 (2.6); 4.1954 (2.5); 4.1741 (1.4); 4.1591 (1.3); 2.9554 (16.0); 2.8836 (14.5); 2.4698 (8.4); 2.2544 (11.7); 1.5822 (7.5); -0.0002 (0.5) I-831: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2563 (10.2); 8.0484 (1.4); 8.0348 (0.9); 8.0165 (0.7); 7.4838 (1.6); 7.4639 (3.4); 7.4440 (2.0); 7.3293 (3.5); 7.3094 (3.9); 7.2607 (20.5); 7.1594 (3.9); 7.1548 (3.5); 7.1457 (3.0); 7.1273 (4.2); 7.1247 (4.1); 7.1094 (2.2); 7.1038 (1.8); 7.0335 (4.0); 6.9485 (2.2); 6.9285 (2.0); 4.2441 (1.7); 4.2292 (1.7); 4.2081 (3.6); 4.1932 (3.6); 4.1721 (1.9); 4.1572 (1.8); 2.9564 (4.2); 2.8836 (3.8); 2.4715 (11.3); 2.4469 (0.7); 2.3288 (0.6); 2.2858 (16.0); 1.5927 (1.1); 1.5764 (4.2); 1.5723 (5.4); 1.5634 (12.1); 1.5479 (2.2); 1.5289 (3.4); 1.5253 (3.4); 1.5102 (1.3); 1.1504 (0.9); 1.1346 (3.1); 1.1307 (3.8); 1.1127 (3.8); 1.1090 (3.2); 1.0929 (0.9); -0.0002 (0.7) I-832: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.2585 (10.6); 8.0161 (0.7); 7.8401 (0.8); 7.8271 (1.4); 7.3403 (3.4); 7.3204 (3.9); 7.2944 (0.5); 7.2789 (1.0); 7.2610 (24.7); 7.2432 (6.3); 7.2371 (3.4); 7.2268 (4.2); 7.2239 (3.8); 7.2152 (1.8); 7.2057 (1.0); 7.1972 (0.7); 7.0341 (4.0); 6.9544 (2.2); 6.9344 (2.0); 6.7779 (2.3); 6.5962 (4.7); 6.4145 (2.4); 4.2539 (1.8); 4.2389 (1.7); 4.2181 (3.8); 4.2031 (3.7); 4.1823 (2.0); 4.1673 (1.9); 2.9566 (5.4); 2.8835 (4.9); 2.4744 (11.5); 2.2767 (16.0); 1.5626 (16.6); 1.2539 (0.3); -0.0002 (0.7) I-833: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0085 (0.9); 7.4881 (0.9); 7.4848 (0.9); 7.4691 (1.5); 7.4529 (0.9); 7.3408 (2.3); 7.3208 (2.5); 7.2593 (32.9); 7.2413 (0.9); 7.2208 (1.7); 7.2035 (1.1); 7.1080 (1.2); 7.0876 (1.8); 7.0669 (0.8); 6.9204 (2.8); 6.8330 (1.5); 6.8112 (1.4); 6.3560 (0.6); 6.3417 (1.1); 4.2371 (1.1); 4.2209 (1.0); 4.2009 (2.2); 4.1853 (2.2); 4.1648 (1.1); 4.1494 (1.1); 2.9531 (5.7); 2.8790 (5.4); 2.4921 (7.7); 2.3525 (16.0); 1.8509 (0.7); 1.8423 (0.7); 1.8302 (1.2); 1.8182 (0.8); 1.8094 (0.6); 1.5469 (40.4); 1.0032 (0.8); 0.9910 (2.3); 0.9863 (2.4); 0.9701 (2.3); 0.9655 (2.2);

0.9545 (0.9); 0.6931 (0.9); 0.6808 (3.0); 0.6647 (2.9); 0.6523 (0.8); -0.0002 (33.7) I-834: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5593 (4.2); 7.3855 (0.6); 7.3614 (7.7); 7.3339 (2.8); 7.3296 (2.7); 7.3120 (1.9); 7.2667 (16.6); 7.2621 (17.0); 7.2265 (2.9); 7.2119 (5.0); 7.2081 (6.5); 7.0936 (2.3); 7.0743 (2.0); 7.0707 (2.0); 6.3833 (1.6); 6.3695 (1.0); 6.0169 (0.9); 6.0021 (0.9); 5.9018 (0.9); 5.8853 (0.9); 4.2190 (0.4); 4.2046 (0.4); 4.1825 (0.6); 4.1771 (0.5); 4.1654 (0.6); 4.1600 (0.6); 4.1543 (0.5); 4.1463 (0.4); 4.1343 (0.4); 4.1173 (0.5); 4.1096 (0.5); 4.1053 (0.5); 4.0998 (0.5); 3.8847 (0.4); 3.8713 (0.7); 3.8523 (0.7); 3.8334 (0.9); 3.8157 (1.0); 3.7972 (0.8); 3.7788 (0.7); 3.7656 (0.4); 2.6140 (14.8); 2.6101 (15.7); 2.5963 (1.3); 2.2966 (15.2); 2.2926 (16.0); 1.5665 (14.6); 0.0044 (20.9); -0.0002 (21.7) I-835: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0124 (1.6); 7.3736 (2.3); 7.3538 (2.6); 7.2598 (12.9); 7.1811 (2.8); 7.0761 (0.5); 7.0617 (1.8); 7.0535 (3.1); 7.0407 (3.8); 7.0232 (1.8); 7.0052 (1.5); 6.7808 (0.8); 6.7748 (0.9); 6.7637 (1.3); 6.7526 (1.2); 6.7405 (0.6); 6.4478 (0.6); 6.4329 (1.0); 6.4191 (0.6); 6.0609 (0.6); 6.0531 (0.6); 6.0444 (0.6); 6.0358 (0.6); 5.9444 (0.6); 5.9365 (0.6); 5.9272 (0.6); 5.9192 (0.6); 4.2177 (0.3); 4.2009 (0.3); 4.1897 (0.4); 4.1814 (0.4); 4.1731 (0.4); 4.1640 (0.5); 4.1524 (0.3); 4.1448 (0.3); 4.1361 (0.3); 4.1246 (0.4); 4.1161 (0.4); 4.1080 (0.4); 4.0997 (0.4); 3.9257 (0.4); 3.9114 (0.5); 3.8945 (0.4); 3.8897 (0.4); 3.8720 (0.7); 3.8577 (0.8); 3.8404 (0.4); 3.8355 (0.4); 3.8209 (0.4); 2.9526 (11.6); 2.8800 (10.8); 2.6145 (0.5); 2.5943 (15.8); 2.3432 (0.4); 2.3113 (16.0); 2.2938 (12.0); 2.0839 (0.6); 2.0756 (0.7); 2.0627 (1.2); 2.0498 (0.7); 2.0417 (0.7); 2.0283 (0.4); 1.5632 (8.6); 1.0081 (0.8); 0.9964 (2.2); 0.9916 (2.4); 0.9804 (1.3); 0.9752 (2.3); 0.9705 (2.3); 0.9595 (0.9); 0.7643 (1.0); 0.7526 (2.8); 0.7492 (2.7); 0.7402 (2.5); 0.7363 (2.8); 0.7240 (0.8); -0.0002 (17.5) I-836: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0117 (1.5); 7.2923 (2.2); 7.2728 (2.7); 7.2592 (14.9); 7.0851 (0.7); 7.0694 (1.6); 7.0651 (1.5); 7.0541 (3.6); 7.0482 (2.1); 7.0359 (2.6); 7.0142 (2.2); 6.9916 (2.0); 6.9819 (2.8); 6.7741 (1.0); 6.7702 (1.0); 6.7565 (1.4); 6.7513 (1.5); 6.7412 (0.8); 6.7344 (0.7); 6.5362 (0.6); 6.5213 (0.9); 5.9287 (0.6); 5.9213 (0.6); 5.9083 (0.6); 5.9005 (0.5); 5.8096 (0.6); 5.8022 (0.6); 5.7892 (0.6); 5.7819 (0.6); 4.1760 (0.3); 4.1505 (0.3); 4.1396 (0.4); 4.1317 (0.4); 4.1220 (0.4); 4.1143 (0.4); 4.1012 (0.3); 4.0831 (0.3); 4.0755 (0.3); 4.0649 (0.4); 4.0571 (0.4); 4.0469 (0.4); 4.0389 (0.4); 3.7304 (0.6); 3.7180 (0.4); 3.7102 (0.4); 3.6970 (0.5); 3.6862 (0.5); 3.6817 (0.4); 3.6738 (0.7); 3.6658 (0.4); 3.6530 (0.5); 3.6374 (0.3); 3.1676 (1.0); 2.9521 (10.8); 2.9224 (0.4); 2.8797 (10.1); 2.6033 (16.0); 2.5772 (1.3); 2.3719 (12.4); 2.3479 (1.6); 2.3372 (15.7); 2.3192 (2.1); 2.3112 (1.2); 2.2914 (12.0); 2.2313 (1.1); 2.0908 (0.5); 2.0781 (0.8); 2.0692 (0.8); 2.0568 (1.3); 2.0440 (0.8); 2.0359 (0.7); 2.0229 (0.4); 1.5691 (3.2); 1.0008 (0.8); 0.9891 (2.6); 0.9843 (2.6); 0.9731 (1.6); 0.9679 (2.6); 0.9632 (2.4); 0.9523 (1.0); 0.7570 (1.0); 0.7455 (3.1); 0.7330 (2.8); 0.7290 (3.0); 0.7168 (0.9); -0.0002 (19.8) I-837: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0122 (1.7); 7.3616 (2.4); 7.3415 (2.6); 7.2597 (14.0); 7.0783 (0.5); 7.0634 (2.1); 7.0546 (6.2); 7.0412 (3.4); 7.0204 (0.6); 6.9169 (1.7); 6.9133 (1.6); 6.8969 (1.5); 6.8933 (1.4); 6.7815 (0.8); 6.7756 (0.9); 6.7644 (1.3); 6.7530 (1.1); 6.7411 (0.6); 6.4433 (0.6); 6.4293 (1.0); 6.4152 (0.6); 6.0450 (0.6); 6.0369 (0.7); 6.0275 (0.6); 6.0192 (0.6); 5.9286 (0.6); 5.9202 (0.7); 5.9113 (0.7); 5.9031 (0.6); 4.2141 (0.3); 4.2052 (0.3); 4.1972 (0.3); 4.1856 (0.4); 4.1774 (0.4); 4.1694 (0.4); 4.1602 (0.5); 4.1489 (0.3); 4.1207 (0.4); 4.1120 (0.4); 4.1040 (0.4); 4.0955 (0.4); 3.9077 (0.4); 3.8914 (0.5); 3.8765 (0.4); 3.8716 (0.4); 3.8539 (0.7); 3.8398 (0.8); 3.8222 (0.4); 3.8174 (0.4); 3.8029 (0.4); 2.9524 (12.5); 2.8799 (11.6); 2.6115 (0.5); 2.5946 (16.0); 2.5778 (0.5); 2.3044 (16.0); 2.0869 (0.6); 2.0785 (0.7); 2.0657 (1.2); 2.0528 (0.7); 2.0444 (0.7); 2.0311 (0.4); 1.8638 (0.3); 1.8515 (0.7); 1.8429 (0.8); 1.8307 (1.3); 1.8182 (0.8); 1.8098 (0.7); 1.7972 (0.3); 1.5620 (12.5); 1.0075 (1.6); 0.9955 (4.5); 0.9909 (4.8); 0.9793 (2.6); 0.9744 (4.6); 0.9699 (4.4); 0.9588 (1.8); 0.7641 (1.0); 0.7525 (2.8); 0.7490 (2.7); 0.7398 (2.5); 0.7359 (2.9); 0.7237 (0.9); 0.6825 (1.0); 0.6706 (3.0); 0.6668 (2.7); 0.6584 (2.4); 0.6543 (3.0); 0.6421 (0.8); -0.0002 (18.8) I-838: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0109 (1.7); 7.4649 (2.4); 7.4448 (2.6); 7.2598 (15.7); 7.0706 (0.6); 7.0503 (2.0); 7.0379 (1.6); 7.0321 (4.0); 7.0213 (1.4); 7.0172 (1.5); 7.0014 (0.5); 6.9965 (0.4); 6.9500 (1.6); 6.9299 (1.4); 6.7850 (0.8); 6.7777 (0.8); 6.7684 (1.4); 6.7630 (1.2); 6.7494 (0.8); 6.7450 (0.7); 6.3862 (0.6); 6.3718 (1.1); 6.3559 (0.6); 4.4429 (1.1); 4.4269

(1.1); 4.4076 (2.4); 4.3916 (2.3); 4.3723 (1.2); 4.3563 (1.1); 2.9523 (12.0); 2.8794 (11.2); 2.5810 (16.0); 2.3677 (0.4); 2.2935 (11.0); 2.2626 (15.8); 2.1139 (0.4); 2.0815 (0.6); 2.0733 (0.7); 2.0605 (1.2); 2.0480 (0.7); 2.0394 (0.7); 1.5612 (12.7); 1.0155 (0.8); 1.0039 (2.3); 0.9991 (2.4); 0.9878 (1.3); 0.9826 (2.3); 0.9779 (2.3); 0.9670 (0.9); 0.7686 (1.0); 0.7570 (2.8); 0.7443 (2.5); 0.7405 (2.8); 0.7283 (0.8); -0.0002 (17.6) I-839: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0110 (0.9); 7.2969 (1.9); 7.2722 (1.0); 7.2592 (9.7); 7.1365 (1.5); 7.1168 (1.2); 7.0568 (0.4); 7.0360 (1.9); 7.0217 (2.5); 7.0113 (1.1); 6.7714 (0.5); 6.7554 (0.8); 6.7485 (0.9); 6.7366 (0.6); 6.7311 (0.5); 6.3902 (0.4); 6.3761 (0.7); 6.3619 (0.4); 4.2089 (0.8); 4.1934 (0.8); 4.1734 (1.7); 4.1578 (1.6); 4.1379 (0.8); 4.1224 (0.8); 2.9517 (6.7); 2.8790 (6.2); 2.5841 (11.4); 2.2861 (0.4); 2.2607 (11.5); 2.2415 (16.0); 2.0717 (0.4); 2.0633 (0.5); 2.0505 (0.9); 2.0378 (0.5); 2.0296 (0.5); 1.5567 (12.1); 1.0050 (0.6); 0.9933 (1.6); 0.9885 (1.7); 0.9774 (0.9); 0.9721 (1.6); 0.9674 (1.6); 0.9565 (0.7); 0.7573 (0.7); 0.7455 (2.0); 0.7421 (1.9); 0.7333 (1.8); 0.7291 (2.0); 0.7170 (0.6); -0.0002 (12.7) I-840: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0078 (1.7); 7.4864 (2.7); 7.4653 (2.3); 7.4452 (2.5); 7.2594 (15.7); 7.0899 (0.6); 7.0700 (1.8); 7.0504 (2.2); 7.0400 (1.4); 7.0245 (1.4); 7.0117 (1.7); 6.9930 (1.4); 6.8182 (0.8); 6.8131 (0.8); 6.8004 (1.4); 6.7824 (0.7); 6.4075 (0.6); 6.3927 (1.0); 6.3791 (0.6); 4.4663 (1.0); 4.4502 (1.0); 4.4310 (2.2); 4.4150 (2.1); 4.3957 (1.1); 4.3798 (1.0); 2.9518 (12.0); 2.8777 (11.2); 2.3774 (16.0); 2.2968 (10.1); 2.1532 (0.4); 2.0879 (0.6); 2.0791 (0.7); 2.0665 (1.1); 2.0541 (0.7); 2.0457 (0.6); 1.5487 (19.7); 1.0334 (0.7); 1.0218 (2.1); 1.0171 (2.2); 1.0056 (1.2); 1.0005 (2.2); 0.9959 (2.1); 0.9847 (0.8); 0.7782 (0.9); 0.7664 (2.6); 0.7539 (2.3); 0.7500 (2.6); 0.7377 (0.7); -0.0002 (21.0) I-841: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0093 (1.4); 7.4993 (0.8); 7.4820 (1.4); 7.4653 (0.9); 7.4311 (0.7); 7.4123 (1.5); 7.3932 (1.0); 7.3687 (2.3); 7.3489 (2.6); 7.3015 (1.3); 7.2815 (2.0); 7.2599 (12.6); 7.1850 (2.9); 7.0387 (1.6); 7.0190 (1.5); 7.0084 (1.3); 6.8713 (2.5); 6.7343 (1.2); 6.3729 (0.6); 6.3586 (1.0); 6.3445 (0.6); 6.0628 (0.6); 6.0544 (0.6); 6.0453 (0.6); 6.0368 (0.6); 5.9460 (0.6); 5.9378 (0.6); 5.9289 (0.6); 5.9204 (0.6); 4.2366 (0.3); 4.2285 (0.3); 4.2200 (0.3); 4.2115 (0.3); 4.2002 (0.4); 4.1916 (0.4); 4.1833 (0.4); 4.1746 (0.5); 4.1624 (0.3); 4.1541 (0.3); 4.1456 (0.3); 4.1345 (0.4); 4.1265 (0.4); 4.1179 (0.4); 4.1096 (0.4); 3.9208 (0.4); 3.9067 (0.5); 3.8890 (0.4); 3.8844 (0.4); 3.8674 (0.7); 3.8531 (0.8); 3.8359 (0.4); 3.8313 (0.4); 3.8168 (0.4); 2.9517 (10.0); 2.8781 (9.4); 2.6248 (0.5); 2.6021 (15.9); 2.5778 (0.3); 2.3459 (0.4); 2.3189 (16.0); 2.2906 (12.0); 1.5595 (10.2); -0.0002 (16.0) I-842: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.0044 (1.7); 7.5028 (0.7); 7.4851 (1.3); 7.4686 (0.9); 7.3992 (3.2); 7.3815 (1.5); 7.3627 (1.0); 7.3412 (1.9); 7.3202 (3.1); 7.3066 (1.4); 7.2865 (1.9); 7.2598 (16.5); 7.2426 (1.0); 7.0059 (1.2); 6.8689 (2.5); 6.7319 (1.2); 6.3998 (0.6); 6.3846 (1.1); 6.3705 (0.6); 4.2520 (1.1); 4.2360 (1.1); 4.2158 (2.3); 4.1999 (2.2); 4.1799 (1.2); 4.1639 (1.1); 2.9509 (12.0); 2.8760 (11.1); 2.5972 (16.0); 2.5293 (7.6); 2.2469 (15.6); 1.5541 (20.1); -0.0002 (19.8) I-843: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9957 (1.4); 7.3385 (0.8); 7.3339 (0.8); 7.3153 (1.5); 7.3046 (0.9); 7.2905 (2.7); 7.2593 (12.1); 7.2432 (1.6); 7.1807 (0.5); 7.1760 (0.6); 7.1601 (1.7); 7.1554 (1.4); 7.1456 (4.1); 7.1427 (4.2); 7.1249 (2.7); 7.1016 (0.6); 6.3802 (0.6); 6.3657 (1.0); 6.3518 (0.6); 4.2067 (1.1); 4.1910 (1.1); 4.1712 (2.3); 4.1556 (2.2); 4.1357 (1.1); 4.1200 (1.1); 2.9492 (9.5); 2.8711 (8.9); 2.3722 (16.0); 2.2935 (0.4); 2.2798 (0.5); 2.2516 (13.2); 2.2432 (10.4); 1.5507 (14.3); -0.0002 (14.8) I-844: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.9991 (1.8); 7.4917 (2.8); 7.4696 (2.4); 7.4495 (2.6); 7.3539 (0.7); 7.3497 (0.8); 7.3308 (1.4); 7.3199 (0.9); 7.3138 (0.8); 7.2597 (13.0); 7.1989 (0.5); 7.1954 (0.6); 7.1788 (1.6); 7.1744 (1.2); 7.1643 (1.7); 7.1589 (3.3); 7.1387 (1.6); 7.1186 (0.5); 7.0400 (1.5); 7.0201 (1.4); 6.3918 (0.6); 6.3774 (1.0); 6.3637 (0.6); 4.4648 (1.1); 4.4488 (1.1); 4.4292 (2.2); 4.4132 (2.1); 4.3936 (1.1); 4.3776 (1.1); 2.9502 (12.7); 2.8727 (12.0); 2.3893 (16.0); 2.3727 (0.5); 2.3061 (10.5); 2.1948 (0.4); 1.5515 (18.3); -0.0002 (17.3)

(597) The compounds as shown in table 3, 5, 7 and 9 below were prepared in analogy with the examples provided above. .sup.1H-NMR data of these compounds is respectively shown in tables 4, 6, 8 and 10.

(598) TABLE-US-00011 TABLE 3 Compounds according to formula (1) (1)  Ex

N.sup.o R.sup.7 R.sup.8 Q U.sup.1 LogP 1-001 Cl cyclopropyl 3-(trifluoromethyl)phenyl methoxy 3.94.sup.[a] 1-002 Cl methyl 3-chlorophenyl hydroxy 1.39.sup.[a] 1-003 Cl H 3-(difluoromethyl)phenyl hydroxy 1.45.sup.[a] 1-004 methylsulfanyl H 3-(trifluoromethyl)phenyl hydroxy 2.25.sup.[a] 1-005 Cl methyl 3-cyclopropyl-2-fluorophenyl hydroxy 1.84.sup.[a] 1-006 methyl methyl 3-(difluoromethyl)-2-fluorophenyl methoxy 2.64.sup.[a] 1-007 cyano H 3-(trifluoromethyl)phenyl hydroxy 1.74.sup.[a] 1-008 Cl methyl 3-(trifluoromethyl)phenyl hydroxy 1.70.sup.[a] 1-009 methyl methyl 2-fluoro-3-(trifluoromethyl)phenyl hydroxy 1.40.sup.[a] 1-010 methyl H 3-(difluoromethyl)-2-fluorophenyl hydroxy 1.34.sup.[a] 1-011 Cl H 2,3-difluorophenyl isopropyl- 3.65.sup.[a] oxy 1-012 cyclopropyl H 3-(difluoromethyl)phenyl hydroxy 1.68.sup.[a] 1-013 methyl methyl 3-(difluoromethyl)-2-fluorophenyl hydroxy 0.96.sup.[a] 1-014 Cl cyclopropyl-3-(trifluoromethyl)phenyl hydroxy 2.20.sup.[a] amino 1-015 Cl H 3-cyclopropylphenyl hydroxy 1.87.sup.[a] 1-016 cyclopropyl H 3-(difluoromethyl)phenyl isopropyl- 3.63.sup.[a] oxy 1-017 Cl H 3-ethynylphenyl hydroxy 1.50.sup.[a] 1-018 methyl methyl 3-chlorophenyl hydroxy 0.80.sup.[a] 1-019 methyl H 5-(trifluoromethyl)pyridin-3-yl hydroxy 1.01.sup.[a] 1-020 3-chloro- H 3-(difluoromethyl)-2-fluorophenyl hydroxy 1.86.sup.[a] pyridin-4-yl 1-021 pyrrolidin-1-yl H 3-(trifluoromethyl)phenyl hydroxy 1.08.sup.[a] 1-022 cyano H 3-(trifluoromethyl)phenyl isopropyl- 3.85.sup.[a] oxy 1-023 Cl H 3-(difluoromethyl)-2-fluorophenyl isopropyl- 3.68.sup.[a] oxy 1-024 Cl H 2,3-difluorophenyl hydroxy 1.65.sup.[a] 1-025 Cl H 5-(trifluoromethyl)pyridin-3-yl hydroxy 1.31.sup.[a] 1-026 Cl 2-methoxy- 3-(trifluoromethyl)phenyl hydroxy 1.74.sup.[a] ethyl 1-027 Cl Cyclopropyl- 3-(trifluoromethyl)phenyl methoxy 3.35.sup.[a] amino 1-028 Cl H 3-cyclopropyl-2-fluorophenyl hydroxy 2.01.sup.[a] 1-029 1H-imidazol-1- H 3-(trifluoromethyl)phenyl hydroxy 1.14.sup.[a] yl 1-030 ethyl H 3-(trifluoromethyl)phenyl hydroxy 1.82.sup.[a] 1-031 Cl H 6-(trifluoromethyl)pyridin-2-yl hydroxy 0.69.sup.[b] 1-032 pyrrolidin-1-yl H 3-(trifluoromethyl)phenyl isopropyl- 3.62.sup.[a] oxy 1-033 Cl methyl 3-chlorophenyl methoxy 3.37.sup.[a] 1-034 acetyl H 3-(trifluoromethyl)phenyl hydroxy 2.01.sup.[a] 1-035 ethyl H 3-(trifluoromethyl)phenyl isopropyl- 3.96.sup.[a] oxy 1-036 methyl H 5-(trifluoromethyl)pyridin-3-yl ethoxy 2.37.sup.[a] 1-037 methyl methyl 3-cyclopropylphenyl hydroxy 1.10.sup.[a] 1-038 Cl ethoxy 3-(trifluoromethyl)phenyl hydroxy 1.96.sup.[a] 1-039 vinyl H 3-(trifluoromethyl)phenyl isopropyl- 4.01.sup.[a] oxy 1-040 methyl H 3-cyclopropylphenyl hydroxy 1.46.sup.[a] 1-041 methyl H 2-fluoro-3-(trifluoromethyl)phenyl methoxy 2.90.sup.[a] 1-042 methyl methyl 3-chlorophenyl methoxy 2.71.sup.[a] 1-043 cyclopropyl H 3-(trifluoromethyl)phenyl hydroxy 1.90.sup.[a] 1-044 Cl H 2-fluoro-3-(trifluoromethyl)phenyl hydroxy 1.98.sup.[a] 1-045 Cl H 3-ethynylphenyl isopropyl- 3.64.sup.[a] oxy 1-046 Cl methoxy 3-(trifluoromethyl)phenyl methoxy 3.52.sup.[a] 1-047 Cl H 2-fluoro-3-(trifluoromethyl)phenyl methoxy 3.35.sup.[a] 1-048 Cl H 3-bromophenyl hydroxy 1.66.sup.[a] 1-049 Cl Cl 3-(trifluoromethyl)phenyl methoxy 3.86.sup.[a] 1-050 1H-imidazol-1- H 3-(trifluoromethyl)phenyl isopropyl- 2.55.sup.[a] yl oxy 1-051 Cl H 5-cyclopropylpyridin-3-yl hydroxy 0.59.sup.[b] 1-052 Cl I 3-(trifluoromethyl)phenyl methoxy 3.25.sup.[a] 1-053 3-chloro- H 2,3-difluorophenyl hydroxy 1.22.sup.[a] pyridin-4-yl 1-054 ethyl methyl 3-(trifluoromethyl)phenyl hydroxy 1.54.sup.[a] 1-055 Cl Cl 3-(difluoromethyl)-2-fluorophenyl methoxy 3.51.sup.[a] 1-056 Cl Cl 3-cyclopropylphenyl ethoxy 4.41.sup.[a] 1-057 trifluoromethyl H 3-(trifluoromethyl)phenyl hydroxy 2.27.sup.[a] 1-058 Cl H 3-cyclopropyl-2-fluorophenyl isopropyl- 4.30.sup.[a] oxy 1-059 trifluoromethyl H 3-(trifluoromethyl)phenyl isopropyl- 4.34.sup.[a] oxy 1-060 Cl ethoxy 3-(trifluoromethyl)phenyl ethoxy 4.23.sup.[a] 1-061 Cl H 3-cyclopropylphenyl isopropyl- 4.15.sup.[a] oxy 1-062 Cl H 3-(difluoromethyl)-2-fluorophenyl hydroxy 1.63.sup.[a] 1-063 Cl H 5-bromopyridin-3-yl hydroxy 0.94.sup.[a]; 0.53.sup.[b] 1-064 Cl Cl 2-fluoro-3-(trifluoromethyl)phenyl methoxy 3.96.sup.[a] 1-065 Cl methyl 3-cyclopropyl-2-fluorophenyl isopropyl- 4.51.sup.[a] oxy 1-066 I H 3-(trifluoromethyl)phenyl isopropyl- 4.25.sup.[a] oxy 1-067 methyl H 2-fluoro-3-(trifluoromethyl)phenyl hydroxy 1.75.sup.[a] 1-068 cyclopropyl- H 3-(trifluoromethyl)phenyl isopropyl- 3.23.sup.[a] amino oxy 1-069 Cl vinyl 3-(trifluoromethyl)phenyl methoxy 3.94.sup.[a] 1-070 methyl methyl 3-

(trifluoromethyl)phenyl hydroxy 1.52.sup.[a] 1-071 Cl H 6-(trifluoromethyl)pyridin-2-yl methoxy 2.69.sup.[b] 1-072 1-ethoxyethen- H 3-(trifluoromethyl)phenyl isopropyl- 4.90.sup.[a] 1-yl oxy 1-073 Cl Cl 3-cyclopropyl-2-fluorophenyl isopropyl- 4.92.sup.[a] oxy 1-074 3-chloropyridin- H 2,3-difluorophenyl isopropyl- 3.65.sup.[a] 4-yl oxy 1-075 acetyl H 3-(trifluoromethyl)phenyl isopropyl- 4.01.sup.[a] oxy 1-076 Cl H 5-cyclopropylpyridin-3-yl ethoxy 2.60.sup.[b] 1-077 methyl methyl 3-cyclopropyl-2-fluorophenyl hydroxy 1.31.sup.[a] 1-078 Cl methyl 3-cyclopropylphenyl isopropyl- 4.41.sup.[a] oxy 1-079 Cl H 3-(trifluoromethyl)phenyl methoxy 3.27.sup.[a] 1-080 methyl methyl 3-cyclopropylphenyl isopropyl- 3.63.sup.[a] oxy 1-081 Cl methyl 3-cyclopropylphenyl hydroxy 1.70.sup.[a] 1-082 methyl methyl 3-(trifluoromethyl)phenyl methoxy 2.98.sup.[a] 1-083 methylsulfanyl H 3-(trifluoromethyl)phenyl ethoxy 3.96.sup.[a] 1-084 Cl 1H-pyrazol-1- 3-(trifluoromethyl)phenyl methoxy 3.53.sup.[a] yl 1-085 Cl phenyl 3-(trifluoromethyl)phenyl methoxy 4.25.sup.[a] 1-086 Cl H 5-bromopyridin-3-yl methoxy 2.33.sup.[a] 1-087 Cl methyl 3-(trifluoromethyl)phenyl methoxy 3.55.sup.[a] 1-088 Cl H 5-(trifluoromethyl)pyridin-3-yl ethoxy 3.00.sup.[a] 1-089 Cl H 2-fluoro-3-formylphenyl isopropyl- 3.19.sup.[a] oxy 1-090 Cl H 2-fluoro-3-vinylphenyl isopropyl- 4.11.sup.[a] oxy 1-091 Cl H 3-acetylphenyl isopropyl- 3.08.sup.[a] oxy 1-092 Cl H 2-fluoro-3-vinylphenyl hydroxy 1.82.sup.[a] 1-093 Cl H 3-acetylphenyl hydroxy 1.01.sup.[a] 1-094 Cl H 3-[rac-2,2- hydroxy 1.87.sup.[a] difluorocyclopropyl]phenyl 1-095 Cl H 3-(1-fluorocyclopropyl)phenyl hydroxy 1.82.sup.[a] 1-096 Cl H 3-[rac-2,2- isopropyl- 3.96.sup.[a] difluorocyclopropyl]phenyl oxy 1-097 Cl H 3-(1-fluorocyclopropyl)phenyl isopropyl- 3.99.sup.[a] oxy 1-098 methyl H 3-(difluoromethyl)phenyl hydroxy 1.36.sup.[a] 1-099 Cl H 3-cyclopropyl-2-fluorophenyl methoxy 3.45.sup.[a] 1-100 methyl H 3-cyclopropyl-2-fluorophenyl methoxy 2.89.sup.[a] 1-101 Cl methyl 3-cyclopropyl-2-fluorophenyl methoxy 3.70.sup.[a] 1-102 Cl H 5-(difluoromethyl)pyridin-3-yl isopropyl- 2.82.sup.[a] oxy 1-103 Cl methyl 3-[rac-2,2- isopropyl- 4.15.sup.[a] difluorocyclopropyl]phenyl oxy 1-104 Cl methyl 3-(1-fluorocyclopropyl)phenyl hydroxy 1.63.sup.[a] 1-105 Cl methyl 3-[rac-2,2- hydroxy 1.69.sup.[a] difluorocyclopropyl]phenyl 1-106 Cl methyl 3-(1-fluorocyclopropyl)phenyl isopropyl- 4.25.sup.[a] oxy 1-107 Cl H 2-fluoro-3-[rac-2,2- isopropyl- 3.96.sup.[a] difluorocyclopropyl]phenyl oxy 1-108 Cl H 2-fluoro-3-[rac-2,2- hydroxy 1.81.sup.[a] difluorocyclopropyl]phenyl 1-109 Cl methyl 2-fluoro-3-[rac-2,2- isopropyl- 4.23.sup.[a] difluorocyclopropyl]phenyl oxy 1-110 Cl methyl 2-fluoro-3-[rac-2,2- hydroxy 1.82.sup.[a] difluorocyclopropyl]phenyl 1-111 methyl H 3-cyclopropyl-2-fluorophenyl hydroxy 1.70.sup.[a] 1-112 methyl H 3-cyclopropyl-2-fluorophenyl ethoxy 3.29.sup.[a] 1-113 Cl H 2-fluoro-3-(1- hydroxy 1.99.sup.[a] fluorocyclopropyl)phenyl 1-114 Cl H 2-fluoro-3-(1- isopropyl- 4.62.sup.[a] fluorocyclopropyl)phenyl oxy 1-115 Cl methyl 2-fluoro-3-(1- isopropyl- 4.33.sup.[a] fluorocyclopropyl)phenyl oxy 1-116 Cl methylamino 3-cyclopropyl-2-fluorophenyl hydroxy 1.97.sup.[a] 1-117 Cl methyl 3-(difluoromethyl)-2-fluorophenyl hydroxy 1.49.sup.[a] 1-118 Cl H 3-chloro-2-fluorophenyl isopropyl- 4.08.sup.[a] oxy 1-119 Cl H 3-chloro-2-fluorophenyl ethoxy 3.60.sup.[a] 1-120 methyl H 3-chloro-2-fluorophenyl isopropyl- 3.44.sup.[a] oxy 1-121 Cl methyl 3-chloro-2-fluorophenyl ethoxy 3.88.sup.[a] 1-122 Cl methyl 3-chloro-2-fluorophenyl hydroxy 1.68.sup.[a] 1-123 methyl H 3-chloro-2-fluorophenyl hydroxy 1.46.sup.[a] 1-124 Cl H 3-(difluoromethyl)phenyl methoxy 2.76.sup.[a] 1-125 methyl H 3-(trifluoromethyl)phenyl hydroxy 1.92.sup.[a] 1-126 methyl H 3-(trifluoromethyl)phenyl methoxy 2.77.sup.[a] 1-127 I H 3-(trifluoromethyl)phenyl hydroxy 2.08.sup.[a] 1-128 Cl 2- 3-(trifluoromethyl)phenyl methoxy 3.54.sup.[a] methoxyethyl 1-129 H H 3-(trifluoromethyl)phenyl hydroxy 1.47.sup.[a] 1-130 Cl H 3-bromophenyl ethoxy 3.65.sup.[a]

(599) TABLE-US-00012 TABLE 4 1-001: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6086 (1.0); 7.5857 (2.9); 7.5630 (4.8); 7.5094 (2.6); 7.4687 (1.6); 7.4604 (1.9); 7.4527 (1.3); 7.4386 (1.2); 7.3072 (2.2); 4.1198 (0.9); 4.1038 (4.6); 4.0794 (2.2); 4.0641 (16.0); 2.0544 (0.7); 2.0452 (0.7); 2.0348 (0.6); 2.0257 (1.3); 2.0166 (0.6); 2.0060 (0.8); 1.9969 (0.8); 1.9771 (0.4); 1.7052 (0.5); 1.2520 (1.0); 1.2311 (2.7); 1.2050 (2.6); 1.1848 (1.0); 1.1659 (0.3); 0.9016 (1.0); 0.8822 (3.0);

0.8638 (2.9); 0.8443 (0.7); 0.0432 (1.5) 1-002: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.5070 (1.3); 7.4907 (2.9); 7.4745 (1.9); 7.3950 (1.2); 7.3909 (2.6); 7.3866 (1.8); 7.3766 (1.4); 7.3749 (1.6); 7.3727 (1.1); 7.3709 (1.0); 7.3605 (1.1); 7.3588 (1.1); 7.3566 (0.9); 7.3549 (0.8); 7.2279 (1.1); 7.2262 (1.2); 7.2234 (1.2); 7.2217 (1.1); 7.2115 (1.0); 7.2098 (1.0); 7.2069 (1.1); 7.2052 (0.9); 3.4043 (0.6); 3.3903 (1.0); 3.3763 (1.2); 3.3622 (1.5); 3.3227 (3.4); 2.5080 (5.7); 2.5044 (12.3); 2.5008 (17.2); 2.4972 (12.5); 2.4936 (5.9); 2.3962 (16.0); 2.3388 (0.8); 1.0907 (0.6); 0.0063 (0.3); -0.0002 (11.1); -0.0068 (0.4) 1-003: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.2400 (16.0); 7.6498 (2.3); 7.6302 (5.4); 7.6106 (3.8); 7.5151 (4.9); 7.4824 (7.4); 7.4627 (4.5); 7.4423 (3.4); 7.2113 (3.0); 7.0721 (6.5); 6.9329 (3.2); 2.5098 (2.1) 1-004: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9586 (5.4); 7.6341 (0.4); 7.6086 (1.4); 7.5827 (3.4); 7.5381 (2.1); 7.4940 (0.9); 7.4874 (1.4); 7.4806 (0.8); 7.4634 (0.9); 7.2986 (7.0); 2.7208 (16.0); 2.0934 (0.6); 1.2945 (1.0); 0.1080 (1.4); 0.0377 (7.1) 1-005: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.2008 (0.5); 7.1974 (0.6); 7.1845 (1.3); 7.1815 (1.2); 7.1714 (1.3); 7.1667 (1.4); 7.1639 (2.1); 7.1483 (1.9); 7.1323 (0.7); 6.9341 (0.8); 6.9309 (0.8); 6.9188 (1.1); 6.9163 (1.2); 6.9061 (0.6); 6.9020 (0.5); 2.5135 (0.4); 2.5099 (0.5); 2.5063 (0.4); 2.3968 (16.0); 2.3846 (0.4); 2.0707 (0.6); 2.0641 (0.6); 2.0539 (1.1); 2.0436 (0.7); 2.0371 (0.6); 1.0253 (0.9); 1.0166 (2.2); 1.0122 (2.3); 1.0086 (1.3); 1.0039 (1.3); 0.9997 (2.2); 0.9953 (2.2); 0.9871 (0.9); 0.7823 (1.0); 0.7739 (2.4); 0.7720 (2.1); 0.7698 (2.5); 0.7637 (2.4); 0.7596 (2.5); 0.7507 (0.8) 1-006: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5290 (0.6); 7.5080 (0.9); 7.4879 (0.9); 7.4660 (1.0); 7.4416 (0.7); 7.3266 (0.8); 7.2985 (5.1); 7.2731 (0.4); 7.0951 (0.8); 6.9124 (1.6); 6.7296 (0.8); 5.3346 (2.5); 4.0782 (0.4); 4.0489 (16.0); 4.0352 (0.3); 3.7395 (12.7); 2.6582 (11.6); 2.6276 (1.4); 2.4314 (1.4); 2.3595 (11.5); 1.2908 (0.4); 0.0358 (4.9) 1-007: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 8.7747 (0.7); 8.6615 (16.0); 7.7649 (2.3); 7.7481 (11.4); 7.7336 (5.6); 7.7141 (6.8); 7.6986 (3.1); 7.6491 (4.7); 7.6326 (3.3); 6.9206 (1.2); 2.5059 (7.3); 2.5030 (9.5); 1.3543 (2.5); 1.3417 (2.3); 1.3262 (0.6); 1.3136 (0.7); 1.2963 (0.5); 1.2838 (0.5); 1.2584 (2.1); 1.2445 (2.1); 1.2355 (0.4); 1.1970 (4.6); 1.1837 (0.4); 1.1708 (4.7); 1.1593 (1.6); 1.1457 (1.5); 0.8848 (1.5); 0.8714 (1.5); -0.0002 (4.0) 1-008: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.7747 (2.4); 7.7475 (8.1); 7.7204 (13.3); 7.7120 (13.1); 7.6924 (16.0); 7.6526 (0.5); 7.6169 (7.8); 7.5910 (5.1); 3.6770 (0.3); 3.6257 (0.3); 3.6165 (0.3); 3.5687 (0.4); 3.5321 (0.4); 3.4984 (0.4); 3.4631 (0.4); 3.4373 (0.4); 3.4027 (0.4); 3.3673 (0.4); 3.2814 (0.3); 3.2318 (0.3); 2.6507 (0.6); 2.5397 (13.4); 2.5340 (16.5); 2.4347 (75.8); 2.2151 (0.4); 2.1066 (1.0); 1.3861 (0.4); 1.2634 (1.1); 1.2122 (0.8); 0.0288 (8.6) 1-009: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 14.8115 (0.3); 14.7538 (0.3); 14.6902 (0.4); 14.6014 (0.5); 14.5796 (0.7); 14.5446 (0.7); 14.4728 (0.9); 14.4307 (0.9); 14.4079 (0.9); 14.3765 (0.9); 14.3065 (0.6); 14.1519 (0.3); 14.1207 (0.4); 9.1033 (0.4); 8.0407 (1.1); 7.9545 (0.4); 7.8137 (7.8); 7.7870 (15.2); 7.7589 (14.7); 7.7529 (14.6); 7.7304 (9.1); 7.6828 (0.7); 7.6495 (0.8); 7.6320 (1.1); 7.6041 (1.3); 7.5547 (10.6); 7.5277 (16.0); 7.5005 (7.2); 7.4590 (0.8); 7.4324 (0.6); 7.4063 (0.3); 5.7771 (9.2); 4.0856 (0.8); 4.0616 (2.3); 4.0379 (2.4); 4.0143 (0.9); 3.9930 (0.7); 3.8624 (0.3); 3.8231 (0.4); 3.7943 (0.4); 3.5999 (1.0); 3.4738 (1.7); 3.4515 (1.7); 3.2850 (0.9); 3.2784 (0.9); 3.2157 (0.8); 3.1459 (0.5); 3.0680 (0.4); 2.7895 (0.6); 2.7555 (0.4); 2.6425 (2.5); 2.5763 (133.4); 2.5478 (10.4); 2.5344 (20.9); 2.5286 (40.2); 2.5226 (53.5); 2.5166 (39.7); 2.5108 (20.7); 2.4461 (1.7); 2.4317 (2.8); 2.4261 (2.1); 2.3921 (7.9); 2.3463 (134.0); 2.2794 (1.6); 2.2677 (1.7); 2.2250 (0.6); 2.2020 (0.8); 2.1764 (0.5); 2.1343 (1.0); 2.0990 (0.3); 2.0092 (9.8); 1.9298 (9.1); 1.3765 (0.6); 1.3450 (0.4); 1.2909 (0.7); 1.2568 (3.2); 1.2186 (3.1); 1.1948 (5.8); 1.1712 (2.8); 1.0760 (0.6); 0.8726 (0.7); 0.8511 (0.4); 0.0694 (4.6); 0.0303 (2.2); 0.0195 (50.2); -0.0400 (3.5); -0.1098 (0.4) 1-010: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 14.2011 (0.4); 10.2674 (0.6); 8.9248 (2.2); 8.0180 (16.0); 7.9688 (0.4); 7.8521 (1.4); 7.7464 (0.5); 7.7246 (0.4); 7.7033 (0.4); 7.6763 (0.9); 7.6578 (2.1); 7.6321 (3.8); 7.6080 (3.8); 7.5862 (3.6); 7.5655 (2.3); 7.5330 (0.6); 7.5061 (1.3); 7.4754 (4.2); 7.4668 (4.6); 7.4489 (4.7); 7.4222 (1.9); 7.3531 (0.7); 7.3258 (1.0); 7.3083 (0.5); 7.2958 (1.3); 7.2866 (6.9); 7.1718 (1.3); 7.1445 (1.2); 7.1274 (1.8); 7.1065 (3.5); 7.0373 (0.3); 7.0178 (0.4); 7.0042 (0.5); 6.9905 (0.7); 4.0613 (0.8); 4.0375 (0.8); 3.7670 (0.4); 3.3472 (1.7);

2.7593 (4.4); 2.6359 (41.0); 2.5341 (6.7); 2.5282 (13.7); 2.5221 (18.8); 2.5160 (13.8); 2.5101 (6.7); 2.3931 (0.5); 2.3888 (0.5); 2.0089 (3.7); 1.9294 (9.0); 1.2184 (1.0); 1.1947 (2.0); 1.1710 (1.0); 0.0689 (7.2); 0.0306 (0.9); 0.0197 (20.4); 0.0087 (1.0) 1-011: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.9025 (16.0); 7.2682 (1.7); 7.1612 (0.4); 7.1501 (0.4); 7.1441 (1.2); 7.1418 (1.3); 7.1392 (0.7); 7.1350 (1.4); 7.1286 (5.4); 7.1224 (1.5); 7.1174 (5.0); 7.1116 (3.2); 7.1094 (3.4); 7.1055 (1.4); 7.1004 (3.8); 7.0977 (3.0); 7.0957 (2.6); 7.0911 (1.2); 7.0868 (1.2); 7.0829 (0.8); 7.0801 (1.0); 7.0759 (0.7); 5.3491 (1.2); 5.3365 (3.0); 5.3240 (4.0); 5.3115 (3.0); 5.2990 (1.2); 5.2957 (0.8); 1.6368 (0.3); 1.4341 (0.5); 1.4161 (42.0); 1.4035 (42.8); -0.0002 (1.8) 1-012: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 14.0811 (0.4); 8.8902 (0.8); 7.9241 (16.0); 7.6373 (1.5); 7.6113 (3.6); 7.5856 (2.5); 7.5642 (0.4); 7.5453 (0.4); 7.4873 (3.3); 7.4616 (2.3); 7.3962 (7.2); 7.3700 (2.0); 7.3664 (2.2); 7.3624 (1.8); 7.2598 (2.6); 7.1170 (0.3); 7.0742 (5.6); 6.9478 (0.9); 6.9437 (0.6); 6.8886 (2.8); 3.3517 (1.0); 2.9129 (0.7); 2.7545 (0.6); 2.5366 (2.8); 2.5306 (6.0); 2.5245 (8.2); 2.5185 (5.9); 2.5125 (2.8); 2.3887 (0.6); 2.3720 (1.4); 2.3614 (1.5); 2.3565 (1.1); 2.3449 (2.5); 2.3394 (1.6); 2.3282 (1.5); 2.3177 (1.5); 2.3011 (0.8); 1.3786 (1.0); 1.1384 (1.3); 1.1215 (2.9); 1.1130 (5.3); 1.1031 (3.3); 1.0939 (3.0); 1.0854 (4.5); 1.0771 (3.2); 1.0613 (3.1); 1.0515 (4.9); 1.0434 (6.2); 1.0355 (5.0); 1.0268 (4.0); 1.0092 (1.0); 0.0328 (0.4); 0.0220 (9.4); 0.0110 (0.4); -0.0377 (0.5) 1-013: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 19.2951 (0.4); 14.7822 (0.4); 14.6202 (0.4); 14.5848 (0.5); 14.5179 (0.6); 14.3702 (0.8); 14.3517 (0.7); 14.1893 (0.4); 9.0845 (0.4); 7.8097 (0.4); 7.7436 (1.0); 7.6771 (2.0); 7.6436 (4.9); 7.6131 (12.1); 7.5875 (12.2); 7.5658 (5.6); 7.4690 (10.2); 7.4603 (9.4); 7.4436 (10.6); 7.4165 (4.0); 7.3482 (0.5); 7.3176 (0.8); 7.3055 (1.9); 7.2939 (3.5); 7.2801 (16.0); 7.1254 (0.9); 7.1135 (1.6); 7.1000 (7.8); 4.0617 (0.7); 4.0382 (0.7); 3.9452 (0.4); 3.8251 (0.8); 3.7670 (0.4); 3.7152 (0.4); 3.6224 (1.0); 3.5890 (1.2); 3.3665 (6.5); 3.1389 (0.8); 3.0599 (0.6); 3.0068 (0.4); 2.9597 (0.5); 2.9355 (0.4); 2.7846 (0.5); 2.7489 (0.6); 2.6828 (6.6); 2.6379 (0.6); 2.5709 (87.4); 2.5342 (30.6); 2.5282 (63.1); 2.5222 (86.3); 2.5161 (63.2); 2.5102 (30.7); 2.4628 (1.3); 2.4391 (11.3); 2.4239 (9.3); 2.3839 (2.0); 2.3388 (86.0); 2.2941 (1.3); 2.2557 (1.8); 2.1740 (0.4); 2.1268 (0.6); 2.0094 (2.9); 1.9296 (0.4); 1.7920 (0.4); 1.7800 (0.6); 1.2193 (0.9); 1.1954 (1.6); 1.1715 (0.7); 0.0316 (2.6); 0.0208 (75.5); 0.0098 (3.6); -0.0348 (0.4); -0.1782 (0.4); -2.4204 (0.4); -3.4823 (0.4) 1-014: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6445 (0.5); 7.5698 (2.7); 7.5445 (7.8); 7.5195 (16.0); 7.5093 (9.8); 7.4764 (11.2); 7.4396 (5.2); 7.4332 (8.1); 7.4263 (4.2); 7.4086 (5.5); 7.3826 (0.6); 7.3637 (0.7); 7.3254 (0.6); 7.3137 (0.6); 7.2986 (53.8); 7.2646 (0.4); 6.2623 (0.4); 6.1844 (3.5); 6.0638 (0.7); 6.0086 (0.3); 4.1995 (0.8); 4.1756 (2.3); 4.1519 (2.3); 4.1283 (0.8); 3.9955 (1.5); 3.7885 (5.4); 2.9593 (1.0); 2.9468 (2.0); 2.9363 (3.0); 2.9243 (4.0); 2.9173 (4.2); 2.9054 (2.9); 2.8954 (2.1); 2.8833 (1.1); 2.1754 (0.6); 2.0898 (11.2); 1.3210 (2.9); 1.2972 (5.9); 1.2734 (2.9); 1.2573 (0.8); 1.0060 (0.5); 0.9871 (0.6); 0.9703 (0.5); 0.9336 (2.4); 0.9096 (10.1); 0.8908 (10.0); 0.8686 (4.7); 0.8384 (1.8); 0.8233 (1.3); 0.8183 (1.3); 0.7839 (4.0); 0.7680 (10.0); 0.7601 (11.9); 0.7312 (2.6); 0.0482 (1.6); 0.0450 (0.8); 0.0374 (52.7); 0.0282 (1.7); 0.0265 (2.1) 1-015: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2130 (16.0); 7.3593 (2.5); 7.3332 (5.6); 7.3070 (3.4); 7.0221 (3.3); 7.0179 (3.1); 7.0083 (2.7); 7.0051 (2.6); 7.0002 (5.0); 6.9971 (5.0); 6.9819 (1.8); 6.9786 (1.8); 6.9739 (3.5); 6.9708 (2.8); 6.9607 (4.6); 6.9548 (5.0); 6.9484 (2.6); 5.7756 (1.8); 2.5344 (1.4); 2.5284 (3.0); 2.5223 (4.1); 2.5162 (3.0); 2.5103 (1.4); 2.0139 (0.6); 2.0090 (0.4); 1.9970 (1.2); 1.9859 (1.4); 1.9807 (1.0); 1.9693 (2.6); 1.9578 (1.0); 1.9524 (1.5); 1.9414 (1.4); 1.9245 (0.7); 1.0128 (1.6); 0.9983 (4.4); 0.9908 (4.9); 0.9852 (2.4); 0.9772 (2.6); 0.9702 (4.7); 0.9628 (4.5); 0.9494 (2.0); 0.7347 (2.0); 0.7209 (5.0); 0.7178 (4.2); 0.7139 (5.2); 0.7044 (4.8); 0.6974 (5.3); 0.6822 (1.6); 0.0194 (4.1) 1-016: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6954 (5.4); 7.5477 (0.5); 7.5212 (1.3); 7.4941 (1.1); 7.4005 (1.2); 7.3983 (1.2); 7.3790 (2.2); 7.3462 (0.6); 7.3427 (0.7); 7.3391 (0.6); 7.2996 (2.6); 6.8673 (0.9); 6.6792 (1.9); 6.4912 (1.0); 5.3799 (0.5); 5.3589 (1.0); 5.3380 (1.4); 5.3172 (1.0); 5.2963 (0.4); 2.2223 (0.5); 2.2117 (0.6); 2.2003 (0.6); 2.1954 (0.9); 2.1838 (0.4); 2.1787 (0.6); 2.1681 (0.6); 1.6222 (2.1); 1.4442 (1.0); 1.4263 (16.0); 1.4054 (15.6); 1.2507 (0.4); 1.2320 (1.4); 1.2236 (1.7); 1.2147 (2.4); 1.2073 (1.6); 1.1971 (1.0); 1.1927 (0.7); 1.1785 (1.4); 1.1692 (1.7);

1.1609 (1.2); 1.1566 (0.8); 1.1520 (1.1); 1.1419 (2.0); 1.1334 (1.1); 1.1154 (0.4); 0.0373 (2.2) 1-017: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2024 (15.4); 7.5239 (2.4); 7.4978 (6.6); 7.4717 (5.7); 7.4224 (6.0); 7.4182 (4.4); 7.3968 (3.8); 7.3878 (4.6); 7.3809 (6.0); 7.3392 (3.5); 7.3355 (3.7); 7.3314 (3.0); 7.3276 (2.6); 7.3125 (2.6); 7.3085 (2.5); 7.3048 (2.4); 7.3008 (1.9); 4.3136 (16.0); 4.1188 (0.4); 4.0607 (0.7); 4.0373 (0.7); 3.4742 (0.5); 3.4406 (0.9); 3.3535 (3.2); 3.1825 (0.4); 3.1706 (0.4); 2.5342 (10.6); 2.5282 (23.5); 2.5222 (33.0); 2.5162 (24.2); 2.5103 (11.6); 2.0095 (3.2); 1.9291 (0.5); 1.2183 (0.8); 1.1947 (1.7); 1.1710 (0.8); 0.0311 (1.0); 0.0202 (37.5); 0.0092 (1.5) 1-018: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.4874 (1.5); 7.4711 (3.3); 7.4548 (2.0); 7.3409 (1.4); 7.3383 (1.7); 7.3224 (1.5); 7.3033 (1.9); 7.2990 (3.2); 7.2949 (1.8); 7.1631 (1.4); 7.1596 (1.4); 7.1467 (1.3); 7.1433 (1.3); 3.3599 (0.4); 2.5688 (16.1); 2.5531 (0.8); 2.5119 (2.6); 2.5084 (3.7); 2.5049 (2.9); 2.3225 (0.7); 2.3090 (16.0); 2.2943 (0.8) 1-019: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 14.1821 (0.3); 14.1522 (0.3); 14.1295 (0.3); 8.9947 (1.3); 8.9712 (0.5); 8.9384 (1.4); 8.9245 (6.4); 8.8856 (5.5); 8.8774 (5.5); 8.4370 (0.6); 8.3456 (0.6); 8.2841 (3.7); 8.2778 (5.8); 8.0392 (16.0); 7.8389 (1.1); 7.4574 (1.0); 6.5531 (0.6); 5.7793 (0.7); 3.3463 (8.6); 3.2149 (0.4); 3.1782 (0.4); 2.7764 (3.8); 2.7504 (0.4); 2.6563 (42.8); 2.5927 (0.5); 2.5359 (14.6); 2.5300 (31.2); 2.5239 (42.6); 2.5179 (30.6); 2.5121 (14.3); 2.4565 (0.4); 2.3903 (3.1); 1.2565 (1.1); 1.1966 (0.4); 0.0697 (5.9); 0.0328 (0.9); 0.0220 (28.2); 0.0111 (1.0) 1-020: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.9251 (0.3); 8.8698 (3.6); 8.7342 (2.5); 8.7177 (2.6); 8.5006 (5.4); 8.2939 (0.9); 8.0718 (0.4); 7.7863 (2.6); 7.7700 (2.3); 7.7560 (1.1); 7.7298 (0.6); 7.6669 (0.5); 7.6453 (1.1); 7.6245 (0.9); 7.5292 (1.0); 7.5046 (2.3); 7.4765 (0.8); 7.3255 (2.1); 7.3014 (0.4); 7.1455 (1.2); 7.1278 (0.4); 5.7769 (0.3); 3.5887 (0.6); 3.3438 (0.8); 2.5345 (3.5); 2.5286 (7.4); 2.5226 (10.2); 2.5166 (7.6); 2.5108 (3.7); 2.0095 (0.4); 1.9298 (1.9); 1.1796 (2.6); 1.0901 (16.0); 0.0313 (0.4); 0.0205 (11.3); 0.0096 (0.6); -0.0417 (0.4) 1-021: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.6610 (1.6); 7.6347 (4.1); 7.6081 (3.1); 7.5426 (3.9); 7.5167 (2.4); 7.4043 (5.0); 7.3769 (3.1); 7.3499 (2.4); 7.2994 (11.4); 4.0839 (0.8); 4.0603 (2.5); 4.0366 (2.6); 4.0129 (0.9); 3.5091 (5.2); 3.4874 (13.6); 3.4658 (5.4); 3.3528 (4.0); 2.5338 (5.3); 2.5280 (10.8); 2.5220 (14.6); 2.5160 (10.6); 2.5102 (5.0); 2.0160 (5.6); 2.0088 (16.0); 1.9945 (14.2); 1.9725 (5.0); 1.9290 (8.8); 1.4024 (0.7); 1.3815 (0.6); 1.2529 (0.5); 1.2177 (3.0); 1.1940 (5.9); 1.1703 (2.9); 0.0298 (0.6); 0.0191 (14.1); 0.0083 (0.7); -0.0416 (3.6) 1-022: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2527 (16.0); 7.8756 (2.0); 7.6838 (1.0); 7.6576 (4.6); 7.6377 (12.0); 7.6350 (10.4); 7.6223 (1.5); 7.5542 (5.6); 7.5276 (0.9); 7.5211 (0.8); 7.5111 (2.5); 7.5013 (3.8); 7.4938 (3.0); 7.4806 (2.6); 7.4730 (1.7); 7.3057 (4.7); 5.4583 (0.6); 5.4357 (1.6); 5.4146 (3.4); 5.3937 (4.4); 5.3728 (3.2); 5.3519 (1.3); 1.6910 (0.4); 1.6701 (0.6); 1.6389 (2.2); 1.5343 (6.3); 1.5134 (6.6); 1.4809 (47.7); 1.4601 (47.0); 1.2978 (0.3); 0.0405 (3.2) 1-023: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9376 (5.4); 7.6355 (0.5); 7.5766 (0.4); 7.5552 (0.8); 7.5345 (0.5); 7.5325 (0.5); 7.5089 (0.4); 7.5061 (0.4); 7.4818 (0.9); 7.4792 (0.8); 7.4575 (0.6); 7.4549 (0.6); 7.3709 (0.8); 7.3437 (1.2); 7.3177 (0.4); 7.2984 (2.8); 7.1103 (0.9); 6.9278 (1.8); 6.7452 (0.9); 5.4078 (0.4); 5.3870 (1.0); 5.3661 (1.3); 5.3452 (1.0); 5.3244 (0.4); 1.6170 (0.8); 1.4798 (1.5); 1.4609 (16.0); 1.4400 (15.1); 1.4256 (0.5); 1.4046 (0.4); 1.2465 (0.4); 0.0361 (2.9) 1-024: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.2813 (16.0); 7.4772 (0.6); 7.4716 (0.7); 7.4577 (1.4); 7.4525 (1.7); 7.4352 (1.9); 7.4272 (1.3); 7.4142 (1.0); 7.4089 (0.9); 7.3620 (0.8); 7.3584 (0.7); 7.3477 (0.8); 7.3409 (1.9); 7.3374 (2.0); 7.3258 (2.9); 7.3189 (4.4); 7.3098 (4.5); 7.3022 (2.6); 7.2816 (0.8); 2.5267 (0.6); 2.5220 (0.8); 2.5131 (5.9); 2.5087 (12.3); 2.5042 (16.8); 2.4997 (12.2); 2.4953 (6.0); -0.0013 (1.4); -0.0026 (1.2) 1-025: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.9709 (1.1); 8.9573 (4.6); 8.9551 (4.7); 8.9438 (4.4); 8.9353 (4.3); 8.4460 (0.3); 8.4354 (0.4); 8.4252 (0.5); 8.4165 (0.5); 8.3716 (2.7); 8.3654 (4.6); 8.3587 (2.7); 8.3239 (16.0); 8.0825 (1.7); 5.7786 (1.2); 4.0633 (0.4); 4.0395 (0.4); 3.6458 (0.4); 3.5738 (0.6); 3.5399 (0.7); 3.3575 (4.7); 3.0447 (1.0); 2.5362 (8.2); 2.5302 (18.1); 2.5241 (25.4); 2.5180 (18.5); 2.5120 (8.8); 2.0111 (1.8); 1.2566 (0.4); 1.2206 (0.4); 1.1969 (1.0); 1.1731 (0.5); 0.0330 (0.8); 0.0221 (26.6); 0.0112 (1.0) 1-026: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5917 (1.2); 7.5687 (5.0); 7.5142 (1.0); 7.5064 (1.4);

7.4985 (0.8); 7.4841 (0.7); 7.2987 (9.1); 3.9135 (1.8); 3.8940 (3.9); 3.8743 (2.3); 3.5053 (16.0); 3.2649 (2.1); 3.2454 (3.8); 3.2259 (2.1); 1.2932 (0.8); 1.1443 (0.6); 0.0373 (7.8) 1-027: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5541 (0.4); 7.5433 (0.9); 7.5165 (2.2); 7.5102 (1.3); 7.4902 (1.5); 7.4883 (1.4); 7.4831 (1.6); 7.4402 (0.7); 7.4327 (1.2); 7.4255 (0.6); 7.4169 (0.4); 7.4144 (0.4); 7.4090 (0.6); 7.4018 (0.3); 7.2985 (2.8); 5.6931 (0.8); 4.0184 (1.9); 4.0071 (0.4); 3.9923 (16.0); 2.7929 (0.4); 2.7891 (0.4); 2.7825 (0.4); 2.7771 (0.6); 2.7705 (0.7); 2.7651 (0.5); 2.7585 (0.4); 2.7550 (0.4); 2.7483 (0.4); 2.0802 (0.7); 1.6331 (0.7); 1.2941 (0.4); 0.8795 (1.4); 0.8742 (0.9); 0.8618 (1.4); 0.8570 (1.2); 0.8517 (0.9); 0.8395 (0.7); 0.8107 (0.4); 0.7720 (0.7); 0.7589 (1.5); 0.7490 (1.5); 0.7455 (1.5); 0.7325 (0.8); 0.7197 (0.3); 0.0350 (2.4) 1-028: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 8.2502 (16.0); 8.0080 (1.2); 7.2221 (0.5); 7.2063 (1.3); 7.2027 (1.4); 7.1899 (3.5); 7.1868 (3.2); 7.1767 (7.8); 7.1620 (5.1); 7.1458 (1.7); 6.9476 (2.0); 6.9442 (2.1); 6.9334 (2.8); 6.9290 (3.0); 6.9209 (1.5); 6.9154 (1.3); 2.5087 (2.8); 2.5051 (3.7); 2.5016 (2.6); 2.0890 (0.9); 2.0788 (1.6); 2.0720 (1.8); 2.0620 (2.9); 2.0519 (1.7); 2.0452 (1.5); 2.0348 (0.7); 1.9900 (0.6); 1.1759 (0.4); 1.0341 (2.4); 1.0255 (5.8); 1.0211 (5.8); 1.0175 (3.2); 1.0127 (3.3); 1.0086 (5.4); 1.0042 (5.4); 0.9960 (2.0); 0.8237 (0.4); 0.8130 (0.5); 0.7937 (2.7); 0.7854 (6.6); 0.7813 (6.5); 0.7753 (6.2); 0.7712 (6.0); 0.7622 (1.8) 1-029: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.7017 (8.2); 8.6822 (0.4); 8.6150 (16.0); 8.1049 (5.4); 8.1005 (8.6); 8.0962 (5.2); 8.0833 (0.5); 7.7696 (1.4); 7.7437 (4.2); 7.7183 (9.1); 7.6944 (5.6); 7.6687 (1.9); 7.6356 (3.6); 7.6090 (2.1); 7.2299 (7.3); 4.0835 (0.4); 4.0598 (0.9); 4.0362 (0.9); 4.0126 (0.4); 3.5263 (0.4); 3.4997 (0.4); 3.4710 (0.4); 3.4452 (0.4); 3.4323 (0.4); 3.3829 (0.4); 3.3265 (0.4); 2.5831 (0.4); 2.5341 (6.1); 2.5284 (11.2); 2.5224 (14.1); 2.5165 (9.7); 2.1057 (0.5); 2.0088 (3.5); 1.9293 (1.9); 1.3751 (1.0); 1.2838 (0.3); 1.2536 (1.2); 1.2174 (1.1); 1.1937 (2.0); 1.1700 (1.0); 0.0187 (3.2); 0.0077 (0.4); -0.0393 (1.5) 1-030: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.0139 (9.2); 7.7429 (0.8); 7.7169 (2.4); 7.6915 (2.4); 7.6678 (3.0); 7.6430 (4.7); 7.5644 (2.0); 7.5380 (1.5); 3.0021 (1.8); 2.9768 (5.6); 2.9515 (5.7); 2.9263 (1.9); 2.5341 (2.3); 2.5281 (4.7); 2.5221 (6.5); 2.5161 (4.7); 2.5102 (2.2); 2.0085 (0.5); 1.9290 (0.4); 1.3136 (7.2); 1.2884 (16.0); 1.2631 (6.9); 0.0182 (7.1); -0.0419 (1.3) 1-031: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.3847 (16.0); 8.3052 (2.0); 8.2779 (4.0); 8.2524 (2.4); 8.1524 (0.6); 7.8268 (5.3); 7.8021 (4.7); 7.6860 (4.6); 7.6582 (4.2); 4.0602 (0.4); 4.0364 (0.4); 2.5341 (3.6); 2.5281 (7.7); 2.5220 (10.6); 2.5159 (7.7); 2.5100 (3.7); 2.0087 (1.6); 1.2175 (0.4); 1.1937 (0.9); 1.1700 (0.4); 0.0295 (0.5); 0.0187 (13.3); 0.0077 (0.5) 1-033: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.3477 (0.7); 7.3458 (0.7); 7.3312 (1.8); 7.3180 (0.5); 7.3142 (1.3); 7.2703 (0.4); 7.2341 (3.4); 7.2310 (4.1); 7.2277 (1.7); 7.2192 (1.1); 7.2174 (1.2); 7.2155 (1.0); 7.2135 (0.8); 7.1244 (1.0); 7.1211 (1.5); 7.1178 (1.0); 7.1079 (0.9); 7.1060 (1.0); 7.1034 (1.0); 7.1015 (1.0); 4.0266 (0.5); 4.0054 (16.0); 2.4132 (15.4); 2.3714 (0.5); 2.0396 (0.6); 1.7227 (0.4); 1.2683 (0.4); 1.2628 (0.6); 1.2542 (0.6); 0.8930 (0.4); 0.8794 (1.0); 0.8651 (0.5); -0.0002 (0.4) 1-034: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.9312 (0.5); 8.7218 (5.7); 7.6865 (0.4); 7.6605 (1.5); 7.6368 (4.5); 7.6136 (0.6); 7.5818 (2.3); 7.5362 (1.0); 7.5285 (1.6); 7.5213 (0.9); 7.5058 (1.0); 7.2986 (8.3); 7.1162 (0.3); 4.1844 (0.7); 4.1606 (0.8); 3.8821 (0.4); 2.8702 (16.0); 2.6686 (1.2); 2.1970 (2.5); 2.1014 (3.4); 1.9497 (0.5); 1.6815 (0.4); 1.4679 (0.4); 1.4314 (0.3); 1.4067 (0.5); 1.3816 (0.5); 1.3593 (0.8); 1.3319 (0.6); 1.3261 (1.1); 1.3023 (2.0); 1.2902 (0.4); 1.2784 (1.0); 0.9825 (1.0); 0.9582 (1.8); 0.9340 (0.8); 0.1065 (0.7); 0.0352 (8.0); 0.0243 (0.4) 1-035: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7672 (4.6); 7.5697 (1.0); 7.5431 (1.7); 7.5290 (2.2); 7.5215 (1.8); 7.4764 (0.8); 7.4707 (1.1); 7.4641 (0.7); 7.4453 (0.7); 7.2990 (5.2); 5.3887 (0.4); 5.3679 (1.0); 5.3470 (1.3); 5.3261 (1.0); 5.3053 (0.4); 3.1003 (1.0); 3.0749 (3.3); 3.0496 (3.4); 3.0243 (1.2); 1.6181 (9.2); 1.4489 (4.2); 1.4341 (16.0); 1.4236 (8.8); 1.4132 (15.9); 1.3982 (3.9); 0.1066 (1.2); 0.0359 (4.9) 1-037: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.3284 (1.1); 7.3025 (2.6); 7.2763 (1.6); 6.9713 (1.7); 6.9453 (1.6); 6.9167 (1.2); 6.9137 (1.3); 6.9088 (1.7); 6.9058 (1.5); 6.8794 (3.8); 6.8741 (2.7); 2.5667 (15.0); 2.5339 (2.5); 2.5280 (5.0); 2.5219 (7.0); 2.5158 (5.1); 2.5099 (2.5); 2.3802 (0.5); 2.3081 (14.9); 2.0993 (0.8); 1.9884 (0.7); 1.9772 (0.7); 1.9722 (0.6); 1.9606 (1.4); 1.9440 (0.9); 1.9294 (16.0); 1.9172

(0.7); 1.0060 (0.9); 0.9915 (2.4); 0.9840 (2.7); 0.9783 (1.4); 0.9704 (1.5); 0.9634 (2.6); 0.9560 (2.5); 0.9426 (1.1); 0.7213 (1.1); 0.7075 (2.6); 0.7043 (2.3); 0.7005 (2.9); 0.6909 (2.6); 0.6839 (2.9); 0.6689 (0.9); 0.0689 (0.8); 0.0203 (9.0); 0.0094 (0.4) 1-038: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.7702 (0.8); 7.7434 (2.8); 7.7162 (4.7); 7.7082 (4.7); 7.6845 (6.1); 7.6111 (2.9); 7.5856 (1.9); 4.4847 (2.5); 4.4615 (8.0); 4.4383 (8.2); 4.4152 (2.6); 2.5402 (5.1); 2.5347 (6.6); 2.5291 (4.9); 2.1077 (0.8); 1.4582 (7.9); 1.4350 (16.0); 1.4118 (7.7); 0.0305 (5.0) 1-039: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0165 (5.2); 7.5853 (1.0); 7.5593 (2.0); 7.5527 (1.6); 7.5470 (1.9); 7.5370 (1.8); 7.4918 (0.7); 7.4850 (1.1); 7.4782 (0.6); 7.4654 (0.4); 7.4598 (0.6); 7.2985 (4.6); 7.1094 (1.0); 7.0725 (1.2); 7.0501 (1.2); 7.0133 (1.2); 6.2880 (2.3); 6.2288 (2.0); 5.7406 (2.3); 5.7037 (2.1); 5.4053 (0.4); 5.3845 (1.0); 5.3636 (1.4); 5.3427 (1.0); 5.3219 (0.4); 1.6133 (1.8); 1.4481 (16.0); 1.4272 (15.8); 0.0363 (4.3) 1-040: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.8912 (5.7); 7.3097 (1.3); 7.2902 (2.8); 7.2706 (1.7); 6.9569 (2.0); 6.9376 (1.9); 6.9046 (1.9); 6.8752 (3.4); 2.6079 (16.0); 2.5101 (2.7); 1.9793 (0.3); 1.9665 (0.7); 1.9580 (0.9); 1.9458 (1.4); 1.9335 (1.0); 1.9250 (0.9); 1.9123 (0.4); 0.9823 (0.8); 0.9712 (2.4); 0.9660 (2.8); 0.9504 (2.7); 0.9453 (2.8); 0.9351 (1.2); 0.7049 (1.0); 0.6935 (3.0); 0.6899 (3.2); 0.6818 (3.0); 0.6774 (3.3); 0.6659 (1.0) 1-041: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8520 (4.3); 7.5819 (0.6); 7.5583 (1.4); 7.5372 (1.4); 7.5170 (0.7); 7.3531 (0.7); 7.3263 (1.1); 7.2986 (2.2); 4.0423 (16.0); 2.7528 (14.2); 1.2898 (0.5); 0.0335 (1.6) 1-042: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3686 (0.8); 7.3420 (2.0); 7.3153 (1.4); 7.3147 (1.4); 7.2987 (1.1); 7.2644 (0.9); 7.2579 (1.9); 7.2513 (1.4); 7.2398 (1.1); 7.2362 (1.4); 7.2337 (0.9); 7.2298 (0.8); 7.2132 (0.7); 7.2097 (0.7); 7.2068 (0.6); 7.2033 (0.5); 7.1579 (1.0); 7.1542 (0.9); 7.1504 (0.9); 7.1469 (0.8); 7.1308 (0.7); 7.1273 (0.7); 7.1231 (0.7); 7.1197 (0.6); 4.0279 (0.5); 4.0261 (0.5); 4.0170 (16.0); 4.0079 (0.9); 2.6590 (12.4); 2.6426 (0.5); 2.3363 (12.3); 2.3225 (0.6); 1.7379 (2.0); 1.2966 (0.4); 1.2893 (0.4); 0.9120 (0.4); 0.0307 (0.8) 1-043: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.9195 (16.0); 7.7070 (2.1); 7.6877 (5.3); 7.6679 (4.5); 7.6347 (6.0); 7.6031 (7.9); 7.5251 (4.2); 7.5050 (3.6); 4.0031 (0.3); 3.3797 (1.1); 3.3371 (1.2); 2.5098 (7.0); 2.3668 (0.8); 2.3544 (1.8); 2.3460 (2.2); 2.3338 (3.6); 2.3219 (2.4); 2.3137 (2.1); 2.3014 (1.1); 1.1157 (1.5); 1.1036 (4.1); 1.0975 (7.0); 1.0901 (4.4); 1.0829 (4.6); 1.0773 (7.0); 1.0697 (3.7); 1.0559 (1.5); 1.0430 (3.3); 1.0352 (7.4); 1.0301 (7.4); 1.0232 (8.0); 1.0174 (6.1); 1.0055 (2.2) 1-044: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2409 (16.0); 8.1115 (0.6); 7.9405 (1.1); 7.8747 (1.8); 7.8503 (3.7); 7.8227 (2.3); 7.8127 (2.0); 7.7868 (3.6); 7.7656 (2.3); 7.5853 (2.5); 7.5587 (4.1); 7.5321 (1.8); 4.1145 (0.5); 4.0839 (0.4); 4.0726 (1.0); 4.0489 (1.0); 3.5064 (0.4); 3.3515 (0.6); 3.3099 (0.5); 3.0723 (1.7); 3.0521 (0.7); 3.0411 (0.5); 3.0096 (0.3); 2.9228 (1.8); 2.8928 (0.7); 2.8579 (0.4); 2.7637 (1.5); 2.5463 (9.6); 2.5404 (20.1); 2.5343 (27.5); 2.5283 (19.6); 2.5224 (9.0); 2.0211 (3.9); 1.3872 (0.8); 1.2914 (0.5); 1.2660 (1.1); 1.2300 (1.3); 1.2062 (2.6); 1.2012 (1.1); 1.1825 (1.2); 0.1641 (0.4); 0.1162 (0.4); 0.0419 (0.5); 0.0310 (14.4); 0.0201 (0.6) 1-045: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8837 (5.5); 7.4257 (2.7); 7.4229 (2.9); 7.4137 (1.5); 7.4095 (2.0); 7.4066 (2.2); 7.4050 (2.1); 7.3802 (1.6); 7.3754 (1.5); 7.3722 (1.4); 7.2987 (3.2); 7.2777 (0.9); 7.2693 (0.8); 7.2661 (0.7); 7.2581 (0.8); 7.2518 (0.6); 7.2466 (0.6); 7.2385 (0.5); 5.3876 (0.4); 5.3668 (1.0); 5.3459 (1.4); 5.3250 (1.0); 5.3042 (0.4); 3.1337 (4.6); 1.6009 (4.7); 1.4411 (16.0); 1.4203 (15.8); 0.0368 (3.7) 1-046: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6042 (0.4); 7.5790 (1.6); 7.5575 (4.1); 7.5025 (2.2); 7.4823 (0.3); 7.4642 (1.0); 7.4556 (1.4); 7.4482 (1.0); 7.4341 (0.9); 7.2967 (3.9); 4.2444 (0.9); 4.1624 (15.6); 4.0647 (16.0); 1.5933 (3.9); 1.2906 (1.1); 0.0346 (3.8) 1-047: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.9753 (5.2); 7.6683 (0.6); 7.5512 (0.8); 7.5390 (1.8); 7.5259 (2.2); 7.5122 (1.1); 7.3323 (1.0); 7.3162 (1.8); 7.3001 (0.8); 7.2636 (1.5); 7.0994 (0.4); 4.0289 (16.0); 3.1503 (0.4); 2.9572 (1.4); 2.9112 (0.4); 2.8836 (1.2); -0.0002 (1.2) 1-048: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.2321 (16.0); 7.5551 (8.5); 7.5506 (6.0); 7.5092 (3.4); 7.4888 (6.3); 7.4574 (4.8); 7.4373 (7.6); 7.4173 (3.5); 7.3037 (4.4); 7.3012 (4.4); 7.2836 (3.6); 7.2812 (3.6); 2.5097 (2.3) 1-049: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5658 (1.2); 7.5527 (3.4); 7.5398 (0.3); 7.4911 (1.5); 7.4397 (0.6); 7.4346 (1.1); 7.4303 (0.8); 7.4280 (0.5); 7.4258 (0.5); 7.4218 (0.7);

7.4171 (0.4); 7.2620 (0.9); 4.1764 (0.4); 4.0726 (1.0); 4.0590 (16.0); 3.9974 (0.4); -0.0002 (0.8) 1-050: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.6812 (1.0); 8.6207 (2.3); 8.1045 (0.6); 8.1000 (1.0); 8.0954 (0.6); 7.7447 (0.5); 7.7179 (1.0); 7.6933 (0.6); 7.6318 (0.4); 7.2260 (0.8); 5.2581 (0.4); 5.2373 (0.5); 5.2165 (0.4); 3.3506 (16.0); 2.5342 (1.0); 2.5283 (2.2); 2.5222 (3.0); 2.5162 (2.1); 2.5102 (1.0); 1.3599 (5.9); 1.3391 (5.8); 0.0194 (0.8) 1-051: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.3714 (6.2); 8.3653 (6.3); 8.3270 (6.0); 8.3186 (6.1); 8.2572 (16.0); 7.4202 (3.8); 7.4128 (6.0); 7.4055 (3.8); 5.7785 (1.2); 3.4711 (0.4); 3.4031 (0.5); 3.3840 (0.5); 3.2446 (0.4); 2.5341 (4.0); 2.5282 (8.4); 2.5222 (11.5); 2.5162 (8.4); 2.5103 (4.1); 2.0860 (0.6); 2.0692 (1.3); 2.0578 (1.5); 2.0412 (2.7); 2.0246 (1.6); 2.0132 (1.6); 1.9965 (0.8); 1.1944 (0.4); 1.0786 (1.6); 1.0637 (4.4); 1.0562 (5.0); 1.0424 (2.7); 1.0356 (4.6); 1.0281 (4.5); 1.0146 (2.0); 0.8207 (2.0); 0.8066 (5.2); 0.7998 (5.3); 0.7903 (4.9); 0.7833 (5.6); 0.7678 (1.6); 0.0306 (0.4); 0.0197 (10.2); 0.0086 (0.5) 1-052: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5717 (0.3); 7.5706 (0.3); 7.5562 (1.2); 7.5436 (3.3); 7.4786 (1.5); 7.4294 (0.6); 7.4239 (1.1); 7.4197 (0.8); 7.4157 (0.5); 7.4107 (0.7); 7.4065 (0.4); 7.2606 (2.2); 4.1428 (0.3); 4.0748 (1.1); 4.0582 (16.0); 3.9978 (0.3); 1.5556 (2.7); -0.0002 (2.2) 1-053: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.9232 (0.6); 8.8705 (5.1); 8.7368 (2.9); 8.7204 (3.0); 8.4955 (7.6); 8.2803 (0.8); 7.7880 (2.9); 7.7717 (2.8); 7.5349 (0.5); 7.5222 (0.6); 7.5125 (0.7); 7.5007 (1.1); 7.4928 (0.7); 7.4881 (0.7); 7.4767 (1.1); 7.4667 (0.8); 7.4573 (0.6); 7.4433 (0.6); 7.4263 (0.5); 7.4155 (0.5); 7.3993 (3.2); 7.3863 (3.8); 7.3754 (2.0); 7.3637 (1.0); 7.3344 (0.4); 4.0845 (0.6); 4.0607 (1.8); 4.0370 (1.9); 4.0133 (0.7); 3.3635 (0.5); 3.1890 (0.3); 2.5342 (2.7); 2.5284 (5.7); 2.5224 (7.9); 2.5164 (5.9); 2.5106 (3.0); 2.0085 (8.3); 1.9293 (3.1); 1.2178 (2.2); 1.1941 (4.2); 1.1704 (2.1); 1.0893 (16.0); 0.0186 (4.4) 1-054: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.0517 (0.4); 7.7345 (1.3); 7.7085 (3.8); 7.6823 (4.2); 7.6629 (4.6); 7.6369 (2.0); 7.5787 (4.9); 7.5312 (3.5); 7.5052 (2.6); 7.4437 (0.6); 7.4262 (0.6); 7.4087 (0.8); 7.2862 (0.4); 7.1165 (0.4); 4.0613 (0.7); 4.0376 (0.7); 3.3468 (0.5); 3.1893 (0.3); 2.9676 (2.1); 2.9428 (6.4); 2.9179 (6.5); 2.8932 (2.2); 2.5344 (4.8); 2.5285 (9.6); 2.5224 (12.8); 2.5164 (9.0); 2.5107 (4.0); 2.3794 (1.5); 2.3375 (25.8); 2.0950 (0.5); 2.0091 (2.8); 1.2909 (7.8); 1.2661 (16.0); 1.2413 (7.2); 1.2184 (0.8); 1.1947 (1.5); 1.1709 (0.7); 0.0304 (0.7); 0.0196 (13.8); 0.0086 (0.4); -0.0406 (1.0) 1-055: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5959 (0.6); 7.5745 (1.0); 7.5523 (0.6); 7.5012 (0.5); 7.4763 (1.2); 7.4523 (0.8); 7.3728 (1.0); 7.3476 (1.2); 7.3198 (0.5); 7.2988 (7.5); 7.1046 (0.9); 6.9353 (0.6); 6.9223 (1.9); 6.7399 (0.9); 4.1162 (3.5); 4.1049 (16.0); 4.0922 (1.0); 4.0670 (0.6); 4.0386 (0.3); 1.6176 (0.4); 1.5935 (5.8); 1.3870 (0.4); 1.2929 (0.4); 0.1077 (2.1); 0.0374 (6.9); 0.0265 (0.3) 1-056: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9045 (4.4); 7.4588 (0.3); 7.4443 (0.4); 7.4349 (2.3); 7.4061 (2.6); 7.3729 (0.4); 7.3508 (1.9); 7.3245 (4.0); 7.2984 (19.6); 7.0244 (4.2); 7.0162 (3.3); 7.0044 (3.0); 6.9980 (3.2); 6.9899 (2.2); 6.9865 (2.2); 6.9762 (1.3); 6.9373 (2.6); 6.9311 (3.2); 6.9243 (1.8); 6.8304 (1.8); 6.8210 (1.6); 6.8080 (0.4); 4.5949 (0.7); 4.5870 (2.4); 4.5817 (0.8); 4.5632 (7.1); 4.5394 (7.2); 4.5313 (1.5); 4.5157 (2.6); 4.5074 (3.3); 4.4836 (3.2); 4.4598 (1.1); 2.2702 (0.4); 2.2594 (0.4); 2.2419 (0.8); 2.2255 (0.4); 2.2138 (0.4); 1.9860 (0.4); 1.9691 (0.9); 1.9578 (1.0); 1.9412 (1.8); 1.9245 (1.1); 1.9132 (1.0); 1.8962 (0.5); 1.6190 (0.3); 1.5864 (14.6); 1.5204 (0.6); 1.4963 (1.6); 1.4869 (8.1); 1.4787 (4.3); 1.4721 (2.3); 1.4631 (16.0); 1.4550 (7.8); 1.4485 (1.6); 1.4394 (7.8); 1.4312 (3.7); 1.3021 (1.3); 1.2969 (1.0); 1.2736 (0.4); 1.0913 (0.7); 1.0756 (1.7); 1.0697 (1.7); 1.0634 (1.1); 1.0544 (1.3); 1.0460 (2.6); 1.0416 (2.0); 1.0301 (3.3); 1.0234 (3.6); 1.0083 (2.0); 1.0017 (3.3); 0.9951 (2.8); 0.9804 (1.5); 0.7653 (1.6); 0.7499 (4.0); 0.7436 (3.8); 0.7334 (3.7); 0.7272 (5.4); 0.7112 (2.4); 0.7039 (2.1); 0.6872 (0.6); 0.1081 (0.4); 0.0488 (0.8); 0.0381 (17.7); 0.0272 (0.7) 1-057: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.4033 (16.0); 7.6856 (0.8); 7.6598 (4.2); 7.6407 (10.8); 7.6374 (10.2); 7.5838 (5.3); 7.5494 (0.9); 7.5427 (0.8); 7.5336 (2.2); 7.5228 (3.1); 7.5156 (2.8); 7.5028 (2.2); 7.4954 (1.5); 7.3906 (0.4); 7.3742 (0.4); 7.3606 (0.3); 7.2986 (62.6); 6.9476 (0.3); 5.0308 (0.4); 4.0812 (0.5); 3.8943 (0.6); 3.8725 (0.7); 3.7159 (1.1); 3.6788 (1.7); 3.6611 (1.0); 3.5391 (0.7); 3.4838 (0.4); 3.4479 (0.3); 3.2596 (0.4); 3.2174 (1.2); 3.1656 (0.6); 3.0881 (0.6); 3.0787 (0.6); 3.0061 (0.4); 2.9309 (1.1); 2.1975 (0.9); 2.0977 (0.7);

1.4829 (0.4); 1.4699 (2.7); 1.4486 (0.3); 1.4286 (0.3); 1.3620 (0.4); 1.2922 (3.3); 1.2760 (0.8);
1.2506 (0.5); 0.9162 (0.4); 0.1071 (14.1); 0.0947 (0.6); 0.0479 (2.0); 0.0372 (44.4); 0.0263 (1.8) 1-
058: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8995 (5.5); 7.5887 (0.6); 7.2987 (3.4); 7.1384 (0.3);
7.1201 (1.3); 7.1163 (1.4); 7.1109 (2.2); 7.0931 (3.4); 7.0661 (0.3); 6.8539 (0.6); 6.8451 (0.7);
6.8314 (1.0); 6.8215 (0.8); 6.8166 (1.1); 6.8003 (0.4); 5.4035 (0.4); 5.3827 (1.0); 5.3618 (1.4);
5.3409 (1.0); 5.3201 (0.4); 2.1478 (0.4); 2.1369 (0.5); 2.1304 (0.4); 2.1196 (0.9); 2.1087 (0.4);
2.1021 (0.6); 2.0914 (0.5); 1.6022 (2.8); 1.4751 (1.8); 1.4579 (16.0); 1.4371 (15.5); 1.0643 (0.7);
1.0492 (1.6); 1.0423 (1.7); 1.0362 (0.9); 1.0329 (0.7); 1.0275 (1.2); 1.0206 (1.8); 1.0138 (1.6);
0.9993 (0.9); 0.8139 (0.8); 0.7990 (1.9); 0.7929 (1.8); 0.7818 (1.8); 0.7764 (1.9); 0.7645 (0.6);
0.7597 (0.9); 0.7476 (0.4); 0.7418 (0.4); 0.0381 (3.4) 1-059: .sup.1H-NMR(300.2 MHz, CDCl₃): δ
= 8.2245 (5.3); 7.6379 (1.1); 7.6167 (3.3); 7.5953 (0.4); 7.5685 (1.5); 7.5201 (0.7); 7.5109 (1.1);
7.5036 (0.7); 7.4971 (0.4); 7.4889 (0.6); 7.4819 (0.4); 7.2985 (6.2); 5.4415 (0.4); 5.4205 (1.0);
5.3996 (1.4); 5.3788 (1.0); 5.3580 (0.4); 4.0917 (0.4); 2.9951 (0.5); 2.9228 (0.4); 1.5930 (1.9);
1.4811 (16.0); 1.4602 (15.9); 0.1074 (0.9); 0.0368 (5.0) 1-060: .sup.1H-NMR(499.9 MHz, CDCl₃):
 δ = 7.5495 (1.9); 7.5340 (7.4); 7.5182 (13.7); 7.4997 (2.3); 7.4695 (10.2); 7.4209 (5.8); 7.4062
(4.7); 7.3878 (0.6); 7.2606 (11.5); 5.2971 (0.7); 4.5407 (0.6); 4.5266 (1.8); 4.5125 (2.4); 4.5021
(5.8); 4.4879 (16.0); 4.4736 (15.8); 4.4594 (5.2); 4.3889 (5.0); 4.3749 (15.5); 4.3610 (15.6); 4.3471
(5.2); 1.5548 (14.0); 1.5088 (16.0); 1.4948 (31.9); 1.4808 (15.7); 1.4563 (2.0); 1.4497 (2.1); 1.4423
(4.0); 1.4354 (3.9); 1.4214 (17.8); 1.4071 (32.0); 1.3928 (15.8); 1.2776 (0.4); 1.2571 (1.2); -0.0002
(11.5) 1-061: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8527 (4.8); 7.8448 (0.7); 7.4713 (1.5);
7.3465 (0.9); 7.3329 (0.6); 7.3203 (1.7); 7.3065 (0.4); 7.2983 (1.8); 7.2940 (1.3); 7.0217 (1.2);
7.0137 (1.9); 7.0082 (1.4); 6.9977 (1.0); 6.9945 (1.0); 6.9866 (1.6); 6.9832 (1.3); 6.9467 (1.3);
6.9404 (1.7); 6.9331 (1.1); 6.9253 (0.5); 5.3803 (0.4); 5.3706 (0.3); 5.3595 (1.0); 5.3497 (0.4);
5.3387 (1.3); 5.3309 (0.7); 5.3178 (1.0); 5.2970 (0.4); 1.9690 (0.5); 1.9576 (0.5); 1.9410 (0.9);
1.9242 (0.5); 1.9131 (0.5); 1.6409 (2.4); 1.4629 (2.6); 1.4591 (4.6); 1.4361 (16.0); 1.4151 (14.5);
1.4033 (0.6); 1.3822 (0.4); 1.0347 (0.9); 1.0296 (0.6); 1.0194 (1.5); 1.0125 (1.7); 1.0096 (1.3);
0.9978 (1.0); 0.9910 (1.6); 0.9847 (1.4); 0.9697 (0.8); 0.7664 (0.9); 0.7513 (2.3); 0.7453 (2.0);
0.7348 (1.8); 0.7290 (2.4); 0.7126 (0.7); 0.0368 (1.6) 1-062: .sup.1H-NMR(300.2 MHz, d.sub.6-
DMSO): δ = 8.3065 (16.0); 8.1039 (1.2); 7.7140 (1.2); 7.6870 (2.5); 7.6596 (1.8); 7.6421 (1.3);
7.6195 (2.5); 7.5986 (1.6); 7.4977 (2.4); 7.4826 (3.1); 7.4711 (3.4); 7.4442 (1.3); 7.3027 (5.4);
7.1228 (2.7); 4.0602 (1.0); 4.0365 (1.0); 4.0127 (0.4); 3.4910 (0.3); 2.5341 (3.0); 2.5282 (6.4);
2.5221 (8.9); 2.5160 (6.6); 2.5101 (3.2); 2.0087 (4.4); 1.9291 (1.1); 1.2176 (1.2); 1.1939 (2.4);
1.1701 (1.2); 1.1561 (0.5); 0.0186 (9.5); 0.0076 (0.5); -0.0425 (2.0) 1-063: .sup.1H-NMR(300.2
MHz, d.sub.6-DMSO): δ = 8.7017 (1.3); 8.6952 (1.5); 8.6861 (6.0); 8.6850 (5.6); 8.6797 (6.3);
8.6674 (1.4); 8.6596 (1.4); 8.6268 (5.9); 8.6189 (6.2); 8.3059 (16.0); 8.2818 (0.9); 8.2749 (1.4);
8.2674 (0.8); 8.2297 (4.5); 8.2230 (6.4); 8.2154 (4.1); 8.1457 (0.4); 8.0647 (0.3); 8.0472 (3.3);
5.7778 (0.4); 4.0597 (0.5); 4.0360 (0.4); 3.1873 (0.4); 2.5611 (14.4); 2.5339 (3.5); 2.5279 (7.4);
2.5218 (10.0); 2.5158 (7.2); 2.5099 (3.3); 2.0085 (1.8); 1.9286 (1.0); 1.2173 (0.5); 1.1936 (1.0);
1.1698 (0.5); 0.0294 (0.5); 0.0186 (13.5); 0.0093 (0.4); 0.0076 (0.5) 1-064: .sup.1H-NMR(300.2
MHz, CDCl₃): δ = 7.6140 (0.6); 7.5922 (1.2); 7.5698 (1.5); 7.5467 (0.7); 7.3813 (0.7); 7.3551
(1.0); 7.3275 (0.4); 7.2990 (6.7); 4.1179 (2.2); 4.1089 (16.0); 1.6002 (1.0); 1.2938 (0.6); 1.2737
(0.9); 1.2678 (0.4); 0.9187 (0.4); 0.0367 (6.7) 1-065: .sup.1H-NMR(300.2 MHz, CDCl₃): δ =
7.2986 (6.2); 7.1237 (0.4); 7.1045 (1.4); 7.0965 (2.2); 7.0911 (2.7); 7.0769 (1.8); 7.0728 (2.5);
7.0454 (0.5); 6.8423 (0.3); 6.8363 (0.7); 6.8284 (0.8); 6.8208 (0.5); 6.8141 (1.1); 6.8033 (0.8);
6.7976 (0.8); 6.7828 (0.5); 5.8161 (0.4); 5.4585 (0.4); 5.4377 (1.0); 5.4168 (1.4); 5.3959 (1.1);
5.3751 (0.4); 2.6527 (8.2); 2.4601 (15.6); 2.4508 (2.3); 2.1444 (0.5); 2.1331 (0.6); 2.1162 (1.0);
2.0996 (0.7); 2.0878 (0.6); 2.0711 (0.3); 1.6184 (0.6); 1.4808 (1.7); 1.4701 (0.6); 1.4552 (16.0);
1.4343 (15.6); 1.4130 (0.5); 1.3921 (0.4); 1.2935 (0.4); 1.0594 (0.8); 1.0441 (1.9); 1.0373 (2.0);
1.0312 (1.4); 1.0226 (1.5); 1.0155 (2.0); 1.0091 (1.8); 0.9945 (1.1); 0.8051 (1.0); 0.7901 (2.2);
0.7840 (2.1); 0.7732 (2.0); 0.7670 (2.3); 0.7574 (0.7); 0.7509 (0.8); 0.7410 (0.5); 0.1079 (1.1);

0.0374 (5.2) 1-066: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 8.1443 (5.2); 7.5649 (0.5); 7.5494 (1.7); 7.5338 (2.0); 7.5254 (2.4); 7.5099 (0.9); 7.4936 (2.5); 7.4298 (1.5); 7.4146 (1.2); 7.2672 (0.5); 5.3302 (0.5); 5.3177 (1.2); 5.3052 (1.6); 5.2927 (1.2); 5.2802 (0.5); 1.6345 (0.4); 1.4002 (15.4); 1.3876 (16.0); -0.0002 (0.5) 1-067: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 8.0179 (6.6); 7.7953 (0.7); 7.7804 (1.4); 7.7656 (0.8); 7.7208 (0.7); 7.7069 (1.2); 7.6936 (0.8); 7.5189 (1.0); 7.5027 (1.6); 7.4865 (0.7); 2.6214 (16.0); 2.5058 (0.4); 1.3515 (0.9) 1-068: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5329 (0.7); 7.5066 (2.3); 7.4812 (1.9); 7.4459 (2.0); 7.4053 (2.3); 7.3599 (1.4); 7.3323 (1.0); 7.3067 (6.2); 5.5646 (0.3); 5.3280 (0.5); 5.3072 (1.1); 5.2864 (1.5); 5.2656 (1.1); 5.2448 (0.5); 2.6875 (0.5); 2.6772 (0.8); 2.6664 (1.0); 2.6556 (0.8); 2.6452 (0.6); 1.4524 (1.3); 1.4316 (1.4); 1.3492 (16.0); 1.3284 (16.0); 1.2987 (0.9); 0.9515 (0.6); 0.9288 (2.4); 0.9120 (2.5); 0.8904 (0.8); 0.6958 (0.8); 0.6800 (2.2); 0.6733 (2.6); 0.6461 (0.6); 0.0441 (6.0) 1-069: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5879 (2.7); 7.5816 (2.7); 7.5680 (4.8); 7.5440 (1.0); 7.5233 (2.8); 7.4797 (1.5); 7.4738 (1.8); 7.4668 (1.3); 7.4568 (1.2); 7.4512 (1.3); 7.3127 (0.4); 7.3003 (1.4); 7.2951 (2.7); 6.8372 (0.6); 6.8321 (1.1); 6.7932 (1.5); 6.7782 (0.7); 6.7731 (1.3); 6.7491 (0.5); 6.7393 (0.8); 6.7342 (1.5); 6.3408 (0.5); 6.2819 (0.4); 5.9556 (1.8); 5.9503 (2.7); 5.9177 (0.9); 5.8952 (3.8); 5.8562 (2.3); 4.0582 (2.1); 4.0531 (3.5); 4.0245 (2.2); 4.0128 (8.4); 4.0078 (16.0); 1.6205 (0.5); 1.6087 (2.0); 1.6040 (3.6); 0.0493 (0.4); 0.0377 (1.3); 0.0326 (2.6) 1-070: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 7.7089 (0.7); 7.6892 (2.0); 7.6694 (1.7); 7.6395 (2.0); 7.6200 (1.1); 7.5614 (2.6); 7.5153 (1.4); 7.4954 (1.1); 2.5592 (16.4); 2.5156 (2.0); 2.5112 (4.2); 2.5069 (5.7); 2.5024 (4.1); 2.4983 (2.0); 2.3154 (0.5); 2.3022 (16.0); 0.0008 (4.3) 1-071: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.0795 (5.2); 8.0524 (0.7); 8.0253 (1.4); 7.9997 (0.8); 7.5587 (1.8); 7.5339 (1.6); 7.4377 (1.6); 7.4100 (1.4); 7.2985 (4.0); 5.3364 (0.5); 4.0608 (0.7); 3.8576 (16.0); 3.1416 (0.5); 1.6031 (4.4); 0.1054 (0.8); 0.0349 (3.5) 1-072: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2043 (5.1); 7.5859 (1.0); 7.5595 (2.0); 7.5517 (1.6); 7.5471 (1.5); 7.5332 (2.0); 7.4915 (0.8); 7.4854 (1.1); 7.4788 (0.6); 7.4604 (0.6); 7.2986 (5.3); 5.6409 (2.3); 5.6325 (2.4); 5.4040 (0.4); 5.3831 (1.0); 5.3623 (1.4); 5.3414 (1.0); 5.3205 (0.4); 4.5051 (2.0); 4.4967 (2.0); 4.0863 (0.9); 4.0630 (3.0); 4.0397 (3.1); 4.0164 (1.0); 1.5943 (5.2); 1.5232 (3.4); 1.5000 (7.1); 1.4767 (3.4); 1.4479 (16.0); 1.4270 (15.8); 1.4090 (0.3); 1.3594 (0.3); 0.9838 (0.4); 0.9596 (0.8); 0.9353 (0.3); 0.1073 (0.3); 0.0366 (5.2) 1-073: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.2988 (4.3); 7.1128 (1.7); 7.1047 (2.2); 7.1007 (1.8); 7.0872 (3.4); 6.8630 (0.6); 6.8544 (0.6); 6.8408 (1.0); 6.8275 (0.7); 6.8096 (0.4); 5.4799 (0.4); 5.4591 (1.0); 5.4382 (1.3); 5.4173 (1.0); 5.3964 (0.4); 2.1481 (0.4); 2.1370 (0.5); 2.1198 (0.8); 2.1026 (0.5); 2.0916 (0.4); 1.6711 (0.8); 1.6615 (0.8); 1.4937 (1.8); 1.4714 (16.0); 1.4505 (14.9); 1.0727 (0.6); 1.0574 (1.7); 1.0507 (1.7); 1.0447 (0.9); 1.0358 (1.0); 1.0288 (1.8); 1.0222 (1.5); 1.0076 (0.7); 0.8119 (0.8); 0.7969 (1.9); 0.7906 (1.9); 0.7799 (1.7); 0.7741 (1.9); 0.7577 (0.6); 0.1078 (0.4); 0.0371 (4.0) 1-074: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.8704 (1.4); 8.7420 (0.8); 8.7256 (0.9); 8.5221 (1.8); 7.7842 (0.8); 7.7678 (0.8); 7.5120 (0.3); 7.5003 (0.5); 7.4760 (0.4); 7.4015 (0.9); 7.3882 (1.1); 7.3775 (0.7); 7.3634 (0.4); 5.2782 (0.4); 5.2574 (0.5); 5.2366 (0.4); 3.5844 (11.6); 3.3825 (10.1); 2.5285 (0.7); 2.5227 (1.0); 2.5168 (0.7); 2.0055 (0.6); 1.3829 (5.1); 1.3621 (5.1); 1.3484 (0.8); 1.1907 (0.4); 1.1746 (1.4); 1.0877 (16.0); 0.8961 (1.1); 0.0127 (0.4) 1-075: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.5413 (5.4); 7.6421 (1.0); 7.6171 (2.8); 7.6120 (1.5); 7.5933 (0.4); 7.5691 (1.4); 7.5270 (0.6); 7.5198 (1.1); 7.5126 (0.6); 7.5054 (0.4); 7.5027 (0.4); 7.4969 (0.6); 7.4894 (0.3); 7.2986 (3.4); 5.4233 (0.4); 5.4024 (1.0); 5.3815 (1.3); 5.3606 (1.0); 5.3398 (0.4); 2.8540 (16.0); 2.0810 (0.9); 1.6089 (0.5); 1.4674 (15.9); 1.4465 (15.4); 1.4330 (0.5); 1.4068 (0.4); 1.3808 (0.3); 1.3581 (0.6); 1.3309 (0.4); 1.3048 (0.3); 1.2945 (0.7); 0.9818 (0.7); 0.9576 (1.4); 0.9333 (0.6); 0.0342 (3.1) 1-076: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.3788 (3.8); 8.3722 (4.6); 8.3691 (4.7); 8.3603 (4.0); 8.1750 (0.6); 7.9458 (10.8); 7.6031 (0.9); 7.2985 (17.2); 7.2701 (0.3); 7.2603 (2.2); 7.2527 (3.3); 7.2456 (2.0); 4.5467 (2.3); 4.5362 (0.8); 4.5229 (7.4); 4.5124 (0.9); 4.4991 (7.5); 4.4887 (0.4); 4.4754 (2.5); 2.0339 (0.4); 2.0171 (0.9); 2.0060 (0.9); 1.9891 (1.8); 1.9723 (1.0); 1.9610 (1.0); 1.9440 (0.5); 1.5607 (0.4); 1.5079 (1.0); 1.4892 (7.9); 1.4841 (2.1);

1.4654 (16.0); 1.4417 (7.6); 1.1307 (1.2); 1.1149 (2.8); 1.1085 (3.1); 1.0927 (1.9); 1.0863 (3.0); 1.0805 (2.6); 1.0648 (1.4); 0.8200 (1.4); 0.8039 (3.9); 0.7989 (3.1); 0.7874 (3.0); 0.7820 (3.9); 0.7653 (1.1); 0.1053 (3.9); 0.0463 (0.6); 0.0355 (18.2); 0.0246 (0.7) 1-077: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.6152 (2.2); 7.5083 (0.4); 7.4466 (2.6); 7.2777 (2.1); 7.1794 (1.4); 7.1521 (4.7); 7.1336 (5.7); 7.1190 (2.6); 7.0996 (0.7); 6.9334 (1.5); 6.9177 (2.0); 6.9113 (1.8); 6.9031 (2.2); 6.8872 (1.4); 6.8798 (1.0); 6.5450 (0.4); 3.5192 (0.8); 3.3841 (16.0); 2.5659 (2.3); 2.5519 (24.4); 2.5343 (11.2); 2.5284 (22.7); 2.5224 (31.2); 2.5163 (25.9); 2.3835 (0.5); 2.3446 (3.6); 2.3112 (24.3); 2.2623 (0.3); 2.1990 (0.7); 2.1033 (1.8); 2.0950 (2.1); 2.0887 (1.2); 2.0781 (1.2); 2.0605 (2.0); 2.0434 (1.3); 2.0330 (1.1); 2.0154 (0.6); 2.0058 (0.8); 1.9291 (1.3); 1.3718 (1.0); 1.3550 (1.7); 1.3341 (1.7); 1.2897 (0.4); 1.2524 (0.7); 1.1846 (1.9); 1.0513 (1.4); 1.0365 (4.0); 1.0292 (4.3); 1.0157 (2.7); 1.0084 (4.1); 1.0012 (4.0); 0.9880 (1.7); 0.9641 (0.3); 0.8043 (1.8); 0.7905 (4.7); 0.7840 (4.7); 0.7738 (4.7); 0.7672 (4.4); 0.7517 (1.5); 0.0632 (0.5); 0.0269 (0.4); 0.0161 (12.2); 0.0049 (0.6); -0.0478 (2.8) 1-078: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3272 (0.5); 7.2987 (3.5); 7.2747 (0.8); 7.0122 (0.4); 7.0093 (0.6); 7.0044 (0.5); 7.0015 (0.7); 6.9863 (0.9); 6.9775 (0.5); 6.9744 (0.6); 6.9627 (0.7); 6.9354 (0.8); 6.9290 (1.0); 6.9223 (0.5); 5.4152 (0.6); 5.3943 (0.8); 5.3735 (0.6); 2.6494 (16.0); 2.4422 (8.7); 1.9302 (0.6); 1.6585 (0.4); 1.4341 (8.6); 1.4132 (8.7); 1.3939 (0.4); 1.3869 (0.4); 1.0290 (0.4); 1.0139 (1.0); 1.0070 (1.0); 1.0013 (0.5); 0.9921 (0.6); 0.9855 (1.0); 0.9789 (0.8); 0.9642 (0.4); 0.7569 (0.5); 0.7418 (1.2); 0.7355 (1.0); 0.7254 (1.0); 0.7195 (1.2); 0.7032 (0.4); 0.0355 (3.1) 1-079: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.3115 (5.9); 7.7517 (0.6); 7.7318 (2.1); 7.7143 (3.6); 7.6877 (2.5); 7.6688 (1.2); 7.6300 (1.8); 7.6098 (1.2); 3.9368 (16.0); 3.3278 (5.3); 2.5097 (0.8) 1-080: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.3109 (0.8); 7.2987 (4.7); 7.2848 (1.4); 7.2586 (0.9); 7.0014 (0.6); 6.9984 (0.7); 6.9936 (0.8); 6.9906 (0.8); 6.9709 (1.1); 6.9665 (1.4); 6.9405 (0.8); 6.9259 (1.1); 6.9195 (1.2); 6.9129 (0.6); 5.4044 (0.7); 5.3835 (0.9); 5.3626 (0.7); 3.7427 (16.0); 2.6631 (0.6); 2.6431 (9.0); 2.3405 (9.2); 2.2666 (0.4); 2.0823 (0.5); 1.9509 (0.3); 1.9398 (0.4); 1.9229 (0.7); 1.9061 (0.4); 1.8950 (0.4); 1.4311 (0.4); 1.4202 (11.0); 1.3993 (10.9); 1.2954 (0.5); 1.0104 (0.5); 0.9954 (1.1); 0.9883 (1.3); 0.9826 (0.7); 0.9736 (0.7); 0.9669 (1.2); 0.9600 (1.1); 0.9457 (0.6); 0.7549 (0.6); 0.7399 (1.4); 0.7334 (1.3); 0.7234 (1.2); 0.7176 (1.5); 0.7012 (0.5); 0.4732 (1.4); 0.3153 (2.9); 0.1064 (0.4); 0.0358 (4.7) 1-081: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 12.4164 (0.4); 9.3565 (0.4); 7.3562 (6.8); 7.3301 (15.4); 7.3039 (9.4); 7.2752 (0.9); 7.2503 (0.5); 7.0529 (0.5); 7.0373 (0.6); 7.0158 (9.1); 7.0118 (8.1); 6.9860 (12.4); 6.9779 (9.5); 6.9750 (8.0); 6.9596 (4.6); 6.9562 (5.0); 6.9515 (10.2); 6.9483 (9.1); 6.9417 (13.6); 6.9361 (14.8); 6.9295 (7.4); 6.8903 (1.2); 6.5383 (0.3); 6.5193 (0.6); 6.4942 (0.4); 6.4631 (0.5); 6.4561 (0.6); 6.4496 (0.3); 4.0848 (0.3); 4.0611 (1.0); 4.0374 (1.0); 4.0135 (0.4); 3.0156 (0.9); 2.6205 (0.4); 2.5614 (5.1); 2.5342 (6.9); 2.5281 (14.7); 2.5221 (20.4); 2.5160 (15.0); 2.5100 (7.3); 2.4708 (0.5); 2.4047 (94.7); 2.3577 (1.4); 2.3372 (0.6); 2.2181 (6.5); 2.1853 (0.6); 2.0997 (4.5); 2.0161 (1.7); 2.0089 (4.6); 1.9993 (3.6); 1.9882 (3.9); 1.9830 (2.9); 1.9716 (7.4); 1.9600 (3.2); 1.9548 (4.5); 1.9437 (4.5); 1.9296 (14.1); 1.8218 (0.4); 1.2184 (1.1); 1.1947 (2.2); 1.1709 (1.1); 1.0134 (4.4); 0.9989 (12.5); 0.9913 (14.0); 0.9857 (7.6); 0.9777 (8.1); 0.9708 (14.0); 0.9632 (13.4); 0.9499 (6.6); 0.9355 (0.9); 0.9262 (1.3); 0.9182 (0.9); 0.8977 (1.0); 0.8900 (0.7); 0.8770 (0.4); 0.7850 (0.5); 0.7674 (0.5); 0.7347 (5.6); 0.7208 (14.0); 0.7178 (11.9); 0.7138 (15.0); 0.7042 (14.3); 0.6973 (16.0); 0.6822 (5.6); 0.6626 (0.8); 0.6504 (0.6); 0.6350 (0.5); 0.6291 (0.5); 0.6155 (0.8); 0.6083 (0.8); 0.5988 (0.8); 0.5915 (0.8); 0.5770 (0.3); 0.1053 (0.5); 0.0306 (0.7); 0.0198 (22.5); 0.0088 (1.0); -0.0406 (1.4) 1-082: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 7.5310 (0.4); 7.5109 (1.2); 7.4911 (1.8); 7.4829 (1.9); 7.4692 (2.3); 7.4189 (1.2); 7.3997 (0.7); 7.2594 (7.0); 3.9970 (16.0); 2.6349 (13.6); 2.3177 (13.5); 1.5482 (6.2); -0.0002 (6.0) 1-083: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.7555 (5.2); 7.5543 (0.6); 7.5387 (1.5); 7.5229 (1.4); 7.5038 (1.7); 7.4877 (0.9); 7.4753 (1.9); 7.4262 (1.1); 7.4103 (0.8); 7.2609 (3.6); 4.4644 (1.4); 4.4501 (3.9); 4.4359 (3.9); 4.4216 (1.3); 2.6740 (16.0); 1.5512 (1.8); 1.4201 (4.1); 1.4058 (8.0); 1.3915 (3.9); 0.0059 (0.3); -0.0002 (4.2) 1-084: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2471 (2.2); 8.2382 (2.2); 7.8875 (2.2); 7.8822 (2.4);

7.6615 (0.6); 7.6617 (0.6); 7.6517 (0.4); 7.6260 (1.1); 7.6041 (3.5); 7.5820 (0.4); 7.5616 (1.8); 7.5215 (0.8); 7.5123 (1.2); 7.5049 (0.7); 7.4906 (0.7); 7.4833 (0.4); 7.3042 (11.7); 6.6688 (1.5); 6.6627 (1.7); 6.6600 (1.6); 6.6540 (1.4); 6.4075 (0.3); 4.1067 (0.3); 4.0306 (1.6); 3.9255 (16.0); 3.7521 (0.5); 1.6043 (0.4); 0.0536 (0.4); 0.0428 (11.8); 0.0319 (0.4) 1-085: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6203 (1.0); 7.5965 (3.7); 7.5908 (2.4); 7.5804 (2.4); 7.5786 (2.4); 7.5688 (4.0); 7.5603 (3.7); 7.5442 (8.2); 7.5355 (1.8); 7.5333 (1.9); 7.5255 (0.9); 7.5190 (0.7); 7.5166 (0.7); 7.5106 (0.7); 7.5027 (0.4); 7.4599 (0.5); 7.4479 (0.4); 7.4361 (2.1); 7.4283 (2.1); 7.4194 (1.6); 7.4163 (2.0); 7.4110 (1.1); 7.4076 (1.0); 7.4038 (1.3); 7.3014 (3.6); 4.1011 (0.4); 3.7961 (4.1); 3.7421 (16.0); 1.6023 (2.3); 0.0411 (2.9) 1-086: .sup.1H-NMR(400.1 MHz, CDCl₃): δ = 8.6013 (3.0); 8.5973 (2.8); 8.5141 (2.8); 8.5086 (2.8); 7.9647 (5.2); 7.8504 (0.4); 7.8267 (1.6); 7.8215 (2.7); 7.8164 (1.6); 7.6276 (0.7); 7.2734 (0.9); 4.0351 (2.5); 4.0229 (16.0); -0.0002 (0.8) 1-087: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.5580 (0.4); 7.5425 (1.5); 7.5268 (3.1); 7.5088 (0.6); 7.4751 (2.1); 7.4226 (1.3); 7.4079 (1.0); 7.2602 (3.1); 4.0240 (16.0); 2.4323 (15.4); 1.5511 (4.0); -0.0002 (3.2) 1-088: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.8513 (3.1); 8.8181 (2.8); 8.8097 (2.8); 8.0119 (10.8); 7.9514 (0.4); 7.9336 (1.6); 7.9271 (2.8); 7.9205 (1.6); 7.6933 (1.4); 7.2997 (27.9); 4.5816 (0.4); 4.5688 (2.4); 4.5577 (1.1); 4.5450 (7.4); 4.5339 (1.3); 4.5212 (7.5); 4.5100 (0.6); 4.4975 (2.4); 3.1500 (0.6); 1.5927 (10.0); 1.5229 (1.1); 1.5050 (7.9); 1.4992 (2.6); 1.4812 (16.0); 1.4574 (7.6); 0.0494 (1.0); 0.0386 (29.1); 0.0276 (0.9) 1-089: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 10.3815 (3.7); 7.9584 (5.4); 7.8619 (0.6); 7.8561 (0.6); 7.8420 (0.6); 7.8360 (1.2); 7.8300 (0.8); 7.8158 (0.7); 7.8101 (0.7); 7.6472 (0.6); 7.6415 (0.6); 7.6208 (1.1); 7.6162 (1.0); 7.5959 (0.8); 7.5901 (0.7); 7.3977 (0.8); 7.3711 (1.3); 7.3446 (0.6); 7.2985 (2.2); 5.4175 (0.4); 5.3966 (1.0); 5.3757 (1.4); 5.3549 (1.1); 5.3341 (3.7); 1.6217 (1.4); 1.4694 (15.8); 1.4486 (16.0); 1.4290 (0.6); 1.2554 (0.5); 1.2348 (0.5); 1.2138 (0.4); 1.1934 (0.4); 0.0327 (2.7) 1-090: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9090 (5.7); 7.4635 (0.5); 7.4573 (0.5); 7.4388 (0.7); 7.4325 (1.0); 7.4187 (0.6); 7.4101 (0.6); 7.2987 (4.3); 7.2564 (0.4); 7.2358 (1.0); 7.2296 (0.8); 7.2154 (1.2); 7.2085 (2.4); 7.1828 (1.2); 7.1565 (0.4); 6.9290 (0.8); 6.8917 (0.8); 6.8700 (0.9); 6.8327 (0.9); 5.9082 (1.5); 5.9052 (1.6); 5.8492 (1.4); 5.8461 (1.4); 5.4700 (1.5); 5.4669 (1.5); 5.4326 (1.4); 5.4296 (1.5); 5.4042 (0.4); 5.3834 (1.0); 5.3625 (1.4); 5.3417 (1.0); 5.3208 (0.4); 1.5941 (1.2); 1.4579 (16.0); 1.4370 (15.8); 1.2576 (0.4); 1.2371 (0.4); 0.0374 (5.4) 1-091: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9042 (6.5); 7.8828 (0.8); 7.8781 (1.4); 7.8742 (1.0); 7.8317 (1.3); 7.8250 (1.8); 7.8191 (1.2); 7.6000 (1.0); 7.5735 (2.1); 7.5474 (1.4); 7.4917 (1.0); 7.4882 (1.1); 7.4837 (1.0); 7.4803 (1.0); 7.4646 (0.6); 7.4611 (0.6); 7.4567 (0.6); 7.4532 (0.6); 7.2987 (2.1); 5.3974 (0.4); 5.3766 (1.0); 5.3557 (1.4); 5.3333 (3.8); 5.3140 (0.4); 2.6431 (16.0); 1.6372 (1.8); 1.4490 (15.6); 1.4281 (15.4); 1.2518 (0.7); 1.2314 (0.7); 0.0329 (2.6) 1-092: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2774 (16.0); 7.6494 (1.3); 7.6440 (1.5); 7.6200 (2.6); 7.6018 (1.6); 7.5956 (1.5); 7.4034 (1.1); 7.3977 (1.2); 7.3764 (2.7); 7.3719 (2.5); 7.3528 (2.5); 7.3465 (2.0); 7.3256 (3.5); 7.2990 (3.9); 7.2722 (1.3); 6.9157 (2.1); 6.8783 (2.4); 6.8566 (2.6); 6.8192 (2.6); 6.0381 (4.1); 6.0355 (4.2); 5.9792 (3.6); 5.9764 (3.6); 5.5463 (4.2); 5.5439 (4.0); 5.5088 (3.8); 5.5062 (4.0); 4.0604 (0.6); 4.0367 (0.6); 2.5346 (2.0); 2.5287 (4.3); 2.5226 (6.1); 2.5166 (4.5); 2.5107 (2.1); 2.0087 (2.5); 1.9299 (0.4); 1.2176 (0.6); 1.1939 (1.3); 1.1702 (0.6); 0.0183 (5.9) 1-093: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2492 (16.0); 7.9235 (2.0); 7.9194 (3.4); 7.9151 (2.4); 7.8982 (2.5); 7.8938 (4.0); 7.8896 (2.8); 7.8121 (3.8); 7.8053 (5.4); 7.7994 (3.7); 7.6781 (2.8); 7.6514 (6.0); 7.6257 (4.0); 7.5801 (3.0); 7.5765 (3.4); 7.5722 (3.1); 7.5687 (3.0); 7.5530 (1.8); 7.5495 (1.7); 7.5451 (1.8); 7.5416 (1.5); 2.6174 (40.6); 2.5452 (0.4); 2.5346 (2.5); 2.5287 (5.3); 2.5226 (7.3); 2.5166 (5.3); 2.5108 (2.5); 2.0092 (0.5); 0.0197 (6.4) 1-094: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2283 (11.5); 7.8419 (0.8); 7.4747 (1.7); 7.4667 (0.6); 7.4491 (3.9); 7.4231 (2.4); 7.2487 (0.5); 7.2326 (3.6); 7.2059 (2.7); 7.1863 (6.8); 7.1595 (2.1); 7.1523 (1.6); 4.0848 (1.1); 4.0611 (3.4); 4.0374 (3.5); 4.0137 (1.2); 3.3580 (1.2); 3.1347 (1.0); 3.1004 (1.6); 3.0916 (1.1); 3.0667 (1.4); 3.0534 (1.2); 3.0236 (1.0); 2.5346 (5.0); 2.5287 (10.8); 2.5227 (14.8); 2.5167 (10.8); 2.5109 (5.0); 2.0656 (2.2); 2.0476 (1.5); 2.0351 (2.8); 2.0282 (2.6);

2.0200 (1.6); 2.0097 (16.0); 2.0008 (3.4); 1.9886 (1.1); 1.9772 (1.1); 1.9665 (1.2); 1.9296 (14.7); 1.2186 (4.0); 1.1949 (7.8); 1.1711 (3.8); 0.0310 (0.6); 0.0202 (17.6); 0.0092 (0.6) 1-095: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2172 (16.0); 7.8172 (1.1); 7.5335 (0.4); 7.5209 (2.7); 7.5083 (1.1); 7.4950 (5.9); 7.4813 (1.3); 7.4687 (4.0); 7.4323 (0.4); 7.2414 (0.8); 7.2065 (8.3); 7.1989 (5.9); 7.1802 (5.2); 7.1726 (5.8); 7.1660 (6.8); 7.1604 (6.4); 5.7866 (0.5); 5.5279 (0.3); 5.4410 (0.6); 5.2844 (0.6); 4.0613 (0.8); 4.0377 (0.8); 4.0142 (0.4); 3.6447 (0.3); 3.3505 (11.6); 3.2182 (0.8); 3.1169 (0.4); 2.7483 (0.5); 2.5853 (0.4); 2.5346 (21.8); 2.5287 (46.6); 2.5227 (64.6); 2.5167 (46.8); 2.5108 (21.7); 2.2933 (0.4); 2.0100 (3.1); 1.9297 (5.9); 1.7140 (0.4); 1.5738 (1.3); 1.5537 (4.9); 1.5468 (4.9); 1.5277 (1.9); 1.5086 (1.4); 1.4880 (4.7); 1.4816 (5.0); 1.4631 (2.0); 1.3997 (0.4); 1.2828 (0.4); 1.2537 (2.2); 1.2318 (5.2); 1.2236 (6.3); 1.2011 (6.3); 1.1951 (6.3); 1.1713 (2.0); 0.2153 (0.4); 0.0318 (2.5); 0.0208 (76.8); 0.0098 (2.6) 1-096: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8773 (5.0); 7.5112 (0.5); 7.4447 (0.9); 7.4317 (0.3); 7.4179 (1.9); 7.3924 (1.4); 7.2989 (5.8); 7.2244 (0.6); 7.1980 (0.5); 7.1791 (2.4); 7.1725 (2.7); 7.1462 (2.4); 7.1348 (1.8); 7.1302 (1.8); 6.8524 (0.3); 6.7354 (0.5); 5.3906 (0.4); 5.3698 (1.0); 5.3489 (1.4); 5.3280 (1.0); 5.3072 (0.4); 4.8971 (1.1); 2.8573 (0.4); 2.8298 (0.5); 2.8166 (0.6); 2.7896 (0.7); 2.7743 (0.5); 2.7474 (0.6); 1.9123 (0.4); 1.8971 (0.7); 1.8825 (0.6); 1.8724 (0.7); 1.8575 (0.8); 1.8424 (0.4); 1.8327 (0.5); 1.8161 (0.5); 1.7111 (0.4); 1.6977 (0.4); 1.6842 (0.7); 1.6703 (1.0); 1.6563 (0.7); 1.6427 (0.9); 1.6287 (0.8); 1.6157 (0.4); 1.5989 (5.8); 1.4677 (1.6); 1.4435 (16.0); 1.4226 (15.5); 1.3048 (1.4); 0.9417 (0.5); 0.9202 (1.4); 0.8971 (0.6); 0.0381 (7.6); 0.0278 (0.3) 1-097: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8774 (4.8); 7.8763 (4.8); 7.5175 (0.7); 7.4681 (0.7); 7.4420 (1.6); 7.4164 (0.9); 7.2999 (5.3); 7.2987 (5.2); 7.1733 (4.2); 7.1458 (2.4); 7.1188 (1.3); 5.3926 (0.4); 5.3715 (1.0); 5.3635 (0.4); 5.3507 (1.3); 5.3300 (1.2); 5.3091 (0.4); 1.5965 (4.9); 1.5767 (1.5); 1.5715 (1.5); 1.5498 (0.6); 1.5350 (0.6); 1.5130 (1.6); 1.5078 (1.6); 1.4867 (0.7); 1.4693 (2.5); 1.4462 (16.0); 1.4250 (14.6); 1.4046 (0.4); 1.1657 (0.6); 1.1437 (1.7); 1.1387 (2.1); 1.1150 (2.0); 1.1095 (1.8); 1.0871 (0.5); 0.0391 (7.1); 0.0378 (6.9) 1-098: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 7.9623 (6.0); 7.6160 (0.7); 7.5966 (1.6); 7.5764 (1.0); 7.4675 (1.5); 7.4482 (1.1); 7.3796 (3.6); 7.3605 (1.0); 7.3580 (1.0); 7.3551 (0.8); 7.1942 (1.2); 7.0549 (2.5); 6.9157 (1.2); 2.6233 (16.0); 2.5112 (1.7); 2.5069 (3.6); 2.5024 (4.8); 2.4979 (3.4); 2.4936 (1.6); -0.0002 (5.2) 1-099: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 8.3652 (0.5); 8.3013 (6.0); 7.2138 (0.4); 7.2107 (0.5); 7.1975 (1.3); 7.1847 (1.3); 7.1784 (2.3); 7.1627 (2.0); 7.1467 (0.8); 6.9469 (0.8); 6.9441 (0.8); 6.9294 (1.3); 6.9191 (0.7); 6.9151 (0.6); 3.9505 (16.0); 3.9442 (2.6); 3.3320 (0.5); 2.0788 (0.6); 2.0722 (0.6); 2.0621 (1.1); 2.0519 (0.7); 2.0454 (0.6); 1.0310 (0.7); 1.0222 (2.1); 1.0179 (2.3); 1.0095 (1.3); 1.0053 (2.2); 1.0011 (2.2); 0.9928 (0.9); 0.7914 (0.9); 0.7828 (2.5); 0.7792 (2.6); 0.7728 (2.5); 0.7690 (2.6); 0.7599 (0.8) 1-100: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 8.0224 (4.7); 7.1588 (2.4); 7.1510 (1.6); 7.1480 (1.6); 7.1398 (2.7); 6.9293 (0.5); 6.9213 (0.6); 6.9129 (0.9); 6.9049 (0.9); 6.8970 (0.5); 6.8887 (0.4); 3.9282 (16.0); 3.3313 (3.9); 2.6229 (13.6); 2.5126 (1.4); 2.5082 (2.8); 2.5037 (3.8); 2.4992 (2.8); 2.4949 (1.4); 2.0704 (0.5); 2.0622 (0.5); 2.0495 (0.9); 2.0366 (0.6); 2.0285 (0.5); 1.0304 (0.6); 1.0194 (1.7); 1.0139 (1.8); 1.0097 (1.0); 1.0037 (1.0); 0.9983 (1.7); 0.9929 (1.8); 0.9827 (0.7); 0.7902 (0.8); 0.7798 (1.9); 0.7748 (2.1); 0.7671 (1.9); 0.7620 (2.0); 0.7508 (0.6); 0.0000 (2.1) 1-101: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 7.2043 (0.4); 7.1889 (1.2); 7.1841 (1.1); 7.1760 (3.2); 7.1676 (1.3); 7.1591 (2.1); 7.1386 (0.6); 6.9595 (0.7); 6.9548 (0.7); 6.9418 (1.0); 6.9354 (1.0); 6.9272 (0.6); 6.9189 (0.5); 3.9980 (16.0); 3.3447 (16.6); 2.5161 (0.8); 2.5119 (1.6); 2.5075 (2.2); 2.5030 (1.6); 2.4028 (14.4); 2.0802 (0.8); 2.0755 (0.5); 2.0671 (0.5); 2.0545 (1.0); 2.0417 (0.6); 2.0335 (0.5); 1.0366 (0.6); 1.0256 (1.8); 1.0201 (2.0); 1.0158 (1.0); 1.0099 (1.0); 1.0045 (1.9); 0.9991 (1.9); 0.9889 (0.8); 0.7930 (0.8); 0.7825 (2.1); 0.7800 (1.9); 0.7775 (2.2); 0.7699 (2.0); 0.7648 (2.2); 0.7535 (0.6); 0.0000 (1.1) 1-102: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.7280 (1.2); 8.7058 (1.4); 7.9581 (5.4); 7.8378 (1.4); 7.2988 (5.6); 6.9909 (0.9); 6.8055 (1.9); 6.6200 (1.0); 5.4140 (0.4); 5.3931 (1.0); 5.3722 (1.4); 5.3514 (1.0); 5.3305 (0.4); 1.6191 (3.5); 1.4842 (0.5); 1.4636 (16.0); 1.4427 (15.5); 1.3423 (0.4); 1.3024 (2.4); 0.9393 (0.9); 0.9176 (2.7); 0.8943

(1.0); 0.1059 (1.1); 0.0355 (6.8) 1-103: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.4511 (1.2); 7.4315 (2.6); 7.4117 (1.6); 7.2106 (2.1); 7.1913 (1.8); 7.1592 (3.0); 7.1422 (1.9); 7.1219 (1.5); 5.3106 (0.5); 5.2949 (1.2); 5.2793 (1.6); 5.2638 (1.2); 5.2482 (0.5); 3.3097 (8.2); 3.1096 (0.6); 3.0851 (1.0); 3.0578 (0.8); 3.0503 (0.9); 3.0261 (0.6); 2.5093 (4.8); 2.3947 (14.7); 2.0352 (1.3); 2.0099 (2.1); 1.9891 (2.1); 1.9644 (1.2); 1.3721 (0.4); 1.3553 (0.6); 1.3341 (16.0); 1.3186 (15.7) 1-104: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.5079 (5.9); 7.4818 (13.3); 7.4555 (8.1); 7.1921 (9.6); 7.1665 (14.2); 7.1621 (16.0); 7.1403 (4.8); 7.1352 (9.6); 7.1228 (13.0); 7.1168 (15.1); 4.0615 (0.7); 4.0382 (0.7); 4.0142 (0.4); 3.8911 (0.3); 3.8778 (0.3); 3.8051 (0.3); 3.6746 (0.5); 3.6270 (0.8); 3.6045 (0.9); 3.5980 (0.9); 3.3483 (4.0); 3.0543 (0.6); 3.0361 (0.6); 3.0206 (0.5); 2.9179 (0.3); 2.7496 (0.6); 2.5982 (0.5); 2.5348 (24.9); 2.5288 (54.8); 2.5228 (77.0); 2.5168 (56.6); 2.5109 (26.9); 2.4534 (0.6); 2.3817 (95.8); 2.3423 (0.8); 2.3139 (0.7); 2.2941 (0.5); 2.2137 (0.5); 2.1626 (0.5); 2.0976 (0.8); 2.0102 (2.8); 1.9299 (5.1); 1.5677 (3.1); 1.5475 (9.6); 1.5410 (10.8); 1.5219 (4.3); 1.5030 (3.2); 1.4836 (9.7); 1.4759 (10.8); 1.4571 (4.6); 1.3936 (0.6); 1.3114 (0.6); 1.2803 (1.0); 1.2518 (4.8); 1.2297 (11.0); 1.2213 (13.4); 1.2028 (9.2); 1.1987 (13.4); 1.1907 (11.2); 1.1716 (3.7); 1.1432 (0.6); 1.1317 (0.5); 1.1126 (0.4); 1.1006 (0.3); 0.2163 (0.3); 0.0318 (2.0); 0.0209 (77.6); 0.0101 (2.9); -0.0451 (0.5) 1-105: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.4345 (1.4); 7.4150 (3.0); 7.3953 (1.8); 7.1961 (2.4); 7.1769 (2.0); 7.1360 (3.7); 7.1257 (2.5); 7.1052 (1.7); 3.0932 (0.7); 3.0678 (1.2); 3.0413 (1.1); 3.0331 (1.0); 3.0096 (0.7); 2.4991 (5.8); 2.3697 (16.0); 2.0205 (1.5); 1.9950 (2.5); 1.9857 (1.2); 1.9739 (2.5); 1.9487 (0.9); 1.9068 (4.6); -0.0002 (2.1) 1-106: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4486 (0.6); 7.4231 (1.3); 7.3976 (0.8); 7.3944 (0.7); 7.2989 (7.9); 7.1642 (3.1); 7.1609 (3.9); 7.1357 (1.3); 7.1290 (1.8); 7.1025 (1.0); 5.4474 (0.4); 5.4265 (1.0); 5.4056 (1.4); 5.3847 (1.0); 5.3639 (0.4); 2.4549 (16.0); 1.5912 (8.8); 1.5701 (1.4); 1.5647 (1.5); 1.5597 (0.8); 1.5449 (0.5); 1.5416 (0.4); 1.5304 (0.4); 1.5271 (0.4); 1.5065 (1.4); 1.5009 (1.5); 1.4959 (0.8); 1.4813 (0.6); 1.4417 (15.8); 1.4208 (15.7); 1.1589 (0.4); 1.1555 (0.5); 1.1408 (0.8); 1.1358 (1.5); 1.1299 (1.7); 1.1062 (1.8); 1.1011 (1.4); 1.0798 (0.4); 1.0765 (0.4); 0.0378 (9.4); 0.0268 (0.4) 1-107: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9179 (6.4); 7.6094 (0.4); 7.2986 (12.0); 7.2758 (0.9); 7.2703 (0.8); 7.2528 (0.8); 7.2468 (0.8); 7.2235 (0.9); 7.1975 (1.4); 7.1945 (1.4); 7.1706 (0.7); 7.1679 (0.8); 7.1405 (0.6); 7.1375 (0.6); 7.1348 (0.6); 7.1165 (0.8); 7.1141 (0.7); 5.4071 (0.4); 5.3862 (1.1); 5.3653 (1.4); 5.3445 (1.1); 5.3236 (0.4); 2.9082 (0.3); 2.8949 (0.6); 2.8677 (0.6); 2.8544 (0.3); 2.8268 (0.3); 1.9830 (0.3); 1.9734 (0.4); 1.9603 (0.6); 1.9564 (0.5); 1.9434 (0.6); 1.9339 (0.7); 1.9207 (0.4); 1.9168 (0.7); 1.8944 (0.4); 1.8772 (0.3); 1.7473 (0.3); 1.7342 (0.4); 1.7204 (0.6); 1.7069 (0.8); 1.6927 (0.6); 1.6785 (0.7); 1.6652 (0.6); 1.6511 (0.4); 1.5844 (7.9); 1.4782 (1.3); 1.4618 (16.0); 1.4409 (15.7); 0.0481 (0.4); 0.0433 (0.4); 0.0374 (14.2); 0.0297 (0.4); 0.0280 (0.4); 0.0265 (0.5) 1-108: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.5552 (3.0); 7.2775 (0.6); 7.2745 (0.6); 7.2662 (1.2); 7.2488 (2.2); 7.2366 (0.8); 7.2264 (1.0); 7.2165 (0.5); 7.2005 (0.4); 3.3478 (16.0); 3.1018 (0.4); 3.0737 (0.4); 2.5340 (2.9); 2.5281 (6.1); 2.5220 (8.3); 2.5160 (6.1); 2.5101 (2.9); 2.0921 (0.6); 2.0769 (0.4); 2.0710 (0.5); 2.0636 (0.4); 2.0544 (0.4); 2.0477 (0.6); 2.0339 (0.4); 2.0199 (0.4); 2.0092 (0.5); 1.6200 (0.5); 0.0312 (0.4); 0.0204 (11.4); 0.0095 (0.5) 1-109: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9172 (0.6); 7.2981 (5.1); 7.2842 (0.6); 7.2625 (1.2); 7.2397 (0.9); 7.2341 (1.0); 7.2004 (1.0); 7.1740 (1.8); 7.1470 (1.0); 7.1173 (1.0); 7.0966 (1.1); 7.0713 (0.4); 5.4608 (0.4); 5.4399 (1.1); 5.4190 (1.4); 5.3981 (1.1); 5.3773 (0.4); 2.9312 (0.4); 2.9033 (0.5); 2.8906 (0.8); 2.8629 (0.9); 2.8501 (0.5); 2.8224 (0.5); 2.4670 (16.0); 2.4551 (1.6); 2.2082 (8.2); 1.9938 (0.3); 1.9766 (0.4); 1.9673 (0.4); 1.9540 (0.7); 1.9371 (0.7); 1.9278 (0.7); 1.9110 (0.8); 1.8974 (0.4); 1.8882 (0.4); 1.8710 (0.4); 1.7393 (0.4); 1.7261 (0.4); 1.7122 (0.6); 1.6988 (0.9); 1.6847 (0.7); 1.6707 (0.9); 1.6571 (0.7); 1.6434 (0.4); 1.6300 (0.3); 1.6007 (4.9); 1.4817 (1.2); 1.4683 (1.5); 1.4570 (14.6); 1.4361 (14.0); 1.2956 (0.5); 0.9183 (0.4); 0.0361 (3.6) 1-110: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2790 (2.3); 7.4340 (0.6); 7.4198 (2.0); 7.4024 (3.7); 7.3950 (2.2); 7.3866 (4.6); 7.3720 (2.9); 7.3623 (3.1); 7.3269 (1.8); 7.3015 (16.0); 7.2845 (9.6); 7.2771 (8.0); 7.2585 (1.1); 3.6128 (0.3); 3.5872 (0.4); 3.3811 (0.8); 3.3129 (0.7); 3.2895 (0.7);

3.1978 (0.4); 3.1540 (1.7); 3.1237 (2.2); 3.1138 (3.0); 3.0836 (3.1); 3.0453 (1.9); 2.9110 (2.3); 2.7518 (2.1); 2.7092 (1.2); 2.5340 (13.1); 2.5280 (28.4); 2.5219 (39.3); 2.5158 (28.3); 2.5100 (13.3); 2.4263 (55.4); 2.4070 (3.8); 2.3600 (0.4); 2.2074 (0.4); 2.1720 (0.7); 2.1441 (1.7); 2.1347 (1.0); 2.1229 (2.1); 2.1062 (4.3); 2.0840 (4.2); 2.0712 (5.1); 2.0587 (2.6); 2.0447 (3.8); 2.0300 (2.4); 2.0159 (0.8); 2.0093 (1.0); 2.0035 (0.5); 1.9289 (1.1); 0.0307 (1.7); 0.0290 (0.9); 0.0275 (1.2); 0.0199 (53.0); 0.0122 (1.8); 0.0107 (1.8); 0.0090 (1.9) 1-111: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.9572 (6.3); 7.1617 (0.3); 7.1570 (0.4); 7.1478 (3.0); 7.1410 (1.9); 7.1387 (1.9); 7.1330 (2.8); 6.9088 (0.7); 6.9020 (0.7); 6.8961 (1.2); 6.8896 (1.1); 6.8827 (0.6); 6.8765 (0.5); 2.7404 (0.9); 2.6089 (16.0); 2.5168 (0.3); 2.5134 (0.6); 2.5098 (0.8); 2.5062 (0.6); 2.0661 (0.6); 2.0596 (0.7); 2.0494 (1.2); 2.0424 (0.5); 2.0391 (0.7); 2.0326 (0.6); 1.0221 (0.9); 1.0134 (2.3); 1.0091 (2.4); 1.0053 (1.3); 1.0007 (1.4); 0.9965 (2.2); 0.9922 (2.3); 0.9840 (0.9); 0.7812 (1.0); 0.7729 (2.5); 0.7706 (2.3); 0.7689 (2.6); 0.7627 (2.5); 0.7587 (2.5); 0.7498 (0.8) 1-112: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7840 (4.1); 7.2987 (18.6); 7.1414 (0.4); 7.1348 (0.4); 7.1147 (1.2); 7.1077 (1.1); 7.0988 (2.6); 7.0868 (1.2); 7.0781 (1.7); 7.0501 (0.4); 6.8222 (0.6); 6.8160 (0.6); 6.7994 (0.9); 6.7902 (0.8); 6.7810 (0.5); 6.7691 (0.4); 4.5299 (1.2); 4.5062 (3.6); 4.4824 (3.6); 4.4586 (1.2); 2.7388 (14.0); 2.4130 (0.4); 2.2888 (0.4); 2.1435 (0.4); 2.1330 (0.5); 2.1158 (0.8); 2.0985 (0.4); 2.0878 (0.4); 1.5881 (16.0); 1.4814 (3.8); 1.4577 (7.7); 1.4339 (3.7); 1.2924 (0.4); 1.0457 (0.6); 1.0306 (1.5); 1.0236 (1.7); 1.0091 (0.9); 1.0019 (1.6); 0.9952 (1.5); 0.9809 (0.7); 0.8042 (0.8); 0.7894 (1.8); 0.7831 (1.8); 0.7722 (1.6); 0.7669 (1.8); 0.7503 (0.6); 0.0481 (1.1); 0.0373 (24.0); 0.0263 (1.0) 1-113: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.2836 (1.4); 8.2772 (16.0); 8.0256 (0.8); 7.5855 (0.4); 7.5487 (1.7); 7.5442 (1.5); 7.5229 (3.8); 7.5103 (3.4); 7.5049 (3.4); 7.4983 (2.9); 7.4936 (2.4); 7.4892 (2.2); 7.4835 (2.2); 7.3768 (2.8); 7.3503 (3.9); 7.3238 (1.6); 4.0603 (0.6); 4.0366 (0.6); 3.3605 (1.2); 3.2371 (0.6); 2.5342 (7.1); 2.5283 (15.8); 2.5223 (22.2); 2.5162 (16.4); 2.5104 (7.8); 2.0093 (2.6); 1.9292 (7.7); 1.5028 (1.0); 1.4759 (3.9); 1.4545 (1.6); 1.4402 (1.2); 1.4132 (4.0); 1.3921 (1.8); 1.2548 (0.4); 1.2247 (1.6); 1.2181 (1.1); 1.2027 (4.2); 1.1948 (5.8); 1.1732 (5.1); 1.1443 (1.2); 0.0302 (0.7); 0.0194 (25.5); 0.0085 (1.1) 1-114: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9261 (0.4); 7.9166 (5.3); 7.6145 (0.4); 7.4855 (0.3); 7.4803 (0.5); 7.4756 (0.4); 7.4594 (0.9); 7.4543 (1.0); 7.4502 (0.6); 7.4386 (0.5); 7.4333 (0.6); 7.4286 (0.5); 7.3637 (0.4); 7.3600 (0.4); 7.3388 (1.0); 7.3366 (0.9); 7.3154 (0.8); 7.3128 (0.7); 7.3095 (0.7); 7.2990 (4.7); 7.2686 (1.1); 7.2422 (1.3); 7.2156 (0.5); 7.0516 (1.2); 7.0471 (0.8); 7.0317 (0.7); 7.0277 (0.4); 5.4051 (0.4); 5.3843 (1.0); 5.3634 (1.4); 5.3425 (1.0); 5.3217 (0.4); 5.2848 (0.6); 5.2686 (0.6); 1.6046 (3.3); 1.5156 (0.5); 1.4927 (1.6); 1.4894 (1.6); 1.4769 (1.7); 1.4597 (16.0); 1.4388 (15.7); 1.4037 (0.7); 1.3039 (1.0); 1.2341 (0.6); 1.2131 (1.4); 1.2057 (1.6); 1.1833 (1.7); 1.1758 (1.3); 1.1636 (0.5); 1.1557 (0.8); 1.1340 (0.5); 1.1287 (0.4); 0.9410 (0.3); 0.9194 (1.1); 0.8961 (0.4); 0.0375 (6.0) 1-115: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4720 (0.4); 7.4670 (0.6); 7.4621 (0.4); 7.4457 (0.9); 7.4409 (1.0); 7.4252 (0.5); 7.4199 (0.6); 7.4152 (0.5); 7.3599 (0.3); 7.3545 (0.4); 7.3508 (0.4); 7.3296 (0.9); 7.3275 (0.9); 7.2991 (13.2); 7.2490 (0.9); 7.2224 (1.2); 7.1957 (0.5); 7.0557 (1.4); 7.0506 (1.0); 7.0353 (0.7); 7.0309 (0.4); 5.4608 (0.4); 5.4399 (1.0); 5.4191 (1.3); 5.3982 (1.0); 5.3773 (0.4); 5.2403 (0.8); 5.2239 (0.8); 2.4655 (15.5); 2.4545 (1.8); 1.5914 (11.8); 1.5121 (0.4); 1.4898 (1.6); 1.4817 (2.4); 1.4570 (16.0); 1.4361 (15.8); 1.4231 (1.7); 1.4001 (0.6); 1.3042 (1.3); 1.2301 (0.6); 1.2093 (1.4); 1.2019 (1.6); 1.1796 (1.6); 1.1717 (1.4); 1.1587 (0.6); 1.1516 (0.5); 1.1363 (0.6); 0.9417 (0.5); 0.9200 (1.4); 0.8966 (0.6); 0.0489 (0.5); 0.0380 (16.4); 0.0270 (0.6) 1-116: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.2375 (1.0); 7.2279 (2.3); 7.2176 (2.2); 7.2080 (0.8); 7.1225 (1.6); 7.1069 (4.1); 7.0911 (4.0); 7.0819 (2.2); 7.0781 (2.4); 7.0644 (2.5); 7.0514 (1.1); 7.0481 (0.9); 6.8826 (1.6); 6.8789 (1.7); 6.8678 (2.6); 6.8537 (1.4); 6.8508 (1.2); 3.3246 (4.9); 2.9361 (16.0); 2.9258 (15.5); 2.5107 (4.0); 2.5072 (7.6); 2.5036 (10.0); 2.5000 (7.1); 2.4965 (3.3); 2.0717 (0.7); 2.0613 (1.3); 2.0547 (1.4); 2.0445 (2.4); 2.0343 (1.4); 2.0277 (1.2); 2.0173 (0.6); 1.9905 (0.7); 1.1768 (0.4); 1.0204 (2.0); 1.0117 (4.9); 1.0074 (5.0); 1.0037 (2.7); 0.9991 (2.7); 0.9948 (4.7); 0.9905 (4.7); 0.9823 (1.8); 0.7894 (0.4); 0.7702 (2.3); 0.7618 (5.3); 0.7597 (4.7); 0.7578 (5.5);

0.7516 (5.0); 0.7475 (5.2); 0.7386 (1.6) 1-117: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.7080 (0.7); 7.6925 (1.4); 7.6727 (5.0); 7.6569 (9.6); 7.6416 (5.4); 7.6129 (5.4); 7.5990 (9.9); 7.5860 (6.4); 7.4613 (8.0); 7.4453 (12.7); 7.4293 (5.6); 7.3884 (1.4); 7.3802 (7.3); 7.2804 (2.9); 7.2721 (16.0); 7.1723 (1.4); 7.1640 (7.9); 4.0581 (0.6); 3.0700 (2.2); 2.5471 (0.5); 2.5071 (3.5); 2.5039 (4.7); 2.5006 (3.7); 2.4512 (0.4); 2.4180 (100.6); 2.4073 (17.9); 2.3005 (0.6); 2.2854 (0.6); 1.1096 (0.4); 1.0962 (6.9) 1-118: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9331 (5.2); 7.6246 (0.4); 7.3831 (0.6); 7.3773 (0.6); 7.3617 (0.7); 7.3559 (1.3); 7.3506 (0.9); 7.3353 (0.7); 7.3292 (0.8); 7.2990 (0.6); 7.2884 (0.5); 7.2827 (0.5); 7.2666 (0.5); 7.2607 (1.4); 7.2552 (0.9); 7.2392 (1.0); 7.2330 (0.9); 7.1987 (1.2); 7.1940 (1.2); 7.1718 (1.3); 7.1668 (1.4); 7.1448 (0.5); 7.1395 (0.5); 5.3953 (0.4); 5.3744 (1.0); 5.3536 (1.4); 5.3327 (1.0); 5.3119 (0.4); 2.0723 (0.5); 1.4704 (1.4); 1.4512 (16.0); 1.4303 (15.1); 0.0315 (0.8) 1-119: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.9360 (16.0); 7.6226 (1.0); 7.3432 (2.2); 7.3407 (2.7); 7.3275 (4.4); 7.3144 (2.4); 7.3116 (2.7); 7.2617 (6.0); 7.2399 (2.1); 7.2374 (2.3); 7.2238 (4.5); 7.2103 (2.9); 7.2076 (2.9); 7.1903 (0.4); 7.1874 (0.4); 7.1586 (3.4); 7.1559 (3.5); 7.1423 (4.6); 7.1395 (4.8); 7.1259 (1.8); 7.1231 (1.9); 6.9462 (0.6); 6.9315 (1.3); 6.9279 (0.9); 6.9210 (0.4); 6.9170 (0.7); 6.9120 (0.6); 6.9051 (0.4); 6.8971 (0.6); 6.8926 (0.4); 5.4641 (1.1); 5.4561 (1.1); 4.5100 (0.9); 4.5010 (4.3); 4.4868 (11.6); 4.4725 (11.4); 4.4582 (3.8); 1.5785 (9.1); 1.4637 (1.5); 1.4455 (12.7); 1.4312 (23.5); 1.4169 (11.4); -0.0002 (6.6) 1-120: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.7348 (5.0); 7.3033 (0.7); 7.3005 (0.8); 7.2873 (1.5); 7.2843 (1.2); 7.2743 (0.9); 7.2714 (1.0); 7.2638 (2.0); 7.2379 (0.7); 7.2350 (0.8); 7.2214 (1.6); 7.2189 (1.2); 7.2080 (0.9); 7.2051 (1.0); 7.1317 (1.0); 7.1286 (1.1); 7.1153 (1.5); 7.1122 (1.7); 7.0989 (0.6); 7.0958 (0.7); 5.3387 (0.4); 5.3263 (1.1); 5.3137 (1.5); 5.3012 (1.2); 5.2887 (0.5); 2.7076 (15.4); 1.6075 (3.7); 1.4053 (16.0); 1.3927 (16.0); -0.0002 (1.9) 1-121: .sup.1H-NMR(499.9 MHz, d.sub.6-DMSO): δ = 7.6005 (1.3); 7.5979 (1.5); 7.5844 (2.8); 7.5709 (1.6); 7.5683 (1.6); 7.4782 (1.2); 7.4756 (1.4); 7.4615 (2.9); 7.4475 (1.8); 7.4449 (1.7); 7.3612 (1.9); 7.3584 (2.0); 7.3446 (3.0); 7.3419 (3.2); 7.3281 (1.3); 7.3254 (1.4); 4.4982 (2.4); 4.4840 (7.6); 4.4698 (7.7); 4.4556 (2.5); 3.3159 (12.1); 2.5070 (4.8); 2.5036 (6.5); 2.5004 (5.1); 2.4165 (28.2); 1.3460 (7.8); 1.3318 (16.0); 1.3177 (7.7); -0.0002 (2.0) 1-122: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 7.6263 (7.0); 7.6208 (8.0); 7.6041 (7.8); 7.5988 (15.4); 7.5937 (10.2); 7.5773 (9.0); 7.5715 (9.1); 7.4939 (6.3); 7.4883 (6.7); 7.4705 (6.9); 7.4659 (15.0); 7.4608 (10.0); 7.4430 (11.6); 7.4373 (9.5); 7.3878 (12.6); 7.3827 (12.0); 7.3606 (15.5); 7.3553 (16.0); 7.3332 (6.0); 7.3278 (6.2); 4.2841 (0.3); 4.2288 (0.3); 4.1828 (0.3); 4.0782 (0.4); 4.0617 (0.7); 4.0385 (0.8); 4.0004 (0.5); 3.9889 (0.5); 3.8676 (0.7); 3.8480 (0.7); 3.7660 (1.0); 3.6961 (1.1); 3.6479 (1.4); 3.4652 (2.5); 3.4056 (2.7); 2.8887 (0.6); 2.8098 (0.5); 2.7496 (0.7); 2.7372 (0.6); 2.6482 (1.0); 2.5887 (0.8); 2.5352 (22.4); 2.5292 (46.8); 2.5231 (64.1); 2.5170 (45.9); 2.5109 (21.2); 2.4323 (155.0); 2.3656 (0.8); 2.2932 (0.4); 2.2126 (0.9); 2.0098 (2.0); 1.9302 (3.7); 1.2192 (0.6); 1.1957 (1.1); 1.1719 (0.5); 0.0312 (1.5); 0.0204 (41.7); 0.0095 (1.4) 1-123: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.0097 (16.0); 7.9655 (0.4); 7.5896 (2.0); 7.5839 (2.2); 7.5674 (2.2); 7.5622 (4.0); 7.5570 (2.9); 7.5410 (2.5); 7.5349 (2.6); 7.4546 (1.7); 7.4489 (1.8); 7.4316 (1.8); 7.4268 (4.3); 7.4214 (2.9); 7.4042 (3.6); 7.3981 (2.8); 7.3687 (3.9); 7.3642 (3.6); 7.3419 (4.2); 7.3370 (4.5); 7.3147 (1.6); 7.3096 (1.7); 3.3531 (2.9); 2.6342 (42.4); 2.5345 (5.6); 2.5285 (12.2); 2.5224 (16.9); 2.5163 (12.2); 2.5103 (5.7); 2.2979 (0.5); 2.2918 (0.5); 2.0090 (1.3); 1.2179 (0.4); 1.1942 (0.7); 1.1704 (0.3); 0.0191 (8.3) 1-124: .sup.1H-NMR(300.1 MHz, d.sub.6-DMSO): δ = 8.3018 (6.7); 7.6593 (0.5); 7.6329 (1.5); 7.6066 (1.2); 7.5224 (1.4); 7.4929 (2.4); 7.4756 (1.3); 7.4722 (1.3); 7.4453 (0.9); 7.4418 (0.8); 7.2608 (1.1); 7.0752 (2.3); 6.8897 (1.1); 3.9259 (16.0); 3.3292 (2.6); 2.5084 (2.8); 2.5026 (3.7); 2.4968 (2.6); -0.0005 (2.7) 1-125: .sup.1H-NMR(400.2 MHz, d.sub.6-DMSO): δ = 14.0741 (0.4); 7.9771 (5.9); 7.7099 (0.6); 7.6902 (1.7); 7.6704 (1.4); 7.6376 (1.7); 7.6175 (1.0); 7.5995 (2.1); 7.5297 (1.2); 7.5091 (0.9); 3.3301 (0.6); 2.6225 (16.0); 2.5099 (6.7); 2.5056 (14.0); 2.5011 (19.1); 2.4966 (13.7); 2.4923 (6.5); 0.0071 (0.6); -0.0011 (17.7); -0.0094 (0.7) 1-126: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.0394 (5.5); 7.7256 (0.6); 7.7063 (1.9); 7.6866 (1.6); 7.6542 (2.3); 7.6331 (3.8); 7.5609 (1.6); 7.5403 (1.4); 3.9145 (16.0);

3.3269 (11.0); 2.6442 (15.2); 2.5097 (1.8) 1-127: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 8.3829 (16.0); 7.7559 (0.9); 7.7302 (3.0); 7.7046 (6.9); 7.6890 (4.6); 7.6636 (1.2); 7.6081 (2.8); 7.6012 (1.6); 7.5825 (1.5); 3.6424 (0.4); 3.6205 (0.5); 3.5991 (0.5); 3.3722 (3.1); 2.5345 (3.4); 2.5285 (7.2); 2.5224 (9.8); 2.5164 (7.0); 2.5104 (3.2); 2.0087 (0.7); 1.9291 (0.4); 1.3749 (1.9); 1.1939 (0.4); 0.0188 (7.1) 1-128: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.5864 (0.9); 7.5640 (3.0); 7.5176 (1.3); 7.4753 (0.6); 7.4662 (1.0); 7.4588 (0.6); 7.4542 (0.3); 7.4510 (0.3); 7.4447 (0.6); 7.4366 (0.3); 7.2983 (7.8); 4.0660 (0.4); 4.0444 (15.4); 3.6947 (1.7); 3.6726 (4.0); 3.6510 (2.0); 3.3667 (16.0); 3.1857 (1.9); 3.1640 (3.7); 3.1420 (1.6); 1.5842 (6.0); 0.0375 (8.1) 1-129: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.2191 (15.2); 9.2072 (15.9); 8.0823 (15.8); 8.0704 (15.6); 7.7415 (2.8); 7.7211 (8.1); 7.7111 (2.0); 7.7009 (7.4); 7.6691 (16.0); 7.6633 (13.8); 7.5863 (6.9); 7.5666 (5.4); 3.5012 (0.4); 3.3202 (3.0); 3.1349 (0.4); 2.5131 (12.7); 2.5088 (16.3); 2.5046 (12.1); 1.9947 (0.8); 1.1820 (0.4) 1-130: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9303 (10.8); 7.4583 (0.9); 7.4525 (1.9); 7.4489 (1.8); 7.4421 (2.6); 7.4358 (4.6); 7.4289 (5.6); 7.3628 (2.7); 7.3513 (0.3); 7.3462 (0.3); 7.3356 (4.3); 7.3276 (0.6); 7.3158 (0.6); 7.3075 (2.3); 7.2983 (4.5); 7.2274 (2.0); 7.2237 (2.2); 7.2199 (2.1); 7.2163 (1.8); 7.2002 (1.3); 7.1960 (1.5); 7.1933 (1.4); 7.1892 (1.1); 4.5332 (2.4); 4.5094 (7.5); 4.4856 (7.6); 4.4618 (2.5); 1.6025 (5.0); 1.4783 (7.9); 1.4546 (16.0); 1.4307 (7.6); 0.0365 (4.5)

(600) TABLE-US-00013 TABLE 5 Compounds according to formula (2) (2)  embedded image
Ex N.sup.o R.sup.1  embedded image LogP 2-01 H 2-(4-ethynyl-2-methylphenyl)-2,2-difluoroethyl 0.93.sup.[a] 2-02 H 2-(4-cyclopropyl-2-methylphenyl)-2,2-difluoroethyl 1.30.sup.[a] 2-03 H 2,2-difluoro-2-(2-fluoro-4,6-dimethylphenyl)ethyl 0.95.sup.[a] 2-04 H 2-(3-bromo-2-chlorophenyl)-2,2-difluoroethyl 0.87.sup.[a] 2-05 H rac-2-fluoro-2-(4-iodophenyl)ethyl 0.73.sup.[a] 2-06 H rac- 2-[4-(difluoromethyl)-2-methylphenyl]-2- 0.69.sup.[a] fluoroethyl 2-07 H rac-2-(2-chloro-4-cyclopropylphenyl)-2-fluoroethyl 1.15.sup.[a]

(601) TABLE-US-00014 TABLE 6 2-01: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8030 (0.4); 7.7768 (0.5); 7.7464 (3.9); 7.7421 (5.2); 7.7370 (2.7); 7.7264 (2.0); 7.7195 (6.8); 7.7142 (6.0); 7.7065 (4.0); 7.7022 (5.3); 7.6971 (2.7); 7.6865 (2.2); 7.6795 (6.7); 7.6744 (5.6); 7.6440 (0.7); 7.6163 (1.6); 7.6112 (1.8); 7.6064 (1.1); 7.6012 (1.2); 7.5922 (3.8); 7.5867 (3.8); 7.5783 (1.6); 7.5725 (2.4); 7.5674 (4.6); 7.5622 (4.1); 7.5570 (1.9); 7.5307 (5.6); 7.5262 (4.0); 7.5210 (5.6); 7.5166 (3.0); 7.5109 (4.5); 7.5058 (6.5); 7.5009 (5.6); 7.4961 (6.3); 7.4906 (2.4); 7.4828 (3.1); 7.4779 (2.8); 7.4729 (3.4); 7.4676 (4.1); 7.4517 (1.7); 7.4385 (8.2); 7.4101 (5.7); 7.3977 (6.4); 7.3340 (1.0); 7.2984 (53.6); 6.9475 (0.5); 5.3375 (1.3); 4.1947 (0.5); 4.1709 (1.5); 4.1471 (1.5); 4.1234 (0.6); 4.1024 (0.4); 3.2771 (5.8); 3.2275 (11.6); 3.2148 (1.2); 3.1780 (6.0); 3.1637 (1.0); 3.1478 (11.9); 2.5255 (0.6); 2.4672 (9.4); 2.4593 (16.0); 2.4514 (9.1); 2.3287 (0.4); 2.2570 (0.4); 2.2439 (0.4); 2.0835 (8.2); 2.0459 (0.4); 2.0360 (0.4); 2.0194 (0.3); 1.6972 (0.3); 1.6708 (0.5); 1.6487 (0.6); 1.6194 (0.7); 1.4966 (2.3); 1.3809 (0.9); 1.3500 (1.0); 1.3206 (2.8); 1.2968 (5.1); 1.2730 (2.2); 1.0369 (0.4); 0.9977 (0.4); 0.9723 (0.7); 0.9482 (0.4); 0.9361 (0.5); 0.9175 (0.5); 0.8925 (0.3); 0.3172 (0.6); 0.3008 (0.6); 0.2947 (0.5); 0.2843 (5.5); 0.2768 (3.1); 0.2705 (7.3); 0.2562 (1.6); 0.2532 (1.6); 0.2469 (4.0); 0.2365 (1.5); 0.2088 (1.3); 0.2037 (1.4); 0.1967 (3.8); 0.1890 (2.3); 0.1602 (1.0); 0.1550 (1.0); 0.1494 (2.4); 0.1441 (3.8); 0.1203 (1.3); 0.1063 (3.2); 0.0880 (0.5); 0.0728 (0.6); 0.0618 (0.4); 0.0474 (2.0); 0.0366 (54.6); 0.0257 (2.6); 0.0155 (1.0); -0.0026 (0.4); -0.0165 (0.7); -0.1616 (0.7) 2-02: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.5958 (0.3); 7.5766 (0.6); 7.5553 (0.4); 7.2981 (4.4); 7.2781 (5.2); 7.2108 (0.4); 7.1933 (0.4); 7.1631 (0.3); 7.1093 (0.4); 7.0992 (0.4); 7.0394 (0.7); 6.9771 (7.1); 6.9486 (4.1); 6.9071 (1.2); 6.8860 (0.7); 6.7878 (0.8); 6.7697 (0.6); 6.5393 (2.5); 6.4871 (0.8); 6.3004 (2.7); 3.3329 (60.7); 3.2642 (0.6); 3.2415 (0.4); 3.2363 (0.4); 3.2181 (0.4); 3.1900 (0.4); 3.1606 (3.5); 3.1221 (7.1); 3.0833 (3.9); 3.0519 (0.9); 2.9975 (0.6); 2.9711 (7.2); 2.9126 (0.6); 2.7148 (0.4); 2.5111 (35.1); 2.5070 (29.0); 2.3879 (1.7); 2.3544 (16.0); 2.2861 (1.3); 2.2478 (1.9); 2.2119 (0.7); 2.1730 (0.8); 2.1543 (0.7); 2.1033 (0.4); 1.9384 (1.3); 1.9258 (2.3); 1.9175 (2.9); 1.9051 (4.3); 1.8929 (3.6); 1.8844 (3.5); 1.8716 (2.6); 1.8272 (1.1); 1.3889 (0.5); 1.3674 (0.3); 1.3507 (0.6); 1.1684 (8.5);

1.1354 (8.8); 0.9882 (2.6); 0.9771 (6.3); 0.9717 (7.2); 0.9615 (5.4); 0.9564 (7.6); 0.9509 (7.7); 0.9410 (4.5); 0.7405 (0.4); 0.7160 (2.5); 0.7053 (6.6); 0.7007 (7.2); 0.6932 (7.4); 0.6882 (8.3); 0.6772 (4.8); 0.3232 (0.4) 2-03: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 6.9629 (1.9); 6.9337 (5.8); 3.3337 (6.4); 3.1780 (2.3); 3.1398 (4.7); 3.1015 (2.5); 2.5152 (3.4); 2.5111 (4.7); 2.5070 (3.7); 2.4123 (4.6); 2.4016 (9.5); 2.3907 (5.4); 2.2867 (16.0); 1.6930 (4.1) 2-04: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 7.9521 (10.7); 7.9324 (11.5); 7.7005 (0.4); 7.6529 (10.3); 7.6502 (10.7); 7.6332 (12.7); 7.6305 (12.6); 7.4291 (9.2); 7.4092 (16.0); 7.3894 (7.6); 7.2119 (0.4); 3.3535 (15.6); 3.3158 (31.4); 3.2780 (16.0); 3.1623 (0.4); 3.1315 (0.4); 2.5152 (2.9); 2.5112 (3.9); 2.5071 (3.1); 1.6878 (10.2); 1.3625 (0.4) 2-05: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 8.3740 (0.4); 8.3578 (0.4); 8.3255 (1.6); 8.2699 (6.4); 8.1811 (0.3); 7.9546 (0.4); 7.8911 (1.0); 7.8596 (15.1); 7.8396 (16.0); 7.7850 (0.3); 7.7775 (0.4); 7.7687 (0.4); 7.7138 (6.1); 7.6931 (6.5); 7.3163 (0.5); 7.2824 (13.4); 7.2625 (12.3); 7.1511 (0.4); 7.1091 (5.9); 7.0885 (5.4); 5.8556 (2.1); 5.8454 (2.4); 5.8359 (2.0); 5.8256 (2.0); 5.7335 (2.0); 5.7264 (2.3); 5.7103 (2.2); 5.7041 (2.1); 3.8271 (1.2); 3.5626 (0.4); 3.5394 (0.4); 3.4503 (0.6); 3.3398 (1168.7); 3.3377 (1019.1); 3.2838 (3.0); 3.2493 (1.2); 3.0294 (1.6); 3.0023 (1.9); 2.8456 (3.0); 2.8245 (3.4); 2.8067 (2.0); 2.7189 (0.6); 2.6835 (3.2); 2.6790 (4.5); 2.6745 (3.4); 2.6500 (1.6); 2.5491 (163.8); 2.5323 (9.4); 2.5274 (14.4); 2.5188 (278.8); 2.5144 (597.6); 2.5099 (808.1); 2.5054 (583.3); 2.5010 (282.0); 2.3756 (0.9); 2.3411 (3.4); 2.3367 (4.7); 2.3320 (3.5); 2.3274 (1.8); 2.3072 (0.4); 2.0818 (0.4); 2.0548 (0.3); 0.0075 (1.6) 2-06: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.7157 (5.6); 7.5744 (8.5); 7.5544 (14.3); 7.5024 (11.2); 7.4819 (7.3); 7.4619 (16.0); 7.1776 (6.1); 7.0381 (13.0); 6.8987 (6.4); 6.2790 (3.0); 6.2725 (3.4); 6.2572 (3.1); 6.2513 (3.1); 6.1552 (3.8); 6.1330 (3.8); 3.3496 (2.4); 3.3267 (1.4); 3.3133 (5.4); 3.2913 (10.4); 3.2842 (8.4); 3.2736 (4.7); 3.2492 (4.6); 3.2000 (5.0); 3.1964 (4.9); 3.1650 (2.6); 2.5650 (0.4); 2.5096 (4.7); 2.4076 (64.5); 2.2464 (0.4); 1.9880 (0.6); 1.1742 (0.3) 2-07: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 8.6578 (14.7); 7.4994 (0.5); 7.4747 (10.8); 7.4544 (12.1); 7.2592 (16.0); 7.1740 (8.8); 7.1539 (7.7); 6.2003 (3.4); 6.1803 (3.3); 6.0806 (3.4); 6.0599 (3.4); 3.4325 (1.7); 3.3987 (5.2); 3.3735 (3.7); 3.3372 (1.9); 3.2913 (2.9); 3.2565 (1.8); 3.2017 (2.7); 3.1666 (1.9); 2.9854 (0.7); 2.5097 (7.6); 2.0180 (1.5); 2.0054 (3.2); 1.9967 (3.9); 1.9848 (6.1); 1.9728 (4.0); 1.9641 (3.4); 1.9514 (1.8); 1.2461 (0.5); 1.0946 (0.4); 1.0683 (0.3); 1.0499 (0.7); 1.0313 (3.8); 1.0200 (11.0); 1.0149 (12.0); 0.9993 (11.3); 0.9945 (10.9); 0.9840 (4.3); 0.9670 (0.9); 0.9461 (0.7); 0.8630 (0.6); 0.8044 (0.6); 0.7912 (0.7); 0.7661 (4.7); 0.7550 (13.9); 0.7430 (12.7); 0.7390 (13.2); 0.7272 (3.6); 0.7031 (0.6); 0.6918 (0.7); 0.6806 (0.5)

(602) TABLE-US-00015 TABLE 7 Compounds according to formula (3) (3)  Ex N.sup.o R.sup.1 R.sup.7 R.sup.8 G  LogP 3-01 H Cl H Cl 2-(2,4-dimethylphenyl)ethyl 3.02.sup.[a] 3-02 H Cl H Cl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.02.sup.[a] 3-03 H Cl H Cl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.19.sup.[a] 3-04 H methyl H Cl 2-(4-bromo-2-chlorophenyl)-2,2-difluoroethyl 2.76.sup.[a] 3-05 H Cl H Cl 2-(4-chlorophenyl)-2,2-difluoroethyl 2.98.sup.[a] 3-06 H methyl H Cl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.20.sup.[a] 3-07 H Cl H Cl 2-(2,4-dichlorophenyl)ethyl 3.15.sup.[a] 3-08 H Cl H Cl rac-2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 3.27.sup.[a] 3-09 H Cl H Cl 2-(2,4-dichlorophenyl)-2,2-difluoroethyl 3.27.sup.[a] 3-10 H Cl H Cl 2-(4-bromo-2-chlorophenyl)-2,2-difluoroethyl 3.29.sup.[a]; 3.24.sup.[b] 3-11 H Cl H Cl 2-(4-bromo-2-methylphenyl)-2,2-difluoroethyl 3.39.sup.[a] 3-12 H Cl H Cl rac-7-bromo-1,2,3,4-tetrahydronaphthalen-1-yl 3.29.sup.[a] 3-13 H Cl H Cl rac-6-bromo-1,2,3,4-tetrahydronaphthalen-1-yl 3.37.sup.[a] 3-14 H Cl H Cl rac-5-bromoindan-1-yl 3.11.sup.[a] 3-15 H Cl H Cl rac-2-methyl-4,5,6,7-tetrahydro-1- 2.98.sup.[a] benzothiophen-7-yl 3-16 H Cl H Cl rac-4,5,6,7-tetrahydro-1-benzothiophen-7-yl 2.60.sup.[a] 3-17 H Cl H Cl rac-2-chloro-4,5,6,7-tetrahydro-1- 3.21.sup.[a] benzothiophen-7-yl 3-18 H Cl H Cl rac-1-(1-methyl-1H-indol-3-yl)ethyl 2.71.sup.[a] 3-19 H Cl methyl Cl 2-(2,4-dimethylphenyl)-2,2-difluoroethyl 3.31.sup.[a] 3-20 H Cl methyl Cl rac-2-(2,4-dichlorophenyl)-2-fluoroethyl 3.34.sup.[a] 3-21 H Cl methyl Cl rac-2-(4-bromo-2-chlorophenyl)-2-fluoroethyl 3.43.sup.[a] 3-22 H Cl

methyl Cl rac-2-(2,4-dimethylphenyl)-2-fluoroethyl 3.19.sup.[a] 3-23 H Cl methyl Cl rac-2-(2-chloro-4-methylphenyl)-2-fluoroethyl 3.22.sup.[a] 3-24 H Cl methyl Cl rac-2-(2-chloro-4-cyclopropylphenyl)-2- 3.56.sup.[a] fluoroethyl 3-25 H Cl methyl Cl 2-(4-cyclopropyl-2-methylphenyl)-2,2- 3.69.sup.[a] difluoroethyl 3-26 H Cl methyl Cl 2-(4-bromo-2-chlorophenyl)-2,2-difluoroethyl 3.56.sup.[a] 3-27 H Cl methyl Cl 2-(2-chloro-4-methylphenyl)-2,2-difluoroethyl 3.31.sup.[a] 3-28 H Cl methyl Cl 2-(4-bromo-2-methylphenyl)-2,2-difluoroethyl 3.60.sup.[a]

(603) TABLE-US-00016 TABLE 8 3-01: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8392 (8.7); 7.2985 (18.2); 7.0958 (1.6); 7.0704 (3.5); 7.0566 (2.8); 7.0297 (2.0); 7.0038 (0.9); 6.5514 (0.6); 3.7935 (1.5); 3.7700 (3.5); 3.7504 (3.5); 3.7270 (1.7); 3.0051 (2.5); 2.9816 (4.7); 2.9581 (2.2); 2.3972 (0.4); 2.3675 (16.0); 2.3391 (14.3); 2.0969 (0.3); 1.5817 (9.8); 0.0494 (0.8); 0.0384 (24.0); 0.0275 (0.9) 3-02: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 14.0362 (0.6); 9.7192 (0.4); 9.2918 (1.2); 9.2719 (2.4); 9.2521 (1.2); 8.1784 (16.0); 8.0140 (2.6); 7.7484 (3.4); 7.7441 (4.2); 7.7392 (3.4); 7.7259 (0.9); 7.6417 (2.9); 7.6271 (0.7); 7.6138 (7.6); 7.5868 (4.8); 7.5802 (4.3); 7.5679 (1.7); 7.5587 (2.7); 7.5523 (2.5); 6.0846 (1.0); 6.0707 (1.2); 6.0639 (1.4); 6.0503 (1.0); 5.9294 (1.0); 5.9110 (1.6); 5.8959 (1.0); 5.7767 (0.5); 3.9096 (0.4); 3.8943 (1.2); 3.8818 (1.7); 3.8643 (2.4); 3.8439 (1.2); 3.8091 (1.8); 3.7884 (2.4); 3.7760 (1.2); 3.7676 (1.1); 3.3876 (4.3); 3.2189 (11.8); 3.0969 (1.8); 2.6491 (17.7); 2.5341 (6.9); 2.5282 (14.5); 2.5221 (19.8); 2.5160 (14.4); 2.5101 (6.8); 1.1264 (4.7); 0.0311 (0.8); 0.0202 (23.4); 0.0093 (0.9) 3-03: .sup.1H-NMR(400.1 MHz, d.sub.6-DMSO): δ = 9.3646 (1.1); 9.3493 (2.3); 9.3339 (1.2); 8.0687 (11.4); 7.3925 (3.3); 7.3729 (3.9); 7.1436 (4.8); 7.1160 (2.2); 4.1022 (1.3); 4.0866 (1.3); 4.0640 (2.8); 4.0485 (2.8); 4.0259 (1.5); 4.0103 (1.4); 3.3336 (11.5); 2.5137 (4.4); 2.5095 (5.9); 2.5053 (4.5); 2.4411 (11.5); 2.3120 (16.0); 2.0831 (2.3) 3-04: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.3209 (1.6); 9.3010 (3.3); 9.2809 (1.6); 7.9515 (5.8); 7.9458 (6.2); 7.7622 (3.0); 7.7561 (2.8); 7.7341 (4.4); 7.7280 (4.4); 7.6322 (16.0); 7.6252 (9.4); 7.5966 (5.6); 4.2852 (1.8); 4.2649 (1.8); 4.2381 (3.8); 4.2176 (3.7); 4.1907 (2.0); 4.1702 (1.8); 3.3484 (16.0); 2.6602 (42.2); 2.5337 (2.1); 2.5279 (4.4); 2.5219 (5.9); 2.5159 (4.4); 2.5102 (2.1); 0.0180 (5.3) 3-05: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 9.3415 (1.2); 9.3208 (2.5); 9.3004 (1.3); 8.2438 (0.5); 8.1509 (16.0); 8.1388 (0.4); 8.1319 (0.4); 7.6786 (2.5); 7.6704 (1.3); 7.6486 (13.5); 7.6346 (13.0); 7.6140 (1.8); 7.6046 (3.0); 7.5778 (0.4); 7.5674 (0.4); 4.1703 (1.6); 4.1494 (1.6); 4.1223 (3.5); 4.1014 (3.4); 4.0742 (1.8); 4.0534 (1.7); 4.0403 (0.3); 3.3482 (18.7); 3.0439 (0.4); 2.8843 (0.5); 2.5370 (2.5); 2.5311 (5.2); 2.5250 (7.1); 2.5190 (5.1); 2.5131 (2.5); 2.0120 (0.5); 0.0328 (0.5); 0.0220 (12.0); 0.0111 (0.4) 3-06: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6453 (4.7); 7.4228 (1.4); 7.3969 (1.7); 7.2975 (6.1); 7.1085 (3.0); 7.0797 (1.0); 7.0306 (0.6); 5.3357 (0.8); 4.2579 (1.0); 4.2376 (1.0); 4.2087 (2.1); 4.1884 (2.0); 4.1594 (1.1); 4.1391 (1.1); 2.7841 (16.0); 2.7727 (0.9); 2.5340 (3.0); 2.5269 (5.6); 2.5195 (3.1); 2.3770 (7.6); 2.3307 (0.4); 2.0425 (0.5); 1.6317 (1.7); 0.0352 (5.8) 3-07: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 8.2560 (2.6); 7.9964 (3.1); 7.8594 (16.0); 7.6443 (0.4); 7.5511 (0.8); 7.5371 (0.6); 7.4529 (5.2); 7.4326 (4.4); 7.4261 (4.6); 7.3250 (0.4); 7.2984 (57.6); 7.2891 (1.5); 7.2665 (8.8); 7.2612 (15.2); 7.2536 (2.4); 7.2465 (1.7); 7.2333 (3.0); 7.2289 (4.0); 7.2261 (4.2); 7.2191 (3.7); 7.1888 (5.0); 7.1615 (2.0); 6.6000 (0.9); 3.8494 (2.7); 3.8263 (6.4); 3.8061 (6.5); 3.7831 (3.2); 3.7566 (1.1); 3.7364 (1.0); 3.7125 (0.5); 3.6463 (1.6); 3.6235 (4.0); 3.6013 (3.8); 3.5779 (1.8); 3.1517 (5.2); 3.1286 (10.1); 3.1054 (4.7); 3.0965 (1.3); 3.0726 (1.6); 3.0490 (0.9); 3.0318 (3.2); 3.0082 (5.4); 2.9847 (2.6); 2.0846 (1.5); 1.3216 (0.4); 1.2976 (1.2); 1.2923 (1.1); 1.2741 (0.4); 0.0481 (2.3); 0.0374 (65.9); 0.0264 (2.6) 3-08: .sup.1H-NMR(300.2 MHz, d₆-DMSO): δ = 9.2939 (1.6); 9.2748 (3.0); 9.2561 (1.5); 8.1801 (13.0); 7.8553 (5.3); 7.7168 (2.8); 7.7108 (2.5); 7.6891 (3.9); 7.6829 (3.6); 7.5608 (6.2); 7.5329 (4.5); 6.0683 (1.0); 6.0552 (1.4); 6.0482 (1.5); 6.0348 (1.1); 5.9136 (1.0); 5.8954 (1.7); 5.8808 (1.1); 3.8903 (1.2); 3.8784 (1.9); 3.8600 (2.6); 3.8401 (1.2); 3.8045 (2.0); 3.7841 (2.7); 3.7634 (1.2); 3.3473 (16.0); 3.2176 (0.8); 2.6477 (1.2); 2.5274 (8.7); 2.5216 (11.1); 2.5159 (8.3); 0.0188 (6.4) 3-09: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8349 (16.0); 7.8241 (0.4); 7.6371 (4.8); 7.6087 (6.0); 7.5614

(4.1); 7.5580 (4.1); 7.5550 (4.3); 7.5164 (0.4); 7.4140 (3.2); 7.4073 (3.0); 7.3858 (2.5); 7.3790 (2.3); 7.2986 (19.4); 6.9588 (1.4); 6.9477 (1.0); 5.3378 (0.8); 4.4506 (2.8); 4.4297 (2.8); 4.4020 (6.0); 4.3811 (5.7); 4.3534 (3.0); 4.3325 (2.9); 1.5991 (7.5); 1.2912 (0.4); 0.1061 (0.8); 0.0471 (0.9); 0.0363 (19.1); 0.0254 (0.8) 3-10: .sup.1H-NMR(400.0 MHz, d.sub.6-DMSO): δ = 9.3457 (1.7); 9.3301 (3.4); 9.3146 (1.7); 8.0939 (16.0); 8.0754 (0.6); 7.9351 (6.0); 7.9314 (6.4); 7.7363 (2.8); 7.7320 (2.8); 7.7153 (4.0); 7.7108 (4.1); 7.6115 (7.2); 7.5902 (5.2); 4.2648 (1.8); 4.2491 (1.9); 4.2294 (4.1); 4.2136 (3.9); 4.1938 (2.1); 4.1780 (1.9); 4.0384 (0.5); 4.0207 (0.5); 3.3219 (55.9); 2.6714 (0.4); 2.6670 (0.3); 2.5067 (56.1); 2.5024 (73.3); 2.4980 (54.9); 2.3335 (0.3); 2.3290 (0.4); 1.9891 (2.0); 1.1931 (0.5); 1.1754 (1.0); 1.1576 (0.5); 0.0076 (1.7); -0.0003 (37.2) 3-11: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8353 (5.8); 7.5224 (0.5); 7.4827 (1.8); 7.4677 (0.8); 7.4387 (1.4); 7.4069 (2.7); 7.3790 (1.0); 7.3017 (13.9); 6.9504 (0.5); 6.9439 (0.5); 6.9269 (0.3); 4.2575 (1.0); 4.2368 (1.0); 4.2084 (2.0); 4.1877 (2.0); 4.1592 (1.0); 4.1386 (1.0); 3.5389 (0.8); 3.5206 (0.8); 2.5650 (2.9); 2.5579 (5.5); 2.5505 (3.0); 2.3078 (0.5); 2.0492 (10.2); 1.6024 (16.0); 1.2986 (0.3); 0.0500 (0.3); 0.0391 (12.0); 0.0281 (0.4) 3-12: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8705 (16.0); 7.4861 (4.7); 7.4801 (5.1); 7.3663 (2.8); 7.3595 (2.6); 7.3389 (3.3); 7.3322 (3.1); 7.2984 (10.6); 7.0497 (4.7); 7.0223 (4.0); 6.8759 (1.4); 6.8478 (1.5); 5.3975 (0.7); 5.3811 (1.7); 5.3536 (1.8); 5.3339 (0.9); 2.8680 (0.4); 2.8465 (0.3); 2.8312 (1.4); 2.8123 (3.9); 2.7917 (3.6); 2.7716 (1.5); 2.7353 (0.4); 2.2347 (0.5); 2.2171 (0.9); 2.1932 (1.3); 2.1769 (1.4); 2.1636 (1.6); 2.1460 (1.2); 2.1297 (0.4); 2.0441 (0.6); 2.0310 (0.7); 2.0212 (1.2); 2.0091 (1.5); 2.0000 (1.3); 1.9872 (1.2); 1.9797 (1.6); 1.9646 (2.1); 1.9586 (3.1); 1.9442 (3.7); 1.9347 (2.4); 1.9281 (2.7); 1.9127 (2.3); 1.9024 (1.4); 1.8905 (1.1); 1.8771 (0.6); 1.6009 (6.8); 1.2906 (1.7); 0.1064 (2.2); 0.0469 (0.4); 0.0361 (9.6); 0.0251 (0.4) 3-13: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8619 (16.0); 7.3655 (1.8); 7.3589 (2.5); 7.3269 (6.7); 7.2984 (10.2); 7.2396 (5.4); 7.2126 (3.5); 6.8370 (1.4); 6.8094 (1.5); 5.3866 (0.8); 5.3694 (1.8); 5.3498 (1.4); 5.3420 (1.7); 5.3232 (0.9); 2.9024 (0.4); 2.8651 (1.6); 2.8465 (3.4); 2.8285 (3.3); 2.8091 (1.5); 2.2283 (0.4); 2.2151 (0.6); 2.2106 (0.6); 2.1970 (0.8); 2.1850 (1.2); 2.1679 (1.4); 2.1535 (1.5); 2.1442 (0.8); 2.1356 (1.3); 2.1186 (0.4); 2.0649 (0.9); 2.0536 (0.8); 2.0403 (1.1); 2.0297 (1.4); 2.0202 (1.2); 2.0094 (1.2); 1.9976 (1.2); 1.9865 (1.0); 1.9773 (1.6); 1.9617 (1.2); 1.9529 (1.5); 1.9423 (2.0); 1.9327 (2.3); 1.9212 (2.2); 1.9123 (2.3); 1.9008 (1.7); 1.8898 (1.6); 1.8711 (0.8); 1.8597 (0.6); 1.8457 (0.3); 1.6012 (7.3); 1.3028 (1.1); 0.9394 (0.4); 0.9179 (1.1); 0.8946 (0.4); 0.0469 (0.4); 0.0361 (10.5); 0.0251 (0.4) 3-14: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8823 (16.0); 7.4640 (5.0); 7.4248 (2.5); 7.4222 (2.2); 7.4191 (2.0); 7.3979 (3.3); 7.3952 (3.1); 7.3922 (2.9); 7.2986 (11.2); 7.2748 (4.8); 7.2480 (3.4); 6.8431 (1.3); 6.8171 (1.3); 5.6775 (1.0); 5.6523 (2.5); 5.6271 (2.5); 5.6018 (0.9); 3.1369 (0.5); 3.1219 (0.6); 3.1079 (0.5); 3.0917 (0.7); 3.0826 (1.4); 3.0672 (1.6); 3.0534 (1.6); 3.0368 (2.2); 3.0067 (2.6); 2.9803 (1.8); 2.9522 (0.9); 2.9265 (0.6); 2.7997 (0.9); 2.7845 (0.9); 2.7737 (1.6); 2.7580 (1.8); 2.7476 (1.0); 2.7406 (1.1); 2.7299 (2.0); 2.7146 (1.6); 2.7036 (0.9); 2.6884 (0.7); 2.0872 (0.9); 2.0619 (1.5); 2.0584 (1.2); 2.0431 (1.1); 2.0387 (1.4); 2.0352 (1.5); 2.0177 (1.4); 2.0144 (1.2); 2.0099 (1.1); 1.9946 (1.2); 1.9912 (1.2); 1.9657 (0.7); 1.6038 (3.7); 1.2909 (2.7); 1.2654 (0.3); 0.1066 (0.8); 0.0470 (0.4); 0.0363 (10.1); 0.0255 (0.5) 3-15: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8683 (11.0); 7.2985 (6.0); 6.8605 (0.8); 6.8362 (0.8); 6.4732 (3.9); 6.4707 (3.9); 5.3804 (0.5); 5.3649 (1.0); 5.3394 (1.1); 5.3209 (0.5); 4.1560 (0.5); 4.1322 (0.5); 2.6860 (0.4); 2.6699 (0.3); 2.6501 (0.9); 2.6294 (2.3); 2.6044 (1.8); 2.5845 (1.0); 2.5484 (0.4); 2.4601 (16.0); 2.2670 (0.3); 2.2526 (0.5); 2.2358 (0.7); 2.2234 (0.9); 2.2068 (1.0); 2.1926 (0.9); 2.1812 (0.6); 2.1751 (0.8); 2.1669 (0.4); 2.0696 (2.4); 2.0535 (0.4); 2.0418 (0.6); 2.0298 (0.7); 2.0186 (0.9); 2.0111 (0.8); 2.0000 (0.9); 1.9884 (0.6); 1.9717 (0.8); 1.9613 (0.7); 1.9558 (0.6); 1.9396 (0.9); 1.9212 (1.6); 1.9092 (1.4); 1.9005 (1.8); 1.8920 (1.3); 1.8861 (1.5); 1.8805 (1.1); 1.8736 (1.0); 1.8672 (0.9); 1.8548 (0.5); 1.8434 (0.4); 1.6150 (1.8); 1.3429 (0.4); 1.3142 (1.5); 1.3031 (2.5); 1.2908 (2.8); 1.2667 (0.8); 0.9399 (0.9); 0.9181 (2.8); 0.8949 (1.1); 0.1067 (0.7); 0.0362 (5.9) 3-16: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8561 (16.0); 7.2984 (7.6); 7.2557 (4.9); 7.2387 (5.2); 6.9473 (1.2); 6.9218 (1.2); 6.8254 (5.8); 6.8084 (5.4); 5.4719 (0.7);

5.4545 (1.5); 5.4286 (15); 5.4095 (0.7); 5.3353 (0.6); 4.1750 (0.6); 4.1512 (1.7); 4.1273 (1.8);
4.1036 (0.6); 2.7816 (0.5); 2.7465 (1.3); 2.7267 (3.6); 2.7040 (3.2); 2.6844 (1.2); 2.6723 (0.4);
2.6478 (0.4); 2.3068 (0.5); 2.2911 (0.8); 2.2736 (0.8); 2.2642 (1.3); 2.2476 (1.4); 2.2341 (1.5);
2.2255 (0.6); 2.2167 (1.1); 2.2024 (0.4); 2.0650 (8.4); 2.0492 (1.1); 2.0373 (1.3); 2.0299 (1.2);
2.0182 (1.2); 2.0092 (1.1); 1.9986 (1.0); 1.9905 (1.5); 1.9758 (2.2); 1.9672 (1.6); 1.9589 (2.8);
1.9469 (2.2); 1.9398 (2.7); 1.9240 (2.2); 1.9194 (1.8); 1.9071 (1.1); 1.8875 (0.6); 1.6183 (2.7);
1.3119 (2.5); 1.2882 (4.8); 1.2643 (2.2); 0.9175 (0.9); 0.8941 (0.4); 0.1061 (0.7); 0.0356 (7.4) 3-17:
.sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.8613 (16.0); 7.2984 (9.2); 6.9882 (1.4); 6.9615 (1.4);
6.6367 (11.6); 5.3565 (0.8); 5.3391 (1.7); 5.3174 (1.6); 5.3124 (1.7); 5.2940 (0.8); 4.1526 (0.5);
4.1288 (0.5); 2.6869 (0.5); 2.6511 (1.4); 2.6318 (3.9); 2.6115 (3.7); 2.5923 (1.4); 2.5553 (0.4);
2.5508 (0.4); 2.2852 (0.5); 2.2700 (0.8); 2.2522 (0.8); 2.2425 (1.4); 2.2255 (1.5); 2.2121 (1.5);
2.1943 (1.1); 2.1804 (0.4); 2.0675 (2.2); 2.0498 (0.6); 2.0381 (0.8); 2.0263 (1.1); 2.0148 (1.4);
2.0072 (1.2); 1.9959 (1.3); 1.9861 (1.1); 1.9678 (1.5); 1.9537 (2.3); 1.9462 (1.8); 1.9380 (2.9);
1.9263 (2.2); 1.9184 (3.0); 1.9033 (2.2); 1.8845 (1.4); 1.8763 (0.9); 1.8645 (0.6); 1.8507 (0.3);
1.6115 (4.1); 1.3428 (0.4); 1.3128 (1.4); 1.3020 (2.3); 1.2894 (2.7); 1.2654 (0.8); 0.9389 (0.8);
0.9172 (2.4); 0.8940 (1.0); 0.1055 (0.8); 0.0460 (0.3); 0.0353 (9.0); 0.0244 (0.4) 3-18: .sup.1H-
NMR(400.1 MHz, CDCl₃): δ = 7.8012 (5.8); 7.6631 (1.8); 7.6432 (2.0); 7.3418 (1.2); 7.3213 (2.5);
7.2905 (1.2); 7.2726 (1.8); 7.2612 (10.2); 7.2548 (1.3); 7.1725 (1.2); 7.1546 (1.8); 7.1368 (0.9);
7.0730 (4.3); 6.6115 (0.6); 6.5943 (0.6); 5.6579 (0.9); 5.6403 (1.3); 5.6226 (0.9); 3.7901 (16.0);
2.9485 (0.6); 2.8693 (0.6); 1.7906 (6.8); 1.7737 (6.9); 1.5703 (10.8); -0.0002 (0.9) 3-19: .sup.1H-
NMR(300.2 MHz, CDCl₃): δ = 7.3834 (1.6); 7.3569 (1.9); 7.2990 (8.6); 7.0838 (2.1); 7.0653 (1.5);
7.0377 (1.2); 4.2746 (0.8); 4.2536 (0.8); 4.2257 (1.7); 4.2047 (1.6); 4.1767 (0.9); 4.1557 (0.8);
2.5232 (5.7); 2.3723 (16.0); 2.3553 (7.8); 1.5980 (7.5); 1.3034 (0.4); 1.2939 (0.4); 0.9199 (0.4);
0.0488 (0.4); 0.0380 (10.8); 0.0271 (0.4) 3-20: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4993
(1.6); 7.4707 (4.3); 7.4645 (1.7); 7.3795 (1.7); 7.3727 (1.4); 7.3517 (1.0); 7.3450 (0.9); 7.2986
(12.4); 6.8960 (0.4); 6.8760 (0.8); 6.8564 (0.4); 6.1110 (0.4); 6.1019 (0.5); 6.0864 (0.5); 6.0771
(0.4); 5.9548 (0.4); 5.9456 (0.5); 5.9299 (0.5); 5.9207 (0.4); 4.2477 (0.3); 4.2380 (0.3); 4.1520
(0.3); 3.8943 (0.3); 3.8691 (0.4); 3.8439 (0.5); 3.8199 (0.5); 3.7992 (0.3); 2.4254 (16.0); 2.0431
(0.4); 1.6099 (6.8); 1.2929 (0.5); 0.1064 (0.9); 0.0477 (0.5); 0.0369 (13.2); 0.0292 (0.4); 0.0278
(0.4); 0.0260 (0.5) 3-21: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6390 (1.2); 7.6337 (1.9);
7.6289 (1.4); 7.5504 (0.9); 7.5441 (0.8); 7.5224 (1.5); 7.5163 (1.4); 7.4373 (2.2); 7.4096 (1.3);
7.3082 (0.4); 7.2990 (24.2); 6.5330 (0.6); 6.5166 (0.3); 6.0978 (0.4); 6.0891 (0.4); 6.0727 (0.4);
6.0632 (0.4); 5.9415 (0.4); 5.9326 (0.4); 5.9156 (0.4); 5.9069 (0.4); 4.1670 (0.3); 3.8257 (0.5);
3.8071 (0.3); 3.8010 (0.4); 3.5279 (0.4); 2.4213 (16.0); 1.5975 (9.9); 1.2931 (0.7); 0.1071 (1.2);
0.0486 (0.8); 0.0454 (0.4); 0.0378 (27.4); 0.0269 (1.0) 3-22: .sup.1H-NMR(300.2 MHz, CDCl₃): δ
= 7.3597 (0.5); 7.3403 (0.8); 7.3146 (1.9); 7.2990 (3.5); 7.2885 (2.0); 7.0782 (1.2); 7.0508 (1.1);
7.0375 (1.9); 5.9893 (0.4); 5.9802 (0.4); 5.9616 (0.5); 5.9525 (0.4); 5.8305 (0.4); 5.8213 (0.4);
5.8029 (0.5); 5.7938 (0.4); 4.1209 (0.4); 3.7474 (0.4); 3.7317 (0.4); 3.7153 (0.5); 3.7039 (0.3);
3.6865 (0.4); 2.4418 (16.0); 2.4078 (9.5); 2.3448 (8.2); 2.0403 (0.4); 1.6357 (2.8); 0.0383 (3.9) 3-
23: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4014 (1.7); 7.3751 (2.1); 7.2984 (6.9); 7.2373 (2.0);
7.1469 (1.2); 7.1205 (1.0); 7.0648 (0.4); 7.0446 (0.8); 7.0252 (0.4); 6.1127 (0.4); 6.1029 (0.4);
6.0888 (0.5); 6.0787 (0.4); 5.9568 (0.4); 5.9473 (0.4); 5.9329 (0.5); 5.9230 (0.4); 4.2319 (0.3);
4.2216 (0.3); 4.1401 (0.4); 3.9259 (0.4); 3.9203 (0.3); 3.9016 (0.4); 3.8736 (0.5); 3.8549 (0.5);
3.8309 (0.3); 2.4216 (16.0); 2.3636 (9.2); 2.0419 (0.3); 1.6165 (8.0); 0.1062 (0.8); 0.0380 (3.2);
0.0363 (6.6) 3-24: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7793 (0.6); 7.7594 (1.0); 7.7392
(0.6); 7.3541 (2.0); 7.3273 (2.3); 7.2989 (2.1); 7.0556 (2.5); 6.9873 (1.5); 6.9817 (1.3); 6.9604
(1.3); 6.9548 (1.1); 6.0854 (0.4); 6.0752 (0.5); 6.0621 (0.5); 6.0519 (0.4); 5.9299 (0.4); 5.9198
(0.5); 5.9066 (0.5); 5.8964 (0.4); 4.1700 (0.3); 4.0915 (0.3); 3.9478 (0.4); 3.9445 (0.4); 3.9246
(0.3); 3.8951 (0.5); 3.8756 (0.6); 3.8519 (0.3); 2.4191 (16.0); 2.4027 (0.4); 2.0368 (1.0); 1.8954
(0.5); 1.8842 (0.6); 1.8675 (1.1); 1.8558 (0.4); 1.8508 (0.6); 1.8397 (0.6); 1.6884 (0.9); 1.0650

(0.8); 1.0495 (1.8); 1.0430 (2.1); 1.0374 (1.1); 1.0278 (1.1); 1.0212 (1.9); 1.0149 (1.8); 1.0000 (0.9); 0.7232 (0.9); 0.7078 (2.4); 0.7023 (2.0); 0.6913 (2.0); 0.6858 (2.5); 0.6695 (0.7); 0.0350 (2.3) 3-25: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.6655 (0.6); 7.6449 (1.2); 7.6244 (0.6); 7.3459 (2.0); 7.3189 (2.3); 7.3003 (1.7); 7.2985 (3.1); 6.9288 (2.5); 6.8999 (1.4); 6.8724 (1.2); 4.2575 (0.8); 4.2365 (0.8); 4.2089 (1.6); 4.1880 (1.6); 4.1603 (0.8); 4.1394 (0.8); 2.5073 (6.7); 2.3586 (16.0); 1.9016 (0.6); 1.8902 (0.6); 1.8738 (1.1); 1.8572 (0.7); 1.8459 (0.6); 1.8289 (0.3); 1.6523 (1.6); 1.0535 (0.8); 1.0384 (2.0); 1.0314 (2.3); 1.0164 (1.2); 1.0099 (2.1); 1.0035 (2.0); 0.9887 (0.9); 0.7385 (0.9); 0.7234 (2.6); 0.7179 (2.3); 0.7068 (2.1); 0.7012 (2.6); 0.6849 (0.7); 0.1077 (0.4); 0.0389 (1.8); 0.0371 (3.3) 3-26: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.7186 (1.5); 7.5576 (4.3); 7.5542 (3.9); 7.2987 (24.7); 6.4612 (0.4); 4.4628 (0.6); 4.4416 (0.5); 4.4132 (1.2); 4.3920 (1.1); 4.3628 (1.0); 4.3424 (0.6); 3.5281 (0.5); 2.4043 (10.2); 1.5963 (16.0); 1.2940 (0.6); 0.1067 (2.8); 0.0482 (1.0); 0.0374 (28.6); 0.0283 (0.9); 0.0266 (1.0) 3-27: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.9056 (0.5); 7.8848 (1.1); 7.8639 (0.5); 7.4594 (2.1); 7.4326 (2.4); 7.2989 (2.2); 7.2486 (2.2); 7.0700 (1.2); 7.0434 (1.1); 4.4683 (0.8); 4.4471 (0.7); 4.4205 (1.6); 4.3994 (1.6); 4.3728 (0.8); 4.3516 (0.8); 2.3839 (16.0); 2.3346 (8.7); 2.0378 (0.4); 1.6497 (1.9); 0.0354 (2.7) 3-28: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.4883 (0.7); 7.4398 (0.5); 7.4104 (1.1); 7.3826 (0.4); 7.2989 (18.5); 4.2725 (0.4); 4.2511 (0.3); 4.2226 (0.7); 4.2014 (0.7); 4.1726 (0.4); 4.1518 (0.4); 2.5703 (2.2); 2.5635 (1.2); 2.3771 (6.6); 2.0466 (0.3); 1.5857 (16.0); 1.2928 (0.7); 0.0484 (0.8); 0.0377 (24.8); 0.0268 (1.0)

(604) TABLE-US-00017 TABLE 9 Compounds according to formula (4) (4)  Ex N.sup.o A Q.sup.S LogP 4-01 CH prop-1-en-1-yl 2.33.sup.[a] 4-02 CH cyclopropyl 2.12.sup.[a] 4-03 CH vinyl 1.96.sup.[a] 4-04 CH ethynyl 1.72.sup.[a] 4-05 CH rac-2,2- difluorocyclopropyl 4-06 CH 1-fluorocyclopropyl

(605) TABLE-US-00018 TABLE 10 4-01: .sup.1H-NMR(499.9 MHz, CDCl₃): δ = 7.3302 (0.3); 7.2563 (7.5); 6.9959 (2.3); 6.9937 (2.2); 6.9796 (5.4); 6.9781 (5.6); 6.9641 (3.7); 6.9622 (4.0); 6.9399 (3.1); 6.9294 (2.7); 6.9259 (2.0); 6.9094 (2.9); 6.9062 (3.5); 6.8931 (4.7); 6.8899 (5.3); 6.8767 (2.1); 6.8736 (2.2); 6.8480 (0.8); 6.8409 (3.0); 6.8383 (3.4); 6.8259 (5.3); 6.8183 (1.0); 6.8125 (2.7); 6.5247 (0.7); 6.5216 (0.8); 6.4929 (1.0); 6.4898 (1.1); 6.4244 (3.3); 6.4013 (3.6); 6.3514 (0.4); 6.3382 (1.1); 6.3249 (1.0); 6.3116 (0.4); 6.3064 (0.8); 6.2931 (0.8); 5.9560 (1.3); 5.9418 (3.8); 5.9330 (1.3); 5.9276 (3.9); 5.9188 (3.6); 5.9135 (1.5); 5.9046 (3.5); 5.8904 (1.2); 5.1702 (0.6); 5.1565 (0.6); 5.1063 (0.8); 2.0489 (0.8); 1.9189 (3.6); 1.9158 (3.7); 1.9056 (3.6); 1.9025 (3.7); 1.8255 (9.5); 1.8226 (16.0); 1.8196 (10.8); 1.8113 (9.8); 1.8083 (16.0); 1.8055 (10.6); 1.2596 (0.4); 1.2511 (0.5); 0.0813 (0.7); -0.0002 (9.1) 4-02: .sup.1H-NMR(300.1 MHz, d.sub.6-DMSO): δ = 9.6264 (16.0); 6.8628 (2.1); 6.8591 (2.1); 6.8364 (5.2); 6.8326 (5.3); 6.8101 (3.6); 6.8066 (3.8); 6.7434 (3.5); 6.7378 (3.8); 6.7159 (5.1); 6.7104 (5.3); 6.6887 (2.4); 6.6832 (2.3); 6.3737 (2.6); 6.3684 (2.6); 6.3475 (4.7); 6.3262 (2.4); 6.3211 (2.2); 5.7578 (0.4); 4.0415 (0.8); 4.0178 (0.9); 3.3382 (6.7); 2.5154 (2.8); 2.5095 (5.4); 2.5036 (7.2); 2.4976 (4.9); 2.4918 (2.2); 2.0462 (0.7); 2.0289 (1.6); 2.0180 (1.8); 2.0009 (3.3); 1.9896 (5.1); 1.9730 (1.8); 1.9556 (0.9); 1.1988 (1.0); 1.1751 (2.1); 1.1513 (1.0); 0.9636 (2.7); 0.9495 (7.4); 0.9420 (7.8); 0.9356 (3.5); 0.9287 (4.0); 0.9210 (7.8); 0.9136 (7.1); 0.9005 (3.3); 0.8787 (0.4); 0.7131 (0.3); 0.6811 (3.5); 0.6678 (8.1); 0.6606 (8.4); 0.6506 (7.8); 0.6434 (8.0); 0.6289 (2.6); -0.0004 (5.8) 4-03: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.2988 (8.3); 7.0822 (1.8); 7.0748 (2.4); 7.0563 (7.2); 7.0491 (7.3); 7.0406 (18.4); 7.0294 (8.8); 7.0183 (16.0); 7.0042 (0.7); 6.9921 (5.6); 6.9704 (6.4); 6.9630 (5.7); 6.9437 (7.8); 6.9375 (3.4); 6.9324 (4.6); 6.9257 (7.2); 6.9223 (4.7); 6.9109 (3.1); 6.8885 (6.8); 6.8667 (7.3); 6.8294 (7.6); 5.8978 (11.2); 5.8944 (11.6); 5.8387 (10.0); 5.8353 (10.3); 5.4557 (11.1); 5.4523 (11.2); 5.4184 (10.5); 5.4150 (10.7); 5.3378 (12.9); 5.2491 (9.5); 4.1831 (0.6); 4.1593 (0.6); 2.0946 (2.9); 1.6957 (8.4); 1.3266 (1.2); 1.3201 (1.8); 1.3029 (3.6); 1.2968 (3.9); 1.2790 (1.0); 1.2733 (1.4); 1.2639 (0.5); 0.9451 (0.6); 0.9234 (1.7); 0.9002 (0.7); 0.3136 (0.6); 0.3114 (0.6); 0.1135 (0.5); 0.0418 (9.8); 0.0309 (0.3) 4-04: .sup.1H-NMR(300.2 MHz, d.sub.6-DMSO): δ = 10.1443 (10.6); 7.0557 (1.1); 7.0475 (1.7); 7.0294 (5.0); 7.0208 (9.2); 7.0121 (10.7);

6.9957 (16.0); 6.9697 (3.6); 6.9611 (5.2); 6.9532 (4.8); 6.9420 (4.8); 6.9372 (2.6); 6.9281 (4.3); 6.9105 (2.0); 5.7720 (0.5); 4.4390 (15.0); 3.3732 (6.7); 2.5346 (1.0); 2.5286 (2.1); 2.5226 (2.9); 2.5166 (2.1); 2.5107 (1.0); 2.1030 (9.3); 2.0061 (0.8); 1.2540 (0.8); 1.1910 (0.5); 1.0987 (0.3); 1.0754 (0.7); 1.0521 (0.3); 0.8709 (0.6); 0.0130 (3.7) 4-05: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.2988 (0.5); 7.0418 (0.4); 7.0149 (1.2); 6.9891 (2.4); 6.9810 (1.1); 6.9623 (0.9); 6.9569 (0.9); 6.9354 (0.3); 6.7340 (0.4); 6.7264 (0.4); 6.7100 (0.8); 6.6868 (0.4); 6.6841 (0.4); 5.4977 (1.0); 5.3330 (0.8); 2.8803 (0.3); 2.8674 (0.6); 2.8398 (0.6); 2.8264 (0.4); 2.7988 (0.3); 2.0439 (16.0); 1.9405 (0.4); 1.9265 (0.6); 1.9103 (0.5); 1.9009 (0.6); 1.8842 (0.6); 1.8612 (0.4); 1.8442 (0.4); 1.7154 (0.3); 1.7014 (0.5); 1.6880 (0.7); 1.6738 (0.5); 1.6597 (0.7); 1.6462 (0.6); 0.0359 (0.7) 4-06: .sup.1H-NMR(300.2 MHz, CDCl₃): δ = 7.2989 (22.6); 7.1680 (0.4); 7.1558 (0.6); 7.1500 (0.9); 7.1325 (1.2); 7.1213 (0.4); 7.1047 (1.8); 7.0896 (1.0); 7.0770 (4.3); 7.0605 (33.6); 7.0549 (23.8); 7.0432 (11.9); 7.0398 (16.0); 7.0347 (9.4); 7.0256 (4.5); 7.0210 (3.8); 7.0125 (2.1); 7.0074 (1.9); 7.0039 (1.9); 5.1920 (11.4); 3.6842 (0.4); 3.3468 (0.4); 2.1527 (0.4); 2.1394 (0.3); 2.1195 (0.3); 2.1161 (0.3); 2.0859 (0.3); 2.0500 (0.4); 1.6703 (0.4); 1.6596 (0.6); 1.6394 (7.8); 1.5230 (3.1); 1.5003 (9.4); 1.4973 (10.4); 1.4743 (4.2); 1.4603 (3.2); 1.4377 (9.4); 1.4345 (10.3); 1.4116 (4.9); 1.3500 (0.5); 1.2497 (0.7); 1.2391 (0.5); 1.2200 (0.8); 1.1889 (4.2); 1.1732 (5.5); 1.1681 (11.0); 1.1612 (12.7); 1.1386 (13.2); 1.1327 (9.8); 1.1110 (3.1); 0.0502 (0.9); 0.0394 (29.9); 0.0285 (1.1)

Biological Examples

Example: In Vivo Preventive Test on *Alternaria brassicae* (Leaf Spot on Radish or Cabbage)
(606) TABLE-US-00019 Solvent: 5% by volume of Dimethyl sulfoxide 10% by volume of Acetone
Emulsifier: 1 μ l of Tween® 80 per mg of active ingredient

(607) The active ingredients were made soluble and homogenized in a mixture of Dimethyl sulfoxide/Acetone/Tween® 80 and then diluted in water to the desired concentration.

(608) The young plants of radish or cabbage were treated by spraying the active ingredient prepared as described above. Control plants were treated only with an aqueous solution of Acetone/Dimethyl sulfoxide/Tween® 80.

(609) After 24 hours, the plants were contaminated by spraying the leaves with an aqueous suspension of *Alternaria brassicae* spores. The contaminated radish or cabbage plants were incubated for 6 days at 20° C. and at 100% relative humidity.

(610) The test was evaluated 6 days after the inoculation. 0% means an efficacy which corresponds to that of the control plants while an efficacy of 100% means that no disease was observed.

(611) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 500 ppm of active ingredient: I-018; I-019; I-038; I-069; I-123; I-177; I-180; I-208; I-234; I-239; I-278; I-289; I-316; I-318; I-392; I-431; I-432; I-437; I-468; I-482; I-488; I-489; I-515; I-565; I-678; I-721; I-821

(612) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 500 ppm of active ingredient: I-004; I-005; I-013; I-031; I-032; I-043; I-068; I-071; I-095; I-109; I-110; I-145; I-157; I-170; I-183; I-220; I-235; I-241; I-262; I-269; I-271; I-298; I-306; I-307; I-328; I-335; I-340; I-349; I-368; I-381; I-394; I-416; I-425; I-427; I-429; I-456; I-465; I-467; I-475; I-495; I-517; I-523; I-539; I-542; I-547; I-558; I-564; I-568; I-585; I-586; I-590; I-600; I-602; I-635; I-642; I-657; I-679; I-688; I-739; I-768; I-777; I-795; I-797; I-814; I-825

(613) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 500 ppm of active ingredient: I-001; I-002; I-003; I-007; I-009; I-011; I-012; I-014; I-015; I-017; I-020; I-021; I-022; I-023; I-024; I-025; I-026; I-027; I-028; I-029; I-030; I-033; I-034; I-035; I-036; I-037; I-040; I-042; I-044; I-045; I-046; I-047; I-048; I-049; I-050; I-051; I-053; I-054; I-056; I-057; I-058; I-059; I-060; I-061; I-062; I-063; I-066; I-070; I-072; I-073; I-074; I-075; I-077; I-078; I-079; I-080; I-081; I-082; I-083; I-084; I-085; I-086; I-087; I-090; I-091; I-092; I-093; I-094; I-096; I-097; I-098; I-101; I-102; I-103; I-105; I-106; I-107; I-108; I-111; I-112; I-113; I-114; I-115; I-116; I-117; I-118; I-119; I-120; I-121; I-122; I-124; I-126;

I-128; I-129; I-130; I-131; I-132; I-133; I-134; I-135; I-136; I-138; I-139; I-140; I-141; I-142; I-143; I-144; I-146; I-147; I-148; I-150; I-151; I-152; I-153; I-154; I-155; I-156; I-158; I-159; I-160; I-161; I-162; I-165; I-166; I-167; I-168; I-169; I-171; I-172; I-173; I-174; I-175; I-178; I-179; I-181; I-182; I-184; I-185; I-186; I-187; I-188; I-189; I-190; I-191; I-193; I-194; I-195; I-196; I-197; I-198; I-199; I-200; I-201; I-203; I-204; I-205; I-206; I-207; I-209; I-210; I-211; I-212; I-213; I-214; I-215; I-216; I-217; I-219; I-221; I-222; I-223; I-224; I-226; I-227; I-228; I-229; I-231; I-233; I-236; I-237; I-238; I-240; I-242; I-244; I-245; I-246; I-247; I-248; I-249; I-252; I-253; I-254; I-255; I-256; I-257; I-258; I-259; I-261; I-263; I-264; I-266; I-267; I-268; I-270; I-273; I-274; I-275; I-276; I-277; I-279; I-280; I-281; I-282; I-283; I-284; I-285; I-288; I-290; I-291; I-293; I-294; I-295; I-296; I-300; I-301; I-302; I-303; I-304; I-305; I-309; I-310; I-311; I-312; I-313; I-314; I-315; I-317; I-319; I-321; I-322; I-323; I-324; I-325; I-327; I-329; I-330; I-331; I-332; I-334; I-336; I-337; I-338; I-339; I-342; I-343; I-344; I-345; I-346; I-347; I-348; I-350; I-352; I-353; I-356; I-357; I-358; I-359; I-360; I-361; I-362; I-364; I-365; I-366; I-367; I-369; I-370; I-371; I-372; I-373; I-374; I-375; I-377; I-378; I-379; I-380; I-382; I-383; I-384; I-385; I-387; I-388; I-389; I-391; I-393; I-395; I-396; I-398; I-399; I-400; I-401; I-402; I-403; I-404; I-405; I-407; I-408; I-409; I-410; I-411; I-413; I-414; I-415; I-418; I-419; I-420; I-421; I-422; I-423; I-424; I-426; I-428; I-430; I-433; I-434; I-435; I-436; I-438; I-439; I-440; I-441; I-442; I-443; I-444; I-445; I-446; I-447; I-448; I-449; I-450; I-451; I-452; I-453; I-454; I-455; I-457; I-458; I-460; I-461; I-462; I-463; I-464; I-466; I-470; I-471; I-472; I-473; I-474; I-476; I-477; I-478; I-480; I-481; I-483; I-484; I-486; I-487; I-490; I-493; I-494; I-496; I-497; I-498; I-499; I-500; I-501; I-502; I-503; I-504; I-506; I-507; I-508; I-509; I-510; I-511; I-512; I-513; I-514; I-516; I-520; I-521; I-522; I-524; I-525; I-526; I-527; I-528; I-529; I-530; I-531; I-532; I-533; I-534; I-535; I-536; I-537; I-541; I-543; I-544; I-545; I-546; I-549; I-550; I-551; I-552; I-553; I-554; I-555; I-556; I-557; I-560; I-561; I-562; I-563; I-566; I-567; I-570; I-571; I-572; I-573; I-574; I-575; I-577; I-578; I-579; I-580; I-581; I-582; I-583; I-587; I-588; I-589; I-591; I-592; I-593; I-594; I-595; I-596; I-597; I-598; I-599; I-601; I-603; I-604; I-605; I-606; I-607; I-608; I-609; I-610; I-611; I-612; I-613; I-614; I-615; I-616; I-617; I-618; I-619; I-620; I-621; I-622; I-623; I-624; I-625; I-626; I-627; I-628; I-629; I-630; I-631; I-632; I-634; I-636; I-637; I-638; I-639; I-640; I-641; I-643; I-644; I-645; I-646; I-647; I-648; I-649; I-650; I-651; I-652; I-653; I-654; I-655; I-656; I-658; I-659; I-660; I-661; I-662; I-665; I-666; I-674; I-675; I-676; I-677; I-680; I-681; I-682; I-683; I-684; I-685; I-686; I-687; I-689; I-690; I-691; I-693; I-694; I-695; I-696; I-697; I-698; I-699; I-700; I-701; I-702; I-703; I-704; I-705; I-706; I-707; I-708; I-709; I-710; I-711; I-712; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-722; I-723; I-724; I-725; I-726; I-727; I-728; I-729; I-730; I-731; I-732; I-733; I-734; I-735; I-736; I-737; I-738; I-740; I-741; I-742; I-743; I-744; I-745; I-748; I-749; I-750; I-752; I-753; I-754; I-755; I-756; I-757; I-759; I-760; I-761; I-762; I-763; I-767; I-770; I-771; I-772; I-773; I-775; I-776; I-779; I-780; I-781; I-782; I-783; I-784; I-786; I-787; I-788; I-789; I-790; I-791; I-794; I-796; I-800; I-801; I-802; I-803; I-804; I-805; I-806; I-807; I-808; I-809; I-810; I-812; I-815; I-816; I-817; I-818; I-819; I-820; I-822; I-823; I-824; I-827; I-828; I-830; I-831; I-832; I-834

Example: In Vivo Preventive Test on *Botrytis cinerea* (Grey Mould)

(614) TABLE-US-00020 Solvent: 5% by volume of Dimethyl sulfoxide 10% by volume of Acetone Emulsifier: 1 µl of Tween ® 80 per mg of active ingredient

(615) The active ingredients were made soluble and homogenized in a mixture of Dimethyl sulfoxide/Acetone/Tween® 80 and then diluted in water to the desired concentration.

(616) The young plants of gherkin or cabbage were treated by spraying the active ingredient prepared as described above. Control plants were treated only with an aqueous solution of Acetone/Dimethyl sulfoxide/Tween® 80.

(617) After 24 hours, the plants were contaminated by spraying the leaves with an aqueous suspension of *Botrytis cinerea* spores. The contaminated gherkin plants were incubated for 4 to 5 days at 17° C. and at 90% relative humidity. The contaminated cabbage plants were incubated for 4 to 5 days at 20° C. and at 100% relative humidity.

(618) The test was evaluated 4 to 5 days after the inoculation. 0% means an efficacy which corresponds to that of the control plants while an efficacy of 100% means that no disease was observed.

(619) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 500 ppm of active ingredient: I-091; I-109; I-131; I-138; I-155; I-163; I-220; I-252; I-268; I-306; I-326; I-354; I-355; I-439; I-605; I-625; I-638; I-661; I-737

(620) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 500 ppm of active ingredient: I-013; I-047; I-049; I-062; I-089; I-125; I-149; I-150; I-157; I-166; I-177; I-244; I-271; I-280; I-302; I-346; I-352; I-390; I-406; I-426; I-444; I-479; I-491; I-492; I-493; I-501; I-518; I-532; I-560; I-569; I-575; I-595; I-597; I-600; I-633; I-641; I-753; I-830

(621) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 500 ppm of active ingredient: I-001; I-002; I-003; I-004; I-005; I-007; I-008; I-009; I-010; I-011; I-012; I-014; I-015; I-016; I-017; I-018; I-019; I-020; I-021; I-022; I-023; I-024; I-025; I-026; I-027; I-028; I-029; I-030; I-031; I-032; I-033; I-034; I-035; I-036; I-037; I-038; I-039; I-040; I-042; I-043; I-044; I-045; I-046; I-048; I-050; I-051; I-052; I-053; I-054; I-056; I-057; I-058; I-059; I-060; I-061; I-063; I-064; I-065; I-066; I-067; I-069; I-070; I-071; I-072; I-073; I-074; I-075; I-076; I-077; I-078; I-079; I-080; I-081; I-082; I-083; I-084; I-085; I-086; I-087; I-088; I-090; I-092; I-093; I-094; I-096; I-099; I-100; I-101; I-103; I-104; I-105; I-106; I-107; I-108; I-110; I-112; I-113; I-114; I-115; I-117; I-118; I-119; I-120; I-121; I-122; I-124; I-126; I-127; I-128; I-129; I-130; I-132; I-133; I-134; I-135; I-136; I-137; I-139; I-140; I-141; I-142; I-143; I-144; I-145; I-146; I-147; I-148; I-151; I-152; I-153; I-154; I-158; I-159; I-160; I-161; I-162; I-165; I-167; I-168; I-169; I-170; I-171; I-172; I-173; I-174; I-175; I-176; I-179; I-180; I-181; I-182; I-183; I-184; I-185; I-186; I-187; I-188; I-189; I-190; I-191; I-192; I-193; I-194; I-195; I-196; I-197; I-198; I-199; I-200; I-201; I-203; I-204; I-205; I-206; I-207; I-209; I-210; I-211; I-212; I-213; I-214; I-215; I-216; I-217; I-218; I-219; I-221; I-222; I-223; I-224; I-225; I-226; I-227; I-228; I-229; I-230; I-231; I-232; I-233; I-234; I-235; I-236; I-237; I-238; I-240; I-241; I-242; I-245; I-246; I-248; I-249; I-251; I-253; I-254; I-255; I-256; I-257; I-258; I-259; I-260; I-261; I-262; I-263; I-264; I-266; I-267; I-269; I-272; I-273; I-274; I-275; I-276; I-277; I-281; I-282; I-283; I-284; I-285; I-286; I-287; I-288; I-289; I-290; I-291; I-292; I-293; I-294; I-295; I-296; I-297; I-298; I-300; I-301; I-303; I-304; I-305; I-307; I-308; I-309; I-310; I-311; I-312; I-313; I-314; I-315; I-316; I-317; I-318; I-319; I-320; I-321; I-322; I-323; I-324; I-325; I-327; I-328; I-329; I-330; I-331; I-332; I-334; I-335; I-336; I-337; I-338; I-339; I-340; I-342; I-343; I-344; I-345; I-347; I-348; I-350; I-353; I-356; I-357; I-358; I-359; I-360; I-362; I-363; I-364; I-365; I-366; I-367; I-368; I-369; I-370; I-371; I-372; I-373; I-374; I-375; I-376; I-377; I-378; I-379; I-380; I-382; I-383; I-384; I-385; I-386; I-387; I-389; I-391; I-392; I-393; I-394; I-395; I-396; I-397; I-398; I-399; I-400; I-401; I-403; I-404; I-405; I-407; I-408; I-409; I-410; I-411; I-412; I-413; I-415; I-416; I-417; I-418; I-419; I-420; I-421; I-422; I-423; I-424; I-425; I-427; I-428; I-429; I-430; I-431; I-434; I-435; I-437; I-438; I-440; I-441; I-442; I-443; I-445; I-446; I-447; I-448; I-449; I-450; I-451; I-452; I-453; I-455; I-456; I-457; I-458; I-459; I-460; I-461; I-462; I-463; I-464; I-467; I-468; I-469; I-470; I-471; I-472; I-473; I-474; I-477; I-478; I-480; I-481; I-482; I-483; I-484; I-486; I-488; I-490; I-494; I-496; I-497; I-498; I-499; I-500; I-502; I-503; I-504; I-505; I-506; I-507; I-508; I-509; I-510; I-511; I-513; I-514; I-515; I-516; I-517; I-519; I-520; I-521; I-522; I-523; I-524; I-525; I-526; I-528; I-529; I-530; I-531; I-533; I-534; I-536; I-537; I-538; I-539; I-540; I-543; I-544; I-545; I-546; I-547; I-548; I-549; I-550; I-551; I-552; I-553; I-554; I-555; I-556; I-557; I-558; I-561; I-562; I-564; I-565; I-566; I-567; I-568; I-570; I-571; I-572; I-573; I-574; I-577; I-578; I-579; I-580; I-581; I-582; I-583; I-584; I-586; I-587; I-588; I-589; I-590; I-591; I-592; I-593; I-594; I-596; I-598; I-599; I-601; I-602; I-603; I-604; I-606; I-607; I-608; I-610; I-612; I-613; I-614; I-615; I-616; I-617; I-618; I-619; I-620; I-621; I-622; I-623; I-624; I-626; I-627; I-628; I-629; I-630; I-631; I-632; I-634; I-635; I-636; I-637; I-639; I-640; I-642; I-643; I-644; I-645; I-646; I-648; I-649; I-650; I-651; I-652;

I-653; I-655; I-656; I-657; I-658; I-659; I-662; I-665; I-666; I-674; I-675; I-677; I-678; I-679; I-680; I-681; I-682; I-683; I-684; I-685; I-686; I-687; I-688; I-689; I-690; I-691; I-693; I-694; I-695; I-696; I-697; I-698; I-699; I-700; I-701; I-702; I-703; I-704; I-705; I-706; I-707; I-708; I-709; I-710; I-711; I-712; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-721; I-722; I-723; I-724; I-725; I-726; I-727; I-729; I-730; I-731; I-732; I-733; I-734; I-735; I-736; I-739; I-740; I-741; I-742; I-743; I-744; I-745; I-748; I-749; I-750; I-752; I-754; I-755; I-756; I-757; I-759; I-760; I-761; I-762; I-764; I-765; I-766; I-767; I-768; I-769; I-770; I-771; I-772; I-773; I-775; I-776; I-777; I-779; I-780; I-781; I-782; I-783; I-784; I-785; I-786; I-787; I-788; I-789; I-790; I-791; I-792; I-793; I-794; I-795; I-796; I-797; I-798; I-800; I-802; I-803; I-804; I-805; I-806; I-807; I-808; I-809; I-810; I-811; I-812; I-813; I-814; I-815; I-816; I-817; I-818; I-820; I-821; I-822; I-823; I-824; I-825; I-827; I-831; I-832; I-834

Example: In Vivo Preventive Test on *Pyrenophora teres* (Net Blotch on Barley)

(622) TABLE-US-00021 Solvent: 5% by volume of Dimethyl sulfoxide 10% by volume of Acetone Emulsifier: 1 µl of Tween ® 80 per mg of active ingredient

(623) The active ingredients were made soluble and homogenized in a mixture of Dimethyl sulfoxide/Acetone/Tween® 80 and then diluted in water to the desired concentration.

(624) The young plants of barley were treated by spraying the active ingredient prepared as described above. Control plants were treated only with an aqueous solution of Acetone/Dimethyl sulfoxide/Tween® 80.

(625) After 24 hours, the plants were contaminated by spraying the leaves with an aqueous suspension of *Pyrenophora teres* spores. The contaminated barley plants were incubated for 48 hours at 20° C. and at 100% relative humidity and then for 8 days at 20° C. and at 70-80% relative humidity.

(626) The test was evaluated 10 days after the inoculation. 0% means an efficacy which corresponds to that of the control plants while an efficacy of 100% means that no disease was observed.

(627) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 500 ppm of active ingredient: I-007; I-013; I-014; I-032; I-058; I-060; I-077; I-090; I-096; I-124; I-126; I-128; I-136; I-139; I-145; I-147; I-176; I-200; I-209; I-217; I-223; I-225; I-235; I-240; I-241; I-262; I-275; I-279; I-281; I-282; I-292; I-321; I-324; I-330; I-334; I-350; I-366; I-372; I-395; I-398; I-404; I-405; I-408; I-413; I-441; I-458; I-459; I-467; I-468; I-496; I-514; I-530; I-575; I-581; I-584; I-592; I-605; I-611; I-617; I-622; I-630; I-631; I-638; I-640; I-641; I-643; I-648; I-653; I-665; I-682; I-696; I-698; I-715; I-725; I-742; I-770; I-777; I-789; I-816; I-820

(628) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 500 ppm of active ingredient: I-001; I-009; I-012; I-017; I-020; I-024; I-028; I-030; I-036; I-045; I-053; I-056; I-062; I-074; I-075; I-086; I-094; I-108; I-114; I-117; I-122; I-131; I-134; I-143; I-144; I-150; I-167; I-184; I-186; I-194; I-195; I-196; I-205; I-210; I-211; I-215; I-219; I-229; I-242; I-245; I-255; I-256; I-276; I-283; I-286; I-288; I-297; I-301; I-303; I-304; I-311; I-313; I-319; I-322; I-328; I-332; I-336; I-344; I-348; I-363; I-369; I-370; I-371; I-375; I-377; I-384; I-396; I-401; I-403; I-409; I-417; I-433; I-443; I-445; I-455; I-461; I-464; I-474; I-480; I-494; I-508; I-528; I-533; I-543; I-551; I-567; I-568; I-577; I-589; I-598; I-606; I-607; I-613; I-616; I-619; I-621; I-624; I-629; I-634; I-637; I-645; I-662; I-680; I-687; I-690; I-702; I-703; I-706; I-714; I-720; I-722; I-729; I-732; I-735; I-736; I-744; I-756; I-762; I-767; I-779; I-780; I-784; I-786; I-787; I-796; I-809; I-810; I-832

(629) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 500 ppm of active ingredient: I-002; I-003; I-029; I-040; I-044; I-047; I-050; I-054; I-063; I-070; I-084; I-085; I-092; I-101; I-142; I-151; I-152; I-153; I-159; I-160; I-171; I-175; I-180; I-187; I-189; I-190; I-191; I-197; I-204; I-247; I-248; I-259; I-264; I-267; I-284; I-293; I-312; I-327; I-337; I-342; I-347; I-358; I-359; I-365; I-374; I-380; I-383; I-385;

I-389; I-410; I-411; I-415; I-423; I-424; I-435; I-446; I-447; I-457; I-477; I-481; I-497; I-499; I-503; I-506; I-536; I-544; I-552; I-555; I-556; I-563; I-571; I-574; I-579; I-587; I-590; I-594; I-604; I-612; I-625; I-632; I-644; I-655; I-660; I-681; I-709; I-710; I-711; I-712; I-713; I-726; I-730; I-731; I-734; I-748; I-749; I-750; I-757; I-761; I-763; I-773; I-775; I-776; I-783; I-802; I-805; I-806; I-807; I-808; I-812; I-817; I-822; I-823; I-831; I-834

Example: In Vivo Preventive Test on *Sphaerotheca fuliginea* (Powdery Mildew on Cucurbits)

(630) TABLE-US-00022 Solvent: 5% by volume of Dimethyl sulfoxide 10% by volume of Acetone
Emulsifier: 1 µl of Tween ® 80 per mg of active ingredient

(631) The active ingredients were made soluble and homogenized in a mixture of Dimethyl sulfoxide/Acetone/Tween® 80 and then diluted in water to the desired concentration.

(632) The young plants of gherkin were treated by spraying the active ingredient prepared as described above. Control plants were treated only with an aqueous solution of Acetone/Dimethyl sulfoxide/Tween® 80.

(633) After 24 hours, the plants were contaminated by spraying the leaves with an aqueous suspension of *Sphaerotheca fuliginea* spores. The contaminated gherkin plants were incubated for 8 days at 20° C. and at 70-80% relative humidity.

(634) The test was evaluated 8 days after the inoculation. 0% means an efficacy which corresponds to that of the control plants while an efficacy of 100% means that no disease was observed.

(635) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 500 ppm of active ingredient: I-059; I-078; I-235; I-282; I-287; I-313; I-466; I-473; I-519; I-538; I-541; I-542; I-545; I-548; I-675; I-677; I-729; I-745; I-800

(636) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 500 ppm of active ingredient: I-066; I-076; I-095; I-099; I-108; I-138; I-195; I-261; I-270; I-277; I-294; I-335; I-351; I-354; I-397; I-399; I-426; I-451; I-483; I-484; I-508; I-513; I-564; I-577; I-603; I-618; I-648; I-666; I-759

(637) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 500 ppm of active ingredient: I-001; I-002; I-003; I-004; I-005; I-007; I-009; I-011; I-012; I-013; I-014; I-015; I-017; I-018; I-019; I-020; I-021; I-022; I-023; I-024; I-026; I-027; I-028; I-029; I-030; I-032; I-033; I-034; I-035; I-036; I-037; I-038; I-040; I-042; I-044; I-045; I-047; I-048; I-050; I-052; I-053; I-054; I-057; I-061; I-062; I-063; I-064; I-067; I-068; I-070; I-072; I-073; I-074; I-075; I-077; I-079; I-081; I-082; I-084; I-085; I-086; I-090; I-092; I-093; I-094; I-096; I-100; I-101; I-103; I-104; I-106; I-107; I-110; I-112; I-113; I-114; I-115; I-117; I-119; I-121; I-122; I-124; I-126; I-128; I-129; I-130; I-133; I-134; I-135; I-136; I-137; I-140; I-142; I-143; I-144; I-145; I-146; I-147; I-149; I-150; I-151; I-152; I-153; I-156; I-157; I-159; I-160; I-161; I-162; I-163; I-165; I-167; I-168; I-171; I-172; I-174; I-175; I-176; I-177; I-179; I-180; I-181; I-182; I-186; I-187; I-188; I-189; I-190; I-191; I-192; I-193; I-194; I-196; I-197; I-198; I-200; I-202; I-203; I-204; I-207; I-208; I-209; I-210; I-211; I-212; I-213; I-214; I-215; I-217; I-218; I-219; I-221; I-222; I-223; I-224; I-225; I-226; I-231; I-233; I-234; I-236; I-238; I-240; I-241; I-242; I-244; I-245; I-246; I-247; I-248; I-249; I-253; I-254; I-255; I-256; I-257; I-258; I-259; I-260; I-262; I-263; I-264; I-266; I-267; I-269; I-271; I-272; I-273; I-274; I-275; I-276; I-278; I-279; I-280; I-281; I-283; I-284; I-285; I-286; I-288; I-289; I-290; I-293; I-295; I-296; I-301; I-303; I-304; I-305; I-307; I-308; I-311; I-312; I-314; I-315; I-317; I-319; I-320; I-321; I-322; I-323; I-324; I-327; I-328; I-329; I-332; I-333; I-336; I-337; I-338; I-340; I-341; I-342; I-343; I-344; I-345; I-346; I-347; I-348; I-349; I-350; I-352; I-353; I-355; I-356; I-357; I-358; I-359; I-360; I-361; I-362; I-364; I-365; I-366; I-367; I-368; I-369; I-370; I-371; I-372; I-373; I-374; I-375; I-377; I-378; I-380; I-382; I-383; I-384; I-385; I-387; I-389; I-391; I-393; I-395; I-396; I-398; I-400; I-401; I-402; I-403; I-404; I-405; I-407; I-408; I-409; I-411; I-412; I-413; I-414; I-415; I-416; I-418; I-420; I-422; I-424; I-425; I-428; I-430; I-432; I-433; I-434; I-435; I-437; I-438; I-440; I-441; I-442; I-443; I-444; I-445; I-446; I-447; I-452; I-453; I-454; I-455; I-457; I-458; I-459; I-460; I-461; I-462; I-464; I-467; I-468; I-469; I-470; I-474; I-476; I-477; I-478; I-479; I-480; I-481; I-487; I-490; I-493;

I-495; I-496; I-497; I-498; I-499; I-500; I-502; I-503; I-504; I-505; I-506; I-510; I-514; I-516; I-520; I-521; I-522; I-524; I-528; I-529; I-530; I-531; I-533; I-534; I-536; I-543; I-544; I-546; I-547; I-549; I-550; I-552; I-553; I-554; I-555; I-556; I-557; I-561; I-563; I-565; I-566; I-567; I-568; I-569; I-570; I-571; I-572; I-574; I-579; I-581; I-582; I-583; I-587; I-589; I-590; I-592; I-594; I-595; I-596; I-598; I-604; I-605; I-606; I-607; I-609; I-611; I-612; I-613; I-615; I-616; I-619; I-620; I-621; I-622; I-624; I-625; I-626; I-629; I-630; I-631; I-632; I-633; I-636; I-637; I-638; I-640; I-642; I-644; I-645; I-646; I-649; I-651; I-653; I-655; I-656; I-657; I-659; I-662; I-665; I-674; I-678; I-679; I-681; I-683; I-684; I-687; I-688; I-689; I-690; I-693; I-694; I-695; I-696; I-699; I-700; I-702; I-703; I-704; I-706; I-707; I-708; I-709; I-710; I-711; I-712; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-722; I-723; I-724; I-725; I-726; I-727; I-730; I-731; I-732; I-734; I-735; I-736; I-737; I-738; I-739; I-741; I-742; I-743; I-744; I-748; I-749; I-750; I-752; I-755; I-756; I-757; I-760; I-761; I-762; I-763; I-767; I-770; I-771; I-772; I-773; I-775; I-776; I-779; I-780; I-781; I-782; I-783; I-784; I-786; I-787; I-788; I-789; I-790; I-794; I-795; I-796; I-797; I-798; I-802; I-803; I-804; I-805; I-806; I-807; I-808; I-809; I-810; I-811; I-812; I-816; I-817; I-820; I-821; I-822; I-823; I-825; I-831; I-832; I-834

Example: In Vivo Preventive Test on *Colletotrichum lindemuthianum* (Leaf Spot on Bean)

(638) TABLE-US-00023 Solvent: 5% by volume of Dimethyl sulfoxide 10% by volume of Acetone Emulsifier: 1 µl of Tween ® 80 per mg of active ingredient

(639) The active ingredients were made soluble and homogenized in a mixture of Dimethyl sulfoxide/Acetone/Tween® 80 and then diluted in water to the desired concentration.

(640) The young plants of bean were treated by spraying the active ingredient prepared as described above. Control plants were treated only with an aqueous solution of Acetone/Dimethyl sulfoxide/Tween® 80.

(641) After 24 hours, the plants were contaminated by spraying the leaves with an aqueous suspension of *Colletotrichum lindemuthianum* spores. The contaminated bean plants were incubated for 24 hours at 20° C. and at 100% relative humidity and then for 6 days at 20° C. and at 90% relative humidity.

(642) The test was evaluated 7 days after the inoculation. 0% means an efficacy which corresponds to that of the control plants while an efficacy of 100% means that no disease was observed.

(643) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 500 ppm of active ingredient: I-005; I-010; I-014; I-030; I-061; I-067; I-099; I-114; I-122; I-140; I-142; I-155; I-165; I-209; I-223; I-238; I-244; I-337; I-339; I-341; I-365; I-376; I-389; I-395; I-408; I-435; I-474; I-478; I-496; I-584; I-590; I-603; I-622; I-658; I-675; I-681; I-685; I-721; I-780; I-782; I-791; I-819; I-828

(644) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 500 ppm of active ingredient: I-002; I-020; I-065; I-070; I-094; I-145; I-150; I-173; I-185; I-219; I-248; I-263; I-279; I-295; I-303; I-338; I-340; I-364; I-378; I-397; I-401; I-430; I-442; I-443; I-458; I-459; I-460; I-464; I-490; I-500; I-516; I-567; I-596; I-630; I-652; I-656; I-666; I-677; I-712; I-730; I-735; I-740; I-743; I-745; I-759; I-770; I-786; I-788; I-800; I-804; I-817

(645) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 500 ppm of active ingredient: I-003; I-012; I-013; I-017; I-024; I-026; I-027; I-029; I-034; I-037; I-040; I-044; I-045; I-047; I-048; I-050; I-053; I-054; I-058; I-062; I-063; I-072; I-074; I-077; I-078; I-084; I-085; I-086; I-091; I-092; I-101; I-106; I-108; I-115; I-117; I-124; I-134; I-136; I-138; I-143; I-144; I-146; I-147; I-151; I-152; I-153; I-159; I-160; I-167; I-171; I-175; I-179; I-180; I-184; I-186; I-187; I-188; I-189; I-190; I-194; I-195; I-196; I-197; I-198; I-200; I-204; I-205; I-207; I-213; I-214; I-215; I-217; I-218; I-227; I-229; I-233; I-236; I-237; I-242; I-245; I-247; I-255; I-258; I-261; I-264; I-266; I-267; I-276; I-282; I-283; I-284; I-285; I-288; I-296; I-304; I-311; I-327; I-332; I-336; I-342; I-343; I-344; I-347; I-348; I-352; I-353; I-356; I-357; I-358; I-362; I-367; I-369; I-370; I-373; I-374; I-375; I-380; I-382; I-383; I-384; I-

385; I-393; I-396; I-403; I-409; I-410; I-411; I-415; I-423; I-424; I-428; I-433; I-438; I-445; I-447; I-455; I-457; I-461; I-476; I-477; I-481; I-497; I-502; I-503; I-504; I-506; I-513; I-528; I-533; I-534; I-536; I-543; I-544; I-549; I-555; I-556; I-557; I-561; I-563; I-566; I-574; I-579; I-581; I-582; I-587; I-592; I-594; I-598; I-604; I-606; I-607; I-608; I-610; I-612; I-613; I-614; I-617; I-618; I-619; I-620; I-621; I-624; I-625; I-629; I-631; I-632; I-637; I-638; I-640; I-644; I-645; I-655; I-665; I-686; I-687; I-689; I-690; I-693; I-694; I-695; I-696; I-698; I-699; I-700; I-701; I-702; I-703; I-704; I-706; I-707; I-708; I-709; I-710; I-711; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-722; I-723; I-724; I-725; I-726; I-727; I-731; I-732; I-733; I-734; I-736; I-737; I-738; I-742; I-744; I-748; I-749; I-750; I-754; I-756; I-757; I-760; I-761; I-762; I-763; I-764; I-765; I-766; I-773; I-775; I-776; I-779; I-783; I-784; I-787; I-790; I-805; I-806; I-807; I-814; I-816; I-820; I-822; I-823; I-831; I-832; I-834

Example: *Alternaria alternata* In Vitro Cell Test

(646) TABLE-US-00024 Solvent: DMSO Culture 14.6 g anhydrous D-glucose (VWR), medium: 7.1 g Mycological Peptone (Oxoid), 1.4 g granulated Yeast Extract (Merck), QSP 1 liter Inoculum: spores suspension

(647) Fungicides were solubilized in DMSO and the solution used to prepare the required range of concentrations. The final concentration of DMSO used in the assay was <1%.

(648) A spore suspension of *A. alternata* was prepared and diluted to the desired spore density.

(649) Fungicides were evaluated for their ability to inhibit spore germination and mycelium growth in liquid culture assay. The compounds were added in the desired concentration to the culture medium with spores. After 5 days incubation, fungi-toxicity of compounds was determined by spectrometric measurement of mycelium growth. Inhibition of fungal growth was determined by comparing the absorbance values in wells containing the fungicides with the absorbance in control wells without fungicides.

(650) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 20 ppm of active ingredient: I-018; I-055; I-088; I-097; I-268; I-289; I-306; I-307; I-308; I-335; I-412; I-437; I-439; I-453; I-705; I-745; I-778; I-792; I-800; I-828

(651) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 20 ppm of active ingredient: I-016; I-052; I-066; I-068; I-069; I-071; I-087; I-091; I-094; I-098; I-102; I-116; I-118; I-123; I-148; I-164; I-166; I-169; I-192; I-199; I-208; I-216; I-221; I-224; I-232; I-253; I-287; I-299; I-302; I-320; I-326; I-330; I-334; I-354; I-365; I-370; I-376; I-392; I-397; I-414; I-431; I-451; I-473; I-482; I-489; I-490; I-491; I-509; I-518; I-519; I-523; I-525; I-527; I-535; I-540; I-542; I-570; I-585; I-586; I-647; I-660; I-672; I-676; I-727; I-728; I-769; I-814; I-825; I-830

(652) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 20 ppm of active ingredient: I-001; I-002; I-003; I-004; I-005; I-007; I-008; I-009; I-010; I-011; I-012; I-013; I-014; I-015; I-017; I-019; I-020; I-021; I-022; I-023; I-024; I-025; I-026; I-027; I-028; I-029; I-030; I-032; I-033; I-034; I-035; I-036; I-037; I-038; I-040; I-041; I-042; I-043; I-044; I-045; I-046; I-047; I-048; I-049; I-050; I-051; I-053; I-054; I-056; I-057; I-058; I-059; I-060; I-061; I-062; I-063; I-064; I-065; I-067; I-070; I-072; I-073; I-074; I-075; I-076; I-077; I-078; I-079; I-080; I-081; I-082; I-083; I-084; I-085; I-086; I-090; I-092; I-093; I-095; I-096; I-099; I-100; I-101; I-103; I-105; I-106; I-107; I-108; I-109; I-110; I-111; I-112; I-113; I-114; I-115; I-117; I-119; I-120; I-121; I-122; I-124; I-125; I-126; I-127; I-128; I-129; I-130; I-131; I-132; I-133; I-134; I-135; I-136; I-137; I-138; I-139; I-140; I-141; I-142; I-143; I-144; I-145; I-146; I-147; I-149; I-151; I-152; I-153; I-154; I-155; I-157; I-158; I-159; I-160; I-161; I-162; I-165; I-167; I-168; I-170; I-171; I-172; I-173; I-174; I-175; I-176; I-178; I-179; I-180; I-181; I-182; I-183; I-184; I-185; I-186; I-187; I-188; I-189; I-190; I-191; I-193; I-194; I-195; I-196; I-197; I-198; I-200; I-201; I-203; I-204; I-205; I-206; I-207; I-209; I-210; I-211; I-212; I-213; I-214; I-215; I-217; I-218; I-219; I-220; I-223; I-225; I-226; I-227; I-228; I-229; I-230; I-231; I-233; I-234; I-235; I-236; I-237; I-238; I-239; I-240; I-241; I-242; I-244; I-245; I-246; I-247; I-248; I-249;

I-250; I-251; I-252; I-254; I-255; I-256; I-257; I-258; I-259; I-260; I-261; I-262; I-263; I-264; I-265; I-266; I-267; I-269; I-270; I-271; I-272; I-273; I-274; I-275; I-276; I-277; I-279; I-280; I-281; I-282; I-283; I-284; I-285; I-286; I-288; I-290; I-291; I-292; I-293; I-294; I-295; I-296; I-297; I-298; I-300; I-301; I-303; I-304; I-305; I-309; I-310; I-311; I-312; I-313; I-315; I-316; I-317; I-318; I-319; I-321; I-322; I-323; I-324; I-325; I-327; I-328; I-329; I-331; I-332; I-333; I-336; I-337; I-338; I-339; I-340; I-342; I-343; I-344; I-345; I-346; I-347; I-348; I-349; I-350; I-351; I-352; I-353; I-356; I-357; I-358; I-359; I-360; I-361; I-362; I-363; I-364; I-366; I-367; I-369; I-371; I-372; I-373; I-374; I-375; I-377; I-378; I-379; I-380; I-381; I-382; I-383; I-384; I-385; I-386; I-387; I-388; I-389; I-391; I-393; I-394; I-395; I-396; I-398; I-399; I-400; I-401; I-402; I-403; I-404; I-405; I-406; I-407; I-408; I-409; I-410; I-411; I-413; I-415; I-417; I-418; I-419; I-420; I-421; I-422; I-423; I-424; I-425; I-426; I-427; I-428; I-429; I-430; I-432; I-433; I-434; I-435; I-438; I-440; I-441; I-442; I-443; I-444; I-445; I-446; I-447; I-449; I-450; I-452; I-454; I-455; I-456; I-457; I-458; I-459; I-460; I-461; I-462; I-463; I-464; I-465; I-466; I-467; I-468; I-469; I-470; I-471; I-472; I-474; I-475; I-476; I-477; I-478; I-479; I-480; I-481; I-483; I-484; I-485; I-486; I-487; I-488; I-492; I-493; I-494; I-495; I-496; I-497; I-499; I-500; I-501; I-502; I-503; I-504; I-505; I-506; I-508; I-510; I-511; I-512; I-513; I-514; I-516; I-517; I-520; I-521; I-522; I-524; I-526; I-528; I-530; I-531; I-532; I-533; I-534; I-536; I-537; I-538; I-541; I-543; I-544; I-545; I-546; I-547; I-549; I-550; I-551; I-552; I-553; I-554; I-555; I-556; I-557; I-560; I-561; I-562; I-563; I-564; I-565; I-566; I-567; I-568; I-571; I-572; I-573; I-574; I-575; I-576; I-577; I-578; I-579; I-580; I-581; I-582; I-583; I-584; I-587; I-588; I-589; I-590; I-591; I-592; I-593; I-594; I-595; I-596; I-597; I-598; I-599; I-600; I-601; I-603; I-604; I-605; I-606; I-607; I-608; I-609; I-610; I-611; I-612; I-613; I-614; I-615; I-616; I-617; I-618; I-619; I-620; I-621; I-622; I-623; I-624; I-625; I-626; I-627; I-628; I-629; I-630; I-631; I-632; I-634; I-636; I-637; I-638; I-639; I-640; I-641; I-642; I-643; I-644; I-645; I-646; I-648; I-649; I-650; I-651; I-652; I-653; I-654; I-655; I-656; I-657; I-658; I-659; I-661; I-662; I-664; I-665; I-666; I-673; I-674; I-675; I-677; I-678; I-679; I-680; I-681; I-683; I-684; I-686; I-687; I-688; I-692; I-693; I-694; I-695; I-696; I-698; I-699; I-700; I-701; I-702; I-703; I-704; I-706; I-707; I-708; I-709; I-710; I-711; I-712; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-721; I-722; I-724; I-725; I-726; I-729; I-730; I-731; I-733; I-735; I-736; I-737; I-738; I-741; I-742; I-743; I-744; I-746; I-747; I-748; I-749; I-750; I-755; I-756; I-757; I-760; I-761; I-762; I-763; I-764; I-765; I-766; I-767; I-768; I-770; I-771; I-773; I-775; I-776; I-777; I-779; I-780; I-781; I-782; I-783; I-784; I-786; I-787; I-788; I-789; I-790; I-791; I-793; I-794; I-795; I-796; I-797; I-798; I-801; I-802; I-803; I-804; I-805; I-806; I-807; I-808; I-809; I-810; I-811; I-812; I-813; I-815; I-816; I-817; I-818; I-820; I-821; I-822; I-823; I-824; I-826; I-827; I-831; I-832; I-834

Example: *Septoria tritici* In Vitro Cell Test

(653) TABLE-US-00025 Solvent: DMSO Culture 14.6 g anhydrous D-glucose (VWR), medium: 7.1 g Bacteriological Peptone (Oxoid), 1.4 g granulated Yeast Extract (Merck), QSP 1 liter

Inoculum: spore suspension

(654) Fungicides were solubilized in DMSO and the solution used to prepare the required range of concentrations. The final concentration of DMSO used in the assay was $\leq 1\%$.

(655) A spore suspension of *S. tritici* was prepared and diluted to the desired spore density.

(656) Fungicides were evaluated for their ability to inhibit spore germination and mycelium growth in liquid culture assay. The compounds were added in the desired concentration to the culture medium with spores. After 7 days incubation, fungi-toxicity of compounds was determined by spectrometric measurement of mycelium growth. Inhibition of fungal growth was determined by comparing the absorbance values in wells containing the fungicides with the absorbance in control wells without fungicides.

(657) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 20 ppm of active ingredient: I-085; I-194; I-203; I-212; I-344; I-380; I-407; I-478; I-680; I-703; I-707; I-709; I-710; I-712; I-735; I-755; I-790; I-796

(658) In this test the following compounds according to the invention showed efficacy between

80% and 89% at a concentration of 20 ppm of active ingredient: I-003; I-106; I-142; I-172; I-179; I-191; I-198; I-230; I-304; I-369; I-379; I-385; I-398; I-399; I-415; I-422; I-430; I-445; I-640; I-679; I-742; I-744

(659) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 20 ppm of active ingredient: I-012; I-016; I-030; I-032; I-040; I-054; I-055; I-070; I-077; I-084; I-092; I-124; I-136; I-173; I-176; I-186; I-190; I-197; I-207; I-208; I-218; I-231; I-245; I-257; I-265; I-285; I-293; I-353; I-358; I-359; I-372; I-374; I-383; I-389; I-405; I-411; I-455; I-458; I-497; I-499; I-506; I-508; I-524; I-550; I-616; I-725; I-726; I-763; I-805; I-807; I-808; I-822

Example: *Colletotrichum lindemuthianum* In Vitro Cell Test

(660) TABLE-US-00026 Solvent: DMSO Culture 14.6 g anhydrous D-glucose (VWR), medium: 7.1 g Mycological Peptone (Oxoid), 1.4 g granulated Yeast Extract (Merck), QSP 1 liter Inoculum: spores suspension

(661) Fungicides were solubilized in DMSO and the solution used to prepare the required range of concentrations. The final concentration of DMSO used in the assay was $\leq 1\%$.

(662) A spore suspension of *C. lindemuthianum* was prepared and diluted to the desired spore density.

(663) Fungicides were evaluated for their ability to inhibit spores germination and mycelium growth in liquid culture assay. The compounds were added in the desired concentration to the culture medium with spores. After 6 days incubation, fungi-toxicity of compounds was determined by spectrometric measurement of mycelium growth. Inhibition of fungal growth was determined by comparing the absorbance values in wells containing the fungicides with the absorbance in control wells without fungicides.

(664) In this test the following compounds according to the invention showed efficacy between 70% and 79% at a concentration of 20 ppm of active ingredient: I-039; I-051; I-052; I-068; I-076; I-089; I-123; I-156; I-168; I-170; I-280; I-287; I-299; I-305; I-306; I-314; I-323; I-325; I-329; I-346; I-351; I-368; I-381; I-397; I-412; I-413; I-436; I-437; I-451; I-452; I-525; I-541; I-564; I-585; I-691; I-732; I-736; I-793; I-800; I-813; I-829

(665) In this test the following compounds according to the invention showed efficacy between 80% and 89% at a concentration of 20 ppm of active ingredient: I-004; I-006; I-066; I-071; I-095; I-098; I-100; I-112; I-116; I-119; I-131; I-132; I-138; I-150; I-164; I-166; I-179; I-180; I-199; I-213; I-224; I-227; I-231; I-232; I-246; I-271; I-291; I-302; I-310; I-313; I-326; I-334; I-335; I-405; I-414; I-425; I-429; I-431; I-432; I-462; I-465; I-466; I-475; I-479; I-482; I-484; I-487; I-491; I-492; I-493; I-495; I-518; I-521; I-527; I-535; I-537; I-540; I-542; I-559; I-560; I-562; I-568; I-576; I-583; I-586; I-601; I-609; I-628; I-647; I-660; I-672; I-689; I-727; I-728; I-792; I-795; I-797; I-809; I-812; I-825

(666) In this test the following compounds according to the invention showed efficacy between 90% and 100% at a concentration of 20 ppm of active ingredient: I-001; I-002; I-003; I-005; I-008; I-009; I-010; I-011; I-012; I-013; I-014; I-017; I-020; I-021; I-022; I-023; I-024; I-025; I-026; I-027; I-028; I-029; I-030; I-032; I-033; I-034; I-035; I-036; I-037; I-038; I-041; I-042; I-043; I-044; I-045; I-046; I-047; I-048; I-049; I-050; I-053; I-054; I-056; I-057; I-058; I-060; I-061; I-062; I-063; I-064; I-065; I-069; I-070; I-072; I-074; I-077; I-078; I-080; I-081; I-082; I-083; I-084; I-085; I-086; I-090; I-091; I-092; I-093; I-094; I-096; I-101; I-103; I-104; I-105; I-106; I-107; I-108; I-111; I-114; I-115; I-117; I-118; I-120; I-121; I-122; I-124; I-126; I-127; I-128; I-129; I-130; I-133; I-134; I-135; I-136; I-137; I-139; I-140; I-141; I-142; I-143; I-144; I-145; I-146; I-147; I-149; I-151; I-152; I-153; I-154; I-155; I-157; I-158; I-159; I-160; I-161; I-162; I-165; I-167; I-169; I-171; I-172; I-173; I-174; I-175; I-176; I-178; I-181; I-182; I-183; I-184; I-185; I-186; I-187; I-188; I-189; I-190; I-191; I-192; I-193; I-194; I-195; I-196; I-197; I-198; I-200; I-201; I-202; I-203; I-204; I-205; I-206; I-207; I-209; I-210; I-211; I-212; I-214; I-215; I-216; I-217; I-218; I-219; I-220; I-221; I-222; I-223; I-225; I-226; I-228; I-229; I-230; I-233; I-234; I-235; I-236; I-237; I-238; I-239;

I-240; I-241; I-242; I-243; I-244; I-245; I-247; I-248; I-249; I-251; I-252; I-254; I-255; I-256; I-257; I-258; I-259; I-260; I-261; I-262; I-263; I-264; I-265; I-266; I-267; I-269; I-270; I-272; I-273; I-274; I-275; I-276; I-277; I-279; I-281; I-282; I-283; I-284; I-285; I-288; I-290; I-292; I-293; I-294; I-295; I-296; I-298; I-300; I-301; I-303; I-304; I-308; I-309; I-311; I-312; I-315; I-316; I-317; I-318; I-319; I-320; I-321; I-322; I-324; I-327; I-330; I-331; I-332; I-333; I-336; I-337; I-338; I-339; I-340; I-342; I-343; I-345; I-347; I-350; I-352; I-353; I-356; I-357; I-358; I-359; I-360; I-361; I-362; I-363; I-364; I-365; I-366; I-367; I-369; I-370; I-372; I-373; I-374; I-377; I-378; I-379; I-380; I-382; I-383; I-384; I-385; I-386; I-387; I-388; I-389; I-390; I-391; I-392; I-393; I-394; I-395; I-396; I-398; I-399; I-400; I-401; I-402; I-403; I-404; I-406; I-407; I-408; I-409; I-410; I-415; I-418; I-420; I-421; I-422; I-423; I-424; I-426; I-428; I-430; I-433; I-434; I-438; I-440; I-441; I-442; I-443; I-444; I-445; I-446; I-447; I-449; I-450; I-453; I-454; I-455; I-456; I-457; I-458; I-461; I-463; I-464; I-467; I-468; I-469; I-470; I-471; I-472; I-474; I-476; I-477; I-480; I-481; I-483; I-485; I-486; I-488; I-489; I-490; I-497; I-499; I-500; I-502; I-503; I-504; I-508; I-510; I-511; I-513; I-514; I-517; I-520; I-524; I-528; I-530; I-531; I-533; I-536; I-543; I-544; I-545; I-546; I-547; I-550; I-551; I-552; I-553; I-554; I-555; I-556; I-557; I-561; I-563; I-565; I-566; I-567; I-570; I-571; I-572; I-574; I-575; I-577; I-578; I-579; I-580; I-581; I-582; I-587; I-588; I-589; I-590; I-591; I-592; I-593; I-594; I-595; I-597; I-598; I-599; I-600; I-604; I-605; I-606; I-607; I-608; I-610; I-611; I-612; I-613; I-614; I-615; I-616; I-617; I-618; I-619; I-620; I-621; I-622; I-624; I-625; I-626; I-627; I-629; I-630; I-631; I-632; I-634; I-636; I-637; I-638; I-639; I-640; I-642; I-643; I-644; I-645; I-648; I-649; I-650; I-651; I-652; I-653; I-654; I-655; I-656; I-657; I-658; I-659; I-661; I-662; I-664; I-665; I-666; I-673; I-674; I-675; I-676; I-677; I-678; I-679; I-680; I-681; I-683; I-684; I-686; I-687; I-692; I-693; I-694; I-695; I-696; I-697; I-698; I-699; I-700; I-701; I-702; I-703; I-704; I-706; I-707; I-708; I-709; I-710; I-711; I-712; I-713; I-714; I-715; I-716; I-717; I-718; I-719; I-720; I-721; I-722; I-723; I-724; I-725; I-726; I-730; I-731; I-733; I-734; I-735; I-737; I-738; I-739; I-740; I-741; I-742; I-743; I-744; I-745; I-746; I-747; I-748; I-749; I-750; I-754; I-755; I-756; I-757; I-760; I-761; I-762; I-763; I-764; I-765; I-766; I-767; I-768; I-769; I-770; I-771; I-772; I-773; I-775; I-776; I-777; I-778; I-779; I-780; I-781; I-782; I-783; I-784; I-786; I-787; I-788; I-789; I-790; I-791; I-794; I-796; I-798; I-801; I-802; I-803; I-804; I-805; I-806; I-807; I-808; I-810; I-811; I-814; I-815; I-816; I-817; I-818; I-819; I-820; I-821; I-822; I-823; I-824; I-826; I-827; I-828; I-830; I-831; I-832; I-834

Claims

1. A compound of formula (I): ##STR00047## wherein T is O or S; n is 0 or 1; m is 0 or 1; provided m is 1 when n is 1; R^{sup.1} is selected from the group consisting of hydrogen, hydroxyl, cyano, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxy-C_{sub.1}-C_{sub.6}-alkyl, —C(=O)R^{sup.a1}, —C(=O)(OR^{sup.a1}), —S(=O)R^{sup.a1}, —S(=O).sub.2R^{sup.a1}, —C(=O)N(R^{sup.a2}).sub.2 and S(=O).sub.2N(R^{sup.a2}).sub.2, wherein R^{sup.a1} is selected from the group consisting of C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.3}-C_{sub.8}-cycloalkyl, and C_{sub.2}-C_{sub.6}-alkenyl and R^{sup.a2} is selected from the group consisting of hydrogen, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.3}-C_{sub.8}-cycloalkyl and C_{sub.2}-C_{sub.6}-alkenyl; R^{sup.2} and R^{sup.3} are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl and C_{sub.3}-C_{sub.8}-cycloalkyl, or R^{sup.2} and R^{sup.3} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle; R^{sup.4} and R^{sup.5} are independently selected from the group consisting of hydrogen, halogen, cyano, hydroxyl, carboxyl, C_{sub.1}-C_{sub.6}-alkyl, C_{sub.1}-C_{sub.6}-haloalkyl, C_{sub.1}-C_{sub.6}-alkoxy, C_{sub.1}-C_{sub.6}-alkoxycarbonyl and C_{sub.3}-C_{sub.8}-cycloalkyl, or R^{sup.4} and R^{sup.5} form, together with the carbon atom to which they are attached to, a C_{sub.3}-C_{sub.8}-cycloalkyl or a non-

aromatic 3- to 7-membered monocyclic heterocycle; or R.sup.2 and R.sup.4 form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, and R.sup.3 and R.sup.5 are independently hydrogen or halogen; or R.sup.2 and R.sup.4 form together a covalent bond and R.sup.3 and R.sup.5 are independently hydrogen or C.sub.1-C.sub.6-alkyl; R.sup.6 is selected from the group consisting of phenyl, indanyl, 1,2,3,4-tetrahydronaphthalenyl, spiro [cyclopropane-1,2'-indane]-1-yl, naphthyl, 2,3-dihydrobenzofuranyl, indolyl, 1,3-benzodioxolyl, chromanyl, isochromanyl, thiochromanyl, 2,3-dihydro-1,4-benzodioxinyl, 5,6,7,8-tetrahydroquinolyl, 4,5,6,7-tetrahydrobenzothiophenyl, furanyl, thienyl, pyridinyl, pyrimidinyl, indolyl, benzofuranyl, benzoxazolyl, quinolyl, isoquinolyl, imidazo [1,2-a]pyridinyl, phenoxy, benzyloxy and —OCF.sub.2-phenyl, wherein each cyclic, or cyclic moiety of R.sup.6 may be substituted with one or more R.sup.6S that may be the same or different R.sup.6S is selected from the group consisting of halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each cyclic R.sup.6S may be substituted independently with one or more halogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl or C.sub.1-C.sub.6-alkoxycarbonyl; R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, isocyano, hydroxyl, mercapto, nitro, amino, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(R.sup.e).sub.2, —C(=NR.sup.f)R.sup.f, —NR.sup.gC, (=O)R.sup.g, —C(=O)(OR.sup.g), —C(=O)N(R.sup.8).sub.2, —S(=O).sub.2N(R.sup.g).sub.2 and —S(=O)(=NR.sup.g)R.sup.g, wherein R.sup.e is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein R.sup.f is independently selected from the group consisting of hydroxyl, amino, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkylamino and di (C.sub.1-C.sub.6-alkyl) amino, wherein R.sup.g is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.3-C.sub.8-cycloalkyl, wherein each aliphatic R.sup.7, R.sup.e, R.sup.f and R.sup.g may be substituted with one or more R.sup.7Sa that may be the same or different, wherein each cyclic or cyclic moiety of R.sup.7, each cyclic R.sup.e and each cyclic R.sup.g may be substituted with one or more R.sup.7Se that may be the same or different, R.sup.7Sa is selected from the group consisting of cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkoxycarbonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, aromatic C.sub.6-C.sub.14-

carbocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, R.sup.7Sc is selected from the group consisting of halogen, cyano, nitro, hydroxyl, formyl, oxo, methyldiene, halomethyldiene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle, or two R.sup.7Se form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl; R.sup.8 is selected from the group consisting of hydrogen, halogen, cyano, isocyano, amino, nitro, hydroxyl, mercapto, carboxyl, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, non-aromatic 3- to 14-membered heterocyclyloxy, aromatic 5- to 14-membered heterocyclyloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(Rh).sub.2, —SR.sup.i, —S(=O)R.sup.i and —S(=O).sub.2R.sup.i, wherein R.sup.h is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein R.sup.i is selected from the group consisting of C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each aliphatic R.sup.8, R.sup.h and R.sup.i may be substituted with one or more R.sup.8Sa that may be the same or different, wherein each cyclic or cyclic moiety of R.sup.8, each cyclic R.sup.h and each cyclic R.sup.i may be substituted with one or more R.sup.8Se that may be the same or different, R.sup.8Sa is selected from the group consisting of cyano, amino, nitro, hydroxyl, formyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.a').sub.2 with R.sup.a' being independently selected from the group consisting of hydrogen, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.1-C.sub.6-alkylcarbonyl, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle R.sup.8Sa may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different, R.sup.8Sc is selected from the group consisting of halogen, cyano, amino, nitro, hydroxyl, formyl, carboxyl, oxo, methyldiene, halomethyldiene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.2-C.sub.6-alkenyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered

monocyclic heterocycle that may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different, or two R.sup.8Se form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different; and Q is selected from the group consisting of phenyl, naphthyl, bicyclo[4.2.0] octa-1 (6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl, wherein said phenyl, naphthyl, bicyclo[4.2.0] octa-1 (6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl may be substituted with one or more QS that may be the same or different, and Q.sup.S is selected from the group consisting of halogen, cyano, nitro, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.k).sub.2, wherein R.sup.k is hydrogen, or a salt, or an N-oxide thereof.

2. The compound of claim 1, wherein R.sup.1 is selected from the group consisting of hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl and —C(=O) (OR.sup.a1) with R.sup.a1 being C.sub.1-C.sub.6-alkyl or C.sub.2-C.sub.6-alkenyl.

3. The compound of claim 1, wherein R.sup.7 is selected from the group consisting of hydrogen, halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.3-C.sub.8-cycloalkyl, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, —N(R.sup.e).sub.2, —C(=NR.sup.f) R.sup.f and —C(=O)N(R.sup.8).sub.2.

4. The compound of claim 1, wherein R.sup.8 is selected from the group consisting of hydrogen, halogen, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, non-aromatic 3- to 14-membered heterocyclyloxy and —N(R.sup.h).sub.2.

5. A composition comprising the compound of claim 1 and at least one agriculturally suitable auxiliary.

6. A method for controlling phytopathogenic fungi comprising a step of applying at least one compound of claim 1 to a plant, a plant part, a seed, a fruit, or a soil in which a plant grows.

7. A process for preparing a compound of formula (I) as recited in claim 1, ##STR00048## wherein R.sup.1 is hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, —C(=O)R.sup.a1, —C(=O) (OR.sup.a1), —S(=O) R.sup.a1, —S(=O).sub.2R.sup.a1, —C(=O)N(R.sup.a2).sub.2 or S(=O).sub.2N(R.sup.a2).sub.2, and T is O, comprising a step of reacting a compound of formula (1) ##STR00049## wherein U.sup.1 is hydroxyl, halogen or C.sub.1-C.sub.6-alkoxy, with an amine of formula (2) ##STR00050## wherein R.sup.1 is hydrogen, hydroxyl, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-alkoxy, —C(=O)R.sup.a1, —C(=O) (OR.sup.a1), —S(=O)R.sup.a1, —S(=O).sub.2R.sup.a1, —C(=O)N(R.sup.a2).sub.2 or S(=O).sub.2N(R.sup.a2).sub.2.

8. A process for preparing a compound of formula (I) as recited in claim 1, ##STR00051## wherein R.sup.1 is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy, T is O, R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl, R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy,

C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocycloxy, aromatic 5- or 6-membered monocyclic heterocycloxy, non-aromatic 3- to 7-membered monocyclic heterocycloxy and —N(R^{sup.e}).sub.2, comprising a step of reacting a compound of formula (3) ##STR00052## wherein G is halogen, R^{sup.1} is hydrogen, hydroxyl, C.sub.1-C.sub.6-alkyl or C.sub.1-C.sub.6-alkoxy, R^{sup.8} is hydrogen or C.sub.1-C.sub.6-alkyl, R^{sup.7} is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocycloxy, aromatic 5- or 6-membered monocyclic heterocycloxy, non-aromatic 3- to 7-membered monocyclic heterocycloxy and —N(R^{sup.e}).sub.2, with a compound of formula (4) ##STR00053## and a base.

9. A compound of formula (1): ##STR00054## wherein U^{sup.1} is hydroxyl, halogen or C.sub.1-C.sub.6-alkoxy; R^{sup.7} is selected from the group consisting of hydrogen, halogen, cyano, isocyano, hydroxyl, mercapto, nitro, amino, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.3-C.sub.8-cycloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle, non-aromatic 3- to 7-membered monocyclic heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocycloxy, aromatic 5- or 6-membered monocyclic heterocycloxy, non-aromatic 3- to 7-membered monocyclic heterocycloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(R^{sup.e}).sub.2, —C(=NR^{sup.f})R^{sup.f}, —NR^{sup.g}C, (=O)R^{sup.g}, —C(=O)(OR^{sup.8}), —C(=O)N(R^{sup.8}).sub.2, —S(=O).sub.2N(R^{sup.8}).sub.2 and —S(=O)(=NR^{sup.g})R^{sup.g}, wherein each R^{sup.e} is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each R^{sup.f} is independently selected from the group consisting of hydroxyl, amino, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkylamino and di(C.sub.1-C.sub.6-alkyl) amino, wherein each R^{sup.g} is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl and C.sub.3-C.sub.8-cycloalkyl, wherein each aliphatic R^{sup.7}, R^{sup.e}, R^{sup.f} and R^{sup.g} may be substituted with one or more R^{sup.7Sa} that may be the same or different, wherein each cyclic or cyclic moiety of R^{sup.7}, each cyclic R^{sup.e} and each cyclic R^{sup.g} may be substituted with one or more R^{sup.7Se} that may be the same or different, R^{sup.7Sa} is selected from the group consisting of cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkoxycarbonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3,

aromatic C.sub.6-C.sub.14-carbocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, R.sup.7Sc is selected from the group consisting of halogen, cyano, nitro, hydroxyl, formyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle, or two R.sup.7Se form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl; R.sup.8 is selected from the group consisting of hydrogen, halogen, cyano, isocyano, amino, nitro, , mercapto, carboxyl, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-hydroxyalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, aromatic C.sub.6-C.sub.14-carbocycle, non-aromatic 3- to 14-membered heterocycle, aromatic 5- to 14-membered heterocycle, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, non-aromatic 3- to 14-membered heterocyclyloxy, aromatic 5- to 14-membered heterocyclyloxy, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, —N(R.sup.h).sub.2, —SR.sup.i, —S(=O) R.sup.i and —S(=O).sub.2R.sup.i, wherein each R.sup.h is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each R.sup.i is selected from the group consisting of C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- to 14-membered heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each aliphatic R.sup.8, R.sup.h and R.sup.i may be substituted with one or more R.sup.8Sa that may be the same or different, wherein each cyclic or cyclic moiety of R.sup.8, each cyclic R.sup.h and each cyclic R.sup.i may be substituted with one or more R.sup.8Se that may be the same or different, R.sup.8Sa is selected from the group consisting of cyano, amino, nitro, hydroxyl, formyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-haloalkylcarbonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-haloalkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.1-C.sub.6-haloalkylsulfonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.a').sub.2 with R.sup.a' being independently selected from the group consisting of hydrogen, formyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.3-C.sub.8-cycloalkyl and C.sub.1-C.sub.6-alkylcarbonyl, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle R.sup.8Sa may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different, R.sup.8Sc is selected from the group consisting of halogen, cyano, amino, nitro, hydroxyl, formyl, carboxyl, oxo, methylidene, halomethylidene, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxycarbonyl, C.sub.1-C.sub.6-haloalkoxycarbonyl, C.sub.2-C.sub.6-alkenyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-alkylsulfinyl, C.sub.1-C.sub.6-alkylsulfonyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered

monocyclic heterocycle that may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different, or two R.sup.8Se form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl or a non-aromatic 3- to 7-membered monocyclic heterocycle, wherein said non-aromatic 3- to 7-membered monocyclic heterocycle may be substituted with one or more C.sub.1-C.sub.6-alkyl that may be the same or different; Q is selected from the group consisting of phenyl, naphthyl, bicyclo[4.2.0] octa-1 (6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl, wherein said phenyl, naphthyl, bicyclo[4.2.0] octa-1 (6),2,4-trienyl, benzodioxolyl, 2,3-dihydrobenzofuranyl, pyridinyl, thienyl and indolyl may be substituted with one or more Q.sup.S that may be the same or different, Q.sup.S is selected from the group consisting of halogen, cyano, nitro, hydroxyl, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkylcarbonyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.1-C.sub.6-alkoxy-C.sub.1-C.sub.6-alkyl, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, non-aromatic 3- to 7-membered monocyclic heterocycle and —N(R.sup.k).sub.2, wherein R.sup.k is hydrogen; and R.sup.7 and R.sup.8 are not simultaneously hydrogen, C.sub.1-C.sub.6-alkyl, or aromatic C.sub.6-C.sub.14-carbocycle, provided that the compound is not: methyl 6-chloro-3-(2,4-difluorophenoxy) pyridazine-4-carboxylate, or ethyl 3-phenoxy-6-phenylpyridazine-4-carboxylate.

10. A compound of formula (3): ##STR00055## wherein G is halogen; n=1 and m=1; R.sup.1 is hydrogen; R.sup.2, R.sup.3, are hydrogen; R.sup.4 and R.sup.5 are hydrogen or fluorine; R.sup.6 is selected from the group consisting of non-aromatic polycyclic C.sub.7-C.sub.12-carbocycle, aromatic C.sub.6-C.sub.14-carbocycle, and non-aromatic 6- to 14-membered polycyclic heterocycle, wherein each R.sup.6 may be substituted with one or more R.sup.6S, and R.sup.6S is selected from the group consisting of halogen, cyano, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each cyclic R.sup.6S may be substituted independently with one or more halogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl or C.sub.1-C.sub.6-alkoxycarbonyl; R.sup.7 is selected from the group consisting of hydrogen, halogen, hydroxyl, mercapto, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyloxy, C.sub.2-C.sub.6-haloalkenyloxy, C.sub.2-C.sub.6-alkynyloxy, C.sub.2-C.sub.6-haloalkynyloxy, C.sub.1-C.sub.6-alkylsulfanyl, C.sub.1-C.sub.6-haloalkylsulfanyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.6-cycloalkenyl, C.sub.3-C.sub.8-cycloalkyloxy, aromatic C.sub.6-C.sub.14-carbocyclyloxy, aromatic 5- or 6-membered monocyclic heterocyclyloxy, non-aromatic 3- to 7-membered monocyclic heterocyclyloxy and —N(R.sup.e).sub.2, wherein each R.sup.e is independently selected from the group consisting of hydrogen, C.sub.1-C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl, C.sub.1-C.sub.6-alkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.2-C.sub.6-haloalkenyl, C.sub.2-C.sub.6-alkynyl, C.sub.2-C.sub.6-haloalkynyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, aromatic C.sub.6-C.sub.14-carbocycle, aromatic 5- or 6-membered monocyclic heterocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, wherein each aliphatic R.sup.7 and R.sup.e may be substituted with one or more R.sup.7Sa that may be the same or different, wherein each cyclic or cyclic moiety of R.sup.7 and each cyclic R.sup.e may be substituted with one or more R.sup.7Se that may be the same or different, R.sup.7Sa is selected from the group consisting of cyano, hydroxyl, carboxyl, C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, C.sub.1-C.sub.6-alkoxycarbonyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3, —Si(C.sub.1-C.sub.6-alkyl).sub.3, aromatic C.sub.6-C.sub.14-carbocycle and non-aromatic 3- to 7-membered monocyclic heterocycle, R.sup.7Sc is selected from the group consisting of halogen, cyano, nitro, hydroxyl, formyl, oxo, methylidene, halomethylidene, C.sub.1-

C.sub.6-alkyl, C.sub.1-C.sub.6-haloalkyl C.sub.1-C.sub.6-alkoxy, C.sub.1-C.sub.6-haloalkoxy, C.sub.2-C.sub.6-alkenyl, C.sub.3-C.sub.8-cycloalkyl, C.sub.3-C.sub.8-halocycloalkyl, —O—Si(C.sub.1-C.sub.6-alkyl).sub.3 and non-aromatic 3- to 7-membered monocyclic heterocycle, or two R.sup.7Se form, together with the carbon atom to which they are attached to, a C.sub.3-C.sub.8-cycloalkyl; and R.sup.8 is hydrogen or C.sub.1-C.sub.6-alkyl; provided that the compound of formula (3) is not: 3,6-dichloro-N-[2-(3,5-difluorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(3-methylphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(3-chlorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(4-fluoro-2-methylphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(3-methoxyphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(2-methylphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(3-fluorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(2-methoxyphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(4-methoxyphenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(4-fluorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(2,4-dichlorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-[2-(2-fluorophenyl) ethyl] pyridazine-4-carboxamide, 3,6-dichloro-N-(2-phenylethyl) pyridazine-4-carboxamide, or 3,6-dichloro-N-[2-(4-chlorophenyl) ethyl] pyridazine-4-carboxamide.
