

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12418177
Kind Code	B2
Date of Patent	September 16, 2025
Inventor(s)	Adest; Meir et al.

Distributed power system using direct current power sources

Abstract

A distributed power system including multiple (DC) batteries each DC battery with positive and negative poles. Multiple power converters are coupled respectively to the DC batteries. Each power converter includes a first terminal, a second terminal, a third terminal and a fourth terminal. The first terminal is adapted for coupling to the positive pole. The second terminal is adapted for coupling to the negative pole. The power converter includes: (i) a control loop adapted for setting the voltage between or current through the first and second terminals, and (ii) a power conversion portion adapted to selectively either: convert power from said first and second terminals to said third and fourth terminals to discharge the battery connected thereto, or to convert power from the third and fourth terminals to the first and second terminals to charge the battery connected thereto. Each of the power converters is adapted for serial connection to at least one other power converter by connecting respectively the third and fourth terminals, thereby forming a serial string. A power controller is adapted for coupling to the serial string. The power controller includes a control part adapted to maintain current through or voltage across the serial string at a predetermined value.

Inventors: Adest; Meir (Modiin, IL), Handelsman; Lior (Givatayim, IL), Galin; Yoav (Raanana, IL), Fishelov; Amir (Tel Aviv, IL), Sella; Guy (Bitan Aharon, IL), Binder; Yaron (Shoham, IL)

Applicant: Solaredge Technologies Ltd. (Herzeliya, IL)

Family ID: 1000008820357

Assignee: Solaredge Technologies Ltd. (Herzeliya, IL)

Appl. No.: 18/661963

Filed: May 13, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240305093 A1	Sep. 12, 2024

Related U.S. Application Data

continuation parent-doc US 15653049 20170718 US 12027849 child-doc US 18661963
continuation parent-doc US 15139745 20160427 US 9853490 20171226 child-doc US 15653049
continuation parent-doc US 14078011 20131112 US 9368964 20160614 child-doc US 15139745
continuation parent-doc US 12911153 20101025 US 8618692 20131231 child-doc US 14078011
us-provisional-application US 61254681 20091024

Publication Classification

Int. Cl.: **H02J1/10** (20060101); **H02J3/38** (20060101); **H02J7/00** (20060101); **H02J7/35** (20060101); **H02J9/00** (20060101); H02J3/46 (20060101)

U.S. Cl.:

CPC **H02J1/102** (20130101); **H02J3/381** (20130101); **H02J7/00** (20130101); **H02J7/35** (20130101); **H02J9/00** (20130101); H02J3/46 (20130101); H02J2300/24 (20200101); H02J2300/26 (20200101); Y02B10/10 (20130101); Y02E10/56 (20130101)

Field of Classification Search

CPC: H02J (1/102); H02J (1/10); H02J (3/38); H02J (3/381); H02J (7/00); H02J (7/35); H02J (9/00); H02J (2300/26); H02J (2300/24); H02J (3/46); Y02B (10/10); Y02E (10/56)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2367925	12/1944	Brown	N/A	N/A
2586804	12/1951	Fluke	N/A	N/A
2758219	12/1955	Miller	N/A	N/A
2852721	12/1957	Harders et al.	N/A	N/A
2958171	12/1959	Deckers	N/A	N/A
3369210	12/1967	Manickella	N/A	N/A
3380035	12/1967	Hecker	N/A	N/A
3392326	12/1967	Lamberton	N/A	N/A
3496029	12/1969	King et al.	N/A	N/A
3566143	12/1970	Paine et al.	N/A	N/A
3569784	12/1970	Carroll et al.	N/A	N/A
3643564	12/1971	Uchiyama	N/A	N/A
3696286	12/1971	Ule	N/A	N/A
3740652	12/1972	Burgener	N/A	N/A
3958136	12/1975	Schroeder	N/A	N/A
3982105	12/1975	Eberle	N/A	N/A
4060757	12/1976	McMurray	N/A	N/A
4101816	12/1977	Shepter	N/A	N/A
4104687	12/1977	Zulaski	N/A	N/A
4127797	12/1977	Perper	N/A	N/A

4129788	12/1977	Chavannes	N/A	N/A
4129823	12/1977	van der Pool et al.	N/A	N/A
4146785	12/1978	Neale	N/A	N/A
4161771	12/1978	Bates	N/A	N/A
4171861	12/1978	Hohorst	N/A	N/A
4183079	12/1979	Wachi	N/A	N/A
4253764	12/1980	Morrill	N/A	N/A
4257087	12/1980	Cuk	N/A	N/A
4296461	12/1980	Mallory et al.	N/A	N/A
4321581	12/1981	Tappeiner et al.	N/A	N/A
4324225	12/1981	Trihey	N/A	N/A
4327318	12/1981	Kwon et al.	N/A	N/A
4346341	12/1981	Blackburn et al.	N/A	N/A
4363040	12/1981	Inose	N/A	N/A
4367557	12/1982	Stern et al.	N/A	N/A
4375662	12/1982	Baker	N/A	N/A
4384321	12/1982	Rippel	N/A	N/A
4404472	12/1982	Steigerwald	N/A	N/A
4412142	12/1982	Ragonese et al.	N/A	N/A
4452867	12/1983	Conforti	N/A	N/A
4453207	12/1983	Paul	N/A	N/A
4460232	12/1983	Sotolongo	N/A	N/A
4470213	12/1983	Thompson	N/A	N/A
4479175	12/1983	Gille et al.	N/A	N/A
4481654	12/1983	Daniels et al.	N/A	N/A
4488136	12/1983	Hansen et al.	N/A	N/A
4526553	12/1984	Guerrero	N/A	N/A
4533986	12/1984	Jones	N/A	N/A
4545997	12/1984	Wong et al.	N/A	N/A
4549254	12/1984	Kissel	N/A	N/A
4554502	12/1984	Rohatyn	N/A	N/A
4554515	12/1984	Burson et al.	N/A	N/A
4580090	12/1985	Bailey et al.	N/A	N/A
4591965	12/1985	Dickerson	N/A	N/A
4598330	12/1985	Woodworth	N/A	N/A
4602322	12/1985	Merrick	N/A	N/A
4604567	12/1985	Chetty	N/A	N/A
4611090	12/1985	Catella et al.	N/A	N/A
4623753	12/1985	Feldman et al.	N/A	N/A
4626983	12/1985	Harada et al.	N/A	N/A
4631565	12/1985	Tihanyi	N/A	N/A
4637677	12/1986	Barkus	N/A	N/A
4639844	12/1986	Gallios et al.	N/A	N/A
4641042	12/1986	Miyazawa	N/A	N/A
4641079	12/1986	Kato et al.	N/A	N/A
4644458	12/1986	Harafuji et al.	N/A	N/A
4649334	12/1986	Nakajima	N/A	N/A
4652770	12/1986	Kumano	N/A	N/A
4683529	12/1986	Bucher, II	N/A	N/A
4685040	12/1986	Steigerwald et al.	N/A	N/A

4686617	12/1986	Colton	N/A	N/A
4706181	12/1986	Mercer	N/A	N/A
4719553	12/1987	Hinckley	N/A	N/A
4720667	12/1987	Lee et al.	N/A	N/A
4720668	12/1987	Lee et al.	N/A	N/A
4736151	12/1987	Dishner	N/A	N/A
4746879	12/1987	Ma et al.	N/A	N/A
4772994	12/1987	Harada et al.	N/A	N/A
4783728	12/1987	Hoffman	N/A	N/A
4797803	12/1988	Carroll	N/A	N/A
4819121	12/1988	Saito et al.	N/A	N/A
RE33057	12/1988	Clegg et al.	N/A	N/A
4864213	12/1988	Kido	N/A	N/A
4868379	12/1988	West	N/A	N/A
4873480	12/1988	Lafferty	N/A	N/A
4888063	12/1988	Powell	N/A	N/A
4888702	12/1988	Gerken et al.	N/A	N/A
4899246	12/1989	Tripodi	N/A	N/A
4899269	12/1989	Rouzies	N/A	N/A
4903851	12/1989	Slough	N/A	N/A
4906859	12/1989	Kobayashi et al.	N/A	N/A
4910518	12/1989	Kim et al.	N/A	N/A
4951117	12/1989	Kasai	N/A	N/A
4978870	12/1989	Chen et al.	N/A	N/A
4987360	12/1990	Thompson	N/A	N/A
5001415	12/1990	Watkinson	N/A	N/A
5027051	12/1990	Lafferty	N/A	N/A
5027059	12/1990	de Montgolfier et al.	N/A	N/A
5041739	12/1990	Goto	N/A	N/A
5045988	12/1990	Gritter et al.	N/A	N/A
5054023	12/1990	Kronberg	N/A	N/A
5081558	12/1991	Mahler	N/A	N/A
5097196	12/1991	Schoneman	N/A	N/A
5138422	12/1991	Fujii et al.	N/A	N/A
5143556	12/1991	Matlin	N/A	N/A
5144222	12/1991	Herbert	N/A	N/A
5155670	12/1991	Brian	N/A	N/A
5191519	12/1992	Kawakami	N/A	N/A
5196781	12/1992	Jamieson et al.	N/A	N/A
5210519	12/1992	Moore	N/A	N/A
5235266	12/1992	Schaffrin	N/A	N/A
5237194	12/1992	Takahashi	N/A	N/A
5268832	12/1992	Kandatsu	N/A	N/A
5280133	12/1993	Nath	N/A	N/A
5280232	12/1993	Kohl et al.	N/A	N/A
5287261	12/1993	Ehsani	N/A	N/A
5289361	12/1993	Vinciarelli	N/A	N/A
5289998	12/1993	Bingley et al.	N/A	N/A
5327071	12/1993	Frederick et al.	N/A	N/A
5329222	12/1993	Gyugyi et al.	N/A	N/A

5345375	12/1993	Mohan	N/A	N/A
5379209	12/1994	Goff	N/A	N/A
5381327	12/1994	Yan	N/A	N/A
5391235	12/1994	Inoue	N/A	N/A
5402060	12/1994	Erisman	N/A	N/A
5404059	12/1994	Loffler	N/A	N/A
5412558	12/1994	Sakurai et al.	N/A	N/A
5413313	12/1994	Mutterlein et al.	N/A	N/A
5428286	12/1994	Kha	N/A	N/A
5446645	12/1994	Shirahama et al.	N/A	N/A
5460546	12/1994	Kunishi et al.	N/A	N/A
5472614	12/1994	Rossi	N/A	N/A
5475296	12/1994	Vinsant et al.	N/A	N/A
5477091	12/1994	Fiorina et al.	N/A	N/A
5493154	12/1995	Smith et al.	N/A	N/A
5497289	12/1995	Sugishima et al.	N/A	N/A
5501083	12/1995	Kim	N/A	N/A
5504415	12/1995	Podrazhansky et al.	N/A	N/A
5504418	12/1995	Ashley	N/A	N/A
5504449	12/1995	Prentice	N/A	N/A
5513075	12/1995	Capper et al.	N/A	N/A
5517378	12/1995	Asplund et al.	N/A	N/A
5530335	12/1995	Decker et al.	N/A	N/A
5539238	12/1995	Malhi	N/A	N/A
5548504	12/1995	Takehara	N/A	N/A
5563780	12/1995	Goad	N/A	N/A
5565855	12/1995	Knibbe	N/A	N/A
5566022	12/1995	Segev	N/A	N/A
5576941	12/1995	Nguyen et al.	N/A	N/A
5580395	12/1995	Yoshioka et al.	N/A	N/A
5585749	12/1995	Pace et al.	N/A	N/A
5604430	12/1996	Decker et al.	N/A	N/A
5616913	12/1996	Litterst	N/A	N/A
5625539	12/1996	Nakata et al.	N/A	N/A
5631534	12/1996	Lewis	N/A	N/A
5636107	12/1996	Lu et al.	N/A	N/A
5644212	12/1996	Takahashi	N/A	N/A
5644219	12/1996	Kurokawa	N/A	N/A
5646501	12/1996	Fishman et al.	N/A	N/A
5648731	12/1996	Decker et al.	N/A	N/A
5654740	12/1996	Schulha	N/A	N/A
5659465	12/1996	Flack et al.	N/A	N/A
5677833	12/1996	Bingley	N/A	N/A
5684385	12/1996	Guyonneau et al.	N/A	N/A
5686766	12/1996	Tamechika	N/A	N/A
5696439	12/1996	Presti et al.	N/A	N/A
5703390	12/1996	Itoh	N/A	N/A
5708576	12/1997	Jones et al.	N/A	N/A
5719758	12/1997	Nakata et al.	N/A	N/A
5722057	12/1997	Wu	N/A	N/A

5726505	12/1997	Yamada et al.	N/A	N/A
5726615	12/1997	Bloom	N/A	N/A
5731603	12/1997	Nakagawa et al.	N/A	N/A
5734258	12/1997	Esser	N/A	N/A
5734259	12/1997	Sisson et al.	N/A	N/A
5734565	12/1997	Mueller et al.	N/A	N/A
5747967	12/1997	Muljadi et al.	N/A	N/A
5751120	12/1997	Zeitler et al.	N/A	N/A
5773963	12/1997	Blanc et al.	N/A	N/A
5777515	12/1997	Kimura	N/A	N/A
5777858	12/1997	Rodulfo	N/A	N/A
5780092	12/1997	Agbo et al.	N/A	N/A
5793184	12/1997	O'Connor	N/A	N/A
5798631	12/1997	Spee et al.	N/A	N/A
5801519	12/1997	Midya et al.	N/A	N/A
5804894	12/1997	Leeson et al.	N/A	N/A
5812045	12/1997	Ishikawa et al.	N/A	N/A
5814970	12/1997	Schmidt	N/A	N/A
5821734	12/1997	Faulk	N/A	N/A
5822186	12/1997	Bull et al.	N/A	N/A
5838148	12/1997	Kurokami et al.	N/A	N/A
5847549	12/1997	Dodson, III	N/A	N/A
5859772	12/1998	Hilpert	N/A	N/A
5869956	12/1998	Nagao et al.	N/A	N/A
5873738	12/1998	Shimada et al.	N/A	N/A
5886882	12/1998	Rodulfo	N/A	N/A
5886890	12/1998	Ishida et al.	N/A	N/A
5892354	12/1998	Nagao et al.	N/A	N/A
5898585	12/1998	Sirichote et al.	N/A	N/A
5903138	12/1998	Hwang et al.	N/A	N/A
5905645	12/1998	Cross	N/A	N/A
5917722	12/1998	Singh	N/A	N/A
5919314	12/1998	Kim	N/A	N/A
5923100	12/1998	Lukens et al.	N/A	N/A
5923158	12/1998	Kurokami et al.	N/A	N/A
5929614	12/1998	Copple	N/A	N/A
5930128	12/1998	Dent	N/A	N/A
5930131	12/1998	Feng	N/A	N/A
5932994	12/1998	Jo et al.	N/A	N/A
5933327	12/1998	Leighton et al.	N/A	N/A
5945806	12/1998	Faulk	N/A	N/A
5946206	12/1998	Shimizu et al.	N/A	N/A
5949668	12/1998	Schweighofer	N/A	N/A
5955885	12/1998	Kurokami et al.	N/A	N/A
5959438	12/1998	Jovanovic et al.	N/A	N/A
5961739	12/1998	Osborne	N/A	N/A
5963010	12/1998	Hayashi et al.	N/A	N/A
5963078	12/1998	Wallace	N/A	N/A
5982253	12/1998	Perrin et al.	N/A	N/A
5986909	12/1998	Hammond et al.	N/A	N/A

5990659	12/1998	Frannhagen	N/A	N/A
6002290	12/1998	Avery et al.	N/A	N/A
6002603	12/1998	Carver	N/A	N/A
6008971	12/1998	Duba et al.	N/A	N/A
6021052	12/1999	Unger et al.	N/A	N/A
6031736	12/1999	Takehara et al.	N/A	N/A
6037720	12/1999	Wong et al.	N/A	N/A
6038148	12/1999	Farrington et al.	N/A	N/A
6046470	12/1999	Williams et al.	N/A	N/A
6046919	12/1999	Madenokouji et al.	N/A	N/A
6050779	12/1999	Nagao et al.	N/A	N/A
6058035	12/1999	Madenokouji et al.	N/A	N/A
6064086	12/1999	Nakagawa et al.	N/A	N/A
6078511	12/1999	Fasullo et al.	N/A	N/A
6081104	12/1999	Kern	N/A	N/A
6082122	12/1999	Madenokouji et al.	N/A	N/A
6087738	12/1999	Hammond	N/A	N/A
6091329	12/1999	Newman	N/A	N/A
6093885	12/1999	Takehara et al.	N/A	N/A
6094129	12/1999	Baiatu	N/A	N/A
6101073	12/1999	Takehara	N/A	N/A
6105317	12/1999	Tomiuchi et al.	N/A	N/A
6111188	12/1999	Kurokami et al.	N/A	N/A
6111391	12/1999	Cullen	N/A	N/A
6111767	12/1999	Handleman	N/A	N/A
6127801	12/1999	Manor	N/A	N/A
6130458	12/1999	Takagi et al.	N/A	N/A
6150739	12/1999	Baumgartl et al.	N/A	N/A
6151234	12/1999	Oldenkamp	N/A	N/A
6163086	12/1999	Choo	N/A	N/A
6166455	12/1999	Li	N/A	N/A
6166527	12/1999	Dwelley et al.	N/A	N/A
6169678	12/2000	Kondo et al.	N/A	N/A
6175219	12/2000	Imamura et al.	N/A	N/A
6175512	12/2000	Hagihara et al.	N/A	N/A
6191456	12/2000	Stoisiek et al.	N/A	N/A
6191498	12/2000	Chang	N/A	N/A
6215286	12/2000	Scoones et al.	N/A	N/A
6219623	12/2000	Wills	N/A	N/A
6222351	12/2000	Fontanella et al.	N/A	N/A
6225793	12/2000	Dickmann	N/A	N/A
6255360	12/2000	Domschke et al.	N/A	N/A
6255804	12/2000	Herniter et al.	N/A	N/A
6256234	12/2000	Keeth et al.	N/A	N/A
6259234	12/2000	Perol	N/A	N/A
6262558	12/2000	Weinberg	N/A	N/A
6268559	12/2000	Yamawaki	N/A	N/A
6274804	12/2000	Psyk et al.	N/A	N/A
6275016	12/2000	Ivanov	N/A	N/A
6281485	12/2000	Siri	N/A	N/A

6285572	12/2000	Onizuka et al.	N/A	N/A
6291764	12/2000	Ishida et al.	N/A	N/A
6292379	12/2000	Edevold et al.	N/A	N/A
6297621	12/2000	Hui et al.	N/A	N/A
6301128	12/2000	Jang et al.	N/A	N/A
6304065	12/2000	Wittenbreder	N/A	N/A
6307749	12/2000	Daanen et al.	N/A	N/A
6311137	12/2000	Kurokami et al.	N/A	N/A
6316716	12/2000	Hilgrath	N/A	N/A
6320769	12/2000	Kurokami et al.	N/A	N/A
6329808	12/2000	Enguent	N/A	N/A
6331670	12/2000	Takehara et al.	N/A	N/A
6339538	12/2001	Handleman	N/A	N/A
6344612	12/2001	Kuwahara et al.	N/A	N/A
6346451	12/2001	Simpson et al.	N/A	N/A
6348781	12/2001	Midya et al.	N/A	N/A
6350944	12/2001	Sherif et al.	N/A	N/A
6351130	12/2001	Preiser et al.	N/A	N/A
6369461	12/2001	Jungreis et al.	N/A	N/A
6369462	12/2001	Siri	N/A	N/A
6380719	12/2001	Underwood et al.	N/A	N/A
6396170	12/2001	Laufenberg et al.	N/A	N/A
6396239	12/2001	Benn et al.	N/A	N/A
6400579	12/2001	Cuk	N/A	N/A
6425248	12/2001	Tonomura et al.	N/A	N/A
6429546	12/2001	Ropp et al.	N/A	N/A
6429621	12/2001	Arai	N/A	N/A
6433522	12/2001	Siri	N/A	N/A
6433978	12/2001	Neiger et al.	N/A	N/A
6441597	12/2001	Lethellier	N/A	N/A
6445599	12/2001	Nguyen	N/A	N/A
6448489	12/2001	Kimura et al.	N/A	N/A
6452362	12/2001	Choo	N/A	N/A
6452814	12/2001	Wittenbreder	N/A	N/A
6465910	12/2001	Young et al.	N/A	N/A
6465931	12/2001	Knowles et al.	N/A	N/A
6469919	12/2001	Bennett	N/A	N/A
6472254	12/2001	Cantarini et al.	N/A	N/A
6479963	12/2001	Manor et al.	N/A	N/A
6483203	12/2001	McCormack	N/A	N/A
6493246	12/2001	Suzui et al.	N/A	N/A
6501362	12/2001	Hoffman et al.	N/A	N/A
6507176	12/2002	Wittenbreder, Jr.	N/A	N/A
6509712	12/2002	Landis	N/A	N/A
6512444	12/2002	Morris, Jr. et al.	N/A	N/A
6515215	12/2002	Mimura	N/A	N/A
6515217	12/2002	Aylaian	N/A	N/A
6519165	12/2002	Koike	N/A	N/A
6528977	12/2002	Arakawa	N/A	N/A
6531848	12/2002	Chitsazan et al.	N/A	N/A

6545211	12/2002	Mimura	N/A	N/A
6548205	12/2002	Leung et al.	N/A	N/A
6560131	12/2002	vonBrethorst	N/A	N/A
6587051	12/2002	Takehara et al.	N/A	N/A
6590793	12/2002	Nagao et al.	N/A	N/A
6590794	12/2002	Carter	N/A	N/A
6593520	12/2002	Kondo et al.	N/A	N/A
6593521	12/2002	Kobayashi	N/A	N/A
6600100	12/2002	Ho et al.	N/A	N/A
6603672	12/2002	Deng et al.	N/A	N/A
6608468	12/2002	Nagase	N/A	N/A
6611130	12/2002	Chang	N/A	N/A
6611441	12/2002	Kurokami et al.	N/A	N/A
6628011	12/2002	Droppo et al.	N/A	N/A
6633824	12/2002	Dollar, II	N/A	N/A
6636431	12/2002	Seki et al.	N/A	N/A
6650031	12/2002	Goldack	N/A	N/A
6650560	12/2002	MacDonald et al.	N/A	N/A
6653549	12/2002	Matsushita et al.	N/A	N/A
6655987	12/2002	Higashikozono et al.	N/A	N/A
6657419	12/2002	Renyolds	N/A	N/A
6664762	12/2002	Kutkut	N/A	N/A
6672018	12/2003	Shingleton	N/A	N/A
6678174	12/2003	Suzui et al.	N/A	N/A
6690590	12/2003	Stamenic et al.	N/A	N/A
6693327	12/2003	Priefert et al.	N/A	N/A
6693781	12/2003	Kroker	N/A	N/A
6708507	12/2003	Sem et al.	N/A	N/A
6709291	12/2003	Wallace et al.	N/A	N/A
6724593	12/2003	Smith	N/A	N/A
6731136	12/2003	Knee	N/A	N/A
6738692	12/2003	Schienbein et al.	N/A	N/A
6744643	12/2003	Luo et al.	N/A	N/A
6750391	12/2003	Bower et al.	N/A	N/A
6765315	12/2003	Hammerstrom et al.	N/A	N/A
6768047	12/2003	Chang et al.	N/A	N/A
6768180	12/2003	Salama et al.	N/A	N/A
6788033	12/2003	Vinciarelli	N/A	N/A
6788146	12/2003	Forejt et al.	N/A	N/A
6795318	12/2003	Haas et al.	N/A	N/A
6800964	12/2003	Beck	N/A	N/A
6801442	12/2003	Suzui et al.	N/A	N/A
6807069	12/2003	Nieminen et al.	N/A	N/A
6809942	12/2003	Madenokouji et al.	N/A	N/A
6810339	12/2003	Wills	N/A	N/A
6812396	12/2003	Makita et al.	N/A	N/A
6828503	12/2003	Yoshikawa et al.	N/A	N/A
6828901	12/2003	Birchfield et al.	N/A	N/A
6835491	12/2003	Gartstein et al.	N/A	N/A
6837739	12/2004	Gorringe et al.	N/A	N/A

6838611	12/2004	Kondo et al.	N/A	N/A
6838856	12/2004	Raichle	N/A	N/A
6842354	12/2004	Tallam et al.	N/A	N/A
6844739	12/2004	Kasai et al.	N/A	N/A
6850074	12/2004	Adams et al.	N/A	N/A
6856102	12/2004	Lin et al.	N/A	N/A
6882131	12/2004	Takada et al.	N/A	N/A
6888728	12/2004	Takagi et al.	N/A	N/A
6894911	12/2004	Telefus et al.	N/A	N/A
6897370	12/2004	Kondo et al.	N/A	N/A
6914418	12/2004	Sung	N/A	N/A
6919714	12/2004	Delepaut	N/A	N/A
6927955	12/2004	Suzui et al.	N/A	N/A
6933627	12/2004	Wilhelm	N/A	N/A
6933714	12/2004	Fasshauer et al.	N/A	N/A
6936995	12/2004	Kapsokavathis et al.	N/A	N/A
6940735	12/2004	Deng et al.	N/A	N/A
6949843	12/2004	Dubovsky	N/A	N/A
6950323	12/2004	Achleitner et al.	N/A	N/A
6963147	12/2004	Kurokami et al.	N/A	N/A
6966184	12/2004	Toyomura et al.	N/A	N/A
6970365	12/2004	Turchi	N/A	N/A
6980783	12/2004	Liu et al.	N/A	N/A
6984967	12/2005	Notman	N/A	N/A
6984970	12/2005	Capel	N/A	N/A
6985967	12/2005	Hipp	N/A	N/A
6987444	12/2005	Bub et al.	N/A	N/A
6996741	12/2005	Pittelkow et al.	N/A	N/A
7030597	12/2005	Bruno et al.	N/A	N/A
7031176	12/2005	Kotsopoulos et al.	N/A	N/A
7038430	12/2005	Itabashi et al.	N/A	N/A
7039941	12/2005	Caporizzo et al.	N/A	N/A
7042195	12/2005	Tsunetsugu et al.	N/A	N/A
7045991	12/2005	Nakamura et al.	N/A	N/A
7046531	12/2005	Zocchi et al.	N/A	N/A
7053506	12/2005	Alonso et al.	N/A	N/A
7061211	12/2005	Satoh et al.	N/A	N/A
7061214	12/2005	Mayega et al.	N/A	N/A
7064967	12/2005	Ichinose et al.	N/A	N/A
7068017	12/2005	Willner et al.	N/A	N/A
7072194	12/2005	Nayar et al.	N/A	N/A
7078883	12/2005	Chapman et al.	N/A	N/A
7079406	12/2005	Kurokami et al.	N/A	N/A
7087332	12/2005	Harris	N/A	N/A
7088595	12/2005	Nino	N/A	N/A
7089780	12/2005	Sunshine et al.	N/A	N/A
7090509	12/2005	Gilliland et al.	N/A	N/A
7091707	12/2005	Cutler	N/A	N/A
7097516	12/2005	Werner et al.	N/A	N/A
7099169	12/2005	West et al.	N/A	N/A

7126053	12/2005	Kurokami et al.	N/A	N/A
7126294	12/2005	Minami et al.	N/A	N/A
7138786	12/2005	Ishigaki et al.	N/A	N/A
7142997	12/2005	Widner	N/A	N/A
7148669	12/2005	Maksimovic et al.	N/A	N/A
7150938	12/2005	Munshi et al.	N/A	N/A
7157888	12/2006	Chen et al.	N/A	N/A
7158359	12/2006	Bertele et al.	N/A	N/A
7158395	12/2006	Deng et al.	N/A	N/A
7161082	12/2006	Matsushita et al.	N/A	N/A
7174973	12/2006	Lysaght	N/A	N/A
7176667	12/2006	Chen et al.	N/A	N/A
7183667	12/2006	Colby et al.	N/A	N/A
7193872	12/2006	Siri	N/A	N/A
7202653	12/2006	Pai	N/A	N/A
7208674	12/2006	Aylaian	N/A	N/A
7218541	12/2006	Price et al.	N/A	N/A
7248946	12/2006	Bashaw et al.	N/A	N/A
7256566	12/2006	Bhavaraju et al.	N/A	N/A
7259474	12/2006	Blanc	N/A	N/A
7262979	12/2006	Wai et al.	N/A	N/A
7276886	12/2006	Kinder et al.	N/A	N/A
7277304	12/2006	Stancu et al.	N/A	N/A
7281141	12/2006	Elkayam et al.	N/A	N/A
7282814	12/2006	Jacobs	N/A	N/A
7282924	12/2006	Wittner	N/A	N/A
7291036	12/2006	Daily et al.	N/A	N/A
7298113	12/2006	Orikasa	N/A	N/A
RE39976	12/2007	Schiff et al.	N/A	N/A
7315052	12/2007	Alter	N/A	N/A
7319313	12/2007	Dickerson et al.	N/A	N/A
7324361	12/2007	Siri	N/A	N/A
7336004	12/2007	Lai	N/A	N/A
7336056	12/2007	Dening	N/A	N/A
7339287	12/2007	Jepsen et al.	N/A	N/A
7348802	12/2007	Kasanyal et al.	N/A	N/A
7352154	12/2007	Cook	N/A	N/A
7361952	12/2007	Miura et al.	N/A	N/A
7371963	12/2007	Suenaga et al.	N/A	N/A
7372712	12/2007	Stancu et al.	N/A	N/A
7385380	12/2007	Ishigaki et al.	N/A	N/A
7385833	12/2007	Keung	N/A	N/A
7388348	12/2007	Mattichak	N/A	N/A
7391190	12/2007	Rajagopalan	N/A	N/A
7394237	12/2007	Chou et al.	N/A	N/A
7405117	12/2007	Zuniga et al.	N/A	N/A
7414870	12/2007	Rottger et al.	N/A	N/A
7420354	12/2007	Cutler	N/A	N/A
7420815	12/2007	Love	N/A	N/A
7432691	12/2007	Cutler	N/A	N/A

7435134	12/2007	Lenox	N/A	N/A
7435897	12/2007	Russell	N/A	N/A
7443052	12/2007	Wendt et al.	N/A	N/A
7443152	12/2007	Utsunomiya	N/A	N/A
7450401	12/2007	Iida	N/A	N/A
7456510	12/2007	Ito et al.	N/A	N/A
7456523	12/2007	Kobayashi	N/A	N/A
7463500	12/2007	West	N/A	N/A
7466566	12/2007	Fukumoto	N/A	N/A
7471014	12/2007	Lum et al.	N/A	N/A
7471524	12/2007	Batarseh et al.	N/A	N/A
7479774	12/2008	Wai et al.	N/A	N/A
7482238	12/2008	Sung	N/A	N/A
7485987	12/2008	Mori et al.	N/A	N/A
7495419	12/2008	Ju	N/A	N/A
7504811	12/2008	Watanabe et al.	N/A	N/A
7518346	12/2008	Prexl et al.	N/A	N/A
7538451	12/2008	Nomoto	N/A	N/A
7560915	12/2008	Ito et al.	N/A	N/A
7589437	12/2008	Henne et al.	N/A	N/A
7595616	12/2008	Prexl et al.	N/A	N/A
7596008	12/2008	Iwata et al.	N/A	N/A
7599200	12/2008	Tomonaga	N/A	N/A
7600349	12/2008	Liebendorfer	N/A	N/A
7602080	12/2008	Hadar et al.	N/A	N/A
7602626	12/2008	Iwata et al.	N/A	N/A
7605498	12/2008	Ledenev et al.	N/A	N/A
7612283	12/2008	Toyomura et al.	N/A	N/A
7615981	12/2008	Wong et al.	N/A	N/A
7626834	12/2008	Chisenga et al.	N/A	N/A
7634667	12/2008	Weaver et al.	N/A	N/A
7646116	12/2009	Batarseh et al.	N/A	N/A
7649434	12/2009	Xu et al.	N/A	N/A
7659701	12/2009	Metsker et al.	N/A	N/A
7701083	12/2009	Savage	N/A	N/A
7709727	12/2009	Roehrig et al.	N/A	N/A
7719140	12/2009	Ledenev et al.	N/A	N/A
7723865	12/2009	Kitanaka	N/A	N/A
7733069	12/2009	Toyomura et al.	N/A	N/A
7748175	12/2009	Liebendorfer	N/A	N/A
7759575	12/2009	Jones et al.	N/A	N/A
7763807	12/2009	Richter	N/A	N/A
7772716	12/2009	Shaver, II et al.	N/A	N/A
7777570	12/2009	Lai	N/A	N/A
7780472	12/2009	Lenox	N/A	N/A
7782031	12/2009	Qiu et al.	N/A	N/A
7783389	12/2009	Yamada et al.	N/A	N/A
7787273	12/2009	Lu et al.	N/A	N/A
7804282	12/2009	Bertele	N/A	N/A
7807919	12/2009	Powell et al.	N/A	N/A

7808125	12/2009	Sachdeva et al.	N/A	N/A
7812592	12/2009	Prior et al.	N/A	N/A
7812701	12/2009	Lee et al.	N/A	N/A
7821225	12/2009	Chou et al.	N/A	N/A
7824189	12/2009	Lauermann et al.	N/A	N/A
7839022	12/2009	Wolfs	N/A	N/A
7843085	12/2009	Ledenev et al.	N/A	N/A
7864497	12/2010	Quardt et al.	N/A	N/A
7868599	12/2010	Rahman et al.	N/A	N/A
7880334	12/2010	Evans et al.	N/A	N/A
7883808	12/2010	Norimatsu et al.	N/A	N/A
7884278	12/2010	Powell et al.	N/A	N/A
7893346	12/2010	Nachamkin et al.	N/A	N/A
7898112	12/2010	Powell et al.	N/A	N/A
7900361	12/2010	Adest et al.	N/A	N/A
7906007	12/2010	Gibson et al.	N/A	N/A
7906870	12/2010	Ohm	N/A	N/A
7919952	12/2010	Fahrenbruch	N/A	N/A
7919953	12/2010	Porter et al.	N/A	N/A
7925552	12/2010	Tarbell et al.	N/A	N/A
7944191	12/2010	Xu	N/A	N/A
7945413	12/2010	Krein	N/A	N/A
7948221	12/2010	Watanabe et al.	N/A	N/A
7952897	12/2010	Nocentini et al.	N/A	N/A
7960650	12/2010	Richter et al.	N/A	N/A
7960950	12/2010	Glovinsky	N/A	N/A
7962249	12/2010	Zhang et al.	N/A	N/A
7969043	12/2010	Caraghiorghopol et al.	N/A	N/A
7969133	12/2010	Zhang et al.	N/A	N/A
7977810	12/2010	Choi et al.	N/A	N/A
8003885	12/2010	Richter et al.	N/A	N/A
8004113	12/2010	Sander et al.	N/A	N/A
8004116	12/2010	Ledenev et al.	N/A	N/A
8004117	12/2010	Adest et al.	N/A	N/A
8004237	12/2010	Manor et al.	N/A	N/A
8004866	12/2010	Bucella et al.	N/A	N/A
8013472	12/2010	Adest et al.	N/A	N/A
8018748	12/2010	Leonard	N/A	N/A
8035249	12/2010	Shaver, II et al.	N/A	N/A
8039730	12/2010	Hadar et al.	N/A	N/A
8049363	12/2010	McLean et al.	N/A	N/A
8050804	12/2010	Kernahan	N/A	N/A
8058747	12/2010	Avrutsky et al.	N/A	N/A
8058752	12/2010	Erickson, Jr. et al.	N/A	N/A
8067855	12/2010	Mumtaz et al.	N/A	N/A
8077437	12/2010	Mumtaz et al.	N/A	N/A
8080986	12/2010	Lai et al.	N/A	N/A
8089780	12/2011	Mochikawa et al.	N/A	N/A
8089785	12/2011	Rodriguez	N/A	N/A
8090548	12/2011	Abdennadher et al.	N/A	N/A

8093756	12/2011	Porter et al.	N/A	N/A
8093757	12/2011	Wolfs	N/A	N/A
8097818	12/2011	Gerull et al.	N/A	N/A
8098055	12/2011	Avrutsky et al.	N/A	N/A
8102074	12/2011	Hadar et al.	N/A	N/A
8102144	12/2011	Capp et al.	N/A	N/A
8111052	12/2011	Glovinsky	N/A	N/A
8116103	12/2011	Zacharias et al.	N/A	N/A
8138631	12/2011	Allen et al.	N/A	N/A
8138914	12/2011	Wong et al.	N/A	N/A
8139335	12/2011	Quardt et al.	N/A	N/A
8139382	12/2011	Zhang et al.	N/A	N/A
8148849	12/2011	Zanarini et al.	N/A	N/A
8158877	12/2011	Klein et al.	N/A	N/A
8169252	12/2011	Fahrenbruch et al.	N/A	N/A
8179147	12/2011	Dargatz et al.	N/A	N/A
8184460	12/2011	O'Brien et al.	N/A	N/A
8188610	12/2011	Schelte-Wassink	N/A	N/A
8204709	12/2011	Presher, Jr. et al.	N/A	N/A
8212408	12/2011	Fishman	N/A	N/A
8212409	12/2011	Bettenwort et al.	N/A	N/A
8232790	12/2011	Leong et al.	N/A	N/A
8233301	12/2011	Guo	N/A	N/A
8248804	12/2011	Han et al.	N/A	N/A
8271599	12/2011	Eizips et al.	N/A	N/A
8274172	12/2011	Hadar et al.	N/A	N/A
8279644	12/2011	Zhang et al.	N/A	N/A
8284574	12/2011	Chapman et al.	N/A	N/A
8289183	12/2011	Foss	N/A	N/A
8289742	12/2011	Adest et al.	N/A	N/A
8294451	12/2011	Hasenfus	N/A	N/A
8299757	12/2011	Yamauchi et al.	N/A	N/A
8299773	12/2011	Jang et al.	N/A	N/A
8304932	12/2011	Ledenev et al.	N/A	N/A
8310101	12/2011	Amaratunga et al.	N/A	N/A
8310102	12/2011	Raju	N/A	N/A
8314375	12/2011	Arditi et al.	N/A	N/A
8319471	12/2011	Adest et al.	N/A	N/A
8324921	12/2011	Adest et al.	N/A	N/A
8325059	12/2011	Rozenboim	N/A	N/A
8344548	12/2012	Stern	N/A	N/A
8355563	12/2012	Kasahara et al.	N/A	N/A
8369113	12/2012	Rodriguez	N/A	N/A
8378656	12/2012	de Rooij et al.	N/A	N/A
8379418	12/2012	Falk	N/A	N/A
8391031	12/2012	Garrity	N/A	N/A
8391032	12/2012	Garrity et al.	N/A	N/A
8395366	12/2012	Uno	N/A	N/A
8405248	12/2012	Mumtaz et al.	N/A	N/A
8405349	12/2012	Kikinis et al.	N/A	N/A

8405367	12/2012	Chisenga et al.	N/A	N/A
8410359	12/2012	Richter	N/A	N/A
8410889	12/2012	Garrity et al.	N/A	N/A
8410950	12/2012	Takehara et al.	N/A	N/A
8415552	12/2012	Hadar et al.	N/A	N/A
8415937	12/2012	Hester	N/A	N/A
8427009	12/2012	Shaver, II et al.	N/A	N/A
8436592	12/2012	Saitoh	N/A	N/A
8461809	12/2012	Rodriguez	N/A	N/A
8466789	12/2012	Muhlberger et al.	N/A	N/A
8472220	12/2012	Garrity et al.	N/A	N/A
8473250	12/2012	Adest et al.	N/A	N/A
8509032	12/2012	Rakib	N/A	N/A
8526205	12/2012	Garrity	N/A	N/A
8531055	12/2012	Adest et al.	N/A	N/A
8542512	12/2012	Garrity	N/A	N/A
8570017	12/2012	Perichon et al.	N/A	N/A
8581441	12/2012	Rotzoll et al.	N/A	N/A
8587151	12/2012	Adest et al.	N/A	N/A
8618692	12/2012	Adest et al.	N/A	N/A
8624443	12/2013	Mumtaz	N/A	N/A
8653689	12/2013	Rozenboim	N/A	N/A
8669675	12/2013	Capp et al.	N/A	N/A
8670255	12/2013	Gong et al.	N/A	N/A
8674548	12/2013	Mumtaz	N/A	N/A
8674668	12/2013	Chisenga et al.	N/A	N/A
8686333	12/2013	Arditi et al.	N/A	N/A
8710351	12/2013	Robbins	N/A	N/A
8751053	12/2013	Hadar et al.	N/A	N/A
8773236	12/2013	Makhota et al.	N/A	N/A
8791598	12/2013	Jain	N/A	N/A
8796884	12/2013	Naiknaware et al.	N/A	N/A
8809699	12/2013	Funk	N/A	N/A
8811047	12/2013	Rodriguez	N/A	N/A
8816535	12/2013	Adest et al.	N/A	N/A
8823212	12/2013	Garrity et al.	N/A	N/A
8823218	12/2013	Hadar et al.	N/A	N/A
8823342	12/2013	Williams	N/A	N/A
8835748	12/2013	Frolov et al.	N/A	N/A
8841916	12/2013	Avrutsky	N/A	N/A
8842397	12/2013	Fahrenbruch et al.	N/A	N/A
8853886	12/2013	Avrutsky et al.	N/A	N/A
8854193	12/2013	Makhota et al.	N/A	N/A
8859884	12/2013	Dunton et al.	N/A	N/A
8860241	12/2013	Hadar et al.	N/A	N/A
8860246	12/2013	Hadar et al.	N/A	N/A
8872439	12/2013	Cohen	N/A	N/A
8878563	12/2013	Robbins	N/A	N/A
8917156	12/2013	Garrity et al.	N/A	N/A
8922061	12/2013	Arditi	N/A	N/A

8933321	12/2014	Hadar et al.	N/A	N/A
8934269	12/2014	Garrity	N/A	N/A
8947194	12/2014	Sella et al.	N/A	N/A
8963375	12/2014	DeGraaff	N/A	N/A
8963378	12/2014	Fornage et al.	N/A	N/A
8963501	12/2014	Shigemizu et al.	N/A	N/A
8963518	12/2014	Wolfs	N/A	N/A
8972765	12/2014	Krolak et al.	N/A	N/A
9010645	12/2014	Arnouse	N/A	N/A
9041339	12/2014	Adest et al.	N/A	N/A
9088178	12/2014	Adest et al.	N/A	N/A
9130401	12/2014	Adest et al.	N/A	N/A
9142965	12/2014	Grana	N/A	N/A
9257848	12/2015	Coccia et al.	N/A	N/A
9291696	12/2015	Adest et al.	N/A	N/A
9362743	12/2015	Gazit et al.	N/A	N/A
9397497	12/2015	Ledenev	N/A	N/A
9401664	12/2015	Perreault et al.	N/A	N/A
9407161	12/2015	Adest et al.	N/A	N/A
9466737	12/2015	Ledenev	N/A	N/A
9577454	12/2016	Seymour et al.	N/A	N/A
9647442	12/2016	Yoscovich et al.	N/A	N/A
9660527	12/2016	Glovinski	N/A	N/A
9673630	12/2016	Ledenev et al.	N/A	N/A
9819178	12/2016	Gazit et al.	N/A	N/A
9831916	12/2016	Behrends	N/A	N/A
9843193	12/2016	Getsla	N/A	N/A
9853490	12/2016	Adest et al.	N/A	N/A
9865411	12/2017	Friebe et al.	N/A	N/A
9869701	12/2017	Sella et al.	N/A	N/A
9923516	12/2017	Har-Shai et al.	N/A	N/A
9991717	12/2017	Rowe et al.	N/A	N/A
9995796	12/2017	Johnson	N/A	N/A
10032939	12/2017	Ledenev et al.	N/A	N/A
10256770	12/2018	Hadar et al.	N/A	N/A
10432139	12/2018	Chaintreuil et al.	N/A	N/A
10457159	12/2018	Castelaz et al.	N/A	N/A
10666045	12/2019	Gemin et al.	N/A	N/A
10673253	12/2019	Adest et al.	N/A	N/A
10931119	12/2020	Har-Shai et al.	N/A	N/A
10969412	12/2020	Sella et al.	N/A	N/A
11018623	12/2020	Loewenstern et al.	N/A	N/A
11205946	12/2020	Yoscovich et al.	N/A	N/A
11276786	12/2021	Hopf et al.	N/A	N/A
11476799	12/2021	Sella et al.	N/A	N/A
11682918	12/2022	Adest et al.	N/A	N/A
11728724	12/2022	Braginsky et al.	N/A	N/A
2001/0000957	12/2000	Birchfield et al.	N/A	N/A
2001/0011881	12/2000	Emori et al.	N/A	N/A
2001/0013767	12/2000	Takemoto	N/A	N/A

2001/0023703	12/2000	Kondo et al.	N/A	N/A
2001/0032664	12/2000	Takehara et al.	N/A	N/A
2001/0034982	12/2000	Nagao et al.	N/A	N/A
2001/0035180	12/2000	Kimura et al.	N/A	N/A
2001/0048605	12/2000	Kurokami et al.	N/A	N/A
2001/0050102	12/2000	Matsumi et al.	N/A	N/A
2001/0054881	12/2000	Watanabe	N/A	N/A
2002/0002040	12/2001	Kline et al.	N/A	N/A
2002/0014262	12/2001	Matsushita et al.	N/A	N/A
2002/0017900	12/2001	Takeda et al.	N/A	N/A
2002/0034083	12/2001	Ayyanar et al.	N/A	N/A
2002/0038667	12/2001	Kondo et al.	N/A	N/A
2002/0041505	12/2001	Suzui et al.	N/A	N/A
2002/0044473	12/2001	Toyomura et al.	N/A	N/A
2002/0047309	12/2001	Droppo et al.	N/A	N/A
2002/0047693	12/2001	Chang	N/A	N/A
2002/0056089	12/2001	Houston	N/A	N/A
2002/0059035	12/2001	Yagi et al.	N/A	N/A
2002/0063552	12/2001	Arakawa	N/A	N/A
2002/0063625	12/2001	Takehara et al.	N/A	N/A
2002/0078991	12/2001	Nagao et al.	N/A	N/A
2002/0080027	12/2001	Conley	N/A	N/A
2002/0085397	12/2001	Suzui et al.	N/A	N/A
2002/0105765	12/2001	Kondo et al.	N/A	N/A
2002/0113689	12/2001	Gehlot et al.	N/A	N/A
2002/0118559	12/2001	Kurokami et al.	N/A	N/A
2002/0127980	12/2001	Amanullah et al.	N/A	N/A
2002/0134567	12/2001	Rasmussen et al.	N/A	N/A
2002/0148497	12/2001	Sasaoka et al.	N/A	N/A
2002/0149950	12/2001	Takebayashi	N/A	N/A
2002/0162585	12/2001	Sugawara et al.	N/A	N/A
2002/0165458	12/2001	Carter et al.	N/A	N/A
2002/0177401	12/2001	Judd et al.	N/A	N/A
2002/0179140	12/2001	Toyomura	N/A	N/A
2002/0180408	12/2001	McDaniel et al.	N/A	N/A
2002/0190696	12/2001	Darshan	N/A	N/A
2003/0001709	12/2002	Visser	N/A	N/A
2003/0002303	12/2002	Riggio et al.	N/A	N/A
2003/0025594	12/2002	Akiyama et al.	N/A	N/A
2003/0038615	12/2002	Elbanhawy	N/A	N/A
2003/0043597	12/2002	Betts-Lacroix	N/A	N/A
2003/0047207	12/2002	Aylaian	N/A	N/A
2003/0058593	12/2002	Bertele et al.	N/A	N/A
2003/0058662	12/2002	Baudelot et al.	N/A	N/A
2003/0062078	12/2002	Mimura	N/A	N/A
2003/0066076	12/2002	Minahan	N/A	N/A
2003/0066555	12/2002	Hui et al.	N/A	N/A
2003/0075211	12/2002	Makita et al.	N/A	N/A
2003/0080741	12/2002	LeRow et al.	N/A	N/A
2003/0085621	12/2002	Potega	N/A	N/A

2003/0090233	12/2002	Browe	N/A	N/A
2003/0090246	12/2002	Shenai et al.	N/A	N/A
2003/0094931	12/2002	Renyolds	N/A	N/A
2003/0098056	12/2002	Fronek et al.	N/A	N/A
2003/0107352	12/2002	Downer et al.	N/A	N/A
2003/0111103	12/2002	Bower et al.	N/A	N/A
2003/0116154	12/2002	Butler et al.	N/A	N/A
2003/0121514	12/2002	Davenport et al.	N/A	N/A
2003/0127126	12/2002	Yang	N/A	N/A
2003/0140960	12/2002	Baum et al.	N/A	N/A
2003/0156439	12/2002	Ohmichi et al.	N/A	N/A
2003/0164695	12/2002	Fasshauer et al.	N/A	N/A
2003/0185026	12/2002	Matsuda et al.	N/A	N/A
2003/0193821	12/2002	Krieger et al.	N/A	N/A
2003/0201674	12/2002	Droppo et al.	N/A	N/A
2003/0206424	12/2002	Jungreis et al.	N/A	N/A
2003/0214274	12/2002	Lethellier	N/A	N/A
2003/0223257	12/2002	Onoe	N/A	N/A
2004/0004402	12/2003	Kippley	N/A	N/A
2004/0027101	12/2003	Vinciarelli et al.	N/A	N/A
2004/0027112	12/2003	Kondo et al.	N/A	N/A
2004/0041548	12/2003	Perry	N/A	N/A
2004/0056642	12/2003	Nebrigic et al.	N/A	N/A
2004/0056768	12/2003	Matsushita et al.	N/A	N/A
2004/0061527	12/2003	Knee	N/A	N/A
2004/0076028	12/2003	Achleitner et al.	N/A	N/A
2004/0117676	12/2003	Kobayashi et al.	N/A	N/A
2004/0118446	12/2003	Toyomura	N/A	N/A
2004/0123894	12/2003	Erban	N/A	N/A
2004/0124816	12/2003	DeLepaut	N/A	N/A
2004/0125618	12/2003	De Rooij et al.	N/A	N/A
2004/0140719	12/2003	Vulih et al.	N/A	N/A
2004/0141345	12/2003	Cheng et al.	N/A	N/A
2004/0144043	12/2003	Stevenson et al.	N/A	N/A
2004/0150410	12/2003	Schoepf et al.	N/A	N/A
2004/0164718	12/2003	McDaniel et al.	N/A	N/A
2004/0165408	12/2003	West et al.	N/A	N/A
2004/0167676	12/2003	Mizumaki	N/A	N/A
2004/0169499	12/2003	Huang et al.	N/A	N/A
2004/0170038	12/2003	Ichinose et al.	N/A	N/A
2004/0189090	12/2003	Yanagida et al.	N/A	N/A
2004/0189432	12/2003	Yan et al.	N/A	N/A
2004/0201279	12/2003	Templeton	N/A	N/A
2004/0201933	12/2003	Blanc	N/A	N/A
2004/0207366	12/2003	Sung	N/A	N/A
2004/0211456	12/2003	Brown et al.	N/A	N/A
2004/0211458	12/2003	Gui et al.	N/A	N/A
2004/0211459	12/2003	Suenaga et al.	N/A	N/A
2004/0213169	12/2003	Allard et al.	N/A	N/A
2004/0223351	12/2003	Kurokami et al.	N/A	N/A

2004/0230343	12/2003	Zallesski	N/A	N/A
2004/0233685	12/2003	Matsuo et al.	N/A	N/A
2004/0246226	12/2003	Moon	N/A	N/A
2004/0255999	12/2003	Matsushita et al.	N/A	N/A
2004/0258141	12/2003	Tustison et al.	N/A	N/A
2004/0262998	12/2003	Kunow et al.	N/A	N/A
2004/0263119	12/2003	Meyer et al.	N/A	N/A
2004/0263183	12/2003	Naidu et al.	N/A	N/A
2004/0264225	12/2003	Bhavaraju et al.	N/A	N/A
2005/0002214	12/2004	Deng et al.	N/A	N/A
2005/0005785	12/2004	Poss et al.	N/A	N/A
2005/0006958	12/2004	Dubovsky	N/A	N/A
2005/0017697	12/2004	Capel	N/A	N/A
2005/0017701	12/2004	Hsu	N/A	N/A
2005/0030772	12/2004	Phadke	N/A	N/A
2005/0040800	12/2004	Sutardja	N/A	N/A
2005/0041442	12/2004	Balakrishnan	N/A	N/A
2005/0057214	12/2004	Matan	N/A	N/A
2005/0057215	12/2004	Matan	N/A	N/A
2005/0068012	12/2004	Cutler	N/A	N/A
2005/0068820	12/2004	Radosevich et al.	N/A	N/A
2005/0077879	12/2004	Near	N/A	N/A
2005/0099138	12/2004	Wilhelm	N/A	N/A
2005/0103376	12/2004	Matsushita et al.	N/A	N/A
2005/0105224	12/2004	Nishi	N/A	N/A
2005/0105306	12/2004	Deng et al.	N/A	N/A
2005/0109386	12/2004	Marshall	N/A	N/A
2005/0110454	12/2004	Tsai et al.	N/A	N/A
2005/0121067	12/2004	Toyomura et al.	N/A	N/A
2005/0122747	12/2004	Gaksch	N/A	N/A
2005/0135031	12/2004	Colby et al.	N/A	N/A
2005/0139258	12/2004	Liu et al.	N/A	N/A
2005/0140335	12/2004	Lee et al.	N/A	N/A
2005/0162018	12/2004	Realmuto et al.	N/A	N/A
2005/0163063	12/2004	Kuchler et al.	N/A	N/A
2005/0172995	12/2004	Rohrig et al.	N/A	N/A
2005/0179420	12/2004	Satoh et al.	N/A	N/A
2005/0191528	12/2004	Cortes et al.	N/A	N/A
2005/0194937	12/2004	Jacobs	N/A	N/A
2005/0201397	12/2004	Petite	N/A	N/A
2005/0213272	12/2004	Kobayashi	N/A	N/A
2005/0218876	12/2004	Nino	N/A	N/A
2005/0225090	12/2004	Wobben	N/A	N/A
2005/0226017	12/2004	Kotsopoulos et al.	N/A	N/A
2005/0231183	12/2004	Li et al.	N/A	N/A
2005/0242795	12/2004	Al-Kuran et al.	N/A	N/A
2005/0248428	12/2004	Coleman et al.	N/A	N/A
2005/0252545	12/2004	Nowlan et al.	N/A	N/A
2005/0257827	12/2004	Gaudiana et al.	N/A	N/A
2005/0269988	12/2004	Thrap	N/A	N/A

2005/0275386	12/2004	Jepsen et al.	N/A	N/A
2005/0275527	12/2004	Kates	N/A	N/A
2005/0275979	12/2004	Xu	N/A	N/A
2005/0281064	12/2004	Olsen et al.	N/A	N/A
2005/0286510	12/2004	Nakajima et al.	N/A	N/A
2005/0287402	12/2004	Maly et al.	N/A	N/A
2006/0001406	12/2005	Matan	N/A	N/A
2006/0017327	12/2005	Siri et al.	N/A	N/A
2006/0034106	12/2005	Johnson	N/A	N/A
2006/0038692	12/2005	Schnetker	N/A	N/A
2006/0043792	12/2005	Hjort et al.	N/A	N/A
2006/0043942	12/2005	Cohen	N/A	N/A
2006/0053447	12/2005	Krzyzanowski et al.	N/A	N/A
2006/0055384	12/2005	Jordan et al.	N/A	N/A
2006/0066349	12/2005	Murakami	N/A	N/A
2006/0068239	12/2005	Norimatsu et al.	N/A	N/A
2006/0077046	12/2005	Endo	N/A	N/A
2006/0085167	12/2005	Warfield et al.	N/A	N/A
2006/0091958	12/2005	Bhatti et al.	N/A	N/A
2006/0103360	12/2005	Cutler	N/A	N/A
2006/0108979	12/2005	Daniel et al.	N/A	N/A
2006/0109009	12/2005	Banke et al.	N/A	N/A
2006/0113843	12/2005	Beveridge	N/A	N/A
2006/0113979	12/2005	Ishigaki et al.	N/A	N/A
2006/0116968	12/2005	Arisawa	N/A	N/A
2006/0118162	12/2005	Saelzer et al.	N/A	N/A
2006/0125449	12/2005	Unger	N/A	N/A
2006/0132102	12/2005	Harvey	N/A	N/A
2006/0149396	12/2005	Templeton	N/A	N/A
2006/0152085	12/2005	Flett et al.	N/A	N/A
2006/0162772	12/2005	Presher et al.	N/A	N/A
2006/0163946	12/2005	Henne et al.	N/A	N/A
2006/0164065	12/2005	Hoouk et al.	N/A	N/A
2006/0167762	12/2005	Hahn-Carlson	N/A	N/A
2006/0171182	12/2005	Siri et al.	N/A	N/A
2006/0174939	12/2005	Matan	N/A	N/A
2006/0176029	12/2005	McGinty et al.	N/A	N/A
2006/0176031	12/2005	Forman et al.	N/A	N/A
2006/0176036	12/2005	Flatness et al.	N/A	N/A
2006/0176716	12/2005	Balakrishnan et al.	N/A	N/A
2006/0185727	12/2005	Matan	N/A	N/A
2006/0192540	12/2005	Balakrishnan et al.	N/A	N/A
2006/0208660	12/2005	Shinmura et al.	N/A	N/A
2006/0222912	12/2005	Smith	N/A	N/A
2006/0222916	12/2005	Norimatsu et al.	N/A	N/A
2006/0225781	12/2005	Locher	N/A	N/A
2006/0227577	12/2005	Horiuchi et al.	N/A	N/A
2006/0227578	12/2005	Datta et al.	N/A	N/A
2006/0231132	12/2005	Neussner	N/A	N/A
2006/0232220	12/2005	Melis	N/A	N/A

2006/0235717	12/2005	Sharma et al.	N/A	N/A
2006/0237058	12/2005	Mcclintock et al.	N/A	N/A
2006/0238750	12/2005	Shimotomai	N/A	N/A
2006/0243318	12/2005	Feldmeier et al.	N/A	N/A
2006/0261751	12/2005	Okabe et al.	N/A	N/A
2006/0266408	12/2005	Horne et al.	N/A	N/A
2006/0267515	12/2005	Burke et al.	N/A	N/A
2006/0290317	12/2005	McNulty et al.	N/A	N/A
2007/0001653	12/2006	Xu	N/A	N/A
2007/0013349	12/2006	Bassett	N/A	N/A
2007/0019613	12/2006	Frezzolini	N/A	N/A
2007/0024257	12/2006	Boldo	N/A	N/A
2007/0027644	12/2006	Bettenwort et al.	N/A	N/A
2007/0029468	12/2006	Sinton et al.	N/A	N/A
2007/0029636	12/2006	Kanemaru et al.	N/A	N/A
2007/0030068	12/2006	Motonobu et al.	N/A	N/A
2007/0035975	12/2006	Dickerson et al.	N/A	N/A
2007/0040540	12/2006	Cutler	N/A	N/A
2007/0044837	12/2006	Simburger et al.	N/A	N/A
2007/0075689	12/2006	Kinder et al.	N/A	N/A
2007/0075711	12/2006	Blanc et al.	N/A	N/A
2007/0081364	12/2006	Andreycak	N/A	N/A
2007/0085523	12/2006	Scoones et al.	N/A	N/A
2007/0089778	12/2006	Horne et al.	N/A	N/A
2007/0103108	12/2006	Capp et al.	N/A	N/A
2007/0103297	12/2006	Armstrong et al.	N/A	N/A
2007/0107767	12/2006	Hayden et al.	N/A	N/A
2007/0115635	12/2006	Low et al.	N/A	N/A
2007/0119718	12/2006	Gibson et al.	N/A	N/A
2007/0121648	12/2006	Hahn	N/A	N/A
2007/0133241	12/2006	Mumtaz et al.	N/A	N/A
2007/0133421	12/2006	Young	N/A	N/A
2007/0147075	12/2006	Bang	N/A	N/A
2007/0158185	12/2006	Andelman et al.	N/A	N/A
2007/0159866	12/2006	Siri	N/A	N/A
2007/0164612	12/2006	Wendt et al.	N/A	N/A
2007/0164750	12/2006	Chen et al.	N/A	N/A
2007/0165347	12/2006	Wendt et al.	N/A	N/A
2007/0205778	12/2006	Fabbro et al.	N/A	N/A
2007/0209656	12/2006	Lee	N/A	N/A
2007/0211888	12/2006	Corcoran et al.	N/A	N/A
2007/0217178	12/2006	Johnson et al.	N/A	N/A
2007/0223165	12/2006	Itri et al.	N/A	N/A
2007/0227574	12/2006	Cart	N/A	N/A
2007/0235071	12/2006	Work et al.	N/A	N/A
2007/0236187	12/2006	Wai et al.	N/A	N/A
2007/0241720	12/2006	Sakamoto et al.	N/A	N/A
2007/0246546	12/2006	Yoshida	N/A	N/A
2007/0247135	12/2006	Koga	N/A	N/A
2007/0247877	12/2006	Kwon et al.	N/A	N/A

2007/0262802	12/2006	Huard et al.	N/A	N/A
2007/0271006	12/2006	Golden et al.	N/A	N/A
2007/0273240	12/2006	Steele et al.	N/A	N/A
2007/0273339	12/2006	Haines	N/A	N/A
2007/0273342	12/2006	Kataoka et al.	N/A	N/A
2007/0273351	12/2006	Matan	N/A	N/A
2007/0284451	12/2006	Uramoto	N/A	N/A
2007/0290636	12/2006	Beck et al.	N/A	N/A
2007/0290656	12/2006	Lee Tai Keung	N/A	N/A
2008/0021707	12/2007	Bou-Ghazale et al.	N/A	N/A
2008/0023061	12/2007	Clemens et al.	N/A	N/A
2008/0024098	12/2007	Hojo	N/A	N/A
2008/0030198	12/2007	Kawata et al.	N/A	N/A
2008/0036440	12/2007	Garmer	N/A	N/A
2008/0042709	12/2007	Chen et al.	N/A	N/A
2008/0055941	12/2007	Victor et al.	N/A	N/A
2008/0072091	12/2007	Hanson et al.	N/A	N/A
2008/0080177	12/2007	Chang	N/A	N/A
2008/0088184	12/2007	Tung et al.	N/A	N/A
2008/0088829	12/2007	Fuyuki	N/A	N/A
2008/0089277	12/2007	Alexander et al.	N/A	N/A
2008/0097655	12/2007	Hadar et al.	N/A	N/A
2008/0106250	12/2007	Prior et al.	N/A	N/A
2008/0111529	12/2007	Shah et al.	N/A	N/A
2008/0115823	12/2007	Kinsey	N/A	N/A
2008/0121272	12/2007	Besser et al.	N/A	N/A
2008/0122449	12/2007	Besser et al.	N/A	N/A
2008/0122518	12/2007	Besser et al.	N/A	N/A
2008/0136367	12/2007	Adest et al.	N/A	N/A
2008/0142071	12/2007	Dorn et al.	N/A	N/A
2008/0143188	12/2007	Adest et al.	N/A	N/A
2008/0143462	12/2007	Belisle et al.	N/A	N/A
2008/0144294	12/2007	Adest et al.	N/A	N/A
2008/0147335	12/2007	Adest et al.	N/A	N/A
2008/0149167	12/2007	Liu	N/A	N/A
2008/0150366	12/2007	Adest et al.	N/A	N/A
2008/0150484	12/2007	Kimball et al.	N/A	N/A
2008/0156551	12/2007	Kawahara et al.	N/A	N/A
2008/0164766	12/2007	Adest et al.	N/A	N/A
2008/0179949	12/2007	Besser et al.	N/A	N/A
2008/0186004	12/2007	Williams	N/A	N/A
2008/0191560	12/2007	Besser et al.	N/A	N/A
2008/0191675	12/2007	Besser et al.	N/A	N/A
2008/0192510	12/2007	Falk	N/A	N/A
2008/0192519	12/2007	Iwata et al.	N/A	N/A
2008/0198523	12/2007	Schmidt et al.	N/A	N/A
2008/0205096	12/2007	Lai et al.	N/A	N/A
2008/0218152	12/2007	Bo	N/A	N/A
2008/0224652	12/2007	Zhu et al.	N/A	N/A
2008/0236647	12/2007	Gibson et al.	N/A	N/A

2008/0236648	12/2007	Klein et al.	N/A	N/A
2008/0238195	12/2007	Shaver et al.	N/A	N/A
2008/0238372	12/2007	Cintra et al.	N/A	N/A
2008/0246460	12/2007	Smith	N/A	N/A
2008/0246463	12/2007	Sinton et al.	N/A	N/A
2008/0252273	12/2007	Woo et al.	N/A	N/A
2008/0264470	12/2007	Masuda et al.	N/A	N/A
2008/0266913	12/2007	Brotto et al.	N/A	N/A
2008/0266919	12/2007	Mallwitz	N/A	N/A
2008/0283118	12/2007	Rotzoll et al.	N/A	N/A
2008/0291707	12/2007	Fang	N/A	N/A
2008/0294472	12/2007	Yamada	N/A	N/A
2008/0297963	12/2007	Lee et al.	N/A	N/A
2008/0298608	12/2007	Wilcox	N/A	N/A
2008/0303503	12/2007	Wolfs	N/A	N/A
2008/0304296	12/2007	NadimpalliRaju et al.	N/A	N/A
2008/0304298	12/2007	Toba et al.	N/A	N/A
2009/0010035	12/2008	Williams	N/A	N/A
2009/0012917	12/2008	Thompson et al.	N/A	N/A
2009/0014050	12/2008	Haaf	N/A	N/A
2009/0014057	12/2008	Croft et al.	N/A	N/A
2009/0014058	12/2008	Croft et al.	N/A	N/A
2009/0015071	12/2008	Iwata et al.	N/A	N/A
2009/0020151	12/2008	Fornage	N/A	N/A
2009/0021877	12/2008	Fornage et al.	N/A	N/A
2009/0039833	12/2008	Kitagawa	N/A	N/A
2009/0039852	12/2008	Fishelov et al.	N/A	N/A
2009/0064252	12/2008	Howarter et al.	N/A	N/A
2009/0066357	12/2008	Fornage	N/A	N/A
2009/0066382	12/2008	Yousefzadeh et al.	N/A	N/A
2009/0066399	12/2008	Chen et al.	N/A	N/A
2009/0069950	12/2008	Kurokami et al.	N/A	N/A
2009/0073726	12/2008	Babcock	N/A	N/A
2009/0078300	12/2008	Ang et al.	N/A	N/A
2009/0080226	12/2008	Fornage	N/A	N/A
2009/0084570	12/2008	Gherardini et al.	N/A	N/A
2009/0097172	12/2008	Bremicker et al.	N/A	N/A
2009/0097283	12/2008	Krein et al.	N/A	N/A
2009/0101191	12/2008	Beck et al.	N/A	N/A
2009/0102440	12/2008	Coles	N/A	N/A
2009/0114263	12/2008	Powell et al.	N/A	N/A
2009/0120485	12/2008	Kikinis	N/A	N/A
2009/0121549	12/2008	Leonard	N/A	N/A
2009/0127448	12/2008	Fuyuki	N/A	N/A
2009/0133736	12/2008	Powell et al.	N/A	N/A
2009/0140715	12/2008	Adest et al.	N/A	N/A
2009/0141522	12/2008	Adest et al.	N/A	N/A
2009/0145480	12/2008	Adest et al.	N/A	N/A
2009/0146667	12/2008	Adest et al.	N/A	N/A
2009/0146671	12/2008	Gazit	N/A	N/A

2009/0147554	12/2008	Adest et al.	N/A	N/A
2009/0150005	12/2008	Hadar et al.	N/A	N/A
2009/0160258	12/2008	Allen et al.	N/A	N/A
2009/0179500	12/2008	Ragonese et al.	N/A	N/A
2009/0179662	12/2008	Moulton et al.	N/A	N/A
2009/0182532	12/2008	Stoeber et al.	N/A	N/A
2009/0183763	12/2008	Meyer	N/A	N/A
2009/0184746	12/2008	Fahrenbruch	N/A	N/A
2009/0189456	12/2008	Skutt	N/A	N/A
2009/0190275	12/2008	Gilmore et al.	N/A	N/A
2009/0195081	12/2008	Quardt et al.	N/A	N/A
2009/0206666	12/2008	Sella et al.	N/A	N/A
2009/0207543	12/2008	Boniface et al.	N/A	N/A
2009/0217965	12/2008	Dougal et al.	N/A	N/A
2009/0224817	12/2008	Nakamura et al.	N/A	N/A
2009/0234692	12/2008	Powell et al.	N/A	N/A
2009/0237042	12/2008	Glovinski	N/A	N/A
2009/0237043	12/2008	Glovinsky	N/A	N/A
2009/0238444	12/2008	Su et al.	N/A	N/A
2009/0242011	12/2008	Proisy et al.	N/A	N/A
2009/0243385	12/2008	Ichikawa	N/A	N/A
2009/0243547	12/2008	Andelfinger	N/A	N/A
2009/0273241	12/2008	Gazit et al.	N/A	N/A
2009/0278496	12/2008	Nakao et al.	N/A	N/A
2009/0282755	12/2008	Abbott et al.	N/A	N/A
2009/0283129	12/2008	Foss	N/A	N/A
2009/0283130	12/2008	Gilmore et al.	N/A	N/A
2009/0284078	12/2008	Zhang et al.	N/A	N/A
2009/0284232	12/2008	Zhang et al.	N/A	N/A
2009/0284240	12/2008	Zhang et al.	N/A	N/A
2009/0284998	12/2008	Zhang et al.	N/A	N/A
2009/0295225	12/2008	Asplund et al.	N/A	N/A
2009/0296434	12/2008	De Rooij et al.	N/A	N/A
2009/0322494	12/2008	Lee	N/A	N/A
2009/0325003	12/2008	Aberle et al.	N/A	N/A
2010/0001587	12/2009	Casey et al.	N/A	N/A
2010/0002349	12/2009	La Scala et al.	N/A	N/A
2010/0013452	12/2009	Tang et al.	N/A	N/A
2010/0020576	12/2009	Falk	N/A	N/A
2010/0026097	12/2009	Avrutsky et al.	N/A	N/A
2010/0026736	12/2009	Plut	N/A	N/A
2010/0038907	12/2009	Hunt et al.	N/A	N/A
2010/0043781	12/2009	Jones et al.	N/A	N/A
2010/0052735	12/2009	Burkland et al.	N/A	N/A
2010/0057267	12/2009	Liu et al.	N/A	N/A
2010/0060000	12/2009	Scholte-Wassink	N/A	N/A
2010/0071742	12/2009	de Rooij et al.	N/A	N/A
2010/0085670	12/2009	Palaniswami et al.	N/A	N/A
2010/0103579	12/2009	Carkner et al.	N/A	N/A
2010/0115093	12/2009	Rice	N/A	N/A

2010/0124027	12/2009	Handelsman et al.	N/A	N/A
2010/0124087	12/2009	Falk	N/A	N/A
2010/0126550	12/2009	Foss	N/A	N/A
2010/0127570	12/2009	Hadar et al.	N/A	N/A
2010/0127571	12/2009	Hadar et al.	N/A	N/A
2010/0131108	12/2009	Meyer	N/A	N/A
2010/0132757	12/2009	He et al.	N/A	N/A
2010/0132758	12/2009	Gilmore	N/A	N/A
2010/0132761	12/2009	Echizenya et al.	N/A	N/A
2010/0133911	12/2009	Williams et al.	N/A	N/A
2010/0139734	12/2009	Hadar et al.	N/A	N/A
2010/0139743	12/2009	Hadar et al.	N/A	N/A
2010/0141041	12/2009	Bose et al.	N/A	N/A
2010/0141153	12/2009	Recker et al.	N/A	N/A
2010/0147362	12/2009	King et al.	N/A	N/A
2010/0154858	12/2009	Jain	N/A	N/A
2010/0176773	12/2009	Capel	N/A	N/A
2010/0181957	12/2009	Goeltner	N/A	N/A
2010/0191383	12/2009	Gaul	N/A	N/A
2010/0195357	12/2009	Fornage et al.	N/A	N/A
2010/0195361	12/2009	Stem	N/A	N/A
2010/0206378	12/2009	Erickson, Jr. et al.	N/A	N/A
2010/0207764	12/2009	Muhlberger et al.	N/A	N/A
2010/0207770	12/2009	Thiemann	N/A	N/A
2010/0208501	12/2009	Matan et al.	N/A	N/A
2010/0213897	12/2009	Tse	N/A	N/A
2010/0214808	12/2009	Rodriguez	N/A	N/A
2010/0217551	12/2009	Goff et al.	N/A	N/A
2010/0229915	12/2009	Ledenev et al.	N/A	N/A
2010/0241375	12/2009	Kumar et al.	N/A	N/A
2010/0244575	12/2009	Coccia et al.	N/A	N/A
2010/0246223	12/2009	Xuan	N/A	N/A
2010/0264736	12/2009	Mumtaz et al.	N/A	N/A
2010/0269430	12/2009	Haddock	N/A	N/A
2010/0277001	12/2009	Wagoner	N/A	N/A
2010/0282290	12/2009	Schwarze et al.	N/A	N/A
2010/0286836	12/2009	Shaver, II et al.	N/A	N/A
2010/0288327	12/2009	Lisi et al.	N/A	N/A
2010/0289337	12/2009	Stauth et al.	N/A	N/A
2010/0294528	12/2009	Sella et al.	N/A	N/A
2010/0294903	12/2009	Shmukler et al.	N/A	N/A
2010/0295680	12/2009	Dumps	N/A	N/A
2010/0297860	12/2009	Shmukler et al.	N/A	N/A
2010/0301677	12/2009	Tomita	N/A	N/A
2010/0301991	12/2009	Sella et al.	N/A	N/A
2010/0308662	12/2009	Schatz et al.	N/A	N/A
2010/0309692	12/2009	Chisenga et al.	N/A	N/A
2010/0315043	12/2009	Chau	N/A	N/A
2010/0321148	12/2009	Gevorkian	N/A	N/A
2010/0326809	12/2009	Lang et al.	N/A	N/A

2010/0327657	12/2009	Kuran	N/A	N/A
2010/0327659	12/2009	Lisi et al.	N/A	N/A
2010/0332047	12/2009	Arditi et al.	N/A	N/A
2011/0006743	12/2010	Fabbro	N/A	N/A
2011/0012430	12/2010	Cheng et al.	N/A	N/A
2011/0019444	12/2010	Dargatz et al.	N/A	N/A
2011/0025130	12/2010	Hadar et al.	N/A	N/A
2011/0026282	12/2010	Chapman et al.	N/A	N/A
2011/0027626	12/2010	Lattin	N/A	N/A
2011/0031816	12/2010	Buthker et al.	N/A	N/A
2011/0031946	12/2010	Egan et al.	N/A	N/A
2011/0037600	12/2010	Takehara et al.	N/A	N/A
2011/0043172	12/2010	Dearn	N/A	N/A
2011/0045802	12/2010	Bland et al.	N/A	N/A
2011/0049990	12/2010	Amaratunga et al.	N/A	N/A
2011/0050002	12/2010	De Luca	N/A	N/A
2011/0050190	12/2010	Avrutsky	N/A	N/A
2011/0056533	12/2010	Kuan	N/A	N/A
2011/0061705	12/2010	Croft et al.	N/A	N/A
2011/0061713	12/2010	Powell et al.	N/A	N/A
2011/0062784	12/2010	Wolfs	N/A	N/A
2011/0068633	12/2010	Quardt et al.	N/A	N/A
2011/0079263	12/2010	Avrutsky	N/A	N/A
2011/0080147	12/2010	Schoenlinner et al.	N/A	N/A
2011/0083733	12/2010	Marroquin et al.	N/A	N/A
2011/0084553	12/2010	Adest et al.	N/A	N/A
2011/0088741	12/2010	Dunton et al.	N/A	N/A
2011/0101949	12/2010	Lopata et al.	N/A	N/A
2011/0108087	12/2010	Croft et al.	N/A	N/A
2011/0109158	12/2010	Olsen	N/A	N/A
2011/0114154	12/2010	Lichy et al.	N/A	N/A
2011/0115295	12/2010	Moon et al.	N/A	N/A
2011/0115393	12/2010	He	N/A	N/A
2011/0116294	12/2010	Wolf	N/A	N/A
2011/0121441	12/2010	Halstead et al.	N/A	N/A
2011/0121652	12/2010	Sella et al.	N/A	N/A
2011/0125431	12/2010	Adest et al.	N/A	N/A
2011/0132424	12/2010	Rakib	N/A	N/A
2011/0133552	12/2010	Binder et al.	N/A	N/A
2011/0133556	12/2010	Choi	N/A	N/A
2011/0139213	12/2010	Lee	N/A	N/A
2011/0140535	12/2010	Choi et al.	N/A	N/A
2011/0140536	12/2010	Adest et al.	N/A	N/A
2011/0141644	12/2010	Hastings et al.	N/A	N/A
2011/0144822	12/2010	Choi	N/A	N/A
2011/0161722	12/2010	Makhota et al.	N/A	N/A
2011/0172842	12/2010	Makhota et al.	N/A	N/A
2011/0173276	12/2010	Eizips et al.	N/A	N/A
2011/0179726	12/2010	Pao et al.	N/A	N/A
2011/0181251	12/2010	Porter et al.	N/A	N/A

2011/0181340	12/2010	Gazit	N/A	N/A
2011/0183537	12/2010	Fornage et al.	N/A	N/A
2011/0198935	12/2010	Hinman et al.	N/A	N/A
2011/0210610	12/2010	Mitsuoka et al.	N/A	N/A
2011/0210611	12/2010	Ledenev et al.	N/A	N/A
2011/0210612	12/2010	Leutwein	N/A	N/A
2011/0218687	12/2010	Hadar et al.	N/A	N/A
2011/0227411	12/2010	Arditi	N/A	N/A
2011/0232714	12/2010	Bhavaraju et al.	N/A	N/A
2011/0240100	12/2010	Lu et al.	N/A	N/A
2011/0245989	12/2010	Makhota et al.	N/A	N/A
2011/0246338	12/2010	Eich	N/A	N/A
2011/0254372	12/2010	Haines et al.	N/A	N/A
2011/0260866	12/2010	Avrutsky et al.	N/A	N/A
2011/0267721	12/2010	Chaintreuil et al.	N/A	N/A
2011/0267859	12/2010	Chapman	N/A	N/A
2011/0271611	12/2010	Maracci et al.	N/A	N/A
2011/0273015	12/2010	Adest et al.	N/A	N/A
2011/0273016	12/2010	Adest et al.	N/A	N/A
2011/0273017	12/2010	Borup et al.	N/A	N/A
2011/0273024	12/2010	Butzmann	N/A	N/A
2011/0273302	12/2010	Fornage et al.	N/A	N/A
2011/0278955	12/2010	Signorelli et al.	N/A	N/A
2011/0285205	12/2010	Ledenev et al.	N/A	N/A
2011/0285375	12/2010	Deboy	N/A	N/A
2011/0290317	12/2010	Naumovitz et al.	N/A	N/A
2011/0291486	12/2010	Adest et al.	N/A	N/A
2011/0298288	12/2010	Cho et al.	N/A	N/A
2011/0301772	12/2010	Zuercher et al.	N/A	N/A
2011/0304204	12/2010	Avrutsky et al.	N/A	N/A
2011/0304213	12/2010	Avrutsky et al.	N/A	N/A
2011/0304215	12/2010	Avrutsky et al.	N/A	N/A
2011/0316346	12/2010	Porter et al.	N/A	N/A
2012/0007434	12/2011	Perreault et al.	N/A	N/A
2012/0007558	12/2011	Pigott	N/A	N/A
2012/0007613	12/2011	Gazit	N/A	N/A
2012/0019966	12/2011	DeBoer	N/A	N/A
2012/0026763	12/2011	Humphrey et al.	N/A	N/A
2012/0026769	12/2011	Schroeder et al.	N/A	N/A
2012/0032515	12/2011	Ledenev et al.	N/A	N/A
2012/0033392	12/2011	Golubovic et al.	N/A	N/A
2012/0033463	12/2011	Rodriguez	N/A	N/A
2012/0039099	12/2011	Rodriguez	N/A	N/A
2012/0042588	12/2011	Erickson, Jr.	N/A	N/A
2012/0043818	12/2011	Stratakos et al.	N/A	N/A
2012/0043823	12/2011	Stratakos et al.	N/A	N/A
2012/0044014	12/2011	Stratakos et al.	N/A	N/A
2012/0044717	12/2011	Suntio et al.	N/A	N/A
2012/0048325	12/2011	Matsuo et al.	N/A	N/A
2012/0049627	12/2011	Matsuo et al.	N/A	N/A

2012/0049801	12/2011	Chang	N/A	N/A
2012/0049819	12/2011	Mao et al.	N/A	N/A
2012/0056483	12/2011	Capp et al.	N/A	N/A
2012/0056591	12/2011	Abe et al.	N/A	N/A
2012/0063177	12/2011	Garrity	N/A	N/A
2012/0080943	12/2011	Phadke	N/A	N/A
2012/0081009	12/2011	Shteynberg et al.	N/A	N/A
2012/0081933	12/2011	Garrity	N/A	N/A
2012/0081934	12/2011	Garrity et al.	N/A	N/A
2012/0081937	12/2011	Phadke	N/A	N/A
2012/0087159	12/2011	Chapman et al.	N/A	N/A
2012/0091810	12/2011	Aiello et al.	N/A	N/A
2012/0091817	12/2011	Seymour et al.	N/A	N/A
2012/0098344	12/2011	Bergveld et al.	N/A	N/A
2012/0104861	12/2011	Kojori et al.	N/A	N/A
2012/0104863	12/2011	Yuan	N/A	N/A
2012/0113554	12/2011	Paoletti et al.	N/A	N/A
2012/0119584	12/2011	Hadar et al.	N/A	N/A
2012/0126624	12/2011	Hester et al.	N/A	N/A
2012/0127764	12/2011	Phadke et al.	N/A	N/A
2012/0133372	12/2011	Tsai et al.	N/A	N/A
2012/0134058	12/2011	Pamer et al.	N/A	N/A
2012/0138123	12/2011	Newdoll et al.	N/A	N/A
2012/0139343	12/2011	Adest et al.	N/A	N/A
2012/0146420	12/2011	Wolfs	N/A	N/A
2012/0146583	12/2011	Gaul et al.	N/A	N/A
2012/0161526	12/2011	Huang et al.	N/A	N/A
2012/0161528	12/2011	Mumtaz et al.	N/A	N/A
2012/0169124	12/2011	Nakashima et al.	N/A	N/A
2012/0169291	12/2011	Abe et al.	N/A	N/A
2012/0174961	12/2011	Larson et al.	N/A	N/A
2012/0175961	12/2011	Har-Shai et al.	N/A	N/A
2012/0175963	12/2011	Adest et al.	N/A	N/A
2012/0187769	12/2011	Spannhake et al.	N/A	N/A
2012/0194003	12/2011	Schmidt et al.	N/A	N/A
2012/0199172	12/2011	Avrutsky	N/A	N/A
2012/0200311	12/2011	Chaintreuil	N/A	N/A
2012/0212066	12/2011	Adest et al.	N/A	N/A
2012/0215367	12/2011	Eizips et al.	N/A	N/A
2012/0217797	12/2011	Butzmann	N/A	N/A
2012/0217973	12/2011	Avrutsky	N/A	N/A
2012/0228931	12/2011	Butzmann	N/A	N/A
2012/0240490	12/2011	Gangemi	N/A	N/A
2012/0242156	12/2011	Butzmann et al.	N/A	N/A
2012/0253533	12/2011	Eizips et al.	N/A	N/A
2012/0253541	12/2011	Arditi et al.	N/A	N/A
2012/0255591	12/2011	Arditi et al.	N/A	N/A
2012/0268969	12/2011	Cuk	N/A	N/A
2012/0271576	12/2011	Kamel et al.	N/A	N/A
2012/0274145	12/2011	Taddeo	N/A	N/A

2012/0274264	12/2011	Mun et al.	N/A	N/A
2012/0280571	12/2011	Hargis	N/A	N/A
2012/0299380	12/2011	Haupt	N/A	N/A
2012/0318320	12/2011	Robbins	N/A	N/A
2013/0002335	12/2012	DeGraaff	N/A	N/A
2013/0026839	12/2012	Grana	N/A	N/A
2013/0026840	12/2012	Arditi et al.	N/A	N/A
2013/0026842	12/2012	Arditi et al.	N/A	N/A
2013/0026843	12/2012	Arditi et al.	N/A	N/A
2013/0038124	12/2012	Newdoll et al.	N/A	N/A
2013/0039028	12/2012	Korman et al.	N/A	N/A
2013/0049710	12/2012	Kraft et al.	N/A	N/A
2013/0057223	12/2012	Lee	N/A	N/A
2013/0062956	12/2012	Meyer et al.	N/A	N/A
2013/0062958	12/2012	Erickson, Jr. et al.	N/A	N/A
2013/0063119	12/2012	Lubomirsky	N/A	N/A
2013/0069438	12/2012	Liu et al.	N/A	N/A
2013/0082724	12/2012	Noda et al.	N/A	N/A
2013/0094112	12/2012	Burghardt et al.	N/A	N/A
2013/0094262	12/2012	Avrutsky	N/A	N/A
2013/0134790	12/2012	Amaratunga et al.	N/A	N/A
2013/0175971	12/2012	Har-Shai et al.	N/A	N/A
2013/0181533	12/2012	Capp et al.	N/A	N/A
2013/0192657	12/2012	Hadar et al.	N/A	N/A
2013/0193765	12/2012	Yoscovich	N/A	N/A
2013/0194706	12/2012	Har-Shai et al.	N/A	N/A
2013/0200709	12/2012	Kirchner et al.	N/A	N/A
2013/0200710	12/2012	Robbins	N/A	N/A
2013/0214607	12/2012	Harrison	N/A	N/A
2013/0222144	12/2012	Hadar et al.	N/A	N/A
2013/0229834	12/2012	Garrity et al.	N/A	N/A
2013/0229842	12/2012	Garrity	N/A	N/A
2013/0234518	12/2012	Mumtaz et al.	N/A	N/A
2013/0235637	12/2012	Rodriguez	N/A	N/A
2013/0269181	12/2012	McBride et al.	N/A	N/A
2013/0271096	12/2012	Inagaki	N/A	N/A
2013/0279210	12/2012	Chisenga et al.	N/A	N/A
2013/0285459	12/2012	Jaoui et al.	N/A	N/A
2013/0294126	12/2012	Garrity et al.	N/A	N/A
2013/0307556	12/2012	Ledenev et al.	N/A	N/A
2013/0313909	12/2012	Storbeck et al.	N/A	N/A
2013/0320778	12/2012	Hopf et al.	N/A	N/A
2013/0321013	12/2012	Pisklak et al.	N/A	N/A
2013/0328541	12/2012	Euler et al.	N/A	N/A
2013/0332093	12/2012	Adest et al.	N/A	N/A
2013/0335861	12/2012	Laschinski et al.	N/A	N/A
2014/0062206	12/2013	Bryson	N/A	N/A
2014/0062209	12/2013	Liu et al.	N/A	N/A
2014/0062396	12/2013	Reddy	N/A	N/A
2014/0077756	12/2013	Kataoka et al.	N/A	N/A

2014/0097808	12/2013	Clark et al.	N/A	N/A
2014/0119072	12/2013	Behrends et al.	N/A	N/A
2014/0119076	12/2013	Chang et al.	N/A	N/A
2014/0167715	12/2013	Wu et al.	N/A	N/A
2014/0169053	12/2013	Ilic et al.	N/A	N/A
2014/0191583	12/2013	Chisenga et al.	N/A	N/A
2014/0210485	12/2013	Lang et al.	N/A	N/A
2014/0233136	12/2013	Heerd	N/A	N/A
2014/0246915	12/2013	Mumtaz	N/A	N/A
2014/0246927	12/2013	Mumtaz	N/A	N/A
2014/0252859	12/2013	Chisenga et al.	N/A	N/A
2014/0265551	12/2013	Willis	N/A	N/A
2014/0265579	12/2013	Mumtaz	N/A	N/A
2014/0265629	12/2013	Gazit et al.	N/A	N/A
2014/0265638	12/2013	Orr et al.	N/A	N/A
2014/0268913	12/2013	Zheng et al.	N/A	N/A
2014/0277796	12/2013	Peskin et al.	N/A	N/A
2014/0293491	12/2013	Robbins	N/A	N/A
2014/0306543	12/2013	Garrity et al.	N/A	N/A
2014/0327313	12/2013	Arditi et al.	N/A	N/A
2014/0327995	12/2013	Panjwani et al.	N/A	N/A
2014/0354245	12/2013	Batikoff et al.	N/A	N/A
2015/0022006	12/2014	Garrity et al.	N/A	N/A
2015/0028683	12/2014	Hadar et al.	N/A	N/A
2015/0028692	12/2014	Makhota et al.	N/A	N/A
2015/0061409	12/2014	Dunton et al.	N/A	N/A
2015/0069844	12/2014	Wu et al.	N/A	N/A
2015/0100265	12/2014	Duchemin	N/A	N/A
2015/0103572	12/2014	Jean	N/A	N/A
2015/0131187	12/2014	Krein et al.	N/A	N/A
2015/0161872	12/2014	Beaulieu et al.	N/A	N/A
2015/0171789	12/2014	Har-Shai et al.	N/A	N/A
2015/0183328	12/2014	Kusch et al.	N/A	N/A
2015/0188415	12/2014	Abido et al.	N/A	N/A
2015/0214889	12/2014	Nam et al.	N/A	N/A
2015/0236589	12/2014	Baba	N/A	N/A
2015/0263609	12/2014	Weida et al.	N/A	N/A
2015/0318410	12/2014	Higuma	N/A	N/A
2015/0351264	12/2014	Linderman	N/A	N/A
2015/0364918	12/2014	Singh et al.	N/A	N/A
2015/0372490	12/2014	Bakas et al.	N/A	N/A
2015/0381108	12/2014	Hoft et al.	N/A	N/A
2015/0381111	12/2014	Nicolescu et al.	N/A	N/A
2016/0006392	12/2015	Hoft	N/A	N/A
2016/0036235	12/2015	Getsla	N/A	N/A
2016/0126367	12/2015	Dunton et al.	N/A	N/A
2016/0172900	12/2015	Welch, Jr.	N/A	N/A
2016/0181802	12/2015	Jacobson et al.	N/A	N/A
2016/0190931	12/2015	Zhang	N/A	N/A
2016/0211841	12/2015	Harrison	N/A	N/A

2016/0226252	12/2015	Kravtiz et al.	N/A	N/A
2016/0226257	12/2015	Porter et al.	N/A	N/A
2016/0241039	12/2015	Cheng et al.	N/A	N/A
2016/0268809	12/2015	Ledenev et al.	N/A	N/A
2016/0270245	12/2015	Linderman	N/A	N/A
2016/0276820	12/2015	Olivas et al.	N/A	N/A
2016/0293115	12/2015	Yamashita et al.	N/A	N/A
2016/0329715	12/2015	Orr et al.	N/A	N/A
2016/0336899	12/2015	Ledenev et al.	N/A	N/A
2016/0380436	12/2015	Porter et al.	N/A	N/A
2017/0104413	12/2016	Busch et al.	N/A	N/A
2017/0138804	12/2016	Lebental et al.	N/A	N/A
2017/0179876	12/2016	Freeman et al.	N/A	N/A
2017/0179886	12/2016	Oishi et al.	N/A	N/A
2017/0184343	12/2016	Freer et al.	N/A	N/A
2017/0207746	12/2016	Yoscovich et al.	N/A	N/A
2017/0211190	12/2016	Glasscock et al.	N/A	N/A
2017/0222542	12/2016	Adest et al.	N/A	N/A
2017/0271879	12/2016	Ledenev et al.	N/A	N/A
2017/0278375	12/2016	Galin et al.	N/A	N/A
2017/0288384	12/2016	Loewenstern et al.	N/A	N/A
2017/0331325	12/2016	Ristau	N/A	N/A
2018/0034411	12/2017	Charles et al.	N/A	N/A
2018/0145593	12/2017	Xi et al.	N/A	N/A
2018/0191292	12/2017	Ehlmann	N/A	N/A
2018/0248513	12/2017	Höft	N/A	N/A
2018/0351401	12/2017	Binder et al.	N/A	N/A
2019/0379279	12/2018	Adest et al.	N/A	N/A
2019/0393834	12/2018	Har-Shai et al.	N/A	N/A
2020/0176937	12/2019	Azad	N/A	N/A
2020/0279963	12/2019	Yoscovich et al.	N/A	N/A
2020/0373841	12/2019	Xie et al.	N/A	N/A
2021/0036557	12/2020	Haug et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2073800	12/1999	AU	N/A
2005262278	12/2005	AU	N/A
2009202125	12/2008	AU	N/A
2012225199	12/2012	AU	N/A
1183574	12/1984	CA	N/A
2063243	12/1990	CA	N/A
2301657	12/1998	CA	N/A
2394761	12/2000	CA	N/A
2658087	12/2000	CA	N/A
2443450	12/2004	CA	N/A
2572452	12/2005	CA	N/A
2613038	12/2006	CA	N/A
2704605	12/2008	CA	N/A
2702392	12/2014	CA	N/A

2071396	12/1996	CN	N/A
1106523	12/1994	CN	N/A
2284479	12/1997	CN	N/A
1188453	12/1997	CN	N/A
2305016	12/1998	CN	N/A
1236213	12/1998	CN	N/A
1244745	12/1999	CN	N/A
1262552	12/1999	CN	N/A
1064487	12/2000	CN	N/A
1309451	12/2000	CN	N/A
1362655	12/2001	CN	N/A
2514538	12/2001	CN	N/A
1122905	12/2002	CN	N/A
2579063	12/2002	CN	N/A
1474492	12/2003	CN	N/A
1523726	12/2003	CN	N/A
1551377	12/2003	CN	N/A
1185782	12/2004	CN	N/A
2672668	12/2004	CN	N/A
2672938	12/2004	CN	N/A
1588773	12/2004	CN	N/A
1201157	12/2004	CN	N/A
1614854	12/2004	CN	N/A
2706955	12/2004	CN	N/A
1245795	12/2005	CN	N/A
1787717	12/2005	CN	N/A
1794537	12/2005	CN	N/A
1838191	12/2005	CN	N/A
1841254	12/2005	CN	N/A
1841823	12/2005	CN	N/A
1848588	12/2005	CN	N/A
1892239	12/2006	CN	N/A
1902809	12/2006	CN	N/A
1929276	12/2006	CN	N/A
1930925	12/2006	CN	N/A
1933315	12/2006	CN	N/A
2891438	12/2006	CN	N/A
101030752	12/2006	CN	N/A
101050770	12/2006	CN	N/A
101107712	12/2007	CN	N/A
100371843	12/2007	CN	N/A
101128974	12/2007	CN	N/A
101136129	12/2007	CN	N/A
101180781	12/2007	CN	N/A
101257221	12/2007	CN	N/A
100426175	12/2007	CN	N/A
201167381	12/2007	CN	N/A
201203438	12/2008	CN	N/A
100487970	12/2008	CN	N/A
101488271	12/2008	CN	N/A

101521459	12/2008	CN	N/A
101523230	12/2008	CN	N/A
101647172	12/2009	CN	N/A
101672252	12/2009	CN	N/A
101697462	12/2009	CN	N/A
101779291	12/2009	CN	N/A
101847939	12/2009	CN	N/A
201601477	12/2009	CN	N/A
201623478	12/2009	CN	N/A
201623651	12/2009	CN	N/A
101902051	12/2009	CN	N/A
101902171	12/2009	CN	N/A
101904015	12/2009	CN	N/A
201663167	12/2009	CN	N/A
101939660	12/2010	CN	N/A
101951011	12/2010	CN	N/A
101951190	12/2010	CN	N/A
101953051	12/2010	CN	N/A
101953060	12/2010	CN	N/A
101976855	12/2010	CN	N/A
101976952	12/2010	CN	N/A
101980409	12/2010	CN	N/A
102084584	12/2010	CN	N/A
102089883	12/2010	CN	N/A
102117815	12/2010	CN	N/A
102148584	12/2010	CN	N/A
201926948	12/2010	CN	N/A
201956938	12/2010	CN	N/A
202034903	12/2010	CN	N/A
102273039	12/2010	CN	N/A
202103601	12/2011	CN	N/A
102362550	12/2011	CN	N/A
102386259	12/2011	CN	N/A
202178274	12/2011	CN	N/A
102474112	12/2011	CN	N/A
102565635	12/2011	CN	N/A
102771017	12/2011	CN	N/A
102845136	12/2011	CN	N/A
202871823	12/2012	CN	N/A
103227475	12/2012	CN	N/A
103280768	12/2012	CN	N/A
103299501	12/2012	CN	N/A
203367304	12/2012	CN	N/A
103548226	12/2013	CN	N/A
103580463	12/2013	CN	N/A
103875144	12/2013	CN	N/A
104143916	12/2013	CN	N/A
104158482	12/2013	CN	N/A
104253585	12/2013	CN	N/A
104488155	12/2014	CN	N/A

104685785	12/2014	CN	N/A
104779636	12/2014	CN	N/A
105075046	12/2014	CN	N/A
105164915	12/2014	CN	N/A
105490298	12/2015	CN	N/A
105553422	12/2015	CN	N/A
205609261	12/2015	CN	N/A
106093721	12/2015	CN	N/A
207304483	12/2017	CN	N/A
1161639	12/1963	DE	N/A
3236071	12/1983	DE	N/A
3525630	12/1986	DE	N/A
3729000	12/1988	DE	N/A
4019710	12/1991	DE	N/A
4032569	12/1991	DE	N/A
4041672	12/1991	DE	N/A
9312710	12/1992	DE	N/A
4232356	12/1993	DE	N/A
4325436	12/1994	DE	N/A
4328511	12/1994	DE	N/A
19515786	12/1994	DE	N/A
19502762	12/1995	DE	N/A
19614861	12/1996	DE	N/A
19609189	12/1996	DE	N/A
19618882	12/1996	DE	N/A
19701897	12/1997	DE	N/A
19718046	12/1997	DE	N/A
19732218	12/1998	DE	N/A
19737286	12/1998	DE	N/A
19838230	12/1999	DE	N/A
19846818	12/1999	DE	N/A
19859732	12/1999	DE	N/A
19904561	12/1999	DE	N/A
19928809	12/2000	DE	N/A
019937410	12/2000	DE	N/A
19961705	12/2000	DE	N/A
10064039	12/2000	DE	N/A
10060108	12/2001	DE	N/A
10103431	12/2001	DE	N/A
10136147	12/2002	DE	N/A
10219956	12/2002	DE	N/A
10222621	12/2002	DE	N/A
202004001246	12/2003	DE	N/A
10345302	12/2004	DE	N/A
102004043478	12/2004	DE	N/A
102004053942	12/2005	DE	N/A
102004037446	12/2005	DE	N/A
69734495	12/2005	DE	N/A
69735169	12/2005	DE	N/A
102005012213	12/2005	DE	N/A

102005018173	12/2005	DE	N/A
20 2005 020161	12/2005	DE	N/A
102005036153	12/2005	DE	N/A
102005030907	12/2006	DE	N/A
102005032864	12/2006	DE	N/A
102006023563	12/2006	DE	N/A
102006026073	12/2006	DE	N/A
202007002077	12/2007	DE	N/A
102006060815	12/2007	DE	N/A
602004011201	12/2007	DE	N/A
102007051134	12/2008	DE	N/A
202008012345	12/2008	DE	N/A
102007037130	12/2008	DE	N/A
102007050031	12/2008	DE	N/A
202009007318	12/2008	DE	N/A
102008042199	12/2009	DE	N/A
102008057874	12/2009	DE	N/A
102009051186	12/2009	DE	N/A
102009022569	12/2009	DE	N/A
102010023549	12/2010	DE	N/A
202011109688	12/2011	DE	N/A
102013101314	12/2013	DE	N/A
102013106255	12/2013	DE	N/A
102013106808	12/2013	DE	N/A
102016117229	12/2017	DE	N/A
0027405	12/1980	EP	N/A
169673	12/1985	EP	N/A
0178757	12/1985	EP	N/A
0206253	12/1985	EP	N/A
0231211	12/1986	EP	N/A
0293219	12/1987	EP	N/A
0340006	12/1988	EP	N/A
0418612	12/1990	EP	N/A
419093	12/1990	EP	N/A
420295	12/1990	EP	N/A
0521467	12/1992	EP	N/A
0576271	12/1992	EP	N/A
0577334	12/1993	EP	N/A
604777	12/1993	EP	N/A
0628901	12/1993	EP	N/A
0642199	12/1994	EP	N/A
653692	12/1994	EP	N/A
0670915	12/1994	EP	N/A
677749	12/1994	EP	N/A
756178	12/1996	EP	N/A
0756372	12/1996	EP	N/A
0780750	12/1996	EP	N/A
0809293	12/1996	EP	N/A
824273	12/1997	EP	N/A
827254	12/1997	EP	N/A

0895146	12/1998	EP	N/A
0906660	12/1998	EP	N/A
0947904	12/1998	EP	N/A
0947905	12/1998	EP	N/A
964415	12/1998	EP	N/A
0978884	12/1999	EP	N/A
1012886	12/1999	EP	N/A
1024575	12/1999	EP	N/A
1034465	12/1999	EP	N/A
1035640	12/1999	EP	N/A
1039361	12/1999	EP	N/A
1039620	12/1999	EP	N/A
1039621	12/1999	EP	N/A
1047179	12/1999	EP	N/A
1130770	12/2000	EP	N/A
1143594	12/2000	EP	N/A
1187291	12/2001	EP	N/A
1235339	12/2001	EP	N/A
1239573	12/2001	EP	N/A
1239576	12/2001	EP	N/A
1254505	12/2001	EP	N/A
1271742	12/2002	EP	N/A
1291997	12/2002	EP	N/A
1330009	12/2002	EP	N/A
1339153	12/2002	EP	N/A
1369983	12/2002	EP	N/A
1376706	12/2003	EP	N/A
1388774	12/2003	EP	N/A
1400988	12/2003	EP	N/A
1407534	12/2003	EP	N/A
1120895	12/2003	EP	N/A
1418482	12/2003	EP	N/A
1429393	12/2003	EP	N/A
1442473	12/2003	EP	N/A
1447561	12/2003	EP	N/A
1457857	12/2003	EP	N/A
1463188	12/2003	EP	N/A
1475882	12/2003	EP	N/A
1503490	12/2004	EP	N/A
1521345	12/2004	EP	N/A
1526633	12/2004	EP	N/A
1531542	12/2004	EP	N/A
1531545	12/2004	EP	N/A
1532727	12/2004	EP	N/A
1552563	12/2004	EP	N/A
1562281	12/2004	EP	N/A
1580862	12/2004	EP	N/A
1603212	12/2004	EP	N/A
1610571	12/2004	EP	N/A
1623495	12/2005	EP	N/A

1642355	12/2005	EP	N/A
0964457	12/2005	EP	N/A
1657557	12/2005	EP	N/A
1657797	12/2005	EP	N/A
1684397	12/2005	EP	N/A
1691246	12/2005	EP	N/A
1706937	12/2005	EP	N/A
1708070	12/2005	EP	N/A
1716272	12/2005	EP	N/A
1728413	12/2005	EP	N/A
1734373	12/2005	EP	N/A
1750193	12/2006	EP	N/A
1766490	12/2006	EP	N/A
1782146	12/2006	EP	N/A
1785800	12/2006	EP	N/A
1837985	12/2006	EP	N/A
1842121	12/2006	EP	N/A
1609250	12/2007	EP	N/A
1887675	12/2007	EP	N/A
1901419	12/2007	EP	N/A
1902349	12/2007	EP	N/A
1911101	12/2007	EP	N/A
1914857	12/2007	EP	N/A
2048679	12/2008	EP	N/A
2054944	12/2008	EP	N/A
2061088	12/2008	EP	N/A
2092625	12/2008	EP	N/A
2092631	12/2008	EP	N/A
2130286	12/2008	EP	N/A
2135296	12/2008	EP	N/A
2135348	12/2008	EP	N/A
2144133	12/2009	EP	N/A
2179451	12/2009	EP	N/A
2206159	12/2009	EP	N/A
2232690	12/2009	EP	N/A
2234237	12/2009	EP	N/A
2249457	12/2009	EP	N/A
2256819	12/2009	EP	N/A
2315328	12/2010	EP	N/A
2355268	12/2010	EP	N/A
2374190	12/2010	EP	N/A
2386122	12/2010	EP	N/A
2393178	12/2010	EP	N/A
2395648	12/2010	EP	N/A
2495766	12/2011	EP	N/A
2515424	12/2011	EP	N/A
2533299	12/2011	EP	N/A
2549635	12/2012	EP	N/A
2561596	12/2012	EP	N/A
2581941	12/2012	EP	N/A

2615644	12/2012	EP	N/A
2621045	12/2012	EP	N/A
2666222	12/2012	EP	N/A
2722979	12/2013	EP	N/A
2779251	12/2013	EP	N/A
3176933	12/2016	EP	N/A
2139104	12/2016	EP	N/A
3252909	12/2016	EP	N/A
3382871	12/2017	EP	N/A
2249147	12/2005	ES	N/A
2249149	12/2005	ES	N/A
2796216	12/2000	FR	N/A
2819653	12/2001	FR	N/A
2894401	12/2006	FR	N/A
310362	12/1928	GB	N/A
612859	12/1947	GB	N/A
1211885	12/1969	GB	N/A
1231961	12/1970	GB	N/A
1261838	12/1971	GB	N/A
1571681	12/1979	GB	N/A
1597508	12/1980	GB	N/A
2128017	12/1983	GB	N/A
2327208	12/1998	GB	N/A
2339465	12/1999	GB	N/A
2376801	12/2001	GB	N/A
2399463	12/2003	GB	N/A
2399465	12/2003	GB	N/A
2415841	12/2005	GB	N/A
2419968	12/2005	GB	N/A
2421847	12/2005	GB	N/A
2434490	12/2006	GB	N/A
2476508	12/2010	GB	N/A
2480015	12/2010	GB	N/A
2482653	12/2011	GB	N/A
2483317	12/2011	GB	N/A
2485527	12/2011	GB	N/A
2486408	12/2011	GB	N/A
2487368	12/2011	GB	N/A
2497275	12/2012	GB	N/A
2498365	12/2012	GB	N/A
2498790	12/2012	GB	N/A
2498791	12/2012	GB	N/A
2499991	12/2012	GB	N/A
S56042365	12/1980	JP	N/A
S60027964	12/1984	JP	N/A
S60148172	12/1984	JP	N/A
61065320	12/1985	JP	N/A
S62154121	12/1986	JP	N/A
S62154122	12/1986	JP	N/A
H01311874	12/1988	JP	N/A

H04219982	12/1991	JP	N/A
H04364378	12/1991	JP	N/A
H05003678	12/1992	JP	N/A
H06035555	12/1993	JP	N/A
H06141261	12/1993	JP	N/A
H07026849	12/1994	JP	N/A
H07058843	12/1994	JP	N/A
H07-222436	12/1994	JP	N/A
H07322529	12/1994	JP	N/A
8009557	12/1995	JP	N/A
H08033347	12/1995	JP	N/A
H08066050	12/1995	JP	N/A
H0897460	12/1995	JP	N/A
08138754	12/1995	JP	N/A
H08116628	12/1995	JP	N/A
H08181343	12/1995	JP	N/A
H08185235	12/1995	JP	N/A
H08204220	12/1995	JP	N/A
H08227324	12/1995	JP	N/A
H08316517	12/1995	JP	N/A
H08317664	12/1995	JP	N/A
097644	12/1996	JP	N/A
H094692	12/1996	JP	N/A
H09097918	12/1996	JP	N/A
H09148611	12/1996	JP	N/A
H09148613	12/1996	JP	N/A
H09275644	12/1996	JP	N/A
2676789	12/1996	JP	N/A
H1017445	12/1997	JP	N/A
H1075580	12/1997	JP	N/A
H10201086	12/1997	JP	N/A
H10201105	12/1997	JP	N/A
H10308523	12/1997	JP	N/A
11041832	12/1998	JP	N/A
H1146457	12/1998	JP	N/A
11103538	12/1998	JP	N/A
2892183	12/1998	JP	N/A
11206038	12/1998	JP	N/A
H11266545	12/1998	JP	N/A
11289891	12/1998	JP	N/A
11318042	12/1998	JP	N/A
H11332088	12/1998	JP	N/A
2000020150	12/1999	JP	N/A
2000051074	12/1999	JP	N/A
3015512	12/1999	JP	N/A
2000-112545	12/1999	JP	N/A
2000-116010	12/1999	JP	N/A
2000160789	12/1999	JP	N/A
2000166097	12/1999	JP	N/A
2000174307	12/1999	JP	N/A

2000232791	12/1999	JP	N/A
2000232793	12/1999	JP	N/A
2000316282	12/1999	JP	N/A
2000324852	12/1999	JP	N/A
2000339044	12/1999	JP	N/A
2000341974	12/1999	JP	N/A
2000347753	12/1999	JP	N/A
2000358330	12/1999	JP	N/A
200185716	12/2000	JP	N/A
2001060120	12/2000	JP	N/A
2001075662	12/2000	JP	N/A
2001086765	12/2000	JP	N/A
2001178145	12/2000	JP	N/A
2001189476	12/2000	JP	N/A
2001224142	12/2000	JP	N/A
2001238466	12/2000	JP	N/A
2001250964	12/2000	JP	N/A
2001255949	12/2000	JP	N/A
2001-320827	12/2000	JP	N/A
2002073184	12/2001	JP	N/A
2002231578	12/2001	JP	N/A
2002238246	12/2001	JP	N/A
2002-262461	12/2001	JP	N/A
2002270876	12/2001	JP	N/A
2002300735	12/2001	JP	N/A
2002339591	12/2001	JP	N/A
2002354677	12/2001	JP	N/A
2003068312	12/2002	JP	N/A
2003102134	12/2002	JP	N/A
2003124492	12/2002	JP	N/A
2003132959	12/2002	JP	N/A
2003132960	12/2002	JP	N/A
2003134661	12/2002	JP	N/A
2003134667	12/2002	JP	N/A
2003168487	12/2002	JP	N/A
2003282916	12/2002	JP	N/A
2003289674	12/2002	JP	N/A
3499941	12/2003	JP	N/A
2004047279	12/2003	JP	N/A
2004055603	12/2003	JP	N/A
2004-096090	12/2003	JP	N/A
2004111754	12/2003	JP	N/A
2004-147465	12/2003	JP	N/A
2004194500	12/2003	JP	N/A
2004260944	12/2003	JP	N/A
2004-334704	12/2003	JP	N/A
2004312994	12/2003	JP	N/A
2005-151662	12/2004	JP	N/A
3656531	12/2004	JP	N/A
2005192314	12/2004	JP	N/A

2005-235082	12/2004	JP	N/A
2005251039	12/2004	JP	N/A
2005-276942	12/2004	JP	N/A
2005283516	12/2004	JP	N/A
2005-312287	12/2004	JP	N/A
2006041440	12/2005	JP	N/A
2006262619	12/2005	JP	N/A
2006271083	12/2005	JP	N/A
2006278755	12/2005	JP	N/A
2007058845	12/2006	JP	N/A
2007104872	12/2006	JP	N/A
2007225625	12/2006	JP	N/A
4174227	12/2007	JP	N/A
2010-146047	12/2009	JP	N/A
2010245532	12/2009	JP	N/A
2011-055634	12/2010	JP	N/A
2011-249790	12/2010	JP	N/A
2012-60714	12/2011	JP	N/A
2012511299	12/2011	JP	N/A
2012178535	12/2011	JP	N/A
2015-233386	12/2014	JP	N/A
20010044490	12/2000	KR	N/A
20030050390	12/2002	KR	N/A
20040086088	12/2003	KR	N/A
100468127	12/2004	KR	N/A
200402282	12/2004	KR	N/A
20060060825	12/2005	KR	N/A
20070036528	12/2006	KR	N/A
100725755	12/2006	KR	N/A
20080092747	12/2007	KR	N/A
100912892	12/2008	KR	N/A
101073143	12/2010	KR	N/A
1011483	12/1999	NL	N/A
497326	12/2001	TW	N/A
200913291	12/2008	TW	N/A
8202134	12/1981	WO	N/A
1984003402	12/1983	WO	N/A
1988004801	12/1987	WO	N/A
9003680	12/1989	WO	N/A
1992007418	12/1991	WO	N/A
1993013587	12/1992	WO	N/A
95/25374	12/1994	WO	N/A
95/34121	12/1994	WO	N/A
1996007130	12/1995	WO	N/A
1996013093	12/1995	WO	N/A
1998023021	12/1997	WO	N/A
1999028801	12/1998	WO	N/A
00/00839	12/1999	WO	N/A
00/21178	12/1999	WO	N/A
0042689	12/1999	WO	N/A

0075947	12/1999	WO	N/A
0077522	12/1999	WO	N/A
01/13502	12/2000	WO	N/A
01047095	12/2000	WO	N/A
02/17469	12/2001	WO	N/A
0231517	12/2001	WO	N/A
02056126	12/2001	WO	N/A
2002073785	12/2001	WO	N/A
02078164	12/2001	WO	N/A
02093655	12/2001	WO	N/A
03012569	12/2002	WO	N/A
03/026114	12/2002	WO	N/A
2003036688	12/2002	WO	N/A
2003050938	12/2002	WO	N/A
2003071655	12/2002	WO	N/A
03084041	12/2002	WO	N/A
2003098703	12/2002	WO	N/A
2004001942	12/2002	WO	N/A
2004006342	12/2003	WO	N/A
2004008619	12/2003	WO	N/A
2004023278	12/2003	WO	N/A
2004053993	12/2003	WO	N/A
2004090993	12/2003	WO	N/A
2004098261	12/2003	WO	N/A
2004100344	12/2003	WO	N/A
2004100348	12/2003	WO	N/A
2004107543	12/2003	WO	N/A
2005015584	12/2004	WO	N/A
2005027300	12/2004	WO	N/A
2005036725	12/2004	WO	N/A
2005053189	12/2004	WO	N/A
2005069096	12/2004	WO	N/A
2005076444	12/2004	WO	N/A
2005076445	12/2004	WO	N/A
2005089030	12/2004	WO	N/A
2005112551	12/2004	WO	N/A
2005119278	12/2004	WO	N/A
2005119609	12/2004	WO	N/A
2005124498	12/2004	WO	N/A
2006002380	12/2005	WO	N/A
2006005125	12/2005	WO	N/A
2006007198	12/2005	WO	N/A
2006011071	12/2005	WO	N/A
2006011359	12/2005	WO	N/A
2006013600	12/2005	WO	N/A
2006033143	12/2005	WO	N/A
2006045016	12/2005	WO	N/A
2006048688	12/2005	WO	N/A
2006048689	12/2005	WO	N/A
2006/074561	12/2005	WO	N/A

2006071436	12/2005	WO	N/A
2006078685	12/2005	WO	N/A
2006079503	12/2005	WO	N/A
2006089778	12/2005	WO	N/A
2006110613	12/2005	WO	N/A
2006/125664	12/2005	WO	N/A
2006117551	12/2005	WO	N/A
2006130520	12/2005	WO	N/A
2006137948	12/2005	WO	N/A
2007006564	12/2006	WO	N/A
2007007360	12/2006	WO	N/A
2007010326	12/2006	WO	N/A
2007/020419	12/2006	WO	N/A
2007048421	12/2006	WO	N/A
2007072517	12/2006	WO	N/A
2007073951	12/2006	WO	N/A
2007080429	12/2006	WO	N/A
2007084196	12/2006	WO	N/A
2007090476	12/2006	WO	N/A
2006124130	12/2006	WO	N/A
2007113358	12/2006	WO	N/A
2007124518	12/2006	WO	N/A
2007129808	12/2006	WO	N/A
2007142693	12/2006	WO	N/A
2008008528	12/2007	WO	N/A
2008026207	12/2007	WO	N/A
2008/046370	12/2007	WO	N/A
2008/077473	12/2007	WO	N/A
2008069926	12/2007	WO	N/A
2008097591	12/2007	WO	N/A
2008119034	12/2007	WO	N/A
2008121266	12/2007	WO	N/A
2008125915	12/2007	WO	N/A
2008132551	12/2007	WO	N/A
2008132553	12/2007	WO	N/A
2008142480	12/2007	WO	N/A
2009003680	12/2008	WO	N/A
2009006879	12/2008	WO	N/A
2009007782	12/2008	WO	N/A
2009011780	12/2008	WO	N/A
2009020917	12/2008	WO	N/A
2009/026602	12/2008	WO	N/A
2009046533	12/2008	WO	N/A
2009051221	12/2008	WO	N/A
2009051222	12/2008	WO	N/A
2009051853	12/2008	WO	N/A
2009051854	12/2008	WO	N/A
2009051870	12/2008	WO	N/A
2009055474	12/2008	WO	N/A
2009/059877	12/2008	WO	N/A

2009056957	12/2008	WO	N/A
2009059028	12/2008	WO	N/A
2009064683	12/2008	WO	N/A
2009/072075	12/2008	WO	N/A
2009/073867	12/2008	WO	N/A
2009072076	12/2008	WO	N/A
2009072077	12/2008	WO	N/A
2009073868	12/2008	WO	N/A
2009073995	12/2008	WO	N/A
2009075985	12/2008	WO	N/A
2009098729	12/2008	WO	N/A
2009114341	12/2008	WO	N/A
2009118682	12/2008	WO	N/A
2009118683	12/2008	WO	N/A
2009136358	12/2008	WO	N/A
2009140539	12/2008	WO	N/A
2009140543	12/2008	WO	N/A
2009155392	12/2008	WO	N/A
2010/002960	12/2009	WO	N/A
2010/003941	12/2009	WO	N/A
2009/140536	12/2009	WO	N/A
2009/140551	12/2009	WO	N/A
2010014116	12/2009	WO	N/A
2010020385	12/2009	WO	N/A
2010/042124	12/2009	WO	N/A
2010037393	12/2009	WO	N/A
2010056777	12/2009	WO	N/A
2010/071855	12/2009	WO	N/A
2010062410	12/2009	WO	N/A
2010062662	12/2009	WO	N/A
2010065043	12/2009	WO	N/A
2010065388	12/2009	WO	N/A
2010072717	12/2009	WO	N/A
2010078303	12/2009	WO	N/A
2010080672	12/2009	WO	N/A
2010091025	12/2009	WO	N/A
2010094012	12/2009	WO	N/A
2010118503	12/2009	WO	N/A
2010120315	12/2009	WO	N/A
2010/132369	12/2009	WO	N/A
20100134057	12/2009	WO	N/A
2011005339	12/2010	WO	N/A
2011011711	12/2010	WO	N/A
2011014275	12/2010	WO	N/A
2011017721	12/2010	WO	N/A
2011019936	12/2010	WO	N/A
2011023732	12/2010	WO	N/A
2011028456	12/2010	WO	N/A
2011028457	12/2010	WO	N/A
2011044641	12/2010	WO	N/A

2011049985	12/2010	WO	N/A
2011059067	12/2010	WO	N/A
2011074025	12/2010	WO	N/A
2011076707	12/2010	WO	N/A
2011085259	12/2010	WO	N/A
2011089607	12/2010	WO	N/A
2011109746	12/2010	WO	N/A
2011119587	12/2010	WO	N/A
2011133843	12/2010	WO	N/A
2011133928	12/2010	WO	N/A
2011151672	12/2010	WO	N/A
2012024538	12/2011	WO	N/A
2012100263	12/2011	WO	N/A
2013015921	12/2012	WO	N/A
2013019899	12/2012	WO	N/A
2013064828	12/2012	WO	N/A
2013130563	12/2012	WO	N/A
2014143021	12/2013	WO	N/A
2017/125375	12/2016	WO	N/A
2018122835	12/2017	WO	N/A

OTHER PUBLICATIONS

Mar. 4-8, 2001—Andersen Gert, et al.,—Aalborg University, Institute of Energy Technology, Denmark—“Current Programmed Control of a Single Phase Two-Switch Buck-Boost Power Factor Correction Circuit”—Applied Power Electronics Conference and Exposition, 2001. APEC 2001. Sixteenth Annual IEEE. cited by applicant

Feb. 22-26, 2004—Andersen, Gert et al.,—“Utilizing the free running Current Programmed Control as a Power Factor Correction Technique for the two switch Buck-Boost converter”—Applied Power Electronic Conference and Exposition, 2004. APEC '04. Nineteenth Annual IEEE. cited by applicant

Mar. 3-7, 1996—Caricchi F et al.,—“Prototype of Innovative Wheel Direct Drive With Water-Cooled Exial-Flux Motor for Electric Vehicle Applications”—Applied Power Electronics Conference and Expositions, 1996. APEC '96. Conference Proceedings 1996., Eleventh Annual IEEE. cited by applicant

Feb. 15-19, 1998—Caricchi, F. et al.,—“Study of Bi-Directional Buck-Boost Converter Topologies for Application in Electrical Vehicle Motor Drives”—Applied Power Electronics Conference and Exposition, 1998, APEC '98. Conference Proceedings 1998., Thirteenth Annual IEEE. cited by applicant

Nov. 27-30, 1990—Ensling, JHR—“Maximum Power Point Tracking: A Cost Saving Necessity in Solar Energy Systems”—Industrial Electornics Society, 1990. IECON '90., 16th Annual Conference of IEEE. cited by applicant

Feb. 22-26, 2004—Gaboriault, Mark et al.,—“A High Efficiency, Non-Inverting, Buck-Boost DC-DC Converter”—Applied Power Electronics Conference and Exposition, 2004. APEC '04. Nineteenth Annual IEEE. cited by applicant

Feb. 15-19, 1998—Hua, et al.,—“Comparative Study of Peak Power Tracking Techniques for Solar Storage System”—Applied Power Electronics Conference and Exposition, 1998. APEC'98. Conferenced Proceedings 1998., Thirteenth Annual IEEE. cited by applicant

Jun. 20-24, 1993—Sullivan, et al., “A High-Efficiency Maximum Power Point Tracker for Photovoltaic Arrays in a Solar-Powered Race Vehicle”—University of California, Berkeley, Department of Electrical Engineering and OComputer Sciences—Power Electronics Specialists

Conference, 1993. PESC '93 Record., 24th Annual IEEE. cited by applicant

May 19-24, 2002—Bower et al.,—“Certification of Photovoltaic Inverters: The Initial Step Toward PV System Certification”—Photovoltaic Specialists Conferences, 2002. Conference Record of the Twenty-Ninth IEEE. cited by applicant

Jun. 17-21, 2001—Tse et al., “A Novel Maximum Power Point Tracking Technique for PV Panels”—Power Electronics Specialists Conferences, 2001. PESC. 2001 IEEE 32nd Annual. cited by applicant

May 12-18, 2008—Cuadras et al., “Smart Interfaces for Low Power Energy Harvesting Systems”—Instrumentation and Measurement Technology Conferences Proceedings, 2008. IMTC 2008. IEEE. cited by applicant

Dec. 5-9, 1994—Haan, et al., “Test Results of a 130 W AC Module; a modular solar as power station”—Photovoltaic Energy Conversion 1994. Conference Record of the Twenty Fourth. IEEE Photovoltaic Specialists Conference—1994. cited by applicant

Sep. 1-3, 2008—Jung, et al., “Soft Switching Boost Converter for Photovoltaic Power Generation System”—Power Electronics and Motion Control Conference, 2008. EPE-PEMC 2008. cited by applicant

Jun. 3-5, 2008—Duan, et al., “A Novel High-Efficiency Inverter for Stand Alone and Grid-Connected Systems”—Industrial Electronics and Applications, 2008. ICIEA 2008. cited by applicant

Nov. 7, 2002—Ertl, et al., “A Novel Multicell DC-AC Converter for Application in Renewable Energy Systems”—IEEE Transactions on Industrial Electronics (vol. 49, Issue 5, Oct. 2002). cited by applicant

Oct. 8-12, 2000 Hashimoto, et al., “A Novel High Performance Utility Interactive Photovoltaic Inverter System”—Industry Applications Conference, 2000. Conference Record of the 2000 IEEE. cited by applicant

Feb. 22-26, 2004—Ho, et al., “An Integrated Inverter with Maximum Power Tracking for Grid-Connected PV Systems”—Applied Power Electronics Conference and Exposition, 2004. APEC '04. Nineteenth Annual IEEE. cited by applicant

Nov. 14, 1997, Hua et al., “Control of DC/DC Converters for Solar Energy System with Maximum Power Tracking”—Industrial Electronics, Control and Instrumentation, 1997. IECON 97. 23rd International Conference on Industrial Electronics, Control and Instrumentation vol. 4 of 4. cited by applicant

Sept. 1-3, 2008, Lee et al., “Soft Switching Multi-Phase Boost Converter for Photovoltaic System”—Power Electronics and Motion Control Conference, 2008. EPE-PEMC 2008. cited by applicant

Jul. 5, 2005, Yao et al., “Tapped-Inductor Buck Converter for High-Step-Down DC-DC Conversion” IEEE Transactions on Power Electronics (vol. 20, Issue 4, Jul. 2005). cited by applicant

Sept. 21-23, 1998, Kretschmar, et al., “An AC Converter with a Small DC Link Capacitor for a 15KW Permanent Magnet Synchronous Integral Motor”—Power Electronics and Variable Speed Drives, 1998. Seventh International Converter (Conf. Publ. No. 456). cited by applicant

May 25, 2000—Hong Lim, et al., “Simple Maximum Power Point Tracker for Photovoltaic Arrays”—Electronics Letters (vol. 36, Issue 11, May 25, 2000). cited by applicant

Aug. 14-16, 2004. Nishida et al., “A Novel Type of Utility-Interactive Inverter for Photovoltaic System”—Power Electronics and Motion Control Conference, 2004. IPEMC 2004. cited by applicant

May 30-Jun. 3, 2011, Jung, et al., “DC-Link Ripple Reduction of Series-connected Module Integrated Converter for Photovoltaic Systems.”—Power Electronics and ECCE Asia (ICPE & ECCE). cited by applicant

Jan. 8, 2007, Li et al., “An Analysis of ZVS Two-Inductor Boost Converter under Variable

Frequency Operation” - IEEE Transactions on Power Electronics (vol. 22, Issue 1, Jan. 2007). cited by applicant

Sep. 17, 2007, Rodriguez et al., “Analytic Solution to the Photovoltaic Maximum Power Point Problem”—IEEE Transactions on Circuits and Systems I: Regular Papers (vol. 54, Issue 9, Sep. 2007). cited by applicant

Jun. 27, 1997, Reimann et al., “A Novel Control Principle of Bi-Directional DC-DC Power Conversion”—Power Electronics Specialists Conference 1997. PESC '97 Record. cited by applicant

Sep. 15-22, 2000, Russell et al., “The Massachusetts Electric Solar Project: A Pilot Project to Commercialize Residential PV Systems”—Photovoltaic Specialists Conference, 2000, Conference Record of the Twenty-Eighth IEEE Photovoltaic Specialists Conference—2000. cited by applicant
May 2001, Shimizu et al., “Generation Control Circuit for Photovoltaic Modules”—IEEE Transactions of Power Electronics (vol. 16, Issue 3, May 2001). cited by applicant

Feb. 6-10, 2000, Siri, Kasemsan “Study of System Instability in Current-Mode Converter Power Systems Operating in Solar Array Voltage Regulation Mode”—Applied Power Electronics Conference and Exposition, 2000. APEC 2000. Fifteenth Annual IEEE. cited by applicant

Aug. 13-16, 1990—Rajan, Anita “A Maximum Power Point Tracker Optimized for Solar Powered Cars”—Future Transportation Technology Conference and Exposition. cited by applicant

Jul. 10, 1995—“Battery I.D. chip from Dallas Semiconductor monitors and reports battery pack temperature”—Business Wire. cited by applicant

Nov. 3, 1999—Takahashi et al., “Development of a Long-Life Three-Phase Flywheel UPS Using an Electrolytic Capacitorless Converter/Inverter”—Electrical Engineering in Japan, vol. 127. cited by applicant

Jan. 2001—Walker, Geoffrey “Evaluating MPPT Converter Topologies Using a Matlab PV Model”—“Journal of Electrical and Electronics Engineering, Australia”. cited by applicant

Feb. 13, 2007—Roman et al., “Experimental Results of Controlled PV Module for Building Integrated PV Systems”—Solar Energy 82 (2008) 471-480. cited by applicant

2006—Bower et al., “Innovative PV Micro-Inverter Topology Eliminates Electrolytic Capacitors for Longer Lifetime”—IEEE 1-4244-0016-3/06/ pp. 2038-2041. cited by applicant

Aug. 23-27, 1993. —Case et al., “A Minimum Component Photovoltaic Array Maximum Power Point Tracker”—European Space Power Conference vol. 1. Power Systems, Power Electronics. cited by applicant

Jun. 4, 1997—Maranda et al., “Optimization of the Master-Slave Inverter System for Grid-Connected Photovoltaic Plants”—Energy Convers. Mgmt. vol. 39, No. 12 pp. 1239-1246. cited by applicant

2005—Kang et al., “Photovoltaic Power Interface Circuit Incorporated with a Buck-Boost Converter and a Full-Bridge Inverter”—Applied Energy 82, pp. 266-283. cited by applicant

Nov. 21, 1997—Feuermann et al., “Reversible Low Solar Heat Gain Windows for Energy Savings”—Solar Energy vol. 62, No. 3 pp. 169-175. cited by applicant

May 16, 2005—Enrique et al., “Theoretical assessment of the maximum power point tracking efficiency of photovoltaic facilities with different converter topologies”—Solar Energy 81 (2007) p. 31-38. cited by applicant

Dehbonei, Hooman “Power Conditioning for Distributed Renewable Energy Generation”—Curtin University of Technology, School of Electrical and Computer Engineering, 2003 568 pages Dissertation: Thesis. Abstract, 1 page—retrieved on Nov. 13, 2017 on

https://books.google.com/books/about/Power_Conditioning_for_Distributed_Renew.html?id=3wVXuAAACAAJ. cited by applicant

Korean Patent Application No. 102005-7008700, filed May 13, 2015. Applicant: Exar Corporation. cited by applicant

Jan. 23, 2018—EP Search Report, EP App No. 17187230.2. cited by applicant

Apr. 16, 2018—EP Examination Report 12707899.6. cited by applicant

Aug. 9, 2010, Hong, Wei, et al., “Charge Equalization of Battery POWER Modules in Series” The 2010 International Power Electronics Conference, IEEE, p. 1568-1572. cited by applicant

Jun. 6, 2018—EP Search Report EP App No. 18151594.1. cited by applicant

Jun. 29, 2018—EP Search Report—EP App No. 18175980.4. cited by applicant

Jun. 23, 2000; Bascope, G.V.T. Barbi, I; “Generation of Family of Non-isolated DC-DC PWM Converters Using New Three-state Switching Cells”; 2000 IEEE 31st Annual Power Electronics Specialists Conference in Galway, Ireland; vol. 2. cited by applicant

Oct. 3-7, 2004; Nobuyoshi, M. et al., “A Controlling Method for Charging Photovoltaic Generation Power Obtained by a MPPT Control Method to Series Connected Ultra-Electric Double Layer Capacitors”—Industry Application Conference, 2004. 39th IAS Annual Meeting. Conference Record of the 2004 IEEE. cited by applicant

Storfer, Lior, “Enhancing Cable Modem TCP Performance,” Texas Instruments Inc. white paper, Jul. 2003. cited by applicant

Philips Semiconductors, Data Sheet PSMN005-55B; PSMN005-55P N-channel logic trenchMOS transistor, Oct. 1999, Product specification, pp. 1-11. cited by applicant

International Preliminary Report on Patentability Issued in corresponding international application No. PCT/US04/16668, filed May 27, 2004. cited by applicant

International Application No. PCT/US13/27965, International Preliminary Examination Report, Sep. 2, 2014. cited by applicant

International Patent Application PCT/US13/027965, International Search Report and Written Opinion, Jun. 2, 2013. cited by applicant

International Application No. PCT/US12/44045, International Preliminary Examination Report, Jan. 28, 2014. cited by applicant

International Patent Application No. PCT/US2012/044045, International Search Report and Written Opinion, Jan. 2, 2013. cited by applicant

International Patent Application No. PCT/US2009/047734, International Search Report and Written Opinion, May 4, 2010. cited by applicant

Linares, Leonor et al., “Improved Energy Capture in Series String Photovoltaics via Smart Distributed Power Electronics,” 24th Annual IEEE Applied Power Electronics Conference and Exposition, pp. 904-910, Feb. 15, 2009. cited by applicant

International Patent Application No. PCT/US2010/029929, International Search Report and Written Opinion, Oct. 27, 2010. cited by applicant

Lowe, Electronics Basis: What is a Latch Circuit, <http://www.dummies.com/how-to/content/electronics-basics-what-is-a-latch-circuit.html>, from Electronics All-in-One for Dummies, Feb. 2012, downloaded Jul. 13, 2014. cited by applicant

International Patent Application No. PCT/US2011/020591, International Search Report and Written Opinion, Aug. 8, 2011. cited by applicant

International Patent Application No. PCT/US2011/033544, International Search Report and Written Opinion, Nov. 24, 2011. cited by applicant

J. Keller and B. Kroposki, titled, “Understanding Fault Characteristics of Inverter-Based Distributed Energy Resources”, in a Technical Report NREL/TP-550-46698, published Jan. 2010, pp. 1 through 48. cited by applicant

International Patent Application No. PCT/US2008/081827, International Search Report and Written Opinion, Jun. 24, 2009. cited by applicant

International Patent Application No. PCT/US2010/046274 International Search Report and Written Opinion, Apr. 22, 2011. cited by applicant

International Patent Application No. PCT/US2011/033658, International Search Report and Written Opinion, Jan. 13, 2012. cited by applicant

International Patent Application No. PCT/US2011/029392, International Search Report and Written

Opinion, Oct. 24, 2011. cited by applicant

European Patent Application No. 09829487.9, Extended Search Report, Apr. 21, 2011. cited by applicant

International Patent Application No. PCT/US2009/062536, International Search Report and Written Opinion, Jun. 17, 2010. cited by applicant

International Patent Application No. PCT/US2010/022915, International Search Report and Written Opinion, Aug. 23, 2010. cited by applicant

International Patent Application No. PCT/US2010/046272, International Search Report and Written Opinion, Mar. 31, 2011. cited by applicant

Exell et al., “The Design and Development of a Solar Powered Refrigerator”, [retrieved on Feb. 13, 2013], Retrieved from the Internet <URL: http://www.appropedia.org/The_Design_and_Development_of_a_Solar_Powered_Refrigerator>, pp. 1-64. cited by applicant

“Development of Water-Lithium Bromide Low-Temperature Absorption Refridgerating Machine”, 2002 Energy & Environment on Database on Noteworthy contributions for Science and Technology (Japan), Research Data (No. 1748) [online], [retrieved on Aug. 29, 2012]. Retrieved from the Internet: <URL: <http://dbnstl.nii.ac.jp/english/detail/1748>>, pp. 1-4. cited by applicant

Dictionary.com, “air conditioning” [online], [retrieved on Aug. 28, 2012]. Retrieved from the Internet: <URL: <http://dictionary.reference.com/browse/air+conditioning?s=t>>, pp. 1-3. cited by applicant

International Patent Application No. PCT/US2010/029936, International Search Report and Written Opinion, Nov. 12, 2010. cited by applicant

International Patent Application No. PCT/US08/75127, International Search Report and Written Opinion, Apr. 28, 2009. cited by applicant

International Patent Application No. PCT/US09/35890, International Search Report and Written Opinion, Oct. 1, 2009. cited by applicant

European Patent Application No. 08845104.2, Extended Search Report, Jul. 31, 2014. cited by applicant

European Patent Application No. 11772811.3, Extended Search Report, Dec. 15, 2014. cited by applicant

International Patent Application No. PCT/US2008/082935, International Search Report and Written Opinion, Jun. 25, 2009. cited by applicant

Bhatnagar et al., Silicon Carbide High Voltage (400 V) Shottky Barrier Diodes, IEEE Electron Device Letters, vol. 13 (10) p. 501-503 Oct. 10, 1992. cited by applicant

Jun. 6-10, 2004—Rodriguez, C., and G. A. J. Amaratunga. “Dynamic stability of grid-connected photovoltaic systems.” Power Engineering Society General Meeting, 2004. IEEE, pp. 2194-2200. cited by applicant

Nov. 3-Dec. 29, 1999—Kikuchi, Naoto, et al. “Single phase amplitude modulation inverter for utility interaction photovoltaic system.” Industrial Electronics Society, 1999. IECON'99 Proceedings. The 25th Annual Conference of the IEEE. vol. 1. IEEE, 1999. cited by applicant

Oct. 7-12, 1990—Nonaka, Sakutaro, et al. “Interconnection system with single phase IGBT PWM CSI between photovoltaic arrays and the utility line.” Industry Applications Society Annual Meeting, 1990., Conference Record of the 1990 IEEE. cited by applicant

Jun. 23-27, 2002—Calais, Martina, et al. “Inverters for single-phase grid connected photovoltaic systems-an overview.” Power Electronics Specialists Conference, 2002. pesc 02. 2002 IEEE 33rd Annual. vol. 4. IEEE, 2002. cited by applicant

Jul. 1999—Marra, Enes Goncalves, and José Antenor Pomilio. “Self-excited induction generator controlled by a VS-PWM bidirectional converter for rural applications.” Industry Applications, IEEE Transactions on 35.4 (1999): 877-883. cited by applicant

Apr. 2-5, 2002—Xiaofeng Sun, Weiyang Wu, Xin Li, Qinglin Zhao: A Research on Photovoltaic

Energy Controlling System with Maximum Power Point Tracking;; Proceedings of the Power Conversion Conference—Osaka 2002 (Cat. No. 02TH8579) IEEE-Piscataway, NJ, USA, ISBN 0-7803-7156-9, vol. 2, p. 822-826, XP010590259: the whole document. cited by applicant

International Search Report for corresponding PCT/GB2005/050198 completed Jun. 28, 2006 by C. Wirner of the EPO. cited by applicant

Brunello, Gustavo, et al., “Shunt Capacitor Bank Fundamentals and Protection,” 2003 Conference for Protective Relay Engineers, Apr. 8-10, 2003, pp. 1-17, Texas A&M University, College Station, TX, USA. cited by applicant

Cordonnier, Charles-Edouard, et al., “Application Considerations for Sensefet Power Devices,” PCI Proceedings, May 11, 1987, pp. 47-65. cited by applicant

Jun. 9-11, 2003—Kotsopoulos, Andrew, et al., “Predictive DC Voltage Control of Single-Phase PV Inverters with Small DC Link Capacitance,” IEEE International Symposium, Month Unknown, 2003, pp. 793-797. cited by applicant

Meinhardt, Mike, et al., “Multi-String-Converter with Reduced Specific Costs and Enhanced Functionality,” Solar Energy, May 21, 2001, pp. 217-227, vol. 69, Elsevier Science Ltd. cited by applicant

Mar. 6-10, 2005—Kimball, et al.: “Analysis and Design of Switched Capacitor Converters”; Grainger Center for Electric Machinery and Electromechanics, University of Illinois at Urbana-Champaign, 1406 W. Green St, Urbana, IL 61801 USA, C 2005 IEEE; pp. 1473-1477. cited by applicant

Martins, et al.: “Interconnection of a Photovoltaic Panels Array to a Single-Phase Utility Line From a Static Conversion System”; Power Electronics Specialists Conference, 2000. PESC 00. 2000 IEEE 31st Annual; Jun. 18, 2000-Jun. 23, 2000; ISSN: 0275-9306; pp. 1207-1211, vol. 3. cited by applicant

International Search Report for corresponding PCT/GB2005/050197, completed Dec. 20, 2005 by K-R Zettler of the EPO. cited by applicant

Kjaer, Soeren Baekhoej, et al., “Design Optimization of a Single Phase Inverter for Photovoltaic Applications,” IEEE 34th Annual Power Electronics Specialist Conference, Jun. 15-19, 2003, pp. 1183-1190, vol. 3, IEEE. cited by applicant

Jun. 23-27, 2002—Shimizu, Toshihisa, et al., “A Flyback-type Single Phase Utility Interactive Inverter with Low- frequency Ripple Current Reduction on the DC Input for an AC Photovoltaic Module System,” IEEE 33rd Annual Power Electronics Specialist Conference 2002, pp. 1483-1488, vol. 3, IEEE. cited by applicant

Written Opinion of PCT/GB2005/050197, Feb. 14, 2006 (mailing date), Enecsys Limited. cited by applicant

Jun. 17-21, 2001—Yatsuki, Satoshi, et al., “A Novel AC Photovoltaic Module System based on the Impedance—Admittance Conversion Theory,” IEEE 32nd Annual Power Electronics Specialists Conference, Month Unknown, 2001, pp. 2191-2196, vol. 4, IEEE. cited by applicant

“Parallel connection and shunt of resistors”, Fundamentals of Circuit, Wang Lianqi, Xidian university Publishing House, pp. 19-21. cited by applicant

Jun. 1, 2024—Chinese Office Action—CN App. No. 202110496807.9. cited by applicant

International Search Report for corresponding PCT/GB2004/001965, completed Aug. 16, 2004 by A. Roider. cited by applicant

Mar. 5-9, 1995—Naik et al., A Novel Grid Interface for Photovoltaic, Wind-Electric, and Fuel-Cell Systems With a Controllable Power Factor or Operation, IEEE, 1995, pp. 995-998. cited by applicant

Petkanchin, Processes following changes of phase angle between current and voltage in electric circuits, Aug. 1999, Power Engineering Review, IEEE vol. 19, Issue 8, pp. 59-60. cited by applicant

Mumtaz, Asim, et al., “Grid Connected PV Inverter Using a Commercially Available Power IC,”

PV in Europe Conference, Oct. 2002, 3 pages, Rome, Italy. cited by applicant

Koutroulis, Eftichios, et al., "Development of a Microcontroller-Based, Photovoltaic Maximum Power Point Tracking Control System," IEEE Transactions on Power Electronics, Jan. 2001, pp. 46-54, vol. 16, No. 1, IEEE. cited by applicant

European Search Report—EP App. 14159457.2—mailed Jun. 12, 2015. cited by applicant

European Search Report and Written Opinion—EP Appl. 12150819.6—dated Jul. 6, 2015. cited by applicant

Alonso, O. et al. "Cascaded H-Bridge Multilevel Converter for Grid Connected Photovoltaic Generators With Independent Maximum Power Point Tracking of Each Solar Array." IEEE 34th Annual Power Electronics Specialists Conference. vol. 2, Jun. 15, 2003. cited by applicant

Alonso, et al., "Cascaded H-Bridge Multilevel Converter for Grid Connected Photovoltaic Generators with Independent Maximum Power Point Tracking of Each Solar Array", 2003 IEEE 34th, Annual Power Electronics Specialists Conference, Acapulco, Mexico, Jun. 15-19, 2003, pp. 731-735, vol. 2. cited by applicant

Chinese Office Action—CN Appl. 201280006369.2—dated Aug. 4, 2015. cited by applicant

Chinese Office Action—CN Appl. 201210253614.1—dated Aug. 18, 2015. cited by applicant

Extended European Search Report, EP Application 04753488.8, mailed Apr. 29, 2015. cited by applicant

International Search Report from PCT/US04/16668, form PCT/ISA/220, filing date May 27, 2004. cited by applicant

Office Action U.S. Appl. No. 13/785,857, dated Jun. 6, 2013. cited by applicant

Partial Extended European Search Report, EP Application 04753488.8, mailed Feb. 2, 2015. cited by applicant

The International Search Report (Form PCT /ISA/220) Issued in corresponding international application No. PCT/US04/16668, filed May 27, 2004. cited by applicant

International Search Report—PCT/US2004/016668, form PCT/ISA/220—filing date May 27, 2004—mailed Jan. 19, 2005. cited by applicant

Written Opinion of the International Searching Authority—PCT/US2004/016668, form PCT/ISA/220—filing date May 27, 2004—mailed Jan. 19, 2005. cited by applicant

Extended European Search Report—EP Appl. 04753488.8—mailed Apr. 29, 2015. cited by applicant

Supplementary Partial European Search Report—EP Appl. 04753488.8—mailed Feb. 2, 2015. cited by applicant

US Office Action—U.S. Appl. No. 13/785,857—mailed Jun. 6, 2013. cited by applicant

European Office Action—EP Appl. 09725443.7—dated Aug. 18, 2015. cited by applicant

Definition of Isomorphism by Merriam-Webster, <<http://www.merriam-webster.com/dictionary/isomorphism>, dated Oct. 20, 2015. cited by applicant

Definition of Isomorphic by Merriam-Webster, <<http://www.merriam-webster.com/dictionary/isomorphic>, dated Oct. 20, 2015. cited by applicant

Chinese Office Action—CN Appl. 201110349734.7—dated Oct. 13, 2015. cited by applicant

Chinese Office Action—CN Appl. 201210007491.3—dated Nov. 23, 2015. cited by applicant

European Office Action—EP Appl. 12176089.6—dated Dec. 16, 2015. cited by applicant

Chinese Office Action—CN Appl. 201310035223.7—dated Dec. 29, 2015. cited by applicant

Chinese Office Action—CN Application 201210334311.2—dated Jan. 20, 2016. cited by applicant

European Search Report—EP Appl. 13800859.4—mailed Feb. 15, 2016. cited by applicant

Chinese Office Action—CN App. 201310035221.8—mailed Mar. 1, 2016. cited by applicant

PCT/2008/058473 International Preliminary Report, 6 pages, Nov. 2, 2009. cited by applicant

International Search Report and Written Opinion, WO 2010080672, dated Aug. 19, 2010. cited by applicant

PCT/US2010/045352 International Search Report and Written Opinion; 12 pages; Oct. 26, 2010.

cited by applicant

International Search Report and Written Opinion mailed Feb. 6, 2009,. In countepart PCT/US2008/008451, 13 pages. cited by applicant

European Search Report: dated Jan. 10, 2013 in corresponding EP application No. 09838022.3, 7 pages. cited by applicant

D. Ton and W. Bower; Summary Report of the DOE High-Tech Inverter Workshop; Jan. 2005. cited by applicant

First Action Interview Pre-Interview Communication from U.S. Appl. No. 13/174,495 mailed Jun. 18, 2014, 7 pgs. cited by applicant

Johnson et al., "Arc-fault detector algorithm evaluation method utilizing prerecorded arcing signatures", Photovoltaic Specialists Conference (PVSC), Jun. 2012. cited by applicant

Aug. 6, 2007—Philippe Welter, et al. "Electricity at 32 kHz," Photon International, The Photovoltaic Magazine, [Http://www.photon-magazine.com/archiv/articles.aspx?criteria=4&HeftNr=0807&Title=Elec](http://www.photon-magazine.com/archiv/articles.aspx?criteria=4&HeftNr=0807&Title=Elec) . . . printed May 27, 2011). cited by applicant

PCT/US2009/069582 Int. Search Report—dated Aug. 19, 2010. cited by applicant

Chinese Office Action—CN Appl. 201210007491.3—mailed Apr. 25, 2016. cited by applicant

CN Office Action—CN Appl. 201310004123.8—dated May 5, 2016. cited by applicant

Law et al., "Design and Analysis of Switched-Capacitor-Based Step-Up Resonant Converters," IEEE Transactions on Circuits and Systems, vol. 52, No. 5, published May 2005. cited by applicant

CN Office Action—CN Appl. 201310066888.4—dated May 30, 2016. cited by applicant

European Search Report—EP Appl. 13152966.1—dated Jul. 21, 2016. cited by applicant

European Search Report—EP Appl. 12183811.4—dated Aug. 4, 2016. cited by applicant

European Notice of Opposition—EP Patent 2374190—dated Jul. 19, 2016. cited by applicant

"Es werde Dunkelheit. Freischaltung von Solarmodulen im Brandfall"—"Let there be Darkness: Quality control of Solar Modules in Case of Fire"; PHOTON, May 2005, 75-77, ISSN 1430-5348, English translation provided. cited by applicant

Chinese Office Action—CN Appl. 201380029450.7—dated Jul. 28, 2016. cited by applicant

Chinese Office Action—CN Appl. 201310035221.8—dated Aug. 11, 2016. cited by applicant

Zhou, Wilson and Theo Phillips—"Industry's First 4-Switch Buck-Boost Controller Achieves Highest Efficiency Using a Single Inductor—Design Note 369"—Linear Technology Corporation—www.linear.com—2005. cited by applicant

"Micropower Synchronous Buck-Boost DC/DC Converter"—Linear Technology Corporation—www.linear.com/LTC3440—2001. cited by applicant

Mar. 5-9, 1995—Caricchi, F et al.—20 KW Water-Cooled Prototype of a Buck-Boost Bidirectional DC-DC Converter Topology for Electrical Vehicle Motor Drives—University of Rome—IEEE 1995—pp. 887-892. cited by applicant

Roy, Arunanshu et al.—"Battery Charger using Bicycle"—EE318 Electronic Design Lab Project Report, EE Dept, IIT Bombay, Apr. 2006. cited by applicant

Jun. 20-25, 2004—Viswanathan, K et al.—Dual-Mode Control of Cascade Buck-Boost PFC Converter—35th Annual IEEE Power Electronics Specialists Conference—Aachen, Germany, 2004. cited by applicant

Zhang, Pei et al.—"Hardware Design Experiences in ZebraNet"—Department of Electrical Engineering, Princeton University—SenSys '04, Nov. 3-5, 2004. cited by applicant

"High Efficiency, Synchronous, 4-Switch Buck-Boost Controller"—Linear Technology Corporation—www.linear.com/LTC3780—2005. cited by applicant

May 19-24, 2002—Chomsuwan, Komkrit et al. "Photovoltaic Grid-Connected Inverter Using Two-Switch Buck-Boost Converter"—Department of Electrical Engineering, King Mongkut's Institute of Technology Ladkrabang, Thailand, National Science and Technology Development Agency, Thailand—IEEE—2002. cited by applicant

Midya, Pallab et al.—"Buck or Boost Tracking Power Converter"—IEEE Power Electronics

Letters, vol. 2, No. 4—Dec. 2004. cited by applicant

Chinese Office Action—CN Appl. 201510111948.9—dated Sep. 14, 2016. cited by applicant

Chinese Office Action—CN Appl. 201310066888.4—dated Nov. 2, 2016. cited by applicant

“Power-Switching Converters—the Principle, Simulation and Design of the Switching Power (the Second Edition)”, Ang, Oliva, et al., translated by Xu Dehong, et al., China Machine Press, Aug. 2010, earlier publication 2005. cited by applicant

European Notice of Opposition—EP Patent 2092625—mailed Nov. 29, 2016. cited by applicant

Mar. 8, 2003—Vishay Siliconix “Si 7884DP—n-Channel 40-V (D-S) Mosfet” (2003). cited by applicant

Chinese Office Action—CN 201510423458.2—mailed Jan. 3, 2017 (english translation provided). cited by applicant

Chinese Office Action—CN 201410098154.9—mailed Mar. 3, 2017 (english translation provided). cited by applicant

European Search Report—EP Appl. 13150911.9—Apr. 7, 2017. cited by applicant

Howard et al., “Relaxation on a Mesh: a Formalism for Generalized Localization.” Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2001). Wailea, Hawaii, Oct. 2001. cited by applicant

Chinese Office Action and Search Report—CN 201510578586.4—mailed Apr. 19, 2017. cited by applicant

Jul. 13, 2017—Chinese Office Action—CN201210007491.3. cited by applicant

Jul. 31, 2014—Huimin Zhou et al.—“PV Balancers: Concept, Architectures, and Realization”—IEEE Transactions on Power Electronics, vol. 30, No. 7, pp. 3479-3487. cited by applicant

Sep. 15, 2012—Huimin Zhou et al.—“PV balancers: Concept, architectures, and realization”—Energy Conversion Congress and Exposition (ECCE), 2012 IEEE, IEEE pp. 3749-3755. cited by applicant

Jul. 17, 2017—International Search Report—PCT/US2017/031571. cited by applicant

Aug. 4, 2017—European Search Report—EP 17165027. cited by applicant

Jul. 16, 2016—Notice of Opposition—EP 2374190—EP App No. 08878650.4. cited by applicant

Sep. 28, 2017—European Office Action—EP 08857835.6. cited by applicant

Nov. 2, 2017—EP Search Report App No. 13157876.7. cited by applicant

Nov. 11, 2017—EP Search Report—App No. 17171489.2. cited by applicant

Dec. 14, 2017—EP Search Report App No. 17188362.2. cited by applicant

Dec. 15, 2017—EP Search Report App No. 17188365.5. cited by applicant

2000; Bascope, G.V.T. Barbi, I; “Generation of Family of Non-isolated DC-DC PWM Converters Using New Three-state Switching Cells”; 2000 IEEE 31st Annual Power Electronics Specialists Conference in Galway, Ireland; vol. 2. cited by applicant

Jan. 20, 2005; Duncan, Joseph, A Global Maximum Power Point Tracking DC-DC Converter, Massachusetts Institute of Technology, Dept. of Electrical Engineering and Computer Science Dissertation; 8 pages. cited by applicant

2005; Edelmoser, K.H. et al.; High Efficiency DC-to-AC Power Inverter with Special DC Interface; Professional Paper, ISSN 0005-1144, Automatika 46 (2005) 3-4, 143-148, 6 pages. cited by applicant

2006; Esmaili, Gholamreza; “Application of Advanced Power Electornics in Renewable Energy Sources and Hygrid Generating Systems” Ohio State Univerty, Graduate Program in Electrical and Computer Engineering, Dissertation. 169 pages. cited by applicant

Nov. 13, 2007; Gomez, M; “Consulting in the Solar Power Age,” IEEE-CNSV: Consultants' Network of Scillion Valley; 30 pages. cited by applicant

Jul. 25, 1995-Jun. 30, 1998; Kern, G; “SunSine (TM)300: Manufacture of an AC Photovoltaic Module,” Final Report, Phases I & II; National Renewable Energy Laboratory, Mar. 1999; NREL-SR-520-26085; 33 pages. cited by applicant

May 1, 2000; Kroposki, H. Thomas and Witt, B & C; “Progress in Photovoltaic Components and Systems,” National Renewable Energy Laboratory; NREL-CP-520-27460; 7 pages. cited by applicant

Jan. 22-23, 1998 Oldenkamp, H. et al.; “AC Modules: Past, Present and Future” Workshop Installing the Solar Solution; Hatfield, UK; 6 pages. cited by applicant

Linear Technology Specification Sheet, LTC3443—“High Current Micropower 600kHz Synchronous Buck-Boost DC/DC Converter”—2004. cited by applicant

Linear Technology Specification Sheet, LTC3780—“High Efficiency Synchronous, 4-Switch Buck-Boost Controller”—2005. cited by applicant

Apr. 22, 2004—MICREL—MIC2182 High Efficiency Synchronous Buck Controller. cited by applicant

Apr. 1972—Methods for Utilizing Maximum Power From a Solar Array—Decker, DK. cited by applicant

2000—Evaluating MPPT converter topologies using a MATLAB PV model—Walker, Geoffrey. cited by applicant

Jun. 30, 2008—Wang, Uclia; Greentechmedia; “National Semi Casts Solarmagic”; www.greentechmedia.com; 3 pages; accessed Oct. 24, 2017. cited by applicant

Sep. 2004; Yuvarajan, S; Dchuan Yu; Shanguang, Xu; “A Novel Power Converter for PHotovoltaic Applications,” Journal of Power Sources; vol. 135, No. 1-2, pp. 327-331. cited by applicant

Jun. 1998—Stern M., et al., “Development of a Low-Cost Integrated 20-KW-AC Solar Tracking Subarray for Grid- Connected PV Power System Applications—Final Technical Report”—National Renewable Energy Laboratory; 41 pages. cited by applicant

1997; Verhoeve, C.W.G., et al., “Recent Test Results of AC_Module inverters,” Netherlands Energy Research Foundation ECN, 1997; 3 pages. cited by applicant

2004—Nobuyoshi, M et al., “A Controlling Method for Charging Photovoltaic Generation Power Obtained by a MPPT Control Method to Series Connected Ultra-Electric Double Layer Capacitors”—Industry Application Conference, 2004. 39th IAS Annual Meeting. Conference Record of the 2004 IEEE. cited by applicant

Feb. 23-27, 1992—Miwa, Brett et al., “High Efficiency Power Factor Correction Using Interleaving Techniques”—Applied Power Electronics Conference and Exposition, 1992. APEC '92. Conference Proceedings 1992., Seventh Annual. cited by applicant

Dec. 31, 2020—CN Invalidation Decision—CN 200780045351.2. cited by applicant

Dec. 31, 2020—CN Invalidation Decision—CN 201210253614.1. cited by applicant

Mar. 3, 2021—EP Office Action—EP 17188365.5. cited by applicant

May 7, 2021—Chinese Office Action—CN 20181025083.8. cited by applicant

Jun. 21, 2021—Japanese Office Action—JP 2017-158887. cited by applicant

Zhao Junjian & al.: “Analysis of high efficiency DC/DC converter processing partial input/output power”, 14th Workshop on Control and Modeling for Power Electronics, Jun. 23, 2013 (Jun. 23, 2013), DOI: 10.1109/COMPEL.2013.6626440. cited by applicant

Apr. 14, 2021—European Summons to Oral Proceedings—EP 17724234.4. cited by applicant

PV Balancers: Concept, Architectures, and Realization—Huimin Zhou—IEEE Transactions on Power Electronics vol. 30 No. 7—Jul. 7, 2015. cited by applicant

Petition for Inter Partes Review of U.S. Pat. No. 10,256,770; IPR 2021-00540; Petitioner *Altenergy Power Systems Inc* vs. Patent Owner *Tigo Energy Inc*. cited by applicant

Declaration in Support of Petition for Inter Partes Review of U.S. Pat. No. 10,256,770; IPR 2021-00540; Petitioner *Altenergy Power Systems Inc* vs. Patent Owner *Tigo Energy Inc*. cited by applicant

Petition for Inter Partes Review of U.S. Pat. No. 8,988,321; IPR 2021-00541; Petitioner *Altenergy Power Systems Inc* vs. Patent Owner *Tigo Energy Inc*. cited by applicant

Declaration in Support of Petition for Inter Partes Review of U.S. Pat. No. 8,933,321; IPR 2021-

00541; Petitioner *Altenergy Power Systems Inc* vs. Patent Owner *Tigo Energy Inc.* cited by applicant

Petition for Inter Partes Review of U.S. Pat. No. 8,933,321; IPR 2021-01286; Petitioner *SunSpec Alliance* vs. Patent Owner *Tigo Energy Inc.* cited by applicant

Declaration in Support of Petition for Inter Partes Review of U.S. Pat. No. 8,933,321; IPR 2021-01286; Petitioner *SunSpec Alliance* vs. Patent Owner *Tigo Energy Inc.* cited by applicant

Petition for Inter Partes Review of U.S. Pat. No. 10,256,770; IPR 2021-01287; Petitioner *SunSpec Alliance* vs. Patent Owner *Tigo Energy Inc.* cited by applicant

Declaration in Support of Petition for Inter Partes Review of U.S. Pat. No. 10,256,770; IPR 2021-01287; Petitioner *SunSpec Alliance* vs. Patent Owner *Tigo Energy Inc.* cited by applicant

Maxouris, et al. “United States sets record for most Covid-19 deaths reported in one day,” Jan. 13, 2021, CNN, <https://www.cnn.com/2021/01/12/health/us-coronavirus-tuesday/index.html>. cited by applicant

Texas Instruments, CMOS Ripple-Carry Binary Counter/Dividers, acquired from Harris Semiconductor SCHS030D—Revised Dec. 2003. cited by applicant

Excerpts from IEEE 100—The Authoritative Dictionary of IEEE Standards Terms (7th Ed. 2000). cited by applicant

Excerpts from Paul Horowitz & Winfield Hill—The Art of Electronics (2d. Ed. 1989). cited by applicant

Webeck, Evan, “Coronavirus: California sets another daily case record in possible first sign of ‘surge on top of a surge,’” Jan. 5, 2021, The Mercury News (California). cited by applicant

Declaration of Randy R. Dunton in Support of Petition for Inter Partes Review of U.S. Pat. No. 8,933,321, Petitioner *Altenergy Power Systems, Inc.* v. *Tigo Energy Inc.*, IPR2021-00541. cited by applicant

Declaration of Randy R. Dunton in Support of Petition for Inter Partes Review of U.S. Pat. No. 10,256,770, Petitioner *Altenergy Power Systems, Inc.* v. *Tigo Energy Inc.*, IPR2021-00540. cited by applicant

Declaration of Randy R. Dunton in Support of Petition for Inter Partes Review of U.S. Pat. No. 8,933,321, Petitioner *SunSpec Alliance* v. Patent Owner *Tigo Energy Inc.*, IPR2021-01286. cited by applicant

Declaration of Randy R. Dunton in Support of Petition for Inter Partes Review of U.S. Pat. No. 10,256,770, Petitioner *SunSpec Alliance* v. Patent Owner *Tigo Energy Inc.*, IPR2021-01287. cited by applicant

Nov. 17, 2021—CN Office Action—CN App No. 201810025083.8. cited by applicant

Dec. 16, 2021—EP Office Action—EP App. No. 19178054.3. cited by applicant

Noguchi, Short-Current Pulse-Based Maximum-Power-Point Tracking Method for Multiple Photovoltaic-and-Converter Module System, IECON, Feb. 2002. cited by applicant

Siri, Maximum Power Tracking in Parallel Connected Converters, IEEE, Jul. 1993. cited by applicant

Solero, Performance of A 10 KW Power Electronic Interface for Combined Wind/PV Isolated Generating Systems, PESC, 1996. cited by applicant

Wu, An Improved Dynamic Power Distribution Control Scheme for PWM Controlled Converter Modules, IEEE, 1992. cited by applicant

Jun. 30, 2022—Extended EP Search Report—EP App. No. 22150308.9. cited by applicant

Jul. 7, 2023—European Search Report—EP App. No. 22191698.4. cited by applicant

Oct. 5, 2023—European Search Report—EP App. No. 23180721.5. cited by applicant

Dec. 12, 2023—Japanese Office Action—JP App. No. 2020-004452. cited by applicant

Jan. 18, 2023—Chinese Notice of Allowance—CN App. No. 202010044554.7. cited by applicant

Jan. 30, 2024—CN Office Action—CN 202110858752.1. cited by applicant

Summons to Oral Proceedings Pursuant to Rule 115(1) EPC, dated Feb. 26, 2024 regarding EP

Patent No. 2557650. cited by applicant

Subudhi et al., "A Comparative Study on Maximum Power Point Tracking Techniques for Photovoltaic Power Systems," IEEE Transactions on Sustainable Energy, vol. 4, No. 1, Jan. 2013.

cited by applicant

Ciobotaru, et al., Control of single-stage single-phase PV inverter, Aug. 7, 2006. cited by applicant

International Search Report and Written Opinion for PCT/IB2007/004591 dated Jul. 5, 2010. cited by applicant

European Communication for EP07873361.5 dated Jul. 12, 2010. cited by applicant

European Communication for EP07874022.2 dated Oct. 18, 2010. cited by applicant

European Communication for EP07875148.4 dated Oct. 18, 2010. cited by applicant

Chen, et al., "A New Low-Stress Buck-Boost Converter for Universal-Input PFC Applications", IEEE Applied Power Electronics Conference, Feb. 2001, Colorado Power Electronics Center Publications. cited by applicant

Chen, et al., "Buck-Boost PWM Converters Having Two Independently Controlled Switches", IEEE Power Electronics Specialists Conference, Jun. 2001, Colorado Power Electronics Center Publications. cited by applicant

Chen, et al., "Buck-Boost PWM Converters Having Two Independently Controlled Switches", IEEE Power Electronics Specialists Conference, Jun. 2001, Colorado Power Electronics Center Publications. cited by applicant

Chen, et al., "Buck-Boost PWM Converters Having Two Independently Controlled Switches", IEEE Power Electronics Specialists Conference, Jun. 2001, Colorado Power Electronics Center Publications. cited by applicant

Esram, et al., "Comparison of Photovoltaic Array Maximum Power Point Tracking Techniques", IEEE Transactions on Energy Conversion, vol. 22, No. 2, Jun. 2007, pp. 439-449. cited by applicant

applicant

Walker, et al., "Photovoltaic DC-DC Module Integrated Converter for Novel Cascaded and Bypass Grid Connection Topologies-Design and Optimisation", 37th IEEE Power Electronics Specialists Conference, Jun. 18-22, 2006, Jeju, Korea. cited by applicant

Geoffrey R. Walker Affidavit re: U.S. Appl. No. 11/950,271, submitted in an IDS for U.S. Appl. No. 11/950,271 on Mar. 9, 2010. cited by applicant

Geoffrey R. Walker Affidavit re: U.S. Appl. No. 11/950,271, submitted in an IDS for U.S. Appl. No. 11/950,271 on Mar. 9, 2010. cited by applicant

Geoffrey R. Walker Affidavit re: U.S. Appl. No. 11/950,271, submitted in an IDS for U.S. Appl. No. 11/950,271 on Mar. 9, 2010. cited by applicant

International Search Report for PCT/IB2007/004610 dated Feb. 23, 2009. cited by applicant

International Search Report for PCT/IB2007/004584 dated Jan. 28, 2009. cited by applicant

International Search Report for PCT/IB2007/004586 dated Mar. 5, 2009. cited by applicant

International Search Report for PCT/IB2007/004643 dated Jan. 30, 2009. cited by applicant

International Search Report for PCT/US2008/085736 dated Jan. 28, 2009. cited by applicant

International Search Report for PCT/US2008/085754 dated Feb. 9, 2009. cited by applicant

International Search Report for PCT/US2008/085755 dated Feb. 3, 2009. cited by applicant

Kajihara, et al., "Model of Photovoltaic Cell Circuits Under Partial Shading", 2005 IEEE, pp. 866-870. cited by applicant

Knaupp, et al., "Operation of a 10 Kw Pv Façade with 100 W AC Photovoltaic Modules", 1996 IEEE, 25th PVSC, May 13-17, 1996, pp. 1235-1238, Washington, DC. cited by applicant

Myrzik, et al., "String and Module Integrated Inverters for Single-Phase Grid Connected Photovoltaic Systems—A Review", Power Tech Conference Proceedings, 2003 IEEE Bologna, Jun. 23-26, 2003, p. 8, vol. 2. cited by applicant

Chen, et al., "Predictive Digital Current Programmed Control", IEEE Transactions on Power Electronics, vol. 18, Issue 1, Jan. 2003. cited by applicant

Wallace, et al., "DSP Controlled Buck/Boost Power Factor Correction for Telephony Rectifiers", Telecommunications Energy Conference 2001, INTELEC 2001, Twenty-Third International, Oct. 18, 2001, pp. 132-138. cited by applicant

Wallace, et al., "DSP Controlled Buck/Boost Power Factor Correction for Telephony Rectifiers", Telecommunications Energy Conference 2001, INTELEC 2001, Twenty-Third International, Oct. 18, 2001, pp. 132-138. cited by applicant

Alonso, "A New Distributed Converter Interface for PV Panels", 20th European Photovoltaic Solar Energy Conference, Jun. 6-10, 2005, Barcelona, Spain, pp. 2288-2291. cited by applicant

Alonso, "Experimental Results of Intelligent PV Module for Grid-Connected PV Systems", 21st European Photovoltaic Solar Energy Conference, Sep. 4-8, 2006, Dresden, Germany, pp. 2297-2300. cited by applicant

Alonso, "Experimental Results of Intelligent PV Module for Grid-Connected PV Systems", 21st European Photovoltaic Solar Energy Conference, Sep. 4-8, 2006, Dresden, Germany, pp. 2297-2300. cited by applicant

Enslin, "Integrated Photovoltaic Maximum Power Point Tracking Converter", IEEE Transactions on Industrial Electronics, vol. 44, No. 6, Dec. 1997, pp. 769-773. cited by applicant

Sept. 7-9, 1999—Lindgren, “Topology for Decentralised Solar Energy Inverters with a Low Voltage AC-Bus”, Chalmers University of Technology, Department of Electrical Power Engineering, EPE '99—Lausanne. cited by applicant

Jun. 20-25, 2004—Nikraz, “Digital Control of a Voltage Source Inverter in a Photovoltaic Applications”, 2004 35th Annual IEEE Power Electronics Specialists Conference, Aachen, Germany, 2004, pp. 3266-3271. cited by applicant

Orduz, “Evaluation Test Results of a New Distributed MPPT Converter”, 22nd European Photovoltaic Solar Energy Conference, Sep. 3-7, 2007, Milan, Italy. cited by applicant

Jun. 17-21, 2007—Palma, “A Modular Fuel Cell, Modular DC-DC Converter Concept for High Performance and Enhanced Reliability”, IEEE 2007, pp. 2633-2638. cited by applicant

Sep. 16-19, 1996—Quaschnig, “Cost Effectiveness of Shadow Tolerant Photovoltaic Systems”, Berlin University of Technology, Institute of Electrical Energy Technology, Renewable Energy Section. EuroSun '96, pp. 819-824. cited by applicant

Roman, “Intelligent PV Module for Grid-Connected PV Systems”, IEEE Transactions on Industrial Electronics, vol. 52, No. 4, Aug. 2006, pp. 1066-1073. cited by applicant

Roman, “Power Line Communications in Modular PV Systems”, 20th European Photovoltaic Solar Energy Conference, 6-10, Jun. 2005, Barcelona, Spain, pp. 2249-2252. cited by applicant

Uriarte, “Energy Integrated Management System for PV Applications”, 20th European Photovoltaic Solar Energy Conference, Jun. 6-10, 2005, Barcelona, Spain, pp. 2292-2295. cited by applicant

Walker, “Cascaded DC-DC Converter Connection of Photovoltaic Modules”, IEEE Transactions on Power Electronics, vol. 19, No. 4, Jul. 2004, pp. 1130-1139. cited by applicant

Oct. 3-7, 1999—Matsui, et al., “A New Maximum Photovoltaic Power Tracking Control Scheme Based on Power Equilibrium at DC Link”, IEEE, 1999, pp. 804-809. cited by applicant

Hou, et al., Application of Adaptive Algorithm of Solar Cell Battery Charger, Apr. 2004. cited by applicant

Sept. 15-22, 2000—Stamenic, et al., “Maximum Power Point Tracking for Building Integrated Photovoltaic Ventilation Systems”. cited by applicant

International Preliminary Report on Patentability for PCT/IB2008/055092 dated Jun. 8, 2010. cited by applicant

International Search Report for PCT/IB2008/055092 dated Sep. 8, 2009. cited by applicant

International Search Report and Opinion of International Patent Application WO2009136358 (PCT/IB2009/051831), dated Sep. 16, 2009. cited by applicant

Informal Comments to the International Search Report dated Dec. 3, 2009. cited by applicant

PCT/IB2010/052287 International Search Report and Written Opinion dated Sep. 2, 2010. cited by applicant

UK Intellectual Property office, Combined Search and Examination Report for GB1100450.4 under Sections 17 and 18 (3), Jul. 14, 2011. cited by applicant

Jain, et al., “A Single-Stage Grid Connected Inverter Topology for Solar PV Systems with Maximum Power Point Tracking”, IEEE Transactions on Power Electronics, vol. 22, No. 5, Sep. 2007, pp. 1928-1940. cited by applicant

Lynch, et al., “Flexible DER Utility Interface System: Final Report”, Sep. 2004-May 2006, Northern Power Systems, Inc., Waitsfield, Vermont B. Kroposki, et al., National Renewable Energy Laboratory Golden, Colorado Technical Report NREL/TP-560-39876, Aug. 2006. cited by applicant

Schimpf, et al., “Grid Connected Converters for Photovoltaic, State of the Art, Ideas for improvement of Transformerless Inverters”, NORPIE/2008, Nordic Workshop on Power and Industrial Electronics, Jun. 9-11, 2008. cited by applicant

Sandia Report SAND96-2797 | UC-1290 Unlimited Release, Printed Dec. 1996, “Photovoltaic Power Systems and The National Electrical Code: Suggested Practices”, by John Wiles, Southwest

Technology Development Institute New Mexico State University Las Cruces, NM. cited by applicant

United Kingdom Intellectual Property Office, Combined Search and Examination Report Under Sections 17 and 18(3), GB1020862.7, dated Jun. 16, 2011. cited by applicant

GB Combined Search and Examination Report - GB1203763.6 - Mailing date: Jun. 25, 2012. cited by applicant

Mohammad Reza Amini et al., "Quasi Resonant DC Link Inverter with a Simple Auxiliary Circuit", Journal of Power Electronics, vol. 11, No. 1, Jan. 2011. cited by applicant

Khairy Fathy et al., "A Novel Quasi-Resonant Snubber-Assisted Zcs-Pwm Dc-Dc Converter with High Frequency Link", Journal of Power Electronics, vol. 7, No. 2, Apr. 2007. cited by applicant

May 22, 1998—Cheng K.W.E., "New Generation of Switched Capacitor Converters", Department of Electrical Engineering, The Hong Kong Polytechnic University, Hung Hom, Hong Kong, Power Electronics Conference, PESC 98. cited by applicant

1999—Per Karlsson, "Quasi Resonant DC Link Converters - Analysis and Design for a Battery Charger Application", Universitetsstryckeriet, Lund University, 1999, ISBN 91-88934-14-4; Added to Lund University Publications on Jun. 4, 2012. cited by applicant

Hsiao Sung-Hsin et al., "ZCS Switched-Capacitor Bidirectional Converters with Secondary Output Power Amplifier for Biomedical Applications", Power Electronics Conference (IPEC) Jun. 21, 2010. cited by applicant

Nov. 27-30, 2007—Yuang-Shung Lee et al., "A Novel QR ZCS Switched-Capacitor Bidirectional Converter", IEEE, 2007. cited by applicant

Antti Tolvanen et al., "Seminar on Solar Simulation Standards and Measurement Principles", May 9, 2006 Hawaii. cited by applicant

J.A. Eikelboom and M.J. Jansen, "Characterisation of PV Modules of New Generations—Results of tests and simulations", Jun. 2000. cited by applicant

Yeong-Chau Kuo et al., "Novel Maximum-Power-Point-Tracking Controller for Photovoltaic Energy Conversion System", IEEE Transactions on Industrial Electronics, vol. 48, No. 3, Jun. 2001. cited by applicant

C. Liu et al., "Advanced Algorithm for Mppt Control of Photovoltaic Systems", Canadian Solar Buildings Conference, Montreal, Aug. 20-24, 2004. cited by applicant

May 22, 1998—Chihchiang Hua and Chihming Shen, "Study of Maximum Power Tracking Techniques and Control of DC/DC Converters for Photovoltaic Power System", IEEE. cited by applicant

Tore Skjellnes et al., "Load sharing for parallel inverters without communication", Nordic Workshop in Power and Industrial Electronics, Aug. 12-14, 2002. cited by applicant

Jun. 23, 2000—Giorgio Spiazzi et al., "A New Family of Zero-Current-Switching Variable Frequency dc-dc Converters", IEEE. cited by applicant

Nayar, C.V., M. Ashari and W.W.L. Keerthipala, "A Grid Interactive Photovoltaic Uninterruptible Power Supply System Using Battery Storage and a Back up Diesel Generator", IEEE Transactions on Energy Conversion, vol. 15, No. 3, Sep. 2000, p. 348-353. cited by applicant

Ph. Strauss et al., "AC coupled PV Hybrid systems and Micro Grids-state of the art and future trends", 3rd World Conference on Photovoltaic Energy Conversion, Osaka, Japan May 11-18, 2003. cited by applicant

Jul. 16-20, 2000—Nayar, C.V., abstract, Power Engineering Society Summer Meeting, 2000. IEEE, 2000, pp. 1280-1282 vol. 2. cited by applicant

Mar. 15, 2004—D. C. Martins et al., "Analysis of Utility Interactive Photovoltaic Generation System using a Single Power Static Inverter", Asian J. Energy Environ., vol. 5, Issue 2, (2004), pp. 115-137. cited by applicant

Rafael C. Beltrame et al., "Decentralized Multi String PV System With Integrated ZVT Cell", Congresso Brasileiro de Automática / 12 a 16-setembro-2010, Bonito-MS. cited by applicant

Sergio Busquets-Monge et al., “Multilevel Diode-clamped Converter for Photovoltaic Generators With Independent Voltage Control of Each Solar Array”, IEEE Transactions on Industrial Electronics, vol. 55, No. 7, Jul. 2008. cited by applicant

Soeren Baekhoej Kjaer et al., “A Review of Single-Phase Grid-Connected Inverters for Photovoltaic Modules”, IEEE Transactions on Industry Applications, vol. 41, No. 5, Sep./Oct. 2005. cited by applicant

Office Action—JP 2011-539491—Mailing date: Mar. 26, 2013. cited by applicant

Supplementary European Search Report—EP08857456—Mailing Date Dec. 6, 2013. cited by applicant

Extended European Search Report—EP14151651.8—Mailing date: Feb. 25, 2014. cited by applicant

Iyomori H et al: “Three-phase bridge power block module type auxiliary resonant AC link snubber-assisted soft switching inverter for distributed AC power supply”, INTELEC 2003. 25th. International Telecommunications Energy Conference. Yokohama, Japan, Oct. 19-23, 2003; Tokyo, IEICE, JP, Oct. 23, 2003 (Oct. 23, 2003), pp. 650-656, XP031895550, ISBN: 978-4-88552-196-6. cited by applicant

Yuqing Tang: “High Power Inverter EMI characterization and Improvement Using Auxiliary Resonant Snubber Inverter”, Dec. 17, 1998 (Dec. 17, 1998), XP055055241, Blacksburg, Virginia Retrieved from the Internet: URL:<http://jscholar.lib.vt.edu/theses/available/etd-012299-165108/unrestricted/THESIS.PDF>, [retrieved on Mar. 5, 2013]. cited by applicant

Yoshida M et al: “Actual efficiency and electromagnetic noises evaluations of a single inductor resonant AC link snubber-assisted three-phase soft-switching inverter”, INTELEC 2003. 25th. International Telecommunications Energy Conference. Yokohama, Japan, Oct. 19-23, 2003; Tokyo, IEICE, JP, Oct. 23, 2003 (Oct. 23, 2003), pp. 721-726, XP031895560, ISBN: 978-4-88552-196-6. cited by applicant

Third party observation—EP07874025.5—Mailing date: Aug. 6, 2011. cited by applicant

Extended European Search Report—EP 13152967.9—Mailing date: Aug. 28, 2014. cited by applicant

Extended European Search Report—EP 14159696—Mailing Date: Jun. 20, 2014. cited by applicant

Gow Ja A et al: “A Modular DC-DC Converter and Maximum Power Tracking Controller For Medium to Large Scale Photovoltaic Generating Plant”⁸ European Conference on Power Electronics and Applications. Lausaane, CH, Sep. 7-9, 1999, EPE. European Conference on Power Electronics and Applications, Brussels: EPE Association, BE, vol. Conf. 8, Sep. 7, 1999, pp. 1-8, XP000883026. cited by applicant

Chihchiang Hua et al: “Comparative Study of Peak Power Tracking Techniques for Solar Storage System” Applied Power Electronics Conference and Exposition, 1998. APEC '98. Conference Proceedings 1998, Thirteenth Annual Anaheim, CA USA Feb. 15-19, 1998, New York, NY, USA, IEEE, US, Feb. 15, 1998, pp. 679-685, XP010263666. cited by applicant

Matsuo H et al: “Novel Solar Cell Power Supply System Using the Multiple-input DC-DC Converter”²⁰ International telecommunications Energy Conference. Intelec '98 San Francisco, CA, Oct. 4-8, 1998, Intelec International Telecommunications Energy Conference, New York, NY: IEEE, US, Oct. 4, 1998, pp. 797-802, XP000896384. cited by applicant

Chihchiang Hua et al: “DSP-based controller application in battery storage of photovoltaic system” Industrial Electronics, Control, and Instrumentation, 1996, Proceedings of the 1996 IEEE IECON ²² International Conference on Taipei, Taiwan Aug. 5-10, 1996, New York, NY, USA, IEEE, US, Aug. 5, 1996, pp. 1705-1710, XP010203239. cited by applicant

Hua C et al: “Implementation of a DSP-Controlled Photovoltaic System with Peak Power Tracking” IEEE Transactions on industrial Electronics, IEEE, Inc. New York, US, vol. 45, No. 1, Feb. 1, 1998, pp. 99-107, XP000735209. cited by applicant

I. Weiss et al.: "A new PV system technology-the development of a magnetic power transmission from the PV module to the power bus" 16th European Photovoltaic Solar Energy Conference, vol. III, May 1-5, 2000, pp. 2096-2099, XP002193468 Glasgow,UK cited in the application. cited by applicant

Basso, Tim, "IEEE Standard for Interconnecting Distributed Resources With the Electric Power System," IEEE PES Meeting, Jun. 9, 2004. cited by applicant

Feb. 11, 2003—Boostbuck.com, "The Four Boostbuck Topologies," located at <http://www.boostbuck.com/TheFourTopologies.html>. cited by applicant

Apr. 2002—Gautam, Nalin K et al., "An Efficient Algorithm to Simulate the Electrical Performance of Solar Photovoltaic Arrays," Energy, vol. 27, No. 4, pp. 347-361, 2002. cited by applicant

Nordmann, T. et al., "Performance of PV Systems Under Real Conditions," European Workshop on Life Cycle Analysis and Recycling of Solar Modules, The "Waste" Challenge, Brussels, Belgium, Mar. 18-19, 2004. cited by applicant

Wiles, John, "Photovoltaic Power Systems and the National Electrical Code: Suggested Practices," Sandia National Laboratories, document No. SAND2001-0674, Mar. 2001. cited by applicant

Hewes, J. "Relays," located at <http://web.archive.org/web/20030816010159/www.kpsec.freeuk.com/components/relay.htm>, Aug. 16, 2003. cited by applicant

Jan. 1, 1993—Definition of "remove" from Webster's Third New International Dictionary, Unabridged, 1993. cited by applicant

Jan. 1, 1993—Definition of "removable" from Webster's Third New International Dictionary, Unabridged, 1993. cited by applicant

Advanced Energy Group, "The Basics of Solar Power Systems," located at <http://web.archive.org/web/20010331044156/http://www.solar4power.com/solar-power-basics.html>, Mar. 31, 2001. cited by applicant

International Patent Application No. PCT/AU2005/001017, International Search Report and Written Opinion, Aug. 18, 2005. cited by applicant

Baek, Ju-Won et al., "High Boost Converter using Voltage Multiplier," 2005 IEEE Conference, IECON 05, pp. 567-572, Nov. 2005. cited by applicant

Wikimedia Foundation, Inc., "Electric Power Transmission," located at <http://web.archive.org/web/20041210095723/en.wikipedia.org/wiki/Electric-power-transmission>, Nov. 17, 2004. cited by applicant

Jacobsen, K.S., "Synchronized Discrete Multi-Tone (SDMT) Modulation for Cable Modems: Making the Most of the Scarce Reverse Channel Bandwidth," Conference Proceedings of Wescon/97, pp. 374-380, Nov. 4, 1997. cited by applicant

Loyola, L. et al., "A Multi-Channel Infrastructure based on DCF Access Mechanism for Wireless LAN Mesh Networks Compliant with IEEE 802.11," 2005 Asia-Pacific Conference on Communications, pp. 497-501, Oct. 5, 2005. cited by applicant

QT Technical Application Papers, "ABB Circuit-Breakers for Direct current Applications", ABB SACE S.p.A., An ABB Group Company, L.V. Breakers, Via Baioni, 35, 24123 Bergamo-Italy, Tel.: +39 035.395.111—Telefax: +39 035.395.306-433, Sep. 2007. cited by applicant

Woyte, et al., "Mains Monitoring and Protection in a European Context", 17th European Photovoltaic Solar Energy Conference and Exhibition, Munich, Germany, Oct. 22-26, 2001, Achim, Woyte, et al., pp. 1-4. cited by applicant

"Implementation and testing of Anti-Islanding Algorithms for IEEE 929-2000 Compliance of Single Phase Photovoltaic Inverters", Raymond M. Hudson, Photovoltaic Specialists Conference, 2002. Conference Record of the Twenty-Ninth IEEE, May 19-24, 2002. cited by applicant

Fairchild Semiconductor, Application Note 9016, IGBT Basics 1, by K.S. Oh Feb. 1, 2001. cited by applicant

“Disconnect Switches in Photovoltaic Applications”, ABB, Inc., Low Voltage Control Products & Systems, 1206 Hatton Road, Wichita Falls, TX 86302, Phone 888-385-1221, 940-397-7000, Fax: 940-397-7085, 1SXU301197B0201, Nov. 2009. cited by applicant

Walker, “A DC Circuit Breaker for an Electric Vehicle Battery Pack”, Australasian Universities Power Engineering Conference and IEAust Electric Energy Conference, Sep. 26-29, 1999. cited by applicant

Combined Search and Examination Report for GB1018872.0 dated Apr. 15, 2011, 2 pages. cited by applicant

International Search Report and Opinion of International Patent Application PCT/2009/051221, dated Oct. 19, 2009. cited by applicant

International Search Report and Opinion of International Patent Application PCT/2009/051222, dated Oct. 7, 2009. cited by applicant

Communication in EP07874025.5 dated Aug. 17, 2011. cited by applicant

IPRP for PCT/IB2008/055095 dated Jun. 8, 2010, with Written Opinion. cited by applicant

ISR for PCT/IB2008/055095 dated Apr. 30, 2009. cited by applicant

ISR for PCT/IL07/01064 dated Mar. 25, 2008. cited by applicant

IPRP for PCT/IB2007/004584 dated Jun. 10, 2009, with Written Opinion. cited by applicant

IPRP for PCT/IB2007/004591 dated Jul. 13, 2010, with Written Opinion. cited by applicant

IPRP for PCT/IB2007/004643 dated Jun. 10, 2009, with Written Opinion. cited by applicant

Written Opinion for PCT/IB2008/055092 submitted with IPRP dated Jun. 8, 2010. cited by applicant

IPRP for PCT/US2008/085754 dated Jun. 8, 2010, with Written Opinion dated Jan. 21, 2009. cited by applicant

IPRP for PCT/US2008/085755 dated Jun. 8, 2010, with Written Opinion dated Jan. 20, 2009. cited by applicant

IPRP for PCT/IB2009/051221 dated Sep. 28, 2010, with Written Opinion. cited by applicant

IPRP for PCT/IB2009/051222 dated Sep. 28, 2010, with Written Opinion. cited by applicant

IPRP for PCT/IB2009/051831 dated Nov. 9, 2010, with Written Opinion. cited by applicant

IPRP for PCT/US2008/085736 dated Jun. 7, 2011, with Written Opinion. cited by applicant

IPRP for PCT/IB2010/052287 dated Nov. 22, 2011, with Written Opinion. cited by applicant

ISR for PCT/IB2010/052413 dated Sep. 7, 2010. cited by applicant

UK Intellectual Property Office, Application No. GB1109618.7, Patents Act 1977, Examination Report Under Section 18(3), Sep. 16, 2011. cited by applicant

UK Intellectual Property Office, Patents Act 1977: Patents Rules Notification of Grant: Patent Serial No. GB2480015, Nov. 29, 2011. cited by applicant

Walker, et al. “PV String Per-Module Maximum Power Point Enabling Converters”, School of Information Technology and Electrical Engineering The University of Queensland, Sep. 28, 2003. cited by applicant

Walker, “Cascaded DC-DC Converter Connection of Photovoltaic Modules”, 33rd Annual IEEE Power Electronics Specialists Conference. PESC 2002. Conference Proceedings. Cairns, Queensland, Australia, Jun. 23-27, 2002; [Annual Power Electronics Specialists Conference], New York, NY: IEEE US, vol. 1, Jun. 23, 2002, pp. 24-29, XP010596060 ISBN: 978-0-7803-7262-7, figure 1. cited by applicant

Baggio, “Quasi-ZVS Activity Auxiliary Commutation Circuit for Two Switches Forward Converter”, 32nd Annual IEEE Power Electronics Specialists Conference. PESC 2001. Conference Proceedings. Vancouver, Canada, Jun. 17-21, 2001; [Annual Power Electronics Specialists Conference] New York, NY: IEEE, US. cited by applicant

Ilic, “Interleaved Zero-Current-Transition Buck Converter”, IEEE Transactions on Industry Applications, IEEE Service Center, Piscataway, NJ, US, vol. 43, No. 6, Nov. 1, 2007, pp. 1619-1627, XP011197477 ISSN: 0093-9994, pp. 1619-1922. cited by applicant

Lee: “Novel Zero-Voltage-Transition and Zero-Current-Transition Pulse-Width-Modulation Converters”, Power Electronics Specialists Conference, 1997, PESC '97, Record, 28th Annual IEEE St. Louis, MO, USA, Jun. 22-27, 1997, New York, NY, USA IEEE, US, vol. 1, Jun. 22, 1997, pp. 233-239, XP010241553, ISBN: 978-0-7803-3840-1, pp. 233-236. cited by applicant

Sakamoto, “Switched Snubber for High-Frequency Switching Converters”, Electronics & Communications in Japan, Part 1—Communications, Wiley, Hoboken, NJ, US, vol. 76, No. 2, Feb. 1, 1993, pp. 30-38, XP000403018 ISSN: 8756-6621, pp. 30-35. cited by applicant

Duarte, “A Family of ZVX-PWM Active-Clamping DC-to-DC Converters: Synthesis, Analysis and Experimentation”, Telecommunications Energy Conference, 1995, INTELEC '95, 17th International The Hague, Netherlands, Oct. 29- Nov. 1, 1995, New York, NY, US, IEEE, US, Oct. 29, 1995, pp. 502-509, XP010161283 ISBN: 978-0-7803-2750-4 p. 503-504. cited by applicant

IPRP for PCT/IL2007/001064 dated Mar. 17, 2009, with Written Opinion dated Mar. 25, 2008. cited by applicant

IPRP for PCT/IB2007/004586 dated Jun. 10, 2009, with Written Opinion. cited by applicant

Gao, et al., “Parallel-Connected Solar PV System to Address Partial and Rapidly Fluctuating Shadow Conditions”, IEEE Transactions on Industrial Electronics, vol. 56, No. 5, May 2009, pp. 1548-1556. cited by applicant

IPRP PCT/IB2007/004610—date of issue Jun. 10, 2009. cited by applicant

Extended European Search Report—EP12176089.6—Mailing date: Nov. 8, 2012. cited by applicant

Gwon-Jong Yu et al: “Maximum power point tracking with temperature compensation of photovoltaic for air conditioning system with fuzzy controller”, May 13, 1996; May 13, 1996-May 17, 1996, May 13, 1996 (May 13, 1996), pp. 1429-1432, XP010208423. cited by applicant

Extended European Search Report—EP12177067.1—Mailing Date: Dec. 7, 2012. cited by applicant

GB Combined Search and Examination Report—GB1200423.0—Mailing date: Apr. 30, 2012. cited by applicant

GB Combined Search and Examination Report—GB1201499.9—Mailing date: May 28, 2012. cited by applicant

GB Combined Search and Examination Report—GB1201506.1—Mailing date: May 22, 2012. cited by applicant

“Study of Energy Storage Capacitor Reduction for Single Phase PWM Rectifier”, Ruxi Wang et al., Virginia Polytechnic Institute and State University, Feb. 2009. cited by applicant

“Multilevel Inverters: A Survey of Topologies, Controls, and Applications”, José Rodriguez et al., IEEE Transactions on Industrial Electronics, vol. 49, No. 4, Aug. 2002. cited by applicant

Extended European Search Report—EP 08878650.4—Mailing date: Mar. 28, 2013. cited by applicant

Satcon Solstice—Satcon Solstice 100 KW System Solution Sheet—2010. cited by applicant

John Xue, “PV Module Series String Balancing Converters”, University of Queensland—School of Information Technology & Electrical Engineering, Nov. 6, 2002. cited by applicant

Robert W. Erickson, “Future of Power Electronics for Photovoltaics”, IEEE Applied Power Electronics Conference, Feb. 2009. cited by applicant

Jan. 1, 2005; Linear Technology Specification Sheet, LTC3780—“High Efficiency Synchronous, 4-Switch Buck-Boost Controller”. cited by applicant

Dec. 19, 2005; Edelmöser, K.H. et al.; High Efficiency DC-to-AC Power Inverter with Special DC Interface; Professional Paper, ISSN 0005-1144, Automatika 46 (2005) 3-4, 143-148, 6 pages. cited by applicant

Jan. 29, 2019—European Search Report for EP App No. 18199117.5. cited by applicant

Jul. 12, 2019—European Search Report—EP 19170538.3. cited by applicant

Sep. 4, 2019—Extended European Search Report—EP 19181247.8. cited by applicant

Aug. 6, 2019—Notice of Opposition of European Patent 2232663—Fronius International GmbH. cited by applicant

Sep. 5, 2019—Notice of Opposition of European Patent 2549635—Huawei Technologies Co. cited by applicant

Sep. 5, 2019—Notice of Opposition of European Patent 2549635—Fronius International GmbH. cited by applicant

Solide Arbeit, Heinz Neuenstein, Dec. 2007. cited by applicant

Spitzenwirkungsgrad mit drei Spitzen, Heinz Neuenstien and Andreas Schlumberger, Jan. 2007. cited by applicant

Technical Information, Temperature Derating for Sunny Boy, Sunny Mini Central, Sunny Tripower, Aug. 9, 2019. cited by applicant

Prinout from Energy Matters online Forum, Jul. 2011. cited by applicant

Wayback Machine Query for Energy Matters Online Forum Jul. 2011. cited by applicant

Nov. 27, 2019—European Search Report—3567562. cited by applicant

Baocheng, DC to AC Inverter with Improved One Cycle Control, 2003. cited by applicant

Brekken, Utility-Connected Power Converter for Maximizing Power Transfer From a Photovoltaic Source While Drawing Ripple-Free Current, 2002. cited by applicant

Cramer, Modulorientierter Stromrichter Geht In Serienfertigung , SPVSE, 1994. cited by applicant

Cramer, Modulorientierter Stromrichter, Juelich, Dec. 31, 1995. cited by applicant

Cramer, String-Wechselrichter Machen Solarstrom Billiger, Elektronik, Sep. 1996. cited by applicant

Dehbonei, A Combined Voltage Controlled and Current Controlled “Dual Converter” for a Weak Grid Connected Photovoltaic System with Battery Energy Storage, 2002. cited by applicant

Engler, Begleitende Untersuchungen zur Entwicklung eines Multi-String-Wechselrichters, SPVSE, Mar. 2002. cited by applicant

Geipel, Untersuchungen zur Entwicklung modulorientierter Stromrichter Modulorientierter Stromrichter für netzgekoppelte Photovoltaik-Anlagen, SPVSE, 1995. cited by applicant

Hoor, DSP-Based Stable Control Loops Design for a Single Stage Inverter, 2006. cited by applicant

Isoda, Battery Charging Characteristics in Small Scaled Photovoltaic System Using Resonant DC-DC Converter With Electric Isolation, 1990. cited by applicant

Jones, Communication Over Aircraft Power lines, Dec. 2006/ Jan. 2007. cited by applicant

Kalaivani, A Novel Control Strategy for the Boost DC - AC Inverter, 2006. cited by applicant

Lee, Powering The Dream, IET Computing & Control Engineering, Dec. 2006/ Jan. 2007. cited by applicant

Lee, A Novel Topology for Photovoltaic Series Connected DC/DC Converter with High Efficiency Under Wide Load Range, Jun. 2007. cited by applicant

Lin, LLC DC/DC Resonant Converter with PLL Control Scheme, 2007. cited by applicant

Niebauer, Solarenergie Optimal Nutzen, Stromversorgung, Elektronik, 1996. cited by applicant

Rodrigues, Experimental Study of Switched Modular Series Connected DC-DC Converters, 2001. cited by applicant

Sanchis, Buck-Boost DC-AC Inverter: Proposal for a New Control Strategy, 2004. cited by applicant

Sen, A New DC-To-AC Inverter With Dynamic Robust Performance, 1998. cited by applicant

Shaojun, Research on a Novel Inverter Based on DC/DC Converter Topology, 2003. cited by applicant

Siri, Sequentially Controlled Distributed Solar-Array Power System with Maximum Power Tracking, 2004. cited by applicant

Walko, Poised For Power, IEE Power Engineer, Feb./ Mar. 2005. cited by applicant

White, Electrical Isolation Requirements in Power-Over-Ethernet (POE) Power Sourcing Equipment (PSE), 2006. cited by applicant

Yu, Power Conversion and Control Methods for Renewable Energy Sources, May 2005. cited by applicant
Zacharias, Modularisierung in der PV-Systemtechnik -Schnittstellen zur Standardisierung der Komponenten, Institut für Solare Energieversorgungstechnik (ISET), 1996. cited by applicant
Dec. 24, 2019—CN Office Action—CN Application 201610946835.5. cited by applicant
Jan. 30, 2020—EP Office Action—EP 18204177.2. cited by applicant
Feb. 3, 2020—Chinese Office Action—201710749388.9. cited by applicant
Mar. 24, 2020—Non-Final Rejection—U.S. Appl. No. 15/593,761. cited by applicant
Apr. 20, 2020—European Search Report—EP 20151729.9. cited by applicant
Apr. 23, 2020—European Search Report—EP 19217486.0. cited by applicant
May 12, 2020—Extended European Search Report—EP 20161381.7. cited by applicant
Jul. 8, 2020—CN Office Action—CN 201710362679.2. cited by applicant
Sep. 17, 2020—Extended European Search Report—EP Application 20176744.9. cited by applicant
Oct. 12, 2020—CN Office Action—CN 201610946835.5. cited by applicant
Nov. 12, 2020—Preliminary Opinion by EPO—EP 12188944.8. cited by applicant

Primary Examiner: Deberadinis; Robert L

Attorney, Agent or Firm: Banner & Witcoff, Ltd.

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) The present application is a continuation of U.S. patent application Ser. No. 15/653,049, filed Jul. 18, 2017, which is a continuation of U.S. patent application Ser. No. 15/139,745, filed Apr. 27, 2016 (now U.S. Pat. No. 9,853,490), which is a continuation of U.S. patent application Ser. No. 14/078,011, filed Nov. 12, 2013 (now U.S. Pat. No. 9,368,964), which is a continuation of U.S. patent application Ser. No. 12/911,153, filed Oct. 25, 2010 (now U.S. Pat. No. 8,618,692), which claims the benefit of U.S. Provisional Patent Application No. 61/254,681, filed Oct. 24, 2009, each of which are incorporated by reference herein in their entirety for all purposes.

BACKGROUND

1. Technical Field

(1) The field of the invention relates generally to power production from distributed DC power sources, and more particularly to management of distributed DC power sources in series installations.

2. Description of Related Art

(2) The recent increased interest in renewable energy has led to increased research in systems for distributed generation of energy, such as photovoltaic cells (PV), fuel cells, batteries (e.g., for hybrid cars), etc. Various topologies have been proposed for connecting these power sources to the load, taking into consideration various parameters, such as voltage/current requirements, operating conditions, reliability, safety, costs, etc. For example, most of these sources provide low voltage output (normally a few volts for one cell, or a few tens of volts for serially connected cells), so that many of them need to be connected serially to achieve the required operating voltage. Conversely, a serial connection may fail to provide the required current, so that several strings of serial connections may need to be connected in parallel to provide the required current.

(3) It is also known that power generation from each of these sources depends on manufacturing, operating, and environmental conditions. For example, various inconsistencies in manufacturing

may cause two identical sources to provide different output characteristics. Similarly, two identical sources may react differently to operating and/or environmental conditions, such as load, temperature, etc. In practical installations, different source may also experience different environmental conditions, e.g., in solar power installations some panels may be exposed to full sun, while others be shaded, thereby delivering different power output. In a multiple-battery installation, some of the batteries may age differently, thereby delivering different power output. While these problems and the solutions provided by the subject invention are applicable to any distributed power system, the following discussion turns to solar energy so as to provide better understanding by way of a concrete example.

(4) A conventional installation of solar power system **10** is illustrated in FIG. **1**. Since the voltage provided by each individual solar panel **101** is low, several panels are connected in series to form a string of panels **103**. For a large installation, when higher current is required, several strings **103** may be connected in parallel to form the overall system **10**. The solar panels are mounted outdoors, and their leads are connected to a maximum power point tracking (MPPT) module **107** and then to an inverter **104**. The MPPT **107** is typically implemented as part of the inverter **104**. The harvested power from the DC sources is delivered to the inverter **104**, which converts the fluctuating direct-current (DC) into alternating-current (AC) having a desired voltage and frequency, which is usually 110V or 220V at 60 Hz, or 220V at 50 Hz (It is interesting to note the even in the US many inverters produce 220V, which is then split into two 110V feeds in the electric box). The AC current from the inverter **104** may then be used for operating electric appliances or fed to the power grid. Alternatively, if the installation is not tied to the grid, the power extracted from the inverter may be directed to a conversion and charge/discharge circuit to store the excess power created as charge in batteries. In case of a battery-tied application, the inversion stage might be skipped altogether, and the DC output of the MPPT stage **107** may be fed into the charge/discharge circuit.

(5) As noted above, each solar panel **101** supplies relatively very low voltage and current. The problem facing the solar array designer is to produce a standard AC current at 120V or 220V root-mean-square (RMS) from a combination of the low voltages of the solar panels. The delivery of high power from a low voltage requires very high currents, which cause large conduction losses on the order of the second power of the current ($I_{sup.2}$). Furthermore, a power inverter, such as the inverter **104**, which is used to convert DC current to AC current, is most efficient when its input voltage is slightly higher than its output RMS voltage multiplied by the square root of 2. Hence, in many applications, the power sources, such as the solar panels **101**, are combined in order to reach the correct voltage or current. The most common method connects the power sources in series in order to reach the desirable voltage and in parallel in order to reach the desirable current, as shown in FIG. **1**. A large number of the panels **101** are connected into a string **103** and the strings **103** are connected in parallel to the power inverter **104**. The panels **101** are connected in series in order to reach the minimal voltage required for the inverter. Multiple strings **103** are connected in parallel into an array to supply higher current, so as to enable higher power output.

(6) While this configuration is advantageous in terms of cost and architecture simplicity, several drawbacks have been identified in the literature for such architecture. One recognized drawback is inefficiencies caused by non-optimal power draw from each individual panel, as explained below. As explained above, the output of the DC power sources is influenced by many conditions. Therefore, to maximize the power draw from each source, one needs to draw the combination of voltage and current that provides the peak power for the currently prevailing conditions. As conditions change, the combination of voltage and current draw may need to be changed as well.

(7) FIG. **2** illustrates one serial string of DC sources, e.g., solar panels **201 a-201 d**, connected to MPPT circuit **207** and inverter **204**. The current versus voltage (IV) characteristics plotted (**210a-210d**) to the left of each DC source **201**. For each DC source **201**, the current decreases as the output voltage increases. At some voltage value the current goes to zero, and in some applications may assume a negative value, meaning that the source becomes a sink. Bypass diodes are used to

prevent the source from becoming a sink. The power output of each source **201**, which is equal to the product of current and voltage ($P=I*V$), varies depending on the voltage drawn from the source. At a certain current and voltage, close to the falling off point of the current, the power reaches its maximum. It is desirable to operate a power generating cell at this maximum power point. The purpose of the MPPT is to find this point and operate the system at this point so as to draw the maximum power from the sources.

(8) In a typical, conventional solar panel array, different algorithms and techniques are used to optimize the integrated power output of the system **10** using the MPPT module **107**. The MPPT module **107** receives the current extracted from all of the solar panels together and tracks the maximum power point for this current to provide the maximum average power such that if more current is extracted, the average voltage from the panels starts to drop, thus lowering the harvested power. The MPPT module **107** maintains a current that yields the maximum average power from the overall system **10**.

(9) However, since the sources **201a-201d** are connected in series to a single MPPT **207**, the MPPT must select a single point, which would be somewhat of an average of the MPP of the serially connected sources. In practice, it is very likely that the MPPT would operate at an I-V point that is optimum to only a few or none of the sources. In the example of FIG. 2, the selected point is the maximum power point for source **201b**, but is off the maximum power point for sources **201a**, **201c** and **201d**. Consequently, the arrangement is not operated at best achievable efficiency.

(10) Turning back to the example of a solar system **10** of FIG. 1, fixing a predetermined constant output voltage from the strings **103** may cause the solar panels to supply lower output power than otherwise possible. Further, each string carries a single current that is passed through all of the solar panels along the string. If the solar panels are mismatched due to manufacturing differences, aging or if they malfunction or are placed under different shading conditions, the current, voltage and power output of each panel will be different. Forcing a single current through all of the panels of the string causes the individual panels to work at a non-optimal power point and can also cause panels which are highly mismatched to generate “hot spots” due to the high current flowing through them. Due to these and other drawbacks of conventional centralized methods, the solar panels have to be matched properly. In some cases external diodes are used to bypass the panels that are highly mismatched. In conventional multiple string configurations all strings have to be composed of exactly the same number of solar panels and the panels are selected of the same model and must be install at exactly the same spatial orientation, being exposed to the same sunlight conditions at all times. This is difficult to achieve and can be very costly.

BRIEF SUMMARY

(11) According to embodiments of the present invention there is provided a distributed power system including multiple (DC) batteries each DC battery with positive and negative poles. Multiple power converters are coupled respectively to the DC batteries. Each power converter includes a first terminal, a second terminal, a third terminal and a fourth terminal. The first terminal is adapted for coupling to the positive pole. The second terminal is adapted for coupling to the negative pole. The power converter includes: (i) a control loop adapted for setting the voltage between or current through the first and second terminals, and (ii) a power conversion portion adapted to selectively either: convert power from said first and second terminals to said third and fourth terminals to discharge the battery connected thereto, or to convert power from the third and fourth terminals to the first and second terminals to charge the battery connected thereto.

(12) Each of the power converters is adapted for serial connection to at least one other power converter by connecting respectively the third and fourth terminals, thereby forming a serial string. A power controller is adapted for coupling to the serial string. The power controller includes a control part adapted to maintain current through or voltage across the serial string at a predetermined value. The control part may maintain voltage across the serial string at a predetermined value or the control part may maintain current through the serial string at a

predetermined value. The power controller may include a bidirectional DC/AC inverter or bi-directional DC/DC converter. The power converters may function as a current source, voltage regulator or trickle charge source. The distributed power system may further include multiple photovoltaic panels; multiple DC-DC converters. Each of the DC-to-DC converters may include input terminals coupled to a respective DC photovoltaic panels and output terminals coupled in series to the other DC-to-DC converters, thereby forming a second serial string. A control loop sets the voltage and/or current at the input terminals of the DC-to-DC converter according to predetermined criteria. A power conversion portion converts the power received at the input terminals to an output power at the output terminals. The serial string and the second serial string are connectible in parallel to form parallel-connected strings. A power controller may be adapted for coupling in parallel to the parallel-connected strings, the power controller including a control part adapted to maintain current through or voltage across the parallel connected strings at a predetermined value. The power controller may be off-grid (not connected to the grid) or connected to the grid. The photovoltaic panels may provide electrical power for charging the batteries.

(13) According to embodiments of the present invention there is provided a distributed power system including multiple (DC) batteries each DC battery with positive and negative poles. Multiple power converters are coupled respectively to the DC batteries. Each power converter includes a first terminal, a second terminal, a third terminal and a fourth terminal. The first terminal is adapted for coupling to the positive pole. The second terminal is adapted for coupling to the negative pole. The power converter includes a first control loop configured to set either current through or voltage between the first and second terminals, and a second control loop configured set either current through or voltage between the third and fourth terminals; and (iii) a power conversion portion adapted to selectively either: convert power from the first and second terminals to the third and fourth terminals to discharge the battery connected thereto, or to convert power from the third and fourth terminals to the first and second terminals to charge the battery connected thereto; wherein each of the power converters is adapted for serial connection to at least one other power converter by connecting respectively the third and fourth terminals, thereby forming a serial string. The distributed power system may further include multiple photovoltaic panels and multiple DC-DC converters. Each of the DC-to-DC converters may include input terminals coupled to a respective DC photovoltaic panels and output terminals coupled in series to the other DC-to-DC converters, thereby forming a second serial string. A control loop sets the voltage and/or current at the input terminals of the DC-to-DC converter according to predetermined criteria. A power conversion portion converts the power received at the input terminals to an output power at the output terminals. The serial string and the second serial string are connectible in parallel to form parallel-connected strings. The power controller is selectably either off-grid or connected to grid. The photovoltaic panels may provide electrical power for charging the batteries. A communications interface between the power controller and the power converters may be used for controlling charging and discharging of the batteries.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) The invention is herein described, by way of example only, with reference to the accompanying drawings, wherein:
- (2) FIG. 1 illustrates a conventional centralized power harvesting system using DC power sources.
- (3) FIG. 2 illustrates current versus voltage characteristic curves for one serial string of DC sources.
- (4) FIG. 3 illustrates a distributed power harvesting system, according to aspects of the invention, using DC power sources.

- (5) FIGS. 3a-3c show variations of distributed power systems using DC batteries according to a different embodiments of the present invention.
- (6) FIGS. 4A and 4B illustrate the operation of the system of FIG. 3 under different conditions, according to aspects of the invention.
- (7) FIG. 4C illustrates an embodiment of the invention wherein the inverter controls the input current.
- (8) FIG. 5 illustrates a distributed power harvesting system, according to other aspects of the invention, using DC power sources.
- (9) FIG. 6 illustrates an exemplary DC-to-DC converter according to aspects of the invention.
- (10) FIG. 6a shows a slightly modified DC-DC converter based on the DC-DC converter shown in FIG. 6, according to an embodiment of the present invention.
- (11) FIG. 7 illustrates a power converter, according to aspects of the invention including control features of the aspects of the invention.

DETAILED DESCRIPTION

- (12) Reference will now be made in detail to embodiments of the present invention, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. The embodiments are described below to explain the present invention by referring to the figures.
- (13) Before explaining embodiments of the invention in detail, it is to be understood that the invention is not limited in its application to the details of design and the arrangement of the components set forth in the following description or illustrated in the drawings. The invention is capable of other embodiments or of being practiced or carried out in various ways. Also, it is to be understood that the phraseology and terminology employed herein is for the purpose of description and should not be regarded as limiting.
- (14) The topology provided by the subject invention solves many of the problems associated with, and has many advantages over, the conventional art topologies. For example, the inventive topology enables serially connecting mismatched power sources, such as mismatched solar panels, panel of different models and power ratings, and even panels from different manufacturers and semiconductor materials. It allows serial connection of sources operating under different conditions, such as, e.g., solar panels exposed to different light or temperature conditions. It also enables installations of serially connected panels at different orientations or different sections of the roof or structure. This and other features and advantages will become apparent from the following detailed description. Aspects of the present invention provide a system and method for combining power from multiple DC power sources into a single power supply. According to aspects of the present invention, each DC power source is associated with a DC-DC power converter. Modules formed by coupling the DC power sources to their associated converters are coupled in series to provide a string of modules. The string of modules is then coupled to an inverter having its input voltage fixed. A maximum power point control loop in each converter harvests the maximum power from each DC power source and transfers this power as output from the power converter. For each converter, substantially all the input power is converted to the output power, such that the conversion efficiency may be 90% or higher in some situations. Further, the controlling is performed by fixing the input current or input voltage of the converter to the maximum power point and allowing output voltage of the converter to vary. For each power source, one or more sensors perform the monitoring of the input power level to the associated converter. In some aspects of the invention, a microcontroller may perform the maximum power point tracking and control in each converter by using pulse width modulation to adjust the duty cycle used for transferring power from the input to the output.
- (15) One aspect of the present invention provides a greater degree of fault tolerance, maintenance and serviceability by monitoring, logging and/or communicating the performance of each solar panel. In one aspect of the invention, the microcontroller that is used for maximum power point

tracking, may also be used to perform the monitoring, logging and communication functions. These functions allow for quick and easy troubleshooting during installation, thereby significantly reducing installation time. These functions are also beneficial for quick detection of problems during maintenance work. Aspects of the present invention allow easy location, repair, or replacement of failed solar panels. When repair or replacement is not feasible, bypass features of the current invention provide increased reliability.

(16) In one aspect, the present invention relates to arrays of solar cells where the power from the cells is combined. Each converter may be attached to a single solar cell, or a plurality of cell connected in series, in parallel, or both, e.g., parallel connection of strings of serially connected cells. In one embodiment each converter is attached to one panel of photovoltaic strings. However, while applicable in the context of solar power technology, the aspects of the present invention may be used in any distributed power network using DC power sources. For example, they may be used in batteries with numerous cells or hybrid vehicles with multiple fuel cells on board. The DC power sources may be solar cells, solar panels, electrical fuel cells, electrical batteries, and the like. Further, although the discussion below relates to combining power from an array of DC power sources into a source of AC voltage, the aspects of the present invention may also apply to combining power from DC sources into another DC voltage.

(17) FIG. 3 illustrates a distributed power harvesting configuration **30**, according to an embodiment of the present invention. Configuration **30** enables connection of multiple power sources, for example solar panels **301a-301d**, to a single power supply. In one aspect of the invention, the series string of all of the solar panels may be coupled to an inverter **304**. In another aspect of the invention, several serially connected strings of solar panels may be connected to a single inverter **304**. The inverter **304** may be replaced by other elements, such as, e.g., a charging regulator for charging a battery bank.

(18) In configuration **30**, each solar panel **301a-301d** is connected to a separate power converter circuit **305a-305d**. One solar panel together with its associated power converter circuit forms a module, e.g., module **320**. Each converter **305a-305d** adapts optimally to the power characteristics of the connected solar panel **301a-301d** and transfers the power efficiently from converter input to converter output. The converters **305a-305d** can be buck converters, boost converters, buck/boost converters, flyback or forward converters, etc. The converters **305a-305d** may also contain a number of component converters, for example a serial connection of a buck and a boost converter. Each converter **305a-305d** includes a control loop **323i** that receives a feedback signal, not from the converter's output current or voltage, but rather from the converter's input coming from the solar panel **301**. An example of such a control loop is a maximum power point tracking (MPPT) loop. The MPPT loop in the converter locks the input voltage and current from each solar panel **301a-301d** to its optimal power point.

(19) Conventional DC-to-DC converters may have a wide input voltage range at their input and an output voltage that is predetermined and fixed. In these conventional DC-to-DC voltage converters, a controller within the converter monitors the current or voltage at the input, and the voltage at the output. The controller determines the appropriate pulse width modulation (PWM) duty cycle to fix the output voltage to the predetermined value by increasing the duty cycle if the output voltage drops. Accordingly, the conventional converter includes a feedback loop that closes on the output voltage and uses the output voltage to further adjust and fine tune the output voltage from the converter. As a result of changing the output voltage, the current extracted from the input is also varied.

(20) In the converters **305a-305d**, according to aspects of the present invention, a controller within the converter **405** monitors the voltage and current at the converter input and determines the PWM in such a way that maximum power is extracted from the attached panel **301a-301d**. The controller of the converter **405** dynamically tracks the maximum power point at the converter input. In the aspects of the present invention, the feedback loop is closed on the input power in order to track

maximum input power rather than closing the feedback loop on the output voltage as performed by conventional DC-to-DC voltage converters.

(21) As a result of having a separate MPPT circuit in each converter **305a-305d**, and consequently for each solar panel **301a-301d**, each string **303** in the embodiment shown in FIG. **3** may have a different number or different brand of panels **301a-301d** connected in series. The circuit of FIG. **3** continuously performs MPPT on the output of each solar panel **301a-301d** to react to changes in temperature, solar radiance, shading or other performance factors that impact that particular solar panel **301a-301d**. As a result, the MPPT circuit within the converters **305a-305d** harvests the maximum possible power from each panel **301a-301d** and transfers this power as output regardless of the parameters impacting the other solar panels.

(22) As such, the aspects of the invention shown in FIG. **3** continuously track and maintain the input current and the input voltage to each converter at the maximum power point of the DC power source providing the input current and the input voltage to the converter. The maximum power of the DC power source that is input to the converter is also output from the converter. The converter output power may be at a current and voltage different from the converter input current and voltage. The output current and voltage from the converter are responsive to requirements of the series connected portion of the circuit.

(23) In one aspect of the invention, the outputs of converters **305a-305d** are series connected into a single DC output that forms the input to the load or power supplier, in this example, inverter **304**. The inverter **304** converts the series connected DC output of the converters into an AC power supply. The load, in this case inverter **304**, regulates the voltage at the load's input. That is, in this example, an independent control loop **321** holds the input voltage at a set value, say 400 volts. Consequently, the inverter's input current is dictated by the available power, and this is the current that flows through all serially connected DC sources. On the other hand, while the output of the DC-DC converters must be at the inverter's current input, the current and voltage input to the converter is independently controlled using the MPPT.

(24) In the conventional art, the input voltage to the load was allowed to vary according to the available power. For example, when a lot of sunshine is available in a solar installation, the voltage input to the inverter can vary even up to 1000 volts. Consequently, as sunshine illumination varies, the voltage varies with it, and the electrical components in the inverter (or other power supplier or load) are exposed to varying voltage. This tends to degrade the performance of the components and ultimately causes them to fail. On the other hand, by fixing the voltage or current to the input of the load or power supplier, here the inverter, the electrical components are always exposed to the same voltage or 30 current and therefore would have extended service life. For example, the components of the load (e.g., capacitors, switches and coil of the inverter) may be selected so that at the fixed input voltage or current they operate at, say, 60% of their rating. This would improve the reliability and prolong the service life of the component, which is critical for avoiding loss of service in applications such as solar power systems.

(25) FIGS. **4A** and **4B** illustrate the operation of the system of FIG. **3** under different conditions, according to aspects of the invention. The exemplary configuration **40** is similar to configuration **30** of FIG. **3**. In the example shown, ten DC power sources **401/1** through **401/10** are connected to ten power converters **405/1** through **405/10**, respectively. The modules formed by the DC power sources and their corresponding converters are coupled together in series to form a string **403**. In one aspect of the invention, the series-connected converters **405** are coupled to a DC-to-AC inverter **404**.

(26) The DC power sources may be solar panels and the example is discussed with respect to solar panels as one illustrative case. Each solar panel **401** may have a different power output due to manufacturing tolerances, shading, or other factors. For the purpose of the present example, an ideal case is illustrated in FIG. **4A**, where efficiency of the DC-to-DC conversion is assumed to be 100% and the panels **501** are assumed to be identical. In some aspects of the invention, efficiencies

of the converters may be quite high and range at about 95%-99%. So, the assumption of 100% efficiency is not unreasonable for illustration purposes. Moreover, according to embodiments of the subject invention, each of the DC-DC converters are constructed as a power converter, i.e., it transfers to its output the entire power it receives in its input with very low losses.

(27) Power output of each solar panel **401** is maintained at the maximum power point for the panel by a control loop within the corresponding power converter **405**. In the example shown in FIG. **4A**, all of the panels are exposed to full sun illumination and each solar panel **401** provides 200 W of power. Consequently, the MPPT loop will draw current and voltage level that will transfer the entire 200 W from the panel to its associated converter.

(28) That is, the current and voltage dictated by the MPPT form the input current $I_{sub.in}$, and input voltage $V_{sub.in}$ to the converter. The output voltage is dictated by the constant voltage set at the inverter **404**, as will be explained below. The output current $I_{sub.out}$ would then be the total power, i.e., 200 W, divided by the output voltage $V_{sub.out}$.

(29) As noted above, according to a feature of the invention, the input voltage to inverter **404** is controlled by the inverter (in this example, kept constant), by way of control loop **421**. For the purpose of this example, assume the input voltage is kept as 400V (ideal value for inverting to 220 VAC). Since we assume that there are ten serially connected power converters, each providing 200 W, we can see that the input current to the inverter **404** is $2000\text{ W}/400\text{ V}=5\text{ A}$. Thus, the current flowing through each of the converters **401/1-401/10** must be 5 A. This means that in this idealized example each of the converters provides an output voltage of $200\text{ W}/5\text{ A}=40\text{ V}$. Now, assume that the MPPT for each panel (assuming perfect matching panels) dictates $V_{MPP}=32\text{ V}$. This means that the input voltage to the inverter would be 32V, and the input current would be $200\text{ W}/32\text{ V}=6.25\text{ A}$.

(30) We now turn to another example, wherein the system is still maintained at an ideal mode (i.e., perfectly matching DC sources and entire power is transferred to the inverter), but the environmental conditions are not ideal. For example, one DC source is overheating, is malfunctioning, or, as in the example of FIG. **4B**, the ninth solar panel **401/9** is shaded and consequently produces only 40 W of power. Since we keep all other conditions as in the example of FIG. **4A**, the other nine solar panels **401** are unshaded and still produce 200 W of power. The power converter **405/9** includes MPPT to maintain the solar panel **501/9** operating at the maximum power point, which is now lowered due to the shading.

(31) The total power available from the string is now $9 \times 200\text{ W} + 40\text{ W} = 1840\text{ W}$. Since the input to the inverter is still maintained at 400V, the input current to the inverter will now be $1840\text{ W}/400\text{ V}=4.6\text{ A}$. This means that the output of all of the power converters **405/1-405/10** in the string must be at 4.6 A. Therefore, for the nine unshaded panels, the converters will output $200\text{ W}/4.6\text{ A}=43.5\text{ V}$. On the other hand, the converter **405/9** attached to the shaded panel **401/9** will output $40\text{ W}/4.6\text{ A}=8.7\text{ V}$. Checking the math, the input to the inverter can be obtained by adding nine converters providing 43.5V and one converter providing 8.7V, i.e., $(9 \times 43.5\text{ V}) + 8.7\text{ V} = 400\text{ V}$.

(32) The output of the nine non-shaded panels would still be controlled by the MPPT as in FIG. **4A**, thereby standing at 32V and 6.25 A. On the other hand, since the ninth panel **401/9** is shaded, let's assume its MPPT dropped to 28V. Consequently, the output current of the ninth panel is $40\text{ W}/28\text{ V}=1.43\text{ A}$. As can be seen by this example, all of the panels are operated at their maximum power point, regardless of operating conditions. As shown by the example of FIG. **4B**, even if the output of one DC source drops dramatically, the system still maintains relatively high power output by fixing the voltage input to the inverter, and controlling the input to the converters independently so as to draw power from the DC source at the MPP.

(33) As can be appreciated, the benefit of the topology illustrated in FIGS. **4A** and **4B** are numerous. For example, the output characteristics of the serially connected DC sources, such as solar panels, need not match. Consequently, the serial string may utilize panels from different manufacturers or panels installed on different parts of the roofs (i.e., at different spatial

orientation). Moreover, if several strings are connected in parallel, it is not necessary that the strings match; rather each string may have different panels or different number of panels. This topology also enhances reliability by alleviating the hot spot problem. That is, as shown in FIG. 4A the output of the shaded panel **401/9** is 1.43 A, while the current at the output of the unshaded panels is 6.25 A. This discrepancy in current when the components are series connected causes a large current being forced through the shaded panel that may cause overheating and malfunction at this component. However, by the inventive topology wherein the input voltage is set independently, and the power draw from each panel to its converter is set independently according to the panels MPP at each point in time, the current at each panel is independent on the current draw from the serially connected converters.

(34) It is easily realized that since the power is optimized independently for each panel, panels could be installed in different facets and directions in BIPV installations. Thus, the problem of low power utilization in building-integrated installations is solved, and more installations may now be profitable.

(35) The described system could also easily solve the problem of energy harvesting in low light conditions. Even small amounts of light are enough to make the converters **405** operational, and they then start transferring power to the inverter. If small amounts of power are available, there will be a low current flow-but the voltage will be high enough for the inverter to function, and the power will indeed be harvested.

(36) According to aspects of the invention, the inverter **404** includes a control loop **421** to maintain an optimal voltage at the input of inverter **404**. In the example of FIG. 4B, the input voltage to inverter **404** is maintained at 400V by the control loop **421**. The converters **405** are transferring substantially all of the available power from the solar panels to the input of the inverter **404**. As a result, the input current to the inverter **404** is dependent only on the power provided by the solar panels and the regulated set, i.e., constant, voltage at the inverter input.

(37) The conventional inverter **104**, shown in FIG. 1 and FIG. 3, is required to have a very wide input voltage to accommodate for changing conditions, for example a change in luminance, temperature and aging of the solar array. This is in contrast to the inverter **404** that is designed according to aspects of the present invention. The inverter **404** does not require a wide input voltage and is therefore simpler to design and more reliable. This higher reliability is achieved, among other factors, by the fact that there are no voltage spikes at the input to the inverter and thus the components of the inverter experience lower electrical stress and may last longer.

(38) When the inverter **404** is a part of the circuit, the power from the panels is transferred to a load that may be connected to the inverter. To enable the inverter **404** to work at its optimal input voltage, any excess power produced by the solar array, and not used by the load, is dissipated. Excess power may be handled by selling the excess power to the utility company if such an option is available. For off-grid solar arrays, the excess power may be stored in batteries. Yet another option is to connect a number of adjacent houses together to form a micro-grid and to allow load-balancing of power between the houses. If the excess power available from the solar array is not stored or sold, then another mechanism may be provided to dissipate excess power.

(39) The features and benefits explained with respect to FIGS. 4A and 4B stem, at least partially, from having the inverter dictates the voltage provided at its input. Conversely, a design can be implemented wherein the inverter dictates the current at its input. Such an arrangement is illustrated in FIG. 4C. FIG. 4C illustrates an embodiment of the invention wherein the inverter controls the input current. Power output of each solar panel **401** is maintained at the maximum power point for the panel by a control loop within the corresponding power converter **405**. In the example shown in FIG. 4C, all of the panels are exposed to full sun illumination and each solar panel **401** provides 200 W of power. Consequently, the MPPT loop will draw current and voltage level that will transfer the entire 200 W from the panel to its associated converter. That is, the current and voltage dictated by the MPPT form the input current $I_{sub.in}$ and input voltage $V_{sub.in}$

to the converter. The output voltage is dictated by the constant current set at the inverter **404**, as will be explained below. The output voltage $V_{sub.out}$ would then be the total power, i.e., 200 W, divided by the output current $I_{sub.out}$.

(40) As noted above, according to a feature of the invention, the input current to inverter **404** is dictated by the inverter by way of control loop **421**. For the purpose of this example, assume the input current is kept as 5 A. Since we assume that there are ten serially connected power converters, each providing 200 W, we can see that the input voltage to the inverter **404** is $2000\text{ W}/5\text{ A}=400\text{ V}$. Thus, the current flowing through each of the converters **401/1-401/10** must be 5 A. This means that in this idealized example each of the converters provides an output voltage of $200\text{ W}/5\text{ A}=40\text{ V}$. Now, assume that the MPPT for each panel (assuming perfect matching panels) dictates $V_{MPP}=32\text{ V}$. This means that the input voltage to the inverter would be 32V, and the input current would be $10\text{ }200\text{ W}/32\text{ V}=6.25\text{ A}$.

(41) Consequently, similar advantages have been achieved by having the inverter control the current, rather than the voltage. However, unlike the conventional art, changes in the output of the panels will not cause in changes in the current flowing to the inverter, as that is dictated by the inverter itself. Therefore, if the inverter is designed to keep the current or the voltage constant, then regardless of the operation of the panels, the current or voltage to the inverter will remain constant.

(42) FIG. 5 illustrates a distributed power harvesting system, according to other aspects of the invention, using DC power sources. FIG. 5 illustrates multiple strings **503** coupled together in parallel. Each of the strings is a series connection of multiple modules and each of the modules includes a DC power source **501** that is coupled to a converter **505**. The DC power source may be a solar panel. The output of the parallel connection of the strings **503** is connected, again in parallel, to a shunt regulator **506** and a load controller **504**. The load controller **504** may be an inverter as with the embodiments of FIGS. 4A and 4B. Shunt regulators automatically maintain a constant voltage across its terminals.

(43) The shunt regulator **506** is configured to dissipate excess power to maintain the input voltage at the input to the inverter **504** at a regulated level and prevent the inverter input voltage from increasing. The current which flows through shunt regulator **506** complements the current drawn by inverter **504** in order to ensure that the input voltage of the inverter is maintained at a constant level, for example at 400V.

(44) By fixing the inverter input voltage, the inverter input current is varied according to the available power draw. This current is divided between the strings **503** of the series connected converters. When each converter includes a controller loop maintaining the converter input voltage at the maximum power point of the associated DC power source, the output power of the converter is determined. The converter power and the converter output current together determine the converter output voltage. The converter output voltage is used by a power conversion circuit in the converter for stepping up or stepping down the converter input voltage to obtain the converter output voltage from the input voltage as determined by the MPPT.

(45) FIG. 6 illustrates an exemplary DC-to-DC converter **605** according to aspects of the invention. DC-to-DC converters are conventionally used to either step down or step up a varied or constant DC voltage input to a higher or a lower constant voltage output, depending on the requirements of the circuit. However, in the embodiment of FIG. 6 the DC-DC converter is used as a power converter, i.e., transferring the input power to output power, the input voltage varying according to the MPPT, while the output current being dictated by the constant input voltage to the inverter. That is, the input voltage and current may vary at any time and the output voltage and current may vary at any time, depending on the operating condition of the DC power sources.

(46) The converter **605** is connected to a corresponding DC power source **601** at input terminals **614** and **616**. The converted power of the DC power source **601** is output to the circuit through output terminals **610**, **612**. Between the input terminals **614**, **616** and the output terminals **610**, **612**, the remainder of the converter circuit is located that includes input and output capacitors **620**, **640**,

back flow prevention diodes **622**, **642** and a power conversion circuit including a controller **606** and an inductor **608**.

(47) The inputs **616** and **614** are separated by a capacitor **620** which acts as an open to a DC voltage. The outputs **610** and **612** are also separated by a capacitor **640** that also acts an open to DC output voltage. These capacitors are DC-blocking or AC-coupling capacitors that short when faced with alternating current of a frequency for which they are selected. Capacitor **640** coupled between the outputs **610**, **612** and also operates as a part of the power conversion circuit discussed below.

(48) Diode **642** is coupled between the outputs **610** and **612** with a polarity such that current may not backflow into the converter **605** from the positive lead of the output **612**. Diode **622** is coupled between the positive output lead **612** through inductor **608** which acts a short for DC current and the negative input lead **614** with such polarity to prevent a current from the output **612** to backflow into the solar panel **601**.

(49) The DC power sources **601** may be solar panels. A potential difference exists between the wires **614** and **616** due to the electron-hole pairs produced in the solar cells of panel **601**. The converter **605** maintains maximum power output by extracting current from the solar panel **601** at its peak power point by continuously monitoring the current and voltage provided by the panel and using a maximum power point tracking algorithm. The controller **606** includes an MPPT circuit or algorithm for performing the peak power tracking. Peak power tracking and pulse width modulation, PWM, are performed together to achieve the desired input voltage and current. The MPPT in the controller **606** may be any conventional MPPT, such as, e.g, perturb and observe (P&O), incremental conductance, etc. However, notably the MPPT is performed on the panel directly, i.e., at the input to the converter, rather than at the output of the converter. The generated power is then transferred to the output terminals **610** and **612**. The outputs of multiple converters **605** may be connected in series, such that the positive lead **612** of one converter **605** is connected to the negative lead **610** of the next converter **605**.

(50) In FIG. **6**, the converter **605** is shown as a buck plus boost converter. The term “buck plus boost” as used herein is a buck converter directly followed by a boost converter as shown in FIG. **6**, which may also appear in the literature as “cascaded buck-boost converter”. If the voltage is to be lowered, the boost portion is substantially shorted. If the voltage is to be raised, the buck portion is substantially shorted. The term “buck plus boost” differs from buck/boost topology which is a classic topology that may be used when voltage is to be raised or lowered. The efficiency of “buck/boost” topology is inherently lower than a buck or a boost. Additionally, for given requirements, a buck-boost converter will need bigger passive components then a buck plus boost converter in order to function. Therefore, the buck plus boost topology of FIG. **6** has a higher efficiency than the buck/boost topology. However, the circuit of FIG. **6** continuously decides whether it is bucking or boosting. In some situations when the desired output voltage is similar to the input voltage, then both the buck and boost portions may be operational.

(51) The controller **606** may include a pulse width modulator, PWM, or a digital pulse width modulator, DPWM, to be used with the buck and boost converter circuits. The controller **606** controls both the buck converter and the boost converter and determines whether a buck or a boost operation is to be performed. In some circumstances both the buck and boost portions may operate together. That is, as explained with respect to the embodiments of FIGS. **4A** and **4B**, the input voltage and current are selected independently of the selection of output current and voltage. Moreover, the selection of either input or output values may change at any given moment depending on the operation of the DC power sources. Therefore, in the embodiment of FIG. **6** the converter is constructed so that at any given time a selected value of input voltage and current may be up converted or down converted depending on the output requirement.

(52) In one implementation, an integrated circuit (IC) **604** may be used that incorporates some of the functionality of converter **605**. IC **604** is optionally a single ASIC able to withstand harsh temperature extremes present in outdoor solar installations. ASIC **604** may be designed for a high

mean time between failures (MTBF) of more than 25 years. However, a discrete solution using multiple integrated circuits may also be used in a similar manner. In the exemplary embodiment shown in FIG. 6, the buck plus boost portion of the converter **605** is implemented as the IC **604**. Practical considerations may lead to other segmentations of the system. For example, in one aspect of the invention, the IC **604** may include two ICs, one analog IC which handles the high currents and voltages in the system, and one simple low-voltage digital IC which includes the control logic. The analog IC may be implemented using power FETs which may alternatively be implemented in discrete components, FET drivers, A/Ds, and the like. The digital IC may form the controller **606**.

(53) In the exemplary circuit shown, the buck converter includes the input capacitor **620**, transistors **628** and **630** a diode **622** positioned in parallel to transistor **628**, and an inductor **608**. The transistors **628**, **630** each have a parasitic body diode **624**, **626**. In the exemplary circuit shown, the boost converter includes the inductor **608**, which is shared with the buck converter, transistors **648** and **650** a diode **642** positioned in parallel to transistor **650**, and the output capacitor **640**. The transistors **648**, **650** each have a parasitic body diode **644**, **646**.

(54) As shown in FIG. 1, adding electronic elements in the series arrangement may reduce the reliability of the system, because if one electrical component breaks it may affect the entire system. Specifically, if a failure in one of the serially connected elements causes an open circuit in the failed element, current ceases to flow through the entire series, thereby causing the entire system to stop function. Aspects of the present invention provide a converter circuit where electrical elements of the circuit have one or more bypass routes associated with them that carry the current in case of the electrical element fails. For example, each switching transistor of either the buck or the boost portion of the converter has its own bypass. Upon failure of any of the switching transistors, that element of the circuit is bypassed. Also, upon inductor failure, the current bypasses the failed inductor through the parasitic diodes of the transistor used in the boost converter.

(55) FIG. 7 illustrates a power converter, according to aspects of the invention. FIG. 7 highlights, among others, a monitoring and control functionality of a DC-to-DC converter **705**, according to embodiments of the present invention. A DC voltage source **701** is also shown in the figure. Portions of a simplified buck and boost converter circuit are shown for the converter **705**. The portions shown include the switching transistors **728**, **730**, **748** and **750** and the common inductor **708**. Each of the switching transistors is controlled by a power conversion controller **706**.

(56) The power conversion controller **706** includes the pulse-width modulation (PWM) circuit **733**, and a digital control machine **730** including a protection portion **737**. The power conversion controller **706** is coupled to microcontroller **790**, which includes an MPPT module **719**, and may also optionally include a communication module **709**, a monitoring and logging module **711**, and a protection module **735**.

(57) A current sensor **703** may be coupled between the DC power source **701** and the converter **705**, and output of the current sensor **703** may be provided to the digital control machine **730** through an associated analog to digital converter **723**. A voltage sensor **704** may be coupled between the DC power source **701** and the converter **705** and output of the voltage sensor **704** may be provided to the digital control machine **730** through an associated analog to digital converter **724**. The current sensor **703** and the voltage sensor **704** are used to monitor current and voltage output from the DC power source, e.g., the solar panel **701**. The measured current and voltage are provided to the digital control machine **730** and are used to maintain the converter input power at the maximum power point.

(58) The PWM circuit **733** controls the switching transistors of the buck and boost portions of the converter circuit. The PWM circuit may be a digital pulse-width modulation (DPWM) circuit. Outputs of the converter **705** taken at the inductor **708** and at the switching transistor **750** are provided to the digital control machine **730** through analog to digital converters **741**, **742**, so as to control the PWM circuit **733**.

(59) A random access memory (RAM) module **715** and a non-volatile random access memory

(NVRAM) module **713** may be located outside the microcontroller **790** but coupled to the microcontroller **790**. A temperature sensor **779** and one or more external sensor interfaces **707** may be coupled to the microcontroller **790**. The temperature sensor **779** may be used to measure the temperature of the DC power source **701**. A physical interface **717** may be coupled to the microcontroller **790** and used to convert data from the microcontroller into a standard communication protocol and physical layer. An internal power supply unit **739** may be included in the converter **705**.

(60) In various aspects of the invention, the current sensor **703** may be implemented by various techniques used to measure current. In one aspect of the invention, the current measurement module **703** is implemented using a very low value resistor. The voltage across the resistor will be proportional to the current flowing through the resistor. In another aspect of the invention, the current measurement module **703** is implemented using current probes which use the Hall Effect to measure the current through a conductor without adding a series resistor. After translating the current to voltage, the data may be passed through a low pass filter and then digitized. The analog to digital converter associated with the current sensor **703** is shown as the A/D converter **723** in FIG. 7. Aliasing effect in the resulting digital data may be avoided by selecting an appropriate resolution and sample rate for the analog to digital converter. If the current sensing technique does not require a series connection, then the current sensor **703** may be connected to the DC power source **701** in parallel.

(61) In one aspect of the invention, the voltage sensor **704** uses simple parallel voltage measurement techniques in order to measure the voltage output of the solar panel. The analog voltage is passed through a low pass filter in order to minimize aliasing. The data is then digitized using an analog to digital converter. The analog to digital converter associated with the voltage sensor **704** are shown as the A/D converter in FIG. 7. The A/D converter **724** has sufficient resolution to generate an adequately sampled digital signal from the analog voltage measured at the DC power source **701** that may be a solar panel.

(62) The current and voltage data collected for tracking the maximum power point at the converter input may be used for monitoring purposes also. An analog to digital converter with sufficient resolution may correctly evaluate the panel voltage and current. However, to evaluate the state of the panel, even low sample rates may be sufficient. A low-pass filter makes it possible for low sample rates to be sufficient for evaluating the state of the panel. The current and voltage data may be provided to the monitoring and logging module **711** for analysis.

(63) The temperature sensor **779** enables the system to use temperature data in the analysis process. The temperature is indicative of some types of failures and problems. Furthermore, in the case that the power source is a solar panel, the panel temperature is a factor in power output production.

(64) The one or more optional external sensor interfaces **707** enable connecting various external sensors to the converter **705**. External sensors are optionally used to enhance analysis of the state of the solar panel **701**, or a string or an array formed by connecting the solar panels **701**. Examples of external sensors include ambient temperature sensors, solar radiance sensors, and sensors from neighboring panels. External sensors may be integrated into the converter **705** instead of being attached externally.

(65) In one aspect of the invention, the information acquired from the current and voltage sensors **703**, **704** and the optional temperature and external sensors **705**, **707** may be transmitted to a central analysis station for monitoring, control, and analysis using the communications interface **709**. The central analysis station is not shown in the figure. The communication interface **709** connects a microcontroller **790** to a communication bus.

(66) The communication bus can be implemented in several ways. In one aspect of the invention, the communication bus is implemented using an off-the-shelf communication bus such as Ethernet or RS422. Other methods such as wireless communications or power line communications, which could be implemented on the power line connecting the panels, may also be used. If bidirectional

communication is used, the central analysis station may request the data collected by the microcontroller **790**. Alternatively or in addition, the information acquired from sensors **703, 704, 705, 707** is logged locally using the monitoring and logging module **711** in local memory such as the RAM **715** or the NVRAM **713**.

(67) Analysis of the information from sensors **703, 704, 705, 707** enables detection and location of many types of failures associated with power loss in solar arrays. Smart analysis can also be used to suggest corrective measures such as cleaning or replacing a specific portion of the solar array. Analysis of sensor information can also detect power losses caused by environmental conditions or installation mistakes and prevent costly and difficult solar array testing.

(68) Consequently, in one aspect of the invention, the microcontroller **790** simultaneously maintains the maximum power point of input power to the converter **705** from the attached DC power source or solar panel **701** based on the MPPT algorithm in the MPPT module **719** and manages the process of gathering the information from sensors **703, 704, 705, 707**. The collected information may be stored in the local memory **713, 715** and transmitted to an external central analysis station. In one aspect of the invention, the microcontroller **790** uses previously defined parameters stored in the NVRAM **713** in order to operate. The information stored in the NVRAM **713** may include information about the converter **705** such as serial number, the type of communication bus used, the status update rate and the ID of the central analysis station. This information may be added to the parameters collected by the sensors before transmission.

(69) The converters **705** may be installed during the installation of the solar array or retrofitted to existing installations. In both cases, the converters **705** may be connected to a panel junction connection box or to cables connecting the panels **701**. Each converter **705** may be provided with the connectors and cabling to enable easy installation and connection to solar panels **701** and panel cables.

(70) In one aspect of the invention, the physical interface **717** is used to convert to a standard communication protocol and physical layer so that during installation and maintenance, the converter **705** may be connected to one of various data terminals, such as a computer or PDA. Analysis may then be implemented as software which will be run on a standard computer, an embedded platform or a proprietary device.

(71) The installation process of the converters **705** includes connecting each converter **705** to a solar panel **701**. One or more of the sensors **703, 704, 705, 707** may be used to ensure that the solar panel **701** and the converter **705** are properly coupled together. During installation, parameters such as serial number, physical location and the array connection topology may be stored in the NVRAM **713**. These parameters may be used by analysis software to detect future problems in solar panels **701** and arrays.

(72) When the DC power sources **701** are solar panels, one of the problems facing installers of photovoltaic solar panel arrays is safety. The solar panels **701** are connected in series during the day when there is sunlight. Therefore, at the final stages of installation, when several solar panels **701** are connected in series, the voltage across a string of panels may reach dangerous levels. Voltages as high as 600V are common in domestic installations. Thus, the installer faces a danger of electrocution. The converters **705** that are connected to the panels **701** may use built-in functionality to prevent such a danger. For example, the converters **705** may include circuitry or hardware of software safety module that limits the output voltage to a safe level until a predetermined minimum load is detected. Only after detecting this predetermined load, the microcontroller **790** ramps up the output voltage from the converter **705**.

(73) Another method of providing a safety mechanism is to use communications between the converters **705** and the associated inverter for the string or array of panels. This communication, that may be for example a power line communication, may provide a handshake before any significant or potentially dangerous power level is made available. Thus, the converters **705** would wait for an analog or digital release signal from the inverter in the associated array before

transferring power to inverter.

(74) The above methodology for monitoring, control and analysis of the DC power sources **701** may be implemented on solar panels or on strings or arrays of solar panels or for other power sources such as batteries and fuel cells.

(75) Use of Battery as DC Power Source/Sink

(76) A typical rechargeable battery may be made with serially connected secondary cells and in some cases, several parallel strings of serially connected cells. Serially connected secondary cells are used to build a battery voltage high enough to fit a specific application voltage. A typical generic charging application applied to a rechargeable battery, may include a bulk power source which provides raw DC power to the rechargeable battery and a regulator which regulates current and/or voltage applied to the rechargeable battery. For less-expensive chargers, the regulator is usually a power transistor or other linear-pass element that dissipates power as heat. The regulator may also be a buck switching supply that includes a standard freewheeling diode for average efficiency or a synchronous rectifier for highest efficiency. The typical generic charging application may further include a current-control loop which limits the maximum current delivered to the battery, and a voltage loop which maintains a constant voltage on the battery. (Note that Li⁺ cells typically require a high level of precision in the applied charging voltage.) Also the current-voltage (I-V) characteristic may be fully programmable, or may be programmable in current only, with a voltage limit (or vice versa). Cell temperature of the battery may be measured, and charge termination can be based either on the level or the slope of this measurement. Charging time may be measured, usually as a calculation in an intelligence block such as microprocessor with memory for example. The intelligence block provides intelligence for the system and typically implements a state machine. The intelligence block using the state machine knows how and when to terminate a charge. Discharge is done, usually, directly from a cell array, via current sensing (in order to keep track of actual battery charge).

(77) A serial connection of battery cells may pose a challenge in managing the charge and discharge of battery cells. All cells typically must be matched in terms of electrical characteristics and initial charge levels. Cells also need to be matched thermally otherwise the same electrical conditions can have different (and catastrophic) results for different cells. Usually several temperature sensors are used to meet the needed safety requirements but the typical outcome is that the entire battery charge performance is limited by the weakest cell. Adding several parallel strings of cells may be an additional challenge, since impedance of all cells are low, any small impedance difference may result in a large variance in current between strings. The large variance in current between strings may be difficult to manage without some separate circuit hardware per string.

(78) Reference is now made to FIG. **3a** which show system **30a** according to an embodiment of the present invention. System **30a** includes converters **305a-305d** with terminals connected in series to form a string **3003**, the same as shown in configuration **30** (FIG. **3**). The other terminals of converters **305a-305d** are connected to re-chargeable cells **6001a-6001d** respectively to form a module **320a**. Each module **320a** includes a control loop **323i** that receives a feedback signal, from the connection between a converter **305** and a cell **6001**. Loop **323i** typically determines the voltage across the connection between converter **305** and cell **6001** and/or the current between converter **305** and cell **6001**. String **3003** is connected to a terminal of power controller **3004a**. Several strings **3003** may be further connected to the terminal of power controller **3004a** by connecting strings **3003** in parallel. The other terminal **330** of power controller **3004** may be connected to a power supply or a load. The power supply may be an AC supply such as a grid voltage or a DC supply. The load may be an AC load or a DC load. System **30a** typically operates in two modes. One mode is the discharge of cells **6001** to supply the load or the power supply connected to power controller **3004a**. The other mode is to charge cells **6001** via power controller **3004a** when controller **3004a** is connected to the power supply. During charging of cells **6001**, controller **3004a** typically operates as a parallel charger. Controller **3004a** acts as a voltage source that supplies any

amount of power up to the total power available by the power source. The voltage source can be fixed to almost any voltage and can be optimized depending on the amount of modules **320a**. Power controller **3004a** may be DC to AC inverter or a DC to DC converter the same as a converter **305** for example. According to a feature of the present invention an independent control loop **321a** of controller **3004a** typically holds the voltage of string **3003** at a set value.

(79) Reference is now made to FIG. **3b** which shows system **30b** according to an embodiment of the present invention. System **30a** includes converters **305a-305d** with terminals connected in series to form a string **3003**, the same as show in configuration **30a** (shown in FIG. **3a**). The other terminals of converters **305a-305d** are connected to re-chargeable cells **6001a-6001d** respectively to form a module **320a**. Each module **320a** includes two control loops **323i** and **323o**. Converter **305** may independently choose which loop **323i** or **323o** to use for operation of converter **305**. Converter **305** may also operate control loops **323i** and **323o** simultaneously, such that loop **323i** determines the voltage and current of battery **6001** and hence the power (P) of battery **6001**. Whilst at the same time, loop **323o** determines the voltage and current of converter **305** and therefore power in string **3003**. The voltages and currents on either side of converter **305** change respectively in order to preserve maximum power through converter **305**. Converter **3004a** typically may be another DC-DC converter **305** without loops **323i** and **323o** or may be a DC-AC inverter. Loop **323i** provides a feedback signal to converter **305**, from the connection between converter **305** and cell **6001**. Loop **323i** typically determines the voltage across the connection between converter **305** and cell **6001** and/or the direction of current (i.e. charging or discharging) between converter **305** and cell **6001**. Loop **323o** provides a feedback signal to converter **305** from string **3003**. Loop **323o** typically determines the voltage contribution of converter **305** to string **3003** and/or the direction of current to converter **305**.

(80) String **3003** is connected to converter **3004a**. Several strings **3003** may be further connected to converter **3004a** by connecting strings **3003** in parallel. The other side **330** of converter **3004** may be connected to a power supply or a load. The power supply may be an AC supply such as a grid voltage or a DC supply. The load may be an AC load or a DC load. System **30b** typically operates in two modes. One mode is the discharge of cells **6001** to supply the load or the power supply connected to converter **3004a**. The other mode is to charge cells **6001** via converter **3004a** connected to the power supply. During charging of cells **6001**, converter **3004a** typically operates as a simplified parallel charger. Converter **3004a** acts as a voltage source that supplies any amount of power up to the total power available by the power source. The voltage source can be fixed to almost any voltage and can be optimized depending on the number of modules **320a**.

(81) Reference is now made to FIG. **3c** which show system **30c** according to an embodiment of the present invention. System **30c** includes converters **305a-305d** with terminals connected in series to form a string **3003**, the same as show in configuration **30a** (shown in FIG. **3a**). The other terminals of converters **305a-305d** are connected to re-chargeable cells **6001a-6001d** respectively to form a module **320a**. Each module **320a** includes battery **6001**, converter **305**, and control loop **323i**. Serial string of modules **320a** is connected in parallel with a second serial string **303** of modules **320** including photovoltaic panel **301**, and converter **305** each with control loop **323i**. The two serial strings are connected to power converter **3004a** which may be a grid connected DC-AC inverter or DC-DC converter on connection **330** for instance. Power converter **3004a** is shown with a control loop **321a** which sets the voltage or current in the parallel-connected serial strings at a previously determined value generally dependent on the direction of current flow, i.e. charging or discharging. System **30c** may be used for grid-connected or off grid applications. In particular, photovoltaic module string **303** may be used to charge batteries of battery string **3003**. The energy stored in battery string **3003** may be sold to the grid at a later time for instance when the electricity price tariffs are higher.

(82) During charging a converter **305** acts as an optimized charger for a battery **6001**. Charging a battery **6001** is preferably performed by controlling the current (I)/voltage **30** (V) characteristics of

a charge profile for a converter **305**, to feed into a battery **6001** the most favorable charge power needed at any given time. Converter **305** may also act as a current source, perform voltage regulation or trickle charge depending on need. One side of each converter **305** may draw a different power from controller **3004a**, depending on power needed by a battery **6001** connected to the other side of converter **305**. By sharing the same battery string **3003** current, the voltage of each converter **305** in battery string **3003** will typically be different for each converter **305**. The total voltage provided by string **3003** will typically be the voltage set by controller **3004a**. If a battery is fully charged, converter **305** will enter a bypass mode in which it is not taking power from controller **3004a**. Controller **3004a** may also turn ON or OFF any number of converters **305** in case controller **3004a** does not have enough power to charge all batteries **6001**. In an optimal way, controller **3004a** can shut OFF some of converters **305** leaving only some of batteries **6001** to be charged. Once batteries **6001** are fully charged converters **305** will shut OFF and other batteries **6001** can be charged. By charging some batteries **6001** and not other batteries **6001** means batteries **6001** are always charged in the most efficient way independent of the amount of power available for charging. Controller **3004a** communicates with converters **305** via power line communication so additional wires are not needed for charge control of batteries **6001**.

(83) Discharge of batteries **6001** is very similar to harvesting power from different rated photovoltaic modules (PV) modules **301** and/or PV strings **303**. Controller **3004a** regulates the string **3003** voltage to a fixed voltage. Each converter **305** will discharge the power in battery **6001**. Controller **3004a** may increase or decrease the total amount of power drawn via communication with converters **305** so that the total power supplied is equal to the load needed. Each converter **305** will supply the energy available from its battery **6001**. By sharing the same string **3003** current, the voltage of each converter **305** on the side connected to controller **3004a** will be different for each converter **305**. The total voltage across string **3004a** is typically set by controller **3004a**.

(84) Reference is now made to FIG. **6a** which shows a slightly modified DC-DC converter **305** based on the DC-DC converter **605** shown in FIG. **6**, according to an embodiment of the present invention. Converter **305** additionally includes high frequency transducer **62** and low frequency transducer **63** placed in negative power line **614**. Transducers **62** and **63** typically include analogue to digital converters and means for power line communication or wireless communication. Transducer **62** (operatively attached to controller **606**) typically senses current in the higher frequency portion of converter **305** where switches **628**, **626**, **648**, and **646** are typically switching at a high frequency. The sensed current of transducer **62** is typically conveyed by transducer to controller **606** by wireless communication or power line communication. Transducer **63** (operatively attached to controller **606**) typically includes monitoring of current, temperature of battery **6001**. The sensed current, temperature of battery **6001** are also conveyed to controller **606** using wireless communication or power line communication. Controller **606** typically includes a microprocessor with memory. Converter **305** connects to battery **6001** with positive node **616** and negative node **614**. The other end of converter **305** has lines **614** and **612**. Multiple lines **614** and **612** of multiple converters **305** are typically joined to together in series, by connecting a line **614** of one converter with a line **612** of another converter **305** to form a battery string **3003**. A typical bypass route between power lines **612** and **610** of a converter **305** may be to have switches **650** and **644** ON and switches **630** and **628** OFF. Converter **305** is a Buck-Boost topology power converter that has the ability to control its transferred I-V curve. The topology of the converter **305** is basically symmetrical thus enabling converter **305** to convert power in either direction.

(85) The definite articles “a”, “an” is used herein, such as “a power converter”, “a control loop” have the meaning of “one or more” that is “one or more power converters” or “one or more control loops”.

(86) Although selected embodiments of the present invention have been shown and described, it is to be understood the present invention is not limited to the described embodiments. Instead, it is to be appreciated that changes may be made to these embodiments without departing from the

principles and spirit of the invention, the scope of which is defined by the claims and the equivalents thereof.

Claims

1. A system comprising: a plurality of battery cells; a plurality of DC/DC power converters, each respective DC/DC power converter, of the plurality of DC/DC power converters, comprising: input terminals coupled to a respective battery cell of the plurality of battery cells; and a controller configured to operate in a charge mode, a bypass mode and a discharge mode, wherein the controller is configured to, in the charge mode, set an input current at the input terminals to charge the respective battery cell of the plurality of battery cells according to power charge requirements of the respective battery cell, wherein the controller is configured to, in the bypass mode, operate the respective DC/DC power converter to bypass the respective battery cell, wherein the controller is configured to, in the discharge mode, operate the respective DC/DC power converter to provide energy from the respective battery cell to output terminals, and wherein the output terminals of all of the plurality of DC/DC power converters are coupled in series to form a series string; and a second controller configured to regulate a voltage across the series string to be a fixed voltage.
2. The system of claim 1, wherein each respective DC/DC power converter of the plurality of DC/DC power converters comprises a buck plus boost power converter.
3. The system of claim 1, wherein the second controller is a controller of a separate DC/DC power converter.
4. The system of claim 1, wherein the second controller is a controller of a DC/AC power converter.
5. The system of claim 1, further comprising a second series string comprising a second plurality of battery cells and a second plurality of DC/DC power converters, wherein output terminals of all of the second plurality of DC/DC power converters are coupled in series to form a second series string and the second series string is connected in parallel to the series string.
6. A system comprising: a plurality of battery cells; and a plurality of DC/DC power converters, each respective DC/DC power converter, of the plurality of DC/DC power converters, comprising: input terminals coupled to a respective battery cell of the plurality of battery cells, a controller configured to operate in a charge mode, a bypass mode and a discharge mode, wherein the controller is configured to, in the charge mode, set an input current at the input terminals to charge the respective battery cell of the plurality of battery cells according to power charge requirements of the respective battery cell, wherein the controller is configured to, in the bypass mode, operate the respective DC/DC power converter to bypass the respective battery cell, wherein the controller is configured to, in the discharge mode, operate the respective DC/DC power converter to provide energy from the respective battery cell to output terminals, wherein the output terminals of all of the plurality of DC/DC power converters are coupled in series to form a series string, and wherein each respective DC/DC power converter of the plurality of DC/DC power converters comprises a first control loop configured to provide a first feedback signal to the controller from the input terminals of the respective DC/DC power converter, and a second control loop, wherein the second control loop is configured to provide a second feedback signal to the controller from output terminals of the respective DC/DC power converter.
7. The system of claim 6, wherein each of the plurality of DC/DC power converters comprises a buck plus boost power converter.
8. The system of claim 6, wherein the first control loop is configured to provide a feedback signal indicating a current flowing through input terminals of the respective DC/DC power converter.
9. The system of claim 6, wherein the first control loop is configured to provide a feedback signal that indicates a power flowing through input terminals of the respective DC/DC power converter.
10. The system of claim 6, wherein each respective DC/DC converter is configured to select

between: operating the first control loop and not operating the second control loop, operating the second control loop and not operating the first control loop, and operating the first control loop and the second control loop simultaneously.

11. The system of claim 6, further comprising a second series string comprising a second plurality of battery cells and a second plurality of DC/DC power converters, wherein output terminals of all of the second plurality of DC/DC power converters are coupled in series to form a second series string and the second series string is connected in parallel to the series string.

12. The system of claim 6, further comprising a power controller connected across terminals of the series string.

13. A method comprising: coupling a plurality of battery cells to a plurality of DC/DC power converters, wherein coupling the plurality of battery cells to the plurality of DC/DC power converters comprises coupling input terminals of each of the plurality of DC/DC power converters to a respective battery cell of the plurality of battery cells; operating a controller of a respective DC/DC power converter of the plurality of DC/DC power converters in one of a charge mode, a bypass mode and a discharge mode, wherein: operating the controller, in the charge mode, sets an input current at the input terminals to charge the respective battery cell of the plurality of battery cells according to power charge requirements of the respective battery cell, operating the controller, in the bypass mode, operates the respective DC/DC power converter to bypass the respective battery cell, and operating the controller, in the discharge mode, operates the respective DC/DC power converter to provide energy from the respective battery cell to output terminals; and coupling the output terminals of the plurality of DC/DC power converters in series to form a series string.

14. The method of claim 13, further comprising operating each respective DC/DC power converter of the plurality of DC/DC power converters according to a feedback signal of a control loop configured to indicate a current flowing through input terminals of the respective DC/DC power converter.

15. The method of claim 13, further comprising operating each respective DC/DC power converter of the plurality of DC/DC power converters according to a feedback signal of a control loop configured to indicate a voltage flowing through output terminals of the respective DC/DC power converter.

16. The method of claim 14, further comprising operating each respective DC/DC power converter of the plurality of DC/DC power converters according to a second feedback signal of a second control loop configured to indicate a voltage flowing through output terminals of the respective DC/DC power converter.

17. The method of claim 13, further comprising coupling a power controller to the series string and operating the power controller to set a charge mode or a discharge mode for the series string.

18. The method of claim 17, wherein the power controller comprises an additional power converter.

19. The method of claim 13, wherein each respective DC/DC power converter of the plurality of DC/DC power converters comprises a buck plus boost power converter.

20. The method of claim 13, further comprising coupling a second series string comprising a second plurality of DC/DC power converters and a second plurality of battery cells, in parallel to the series string.
