



US00PP36959P3

(12) **United States Plant Patent**
Juist

(10) **Patent No.:** **US PP36,959 P3**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **LEUCANTHEMUM** PLANT NAMED
‘LEUZ0008’

(50) Latin Name: *Leucanthemum maximum*
Varietal Denomination: **LEUZ0008**

(71) Applicant: **SYNGENTA CROP PROTECTION**
AG, Basel (CH)

(72) Inventor: **Monique Juist**, Enkhuizen (NL)

(73) Assignee: **Syngenta Crop Protection AG**, Basel
(CH)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/831,214**

(22) Filed: **Sep. 20, 2024**

(65) **Prior Publication Data**
US 2025/0024765 P1 Jan. 16, 2025

(51) **Int. Cl.**
A01H 6/14 (2018.01)

(52) **U.S. Cl.**
USPC **Plt/263.1**
CPC **A01H 6/14** (2018.05)

(58) **Field of Classification Search**
USPC Plt/263.1
CPC A01H 6/14; A01H 5/02
See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

CPVO Register—CPVO Application Consultation (Year: 2024).*

* cited by examiner

Primary Examiner — Keith O. Robinson

(74) *Attorney, Agent, or Firm* — Dale Skalla

(57) **ABSTRACT**

A new *Leucanthemum* plant named ‘LEUZ0008’ particu-
larly distinguished by its floriferousness, early flowering, a
white flower color, compact growth habit and big flowers.

1 Drawing Sheet

1

Latin name of the genus and species of the plant claimed:
Leucanthemum maximum.
Varietal denomination: ‘LEUZ0008’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new distinct cultivar of
Leucanthemum, botanically known as *Leucanthemum maxi-*
imum. and hereinafter referred to by the variety name
‘LEUZ0008’.

The new *Leucanthemum* is a product of a planned breed-
ing program. The new *Leucanthemum* cultivar is floriferous,
is early flowering, with white flower color, a compact
growth habit and big flowers.

The present cultivar originated from a cross made in 2018
in a controlled environment in Enkhuizen, The Netherlands.

The female parent was a *Leucanthemum* selection iden-
tified as ‘K4515-3’, not patented. Compared to
‘LEUZ0008’, it has bigger flowers, more flower petals that
are more deep incised at the apice.

The male parent was a *Leucanthemum* selection identified
as ‘PERAT4224-(4).4V’, not patented. Compared to
‘LEUZ0008’, it has smaller flowers and a yellow flower
color in young and mature stage.

The resulting seeds were sown in March 2019.
‘LEUZ0008’ was selected as one flowering plant within the
progeny of the stated cross in June 2019 in a controlled
environment in Enkhuizen, The Netherlands.

The first act of asexual reproduction of ‘LEUZ0008’ was
accomplished when vegetative stem cuttings were propa-
gated from the initial selection in October 2019 in a con-
trolled environment in Enkhuizen, The Netherlands

2

Horticultural examination of plants grown from cuttings
of the plant initiated in March 2020 and continuing there-
after, has demonstrated that the combination of characteris-
tics as herein disclosed for ‘LEUZ0008’ are firmly fixed and
are retained through successive generations of asexual
reproduction

‘LEUZ0008’ has not been observed under all possible
environmental conditions. The phenotype may vary signifi-
cantly with variations in environment such as temperature,
light intensity, and day length.

This new *Leucanthemum* plant is a perennial in all cli-
matical zones in the US. Temperature tolerance: Cold tol-
erance to −20 degrees C. Heat tolerance to 35 degrees C.

The following traits have been repeatedly observed and
are determined to be basic characteristics of the new variety.
The combination of these characteristics distinguishes this
Leucanthemum as a new and distinct variety. The new
Leucanthemum cultivar is floriferous, is early flowering,
with white flower color, a compact growth habit and big
flowers.

DESCRIPTION OF THE DRAWINGS

This new *Leucanthemum* plant is illustrated by the accom-
panying photographic drawings which shows blooms, buds
and foliage of the plant in full color. The colors showing
being as true as can be reasonably obtained by conventional
photographic procedures.

The photographic drawings show in FIG. 1 a flowering
plant of the new variety and
in FIG. 2 a close-up of the flowers.

The photographs were taken in June 2024 from plants growing outdoors in 12 cm pots in Enkhuizen, The Netherlands. These plants were approximately 14 weeks of age.

DETAILED BOTANICAL DESCRIPTION

The plant descriptions and measurements were taken in August 2024 in Enkhuizen, The Netherlands on outdoor plants grown in 12 cm pots. These plants were about 22 weeks old.

Color references are made to The Royal Horticultural Society Colour Chart (R.H.S.) 2001.

TABLE 1

DIFFERENCES BETWEEN THE NEW CULTIVAR 'LEUZ0008' AND A SIMILAR CULTIVAR		
	'LEUZ0008'	'LEUZ0003' (U.S. Pat. No. PP30826)
Earliness:	Very early	Medium early
Vigor:	Low in vigor	Medium vigorous
Width of leaves:	Rather narrow	Wide

The plant:

Propagation:

Type cutting.—Terminal cuttings.

Time to initiate roots.—21 days at 20 degrees C.

Time to produce a rooted cutting.—6 weeks.

Root description.—Fine, fibrous and white in color (RHS 155D).

Plant description:

General appearance.—Heavy, sturdy plant with dark leaves (RHS 137A upper surface, RHS 138A lower surface) and big inflorescences.

Branching habit.—Basal branching.

Plant height.—32 cm including lower, 14-20 cm without flower.

Plant spread.—25 cm.

Lateral branch description:

Length.—

Primary.—14-20 cm.

Secondary.—1-12 cm. Secondary shoots developing 1-12 cm from base of primary shoot.

Diameter.—0.4 cm.

Texture.—Smooth, glabrous.

Internode length.—1.5-3 cm.

Color.—RHS 137C.

Number of lateral branches per plant.—12 generative branches; 7-9 vegetative shoots developing (1-3 cm long).

Foliage description:

Arrangement.—Alternate.

Length, mature leaves.—13-15 cm.

Width, mature leaves.—1.7-2.0 cm.

Shape.—Ensiform.

Apex.—Acute.

Base.—Attenuate.

Margin.—Dentate.

Pubescence.—

Upper surface.—Lightly pubescent.

Lower surface.—Lightly pubescent, medium pubescent around veins.

Texture.—Smooth, glabrous.

Color, young foliage, upper surface.—RHS 137B.

Color, young foliage, lower surface.—RHS 137C.

Fully expanded foliage, upper surface.—RHS 137A.

Fully expanded foliage, lower surface.—RHS 138A.

Petiole.—Absent.

Veins, venation type.—Pinnate.

Veins, color upper surface.—RHS 143C.

Veins, color lower surface.—RHS 143C.

Inflorescence:

Form.—Actinomorphic.

Inflorescence position.—Terminal.

Disc and ray floret arrangement.—Acropetally on a capitulum.

Number of inflorescences per plant.—20-25.

Lasting quality.—40 days.

Fragrance.—None.

Bud (described before color developed):

Bud shape.—Ellipsoid.

Bud diameter.—1.3 cm.

Bud length.—0.8 cm.

Bud color.—RHS 137C with stripes RHS 166A.

Immature flower (at moment of opening):

Diameter.—3.0 cm.

Color upper surface.—RHS 2D.

Color lower surface.—RHS 4D.

Mature flower:

Diameter.—9 cm.

Height.—2 cm.

Diameter of disc.—3 cm.

Ray florets:

Length.—3.5 cm.

Width.—0.9 cm.

Shape.—Oblong.

Apex.—Tridentate.

Base.—Obtuse.

Margin.—Entire.

Texture (both upper and lower surfaces).—Smooth, glabrous.

Number per inflorescence.—30-38.

Color, fully opened.—Upper surface: RHS 155C, lower surface: RHS 155C.

Disc florets:

Length.—0.8 cm.

Width.—0.1 cm.

Shape.—Elliptic.

Number per inflorescence.—470.

Color.—

Immature.—Apex: RHS 7A, Base: RHS 145C.

Mature.—Apex: RHS 14A, Base: RHS 145C.

Phyllaries:

Length.—0.9 cm.

Width.—0.3 cm.

Shape.—Elliptic.

Apex.—Obtuse.

Margin.—Entire.

Number per inflorescence.—70.

Arrangement.—Imbricate whorls.

Texture (both upper and lower surfaces).—Smooth and glabrous with light pubescence present.

Color.—Upper surface: RHS 137C with stripes RHS 166A, lower surface: RHS 137D

Peduncle:

Length.—4-10 cm..

Diameter.—0.3 cm.

Aspect.—Upright.

Texture.—Light pubescence present.

Color.—RHS 137C.

Reproductive organs:

Androecium:

Presence.—On disc florets only.

Number (per inflorescence).—1.

Filament length.—0.2 cm.

Filament color.—RHS 5A.

Anthers.—

Shape.—Oblong.

Anther length.—0.1 cm.

Anther color.—RHS 13A.

Pollen.—

Color.—RHS 13A.

Pollen amount (generally).—Moderate.

Gynoecium:

Presence.—On disc and ray florets.

Pistils.—Number: 1.

Pistil length.—0.6 cm.

5 *Style length*.—0.4 cm.

Style color.—RHS 154C.

Stigma shape.—Bi-lobed.

Stigma color.—RHS 14A.

Seeds: None observed.

10 Disease resistance: No resistance or susceptibility observed.

Drought tolerance: Not drought tolerant.

What is claimed is:

1. A new and distinct cultivar of *Leucanthemum* plant
named 'LEUZ0008', substantially as illustrated and
15 described herein.

* * * * *



FIG. 1



FIG. 2