



US0D1090342S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,342 S**
Gao (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **TRANSFORMABLE CRUTCH**

DESCRIPTION

(71) Applicant: **Xiaohui Gao**, Beijing (CN)

(72) Inventor: **Xiaohui Gao**, Beijing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/956,384**

(22) Filed: **Aug. 7, 2024**

Related U.S. Application Data

(62) Division of application No. 35/517,555, filed on Jun. 20, 2022 (U.S. filing date under 35 U.S.C. 384), and
(Continued)

(30) **Foreign Application Priority Data**

Dec. 20, 2021 (CN) 202130842712.9
Dec. 20, 2021 (CN) 202130843438.7

(51) **LOC (15) Cl.** **03-03**

(52) **U.S. Cl.**
USPC **D3/7**

(58) **Field of Classification Search**
USPC D3/5-17; D24/183, 192, 171, 188, 231
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,621,707 A * 12/1952 Ames A61H 3/04
482/67
D618,140 S * 6/2010 Sanderson D12/130
(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Caitlin A Lavery

(74) *Attorney, Agent, or Firm* — REISING ETHINGTON,
P.C.

(57) **CLAIM**

The ornamental design for a transformable crutch as shown
and described.

FIG. 1 is a front view of a transformable crutch in a configuration of normal crutch, showing the new design; FIG. 2 is a back view thereof; FIG. 3 is a left view thereof; FIG. 4 is a right view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a front perspective view thereof; FIG. 8 is a rear perspective view thereof; FIG. 9 is another front perspective view thereof showing a usage state with an extending support part; FIG. 10 is another rear perspective view thereof showing the usage state with an extending support part; FIG. 11 is a front view of the transformable crutch in a configuration for sitting; FIG. 12 is a back view thereof; FIG. 13 is a left view thereof; FIG. 14 is a right view thereof; FIG. 15 is a top view thereof; FIG. 16 is a bottom view thereof; FIG. 17 is a front, right perspective view thereof; FIG. 18 is a rear, left perspective view thereof; FIG. 19 is another front, right perspective view thereof showing a usage state with an extending handle; FIG. 20 is another rear, left perspective view thereof showing the usage state with an extending handle; FIG. 21 is another front, right perspective view thereof showing a usage state with a sitting part turned upward; FIG. 22 is another rear, left perspective view thereof showing the usage state with a sitting part turned upward; FIG. 23 is another front, right perspective view thereof showing a usage state with a sitting part turned further upward; FIG. 24 is another rear, left perspective view thereof showing the usage state with a sitting part turned further upward; FIG. 25 is a front view of the transformable crutch in a storage configuration; FIG. 26 is a back view thereof; FIG. 27 is a left view thereof; FIG. 28 is a right view thereof; FIG. 29 is a top view thereof; FIG. 30 is a bottom view thereof;

(Continued)




FIG. 31 is a front, left perspective view thereof; and,
FIG. 32 is a rear, right perspective view thereof.
The broken lines illustrate portions of the crutch that form no
part of the claimed design.

1 Claim, 29 Drawing Sheets

Related U.S. Application Data

having an international filing date of Jun. 20, 2022,
now Pat. No. Des. 1,057,389.

(58) **Field of Classification Search**

CPC A45B 1/00; A45B 1/04; A45B 3/00; A45B
5/00; A45B 9/00; A45B 9/02; A45B 9/04;
A45B 2009/002; A45B 2009/005; A45B
2009/007; A61H 3/00; A61H 3/02; A61H
2003/0211; A61H 2003/0222; A61H
2003/0238; A61H 2003/0161

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D798,778	S	*	10/2017	Lin		D12/130
D976,762	S	*	1/2023	Harris		D12/129
D1,002,444	S	*	10/2023	Zhu		D12/130
11,883,339	B2	*	1/2024	Zhang		A61G 5/0833
D1,057,389	S	*	1/2025	Gao		D3/7
2005/0121873	A1	*	6/2005	Miller		A61H 3/04 280/87.021

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15

**FIG. 16**




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32