



US0D1090642S

(12) **United States Design Patent**
Aubin-Marchand et al.

(10) **Patent No.:** **US D1,090,642 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **TRACK ASSEMBLY**

(71) Applicant: **SOUCY INTERNATIONAL INC.**,
Drummondville (CA)

(72) Inventors: **Jeremie Aubin-Marchand**, St-Hugues
(CA); **Yan Roger**, Drummondville (CA)

(73) Assignee: **SOUCY INTERNATIONAL INC.**,
Drummondville (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/995,868**

(22) Filed: **Mar. 28, 2025**

Related U.S. Application Data

(62) Division of application No. 29/970,736, filed on Oct.
30, 2024, now Pat. No. Des. 1,072,888, which is a
division of application No. 29/823,047, filed on Jan.
13, 2022, now Pat. No. Des. 1,054,458.

(51) **LOC (15) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28; D12/7**

(58) **Field of Classification Search**
USPC D15/28; D12/7, 8, 9, 10, 28, 608;
D2/951, 960
CPC B62D 55/24; B62D 55/26; B62D 55/18;
B62D 55/084; B62D 55/04; B62D 55/08;
B62D 55/10; B62D 55/125; B62D 55/02;
B62D 55/06; B62D 55/065; B62D
55/0655; A01D 67/00; A01D 41/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,636,828 A 7/1927 Neighbour
5,273,126 A 12/1993 Reed et al.

5,924,503 A 7/1999 Lykken
6,062,661 A 5/2000 Juncker et al.
6,074,024 A 6/2000 Juncker
6,164,399 A 12/2000 Bays
6,543,862 B1 4/2003 Kahle et al.
7,222,924 B2 5/2007 Christianson
D1,054,458 S * 12/2024 Aubin-Marchand D15/28
D1,072,888 S * 4/2025 Aubin-Marchand D15/28
2006/0267405 A1 11/2006 Tucker
2008/0084111 A1 4/2008 Rainer
2009/0278403 A1 11/2009 Canossa
2009/0321151 A1 12/2009 Archambault et al.
2010/0060075 A1 3/2010 Hansen
2010/0139994 A1 6/2010 Hansen
2011/0155482 A1 6/2011 Courtemanche et al.
2012/0242142 A1 9/2012 Kautsch et al.

(Continued)

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — BCF LLP


(57) **CLAIM**

The ornamental design for a track assembly as shown and
described.

DESCRIPTION

FIG. 1 is a left side elevational view of a track assembly,
according to a first embodiment of our design;
FIG. 2 is a right side elevational view of the track assembly
of FIG. 1;
FIG. 3 is a left side perspective view of the track assembly
of FIG. 1;
FIG. 4 is a right side perspective view of the track assembly
of FIG. 1;
FIG. 5 is a top elevational view of the track assembly of FIG.
1; and,
FIG. 6 is a bottom elevational view of the track assembly of
FIG. 1.
Throughout the Figures, where shown, the dashed lines are
included for the purpose of illustrating portions of the article
which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0344087 A1 12/2015 De Boe et al.
2017/0113742 A1 4/2017 Tratta et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6