

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12409544
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Brunner; Yaron et al.

Sawhorse

Abstract

The present disclosure concerns a sawhorse. More particularly the disclosure concerns a sawhorse configured with an articulation system.

Inventors:	Brunner; Yaron (Gvat, IL), Shani, I; Izhar (Gvat, IL), Parizer; Uri (Hukok, IL)
Applicant:	KETER HOME AND GARDEN PRODUCTS LTD (Herzliya, IL); MILWAUKEE ELECTRIC TOOL CORPORATION (Brookfield, WI)
Family ID:	75165618
Assignee:	KETER HOME AND GARDEN PRODUCTS LTD (Herzliya, IL)
Appl. No.:	17/761581
Filed (or PCT Filed):	September 16, 2020
PCT No.:	PCT/IL2020/051019
PCT Pub. No.:	WO2021/059264
PCT Pub. Date:	April 01, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20220402113 A1	Dec. 22, 2022

Foreign Application Priority Data

IL	269564	Sep. 23, 2019
----	--------	---------------

Publication Classification

Int. Cl.: B25H1/06 (20060101)

U.S. Cl.:

CPC B25H1/06 (20130101);

Field of Classification Search

CPC: B25H (1/06); B25H (1/0078); B25H (1/04); B25H (1/08); B25H (3/02-022); B65D (21/00); B65D (21/0209); B65D (21/0202); B25B (11/00); B27B (5/06); B27B (17/0041); B23Q (9/0042); B23Q (9/0014)

USPC: 269/289; 269/136-138; 269/16

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
368397	12/1886	Hild	N/A	N/A
495537	12/1892	Westerman	N/A	N/A
509839	12/1892	Bowley	N/A	N/A
819331	12/1905	Aucutt	N/A	N/A
879325	12/1907	Rued	N/A	N/A
920744	12/1908	Hiscook	N/A	N/A
1081378	12/1912	Freeman	N/A	N/A
1084360	12/1913	Rahm	N/A	N/A
1112943	12/1913	Stone	N/A	N/A
1167029	12/1915	Stickle	N/A	N/A
1488460	12/1923	Scheer	N/A	N/A
1704480	12/1928	Kicileski	N/A	N/A
2042387	12/1935	Cobb	N/A	N/A
2100036	12/1936	Michal	N/A	N/A
2103106	12/1936	Yurkovitch	N/A	N/A
2124541	12/1937	Cassey	N/A	N/A
2210235	12/1939	Filbert	N/A	N/A
2372845	12/1944	Nelson	N/A	N/A
2386343	12/1944	Regenhardt	N/A	N/A
2430200	12/1946	Wilson	N/A	N/A
2472363	12/1948	Blackinton	N/A	N/A
2558126	12/1950	Davenport	N/A	N/A
2588009	12/1951	Jones	N/A	N/A
2733076	12/1955	Burnett	N/A	N/A
2939613	12/1959	Herman	N/A	N/A
2970358	12/1960	Elsner	N/A	N/A
3005282	12/1960	Christiansen	N/A	N/A
3117692	12/1963	Carpenter	N/A	N/A
3162819	12/1963	Ober	N/A	N/A

3186585	12/1964	Denny	N/A	N/A
3201035	12/1964	Martin	N/A	N/A
3225865	12/1964	Downey	N/A	N/A
3338452	12/1966	Oakley et al.	N/A	N/A
3370236	12/1967	Walker	N/A	N/A
3402954	12/1967	Simon	N/A	N/A
3424334	12/1968	Goltz	N/A	N/A
3426786	12/1968	Canalizo	N/A	N/A
3506321	12/1969	Hampel	N/A	N/A
3514170	12/1969	Shewchuk	N/A	N/A
3550908	12/1969	Propost	N/A	N/A
3552817	12/1970	Marcolongo	N/A	N/A
3567298	12/1970	Ambaum	N/A	N/A
3685866	12/1971	Patenaude	N/A	N/A
3743372	12/1972	Ruggerone	N/A	N/A
3778175	12/1972	Zimmer	N/A	N/A
D232798	12/1973	Roche	N/A	N/A
3835623	12/1973	Kline	N/A	N/A
3851936	12/1973	Muller	N/A	N/A
3913741	12/1974	Pirie	N/A	N/A
3935613	12/1975	Kaneko	N/A	N/A
3974898	12/1975	Tullis	N/A	N/A
3999818	12/1975	Schankler	N/A	N/A
4043566	12/1976	Johnson	N/A	N/A
4122925	12/1977	Schultheiss	N/A	N/A
4126366	12/1977	Handler et al.	N/A	N/A
4168076	12/1978	Johnson	N/A	N/A
4243279	12/1980	Ackeret	N/A	N/A
4303367	12/1980	Bott	N/A	N/A
4323786	12/1981	Snow	N/A	N/A
4338987	12/1981	Miles	N/A	N/A
4367615	12/1982	Feldman	N/A	N/A
4389133	12/1982	Oberst	N/A	N/A
4457436	12/1983	Kelley	N/A	N/A
4467925	12/1983	Ratzloff et al.	N/A	N/A
4491231	12/1984	Heggeland	N/A	N/A
4524985	12/1984	Drake	N/A	N/A
4531645	12/1984	Tisbo et al.	N/A	N/A
4535897	12/1984	Remington et al.	N/A	N/A
4564732	12/1985	Lancaster	N/A	N/A
4577772	12/1985	Bigliardi	N/A	N/A
D285986	12/1985	Huang	N/A	N/A
4639005	12/1986	Birkley	N/A	N/A
4643494	12/1986	Marleau	N/A	N/A
4660725	12/1986	Fishman	N/A	N/A
4673070	12/1986	Ambal	N/A	N/A
4684034	12/1986	Ono	N/A	N/A
4686034	12/1986	Ono	N/A	N/A
4693345	12/1986	Mittelmann	N/A	N/A
4735107	12/1987	Winkie	N/A	N/A

4775282	12/1987	Van Vliet	N/A	N/A
4805859	12/1988	Hudson	N/A	N/A
4817237	12/1988	Murphy	N/A	N/A
4880248	12/1988	Elmer	N/A	N/A
4929973	12/1989	Nakatani	N/A	N/A
4971201	12/1989	Sathre	N/A	N/A
5035389	12/1990	Wang	N/A	N/A
5035445	12/1990	Poulin	N/A	N/A
D319016	12/1990	Kahl	N/A	N/A
5098235	12/1991	Svetlik	N/A	N/A
D325324	12/1991	Kahl	N/A	N/A
5105947	12/1991	Wise	N/A	N/A
D326815	12/1991	Meisner	N/A	N/A
5154291	12/1991	Sur	N/A	N/A
5219446	12/1992	Klepac	N/A	N/A
5240264	12/1992	Williams	N/A	N/A
5244300	12/1992	Perreira	N/A	N/A
D340167	12/1992	Kahl	N/A	N/A
5263576	12/1992	Boreen et al.	N/A	N/A
5282554	12/1993	Thomas	N/A	N/A
5301829	12/1993	Chrisco	N/A	N/A
5325966	12/1993	Chang	N/A	N/A
5356038	12/1993	Banks	N/A	N/A
5356105	12/1993	Andrews	N/A	N/A
D352208	12/1993	Brookeshire	N/A	N/A
5375709	12/1993	Petro	N/A	N/A
5386959	12/1994	Laughlin et al.	N/A	N/A
5407170	12/1994	Slivon et al.	N/A	N/A
5429235	12/1994	Chen	N/A	N/A
5429260	12/1994	Vollers	N/A	N/A
5433416	12/1994	Johnson	N/A	N/A
D361511	12/1994	Dickinson	N/A	N/A
5437502	12/1994	Warnick et al.	N/A	N/A
5454634	12/1994	Herbst	N/A	N/A
5538213	12/1995	Brown	N/A	N/A
5595228	12/1996	Meisner	N/A	N/A
5608603	12/1996	Su	N/A	N/A
5622296	12/1996	Pirhonen	N/A	N/A
5628443	12/1996	Deutsch	N/A	N/A
5653366	12/1996	Liserre	N/A	N/A
5664292	12/1996	Chen	N/A	N/A
5676292	12/1996	Miller	N/A	N/A
D395533	12/1997	Morison	N/A	N/A
5775046	12/1997	Fanger	N/A	N/A
5797617	12/1997	Lin	N/A	N/A
5850996	12/1997	Liang	N/A	N/A
5890613	12/1998	Williams	N/A	N/A
5906381	12/1998	Hovatter	N/A	N/A
5951037	12/1998	Hsieh	N/A	N/A
5957421	12/1998	Barbour	N/A	N/A

D415393	12/1998	Kei	N/A	N/A
5988473	12/1998	Hagan	N/A	N/A
5996869	12/1998	Belinky	N/A	N/A
6006973	12/1998	Belinky	N/A	N/A
D420860	12/1999	Golichowski	N/A	N/A
6036071	12/1999	Hartmann	N/A	N/A
6050660	12/1999	Gurley	N/A	N/A
6059135	12/1999	James et al.	N/A	N/A
6059381	12/1999	Bayer	N/A	N/A
6082539	12/1999	Lee	N/A	N/A
6082687	12/1999	Kump	N/A	N/A
6085925	12/1999	Chung	N/A	N/A
6098858	12/1999	Laugesen	N/A	N/A
6099035	12/1999	Garvin	N/A	N/A
6109627	12/1999	Be	N/A	N/A
6123344	12/1999	Clegg	N/A	N/A
6131926	12/1999	Harlan	N/A	N/A
6161983	12/1999	Berger	N/A	N/A
6176558	12/2000	Hlade	N/A	N/A
6176559	12/2000	Tiramani	N/A	N/A
D437484	12/2000	Tiramani	N/A	N/A
D437669	12/2000	Blason	N/A	N/A
6202909	12/2000	Belinky	N/A	N/A
6253981	12/2000	McLemore	N/A	N/A
6286824	12/2000	Sagol	N/A	N/A
6298946	12/2000	Yemini	182/183.1	B27B 21/00
6305498	12/2000	Itzkovitch	N/A	N/A
6311881	12/2000	Kamiya	N/A	N/A
6347847	12/2001	Tiramani	N/A	N/A
6354759	12/2001	Leicht	N/A	N/A
6367631	12/2001	Steigerwald	N/A	N/A
6371320	12/2001	Sagol	N/A	N/A
6371321	12/2001	Lee	N/A	N/A
6371424	12/2001	Shaw	N/A	N/A
D456972	12/2001	Blason	N/A	N/A
6382486	12/2001	Kretchman	N/A	N/A
6390343	12/2001	Jain	N/A	N/A
6431580	12/2001	Kady	N/A	N/A
6435357	12/2001	Lee	N/A	N/A
6497395	12/2001	Croker	N/A	N/A
6547347	12/2002	Saito	N/A	N/A
6601930	12/2002	Tiramani	N/A	N/A
6619772	12/2002	Dierbeck	N/A	N/A
6637707	12/2002	Gates	N/A	N/A
6641013	12/2002	Dise	N/A	N/A
6666362	12/2002	LeTrudent	N/A	N/A
6712180	12/2003	Levy	182/225	B25H 1/06
6729827	12/2003	Williams	N/A	N/A
6889838	12/2004	Meier	N/A	N/A

6889938	12/2004	Meier	N/A	N/A
6945546	12/2004	Guirlinger	N/A	N/A
6948691	12/2004	Brock	N/A	N/A
6983946	12/2005	Sullivan	N/A	N/A
6984691	12/2005	Nagahama	N/A	N/A
7007903	12/2005	Turner	N/A	N/A
7044484	12/2005	Wang	N/A	N/A
7066475	12/2005	Barnes	N/A	N/A
7077372	12/2005	Moran	N/A	N/A
D525789	12/2005	Hosking	N/A	N/A
D527225	12/2005	Krieger	N/A	N/A
7083061	12/2005	Spindel	N/A	N/A
7090085	12/2005	Vicendese	N/A	N/A
7121417	12/2005	Magnusson	N/A	N/A
7147243	12/2005	Kady	N/A	N/A
7152752	12/2005	Kurtenbach	N/A	N/A
D536580	12/2006	Krieger	N/A	N/A
7172164	12/2006	Fuelling	N/A	N/A
7219969	12/2006	Bezzubov	N/A	N/A
D545697	12/2006	Martin	N/A	N/A
7263742	12/2006	Valentini	N/A	N/A
7350648	12/2007	Gerstner	N/A	N/A
7367571	12/2007	Nichols	N/A	N/A
7416193	12/2007	Barnett	N/A	N/A
7431172	12/2007	Spindel	N/A	N/A
7431313	12/2007	Torres et al.	N/A	N/A
7448115	12/2007	Howell	N/A	N/A
7490800	12/2008	Tu	N/A	N/A
7503569	12/2008	Duvigneau	N/A	N/A
7658887	12/2009	Hovatter	N/A	N/A
7690856	12/2009	Mortensen	N/A	N/A
7757913	12/2009	Fichera	N/A	N/A
7779764	12/2009	Naidu	N/A	N/A
7780026	12/2009	Zuckerman	N/A	N/A
D627967	12/2009	Kuhls	N/A	N/A
7837165	12/2009	Stone	N/A	N/A
7841144	12/2009	Pervan	N/A	N/A
7845501	12/2009	Fosburg et al.	N/A	N/A
D630851	12/2010	Landau	N/A	N/A
D632043	12/2010	Rouillard	N/A	N/A
8028845	12/2010	Himes	N/A	N/A
D649350	12/2010	Shitrit	N/A	N/A
D649783	12/2010	Brunner	N/A	N/A
D653832	12/2011	Vilkomirski	N/A	N/A
8132819	12/2011	Landau	N/A	N/A
8177463	12/2011	Walker	N/A	N/A
D661858	12/2011	Lifshitz	N/A	N/A
8191910	12/2011	Landau	N/A	N/A
D663952	12/2011	Crevling	N/A	N/A
D664354	12/2011	Crevling	N/A	N/A

D668869	12/2011	Yamamoto	N/A	N/A
8292244	12/2011	Okada	N/A	N/A
D674605	12/2012	Vilkomirski	N/A	N/A
8448829	12/2012	Watanabe	N/A	N/A
8453796	12/2012	Astor et al.	N/A	N/A
8454033	12/2012	Tsai	N/A	N/A
8459495	12/2012	Koenig	N/A	N/A
8505729	12/2012	Sosnovsky	N/A	N/A
8567796	12/2012	Bar-Erez	N/A	N/A
8590704	12/2012	Koenig	N/A	N/A
8602217	12/2012	Sosnovsky	N/A	N/A
8640913	12/2013	Berendes	N/A	N/A
8657307	12/2013	Lifshitz	N/A	N/A
8677661	12/2013	Michels	N/A	N/A
D701696	12/2013	Shitrit	N/A	N/A
D703436	12/2013	Sabbag	N/A	N/A
8689396	12/2013	Wolfe	N/A	N/A
8714355	12/2013	Huang	N/A	N/A
8740010	12/2013	Page	N/A	N/A
D711105	12/2013	Brunner	N/A	N/A
8813960	12/2013	Fjelland	N/A	N/A
8851282	12/2013	Brunner	N/A	N/A
8875888	12/2013	Koenig	N/A	N/A
8894160	12/2013	Christensen	N/A	N/A
8924752	12/2013	Law	N/A	N/A
8925752	12/2014	Smith	N/A	N/A
8967379	12/2014	Kinskey et al.	N/A	N/A
8974139	12/2014	Saul	N/A	N/A
8979100	12/2014	Bensman	N/A	N/A
8985418	12/2014	Poudrier	N/A	N/A
8985922	12/2014	Neumann	N/A	N/A
9089964	12/2014	Cheng	N/A	N/A
D738105	12/2014	Shitrit	N/A	N/A
D738106	12/2014	Shitrit	N/A	N/A
D738622	12/2014	Sabbag	N/A	N/A
9126329	12/2014	Kao	N/A	N/A
9132543	12/2014	Bar-Erez	N/A	N/A
9216751	12/2014	Adams et al.	N/A	N/A
9254856	12/2015	Oachs	N/A	N/A
D753394	12/2015	Brunner	N/A	N/A
D753395	12/2015	Brunner	N/A	N/A
D753396	12/2015	Brunner	N/A	N/A
D753982	12/2015	Guirlinger	N/A	N/A
9375835	12/2015	Lin	N/A	N/A
D765974	12/2015	Tonelli	N/A	N/A
9447804	12/2015	Andersson	N/A	N/A
D770179	12/2015	Menirom	N/A	N/A
9506489	12/2015	Ko	N/A	N/A
9511491	12/2015	Brunner	N/A	N/A
D777426	12/2016	Dahl	N/A	N/A

9551367	12/2016	Shieh	N/A	N/A
9566990	12/2016	Bar-Erez	N/A	N/A
D784089	12/2016	Furneaux	N/A	N/A
9616562	12/2016	Hoppe	N/A	N/A
9643629	12/2016	Bar-Erez	N/A	N/A
D790221	12/2016	Yahav	N/A	N/A
9694758	12/2016	Krolski	N/A	N/A
9701443	12/2016	Wang	N/A	N/A
9725209	12/2016	Ben-Gigi	N/A	N/A
9776651	12/2016	Huang	N/A	N/A
9791443	12/2016	Weinschenk	N/A	N/A
D803631	12/2016	Min	N/A	N/A
9844870	12/2016	Reinhart	N/A	N/A
9850029	12/2016	Brunner	N/A	N/A
D806483	12/2017	Stanford	N/A	N/A
9872562	12/2017	Brunner	N/A	N/A
D810432	12/2017	Ballou	N/A	N/A
9888752	12/2017	Boer	N/A	N/A
D814187	12/2017	Caglar	N/A	N/A
D815434	12/2017	Brown et al.	N/A	N/A
D815831	12/2017	Tonelli	N/A	N/A
D816334	12/2017	Brunner	N/A	N/A
10017134	12/2017	Pickens	N/A	N/A
D826510	12/2017	Brunner	N/A	N/A
RE47022	12/2017	Sosnovsky	N/A	N/A
D828671	12/2017	Cope	N/A	N/A
D831352	12/2017	Brunner	N/A	N/A
10106180	12/2017	Bar-Erez	N/A	N/A
D833744	12/2017	Yahav	N/A	N/A
10138917	12/2017	Koch	N/A	N/A
D836995	12/2018	Carey	N/A	N/A
D837515	12/2018	Shpitzer	N/A	N/A
D839681	12/2018	Evron	N/A	N/A
10222172	12/2018	Melville	N/A	N/A
D845080	12/2018	Jacobson	N/A	N/A
D845081	12/2018	Jacobson	N/A	N/A
10246116	12/2018	Oltman et al.	N/A	N/A
10286542	12/2018	Wolle	N/A	N/A
10336359	12/2018	Asbille	N/A	N/A
D857387	12/2018	Shpitzer	N/A	N/A
10406387	12/2018	Krepel	N/A	N/A
10406673	12/2018	Shechtman	N/A	N/A
10434638	12/2018	Tsai	N/A	N/A
10434639	12/2018	Chen et al.	N/A	N/A
10479284	12/2018	Salyer	N/A	N/A
D871013	12/2018	Liu	N/A	N/A
D873004	12/2019	Shpitzer	N/A	N/A
D873085	12/2019	DeFrancia	N/A	N/A
D876833	12/2019	Brunner	N/A	N/A
10583962	12/2019	Brunner	N/A	N/A

10593962	12/2019	Herchen	N/A	N/A
10603783	12/2019	Brocket	N/A	N/A
D880252	12/2019	Jacobson	N/A	N/A
D880951	12/2019	Jacobson	N/A	N/A
D883752	12/2019	Carey	N/A	N/A
D887788	12/2019	Meda	N/A	N/A
D888422	12/2019	Yang	N/A	N/A
D888503	12/2019	Meda	N/A	N/A
D891193	12/2019	Stanford	N/A	N/A
D891195	12/2019	Zhou	N/A	N/A
10703534	12/2019	Brunner	N/A	N/A
D891875	12/2019	Olson	N/A	N/A
D892565	12/2019	Astle	N/A	N/A
D893183	12/2019	Eisenhardt et al.	N/A	N/A
10750833	12/2019	Burchia	N/A	N/A
D895375	12/2019	Hurley	N/A	N/A
D895966	12/2019	Brunner	N/A	N/A
D895967	12/2019	Brunner	N/A	N/A
D896517	12/2019	Brunner	N/A	N/A
D896518	12/2019	Brunner	N/A	N/A
D897103	12/2019	Brunner	N/A	N/A
10758065	12/2019	Penalver	N/A	N/A
D898320	12/2019	Brunner	N/A	N/A
10793172	12/2019	Brunner	N/A	N/A
10829268	12/2019	Sommer	N/A	N/A
10829269	12/2019	Gonitianer	N/A	N/A
D903430	12/2019	Eisenhardt et al.	N/A	N/A
10894314	12/2020	Hocine	N/A	N/A
10933501	12/2020	Bisson	N/A	N/A
10962218	12/2020	Plato	N/A	N/A
D915069	12/2020	Tonelli	N/A	N/A
10981696	12/2020	Brunner	N/A	N/A
D917977	12/2020	Brunner	N/A	N/A
D918584	12/2020	Brunner	N/A	N/A
D919296	12/2020	Brunner	N/A	N/A
11008136	12/2020	Brunner	N/A	N/A
D920671	12/2020	Brunner	N/A	N/A
11027883	12/2020	Brunner	N/A	N/A
D923935	12/2020	Brunner	N/A	N/A
11059631	12/2020	Brunner	N/A	N/A
11066089	12/2020	Brunner	N/A	N/A
11124347	12/2020	Chen	N/A	N/A
D932186	12/2020	Brunner	N/A	N/A
11155382	12/2020	Cai	N/A	N/A
D936030	12/2020	Lee	N/A	N/A
11192690	12/2020	Brunner	N/A	N/A
D941020	12/2021	Brunner	N/A	N/A
11230410	12/2021	Brunner	N/A	N/A
11253037	12/2021	Bomer	N/A	N/A
11267119	12/2021	Hoppe	N/A	N/A

11283117	12/2021	Polakowski	N/A	N/A
11338959	12/2021	Hoppe	N/A	N/A
11365026	12/2021	Bunner	N/A	N/A
11385055	12/2021	Millane	N/A	N/A
11426859	12/2021	Squiers	N/A	N/A
D965294	12/2021	Adin	N/A	N/A
D967693	12/2021	Brunner	N/A	N/A
11464335	12/2021	Brunner	N/A	N/A
11486547	12/2021	Charles	N/A	N/A
11510486	12/2021	Adams	N/A	N/A
11529985	12/2021	Brunner	N/A	N/A
11530716	12/2021	Bastian	N/A	N/A
11554898	12/2022	Brunner	N/A	N/A
11612998	12/2022	Byington	N/A	N/A
11638992	12/2022	Jessop	N/A	N/A
11667029	12/2022	Hsieh	N/A	N/A
11673510	12/2022	Nguyen	N/A	N/A
D998865	12/2022	Tonelli	N/A	N/A
D1001499	12/2022	Brunner	N/A	N/A
11840269	12/2022	Brunner	N/A	N/A
D1014082	12/2023	Tonelli	N/A	N/A
D1014967	12/2023	Lam	N/A	N/A
D1014968	12/2023	Lam	N/A	N/A
D1015745	12/2023	Lam	N/A	N/A
D1015746	12/2023	Lam	N/A	N/A
D1018045	12/2023	Hattori	N/A	N/A
11936197	12/2023	Cholst	N/A	N/A
11952167	12/2023	Brunner	N/A	N/A
11964632	12/2023	Rutman	N/A	N/A
D1036117	12/2023	Omry	N/A	N/A
12024335	12/2023	Zheng	N/A	N/A
12043216	12/2023	Nickel	N/A	N/A
12064863	12/2023	Tsai	N/A	N/A
12077202	12/2023	Williams	N/A	N/A
12179956	12/2023	Camp et al.	N/A	N/A
12187491	12/2024	Squiers	N/A	N/A
12195229	12/2024	Hoppe	N/A	N/A
12233530	12/2024	Blumenthal	N/A	N/A
12286267	12/2024	Hoppe	N/A	N/A
2002/0000440	12/2001	Sagol	N/A	N/A
2002/0020729	12/2001	Alter	N/A	N/A
2002/0030425	12/2001	Tiramani	N/A	N/A
2002/0105129	12/2001	Levy	N/A	N/A
2002/0122691	12/2001	Wood	N/A	N/A
2002/0125072	12/2001	Levy	182/153	B25H 1/06
2002/0171228	12/2001	Kady	N/A	N/A
2003/0075468	12/2002	Story	N/A	N/A
2003/0080263	12/2002	McCoy	N/A	N/A
2003/0094392	12/2002	Meier	N/A	N/A
2003/0094393	12/2002	Sahm	N/A	N/A

2003/0115415	12/2002	Valentini	N/A	N/A
2003/0115715	12/2002	Valentini	N/A	N/A
2003/0139080	12/2002	Lafragette	N/A	N/A
2003/0146589	12/2002	Jarko	N/A	N/A
2003/0168952	12/2002	Huang	N/A	N/A
2003/0178919	12/2002	Grudzien	N/A	N/A
2003/0184034	12/2002	Pfeiffer	N/A	N/A
2003/0205877	12/2002	Verna	N/A	N/A
2004/0051290	12/2003	Morgan	N/A	N/A
2004/0074725	12/2003	Shih	N/A	N/A
2004/0103494	12/2003	Valentini	N/A	N/A
2004/0134818	12/2003	Cunningham et al.	N/A	N/A
2004/0149754	12/2003	Diamant	N/A	N/A
2004/0195793	12/2003	Sullivan	N/A	N/A
2004/0206656	12/2003	Dubois	N/A	N/A
2004/0256529	12/2003	Richter	N/A	N/A
2005/0015928	12/2004	Arsenault	N/A	N/A
2005/0035167	12/2004	Threet	N/A	N/A
2005/0062244	12/2004	Guirlinger	N/A	N/A
2005/0082775	12/2004	Slager	N/A	N/A
2005/0104308	12/2004	Barnes	N/A	N/A
2005/0139745	12/2004	Liao	N/A	N/A
2005/0242141	12/2004	Zhang	N/A	N/A
2005/0242144	12/2004	Panosian	N/A	N/A
2005/0247653	12/2004	Brooks	N/A	N/A
2005/0274759	12/2004	Kircher	N/A	N/A
2005/0280228	12/2004	Fernandes et al.	N/A	N/A
2006/0006770	12/2005	Valentini	N/A	N/A
2006/0027475	12/2005	Gleason	N/A	N/A
2006/0038367	12/2005	Ferraro	N/A	N/A
2006/0076261	12/2005	Kurtenbach	N/A	N/A
2006/0113303	12/2005	Huruta	N/A	N/A
2006/0119060	12/2005	Sullivan	N/A	N/A
2006/0120797	12/2005	Mortensen	N/A	N/A
2006/0151556	12/2005	Eby	N/A	N/A
2006/0165482	12/2005	Olberding	N/A	N/A
2006/0186624	12/2005	Kady	N/A	N/A
2006/0254946	12/2005	Becklin	N/A	N/A
2007/0006542	12/2006	Duke	N/A	N/A
2007/0012694	12/2006	Duvigneau	N/A	N/A
2007/0045505	12/2006	Chen	N/A	N/A
2007/0068757	12/2006	Tan	N/A	N/A
2007/0090616	12/2006	Tompkins	N/A	N/A
2007/0138041	12/2006	Welsh	N/A	N/A
2007/0145700	12/2006	Ambrose	N/A	N/A
2007/0175938	12/2006	Swenson	N/A	N/A
2007/0194543	12/2006	Duvigneau	N/A	N/A
2007/0200309	12/2006	Coppedge	N/A	N/A
2007/0256996	12/2006	Jackle	N/A	N/A
2007/0273114	12/2006	Katz	N/A	N/A

2008/0011698	12/2007	Simon	N/A	N/A
2008/0060953	12/2007	Ghassan	N/A	N/A
2008/0104921	12/2007	Pervan	N/A	N/A
2008/0104931	12/2007	Hatchell et al.	N/A	N/A
2008/0115312	12/2007	DiPasquale	N/A	N/A
2008/0121547	12/2007	Dur	N/A	N/A
2008/0134607	12/2007	Pervan	N/A	N/A
2008/0136133	12/2007	Takahashi	N/A	N/A
2008/0169667	12/2007	Siniarski	N/A	N/A
2008/0169739	12/2007	Goldenberg	N/A	N/A
2008/0271280	12/2007	Tiede	N/A	N/A
2008/0277221	12/2007	Josefson	N/A	N/A
2008/0280523	12/2007	Bishop	N/A	N/A
2008/0296443	12/2007	Lunitz	N/A	N/A
2008/0308369	12/2007	Louis	N/A	N/A
2009/0026901	12/2008	Nies	N/A	N/A
2009/0044827	12/2008	Zilber	N/A	N/A
2009/0056592	12/2008	Threet	N/A	N/A
2009/0071990	12/2008	Jardine	N/A	N/A
2009/0120947	12/2008	Davis et al.	N/A	N/A
2009/0127146	12/2008	Krebs	N/A	N/A
2009/0140024	12/2008	McLemore	N/A	N/A
2009/0145790	12/2008	Panosian	N/A	N/A
2009/0145866	12/2008	Panosian	N/A	N/A
2009/0145913	12/2008	Panosian	N/A	N/A
2009/0178946	12/2008	Patstone	N/A	N/A
2009/0180853	12/2008	Gang	N/A	N/A
2009/0236482	12/2008	Winig	N/A	N/A
2009/0288970	12/2008	Katz	N/A	N/A
2010/0052276	12/2009	Brunner	N/A	N/A
2010/0066069	12/2009	Bradshaw	N/A	N/A
2010/0133213	12/2009	Kao	N/A	N/A
2010/0139566	12/2009	Lopuszanski	N/A	N/A
2010/0147642	12/2009	Andochick	N/A	N/A
2010/0176261	12/2009	Chen	N/A	N/A
2010/0219193	12/2009	Becklin	N/A	N/A
2010/0224528	12/2009	Madsen	N/A	N/A
2010/0254757	12/2009	Saul	N/A	N/A
2010/0290877	12/2009	Landau	N/A	N/A
2011/0049824	12/2010	Bar-Erez	N/A	N/A
2011/0068562	12/2010	Keffeler et al.	N/A	N/A
2011/0073516	12/2010	Zelinskiy	N/A	N/A
2011/0127736	12/2010	Oliver	N/A	N/A
2011/0139665	12/2010	Madsen	N/A	N/A
2011/0139777	12/2010	Sosnosky	N/A	N/A
2011/0155613	12/2010	Koenig	N/A	N/A
2011/0174939	12/2010	Taylor	N/A	N/A
2011/0181008	12/2010	Bensman	N/A	N/A
2011/0187248	12/2010	Kao	N/A	N/A
2011/0192810	12/2010	Kao	N/A	N/A

2011/0220531	12/2010	Meether	N/A	N/A
2011/0233160	12/2010	Chen	N/A	N/A
2011/0260588	12/2010	Lin	N/A	N/A
2011/0278336	12/2010	Landrum	N/A	N/A
2012/0036724	12/2011	Walters	N/A	N/A
2012/0061930	12/2011	Lin	N/A	N/A
2012/0073995	12/2011	Parker	N/A	N/A
2012/0074022	12/2011	McTavish	N/A	N/A
2012/0074158	12/2011	Lafleur	N/A	N/A
2012/0080432	12/2011	Bensman	N/A	N/A
2012/0152800	12/2011	Parzy	N/A	N/A
2012/0152944	12/2011	Vilkomirski	N/A	N/A
2012/0160886	12/2011	Henny	N/A	N/A
2012/0180250	12/2011	Ricklefsen	N/A	N/A
2012/0207571	12/2011	Scott	N/A	N/A
2012/0275706	12/2011	Lesellier	N/A	N/A
2012/0292213	12/2011	Brunner	N/A	N/A
2012/0292870	12/2011	Cowie et al.	N/A	N/A
2012/0326406	12/2011	Lifshitz	N/A	N/A
2013/0024468	12/2012	Kocsis	N/A	N/A
2013/0031731	12/2012	Hess	N/A	N/A
2013/0031732	12/2012	Hess	N/A	N/A
2013/0068903	12/2012	O'Keene	N/A	N/A
2013/0121783	12/2012	Kelly	N/A	N/A
2013/0127129	12/2012	Bensman	N/A	N/A
2013/0146551	12/2012	Simpson	N/A	N/A
2013/0154218	12/2012	Tiilikainen	N/A	N/A
2013/0206139	12/2012	Krepel	N/A	N/A
2013/0223971	12/2012	Grace	N/A	N/A
2013/0239509	12/2012	Wang	N/A	N/A
2014/0062042	12/2013	Wagner	N/A	N/A
2014/0069832	12/2013	Roehm	N/A	N/A
2014/0076759	12/2013	Roehm	N/A	N/A
2014/0123478	12/2013	Gylander	N/A	N/A
2014/0161518	12/2013	Ko	N/A	N/A
2014/0166516	12/2013	Martinez	N/A	N/A
2014/0197059	12/2013	Evans	N/A	N/A
2014/0205373	12/2013	Andersson	N/A	N/A
2014/0263512	12/2013	McCoy	N/A	N/A
2014/0265440	12/2013	Chen et al.	N/A	N/A
2015/0014949	12/2014	Dittman	N/A	N/A
2015/0021371	12/2014	Ward	N/A	N/A
2015/0034515	12/2014	Monyak	N/A	N/A
2015/0115786	12/2014	Manalang et al.	N/A	N/A
2015/0151427	12/2014	Ben-Gigi	N/A	N/A
2015/0274362	12/2014	Christopher	N/A	N/A
2015/0310842	12/2014	Coburn	N/A	N/A
2015/0352711	12/2014	Brunner	N/A	N/A
2015/0376917	12/2014	Brunner	N/A	N/A
2016/0023349	12/2015	Hoppe	N/A	N/A

2016/0130034	12/2015	Kuhls	N/A	N/A
2016/0144500	12/2015	Chen	N/A	N/A
2016/0168880	12/2015	Phelan	N/A	N/A
2016/0213115	12/2015	Gonitianer	N/A	N/A
2016/0214451	12/2015	Harrison	N/A	N/A
2016/0221177	12/2015	Reinhart	N/A	N/A
2016/0244209	12/2015	Hain	N/A	N/A
2017/0001655	12/2016	Huang	N/A	N/A
2017/0049250	12/2016	Oren	N/A	N/A
2017/0065355	12/2016	Ross	N/A	N/A
2017/0098513	12/2016	Horvath	N/A	N/A
2017/0120679	12/2016	Naiva	N/A	N/A
2017/0121056	12/2016	Wang	N/A	N/A
2017/0138382	12/2016	Ko	N/A	N/A
2017/0143090	12/2016	Naiva	N/A	N/A
2017/0158216	12/2016	Yahav	N/A	N/A
2017/0165828	12/2016	Fleischmann	N/A	N/A
2017/0166352	12/2016	Hoppe	N/A	N/A
2017/0174392	12/2016	De Loynes	N/A	N/A
2017/0217464	12/2016	Bar-Erez	N/A	N/A
2017/0223864	12/2016	Jost et al.	N/A	N/A
2017/0239808	12/2016	Hoppe	N/A	N/A
2017/0257958	12/2016	Sabbag	N/A	N/A
2017/0266804	12/2016	Kinskey	N/A	N/A
2017/0274829	12/2016	Huebner	N/A	N/A
2017/0318927	12/2016	Kraus	N/A	N/A
2017/0349013	12/2016	Gronholm	N/A	N/A
2018/0000234	12/2017	White	N/A	N/A
2018/0031019	12/2017	Sjostedt	N/A	N/A
2018/0044059	12/2017	Brunner	N/A	N/A
2018/0099405	12/2017	Reinhart	N/A	N/A
2018/0127007	12/2017	Kravchenko	N/A	N/A
2018/0141718	12/2017	Ahlström et al.	N/A	N/A
2018/0153312	12/2017	Buck	N/A	N/A
2018/0161975	12/2017	Brunner	N/A	N/A
2018/0186513	12/2017	Brunner	N/A	N/A
2018/0201289	12/2017	Sakakibara et al.	N/A	N/A
2018/0213934	12/2017	Wolle	N/A	N/A
2018/0220758	12/2017	Burchia	N/A	N/A
2018/0229889	12/2017	Li	N/A	N/A
2018/0290288	12/2017	Brunner	N/A	N/A
2018/0306487	12/2017	Huish	N/A	N/A
2018/0340356	12/2017	Brennan	N/A	N/A
2019/0001482	12/2018	Wolle	N/A	N/A
2019/0002004	12/2018	Brunner	N/A	N/A
2019/0031222	12/2018	Takyar	N/A	N/A
2019/0039781	12/2018	Kogel	N/A	N/A
2019/0061636	12/2018	Foster	N/A	N/A
2019/0106244	12/2018	Brunner	N/A	N/A
2019/0111956	12/2018	Phillips et al.	N/A	N/A

2019/0135189	12/2018	Clark	N/A	N/A
2019/0168376	12/2018	Brocket	N/A	N/A
2019/0225371	12/2018	Hoppe	N/A	N/A
2019/0225374	12/2018	McCrea et al.	N/A	N/A
2019/0247995	12/2018	Hocine et al.	N/A	N/A
2019/0359144	12/2018	Hyatt	N/A	N/A
2019/0375338	12/2018	Deninno	N/A	N/A
2020/0029543	12/2019	Householder	N/A	N/A
2020/0038507	12/2019	Strader	N/A	N/A
2020/0039553	12/2019	Abohammdan et al.	N/A	N/A
2020/0055534	12/2019	Hassell	N/A	N/A
2020/0063776	12/2019	Bastian	N/A	N/A
2020/0078929	12/2019	Liu	N/A	N/A
2020/0079408	12/2019	Christie	N/A	N/A
2020/0130440	12/2019	Fuller	N/A	N/A
2020/0146447	12/2019	Brendel	N/A	N/A
2020/0147781	12/2019	Squiers	N/A	N/A
2020/0165036	12/2019	Squiers	N/A	N/A
2020/0178686	12/2019	Hermann et al.	N/A	N/A
2020/0223585	12/2019	Brunner	N/A	N/A
2020/0243925	12/2019	Polakowski	N/A	N/A
2020/0284425	12/2019	Plato et al.	N/A	N/A
2020/0299027	12/2019	Brunner	N/A	N/A
2020/0346819	12/2019	Kogel	N/A	N/A
2020/0360741	12/2019	Liu	N/A	N/A
2020/0383507	12/2019	Cox	N/A	N/A
2021/0025706	12/2020	Millane	N/A	N/A
2021/0031975	12/2020	Brunner	N/A	N/A
2021/0039831	12/2020	Brunner	N/A	N/A
2021/0046882	12/2020	Schmidt	N/A	N/A
2021/0094600	12/2020	Brunner	N/A	N/A
2021/0104909	12/2020	Mantych	N/A	N/A
2021/0104914	12/2020	Cholst	N/A	N/A
2021/0154824	12/2020	Barton	N/A	N/A
2021/0155373	12/2020	Cai	N/A	N/A
2021/0177134	12/2020	Adams	N/A	N/A
2021/0187725	12/2020	Brunner	N/A	N/A
2021/0205979	12/2020	Jessop	N/A	N/A
2021/0221561	12/2020	Davidian	N/A	N/A
2021/0245226	12/2020	Woidasky	N/A	N/A
2021/0267368	12/2020	Bruins	N/A	N/A
2021/0300447	12/2020	Brunner et al.	N/A	N/A
2021/0305824	12/2020	Shirazi et al.	N/A	N/A
2021/0316667	12/2020	Pinkston	N/A	N/A
2021/0316909	12/2020	Vargo	N/A	N/A
2021/0360803	12/2020	Semon	N/A	N/A
2022/0016799	12/2021	Westbrook et al.	N/A	N/A
2022/0017020	12/2021	McFadden	N/A	N/A
2022/0097926	12/2021	Whitmire	N/A	N/A

2022/0113605	12/2021	Rathod	N/A	N/A
2022/0117393	12/2021	Jenkins	N/A	N/A
2022/0144326	12/2021	Williams et al.	N/A	N/A
2022/0234509	12/2021	Wright	N/A	N/A
2022/0240671	12/2021	Blumenthal	N/A	N/A
2022/0258324	12/2021	Blumenthal	N/A	N/A
2022/0322828	12/2021	Barton et al.	N/A	N/A
2022/0369781	12/2021	Brunner	N/A	N/A
2022/0379461	12/2021	Squiers et al.	N/A	N/A
2022/0402113	12/2021	Brunner	N/A	N/A
2023/0020398	12/2022	Sutton	N/A	N/A
2023/0027343	12/2022	Zheng	N/A	N/A
2023/0036215	12/2022	Williams	N/A	N/A
2023/0079766	12/2022	Wallace	N/A	N/A
2023/0115200	12/2022	Barton	N/A	N/A
2023/0136626	12/2022	Cai	N/A	N/A
2023/0150725	12/2022	Baron et al.	N/A	N/A
2023/0182281	12/2022	Keller	N/A	N/A
2023/0202025	12/2022	Chen et al.	N/A	N/A
2023/0232954	12/2022	Williams	N/A	N/A
2023/0234212	12/2022	Lownik et al.	N/A	N/A
2023/0257163	12/2022	Fleherly et al.	N/A	N/A
2023/0301429	12/2022	Braun	N/A	N/A
2023/0411975	12/2022	Roberts et al.	N/A	N/A
2023/0415957	12/2022	Camp et al.	N/A	N/A
2024/0010390	12/2023	Braun et al.	N/A	N/A
2024/0025204	12/2023	Goodwin	N/A	N/A
2024/0034378	12/2023	Squiers	N/A	N/A
2024/0149934	12/2023	Panosian et al.	N/A	N/A
2024/0150071	12/2023	Panosian et al.	N/A	N/A
2024/0150079	12/2023	Panosian et al.	N/A	N/A
2024/0150091	12/2023	Wu	N/A	N/A
2024/0150094	12/2023	Panosian et al.	N/A	N/A
2024/0190612	12/2023	Christopher et al.	N/A	N/A
2024/0200561	12/2023	Ran et al.	N/A	N/A
2024/0208040	12/2023	Coons	N/A	N/A
2024/0227156	12/2023	Panosian	N/A	N/A
2024/0246724	12/2023	Hoppe et al.	N/A	N/A
2024/0253207	12/2023	Baruch et al.	N/A	N/A
2024/0270445	12/2023	Brunner	N/A	N/A
2024/0326707	12/2023	Taylor	N/A	N/A
2024/0351744	12/2023	Tonelli	N/A	N/A
2024/0359311	12/2023	Chen	N/A	N/A
2024/0359632	12/2023	Sartin	N/A	N/A
2024/0399967	12/2023	Deshpande	N/A	N/A
2024/0409279	12/2023	Brunner	N/A	N/A
2025/0002212	12/2024	Noble	N/A	N/A
2025/0035143	12/2024	Braun	N/A	N/A
2025/0074323	12/2024	Schroeder	N/A	N/A
2025/0178540	12/2024	Sartin	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2562993	12/2006	CA	N/A
2608238	12/2003	CN	N/A
2782508	12/2005	CN	N/A
200947356	12/2006	CN	N/A
101068661	12/2006	CN	N/A
101362464	12/2008	CN	N/A
101821148	12/2009	CN	N/A
101837854	12/2009	CN	N/A
102042354	12/2010	CN	N/A
102137795	12/2010	CN	N/A
102186714	12/2010	CN	N/A
102248523	12/2010	CN	N/A
102469899	12/2011	CN	N/A
20226497	12/2011	CN	N/A
102608238	12/2011	CN	N/A
102834035	12/2011	CN	N/A
302371147	12/2012	CN	N/A
10311857	12/2012	CN	N/A
103659777	12/2013	CN	N/A
204161752	12/2014	CN	N/A
205238204	12/2015	CN	N/A
107249378	12/2016	CN	N/A
107428436	12/2016	CN	N/A
3510307	12/1985	DE	N/A
9313802	12/1992	DE	N/A
9313802	12/1993	DE	N/A
4415938	12/1994	DE	N/A
29708343	12/1996	DE	N/A
29708343	12/1996	DE	N/A
19750543	12/1998	DE	N/A
20218996	12/2002	DE	N/A
102004057870	12/2005	DE	N/A
202011002617	12/2010	DE	N/A
102010003754	12/2010	DE	N/A
102010003756	12/2010	DE	N/A
102012106482	12/2013	DE	N/A
102012220837	12/2013	DE	N/A
102013008630	12/2013	DE	N/A
202014103695	12/2013	DE	N/A
202015005752	12/2015	DE	N/A
202015105053	12/2015	DE	N/A
202015112204	12/2016	DE	N/A
102015013053	12/2016	DE	N/A
402018201520.6	12/2017	DE	N/A
000705231-0001	12/2006	EM	N/A
002419283-0001	12/2013	EM	N/A

0916302	12/1998	EP	N/A
1018473	12/1999	EP	N/A
1321247	12/2002	EP	N/A
1428764	12/2003	EP	N/A
1724069	12/2005	EP	N/A
1925406	12/2007	EP	N/A
2289671	12/2010	EP	N/A
2338650	12/2010	EP	N/A
2537641	12/2011	EP	N/A
2543297	12/2012	EP	N/A
2805799	12/2013	EP	N/A
3141354	12/2016	EP	N/A
2368243	12/1975	FR	N/A
3043970	12/2014	FR	N/A
694707	12/1952	GB	N/A
2047181	12/1979	GB	N/A
2110076	12/1982	GB	N/A
2211486	12/1988	GB	N/A
2330521	12/1998	GB	N/A
2406331	12/2004	GB	N/A
2413265	12/2004	GB	N/A
2449934	12/2007	GB	N/A
2003194020	12/2002	JP	N/A
D 1180963	12/2002	JP	N/A
D 276744	12/2005	JP	N/A
D 1395115	12/2009	JP	N/A
D 1395116	12/2009	JP	N/A
D 1455321	12/2011	JP	N/A
2013022972	12/2012	JP	N/A
2013022976	12/2012	JP	N/A
D 1477050	12/2012	JP	N/A
201411796	12/2013	JP	N/A
D 1503434	12/2013	JP	N/A
D 1625407	12/2018	JP	N/A
D 1665028	12/2019	JP	N/A
D3002716160000	12/1999	KR	N/A
3003202430000	12/2002	KR	N/A
3008066040000	12/2014	KR	N/A
3008422360000	12/2015	KR	N/A
3008599650000	12/2015	KR	N/A
3009995990000	12/2018	KR	N/A
206875	12/1981	TW	N/A
I24578	12/2009	TW	N/A
D135074	12/2009	TW	N/A
D168686	12/2013	TW	N/A
D174412	12/2015	TW	N/A
D192092	12/2017	TW	N/A
03064115	12/2002	WO	N/A
2005045886	12/2004	WO	N/A
2006058805	12/2005	WO	N/A

2006099638	12/2005	WO	N/A
2007121745	12/2006	WO	N/A
2007121746	12/2006	WO	N/A
2008090546	12/2007	WO	N/A
2009140965	12/2008	WO	N/A
2011000387	12/2010	WO	N/A
2011009480	12/2010	WO	N/A
2011032568	12/2010	WO	N/A
2011124535	12/2010	WO	N/A
2011124536	12/2010	WO	N/A
2011131213	12/2010	WO	N/A
2012000497	12/2011	WO	N/A
2013026084	12/2012	WO	N/A
2014125484	12/2013	WO	N/A
2014125488	12/2013	WO	N/A
2016142935	12/2015	WO	N/A
2016187652	12/2015	WO	N/A
2017028845	12/2016	WO	N/A
2017028845	12/2016	WO	N/A
2017098513	12/2016	WO	N/A
2017191628	12/2016	WO	N/A
2017212840	12/2016	WO	N/A
2018010859	12/2017	WO	N/A
2019213560	12/2017	WO	N/A
2019028041	12/2018	WO	N/A
2019147801	12/2018	WO	N/A
2019147901	12/2018	WO	N/A
2021108374	12/2020	WO	N/A

OTHER PUBLICATIONS

Miwaukee Packout Tool Box (online), dated Mar. 31, 2023. Retrieved from Internet Oct. 17, 2024, URL: <https://www.amazon.com/48-22-8424-Milwaukee-Packout-Waterproof-Capacity/dp/BOC14RMSG6/ref> (4 pages) (Year: 2023). cited by applicant

Neve Produktfamilie: Systemboxen Durchdacht, Komfortabel Uno in Wertigem Design (dated Oct. 19, 2015), Wayback machine archive (dated Dec. 16, 2015), Auer Packaging prSsentiert neue Produktfamilie Systemboxen (dated Sep. 2015), and images ("Auer-Press"), with certified translations. cited by applicant

Kazmer, David. "Design of Plastic Parts." Applied Plastics Engineering Handbook Processing and Materials, edited by Myer Kutz, Elsevier Inc., 2011, pp. 535-551. cited by applicant

Cain, Tristan. "Bird Balder, er-Builder." Brick Journal, Nov. 2013 (Issue 26), pp. 15-16. cited by applicant

Messetermine 2016 (dated Feb. 18, 2016), Wayback machine archive (dated Apr. 4, 2016), Auer Packaging 1111 In-and Ausland present (dated Feb. 2016), and photograph, with certified translations. cited by applicant

Nugent, Paul. "Rotational Molding," Applied Plastics Engineering Handbook Processing and Materials, edited by Myer Kutz, Elsevier Inc., 2011, pp. 311-332. cited by applicant

Cavity. Meriam-Webster's Collegiate Dictionary (11th Ed.), Meriam-Webster, Incorporated, 2020, p. 197. cited by applicant

Forum Post Systainer clone (dated Feb. 15, 2016). cited by applicant

Structure Design', Design Solutions Guide, BASF Corporation. 2007. cited by applicant

General Design Principles for DuPont Engineering Polymers, E.I. du Pont de Nemours and Company, 2000. cited by applicant

International Search Report and Written Opinion for International Application No. PCT/US2018/044629, dated Jan. 9, 2019 (20 pages). cited by applicant

International Search Report and Written Opinion for International Application No. PCT/US2018/033161, dated Aug. 6, 2018 (14 pages). cited by applicant

International Search Report and Written Opinion for International Application No. PCT/US2019/014940, dated Jul. 26, 2019 (7 pages). cited by applicant

Final Rejection issued Nov. 28, 2018, in UU.S. Appl. No. 15/826,232 (14 Pages). cited by applicant

Non-Final Rejection issued Jan. 24, 2019, in United States U.S. Appl. No. 16/216,724 (17 Pages). cited by applicant

Non-Final Rejection issued Apr. 12, 2018, in United States U.S. Appl. No. 15/826,201 (16 Pages). cited by applicant

International Search Report for International Application No. PCT/IL2019/050689, dated Aug. 23, 2019 (21 pages). cited by applicant

International Search Report for International Application No. PCT/IL2020/050433, dated Jun. 21, 2020 (14 pages). cited by applicant

Inter Partes Review No. 2021-00373, "Petition for Inter Partes Review of U.S. Pat. No. 10,583,962" Filed Jan. 5, 2021, 198 pages. cited by applicant

Exhibit 1001 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 64 Pages. cited by applicant

Exhibit 1002 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 75 Pages. cited by applicant

Exhibit 1003 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 13 Pages. cited by applicant

Exhibit 1004 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 18 Pages. cited by applicant

Exhibit 1005 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 9 Pages. cited by applicant

Exhibit 1006 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 176 Pages. cited by applicant

Exhibit 1007 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 22 Pages. cited by applicant

Exhibit 1008 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 6 Pages. cited by applicant

Exhibit 1009 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 24 Pages. cited by applicant

Exhibit 1010 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 19 Pages. cited by applicant

Exhibit 1011 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 26 Pages. cited by applicant

Exhibit 1012 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 3 Pages. cited by applicant

Exhibit 1013 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 168 Pages. cited by applicant

Exhibit 1014 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, Part A pp. 1-166 of 481 pages. cited by applicant

Exhibit 1014 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, Part B pp. 167-320 of 481 pages. cited by applicant

Exhibit 1014 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021,

Part C pp. 321-481 of 481 Pages. cited by applicant

Exhibit 1015 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 6 Pages. cited by applicant

Exhibit 1016 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 242 Pages. cited by applicant

Exhibit 1017 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 6 Pages. cited by applicant

Exhibit 1018 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 250 Pages. cited by applicant

Exhibit 1019 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 44 Pages. cited by applicant

Exhibit 1020 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 5 Pages. cited by applicant

Exhibit 1021 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 1 Pages. cited by applicant

Exhibit 1022 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 1 Pages. cited by applicant

Exhibit 1023 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 24 Pages. cited by applicant

Exhibit 1024 in Petition for Inter Partes Review of U.S. Pat. No. 10,583,962, filed Jan. 5, 2021, 28 Pages. cited by applicant

Final Rejection issued Nov. 28, 2018, in U.S. Appl. No. 15/826,201 (17 Pages). cited by applicant

Extended European search report for application No. 18892505.1 dated Sep. 17, 2021 (7 Pages). cited by applicant

Auer Packaging 1 2016 (“Auer-Catalog”). cited by applicant

FloTool 91002 Rhino Box with Mount, Amazon.com: FloTool 91002 Rhino Box with Mount Automotive, URL: <https://www.amazon.com/exec/obidos/ASIN/B003K15F3I/20140000-20>, May 21, 2025. cited by applicant

Blitz Box—Portable Storage Box / Shelf, Blitz Box—Portable Storage Box / Shelf | The Green Head, URL: Blitz Box Portable Storage Box / Shelf | The Green Head, May 21, 2025. cited by applicant

Milwaukee Tool, Packout Dolly, Zoro, 2019. cited by applicant

Ryobi ToolBlox Tool Cabinet System! Toolguyd, URL: <https://toolguyd.com/ryobi-toolblox-cabinets/>, Sep. 19, 2014. cited by applicant

Robert Auer, Auer Packaging, 2016. cited by applicant

Sys-Card Base, a Systainer Mounting Platform, Toolguyd, URL: <https://toolguyd.com/systainer-sys-cart-mounting-base/>, Jul. 28, 2014. cited by applicant

Exhibit 1025 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 15 pages. cited by applicant

Exhibit 1026 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 37 pages. cited by applicant

Exhibit 1027 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 7 pages. cited by applicant

Exhibit 1028 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 33 pages. cited by applicant

Exhibit 1030 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 95 pages. cited by applicant

Exhibit 1031 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024, 5 pages. cited by applicant

Exhibit 1032 in “Petition for Inter Partes Review of U.S. Pat. No. 11,794,952” Filed Sep. 17, 2024,

60 pages. cited by applicant

E1—"Furniture Mechanics", 1993, pp. 124-125 and Machine translation to English. cited by applicant

E2—"Advanced Manufacturing Technology", 2005, p. 59 and Machine translation to English. cited by applicant

Primary Examiner: Keller; Brian D

Assistant Examiner: Hawkins; Jason Khalil

Attorney, Agent or Firm: Cantor Colburn LLP

Background/Summary

BENEFIT CLAIM

(1) This application is a United States national stage entry of PCT International Application No. PCT/IL2020/051019 entitled "SAWHORSE", filed in Israel on Sep. 16, 2020, which claims priority to Israel Patent Application No. 269564, filed on Sep. 23, 2019, the contents of which are herein incorporated in their entirety by reference for all purposes.

TECHNOLOGICAL FIELD

(2) The present disclosure concerns a sawhorse. More particularly the disclosure concerns a sawhorse configured with an articulation system.

(3) Hereinafter in the specification and claims, the term sawhorse is used in its broad sense and denotes a foldable and carriable work station, also referred to in the art as workmate, workbench, worktable, etc.

BACKGROUND ART

(4) References considered to be relevant as background to the presently disclosed subject matter are listed below: U.S. Pat. No. 9,844,870 U.S. Pat. No. 9,844,870 US 2016/0221177

(5) Acknowledgement of the above references herein is not to be inferred as meaning that these are in any way relevant to the patentability of the presently disclosed subject matter.

BACKGROUND

(6) U.S. Pat. No. 9,844,870 discloses a sawhorse system, comprising: a sawhorse; and a tool holder, having a plurality of sides including a first side, a second side, a third side, and a fourth side, each of the first side and the second side having a free top edge, a bottom edge, a first end edge, and a second end edge, the free top edge of the first side spaced apart from the free top edge of the second side, the third side disposed intermediate and connecting the first end edges of the first side and the second side, and the fourth side disposed intermediate and connecting the second end edges of the first side and the second side, a plurality of pockets attached the plurality of the sides, one of the pockets attached to each of the third side and the fourth side, a first strap directly attached to the free top edge of each of the first side and the second side, and connecting the first side and the second side, a second strap directly attached to the free top edge of each of the first side and the second side, and connecting the first side and the second side, the second strap laterally spaced apart from the first strap, and the free top edges of the first side and the second side are not otherwise connected, a third strap attached at the first end edges of the first side and the second side, the third strap connecting the first side and the second side, wherein the third strap is spaced apart from the one of the pockets on the third side, and an opening is formed between the third strap and the one of the pockets attached to the third side, and the third strap is coplanar with the third side, and a fourth strap attached at the second end edges of the first side and the second side,

the fourth strap connecting the first side and the second side, wherein the fourth strap is spaced apart from the one of the pockets on the fourth side, and an opening is formed between the third strap and the one of the pockets attached to the fourth side, and the fourth strap is coplanar with the fourth side, wherein the tool holder is selectively disposed over the sawhorse and is movable between an expanded position and a collapsed position.

(7) U.S. Pat. No. 6,305,498 discloses a sawhorse, comprising a base assembly including a pair of support members each formed from a plastic material, said support members being connected to one another for movement between an open working configuration in which the base assembly is self-supporting in an upright position and a closed storage configuration; a workpiece support structure mounted on said base assembly and defining an upwardly facing support surface for supporting a workpiece when the base assembly is in the self-supporting upright position thereof; and an attachment for said base assembly in the form of a tool carrier assembly comprising a flexible carrier sheet, a plurality of tool holding elements affixed to said carrier sheet and a plurality of fasteners fixedly affixing said carrier sheet to one of said pair of support members in a configuration providing access to tools held by said tool holding elements when said base assembly is in the open working configuration thereof, the tool carrier assembly being positioned (a) such that the tool carrier assembly is below the workpiece support surface to allow the support surface to support a workpiece without interference from said tool carrier assembly and (b) such that said tool carrier assembly does not impede movement of the base assembly between said closed storage configuration and said open working configuration.

(8) US Application 2016/0221177 discloses a sawhorse includes a first side body and a second side body. Each of the first side body and the second side body has a first cross member, a second cross member, a first leg portion with a foot, and a second leg portion with a foot. The first cross member of the first side body is rotatably coupled to the first cross member of the second side body. The first side body and the second side body are positionable between a closed position and an opened position. The sawhorse further includes a centrally hinged, folding platform that is rotatably coupled to the second cross member of each of the first side body and the second side body. Wherein the open position, the folding platform is fully deployed to create a substantially planar surface spanning the second cross members of the first side body and the second side body.

GENERAL DESCRIPTION

(9) The present disclosure is directed to a sawhorse comprising a first support frame and a second support frame, each having a first face and a second face, respectively, said second support frame articulated to the first support frame, whereby the sawhorse is manipulable between at least one collapsed position and at least one deployed position; and wherein at least one of the first face and the second face of at least one of the first support frame and the second support frame is configured with an array of articulation locations for detachably attaching one or more utility units to the sawhorse and for detachably attaching the sawhorse to a carrying member.

(10) The term utility unit as used herein denotes any article of utility, either stationary or mobile, having a utility and being detachably attachable to a sawhorse according to the disclosure or to other utility units. A utility unit, according to the present disclosure can be, by way of example, any type of container, work surface, locomotion system, mounting system, hand tool, support element, and the like.

(11) The term carrying member as used herein denotes any surface to which a sawhorse according to the present disclosure can be detachably articulated. By way of example, a carrying member can be a wall surface, a mounting plate, a container wall surface, a cabinet wall surface, and the like.

(12) According to a specific configuration of the disclosure, the articulation location comprises a male-female type coupling arrangement, wherein the sawhorse is configured with one or more male couplers or a female couplers and where the utility unit and carrying member are configured with the other one of male couplers or female couplers.

(13) The sawhorse can further be configured with a locking mechanism associated with the

articulation locations, to prevent spontaneous detaching of a utility unit from the sawhorse, i.e. to prevent unintentional separation of the utility unit from a support frame or of the sawhorse from a carrying member.

(14) According to a specific example of the disclosure, there is provided a sawhorse comprising a first support frame and a second support frame pivotally articulated to one another at their respective top portions, each having a first face and a second face, respectively, wherein said first faces face each other and where the sawhorse is manipulable between at least one collapsed position and at least one deployed position; and wherein the second face of at least one of the first support frame and the second support frame is configured with an array of articulating elements (or articulation locations) for detachably attaching one or more utility units to the sawhorse and for detachably attaching the sawhorse to a carrying member.

(15) According to a particular example, the first frame and the second frame are articulated to one another at their respective top portions and wherein at the deployed position the sawhorse has an upside-down V-like shape.

(16) The arrangement can be such that attaching a utility unit over the sawhorse and likewise attaching the sawhorse to a carrying member is easily and readily facilitated by sliding the respective member over the other into engagement with the respective articulation location so that the one or more male-female couplers engage, and the locking mechanism, if applied, snaps into engagement. Detaching a utility unit from the sawhorse and likewise detaching the sawhorse from the carrying member is facilitated by disengaging the locking mechanism, if applied, and sliding the male-female couplers to disengage and away from one another.

(17) Sliding engagement and disengagement take place along a sliding path extending substantially parallel to the male-female couplers members.

(18) Any one or more of the following features, designs and configurations can be applied to the sawhorse according to the present disclosure, separately and in various combinations thereof: The first support frame and the second support frame can be pivotally articulated to one another at their respective top portions; The first support frame and the second support frame can be pivotally articulated to one another at their respective top ends; One of the first support frame and the second support frame can be articulated to the other one of the first support frame and the second support frame at a location between a top end and a bottom end of the other one of the first support frame and the second support frame; One or both of the first support frame and the second support frame can have a rectangular shape; The sawhorse can be made of metal or molded resin; At the collapsed position, the first support frame and the second support frame can extend parallel to one another; At the collapsed position, facing faces of the first support frame and the second support frame can extend flush against one another; One or both of the first support frame and the second support frame can comprise at least one height adjusting leg member; The first support frame and the second support frame can be similar to one another, or identical, and can be interchangeable; The first support frame and the second support frame can be articulated to one another through one or more interconnecting frame members; The array of articulation locations can facilitate simultaneous attachment of one or more utility units to a surface of a support frame; The first support frame and the second support frame can be configured at their top end with integral intervening axle portions for pivotally coupling the first and second support frames to one another; The array of articulation locations can include one or more such articulation locations, for detachably attaching thereto one or more utility units, and wherein a utility unit can be attached over one or more such articulation locations; i.e. an array of articulation locations can be a set of couplers or a unitary coupling; Either one or both faces of each of the first support frame and the second support frame can be configured with articulation locations, the articulation locations can be any of male articulation locations and female articulation locations; for example, one face of one of the first support frame and the second support frame can be configured with male articulation locations and another face of the support frame can be configured with male or female articulation

locations; A face of a support frame can be configured with a combination of male and/or female articulation locations; The first support frame and the second support frame can be swingable between a collapsed position and at least one deployed position; At least one of the first support frame and the second support frame can be swingable about the other one of the first support frame and the second support frame substantially about 360°; A top end of the sawhorse can be configured with a utility portion; the utility portion can be a workpiece grip, a vise, a top bar, etc.; The locking mechanism can be a locking latch extending from one of a support frame and a utility unit or carrying member, and configured for arresting within a locking receptacle within the other one of a support frame and a utility unit or carrying member; The locking latch can be configured for spontaneous snap engagement within the locking receptacle; The articulation locations can be integral with the sawhorse frame, or integrated therewith; One or more articulation locations can be disposed over a side portion of the first support frame and the second support frame; The sawhorse can be configured with a span-restricting member, for restricting angular displacement between the first support frame and the second support frame; A span-restricting member can be a support member configured with one or more articulating locations; According to one particular arrangement, a face of at least one of the first support frame and the second support frame defines an articulation face, and the articulation locations comprise at least one male coupler at one of the articulation face and a face of the utility unit, and a female coupler at the other one of the articulation face and the face of the utility unit, said female coupler having a depressed locking location configured with at least one locking rib extending above a depressed plane and along a sliding path, and having an open edge facing in a first sense; said male coupler having a projecting locking location disposed in register with said depressed locking location and configured with at least one locking tongue extending along said engaging sliding path at a second sense, opposite to said first sense, and configured for arresting engagement at a space between said locking rib and depressed plane; The at least one locking rib of the articulation locations can extend substantially parallel to the sliding path; The at least one locking rib can extend substantially perpendicular and intersect the sliding path; The female coupler can comprise a single locking rib extending at rear end of the depressed locking location and substantially perpendicular to the sliding path; The female coupler can comprise two locking ribs extending at side edges of the depressed locking location and disposed substantially parallel to the sliding path; The female coupler can comprise two locking ribs each extending at a respective side edge of two neighboring depressed locking locations, said locking ribs disposed substantially parallel to the sliding path; The coupling arrangement can be configured such that engaging the utility unit with the articulation face of the sawhorse is facilitated by sliding the utility unit with respect to the utility unit articulation face along a sliding path defined by at least one of said at least one locking rib and said at least one locking tongue; The coupling arrangement can be configured for snap-type locking of a utility unit over the a utility unit articulation face; The locking mechanism can comprise at one of the articulation face and a face of the utility unit, a locking latch arresting location, and the other one of said articulation face and a face of the utility unit a locking member displaceable and disposed in register with said locking latch arresting location, wherein at a locked position the locking member is arrested by the corresponding locking latch arresting location, and further wherein disengaging the utility unit from the sawhorse is facilitated by disengaging the at least one locking latch from the at least one locking latch arresting location; The locking mechanism can further comprise a release latch for displacing the locking latch into disengagement from the locking latch arresting location; The locking mechanism can be spring biased and configured for normally projecting from a face of the utility unit or from the articulation face of the sawhorse; The locking latch can be associated with and extend from a male coupler element.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) In order to better understand the subject matter that is disclosed herein and to exemplify how it may be carried out in practice, embodiments will now be described, by way of non-limiting examples only, with reference to the accompanying drawings, in which:
- (2) FIG. 1A is a perspective view of a sawhorse according to an example of the present disclosure with female articulation locations, the sawhorse at its collapsed position;
- (3) FIG. 1B is a perspective view of the sawhorse of FIG. 1A with male articulation locations;
- (4) FIG. 1C is a side view in direction of arrow I in FIG. 1B;
- (5) FIG. 1D is a section taken through a top portion of the sawhorse, along line I-I in FIG. 1B;
- (6) FIG. 2A is a planer view of the female side of the sawhorse;
- (7) FIG. 2B is a planer view of the male side of the sawhorse;
- (8) FIG. 3A is a side perspective view of the sawhorse at a deployed, extended position with female articulation locations;
- (9) FIG. 3B is a male side perspective view of the sawhorse of FIG. 3A;
- (10) FIG. 4A is an enlargement of the portion marked 4A in FIG. 3A;
- (11) FIG. 4B is an enlargement of the portion marked 4B in FIG. 3B;
- (12) FIGS. 5A and 5B are locally sectioned views along line II-II in FIG. 10A, illustrating consecutive steps of interlocking a utility unit container to the sawhorse, by an articulation arrangement according to the disclosure;
- (13) FIGS. 6A and 6B are locally sectioned views along line III-III in FIG. 10A, illustrating consecutive steps of locking a utility unit container to the sawhorse, according to the disclosure;
- (14) FIG. 7 is a bottom perspective view of a container configured with male couplers according to an aspect of the disclosure;
- (15) FIG. 8A is an enlarged front perspective view of a male coupler;
- (16) FIG. 8B is an enlarged rear perspective view of the male coupler;
- (17) FIG. 9A is a perspective view of two sawhorses according to the disclosure articulated to one another and to a carrier platform, according to an example of the disclosure;
- (18) FIG. 9B is a horizontal section along line IX-IX in FIG. 9A;
- (19) FIG. 9C is an enlargement of the portion marked 9C in FIG. 9B;
- (20) FIGS. 10A and 10B illustrate examples of articulating utility units to the sawhorse;
- (21) FIGS. 11A and 11B are examples of articulating the sawhorse to a wheeled container assembly;
- (22) FIG. 12A is a perspective view of a mounting platform used in conjunction with a sawhorse according to the disclosure;
- (23) FIG. 12B illustrates two sawhorses mounted on a mounting platform according to FIG. 12A;
- (24) FIG. 12C illustrates a container mounted on a mounting platform according to FIG. 12A;
- (25) FIGS. 13A to 13C are schematic side views of a sawhorse according to a configuration of the disclosure, at a collapsed position, an inverted collapsed position and a deployed position, respectively;
- (26) FIGS. 14A and 14B are yet an example of a sawhorse according to a configuration of the disclosure, at a collapsed position and an inverted collapsed position; and
- (27) FIGS. 15A to 15D are different examples of sawhorses according to other configurations of the disclosure.

DETAILED DESCRIPTION OF EMBODIMENTS

- (28) Attention is directed first to FIGS. 1A to 3B, illustrating a sawhorse according to the present disclosure, generally designated **10**. The sawhorse **10** comprises a first support frame **12** and a second support frame **14**, both having a similar, generally rectangle shape, and each having a first face **12A** and **14A** and a second face **12B** and **14B**, respectively. For sake of example and clarification, in the present example the first face **12A** and **14A** are referred to as outside faces of

the frames (i.e. facing away from each other) and the second face **12B** and **14B** are referred to as inside faces of the frames (i.e. facing towards each other). The first support frame **12** and the second support frame **14** are pivotally articulated to one another at their respective top ends at a pivot axle **18**, along an axis X (best seen in FIG. **1D**), such that the sawhorse **10** is configurable between a collapsed/folded position (FIGS. **1A** to **1D**) and a deployed/expanded position (FIGS. **3A** and **3B**).

(29) The sawhorse **10** is further configured with a span-restricting arrangement comprising a first pivotal shelf-like member **15** extending from a first, inside face **12B** of the first support frame **12**, and a second, oppositely extending pivotal shelf-like member **17** extending from a second, inside face **14B** of the second support frame **14**. Shelf-like members **15** and **17** are pivotally articulated to one another at **19**, and configured for restricting angular displacement between the first support frame **12** and the second support frame **14**, so as to retain the sawhorse at a fixed and stable deployed position. At the deployed position, shelf-like members **15** and **17** extend coplanar and serve together as a shelf member. The restricting shelf-like members **15** and **17** displace into the coplanar shelf-like position upon deploying the sawhorse into its operable, open/deployed position. Each of the shelf-like member **15** and **17** is further configured with an opening **21**, which at the collapsed position are in register with one another, serving together as a carrying handle. However, it is appreciated that other restricting arrangements can be configured, such as a strap or a sling extending between the first support frame **12** and the second support frame **14**.

(30) Extending at a top of each side end of the sawhorse **10**, there are one or more U-like workpiece supports **20**, in this example two workpiece supports **20** coextending and supporting a rectangular support beam **22** which can be integral with the two workpiece supports **20** or articulated thereto through fasteners **24** (better seen in FIG. **1D**), rendering it replaceable.

(31) The first support frame **12** and the second support frame **14** comprise each two side leg members **26** and **28**. Each side leg member **26** and **28** is configured with an extension leg portion **30** and **32**, respectively, telescopically received within the respective side leg members **26** and **28**, and each comprising at a bottom end thereof an anti-slip shoe **36**. The extension leg portions **30** and **32** are selectively arrested at a desired level within the respective side leg members **26** and **28** by any one of several snap tabs **38** configured for protecting and arresting through an arresting opening **39** formed at the side leg members **26** and **28**.

(32) In the present example, the first face **12A** of the first support frame **12** (namely the outside face thereof) is configured with an array of female-type articulation locations **40A**, **40B** and **40C** (being of different size though having the same arresting arrangement as will be discussed), as will be discussed hereinafter in detail.

(33) Further in present example, the first face **14A** of the second support frame **14** (namely the outside face thereof) is configured with an array of male-type articulation locations **60**, as will be discussed hereinafter in detail.

(34) With particular reference to FIG. **4A**, the female-type articulation locations **40A**, **40B** and **40C** (collectively designated **40**) each comprise a depressed locking surface **42** configured with a pair of parallelly disposed locking ribs **44** facing towards one another and extending above the depressed surface **42** and along a sliding path **48** (which is the orientation at which a utility unit is displaced over during articulation, wherein **48A** is the locking direction and **48B** is the unlocking direction), and having a slanted open edge **52** facing in a first sense along the sliding path **48**. An outside surface of the locking ribs **44** is substantially flush with a sliding surface of the face **12A**; a space **53** (FIGS. **5A** and **5B**) extends between the locking ribs **44** and the depressed surface **42** and it is seen that a bottom face of the locking ribs **44** extends substantially parallel to said depressed surface **42**.

(35) The outside, first face **12A** of the first support frame **12** is further configured with at least one locking latch arresting location, i.e. recess **50**, the purpose of which will be discussed below.

(36) Reverting now to the male-type articulation locations **60** configured at the outside face **14A** of

the second support frame **14**, and disposed also at a bottom face of a utility unit, for example the container **70** of FIG. 7. The male-type articulation locations, namely couplers **60**, seen at larger scale in FIGS. **8A** and **8B**, extend in register with the female couplers **40** of the sawhorse **10** (and of a mounting plate **90** seen in FIG. **12A**), as far as shape, size and positioning, whereby a utility unit can be articulated to the sawhorse at several locations thereof. Each male coupler **60** comprises a projecting locking location **68** disposed in register with said depressed female-type locking location **40**, and is configured with a pair of laterally extending locking tongues **72** one at each side of the projecting locking location **68**, i.e. facing away from one another, laterally extending along said engaging sliding path **48** (at a second, sense, opposite to said first sense), and configured for arresting engagement at the space **53** between said locking rib **44** and depressed surface **42**.

(37) Further noted, the utility unit articulation face of the sawhorse, namely face **12A** thereof (as well as mounting plate **90** of FIG. **12A**) is configured with at least one locking latch arresting location, i.e. recesses **50**, and the male face of the sawhorse, namely face **14A**, as well as a bottom face **71** of utility unit (container **70**) is configured with a locking latch **82** (FIGS. **6A** and **6B**), spring biased by spring **86** to project from the face **14A** of the sawhorse **10** and from the bottom face **71** of the container **70**, and being manually displaceable by a manipulating grip **87** through an aperture or recess **89** (seen also in FIG. **4B**), between the normally projecting position and a manually retracted position (FIG. **6A**), said locking member **82** disposed in register with at least one of the locking latch arresting locations **80**.

(38) When it is required to detachably attach a utility unit to the sawhorse **10**, the former is placed over the later, placing the projecting locking portions **68** within the depressed locking location **42** with the locking tongues **72** slidably engaging below and being gradually arrested by the respective locking ribs **44** until complete arresting is obtained (FIG. **5B**). At the fully engaged locked position (FIG. **5B**) each locking rib **44** is disposed between the respective locking tongue **72** and the bottom face **62** of the utility unit (container **70**), however bearing flush against at least a portion of the top surface of the locking tongues **72**. Simultaneously, as the locking tongues **72** arrest by the locking ribs **44**, the locking latch **82** of the utility unit (container **70**) slides into the locking latch arresting location (recess **50**) and finally snaps into locking engagement therewith.

(39) It is noted the locking latch **82** is configured with a chamfered nose **91** whereby upon sliding displacement of the utility unit along the sliding path **48A** it first glides over a guiding ramp surface **93** of the sawhorse, displacing it upwards against the biasing effect of spring **89** (in direction of arrow **95** in FIG. **6A**), whereby when the utility unit **70** reaches the final locking position over the respective articulation face of the sawhorse, the locking latch **82** plunges into arresting position within the recess **50**.

(40) At the locked position, utility unit **70** is attached over the articulation face of the respective support frame **12A** of the sawhorse. Detaching of a utility unit **70** from a sawhorse **10** is easily facilitated by unlocking, obtained by displacing the locking latch **82** upwards against the biasing effect of spring **86**, whereby the utility unit **60** can be slidably displaced along path **48B**, and detached.

(41) It is appreciated that the container **70** is a mere example of a utility unit, which can be any article of utility, either stationary or mobile, having a utility and being detachable attachable to other utility units. A utility unit according to the present disclosure can be, by way of example, any type of container, work surface, locomotion system, mounting system, hand tool, support element, and the like.

(42) The male/female articulation arrangement disclosed herein is an example, and is understood that other coupling arrangements can be utilized, such as, for example, a bayonet coupling arrangement, however bearing in mind that the coupling arrangement should offer a fast and reliable attaching/detaching arrangement between the utility unit and the sawhorse, and for attaching the sawhorse to a carrying member. #

(43) Turning now to FIGS. **9A** to **9C** and **12B** there is illustrated an arrangement wherein a first

sawhorse according to the present disclosure, generally designated **10A**, is detachably articulated to a mounting plate **90** similar to that disclosed in FIG. **12A**, and wherein a second sawhorse according to the present disclosure, generally designated **10B**, is detachably articulated to first sawhorse **10A**. The arrangement is such that the face **92** of the mounting plate **90** is configured with a plurality of female-type articulation locations **40** (similar to female-type coupling locations **40** configured on the first face **12A** of the sawhorse **10** as disclosed hereinbefore), whereby the first sawhorse **10A** is slidably articulated over the mounting plate **90** by male type couplers disposed over the first face **14A** of the first sawhorse **10A** slidably articulated with said female articulation locations **40** of the mounting plate **90**. In turn the second sawhorse **10B** is detachably mounted over the first sawhorse **10A** through the male-type articulation locations **60** at the first face **14A** of the second sawhorse **10B** being slidably articulated with the female-type articulation locations **40** at the first face **12A** of the first saw horse **10A**.

(44) It is appreciated that in FIGS. **12A** to **12C** that the mounting plate **90** serves as a carrying member to which a sawhorse **10** can be detachably articulated, wherein the mounting plate **90** can be integral with or integrated with a carrying wall surface, etc. Also, the mounting plate **90** can be used for directly attaching thereto various utility units (FIG. **12C**), such as container **70** (as disclosed in connection with FIG. **7**).

(45) FIG. **10A** illustrates a sawhorse **10** according to the present disclosure, and as disclosed hereinabove, at its deployed, open position, wherein an organizer container **70A** is detachably articulated over the first face **12A** of the first support frame of the sawhorse **10**. Also attached to the first face **12A** there is a holder **97** useful, for example, for supporting a hand tool such as a drill, hammer, jigsaw, etc. It is appreciated that both the organizer container **70A** and the holder **97** are each configured with one or more male type-couplers adapted for engagement with corresponding female-type articulation locations **40** at the first face **12A** of the sawhorse **10**.

(46) In FIG. **11A** there is illustrated a pair of sawhorses **10A** and **10B**, according to the disclosure hereinbefore, detachably secured to one another (similar to the arrangement disclosed in connection with FIG. **9**) and in turn being detachably articulated over a top cover of a wheeled container **96**, wherein articulation is facilitated through the first face **14A** of the second support frame **14** of the sawhorse **10**, i.e. the male-type articulation locations **60** thereof being slidably engaged with female-type articulation locations disposed over the cover of the container **96**, said female-type articulation locations being similar to articulation locations **40** of the sawhorse **10**.

(47) In FIG. **11B**, the pair of sawhorses **10A** and **10B** is mounted over an organizer container **102** which in turn is articulated over another organizer container **100**, and which in turn is articulated over a container **98** and in turn over the wheeled container **96**, however with a smaller container **70A** articulated over the female-type couplers **40** at the first face **12A** of the top sawhorse **10B**. it is appreciated that coupling between all containers and sawhorses is facilitated through a male-female type articulation locations as disclosed hereinabove, with a locking arrangement provided (as in connection with FIGS. **6A** and **6B**).

(48) In FIGS. **13A** to **14B** there are schematic illustration of two variations of a sawhorse according to the present disclosure, both following the same principals. The sawhorse **110** of FIGS. **13A** to **13C** comprises a first support frame **112** and a second support frame **114** pivotally articulated to one another at their top end, about axis **116**. The first support frame **112** has a first face **112A** configured with an array of male-type coupling locations **112M** and a second face **112B** configured with an array of female-type coupling locations **112F**. Likewise, the second support frame **114** has a first face **114A** configured with an array of male-type coupling locations **114M** and a second face **114B** configured with an array of female-type coupling locations **114F**. In the position of FIG. **13A** all male-type couplers **112M** and **114M** are disposed on the outside faces of the sawhorse **110**. However, upon pivotally swinging the second support frame **114** about the axis **116** through 360° in direction of arrow **118** in FIG. **13A**, the new position is such that all outside faces of the sawhorse are now positioned with female-type couplers **112F** and **114F**, respectively such that at a deployed,

working position (FIG. 13C) there is more surface area configured with female-type couplers, for articulating more utility units (not shown). It is noted that angular restricting member 119 is configured for securing the angular opening between the support frames.

(49) The sawhorse 120 of FIGS. 14A and 14B comprises a first support frame 122 and a second support frame 124 pivotally articulated to one another at their top end, about axis 126. The first support frame 122 has a first face 122A and a second face 122B, both configured with an array of female-type coupling locations 122F. The second support frame 124 has a first face 124A configured with an array of male-type coupling locations 124M and a second face 124B configured with an array of female-type coupling locations 124F. In the position of FIG. 14A the sawhorse can be disposed for articulating the face 124A over a mounting plate (not shown) whilst the face 122A can serve for articulating thereto different utility units (not shown). Notably, the sawhorse 120 can be deployed at this situation as well. However, in the position of FIG. 14B, the sawhorse second support frame 124 is swung by 360° over axis 126, whereby only female-type couplers 122F and 124F are disposed at the outside faces 122B and 124A, respectively, providing for increased mounting area over the sawhorse 120.

(50) FIGS. 15A to 15D schematically illustrate examples of different sawhorse configurations according to the present disclosure. In FIG. 15A the sawhorse 130 has a first support frame 132 and a second support frame 134 pivotally articulated to the first support frame 132 at a pivot axis 136 disposed intermediately along the first support frame. The first support frame 132 is configured at a first face thereof 132A with a plurality of male-type couplers 132M, and the second support frame 134 is configured at a first face thereof 134A with a plurality of female-type couplers 134F.

(51) The sawhorse 140 of FIGS. 15B and 15C comprises a first support frame 142 and a second support frame 144, pivotally articulated at their respective top end to an interconnecting support link 146, wherein the first support frame 142 is configured at a first face thereof 142A with a plurality of male-type couplers 142M, and the second support frame 144 is configured at a first face thereof 144A with a plurality of female-type couplers 144F. the sawhorse is configurable between a deployed, table-like configuration (FIG. 15B) and a collapsed, stowing position (FIG. 15C).

(52) The sawhorse 150 of FIG. 15D resembles that disclosed in FIGS. 15B and 15C, comprises a first support frame 152 and an interconnection top link frame 158, however the second support frame is composed of two pivotally articulated segments 154 and 156, imparting the sawhorse additional modularity, and wherein at least one face of any of the support frames is configured with coupling locations (male and/or female couplings as discussed above).

Claims

1. A sawhorse comprising a first support frame and a second support frame, each having a first surface and a second surface, respectively, said second support frame articulated to the first support frame, whereby the sawhorse is manipulable between at least one collapsed position and at least one deployed position; and wherein at least one of the first surface and the second surface of at least one of the first support frame and the second support frame is configured with an array of articulation locations for detachably attaching one or more utility units to the sawhorse and for detachably attaching the sawhorse to a carrying member, wherein a face of at least one of the first support frame and the second support frame defines an articulation face, and the articulation locations comprise at least one female coupler, said female coupler having a depressed locking location configured with at least one locking rib extending above a depressed plane and along a sliding path, and having a slanted open edge facing in a first direction along the sliding path; the female coupler being configured for detachably attaching thereto a male coupler defined on a face of the utility unit, said male coupler having a projecting locking location disposable in register with said depressed locking location and configured with at least one locking tongue extending along an

engaging sliding path at a second direction, opposite to said first direction, and configured for arresting engagement with the female coupler at a space between said locking rib and depressed plane of said female coupler.

2. The sawhorse of claim 1, wherein the sawhorse is configured with a plurality of said female couplers.

3. The sawhorse of claim 1, wherein sliding engagement and disengagement of a utility unit take place along a sliding path extending substantially parallel to the depressed plane of the female couplers.

4. The sawhorse claim 1, further comprising a locking mechanism associated with the articulation locations configured to prevent spontaneous detaching of a utility unit from the sawhorse.

5. The sawhorse of claim 4, wherein the locking mechanism comprises a locking latch arresting location located at the articulation face and configured for engagement with a locking member displaceable and disposable in register with said locking latch arresting location of the utility unit, wherein at a locked position the locking latch arresting location is configured to arrest the locking member, and further wherein disengaging the utility unit from the sawhorse is facilitated by disengaging the locking latch from the locking latch arresting location.

6. The sawhorse of claim 5, wherein the locking mechanism is spring biased.

7. The sawhorse of claim 5, wherein the locking latch is associated with and extends from a male coupler.

8. The sawhorse of claim 1, wherein the first frame and the second frame are articulated to one another at their respective top portions and wherein at the deployed position the sawhorse has an upside-down V-like shape.

9. The sawhorse of claim 1, wherein one or both of the first support frame and the second support frame comprise a height adjusting leg member.

10. The sawhorse of claim 1, wherein the first support frame and the second support frame are articulated to one another through one or more interconnecting frame members.

11. The sawhorse of claim 1, wherein both faces of each of the first support frame and the second support frame is configured with said articulation locations.

12. The sawhorse of claim 1, wherein the first support frame and the second support frame are swingable between a collapsed position and at least one deployed position.

13. The sawhorse of claim 1, wherein the articulation locations are integral with the first support frame and the second support frame, or integrated therewith.

14. The sawhorse of claim 1, wherein the at least one locking rib of the articulation locations extends substantially parallel to the sliding path.

15. The sawhorse of claim 1, wherein the at least one locking rib extends substantially perpendicular and intersect an interlocking sliding path.

16. The sawhorse of claim 1, wherein the female coupler comprises a single locking rib extending at rear end of the depressed locking location and substantially perpendicular to the sliding path.

17. The sawhorse of claim 1, wherein the female coupler comprises two locking ribs extending at side edges of the depressed locking location and disposed substantially parallel to the sliding path.

18. The sawhorse of claim 1, wherein the female coupler comprises two locking ribs each extending at a respective side edge of two neighboring depressed locking locations, said locking ribs disposed substantially parallel to the sliding path.

19. The sawhorse of claim 1, wherein the articulation location is configured such that engaging the utility unit with the articulation face of the sawhorse is facilitated by sliding the utility unit with respect to the utility unit articulation face along a sliding path defined by at least one of said at least one locking rib and said at least one locking tongue.

20. The sawhorse of claim 4, wherein the locking mechanism comprises a locking member, configured for displacing into a locking latch arresting location located at a face of the utility unit, wherein at a locked position the locking member is configured to be arrested within the locking

latch arresting location.

21. A sawhorse assembly comprising a sawhorse and one or more utility units, the sawhorse comprising a first support frame and a second support frame, each having a first surface and a second surface, respectively, said second support frame articulated to the first support frame, whereby the sawhorse is manipulable between at least one collapsed position and at least one deployed position; and wherein at least one of the first surface and the second surface of at least one of the first support frame and the second support frame is configured with an array of articulation locations for detachably attaching said one or more utility units to the sawhorse and for detachably attaching the sawhorse to a carrying member, and wherein a face of at least one of the first support frame and the second support frame defines an articulation face, and the articulation locations comprise at least one male coupler at one of the articulation face and a face of the utility unit, and a female coupler at the other one of the articulation face and the face of the utility unit, said female coupler having a depressed locking location configured with at least one locking rib extending above a depressed plane and along a sliding path, and having a slanted open edge facing in a first direction along the sliding path; said male coupler having a projecting locking location disposed in register with said depressed locking location and configured with at least one locking tongue extending along an engaging sliding path at a second direction, opposite to said first direction, and configured for arresting engagement with the female coupler at a space between said locking rib and depressed plane of said female coupler.
