

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12414617
Kind Code	B1
Date of Patent	September 16, 2025
Inventor(s)	Mainwaring; Fallon Gray

Portable cosmetic accessory

Abstract

A portable, compact, lightweight, modular, and simple to use cosmetic accessory device that allows users to store and interchange various types of cosmetic applicators and make-up tools on the same device. The portable cosmetic accessory can include a housing having a first end and a second end, a first cover secured to the first end of the housing and a second cover secured to the second end of the housing, and a first pivoting member and a second pivoting member disposed within the housing. In addition, the portable cosmetic accessory can include a first cosmetic applicator and a second cosmetic applicator, wherein the first cosmetic applicator is secured to the first pivoting member and the second cosmetic applicator is secured to the second pivoting member.

Inventors:	Mainwaring; Fallon Gray (Fort Worth, TX)
Applicant:	Mainwaring; Fallon Gray (Fort Worth, TX)
Family ID:	1000007916549
Appl. No.:	18/671113
Filed:	May 22, 2024

Publication Classification

Int. Cl.: A45D34/06 (20060101)

U.S. Cl.:

CPC A45D34/06 (20130101);

Field of Classification Search

CPC: A45D (33/18); A45D (33/008); A45D (33/20); A45D (33/22); A45D (33/26); A45D (33/28); A45D (33/30); A45D (34/042); A45D (34/06); A45D (40/00); A45D (40/18); A45D (40/20); A45D (40/24)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3132652	12/1963	Gazdik	132/297	A45D 33/28
3441033	12/1968	Flax	132/295	A45D 33/20
4936324	12/1989	Chen	132/294	A45D 40/22
5025817	12/1990	Wen	206/823	A45D 33/006
5970989	12/1998	Litton	N/A	N/A
6619297	12/2002	Sheng	220/4.27	A45D 33/20
6886695	12/2004	Karoly	206/823	A45D 40/24
7389780	12/2007	Byun	206/379	A45D 33/28
7938268	12/2010	Kuo	132/297	A45D 40/00
11832709	12/2022	Pritchett-El	N/A	N/A
2002/0108628	12/2001	Sheng	D28/80	A45D 33/20
2002/0117422	12/2001	Karoly	132/316	A45D 40/24
2009/0260653	12/2008	Ramos	132/294	A45D 40/24
2010/0025280	12/2009	Palmer	206/506	B65D 21/0231
2016/0128447	12/2015	Lim	132/317	A45D 40/18
2018/0042360	12/2017	Gibson	N/A	A45D 42/02
2019/0110579	12/2018	Piszek	N/A	B25H 3/006
2020/0288840	12/2019	Al-Sulatieen	N/A	A45D 42/00
2021/0361050	12/2020	Wilsford	N/A	N/A
2021/0393021	12/2020	Bowers	N/A	A45D 40/262
2023/0200517	12/2022	Diaz Ordaz Castro	132/297	A45D 33/008

Primary Examiner: Steitz; Rachel R

Assistant Examiner: Asqiriba; Karim

Attorney, Agent or Firm: Law Office of Sam Sokhansanj PLLC

Background/Summary

BACKGROUND

(1) This section is intended to introduce the reader to aspects of art that may be related to various

aspects of the present disclosure described herein, which are described and/or claimed below. This discussion is believed to be helpful in providing the reader with background information to facilitate a better understanding of the various aspects of the present disclosure described herein. Accordingly, it should be understood that these statements are to be read in this light, and not as admissions of prior art.

(2) Many cosmetic products are generally used in combination, such as lipstick and lipliner, mascara and brow products, and the like. Alternatively, many users may wish to mix and match various applicators for cosmetic products, such as applying mascara via an applicator and then using a brush applicator to brush the lashes or eyebrows, among other variations. Given that such applicators are typically sold separately, it can be cumbersome for users to carry all the different types of cosmetic products with them or in their bag. Further, while make-up and cosmetic storage organizer kits and cases are available, they are either generally too large or cumbersome to carry, particularly within a small handbag, purse, clutch, or a pocket.

(3) Hence, what is needed is a portable, compact, lightweight, cost-effective, modular, and simple to use cosmetic accessory device that allows users to store and interchange various types of cosmetic applicators and make-up tools all on the same device.

BRIEF SUMMARY

(4) In one non-limiting exemplary embodiment, a portable, compact, lightweight, cost-effective, modular, and simple to use cosmetic accessory device is disclosed that allows users to store and interchange various types of cosmetic applicators and make-up tools all on the same device. The portable cosmetic accessory can include a housing having a first end and a second end, a first cover secured to the first end of the housing and a second cover secured to the second end of the housing, and a first pivoting member and a second pivoting member disposed within the housing.

(5) In addition, the accessory can include a first cosmetic applicator and a second cosmetic applicator, wherein the first cosmetic applicator is secured to the first pivoting member and the second cosmetic applicator is secured to the second pivoting member.

(6) Further, the first and second pivoting members may each include an opening therein adapted to receive a distal end member of the first and second pivoting members.

(7) Also, the opening may further include a round shape adapted to receive therein a round protruding member of the first or second cosmetic applicator.

(8) In addition, the opening may further include a substantially rectangular shape adapted to receive a substantially rectangular protruding member of the first or second cosmetic applicator.

(9) Moreover, the first cover may house therein a third cosmetic applicator and the second cover houses therein a fourth cosmetic applicator.

(10) Further, the first and second pivoting members may each be adapted to rotate up to 90-degrees about via a hinge member.

(11) The above summary is not intended to describe each and every disclosed embodiment or every implementation of the disclosure. The Description that follows more particularly exemplifies the various illustrative embodiments.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The following description should be read with reference to the drawings, in which like elements in different drawings are numbered in like fashion. The drawings, which are not necessarily to scale, depict selected embodiments and are not intended to limit the scope of the disclosure. The disclosure may be more completely understood in consideration of the following detailed description of various embodiments in connection with the accompanying drawings, in which:

(2) FIG. 1 illustrates a perspective view of the portable cosmetic accessory of the disclosure

described herein, according to one non-limiting exemplary embodiment.

(3) FIG. 2 illustrates another perspective view of the portable cosmetic accessory of FIG. 1.

(4) FIG. 3. illustrates an exploded view of the portable cosmetic accessory of FIG. 2.

(5) FIG. 4A illustrates a close-up perspective view of the portable cosmetic accessory of FIG. 3.

(6) FIG. 4B illustrates another close-up perspective view of the portable cosmetic accessory of FIG. 3.

(7) FIG. 5A illustrates a front view of the portable cosmetic accessory of FIG. 1.

(8) FIG. 5B illustrates a rear view of the portable cosmetic accessory of FIG. 1.

(9) FIG. 5C illustrates a left view of the portable cosmetic accessory of FIG. 1.

(10) FIG. 5D illustrates a right view of the portable cosmetic accessory of FIG. 1.

(11) FIG. 6A illustrates a top view of the portable cosmetic accessory of FIG. 1.

(12) FIG. 6B illustrates a bottom view of the portable cosmetic accessory of FIG. 1.

DETAILED DESCRIPTION

(13) In the Brief Summary of the present disclosure above and in the Detailed Description of the disclosure described herein, and the claims below, and in the accompanying drawings, reference is made to particular features (including method steps) of the disclosure described herein. It is to be understood that the disclosure of the disclosure described herein in this specification includes all possible combinations of such particular features. For example, where a particular feature is disclosed in the context of a particular aspect or embodiment of the disclosure described herein, or a particular claim, that feature can also be used, to the extent possible, in combination with and/or in the context of other particular aspects and embodiments of the disclosure described herein, and in the disclosure described herein generally.

(14) The embodiments set forth below represent the necessary information to enable those skilled in the art to practice the disclosure described herein and illustrate the best mode of practicing the disclosure described herein. In addition, the disclosure described herein does not require that all the advantageous features and all the advantages need to be incorporated into every embodiment of the disclosure described herein.

(15) FIGS. 1-6 illustrates one or more non-limiting exemplary embodiments of the portable cosmetic accessory device **100** of the disclosure described herein. Here, device **100** can include, among others, a body, housing, or casing **110**, end caps or covers **120A** and **120B**, pivoting arm members **130A** and **130B**, and cosmetic applicators **140A** and **140B**. Referring to FIGS. 2-3, each end cap **120A** and **120B** can include an arcuate shape and may house therein cosmetic/make-up related components, tools, or applicators **122A** and **122B**, respectively, such as face primer, eye primer, eyeliner, concealer, blush, powders, moisturizers, bronzer, eye shadow, foundation, and lipstick, among others. Applicators **122A** and **122B** are secured to the ends of housing **110**. Here, if a user desires to use a particular applicator, such as applicator **122B**, then the user can simply remove end cap **120B** from housing **110** to expose applicator **122B**. Once the user is done using the applicator, then end cap **120B** can then be placed or “snapped” back into the top of housing via receptacles or detents **116** engaging end cap **122B** to provide a snap-in or friction-fit securement of end cap **122B** to housing **110**, wherein the same process can be performed with respect to end cap **120A** and applicator **122A**. It is contemplated within the scope of the present disclosure described herein that applicators **122A** and **122B** may also be interchanged with other types of applicators.

(16) Referring to FIGS. 1-4B, rotatable or pivoting arm members **130A** and **130B** can further house and support applicators **140A** and **140B**, respectively. Here, members **130A** and **130B** can each include a cut-out or notch **141A** and **141B**, respectively, wherein each cut-out or notch **141A** and **141B** can engage a protrusion **114A** on housing **110**, wherein protrusion **114A** further includes therein a tubular bar **116A**. In operation, the opposing ends of each bar **116A** and each protrusion **114A** can be received within notches **141A** and **141B**, wherein the combination provides a hinge that allows each member **130A** and **130B** to pivot or rotate about an axis, or about protrusion **114A**. In the alternative, protrusion **114A** and bar **116A** may also be referred to as a hinge assembly.

In some embodiments, each member **130A** and **130B** is adapted to rotate up to 90-degrees, thereby allowing a user to access applicator **140A** or **140B** (when members **130A** or **130B** are rotated outwards away from housing **110**), and then after use storing the applicators **140A** and **140B** within members **130A** or **130B** and pushing the foregoing members back into opening **112** of housing **110**, such that applicators **140A** and **140B** are securely held within housing **110**. In other embodiments, the hinge assembly of housing **110** may also be spring actuated and/or include various stops or detents at various pivoting angles of each arm member **130A** and **130B**. As an example, bar **116A** may also be comprised of a spring or biasing member, or in the alternative, operate in combination with a spring or biasing member.

(17) Still referring to FIGS. **1-4B**, each applicator **140A** and **140B** can include various types of distal end members **142A** and **142B**, such as brushes, bristles, pads, sponges, swabs, or any other applicator, such as face primer, eye primer, concealer, blush, powders, moisturizers, bronzer, eye shadow, eyeliner, foundation, and lipstick, among others among others. Notably, applicators may be interchanged with each other and secured to arm members **130A** and **130B** and stored within housing **110**. In addition, each applicator **140A** and **140B** can include a protruding member **144A** and **144B** having a defined shape or configuration that is adapted to be received and secured within a respective opening **132A** and **132B** of arm members **130A** and **130B**, respectively. For example, in the current embodiment, opening **132A** can be a round shape adapted to receive end member **142A** and round protruding member **144A** therein, thereby securely engaging and holding applicator **140A** at least partially therein. Similarly, opening **132B** can be a substantially rectangular shape adapted to receive end member **142B** and substantially rectangular protruding member **144B** therein, thereby securely engaging and holding applicator **140B** at least partially therein. In some embodiments, each applicator **140A** and **140B** may also “snap” (or via a friction fit) into the openings **132A** and **132B** of each arm member **130A** and **130B**, respectively.

(18) Referring to FIG. **2**, the housing of each applicator **140A** and **140B** may include a flat top surface area **146A/146B** and a sloped surface **148A/148B**. In operation, the sloped surfaces **148A** and **148B** allow the combination of applicators **140A** and **140B** secured to members **130A** and **130B** to substantially encompass the length of the opening **112** on each side of housing **110** (or substantially fill-in openings **112**), such as shown in FIGS. **5C** and **5D**. Specifically, despite the combined length of the applicators **140A/140B** and members **130A/130B**, the sloped surfaces **148A/148B** allow a user to be able to rotate or pivot combined applicators **140A/140B** and members **130A/130B** out of the housing **110** by allowing the proximal end of each applicator **140A/140B** to move past surface or wall **118** (FIG. **3**) of housing **110**, thereby allowing the proximal ends of each applicator **140A/140B** to pivot in and out of opening **112** via members **130A/130B** without abutting surface **118**.

(19) In other embodiments, each arm member **130A** or **130B** may also include a substance therein that corresponds to end members **142A** or **142B** of applicators **140A** or **140B**. For example, in one embodiment, each arm member **130A** and **130B** may include a nail polish or lacquer solution therein and any of end members **142A** or **142B** may be comprised of a brush (such that the brush is soaked with the nail polish/lacquer), thereby allowing a user to apply nail polish to their nails via applicators **140A** or **140B**. In other embodiments, each arm member **130A** and **130B** may include a cleaning or sanitizing solution for cleaning and/or sanitizing the end members of **142A** and **142B** of applicators **140A** and **140B**. In addition, in one embodiment, device **100** may have a length of about 111 mm, a width of about 42 mm, and a height of about 16 mm.

(20) From the foregoing it will be seen that the present disclosure described herein is one well adapted to attain all ends and objectives herein-above set forth, together with the other advantages which are obvious and which are inherent to the invention.

(21) Since many possible embodiments may be made of the invention without departing from the scope thereof, it is to be understood that all matters herein set forth or shown in the accompanying drawings are to be interpreted as illustrative, and not in a limiting sense.

(22) While specific embodiments have been shown and discussed, various modifications may of course be made, and the invention is not limited to the specific forms or arrangement of parts described herein, except insofar as such limitations are included in following claims. Further, it will be understood that certain features and sub-combinations are of utility and may be employed without reference to other features and sub-combinations. This is contemplated by and is within the scope of the claims.

Claims

1. A portable cosmetic accessory, comprising: a housing comprising a first end and a second end, the housing further comprising a first side opening and a second side opening opposing each other; a first end cap secured to the first end of the housing and a second end cap secured to the second end of the housing; a first pivoting member disposed within the first side opening of the housing and a second pivoting member disposed within the second side opening of the housing, wherein the first pivoting member is adapted to at least partially pivot in or out of the first side opening of the housing and the second pivoting member is adapted to at least partially pivot in or out of the second side opening of the housing; a first cosmetic applicator and a second cosmetic applicator; wherein the first cosmetic applicator is secured to the first pivoting member and the second cosmetic applicator is secured to the second pivoting member; and wherein the first end cap houses therein a third cosmetic applicator and the second end cap houses therein a fourth cosmetic applicator.
2. The portable cosmetic accessory of claim 1, wherein the first and second pivoting members each comprises an opening therein adapted to receive a distal end member of the first and second cosmetic applicators.
3. The portable cosmetic accessory of claim 2, wherein the opening of the first or second pivoting member is further comprised of a round shape adapted to receive therein a round protruding member of the first or second cosmetic applicator.
4. The portable cosmetic accessory of claim 2, wherein the opening of the first or second pivoting member is further comprised of a substantially rectangular shape adapted to receive a substantially rectangular protruding member of the first or second cosmetic applicator.
5. The portable cosmetic accessory of claim 1, wherein the first and second pivoting members are each adapted to rotate up to 90-degrees via a hinge member.
6. A portable cosmetic accessory, comprising: a housing comprising a first end, a second end, a top surface, and a bottom surface; the housing further comprising a first side opening and a second side opening opposing each other; a first cover secured to the first end of the housing and a second cover secured to the second end of the housing, wherein the first and second covers each comprise an arcuate configuration; a first pivoting member at least partially secured within the first side opening of the housing and a second pivoting member at least partially secured within the second side opening of the housing, wherein the first pivoting member and the second pivoting member are each adapted to rotate in a plane parallel to a plane of the top and bottom surface of the housing; a first cosmetic applicator and a second cosmetic applicator; wherein the first cosmetic applicator is secured to the first pivoting member and the second cosmetic applicator is secured to the second pivoting member; and wherein the first cover covers a third cosmetic applicator and the second cover covers a fourth cosmetic applicator.
7. The portable cosmetic accessory of claim 6, wherein the first and second pivoting members each comprise an opening therein adapted to receive a distal end member of the first and second cosmetic applicators.
8. The portable cosmetic accessory of claim 7, wherein the opening of the first or second pivoting member is further comprised of a round shape adapted to receive therein a round protruding member of the first or second cosmetic applicator.

9. The portable cosmetic accessory of claim 7, wherein the opening of the first or second pivoting member is further comprised of a substantially rectangular shape adapted to receive a substantially rectangular protruding member of the first or second cosmetic applicator.
10. The portable cosmetic accessory of claim 6, wherein the first and second pivoting members are each adapted to rotate up to 90-degrees via a hinge member.
11. A portable cosmetic accessory, comprising: a housing comprising a first end, a second end, a top surface, and a bottom surface, wherein the top and bottom surface are each within a horizontal plane; the housing further comprising a first side opening and a second side opening; a first end cap secured to the first end of the housing and a second end cap secured to the second end of the housing; a first pivoting member at least partially secured within the first side opening of the housing and a second pivoting member at least partially secured within the second side opening of the housing, wherein the first pivoting member and the second pivoting member are each adapted to rotate within a horizontal plane parallel to the horizontal plane of the top and bottom surface of the housing; a first cosmetic applicator and a second cosmetic applicator; wherein the first cosmetic applicator is secured to the first pivoting member and the second cosmetic applicator is secured to the second pivoting member; and wherein the first end cap covers a third cosmetic applicator and the second end cap covers a fourth cosmetic applicator.
12. The portable cosmetic accessory of claim 11, further comprising: wherein the first side opening comprises a first hinge member adapted to support the first pivoting member and the second side opening comprises a second hinge member adapted to support the second pivoting member.
13. The portable cosmetic accessory of claim 11, wherein the first and second cosmetic applicators each comprise a slanted proximal end.
-