

# US Patent & Trademark Office

## Patent Public Search | Text View

---

|                      |                    |
|----------------------|--------------------|
| United States Patent | 12402761           |
| Kind Code            | B1                 |
| Date of Patent       | September 02, 2025 |
| Inventor(s)          | Breed; Clifford B. |

---

### Tissue cover

---

#### Abstract

The present invention is directed to a tissue cover. The tissue cover may comprise a base, a cover, a brush, and a toilet paper holder. The tissue cover may be a dispenser for a roll of toilet paper. The dispenser may sit on a bathroom counter or mount onto a bathroom wall. The roll of toilet paper may be placed on the toilet paper holder within the dispenser such that sheets of toilet paper feed out of the dispenser through a gap between the front of the base and the front of the cover. The base may comprise the brush that restricts the spread of paper dust shed by the roll of toilet paper. The cover may pivot to facilitate changing the roll of toilet paper.

---

|                   |                                            |
|-------------------|--------------------------------------------|
| <b>Inventors:</b> | <b>Breed; Clifford B. (Fort Worth, TX)</b> |
| <b>Applicant:</b> | <b>Breed; Clifford B. (Fort Worth, TX)</b> |
| <b>Family ID:</b> | <b>96882043</b>                            |
| <b>Appl. No.:</b> | <b>18/126832</b>                           |
| <b>Filed:</b>     | <b>March 27, 2023</b>                      |

---

#### Publication Classification

**Int. Cl.:** A47K10/40 (20060101); A47K10/32 (20060101)

**U.S. Cl.:**

**CPC** A47K10/40 (20130101); A47K2010/3233 (20130101)

#### Field of Classification Search

**USPC:** 242/598.6

---

#### References Cited

## U.S. PATENT DOCUMENTS

| Patent No.   | Issued Date | Patentee Name | U.S. Cl.  | CPC         |
|--------------|-------------|---------------|-----------|-------------|
| 1423336      | 12/1921     | Korittke      | 225/53    | A47K 10/34  |
| 2304312      | 12/1941     | Meglitz       | 225/53    | A47K 10/38  |
| 2579201      | 12/1950     | Pendergast    | N/A       | N/A         |
| 2586501      | 12/1951     | Baar          | 225/39    | A47K 10/38  |
| 2592955      | 12/1951     | Roddan        | 242/598.6 | C10L 1/14   |
| 2668022      | 12/1953     | Fairfield     | 225/41    | A47K 10/38  |
| 4398686      | 12/1982     | Leger         | 244/137.3 | B64D 1/12   |
| 4721264      | 12/1987     | Muscarello    | N/A       | N/A         |
| 4739943      | 12/1987     | Geller        | N/A       | N/A         |
| 4957246      | 12/1989     | Kantor        | N/A       | N/A         |
| D397891      | 12/1997     | Thompson      | N/A       | N/A         |
| 6056233      | 12/1999     | Von Schenk    | 242/598.5 | A47K 10/40  |
| 6405972      | 12/2001     | Wakam         | N/A       | N/A         |
| 8991647      | 12/2014     | Meyers        | N/A       | N/A         |
| 2005/0156081 | 12/2004     | Schaeffer     | 242/598.6 | A47K 10/38  |
| 2012/0211587 | 12/2011     | Caldwell      | 242/598   | B65H 49/325 |
| 2013/0334272 | 12/2012     | Granger       | 225/88    | A47K 10/38  |
| 2016/0135652 | 12/2015     | Cittadino     | 225/42    | B65H 23/06  |
| 2019/0174973 | 12/2018     | Ahmed         | N/A       | A47K 10/22  |
| 2020/0305657 | 12/2019     | McCachren     | N/A       | A47K 10/38  |

---

*Primary Examiner:* Rivera; William A.

*Attorney, Agent or Firm:* Cramer Patent & Design, PLLC.

---

## Background/Summary

### RELATED APPLICATIONS

(1) None.

### FIELD OF THE INVENTION

(2) The present invention relates generally to a cover and more specifically to a cover for tissue such as toilet tissue.

### BACKGROUND OF THE INVENTION

(3) Many people in the world today seem fixated on the issue of whether the toilet paper should come off the top or the bottom of the roll. While certainly a fun topic to discuss, such an issue does not necessarily represent a calamity or even a hardship if one should have to deal with a roll of toilet paper not to their liking. However, one aspect of toilet paper usage that we all must face regardless of how the paper exits the roll, is the resultant paper dust that accumulates on the dispenser, floor and wall around the area of the dispenser.

(4) Ironically, the more premium the toilet paper is, the greater the amount of dust that seems to accumulate. Accordingly, there exists a need for a means by which a toilet paper dust on exterior surfaces surrounding dispensers can be eliminated or reduced. The development of the toilet tissue cover fulfills this need.

### SUMMARY OF THE INVENTION

(5) To achieve the above and other objectives, the present invention provides for a tissue cover having a base having a base bottom wall, a base rear wall, a base first side wall, and a base second

side wall, a cover having a cover top wall, a cover first side wall, and a cover second side wall, the cover protects a roll of toilet paper and covers the base in order to contain a plurality of paper dust within the base and to facilitate changing the roll of toilet paper, a brush coupled to the front of the base bottom wall, a toilet paper holder having a first portion with a first end and a second portion with a second end, the toilet paper holder is disposed within the base, and a dispenser dispensing one or more sheets from the roll of toilet paper.

(6) The base rear wall may be a pair of inverted keyholes for keyhole mounting the dispenser to a bathroom wall. The base rear wall may be vertically oriented and located at the rear of the dispenser and the bottom of the base rear wall is coupled to the rear of the base bottom wall. The side walls may be selected from the group consisting of a plurality of straight bottom edge side walls, a plurality of straight rear edge side walls, and a plurality of arcing top edge side walls.

(7) The base first side wall includes a first centering well on the interior of the base and the base second side wall may include a second centering well on the interior of the base. The first centering well may be laterally opposite the second centering well such that the toilet paper holder is supported between the base first side wall and the base second side wall by the first centering well and the second centering well. The first centering well may be laterally opposite the second centering well such that the toilet paper holder is supported between the base first side wall and the base second side wall by the first centering well and the second centering well. The first end of the first portion may fit within the first centering well of the base and the second end of the second portion fit within the second centering well of the base.

(8) The base first side wall may include a first cover peg on the interior top rear corner of the base first side wall and the base second side wall includes a second cover peg on the interior top rear corner of the base. The first cover peg may be laterally opposite the second cover peg such that the cover pivotably couples to the base via the first cover peg and the second cover peg.

(9) The cover first side wall may include a first cover aperture for engaging the first cover peg on the base and the cover second side wall includes a second cover aperture for engaging the second cover peg on the base. The cover top wall may be a curved plate that covers the top of the base and matches the curve of the arcing top edge of the base first side wall and the base second side wall. The cover top wall may be wider than the base such that the cover first side wall and the cover second side wall extend downward from the first and second edges of the cover top wall outside of the base and the cover top wall extends from the top of the base rear wall to the front of the base bottom wall. The cover first side wall extends downwards from a first edge of the cover top wall and the cover second side wall extends downwards from a second edge of the cover top wall.

(10) A plurality of bottom edges of the cover first side wall and the cover second side wall may form a decorative curve that reaches less than halfway to an intersection of the base bottom wall and the base rear wall. The cover may be made of clear plastic such that the roll of toilet paper is visible within the dispenser with the cover closed. The brush may deform as the sheets of toilet paper pass through the gap such that the roll of toilet paper is dispensed contiguously. The brush may be a strip of felt coupled to the front of the base bottom wall. The toilet paper holder is a spring-loaded cylindrical support for the roll of toilet paper and is adapted to pass through a cardboard center tube of the roll of toilet paper and then install within the base. The roll of toilet paper may be placed on the toilet paper holder within the dispenser such that one or more sheets of toilet paper feed out of the dispenser through a gap between the front of the base and the front of the tissue cover.

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

(1) The advantages and features of the present invention will become better understood with

reference to the following more detailed description and claims taken in conjunction with the accompanying drawings, in which like elements are identified with like symbols, and in which:

(2) FIG. 1 is an isometric view of a tissue cover, according to an embodiment of the present invention, illustrating the cover open and no roll of toilet paper installed;

(3) FIG. 2 is a front view of a tissue cover, according to an embodiment of the present invention, illustrating the cover closed and no roll of toilet paper installed;

(4) FIG. 3 is a side view of a tissue cover, according to an embodiment of the present invention, illustrating the cover closed and no roll of toilet paper installed;

(5) FIG. 4 is a top view of a tissue cover, according to an embodiment of the present invention, illustrating the cover open and no roll of toilet paper installed; and

(6) FIG. 5 is an isometric rear view of a tissue cover, according to an embodiment of the present invention, illustrating the cover close and a roll of toilet paper installed.

#### DESCRIPTIVE KEY

(7) **100** tissue cover **200** base **202** base bottom wall **204** base rear wall **206** base first side wall **208** base second side wall **210** inverted keyhole **212** first centering well **214** first cover peg **216** second centering well **218** second cover peg **220** straight bottom edge **222** straight rear edge **224** arcing top edge **230** brush **240** cover **242** cover first side wall **244** cover second side wall **246** cover top wall **250** first cover aperture **252** second cover aperture **254** gap **260** toilet paper holder **262** first portion **264** second portion **266** first end **268** second end **270** internal spring **290** dispenser **910** roll of toilet paper **914** sheets of toilet paper

#### DESCRIPTION OF THE INVENTION

(8) The present invention is directed to a tissue cover (herein described as the “invention”) **100**. The invention **100** may comprise a base **200**, a cover **240**, a brush **230**, and a toilet paper holder **260**. The invention **100** may be a dispenser **290** for a roll of toilet paper **910**. The dispenser **290** may sit on a bathroom counter or mount onto a bathroom wall. The roll of toilet paper **910** may be placed on the toilet paper holder **260** within the dispenser **290** such that sheets of toilet paper **914** feed out of the dispenser **290** through a gap **254** between the front of the base **200** and the front of the cover **240**. The base **200** may comprise the brush **230** that restricts the spread of paper dust shed by the roll of toilet paper **910**. The cover **240** may pivot to facilitate changing the roll of toilet paper **910**.

(9) The base **200** may comprise a base bottom wall **202**, a base rear wall **204**, a base first side wall **206**, and a base second side wall **208**. The base bottom wall **202** may be horizontally oriented and located at the bottom of the dispenser **290** such that the dispenser **290** may rest on the base bottom wall **202** when place on the bathroom counter. The base rear wall **204** may be vertically oriented and located at the rear of the dispenser **290**. The bottom of the base rear wall **204** may be coupled to the rear of the base bottom wall **202**. The base rear wall **204** may comprise a pair of inverted keyholes **210** for keyhole mounting the dispenser **290** to the bathroom wall.

(10) The base first side wall **206** may define the first side of the base **200** and the base second side wall **208** may define the second side of the base **200**. An individual side wall selected from the base first side wall **206** and the base second side wall **208** may comprise a straight bottom edge **220**, a straight rear edge **222**, and an arcing top edge **224**. The straight bottom edge **220** of the individual side wall may be coupled to the base bottom wall **202**. The straight rear edge **222** of the individual side wall may be coupled to the base rear wall **204**. The arcing top edge **224** may extend from the top of the straight rear edge **222** to the front of the straight bottom edge **220**.

(11) The base first side wall **206** may comprise a first centering well **212** on the interior of the base **200**. The base second side wall **208** may comprise a second centering well **216** on the interior of the base **200**. The first centering well **212** may be laterally opposite the second centering well **216** such that the toilet paper holder **260** may be supported between the base first side wall **206** and the base second side wall **208** by the first centering well **212** and the second centering well **216**.

(12) The base first side wall **206** may comprise a first cover peg **214** on the interior top rear corner

of the base first side wall **206**. The base second side wall **208** may comprise a second cover peg **218** on the interior top rear corner of the base **200**. The first cover peg **214** may be laterally opposite the second cover peg **218** such that the cover **240** may pivotably couple to the base **200** via the first cover peg **214** and the second cover peg **218**.

(13) The cover **240** may cover the base **200** in order to contain the paper dust within the dispenser **290**. The cover **240** may comprise a cover top wall **246**, a cover first side wall **242**, and a cover second side wall **244**. The cover **240** may pivotably couple to the top rear of the base **200**. In some embodiments, the cover **240** may be made of clear plastic such that the roll of toilet paper **910** may be visible within the dispenser **290** with the cover **240** closed.

(14) The cover top wall **246** may be curved plate that covers the top of the base **200**. The curve of the cover top wall **246** may match the curve of the arcing top edge **224** of the base first side wall **206** and the base second side wall **208**. The cover top wall **246** may be wider than the base **200** such that the cover first side wall **242** and the cover second side wall **244** may extend downward from the first and second edges of the cover top wall **246** outside of the base **200**. The cover top wall **246** may extend from the top of the base rear wall **204** to the front of the base bottom wall **202**.

(15) The cover first side wall **242** may extend downwards from the first edge of the cover top wall **246**. The cover second side wall **244** may extend downwards from the second edge of the cover top wall **246**. The cover first side wall **242** and the cover second side wall **244** may flank the base **200**. In some embodiments, the bottom edges of the cover first side wall **242** and the cover second side wall **244** may form a decorative curve that reaches less than halfway to the intersection of the base bottom wall **202** and the base rear wall **204**.

(16) The cover first side wall **242** may comprise a first cover aperture **250** for engaging the first cover peg **214** on the base **200**. The cover second side wall **244** may comprise a second cover aperture **252** for engaging the second cover peg **218** on the base **200**. The cover **240** may pivot at the first cover aperture **250** and the second cover aperture **252** in order to open and close.

(17) The brush **230** may be coupled to the front of the base bottom wall **202**. The brush **230** may be operable to fill the gap **254** between the front of the base bottom wall **202** and the bottom of the cover top wall **246** to prevent the paper dust from leaving the dispenser **290**. The brush **230** may deform as the sheets of toilet paper **914** pass through the gap **254** such that the roll of toilet paper **910** may be dispensed contiguously.

(18) In some embodiments, the brush **230** may be a strip of felt coupled to the front of the base bottom wall **202**. In some embodiments, the brush **230** may comprise a plurality of bristles that are horizontally oriented front to rear with the rear of each of the plurality of bristles coupled to the base bottom wall **202**. In some embodiments, the plurality of bristles may be plush, meaning that the plurality of bristles may be longer and less dense than velvet pile. As non-limiting examples, the plurality of bristles may be made of silk, cotton, wool, and any combination thereof.

(19) The toilet paper holder **260** may be a spring-loaded cylindrical support for the roll of toilet paper **910**. The toilet paper holder **260** may be configured to pass through a cardboard center tube of the roll of toilet paper **910** and then install within the base **200**. The roll of toilet paper **910** may rotate around the toilet paper holder **260** as the sheets of toilet paper **914** are dispensed.

(20) The toilet paper holder **260** may comprise a first portion **262** and a second portion **264**. The first portion **262** and the second portion **264** may comprise at least one-half ( $\frac{1}{2}$ ) of the toilet paper holder **260**. The first portion **262** may be different diameters such that the first portion **262** may slide into and out of the second portion **264**, or vice versa. An internal spring **270** within the toilet paper holder **260** may be operable to push the first portion **262** away from the second portion **264** unless countered by an external compressing force.

(21) A first end **266** of the first portion **262** may fit within the first centering well **212** of the base **200** and a second end **268** of the second portion **264** may fit within the second centering well **216** of the base **200**.

(22) In use, the dispenser **290** may be placed on a bathroom counter or mounted on a bathroom wall via the pair of inverted keyholes **210**. A roll of toilet paper **910** may be placed within the dispenser **290** supported by the toilet paper holder **260**. The end of the roll of toilet paper **910** may be pulled forward to extend beyond the front of the base **200** and the cover **240** may be closed. The sheets of toilet paper **914** may be dispensed by pulling the sheets of toilet paper **914** out of dispenser and ripping them off. Paper dust may be contained within the dispenser **290** and prevented from exiting the dispenser **290** by the base **200**, the cover **240** and the brush **230**.

(23) The exact specifications, materials used, and method of use of the invention **100** may vary upon manufacturing. The foregoing descriptions of specific embodiments of the present invention have been presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed, and obviously many modifications and variations are possible in light of the above teaching. The embodiments were chosen and described in order to best explain the principles of the invention and its practical application, to thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated.

## Claims

1. A tissue cover consisting of: a base consisting of: a horizontally oriented base bottom wall; a vertically oriented base rear wall coupled to a rear edge of the base bottom wall; a base first side wall; and, a base second side wall; and, wherein the base rear wall includes a pair of inverted keyholes for mounting the tissue cover dispenser to a wall; a cover consisting of: a curved cover top wall extending from a top of the base rear wall to a front region of the base bottom wall; a cover first side wall extending downward from a first lateral edge of the cover top wall; and, a cover second side wall extending downward from a second lateral edge of the cover top wall and flanking the base; and, wherein the cover first side wall includes a first cover aperture and the cover second side wall includes a second cover aperture; a first cover peg disposed on an interior top rear corner of the base first side wall and a second cover peg disposed on an interior top rear corner of the base second side wall; and, wherein the first cover aperture and the second cover aperture pivotably engage the first cover peg and the second cover peg, respectively, to couple the cover to the base; a spring-loaded toilet paper holder consisting of: a first portion slidably received within a second portion and biased outward by an internal spring; and, wherein a first end of the first portion is received within a first centering well in the base first side wall and a second end of the second portion is received within a second centering well in the base second side wall such that a roll of toilet paper is rotatably supported within the base; a brush fixed to a front region of the base bottom wall, wherein the brush extends into a gap between the cover and the base and is deformable such that the brush contacts the roll of toilet paper as it is dispensed, thereby reducing the release of paper dust; and, wherein the cover is made of clear plastic such that the roll of toilet paper is visible within the tissue cover dispenser when the cover is in a closed position.

---