

# US Patent & Trademark Office

## Patent Public Search | Text View

---

|                      |                    |
|----------------------|--------------------|
| United States Patent | 12403863           |
| Kind Code            | B1                 |
| Date of Patent       | September 02, 2025 |
| Inventor(s)          | Shen; I-Ting       |

---

### Vehicle door access control method

---

#### Abstract

A vehicle door access control method comprises using a smart mobile device to obtain management authority of an external door access device. Then, the smart mobile device is used to authorize the unlocking authority to a vehicle host, such that the external door access device permits use of the smart mobile device or the vehicle to proceed with unlocking or opening operation.

---

|                   |                                  |
|-------------------|----------------------------------|
| <b>Inventors:</b> | <b>Shen; I-Ting (Tainan, TW)</b> |
| <b>Applicant:</b> | <b>Shen; I-Ting (Tainan, TW)</b> |
| <b>Family ID:</b> | <b>96882123</b>                  |
| <b>Appl. No.:</b> | <b>18/653924</b>                 |
| <b>Filed:</b>     | <b>May 02, 2024</b>              |

#### Foreign Application Priority Data

|    |           |               |
|----|-----------|---------------|
| TW | 113114458 | Apr. 18, 2024 |
|----|-----------|---------------|

---

#### Publication Classification

**Int. Cl.:** **B60R25/25** (20130101); **B60R25/20** (20130101); **B60R25/24** (20130101); **B60R25/30** (20130101)

**U.S. Cl.:**

**CPC** **B60R25/25** (20130101); **B60R25/2072** (20130101); **B60R25/24** (20130101); **B60R25/305** (20130101);

#### Field of Classification Search

**USPC:** None

---

## References Cited

### U.S. PATENT DOCUMENTS

| Patent No. | Issued Date | Patentee Name    | U.S. Cl. | CPC |
|------------|-------------|------------------|----------|-----|
| 1643932    | 12/1926     | Teich            | N/A      | N/A |
| 1687009    | 12/1927     | Drexler et al.   | N/A      | N/A |
| 2820241    | 12/1957     | Schlage          | N/A      | N/A |
| 4102005    | 12/1977     | Schnarr et al.   | N/A      | N/A |
| 4107877    | 12/1977     | Lee              | N/A      | N/A |
| 4267619    | 12/1980     | Suska            | N/A      | N/A |
| 4348835    | 12/1981     | Jones et al.     | N/A      | N/A |
| 4419787    | 12/1982     | Lieberman        | N/A      | N/A |
| 4501090    | 12/1984     | Yoshida et al.   | N/A      | N/A |
| 4628636    | 12/1985     | Folger           | N/A      | N/A |
| 4867496    | 12/1988     | Thomas           | N/A      | N/A |
| 5040331    | 12/1990     | Merendino et al. | N/A      | N/A |
| 5782509    | 12/1997     | Uyeda            | N/A      | N/A |
| 6177771    | 12/2000     | Kinzer et al.    | N/A      | N/A |
| 6454324    | 12/2001     | Lewis et al.     | N/A      | N/A |
| 6553717    | 12/2002     | St. John et al.  | N/A      | N/A |
| 6622535    | 12/2002     | Chiang et al.    | N/A      | N/A |
| 6634140    | 12/2002     | Sellman          | N/A      | N/A |
| 6732557    | 12/2003     | Zehrung          | N/A      | N/A |
| 6745603    | 12/2003     | Shaw             | N/A      | N/A |
| 6786006    | 12/2003     | Kowalczyk et al. | N/A      | N/A |
| 6891479    | 12/2004     | Eccleston        | N/A      | N/A |
| 6978646    | 12/2004     | Raatikainen      | N/A      | N/A |
| 7051403    | 12/2005     | Homberg          | N/A      | N/A |
| 7061197    | 12/2005     | Mullet et al.    | N/A      | N/A |
| 7068179    | 12/2005     | Snell et al.     | N/A      | N/A |
| 7143547    | 12/2005     | Liles, Jr.       | N/A      | N/A |
| 7234201    | 12/2006     | Brown et al.     | N/A      | N/A |
| 7240524    | 12/2006     | White et al.     | N/A      | N/A |
| 7282883    | 12/2006     | Mullet et al.    | N/A      | N/A |
| 7296380    | 12/2006     | Backman          | N/A      | N/A |
| 7316096    | 12/2007     | Houser et al.    | N/A      | N/A |
| 7418800    | 12/2007     | Sellman          | N/A      | N/A |
| 7484333    | 12/2008     | Houser et al.    | N/A      | N/A |
| 7555867    | 12/2008     | Liles, Jr.       | N/A      | N/A |
| 7717155    | 12/2009     | Mullet           | N/A      | N/A |
| 7774984    | 12/2009     | Hsu              | N/A      | N/A |
| 7966771    | 12/2010     | Bienek           | N/A      | N/A |
| 8109038    | 12/2011     | Houser et al.    | N/A      | N/A |
| 8169169    | 12/2011     | Hass et al.      | N/A      | N/A |
| 8201858    | 12/2011     | Moon et al.      | N/A      | N/A |
| 8225458    | 12/2011     | Hoffberg         | N/A      | N/A |
| 8248005    | 12/2011     | Romer            | N/A      | N/A |
| 8359790    | 12/2012     | Shin             | N/A      | N/A |
| 8382008    | 12/2012     | Ricciardi et al. | N/A      | N/A |

|          |         |                    |     |     |
|----------|---------|--------------------|-----|-----|
| 8390219  | 12/2012 | Houser             | N/A | N/A |
| 8393054  | 12/2012 | Bienek             | N/A | N/A |
| 8407937  | 12/2012 | Houser             | N/A | N/A |
| 8415902  | 12/2012 | Burris et al.      | N/A | N/A |
| 8434268  | 12/2012 | Nixon              | N/A | N/A |
| 8499495  | 12/2012 | Houser et al.      | N/A | N/A |
| 8523248  | 12/2012 | Tien               | N/A | N/A |
| 8540290  | 12/2012 | Chen               | N/A | N/A |
| 8547046  | 12/2012 | Burris et al.      | N/A | N/A |
| 8601744  | 12/2012 | Wildforster et al. | N/A | N/A |
| 8695277  | 12/2013 | Romer et al.       | N/A | N/A |
| 8773237  | 12/2013 | Burris et al.      | N/A | N/A |
| 8826598  | 12/2013 | Ranaudo et al.     | N/A | N/A |
| 8875344  | 12/2013 | Salutzki et al.    | N/A | N/A |
| 8904710  | 12/2013 | Romer et al.       | N/A | N/A |
| 8963683  | 12/2014 | Romer              | N/A | N/A |
| 9003630  | 12/2014 | Hufen              | N/A | N/A |
| 9045927  | 12/2014 | Hoffberg           | N/A | N/A |
| 9097051  | 12/2014 | Hellwig            | N/A | N/A |
| 9115526  | 12/2014 | Houser et al.      | N/A | N/A |
| 9121217  | 12/2014 | Hoffberg           | N/A | N/A |
| 9163446  | 12/2014 | Houser et al.      | N/A | N/A |
| 9181744  | 12/2014 | Salutzki et al.    | N/A | N/A |
| 9187942  | 12/2014 | Wildforster        | N/A | N/A |
| 9297194  | 12/2015 | Bienek et al.      | N/A | N/A |
| 9506284  | 12/2015 | Braverman et al.   | N/A | N/A |
| 9514583  | 12/2015 | Zasowski et al.    | N/A | N/A |
| 9631412  | 12/2016 | Hellwig et al.     | N/A | N/A |
| 9683378  | 12/2016 | Houser et al.      | N/A | N/A |
| 9695620  | 12/2016 | Zasowski et al.    | N/A | N/A |
| 9830932  | 12/2016 | Gunderson et al.   | N/A | N/A |
| 9869117  | 12/2017 | Houser et al.      | N/A | N/A |
| 9886831  | 12/2017 | Svoboda et al.     | N/A | N/A |
| 9995076  | 12/2017 | Hoffberg           | N/A | N/A |
| 10006236 | 12/2017 | Hellwig et al.     | N/A | N/A |
| 10024094 | 12/2017 | Bell et al.        | N/A | N/A |
| 10030425 | 12/2017 | Zasowski et al.    | N/A | N/A |
| 10030426 | 12/2017 | Langenberg         | N/A | N/A |
| 10077591 | 12/2017 | Hass               | N/A | N/A |
| 10180023 | 12/2018 | Zasowski et al.    | N/A | N/A |
| 10208520 | 12/2018 | Long et al.        | N/A | N/A |
| 10236801 | 12/2018 | Dye et al.         | N/A | N/A |
| 10253540 | 12/2018 | Bell et al.        | N/A | N/A |
| 10273736 | 12/2018 | Hucker             | N/A | N/A |
| 10280670 | 12/2018 | Roberts            | N/A | N/A |
| 10280678 | 12/2018 | Rendon, Jr. et al. | N/A | N/A |
| 10304272 | 12/2018 | Kvinge et al.      | N/A | N/A |
| 10316568 | 12/2018 | Langenberg et al.  | N/A | N/A |
| 10344502 | 12/2018 | McKibben et al.    | N/A | N/A |
| 10415301 | 12/2018 | Kuan               | N/A | N/A |

|              |         |                         |     |              |
|--------------|---------|-------------------------|-----|--------------|
| 10458151     | 12/2018 | Shen                    | N/A | N/A          |
| 10472873     | 12/2018 | Ladha et al.            | N/A | N/A          |
| 10480238     | 12/2018 | La Force                | N/A | N/A          |
| 10559151     | 12/2019 | Kvinge et al.           | N/A | N/A          |
| 10648198     | 12/2019 | Shen                    | N/A | N/A          |
| 10648208     | 12/2019 | Eickhoff                | N/A | N/A          |
| 10704310     | 12/2019 | Barbon et al.           | N/A | N/A          |
| 10704313     | 12/2019 | Houser et al.           | N/A | N/A          |
| 10724288     | 12/2019 | Baumgarte               | N/A | N/A          |
| 10844644     | 12/2019 | Langenberg et al.       | N/A | N/A          |
| 10968677     | 12/2020 | Hass                    | N/A | N/A          |
| 11002055     | 12/2020 | Eickhoff et al.         | N/A | N/A          |
| 11124997     | 12/2020 | Eickhoff                | N/A | N/A          |
| 11187022     | 12/2020 | Hoffberg                | N/A | N/A          |
| 11250655     | 12/2021 | Shen                    | N/A | N/A          |
| 11312207     | 12/2021 | Sanders et al.          | N/A | N/A          |
| 11417200     | 12/2021 | Hass et al.             | N/A | N/A          |
| 11542727     | 12/2022 | Hsu                     | N/A | N/A          |
| 11544979     | 12/2022 | Shen                    | N/A | N/A          |
| 11606681     | 12/2022 | Shen                    | N/A | N/A          |
| 11629527     | 12/2022 | Hsu                     | N/A | N/A          |
| 11629544     | 12/2022 | Tien                    | N/A | N/A          |
| 11631292     | 12/2022 | Shen                    | N/A | N/A          |
| 11661782     | 12/2022 | Eickhoff et al.         | N/A | N/A          |
| 11727770     | 12/2022 | Shen et al.             | N/A | N/A          |
| 11753848     | 12/2022 | Tien                    | N/A | N/A          |
| 11756355     | 12/2022 | Shen                    | N/A | N/A          |
| 11795751     | 12/2022 | Tien                    | N/A | N/A          |
| 11798330     | 12/2022 | Shen                    | N/A | G07C 9/00817 |
| 11814876     | 12/2022 | Huang                   | N/A | N/A          |
| 11828097     | 12/2022 | Tien                    | N/A | N/A          |
| 2002/0026750 | 12/2001 | St. John et al.         | N/A | N/A          |
| 2002/0178655 | 12/2001 | Pedemonte               | N/A | N/A          |
| 2003/0127869 | 12/2002 | Herron et al.           | N/A | N/A          |
| 2003/0187805 | 12/2002 | Shen                    | N/A | N/A          |
| 2003/0204935 | 12/2002 | Kim                     | N/A | N/A          |
| 2005/0154612 | 12/2004 | Smith et al.            | N/A | N/A          |
| 2006/0244271 | 12/2005 | Hass                    | N/A | N/A          |
| 2006/0261675 | 12/2005 | Unno                    | N/A | N/A          |
| 2007/0022664 | 12/2006 | Mahonen et al.          | N/A | N/A          |
| 2007/0114800 | 12/2006 | Kuo                     | N/A | N/A          |
| 2007/0256362 | 12/2006 | Hansen                  | N/A | N/A          |
| 2007/0268132 | 12/2006 | Milo                    | N/A | N/A          |
| 2008/0011030 | 12/2007 | Ferreira Sanchez et al. | N/A | N/A          |
| 2009/0265992 | 12/2008 | Hass et al.             | N/A | N/A          |
| 2010/0107495 | 12/2009 | Bourgeois et al.        | N/A | N/A          |
| 2010/0315229 | 12/2009 | Shin                    | N/A | N/A          |
| 2011/0094160 | 12/2010 | Houser                  | N/A | N/A          |
| 2011/0252597 | 12/2010 | Burris et al.           | N/A | N/A          |
| 2011/0302841 | 12/2010 | Ye et al.               | N/A | N/A          |

|              |         |                   |     |     |
|--------------|---------|-------------------|-----|-----|
| 2012/0029701 | 12/2011 | Houser            | N/A | N/A |
| 2012/0159852 | 12/2011 | Houser et al.     | N/A | N/A |
| 2012/0190325 | 12/2011 | Abu-Hakima et al. | N/A | N/A |
| 2013/0009785 | 12/2012 | Finn et al.       | N/A | N/A |
| 2013/0216438 | 12/2012 | Hill et al.       | N/A | N/A |
| 2013/0308778 | 12/2012 | Fosmark et al.    | N/A | N/A |
| 2013/0346333 | 12/2012 | Hassler et al.    | N/A | N/A |
| 2014/0026627 | 12/2013 | Rai et al.        | N/A | N/A |
| 2014/0165329 | 12/2013 | Wildförster       | N/A | N/A |
| 2014/0255252 | 12/2013 | Stratman et al.   | N/A | N/A |
| 2014/0282934 | 12/2013 | Miasnik et al.    | N/A | N/A |
| 2014/0325911 | 12/2013 | Hass              | N/A | N/A |
| 2015/0070166 | 12/2014 | Boyden et al.     | N/A | N/A |
| 2015/0113876 | 12/2014 | Burris et al.     | N/A | N/A |
| 2015/0194033 | 12/2014 | Esposito et al.   | N/A | N/A |
| 2015/0211278 | 12/2014 | Moyer et al.      | N/A | N/A |
| 2015/0262438 | 12/2014 | Zasowski et al.   | N/A | N/A |
| 2015/0339913 | 12/2014 | Lyman et al.      | N/A | N/A |
| 2016/0220716 | 12/2015 | Childress et al.  | N/A | N/A |
| 2016/0258189 | 12/2015 | Frolov            | N/A | N/A |
| 2016/0312514 | 12/2015 | Leonard et al.    | N/A | N/A |
| 2016/0348415 | 12/2015 | Baumgarte         | N/A | N/A |
| 2016/0368455 | 12/2015 | Kim et al.        | N/A | N/A |
| 2017/0275912 | 12/2016 | Murphy            | N/A | N/A |
| 2017/0275921 | 12/2016 | Murphy et al.     | N/A | N/A |
| 2017/0306668 | 12/2016 | Li et al.         | N/A | N/A |
| 2017/0328100 | 12/2016 | Eickhoff          | N/A | N/A |
| 2018/0223577 | 12/2017 | Hucker            | N/A | N/A |
| 2018/0334841 | 12/2017 | Langenberg et al. | N/A | N/A |
| 2018/0334845 | 12/2017 | Hass              | N/A | N/A |
| 2019/0043289 | 12/2018 | Cahill            | N/A | N/A |
| 2019/0043296 | 12/2018 | Baumgarte et al.  | N/A | N/A |
| 2019/0145138 | 12/2018 | Eickhoff          | N/A | N/A |
| 2019/0153764 | 12/2018 | Baumgarte         | N/A | N/A |
| 2019/0203503 | 12/2018 | Chang             | N/A | N/A |
| 2019/0264486 | 12/2018 | Toloday et al.    | N/A | N/A |
| 2019/0319557 | 12/2018 | Dye et al.        | N/A | N/A |
| 2019/0338576 | 12/2018 | Wang              | N/A | N/A |
| 2019/0345738 | 12/2018 | McKibben et al.   | N/A | N/A |
| 2019/0376316 | 12/2018 | Hsu               | N/A | N/A |
| 2019/0376317 | 12/2018 | Hsu               | N/A | N/A |
| 2019/0383080 | 12/2018 | Barbon et al.     | N/A | N/A |
| 2020/0037142 | 12/2019 | Lofton            | N/A | N/A |
| 2020/0190885 | 12/2019 | Coleman           | N/A | N/A |
| 2020/0211362 | 12/2019 | Shen              | N/A | N/A |
| 2020/0256108 | 12/2019 | Shetty et al.     | N/A | N/A |
| 2020/0327758 | 12/2019 | Ma et al.         | N/A | N/A |
| 2020/0372743 | 12/2019 | Miller et al.     | N/A | N/A |
| 2021/0011443 | 12/2020 | Mcnamara et al.   | N/A | N/A |
| 2021/0012598 | 12/2020 | Giebat et al.     | N/A | N/A |

|              |         |                  |     |     |
|--------------|---------|------------------|-----|-----|
| 2021/0023248 | 12/2020 | Townsend et al.  | N/A | N/A |
| 2021/0056791 | 12/2020 | Shen             | N/A | N/A |
| 2021/0123287 | 12/2020 | Miller et al.    | N/A | N/A |
| 2021/0134096 | 12/2020 | Pukari           | N/A | N/A |
| 2021/0192876 | 12/2020 | Tikkanen et al.  | N/A | N/A |
| 2021/0217260 | 12/2020 | Chen             | N/A | N/A |
| 2021/0252179 | 12/2020 | Grinstead et al. | N/A | N/A |
| 2021/0308311 | 12/2020 | Stewart et al.   | N/A | N/A |
| 2022/0148393 | 12/2021 | Shen et al.      | N/A | N/A |
| 2022/0307316 | 12/2021 | Soderqvist       | N/A | N/A |
| 2023/0104006 | 12/2022 | Tien             | N/A | N/A |
| 2023/0133080 | 12/2022 | Tien             | N/A | N/A |
| 2023/0374820 | 12/2022 | Huang            | N/A | N/A |

## FOREIGN PATENT DOCUMENTS

| Patent No.   | Application Date | Country | CPC |
|--------------|------------------|---------|-----|
| 2014339759   | 12/2017          | AU      | N/A |
| 102016202225 | 12/2016          | DE      | N/A |
| 102017209467 | 12/2017          | DE      | N/A |
| 0107151      | 12/1983          | EP      | N/A |
| 1788169      | 12/2006          | EP      | N/A |
| 2933415      | 12/2014          | EP      | N/A |
| 3550528      | 12/2018          | EP      | N/A |
| 3805490      | 12/2020          | EP      | N/A |
| 2572027      | 12/2018          | GB      | N/A |
| 20210019168  | 12/2020          | KR      | N/A |
| 20210033154  | 12/2020          | KR      | N/A |
| 8800633      | 12/1987          | WO      | N/A |
| 2021007588   | 12/2020          | WO      | N/A |
| 2021050616   | 12/2020          | WO      | N/A |
| 2021214134   | 12/2020          | WO      | N/A |
| 2022063950   | 12/2021          | WO      | N/A |
| 2022063952   | 12/2021          | WO      | N/A |
| 2023036744   | 12/2022          | WO      | N/A |

*Primary Examiner:* Wong; K.

*Attorney, Agent or Firm:* Law Office of Michael Chen

## Background/Summary

### BACKGROUND OF THE INVENTION

(1) The present invention relates to a door access control method and, more particularly, to a method for unlocking a vehicle door access system exterior to a vehicle and controlled by a vehicle host.

(2) A house with a garage is generally equipped with an electric door to control access, such as permitting or not permitting entrance of persons and cars. A building with an underground parking lot is generally equipped with an electric gate to control access, such as permitting or not permitting entrance of cars. A typical approach to control access is using a remote control to control

opening or closing of the electric door or the electric gate. However, the user cannot open the electric door or the electric gate when the remote control is lost, and a person picking up the remote control can open the electric door or the electric gate.

#### BRIEF SUMMARY OF THE INVENTION

(3) The present invention provides a vehicle door access control method comprising: pairing a smart mobile device with an external door access device to grant unlocking authority of the external door access device to the smart mobile device and to permit the smart mobile device to authorize the unlocking authority to another device; granting an operating authority of a vehicle to a vehicle key; registering a vehicle key information of the vehicle key into the smart mobile device; connecting the smart mobile device with a vehicle host; using the vehicle host to identify whether the vehicle key information stored in the smart mobile device is correct, wherein when the vehicle key information stored in the smart mobile device is identified as being incorrect, pairing of the vehicle host and the smart mobile device fails; using a vehicle end biological feature pick-up device of the vehicle to pick up a vehicle end authorization biological feature of a to-be-authorized person in the vehicle when the vehicle key information is identified as being correct, and using the vehicle end authentication biological feature to cooperate with the smart mobile device to create an unlocking information associated with the unlocking authority of the external door access device, and the unlocking information is stored in the vehicle host; picking up a to-be-compared vehicle end biological feature of a person in the vehicle through the vehicle end biological feature pick-up device; comparing the to-be-compared vehicle end biological feature with the vehicle end authentication biological feature of the unlocking information, wherein when the to-be-compared vehicle end biological feature matches with the vehicle end authentication biological feature, the vehicle transmit an unlocking command, and wherein the vehicle does not transmit the unlocking command when the to-be-compared vehicle end biological feature does not match with the vehicle end authentication biological feature; and using the external door access device to identify the unlocking command from the vehicle, wherein when the unlocking command is identified as being incorrect, the external door access device remains locked or is not opened, and wherein when the unlocking command is identified as being correct, the external door access device is unlocked or opened.

(4) The driver of the vehicle can directly unlock or open the external door access device (such as unlocking an electronic door lock or opening an electric rolling door) outside the vehicle through the vehicle host. When the user intends to drive the vehicle through the door access control, it is not necessary to find a key, a remote control, or a smart mobile device for controlling the external door access device, providing enhanced convenience.

(5) In an example, the vehicle end biological feature pick-up device is a camera, and wherein the biological feature is a facial feature of a person on a driver's seat.

(6) In an example, wherein pairing the smart mobile device with the external door access device includes: operating the external door access device to enter a setting mode, wherein when connection between the smart mobile device and the external door access device is unsuccessful, the external door access device ends the setting mode, and wherein the smart mobile device obtains a hardware identification information of the external door access device when the smart mobile device is successfully connected with the external door access device; and using the smart mobile device to pick up a mobile end authentication biological feature, wherein when picking of the mobile end authentication biological feature is successful, the smart mobile device uses the hardware identification information and the mobile end authentication biological feature to create a management information, such that the smart mobile device is granted with management authority of the external door access device, the smart mobile device is permitted to authorize the unlocking authority of the external door access device to the another device, and the vehicle host obtains the hardware identification information and the mobile end authentication biological feature from the smart mobile device and encrypts the hardware identification information and the mobile end

authentication biological feature as the unlocking information, and wherein when picking of the mobile end authentication biological feature is not successful, the smart mobile device does not create the management information.

(7) In an example, the vehicle door access control method further comprises: re-identifying the vehicle key when using the vehicle key to obtain the operating authority of the vehicle and before using the vehicle end biological feature pick-up device to pick up the to-be-compared vehicle end biological feature, wherein when the vehicle key is re-identified by the vehicle host as being correct, the vehicle end biological feature pick-up device picks up the to-be-compared mobile end biological feature, and wherein when the vehicle key is re-identified by the vehicle host as being incorrect, the vehicle end biological feature pick-up device does not pick up the to-be-compared mobile end biological feature; and re-identifying the smart mobile device when using the smart mobile device to obtain the operating authority of the vehicle and before using the vehicle end biological feature pick-up device to pick up the to-be-compared vehicle end biological feature, wherein when the vehicle host reads the vehicle key information from the smart mobile device and identifies the vehicle key information as being correct, the vehicle end biological feature pick-up device picks up the to-be-compared mobile end biological feature, and wherein when the vehicle key information in the smart mobile device is re-identified by the vehicle host as being incorrect, the vehicle end biological feature pick-up device does not pick up the to-be-compared mobile end biological feature.

(8) When the vehicle key is used to obtain the operating authority of the vehicle and the vehicle host is used to execute the vehicle end door access application, the vehicle will confirm again whether the vehicle key is correct. The to-be-compared vehicle end biological feature of the driver will be picked up only when the vehicle key is identified as being correct. This enhances the safety of executing unlocking or opening of the external door access device through operation of the vehicle host.

(9) In an example, the vehicle door access control method further comprises: using the smart mobile device to pick up a to-be-compared mobile end biological feature of a user; and comparing the to-be-compared mobile end biological feature with the mobile end authentication biological feature of the management information, wherein the smart mobile device does not transmit another unlocking command when the to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature, wherein the smart mobile device transmits the another unlocking command when the to-be-compared mobile end biological feature matches with the mobile end authentication biological feature, wherein when the exterior door access device identifies the another unlocking command from the smart mobile device as being correct, the external door access device is unlocked or opened, and wherein when the exterior door access device identifies the another unlocking command from the smart mobile device as being incorrect, the external door access device remains locked or is not opened.

(10) When the smart mobile device is used to obtain the operating authority of the vehicle and the vehicle host is used to execute the vehicle end door access application, the vehicle will confirm again whether the smart mobile device has been paired. The to-be-compared vehicle end biological feature of the driver will be picked up only when the smart mobile device is identified as having been paired. This enhances the safety of executing unlocking or opening of the external door access device through operation of the vehicle host.

(11) In an example, the smart mobile device is used to input a to-be-compared mobile end biological feature before the smart mobile device is connected with the vehicle host. When the to-be-compared mobile end biological feature matches with the mobile end authentication biological feature of the management information, the smart mobile device is connected with the vehicle host. When the to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature of the management information, the smart mobile device is not connected with the vehicle host.



- (12) The unlocking information created by the vehicle requires verification of whether the vehicle key information stored in the smart mobile device is correct. Even if the smart mobile device is lost, a person picking up the smart mobile device is difficult to use the smart mobile device to create the unlocking information of the vehicle, providing enhanced safety.
- (13) The present invention will become clearer in light of the following detailed description of illustrative embodiments of this invention described in connection with the drawings.
- 

## Description

### DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 is a diagrammatic diagram illustrating related hardware for executing a vehicle door access control method according to the present invention.
- (2) FIG. 2 is a flowchart illustrating a portion of an example of the vehicle door access control method according to the present invention.
- (3) FIG. 3 is a flowchart illustrating another portion of an example of the vehicle door access control method according to the present invention.
- (4) FIG. 4 is a flowchart illustrating a further portion of an example of the vehicle door access control method according to the present invention.

### DETAILED DESCRIPTION OF THE INVENTION

- (5) The present invention relates to a vehicle door access control method for unlocking an external door access device exterior to a vehicle through use of a vehicle host and hardware associated with the vehicle host. With reference to FIG. 1, the vehicle **20** includes a vehicle host **22** installed in an interior space of the vehicle **20** and a vehicle end display **28** electrically connected to the vehicle host **22**. The vehicle end display **28** is used to display an interface of an operating system used by the vehicle host **22**. The operating system may be a program configured to control, execute, and integrate software and hardware, such as Tesla Software, FORD SYNC, or Android operating system. The vehicle end display **28** may be but not limited to a known touch control screen. The vehicle host **22** is used to run the operating system and is electrically connected to each part of the vehicle **20**, such as a camera, an electronic control unit, an audio system, etc. mounted in the vehicle **20**.
- (6) The vehicle **20** further includes a vehicle end biological feature pick-up device **24**, a vehicle end door access device **26**, and a wireless signal unit **30**. The vehicle end biological feature pick-up device **24** is electrically connected to the vehicle host **22** and may be but not limited to at least one of a camera, a fingerprint pick-up device, an iris feature pick-up device, and a vein feature pick-up device. The vehicle end door access device **26** is electrically connected to the vehicle host **22** to control access to the vehicle **20**. The vehicle end door access device **26** may be but not limited to include plural doors and locks for locking the doors. Thus, it can be appreciated that when the vehicle **20** is locked, a person outside of the vehicle **20** is unable to open the doors of the vehicle **20**. The person outside of the vehicle **20** can enter and drive the vehicle **20** only when the vehicle **20** is unlocked to permit opening of the doors.
- (7) The wireless signal unit **30** is electrically connected to the vehicle host **20** and may but not limited to use techniques using at least one of Wi-Fi, Global System for Mobile Communications (GSM), Bluetooth, radio frequency identification (RFID), and ultrahigh frequency (UHF).
- (8) The vehicle **20** can be locked or unlocked through a vehicle key **32**. When the vehicle key **32** sends out a signal to the vehicle **20** and the vehicle **20** identifies the signal from the vehicle key **32** is correct, the vehicle end door access device **26** is unlocked, such that a person may open a door of the vehicle **2** to start the engine for driving or permit operations of other functions of the vehicle **20**. It is noted that the vehicle key **32** is not a metal key. Instead, the vehicle key **32** is an electronic key with wireless transmission function, such as a remote control key, chip key (using such as UHF

or active RFID), passive RFID key (a key card).

(9) The vehicle door access control method according to the present invention uses a smart mobile device **36** to cooperate with the vehicle host **22** and the vehicle key **32** to unlock an external door access device **34** installed outside of the vehicle **20**. The smart mobile device **36** may be but not limited to Apple's mobile phone of iPhone 15 series, Samsung's mobile phone of S24 series, or a smart mobile device produced by other companies. The external door access device **34** is a door access device disposed outside of the vehicle **20** without any physical connection with the vehicle **20**, and the external door access device **34** can be operated only when in an unlocked state. The external door access device **34** may be but not limited to an electric rolling door, an electric gate, or an electronic door lock. In the following description, the external door access device **34** is in the form of an electric rolling door which can but not limited to match with a remote control (an electronic key) for controlling opening and closing.

(10) With reference to FIG. 2, the smart mobile device **36** is firstly paired with the external door access device **34**, such that the smart mobile device **36** obtains the management authority of the external door access device **34**. The management authority granted to the smart mobile device **36** includes unlocking authority of the external door access device **34** as well as authorization of the unlocking authority of the external door access device **34** to another device (such as the vehicle host **22** and other smart mobile devices).

(11) To connect with the external door access device **34**, a mobile end door access application (APP) is firstly installed on the smart mobile device **36** (step S66). The smart mobile device **36** is connected with the external door access device **34** through execution of the mobile end door access application. When the smart mobile device **36** is running the mobile end door access application, an interface of the mobile end door access application will be shown on a touch screen of the smart mobile device **36** and can be used to guide the smart mobile device **36** to obtain the management authority of the external door access device **34**.

(12) After the mobile end door access application is executed by the smart mobile device **36**, the external door access device **34** is operated to enter a setting mode (step S68). As an example, the external door access device **34** may include a hardware having a button which can be pressed (such as for 3 seconds) to set the external door access device **34** to the setting mode. For example, a button is mounted in a garage and adjacent to an electric rolling door. The button is located in a housing which can be opened from inside the garage (the housing cannot be opened from outside the garage), and the button can be pressed to set the electric rolling door to a setting mode. Since the button is located inside the garage, a person outside of the garage is unable to access the button and, thus, cannot set the electric rolling door (the external door access device **34**) to the setting mode.

(13) After the external door access device **34** enters the setting mode, the smart mobile device **36** can be connected with the external door access device **34** through a wireless technique (step S70), such as Bluetooth. Specifically, the interface of the mobile end door access application guides a person to operate on a screen (such as a touch screen) of the smart mobile device **36** to create connection with the external door access device **34** in the setting mode. Furthermore, in a case that the smart mobile device **36** is not connected with the external door access device **34** within a preset period of time (such as 60 seconds), the mobile end door access application of the smart mobile device **36** cannot obtain the management authority of the external door access device **34**, and the external door access device **34** ends the setting mode (step S72).

(14) When a person creates the connection between the smart mobile device **36** and the external door access device **34** under the guidance of the mobile end door access application, the external door access device **34** sends a hardware identification information to the smart mobile device **36**, or the smart mobile device **36** reads the hardware identification information of the external door access device **34** (step S74). It is noted that every external door access device **34** has a unique hardware identification information, such that the smart mobile device **36** and the external door

access device **34** can identify control commands or signals associated with the external door access device **34** through identification of the hardware identification information. For example, when the external door access device **34** receives an unlocking command containing a hardware identification information not the same as the hardware identification information built in the external door access device **34**, the external door access device **34** will not execute the unlocking command.

(15) After the smart mobile device **36** obtains the hardware identification information of the external door access device **34** connected thereto, the mobile end door access application guides a person (a to-be-authorized person) to use the smart mobile device **36** to pick up a mobile end authentication biological feature (step **S76**). For example, the mobile end door access application guides the person to use a camera of the smart mobile device **36** to pick up a facial feature of the person as the mobile end authentication biological feature.

(16) When the mobile end door access application does not obtain the mobile end authentication biological feature, the mobile end door access application will not create management information associated with the exterior door access device **34** (step **S78**). On the other hand, when the mobile end door access application obtains the mobile end authentication biological feature, the mobile end door access application uses the mobile end authentication biological feature and the hardware identification information of the connected external door access device **34** to create a management information (step **S80**). It is noted that the management information may be but not limited to a file containing the hardware identification information and the mobile end authentication biological feature which are encrypted together as the file and may but not limited to be stored in the smart mobile device **36**. Namely, the mobile end authentication biological feature and the hardware identification information are stored in the smart mobile device **36**.

(17) After the mobile end door access application of the smart mobile device **36** creates the management information, the smart mobile device **36** obtains the management authority of the external door access device **34**. Namely, the smart mobile device **36** is permitted to unlock or open the external door access device **34** after pairing with the external door access device **34**. The smart mobile device **36** may also authorize the function of unlocking or opening of the external door access device **34** to another device, such as the vehicle host **20** or another smart mobile device. It is noted that “paring with an external door access device” (step **S50**) in FIG. **3** indicates all steps of pairing between the smart mobile device **36** and the external door access device **34** in FIG. **1**.

(18) With reference to FIG. **3**, after the smart mobile device **36** has successfully paired with the external door access device **34**, the smart mobile device **36** is permitted to authorize the unlocking authority of the external door access device **34** to the vehicle host **20**. Specifically, a person can use the vehicle key **32** to unlock the vehicle **20**, such that the person can open the vehicle end door access device **26** to thereby enter the vehicle **20** for obtaining operating authority of the vehicle host **22** (step **S54**). In this state, the vehicle host **22** can download and install a vehicle end door access application (APP) (step **S56**). Thus, the vehicle host **22** can run the vehicle end door access application.

(19) A vehicle key information associated with the vehicle key **32** is registered in the smart mobile device **36** (step **S52**). For example, after obtaining agreement, license, and/or technical support from the manufacturer of the vehicle **20**, the smart mobile device **36** is permitted to read the vehicle key information stored in the vehicle key **32**. For example, in a case that the vehicle key **32** has a Bluetooth function, the smart mobile device **36** executing the mobile end biological feature can create connection with the vehicle key **32** with Bluetooth technique, and the smart mobile device **36** can then read the vehicle key information of the vehicle key **32**. The mobile end door access application registers the vehicle key information.

(20) It is noted that while the mobile end door access application is registering the vehicle key information of the vehicle key **32**, the mobile end door access application may but not limited to request the holder of the smart mobile device **36** to instantly input a mobile end biological feature

(such as a facial feature). When the mobile end door access application identifies that the inputted mobile end biological feature matches with the mobile end authentication biological feature stored in the management information, the mobile end door access application executes procedures regarding registration of the vehicle key information of the vehicle key **32**.

(21) After the mobile end door access application registers the vehicle key information of the vehicle key **32**, the vehicle host **22** runs the vehicle end door access application, whereas the smart mobile device **36** runs the mobile end door access application, thereby connecting the smart mobile device **36** with vehicle host **22** (step **S58**). After the vehicle host **22** is connected with the smart mobile device **36**, the vehicle host **22** compares the vehicle key information registered in the smart mobile device **36** with the vehicle key information of the vehicle **22** (step **S60**). When the vehicle key information registered in the smart mobile device **36** does not match with the key information of the vehicle **22**, both the vehicle end door access application and the mobile end door access application identify the pairing fails (step **S62**). Thus, the vehicle host **22** cannot obtain the unlocking authority of the external door access device **34**.

(22) When the vehicle key information registered in the smart mobile device **36** matches with the key information of the vehicle **22**, both the vehicle end door access application and the mobile end door access application identify the pairing is successful, the vehicle end door access application picks up a vehicle end authentication biological feature of a person in the vehicle **20** (step **S64**), and the vehicle end biological feature can be used by the smart mobile device **36** to create an unlocking information (step **S65**). The unlocking information enables the vehicle host **22** to obtain the unlocking authority of the external door access device **34**.

(23) Regarding creation of the unlocking information (step **S65**), in a non-restrictive example, the vehicle end biological feature pick-up device **24** picks up a vehicle end authentication biological feature of a person on the driver's seat in the vehicle **20** (step **S64**), and the smart mobile device **36** obtains the hardware identification information of the external door access device **34**. Furthermore, the vehicle end door access application encrypts the vehicle end authentication biological feature and the hardware identification of the external door access device **34** (obtained by the smart mobile device **36**) together as an unlocking information (step **S65**). The unlocking information is stored in the vehicle host **22**. Therefore, the vehicle host **22** obtains the unlocking authority of the external door access device **34**.

(24) In a non-restrictive example, when the smart mobile device **36** is to be connected with the vehicle host **22**, the mobile end door access application may request the holder of the smart mobile device **36** to instantly input a to-be-compared mobile end biological feature (such as a facial feature). When the instantly inputted to-be-compared mobile end biological feature matches with the mobile end authentication biological feature stored in the management information, the smart mobile device **36** is connected with the vehicle host **22**. On the other hand, when the instantly inputted to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature stored in the management information, the smart mobile device **36** is not connected with the vehicle host **22**.

(25) With reference to FIG. **4**, assuming the smart mobile device **36** executes the mobile end door access application to unlock or open the external door access device **34** (step **S95A**), the mobile end door access application uses a biological feature pick-up device (such as a front lens for picking up facial feature or a fingerprint pick-up device for picking up fingerprints) of the smart mobile device **36** to instantly pick up a to-be-compared mobile end biological feature of the holder of the smart mobile device **36** (step **S95B**). In step **S96**, it is identified whether the biological feature authentication successful. When the instantly pick-up to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature stored in the management information, the smart mobile device **36** does not transmit an unlocking command, and the external door access device **34** remains locked or does not open (step **S97**).

(26) When the instantly pick-up to-be-compared mobile end biological feature matches with the

mobile end authentication biological feature stored in the management information, the smart mobile device **36** transmit an unlocking command. For example, the mobile end door access application uses a wireless signal unit (such as a Bluetooth unit) of the smart mobile device **36** to transmit an unlocking command containing the hardware identification information to the external door access device **34**.

(27) When the external door access device **34** receives the unlocking command from the smart mobile device **36**, the external door access device **34** identifies whether the unlocking command is correct (step **S111**). When the unlocking command from the smart mobile device **36** is identified as being incorrect, the external door access device **34** does not execute the unlocking command (step **S112**), such that the external door access device **34** remains locked or does not open. On the other hand, when the unlocking command from the smart mobile device **36** is identified as being correct, the external door access device **34** executes the unlocking command (step **S113**), such that the external door access device **34** is unlocked or opened.

(28) For example, when the external door access device **34** identifies that the hardware identification information contained in the unlocking command does not match with the hardware identification information of the external door access device **34**, the external door access device **34** does not execute the unlocking command and, thus, **34** remains locked or does not open (step **S112**). On the other hand, when the external door access device **34** identifies that the hardware identification information contained in the unlocking command matches with the hardware identification information of the external door access device **34**, the external door access device **34** executes the unlocking command and, thus, is unlocked or opened (step **S113**).

(29) Assuming a person uses the vehicle key **32** to unlock the vehicle **20** and enters the vehicle to thereby obtain operating authority of the vehicle **20** (step **S83**), the person can further use the vehicle host **22** to execute the mobile end door access application (step **S86**). The vehicle host **22** will re-identify whether the vehicle key **32** is correct (step **S88**). For example, in a case that the vehicle **20** is used outside and unlocked by a vehicle key **32** and then driven back to a place in front of a garage of the house, and an electric rolling door of the garage is closed, the driver of the vehicle can operate the vehicle end display **28** to execute the vehicle end door access application, such that the vehicle host **22** re-identify whether the vehicle key **32** is correct.

(30) When the vehicle key **32** is identified as being incorrect after re-identification, the vehicle end door access application does not execute the following steps, and the external door access device **34** remains locked or does not open. On the other hand, when the vehicle key **32** is identified as being correct, the vehicle end door access application uses the vehicle end biological feature pick-up device **24** through the vehicle host **22** to instantly pick up a to-be-compared vehicle end biological feature of the person on the driver's seat (step **S94**). In step **S96**, the to-be-compared vehicle end biological feature is compared with the vehicle end authentication biological feature. When the to-be-compared vehicle end biological feature does not match with the vehicle end authentication biological feature, the vehicle host **22** does not transmit an unlocking command (step **S97**). When the to-be-compared vehicle end biological feature matches with the vehicle end authentication biological feature, the vehicle host **22** transmits an unlocking command to the external door access device **34** (step **S98**).

(31) In a case that the external door access device **34** receives another unlocking command from the vehicle **20**, when the external door access device **34** identifies that the unlocking command from the vehicle **20** is incorrect (the hardware identification information contained in the unlocking command from the vehicle **20** does not match with the hardware identification information of the external door access device **34**), the external door access device **34** does not execute the unlocking command, and the external door access device **34** remains locked or does not open (step **S112**). On the other hand, when the external door access device **34** identifies that the unlocking command from the vehicle **20** is correct (the hardware identification information contained in the unlocking command from the vehicle **20** matches with the hardware identification information of the external

door access device **34**), the external door access device **34** executes the unlocking command, and the external door access device **34** is unlocked or opened (step **S113**).

(32) Assuming a person uses the smart mobile device **36** to unlock and enter the vehicle **20** and obtains the operating authority of the vehicle **20** (step **S83**), the person can use the vehicle host **22** to execute the vehicle end door access application (step **S86**). The vehicle host **20** will re-identify whether the smart mobile device **36** has been paired (step **S90**). For example, the vehicle **20** is connected with the smart mobile device **36** through Bluetooth technique, and the vehicle **20** reads the vehicle key information stored in the smart mobile device **36**. The vehicle **20** identifies whether the smart mobile device **36** has been paired by identifying whether the vehicle key information stored in the smart mobile device **36** is correct. In another approach, while the vehicle host **22** is connected with the smart mobile device **36**, the vehicle end door access application sends out two sets of encrypted codes through the vehicle host **22** to the smart mobile device **36**, and the mobile end door access application uses the two sets of encrypted codes to compare with another two sets of codes generated by the mobile end door access application, thereby identifying whether the smart mobile device **36** has been paired.

(33) When the smart mobile device **36** has not been paired and is, thus, identified as being incorrect, the vehicle end door access application does not execute the following steps, and the external door access device **34** remains locked or does not open (step **S92**). On the other hand, when the smart mobile device **36** is identified as having been paired, the vehicle end biological feature pick-up device **24** will pick up a to-be-compared vehicle end biological feature (such as the facial feature) of the person on the driver's seat (step **S94**). When the to-be-compared vehicle end biological feature does not match with the vehicle end authentication biological feature stored in the unlocking information, the vehicle host **22** does not transmit the unlocking command to the external door access device **34** (step **S97**). On the other hand, when the to-be-compared vehicle end biological feature matches with the vehicle end authentication biological feature stored in the unlocking information, the vehicle host **22** transmits the unlocking command to the external door access device **34** (step **S98**).

(34) In a case that the external door access device **34** receives another unlocking command from the vehicle **20**, when the external door access device **34** identifies that the unlocking command from the vehicle **20** is incorrect (the hardware identification information contained in the unlocking command from the vehicle **20** does not match with the hardware identification information of the external door access device **34**), the external door access device **34** does not execute the unlocking command, and the external door access device **34** remains locked or does not open (step **S112**). On the other hand, when the external door access device **34** identifies that the unlocking command from the vehicle **20** is correct (the hardware identification information contained in the unlocking command from the vehicle **20** matches with the hardware identification information of the external door access device **34**), the external door access device **34** executes the unlocking command, and the external door access device **34** is unlocked or opened (step **S113**).

(35) The technical features of the present invention has been set forth, and it can be appreciated that the vehicle door access control method according to the present invention may include at least the following advantages. Firstly, the driver of the vehicle **20** can directly unlock or open the external door access device **34** (such as unlocking an electronic door lock or opening an electric rolling door) outside the vehicle **20** through the vehicle host **22**. When the user intends to drive the vehicle **20** through the door access control, it is not necessary to find a key, a remote control, or a smart mobile device for controlling the external door access device **34**, providing enhanced convenience.

(36) When the vehicle key **32** is used to obtain the operating authority of the vehicle **20** and the vehicle host **22** is used to execute the vehicle end door access application, the vehicle **20** will confirm again whether the vehicle key **32** is correct. The to-be-compared vehicle end biological feature of the driver will be picked up only when the vehicle key **32** is identified as being correct. This enhances the safety of executing unlocking or opening of the external door access device **34**

through operation of the vehicle host 22.

(37) When the smart mobile device 36 is used to obtain the operating authority of the vehicle 20 and the vehicle host 22 is used to execute the vehicle end door access application, the vehicle 20 will confirm again whether the smart mobile device 36 has been paired. The to-be-compared vehicle end biological feature of the driver will be picked up only when the smart mobile device 36 is identified as having been paired. This enhances the safety of executing unlocking or opening of the external door access device 34 through operation of the vehicle host 22.

(38) The unlocking information created by the vehicle 20 requires verification of whether the vehicle key information stored in the smart mobile device 36 is correct. Even if the smart mobile device 36 is lost, a person picking up the smart mobile device 36 is difficult to use the smart mobile device 36 to create the unlocking information of the vehicle 20, providing enhanced safety.

(39) Now that the basic teachings of the present invention have been explained, many extensions and variations will be obvious to one having ordinary skill in the art. For example, the vehicle door access control method according to the present invention according to the present invention is not limited to application on electric rolling doors and electric gates. The vehicle door access control method according to the present invention may also be used to control electronic door locks or other electronic locks. Furthermore, when the vehicle host 22 is executing the vehicle end door access application, confirmation of whether the smart mobile device 36 has been paired or confirmation of whether the vehicle key 32 is correct may be excluded, and the to-be-compared vehicle end biological feature of the driver is directly picked up. In this case, the to-be-compared vehicle end biological feature and the hardware identification information of the external door access device 34 can still be used to control unlocking or opening of the external door access device 34.

(40) Thus since the invention disclosed herein may be embodied in other specific forms without departing from the spirit or general characteristics thereof, some of which forms have been indicated, the embodiments described herein are to be considered in all respects illustrative and not restrictive. The scope of the invention is to be indicated by the appended claims, rather than by the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are intended to be embraced therein.

## Claims

1. A vehicle door access control method comprising: pairing a smart mobile device with an external door access device to grant unlocking authority of the external door access device to the smart mobile device and to permit the smart mobile device to authorize the unlocking authority to another device; granting an operating authority of a vehicle to a vehicle key; registering a vehicle key information of the vehicle key into the smart mobile device; connecting the smart mobile device with a vehicle host; using the vehicle host to identify whether the vehicle key information stored in the smart mobile device is correct, wherein when the vehicle key information stored in the smart mobile device is identified as being incorrect, pairing of the vehicle host and the smart mobile device fails; using a vehicle end biological feature pick-up device of the vehicle to pick up a vehicle end authorization biological feature of a to-be-authorized person in the vehicle when the vehicle key information is identified as being correct, and using the vehicle end authentication biological feature to cooperate with the smart mobile device to create an unlocking information associated with the unlocking authority of the external door access device, and the unlocking information is stored in the vehicle host; picking up a to-be-compared vehicle end biological feature of a person in the vehicle through the vehicle end biological feature pick-up device; comparing the to-be-compared vehicle end biological feature with the vehicle end authentication biological feature of the unlocking information, wherein when the to-be-compared vehicle end biological feature matches with the vehicle end authentication biological feature, the vehicle

transmit an unlocking command, and wherein the vehicle does not transmit the unlocking command when the to-be-compared vehicle end biological feature does not match with the vehicle end authentication biological feature; and using the external door access device to identify the unlocking command from the vehicle, wherein when the unlocking command is identified as being incorrect, the external door access device remains locked or is not opened, and wherein when the unlocking command is identified as being correct, the external door access device is unlocked or opened.

2. The vehicle door access control method as claimed in claim 1, wherein the vehicle end biological feature pick-up device is a camera, and wherein the biological feature is a facial feature of a person on a driver's seat.

3. The vehicle door access control method as claimed in claim 1, wherein pairing the smart mobile device with the external door access device includes: operating the external door access device to enter a setting mode, wherein when connection between the smart mobile device and the external door access device is unsuccessful, the external door access device ends the setting mode, and wherein the smart mobile device obtains a hardware identification information of the external door access device when the smart mobile device is successfully connected with the external door access device; and using the smart mobile device to pick up a mobile end authentication biological feature, wherein when picking of the mobile end authentication biological feature is successful, the smart mobile device uses the hardware identification information and the mobile end authentication biological feature to create a management information, such that the smart mobile device is granted with management authority of the external door access device, the smart mobile device is permitted to authorize the unlocking authority of the external door access device to the another device, and the vehicle host obtains the hardware identification information and the mobile end authentication biological feature from the smart mobile device and encrypts the hardware identification information and the mobile end authentication biological feature as the unlocking information, and wherein when picking of the mobile end authentication biological feature is not successful, the smart mobile device does not create the management information.

4. The vehicle door access control method as claimed in claim 1, further comprising: re-identifying the vehicle key when using the vehicle key to obtain the operating authority of the vehicle and before using the vehicle end biological feature pick-up device to pick up the to-be-compared vehicle end biological feature, wherein when the vehicle key is re-identified by the vehicle host as being correct, the vehicle end biological feature pick-up device picks up the to-be-compared mobile end biological feature, and wherein when the vehicle key is re-identified by the vehicle host as being incorrect, the vehicle end biological feature pick-up device does not pick up the to-be-compared mobile end biological feature; and re-identifying the smart mobile device when using the smart mobile device to obtain the operating authority of the vehicle and before using the vehicle end biological feature pick-up device to pick up the to-be-compared vehicle end biological feature, wherein when the vehicle host reads the vehicle key information from the smart mobile device and identifies the vehicle key information as being correct, the vehicle end biological feature pick-up device picks up the to-be-compared mobile end biological feature, and wherein when the vehicle key information in the smart mobile device is re-identified by the vehicle host as being incorrect, the vehicle end biological feature pick-up device does not pick up the to-be-compared mobile end biological feature.

5. The vehicle door access control method as claimed in claim 3, further comprising: using the smart mobile device to pick up a to-be-compared mobile end biological feature of a user; and comparing the to-be-compared mobile end biological feature with the mobile end authentication biological feature of the management information, wherein the smart mobile device does not transmit another unlocking command when the to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature, wherein the smart mobile device transmits the another unlocking command when the to-be-compared mobile end biological feature



matches with the mobile end authentication biological feature, wherein when the exterior door access device identifies the another unlocking command from the smart mobile device as being correct, the external door access device is unlocked or opened, and wherein when the exterior door access device identifies the another unlocking command from the smart mobile device as being incorrect, the external door access device remains locked or is not opened.

6. The vehicle door access control method as claimed in claim 1, wherein the smart mobile device is used to input a to-be-compared mobile end biological feature before the smart mobile device is connected with the vehicle host, wherein when the to-be-compared mobile end biological feature matches with the mobile end authentication biological feature of the management information, the smart mobile device is connected with the vehicle host, and wherein when the to-be-compared mobile end biological feature does not match with the mobile end authentication biological feature of the management information, the smart mobile device is not connected with the vehicle host.

---