

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12402556
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Eviston; Mitchell

Method and device for delivering viable microorganisms in seed lubricant to seed supply

Abstract

A package **10** comprises a main body **12** for containing a seed lubricant; and a chamber **24** for retaining microorganisms in a viable state, wherein the main body **12** and the chamber **24** are separated by a disruptable dividing member **32**, and further comprising a mechanism for disrupting the dividing member **32** such that the seed lubricant and the microorganisms may be blended just prior to deployment on a seed planter and wherein the main body **12**, the chamber **24** and the disrupting member form an integral package suitable for providing the blend of seed lubricant and viable microorganisms to seeds in a seed planter.

Inventors:	Eviston; Mitchell (Woodbury, MN)
Applicant:	Meristem Crop Performance Group, LLC (Powell, OH)
Family ID:	88700735
Assignee:	Meristem Crop Performance Group, LLC (Powell, OH)
Appl. No.:	18/503899
Filed:	November 07, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240206367 A1	Jun. 27, 2024

Related U.S. Application Data

continuation parent-doc US 18197578 20230515 US 11812685 child-doc US 18503899
continuation parent-doc WO PCT/US2023/012628 20230208 PENDING child-doc US 18197578
us-provisional-application US 63434588 20221222

Publication Classification

Int. Cl.: A01C1/06 (20060101); A01C1/08 (20060101); C12N1/20 (20060101)

U.S. Cl.:

CPC A01C1/06 (20130101); A01C1/08 (20130101); C12N1/20 (20130101);

Field of Classification Search

CPC: A01C (1/06); A01C (1/08); A01C (15/02); A01C (7/06)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3068154	12/1961	Majors	N/A	N/A
3156369	12/1963	Bowes	N/A	N/A
3504376	12/1969	Reid	422/945	B01L 3/502
3715189	12/1972	Nighohossian	422/430	B01L 3/502
4103772	12/1977	Wiegner	N/A	N/A
4195730	12/1979	Hunt	N/A	N/A
4229544	12/1979	Haynes et al.	N/A	N/A
4283498	12/1980	Schlesinger	N/A	N/A
4306357	12/1980	Villarejos	N/A	N/A
4640895	12/1986	Davis	435/304.2	C12M 23/34
4785931	12/1987	Weir et al.	N/A	N/A
5431276	12/1994	Lialin	N/A	N/A
5507133	12/1995	Singleton et al.	N/A	N/A
5979647	12/1998	Han	N/A	N/A
6148996	12/1999	Morini	215/DIG.8	B65D 51/285
6976578	12/2004	Kenihan	N/A	N/A
7607549	12/2008	Morini	N/A	N/A
8297456	12/2011	Anderson	N/A	N/A
8308075	12/2011	Eastin et al.	N/A	N/A
8443970	12/2012	Coon	N/A	N/A
8453834	12/2012	Porter	N/A	N/A
8584840	12/2012	Kim	N/A	N/A
8770399	12/2013	Hjalmarsson	N/A	N/A
9090884	12/2014	Harman et al.	N/A	N/A
9174881	12/2014	Cimaglio et al.	N/A	N/A
9260740	12/2015	Sharpin	N/A	N/A
10285908	12/2018	Mittal et al.	N/A	N/A
10774298	12/2019	Caldwell et al.	N/A	N/A

10856552	12/2019	Greenshields et al.	N/A	N/A
10884298	12/2020	Chan	N/A	N/A
2003/0213709	12/2002	Gibler et al.	N/A	N/A
2004/0104247	12/2003	Anderson	N/A	N/A
2006/0154363	12/2005	Horn	N/A	N/A
2006/0236925	12/2005	Lund	N/A	N/A
2008/0142473	12/2007	Cho	N/A	N/A
2008/0293156	12/2007	Smith	N/A	N/A
2009/0048128	12/2008	Custis et al.	N/A	N/A
2010/0044377	12/2009	Porter	N/A	N/A
2011/0049081	12/2010	Bourguignon	N/A	N/A
2013/0139703	12/2012	Hogarth	N/A	N/A
2014/0097106	12/2013	Broekaert et al.	N/A	N/A
2015/0144656	12/2014	Hamway	N/A	N/A
2015/0360844	12/2014	Frieden	N/A	N/A
2016/0053218	12/2015	Caldwell et al.	N/A	N/A
2018/0148220	12/2017	Kincaid	N/A	N/A
2018/0177192	12/2017	Johnson	N/A	N/A
2020/0315183	12/2019	Clary et al.	N/A	N/A
2020/0347336	12/2019	Caldwell et al.	N/A	N/A
2021/0171254	12/2020	Love et al.	N/A	N/A
2024/0206368	12/2023	Eviston	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
207956518	12/2017	CN	N/A
113879693	12/2021	CN	N/A
215476947	12/2021	CN	N/A
2857561	12/2020	ES	N/A
3002282	12/1993	JP	N/A
101818944	12/2017	KR	N/A
2012/109503	12/2011	WO	N/A
2018/098254	12/2017	WO	N/A
WO-2018/109018	12/2017	WO	N/A

OTHER PUBLICATIONS

“Capods—Pre-Filled Unit Dose Caps,” Lucas Packaging Group, Mar. 3, 2021, retrieved from <https://lucaspackaging.com/capod/> [accessed on Apr. 16, 2025]. cited by applicant

“Fresh Beverages International—Shinsen Cap,” No Time Like the Present, Apr. 7, 2017, retrieved from <https://ntltp.com/fresh-beverages-international/> [accessed on Apr. 16, 2025]. cited by applicant

Bouckley, Ben, “‘Unique’ bottle dosing and dispensing cap boosts brand visibility: Tap the Cap,” Beverage Daily, Oct. 23, 2012, retrieved from <https://www.beveragedaily.com/Article/2012/10/24/Unique-bottle-dosing-and-dispensing-cap-boosts-brand-visibility-Tap-the-Cap/> [accessed on Apr. 16, 2025]. cited by applicant

Steeman, Anton, “Innovative Dispensing Bottle Caps for Sensitive Vitamins,” Best in Packaging, May 29, 2009, retrieved from <https://bestinpackaging.wordpress.com/2009/05/29/innovative-dispensing-bottle-caps-for-sensitive-vitamins/> [accessed on Apr. 16, 2025]. cited by applicant

International Search Report and Written Opinion issued for PCT/US2023/012628 dated Sep. 14, 2023. cited by applicant
International Preliminary Report on Patentability Transmittal on PCT PCT/US2023/012628 DTD Jul. 3, 2025. cited by applicant
International Search Report on PCT PCT/US2025/016460 DTD Jun. 2, 2025. cited by applicant
MX Office Action on MX/a/2025/007427 DTD Jun. 24, 2025. cited by applicant

Primary Examiner: Perry; Monica L

Attorney, Agent or Firm: Foley & Lardner LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION (1) This Application is a Continuation of U.S. patent application Ser. No. 18/197,578, filed May 15, 2023 which is a Bypass-Continuation Application of International Application No. PCT/US2023/012628, filed Feb. 8, 2023, which claims priority to U.S. Provisional patent application Ser. No. 63/434,588, filed Dec. 22, 2022, the contents of which are hereby incorporated by reference in their entirety.

BACKGROUND

(1) The present invention relates to the storing and delivery of viable microorganisms to seeds and more specifically to a packaging for the storage and delivery of viable microorganisms to seeds via the lubricant used in planting.

(2) Farmers use a seed lubricant when planting corn, soybeans, cotton, sorghum, and/or other crops. Talc and graphite lubricant are used as an effective vehicle for lubricating seeds in a seeder and/or planter to eliminate bridging of the seed in the hopper during the planting process. The lubricant can also be used to deliver microbes/spores with the seed to the earth. However, microbes cannot survive long-term in the lubricant, thus they cannot be premixed with the seed. Also mixing microbes/spores in the field with the lubricant under questionable weather conditions that often occur in the spring is difficult, and may affect the viability of the microbes.

SUMMARY

(3) An aspect of the present disclosure relates to a package comprising a main body for containing a seed lubricant; and a chamber for retaining microorganisms in a viable state, wherein the main body and the chamber are separated by a disruptable dividing member, and further comprising a mechanism for disrupting the dividing member such that the seed lubricant and the microorganisms may be blended just prior to deployment on a seed planter and wherein the main body, the chamber and the disrupting member form an integral package suitable for providing the blend of seed lubricant and viable microorganisms to seeds in a seed planter.

(4) The dividing member is tearable, frangible, puncturable, rupturable, dissolvable, movable or combinations thereof.

(5) The disrupting member is manually actuated to disrupt the dividing member.

(6) The package further comprises a handle for transport of the package.

(7) The seed lubricant comprises a blend of talc and graphite.

(8) In one or more embodiments, the chamber for retaining microorganisms is a first chamber and the package comprising at least a second chamber for retaining microorganisms and the second chamber also separated from the main body by a disruptable dividing member.

(9) Another aspect of the present disclosure relates to a package for delivering viable microorganisms to a seeder and/or planter. The package has a lid portion comprising a first chamber, the first chamber comprising microorganisms therein; a body portion comprising a

second chamber, wherein the lid portion is attachable to the body portion such that the first chamber transcends the lid portion and extends into the second chamber; and a dividing member separating the microorganisms in the first chamber from the second chamber. Disrupting the dividing member allows release of the microorganisms into the second chamber. The lid portion may be removable from the body portion.

(10) In one or more embodiments, the first chamber is sealed.

(11) The dividing member is tearable, frangible, puncturable, rupturable, dissolvable, movable or combinations thereof.

(12) The first chamber further comprises a deployment mechanism configured to disrupt the dividing member to release the microorganisms from the first chamber into the second chamber.

(13) The deployment mechanism comprises a push-button accessible from a top of the first chamber and operably connected to a plunger within the first chamber wherein the plunger is configured to tear, puncture, rupture, dissolve, or move the dividing member or combinations thereof.

(14) The second chamber comprises seed flow lubricant therein.

(15) The seed flow lubricant is a blend of talc and graphite lubricant.

(16) In one or more embodiments, the package comprises a plurality of first chambers each comprising microorganisms.

(17) In one or more embodiments, the dividing member comprises one or more surfaces, walls, or floor of the first chamber.

(18) The lid portion is removably connectable to the second chamber to close off the second chamber. One or a plurality of first chambers are affixed or integrated into the lid portion and are thus removable from the second chamber by removal of the lid.

(19) Yet another aspect of the present disclosure relates to a method of delivering viable microorganisms to a seeder and/or planter by providing a package comprising a first chamber containing microbes therein and a second chamber containing a seed lubricant therein and a disruptable dividing member separating the first chamber from the second chamber; disrupting the dividing member separating a first chamber from a second chamber and thereby introducing the microorganisms into the second chamber wherein the microorganisms are mixed with the seed lubricant to form a microbial lubricant mixture; and applying the viable microbial lubricant mixture to seed.

(20) Pushing a top portion of the first chamber moves a plunger inside the first chamber to disrupt the dividing member.

(21) Transporting and storing the package with the microbes separated from the seed lubricant and waiting to disrupt the dividing member and mixing the microbes and seed lubricant until a time for lubricating the seeds in a seed box or planter thereby providing a mixture of viable microorganisms and seed lubricant.

(22) Further, in one or more embodiments, the method allows for waiting one or more days before disrupting the dividing member separating a first chamber from a second chamber and mixing the microorganisms and seed lubricant.

(23) In one or more embodiments the method comprising waiting one or more months before disrupting the dividing member separating a first chamber from a second chamber and mixing the microorganisms and seed lubricant.

(24) Yet another aspect of the present disclosure relates to a device for providing a seed flow lubricant and viable microorganism mixture to a seed supply. The device has a main body having a chamber configured for holding a supply of seed flow lubricant therein; a lid for the main body and supporting a plurality of capsules thereon, each capsule configured for holding a supply of microorganisms therein; and a deployment mechanism configured to release the supply of microorganisms from each capsule into the chamber holding the supply of seed flow lubricant therein.

(25) The lid supports the plurality of capsules with a first portion of each capsule extending from a first side of the lid and into the chamber holding the supply of seed flow lubricant therein and a second portion of each capsule extending from a second side of the lid such that the deployment mechanism is provided outside of the device.

(26) Each of the plurality of capsules is provided with a deployment mechanism positioned on the second portion of each capsule and wherein the deployment mechanism is configured to tear, puncture, rupture, dissolve, or move one or more surfaces of the first portion of each capsule.

(27) In one or more embodiments, the lid further comprises one or more recessed surfaces for holding accessories or tools for transferring seed flow lubricant or seed flow lubricant mixed with viable microorganisms from the device to a planter box or seed hopper for lubricating the seeds.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) FIG. 1 is perspective view of a package for delivery of viable microorganisms according to one or more embodiments herein.

(2) FIG. 2 is a side view of the package showing illustrating the capsule for holding microorganisms.

(3) FIG. 3 is a side view of a lid and capsule configuration of the package.

(4) FIGS. 4 and 5 are top views of the lid with one or more capsules.

(5) FIG. 6 is a side view of a package with a cover thereon according to one or more embodiments.

(6) FIG. 7 is another side view of the package with cover and illustrating an interior of a main body of the package.

DETAILED DESCRIPTION

(7) A device for delivery of viable biological agents and/or microorganisms with seeds through a hopper box during planting is described herein. The device provides a sealed, closed environment that keeps the biological agents viable and disperses the biological agents into a medium to be applied to seeds through a hopper box as described herein. The medium may be a seed lubricant such as a talc and/or graphite based lubricant.

(8) The device described herein is a housing that supports anywhere from one to six or more sealed capsules therein. The capsules contain one or more biological agents, or a combination of microorganisms, biological agents including, fungicides, insecticides, nematicides, plant growth regulators, fertilizers, and micronutrients therein. The capsules are then selectively deployed by a user into a chamber in the device containing the medium, such as the seed lubricant. The seed lubricant and seed are then dispersed through a hopper box when planting.

(9) The device comprises a container portion with a lid. The capsules may be supported on and/or accessed by the lid, whereas the container portion comprises a reservoir for the seed lubricant adjacent to the sealed capsules. The lid may be removably connected to the container portion. The capsules may then also be integral with the lid or removably insertable with respect to one or more openings in the lid. Integral for purposes of this application means consisting or composed of parts that together constitute a whole, and as applied herein means that the components of the package of this disclosure comprise a unitary package that separates and protects the seed lubricant and microorganisms to ensure viability of the microorganisms upon and until release into seed lubricant for application of the blend of the seed lubricant and microorganisms into the seed hopper of the planter.

(10) The lid comprises the one or more capsule holding areas which support one or more capsules, such that the lid holds the capsule(s). For example, the lid may hold one or more capsules with at least a portion of the capsule extending into the container portion of the device as the lid is placed on the container and thus positioned below the lid. At least one surface of the capsule is exposed on

an opposite side of the lid, such as on top of the lid. The one or more capsules are then carried by the device. However, the capsules remain sealed until a user breaks the seal of one or more of the capsules of the device, allowing the biological agent therein to enter the reservoir and mix with the seed lubricant. The device can then be shaken or agitated to mix the deployed contents of the capsules into the seed lubricant reservoir.

(11) The device lid may further comprise one or more recessed surfaces for storage of additional items or components, such as a scoop, tools, instructions or accessories. The lid also comprises a perimeter configured to rest on an opening of the device so that the lid covers the container portion. When capsules are held by the lid and the lid is coupled to the container portion, the interior of the container portion is substantially covered and enclosed.

(12) Each of the one or more capsules may be considered a chamber which comprises a cover or capsule lid and which may be provided with one or more deployment mechanisms configured to rupture a floor or wall which acts as a dividing member separating the contents of the capsule chamber from the reservoir chamber. The one or more deployment mechanisms may additionally or alternatively rupture or break any other seal of the capsule chamber, thus deploying the contents of the capsule into the reservoir. For example, the capsule chamber may be configured with the capsule lid having a surface that can be depressed to deploy the contents of the capsule through or around the dividing member of the capsule chamber to the lubricant reservoir. The capsule lid may be a push-activated lid capsule, where manual pressure from pushing a surface of the lid disrupts the integrity of the dividing member such as a wall or floor of the capsule. The disruption may be from a blunt or a sharp element in the capsule being displaced to displace or puncture the wall or floor of the capsule and/or may comprise a change in the pressurization of the capsule thus rupturing or displacing the wall(s) and/or floor of the capsule. Other mechanisms include a plunger mechanism, puncture mechanism, slice mechanism, tearing mechanism, peeling mechanism, air pressure mechanism to effectively pop the capsule or combinations thereof.

(13) The one or more capsules are chambers retained proximate the reservoir with a portion of the capsule positioned within the container portion. The lid of the device may have one or more apertures for holding the one or more capsules with the capsule lid or other capsule surface exposed to a user. The lid may also have surfaces to securely hold the capsule while the capsule cover or lid is pushed or otherwise as the capsule contents are deployed. Thus, the opening of the sealed capsule allows for the biological agent in the capsule to be released into an interior cavity of the container portion such as the reservoir.

(14) Optional shaking or agitation of the device itself aids in further mixing and/or combining the biological agent from one or more capsules with the seed lubricant in the reservoir. After the capsule contents have been deployed, the device lid may be removed so the mixture can be applied to seeds in a seed box, scooped into a seed hopper with a scoop provided with the device and/or otherwise applied to the seeds just prior to planting as a preparation step immediately preceding planting and/or concurrently with planting.

(15) As the device allows for the use of the sealed capsule(s) for the biological agent(s) where the contents of the capsules remain viable for extended periods of time and segregated from the container portion of the device and any contents therein, the device prevents inadvertent mixing of components and allows an assembled device with one or more sealed capsules and optionally with a seed lubricant in the reservoir to be stored long-term while retaining the viability of the biological agent sealed therein. For example, the device may be stored for days, weeks or even months before the contents are mixed.

(16) The biological agent described herein generally refers to one or more microorganisms and/or spores beneficial to the seed, soil, plant, or combinations thereof. The biological agent may comprise beneficial microbes, inoculants, nutrients, as well as fungicides, insecticides, nematicides, plant growth regulators, fertilizers, micronutrients and the like as well as combinations thereof. Both natural and synthetic biological agents are contemplated and within the scope of this

disclosure. For example, the biological agent may comprise a synthetic fungicide such as an acylalanine fungicide with systemic function. Example of which include but are not limited to Metalaxyl (methyl N-(methoxyacetyl)-N-(2,6-xylyl)-DL-alaninate).

(17) The seed lubricant described herein may be a seed flow lubricant including but not limited to a lubricant comprising a mixture of talc and graphite. Additional and alternative seed lubricants may be used in the reservoir of the device according to one or more embodiments described herein.

(18) The device may be comprised of a material suitable for long- and short-term storage of seed lubricant. For example, the device including one or both of the container portion and lid may be constructed of a metal, hard plastic material, composite materials, or combinations thereof. One or both of the container portion and/or lid may be transparent, semi-transparent or translucent or have an area that is transparent, semi-transparent or translucent so that the contents in the container may be seen or a quantity therein observed without removing the lid from the container portion.

(19) The size and overall dimensions of the device may vary by end use and quantity needed. The device may be configured with dimensions and a corresponding lid to support one or more capsules therein, including up to six or more capsules. The container portion may have a size ranging from one to five gallons or more. In one or more embodiments the lid may serve as a tray and further provide recessed surfaces for holding accessories in addition to one or more capsules.

(20) The capsule and capsule lid may be comprised of a material suitable for long-term storage of biological agents and the capsule may be comprised of metal, plastics, flexible films, composite materials or combinations thereof.

(21) The device may further comprise a handle for ease of transport of the device.

(22) One embodiment of the device **10** is illustrated in FIGS. **1-5**. The device **10** comprises a main body **12** and a lid **14** therefor. The main body **12** is a container portion having a floor and open top with a cavity **16** therein. The cavity **16** comprises a reservoir which may be considered a chamber for seed lubricant.

(23) The lid **14** has a perimeter **22** which provides a lid for connection with the main body **12**. The lid **14** supports one or more capsules, or chambers, **24** which are sealed capsules **24**. In the embodiment illustrated, the lid **14** holds three capsules **24** and these capsules **24** are embedded or integral with the lid **14**. Thus, the capsules **24** transcend the lid **14** and extend into the main body **12**. However, the capsules **24** may alternatively be removably coupled to openings in the lid **14** while extending below the lid **14** into the main body **12** in a similar manner. The capsules **24** have one or more walls, a floor and a top such that the capsule **24** is a closed chamber which isolates the contents therein from the main body **12** and/or prevents mixing of the content of the capsule **24** with the contents of the main body **12** or chamber. The capsules **24** may be sealed as necessary to retain the contents in a viable state.

(24) Each capsule **24** comprises one or more dividing members **32** which may be a wall(s) and/or floor(s) of the capsule **24** or portions thereof. Deployment of the contents of the chamber **24** into the main body comprises rupturing and/or displacing this dividing member **32**. The one or more dividing members **32** may be made from the same or different material than a capsule lid **20** or other portions of the capsule **24** as the dividing member **32** is tearable, frangible, puncturable, rupturable, dissolvable, movable or combinations thereof.

(25) The device **10** further comprises a deployment mechanism that is actuated to deploy the contents from one or more capsules **24** into the main body **12** of the device **10**. This allows the contents of the capsule **24** to be stored long term and mixed with the contents of the main body **12** directly prior to applying the mixture to seed for planting. The deployment mechanism is a push-button **34** which can be manually depressed to effect rupture, tearing, puncture, dissolution, movement, opening and/or otherwise preventing the dividing member **32** from separating the contents of the capsule **24** from the main body **12**. The deployment mechanism may comprise a plunger having a push-button **34** positioned on a top of each capsule **24** where the plunger may have an end extending into the capsule **24** and configured to puncture, tear, displace and/or

otherwise break the dividing member 32.

(26) As illustrated in FIGS. 6 and 7, the lid 14 may further be provided with a cover 26 portion for covering a top of the capsules 24 held by the lid 14. The cover 26 provides openings 27 for exposing the deployment mechanisms which may be accessed and deployed while the device 10 is otherwise a closed device. The device 10 may also include a handle 44 for ease of transport. The device 10 may further be provided with a convenient scoop 42 for ease of removal of the seed lubricant and capsule contents after mixing for applying to seed.

(27) While the embodiment illustrated in the figures supports one and three capsules respectively, the device may support one or more capsules including two capsules as well as up to six or more capsules. Each capsule may comprise one type of biological agent or a mixture thereof.

(28) Dimensions and shapes of the capsules, main body, lid and/or cover are not limited to those illustrated in the figures and may vary depending on a quantity of seed lubricant with viable microorganisms desired.

(29) Although the present disclosure has been described with reference to preferred embodiments, workers skilled in the art will recognize that changes may be made in form and detail without departing from the spirit and scope of the disclosure.

Claims

1. A package comprising: a main body containing a seed lubricant; a chamber retaining microorganisms in a viable state; a dividing member separating the main body and the chamber; and a disrupting mechanism that disrupts the dividing member such that the seed lubricant and the microorganisms are blended, and wherein the main body, the chamber and the dividing member form an integral package.
2. The package of claim 1 wherein the dividing member is tearable, frangible, puncturable, rupturable, dissolvable, movable or combinations thereof.
3. The package of claim 1 wherein the disrupting mechanism comprises a manually actuatable component to disrupt the dividing member.
4. The package of claim 1, wherein the disrupting mechanism comprises a plunger having a first end such that the first end disrupts the dividing member upon activation of the disrupting mechanism.
5. The package of claim 1 wherein the seed lubricant comprises a blend of talc and graphite.
6. The package of claim 1 wherein the chamber is a first chamber and the package further comprises at least a second chamber retaining microorganisms therein, wherein the second chamber is separated from the main body by a disruptable dividing member.
7. The package of claim 1 wherein the disrupting mechanism is a push-button, a push-activated lid, a puncture mechanism, a tearing mechanism, a slicing mechanism, a peeling mechanism, an air pressure mechanism or a combination thereof.
8. A package for delivering viable microorganisms to a seeder and/or planter, the package comprising: a lid portion comprising a first chamber, the first chamber containing microorganisms therein; a body portion comprising a second chamber, wherein the lid portion is attachable to the body portion such that the first chamber transcends the lid portion and extends into the second chamber; and a disruptable dividing member separating the microorganisms in the first chamber from the second chamber such that disruption of the dividing member allows release of the microorganisms into the second chamber.
9. The package of claim 8 wherein the first chamber is sealed.
10. The package of claim 8 wherein the dividing member is tearable, frangible, puncturable, rupturable, dissolvable, movable or combinations thereof.
11. The package of claim 10 wherein the first chamber further comprises a deployment mechanism configured to disrupt the dividing member to release the microorganisms from the first chamber

into the second chamber.

12. The package of claim 11 wherein the deployment mechanism comprises a push-button accessible from a top of the first chamber and operably connected to a plunger within the first chamber, and wherein the plunger is configured to disrupt the dividing member.

13. The package of claim 8 wherein the second chamber comprises seed flow lubricant therein.

14. The package of claim 13 wherein the seed flow lubricant is a blend of talc and graphite lubricant.

15. The package of claim 8 and further comprising a plurality of first chambers each comprising microorganisms.

16. The package of claim 8 wherein the dividing member comprises one or more surfaces, walls, or floor of the first chamber.

17. The packaging of claim 8 wherein the lid portion is removably connectable to the second chamber to close off the second chamber.

18. The packaging of claim 8 wherein one or a plurality of first chambers are integrated into the lid portion.

19. A method of delivering viable microorganisms to a seeder and/or planter, the method comprising: providing a package comprising a first chamber containing microorganisms therein and a second chamber containing a seed lubricant therein and a disruptable dividing member separating the first chamber from the second chamber; disrupting the dividing member separating a first chamber from a second chamber and thereby introducing the microorganisms into the second chamber with the seed lubricant to form a viable microbial lubricant mixture; and applying the viable microbial lubricant mixture to seed.

20. The method of claim 19 and further comprising pushing a portion of the first chamber to move a plunger inside the first chamber to disrupt the dividing member.

21. The method of claim 19 and further comprising transporting and storing the package with the microorganisms separated from the seed lubricant and waiting to disrupt the dividing member and mixing the microorganisms and seed lubricant until a time for lubricating the seeds in a seed box or planter.

22. The method of claim 19 and further comprising waiting one or more days before disrupting the dividing member separating a first chamber from a second chamber and mixing the microorganisms and seed lubricant.

23. The method of claim 19 and further comprising waiting one or more months before disrupting the dividing member separating a first chamber from a second chamber and mixing the microorganisms and seed lubricant.

24. A method of providing a package for selectively delivering viable microorganisms, the method comprising: providing microorganisms within a chamber of a lid portion of a package, wherein the lid portion includes a disrupting member configured to disrupt a surface of the chamber; providing a seed lubricant within a body portion of the package; and attaching the lid portion of the package to the body portion such that the surface of the chamber separates the microorganisms from the seed lubricant.

25. The method of claim 24, wherein the lid portion is selectively removable from the body portion.

26. The method of claim 24, wherein attaching the lid portion of the package to the body portion comprises extending at least a portion of the first chamber into the body portion of the package.

27. The method of claim 24, further comprising providing additional microorganisms within one or more additional chambers of the lid portion of the package, and wherein each of the one or more additional chambers comprises a respective disrupting member configured to disrupt a surface of the respective additional chamber.
