



US0D1087886S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,087,886 S**
Brunhofer et al. (45) **Date of Patent:** **** Aug. 12, 2025**

(54) **BATTERY**

(71) Applicant: **KTM AG**, Mattighofen (AT)

(72) Inventors: **Wolfgang Brunhofer**, Altheim (AT);
David Marschall, Salzburg (AT);
Marco Luff, Seekirchen am Wallersee
(AT); **Felix Bernhard**, Bad Vigaun
(AT); **Andy Schuhmacher**, Salzburg
(AT); **Lorenzo Zappata**, Hallein (AT);
Stefan Hasenöhr, Wals (AT); **Patrick
Baumann**, Illmensee (DE); **Maxime
Lefebvre**, Puch (AT); **Armir Zeka**,
Salzburg (AT)

(73) Assignee: **KTM AG**, Mattighofen (AT)

(**) Term: **15 Years**

(21) Appl. No.: **29/891,664**

(22) Filed: **May 9, 2023**

(51) **LOC (15) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**

USPC D13/103, 104, 105, 107, 109, 110, 112,
D13/119, 120, 121, 154, 183, 184, 199
CPC H01M 4/133; H01M 4/1393; H01M
10/0431; H01M 50/143; H01M 50/449
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D458,228 S * 6/2002 Jacobson D13/152
D913,916 S * 3/2021 Zaremba D13/107
D929,462 S * 8/2021 Frank D13/110
D1,004,541 S * 11/2023 Bos D13/107
D1,015,272 S * 2/2024 Toms D13/112
D1,015,377 S * 2/2024 Toms D13/112

D1,022,880 S * 4/2024 Stanciu D13/107
D1,024,933 S * 4/2024 Li D13/107
D1,029,747 S * 6/2024 Cook D13/103

(Continued)

FOREIGN PATENT DOCUMENTS

CH 141529-0005 * 6/2015
CN 304553653 * 3/2018

(Continued)

OTHER PUBLICATIONS

Generic 650W DC 48V 60V Brushless Motor, Posted Aug. 12, 2022
[Online] [Retrieved Jul. 11, 2024] Retrieved From Internet, <https://www.amazon.com/Brushless-BM1418ZXF-Electric-Tricycle-Motorcycle/dp/B0B9H1VQSC?th=1> (Year: 2022).*

Primary Examiner — Leanne Was-Englehart

Assistant Examiner — Devin Kelly

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57)


CLAIM

The ornamental design for a battery as shown and described.

DESCRIPTION

FIG. 1 is a front view of a battery;
FIG. 2 is a left front perspective view of the battery of FIG. 1;
FIG. 3 is another left front perspective view of the battery of FIG. 1;
FIG. 4 is a left side view of the battery of FIG. 1;
FIG. 5 is a left rear perspective view of the battery of FIG. 1;
FIG. 6 is another left rear perspective view of the battery of FIG. 1;
FIG. 7 is a rear view of the battery of FIG. 1;
FIG. 8 is a right side view of the battery of FIG. 1;
FIG. 9 is a top view of the battery of FIG. 1; and,
FIG. 10 is bottom view of the battery of FIG. 1.
The broken lines depict portions of the battery that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,032,519 S * 6/2024 Huang D13/110
2008/0295993 A1 * 12/2008 Chen F28D 15/0275
165/104.33

FOREIGN PATENT DOCUMENTS

CN 308559231 * 4/2024
CN 308623856 * 5/2024
IN 368623-001 * 5/2023
WO D230970-001 * 9/2023
WO D230970-002 * 9/2023

* cited by examiner




FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6




FIG. 7

FIG. 8




FIG. 9




FIG. 10

