



US 20250282847A1

(19) **United States**(12) **Patent Application Publication**
SHUGAEVA et al.(10) **Pub. No.: US 2025/0282847 A1**(43) **Pub. Date: Sep. 11, 2025**(54) **CODON-OPTIMIZED NUCLEIC ACID
ENCODING THE FVIII-BDD**(30) **Foreign Application Priority Data**

Apr. 28, 2022 (RU) 2022111734

(71) Applicant: **JOINT STOCK COMPANY
"BIOCAD", Saint Petersburg (RU)****Publication Classification**(72) Inventors: **Tatiana Evgenievna SHUGAEVA**,
Moscow (RU); **Elena Veniaminovna
VLASOVA**, g. Sortavala (RU);
Anastasiia Vladimirovna FOMINA, g.
Ulyanovsk (RU); **Mariya Pavlovna
PEREPELKINA**, Saint Petersburg
(RU); **Anna Nikolaevna
STRELKOVA**, g. Yaransk (RU); **Pavel
Mikhailovich GERSHOVICH**, Saint
Petersburg (RU); **Pavel Andreevich
IAKOVLEV**, Saint Petersburg (RU);
Dmitry Valentinovich MOROZOV,
Saint Petersburg (RU)(51) **Int. Cl.****C07K 14/755** (2006.01)**A61K 38/37** (2006.01)**A61K 48/00** (2006.01)**A61P 7/04** (2006.01)**C12N 15/86** (2006.01)(52) **U.S. Cl.**CPC **C07K 14/755** (2013.01); **A61K 38/37**
(2013.01); **A61K 48/005** (2013.01); **A61P 7/04**
(2018.01); **C12N 15/86** (2013.01); **C12N**
2750/14143 (2013.01); **C12N 2830/50**
(2013.01)(21) Appl. No.: **18/859,760**(22) PCT Filed: **Apr. 18, 2023**(86) PCT No.: **PCT/RU2023/050094**

§ 371 (c)(1),

(2) Date: **Oct. 24, 2024****ABSTRACT**

The present application relates to the fields of genetics, gene therapy, and molecular biology. More specifically, the present invention relates to a codon-optimized nucleic acid that encodes the FVIII-BDD (B-domain deleted coagulation factor VIII) protein, to an expression cassette and a vector based thereon, to a host cell for producing FVIII-BDD, as well as to various uses of the above vector.

Specification includes a Sequence Listing.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

CODON-OPTIMIZED NUCLEIC ACID ENCODING THE FVIII-BDD

FIELD OF THE INVENTION

[0001] The present application relates to the fields of genetics, gene therapy, and molecular biology. More specifically, the present invention relates to a codon-optimized nucleic acid that encodes the FVIII-BDD (B-domain deleted coagulation factor VIII) protein, to an expression cassette and a vector based thereon, to a host cell for producing FVIII-BDD, as well as to various uses of the above vector.

BACKGROUND OF THE INVENTION

[0002] Haemophilia is a recessive, X-linked, inherited disorder causing a deficiency of one of the proteins involved in secondary hemostasis. Haemophilia A, or classic haemophilia, is the most common variant of haemophilia; it occurs in 1 out of 5000 newborn males (Report on the annual global survey 2019, WFH <https://www.wfh.org/en/our-work-research-data/annual-global-survey>) and is caused by a deficiency of coagulation factor VIII protein. According to the Russian Haemophilia Society, there are more than 6.5 thousand patients with haemophilia A in Russia (Report on the annual global survey 2019, WFH).

[0003] Coagulation factor VIII (FVIII) is a 280 kDa protein that is secreted into the blood mainly from sinusoidal liver epithelial cells (Fahs SA, Hille MT, Shi Q, Weiler H, Montgomery RR. A conditional knockout mouse model reveals endothelial cells as the principal and possibly exclusive source of plasma factor VIII/Blood. 2014 Jun. 12;123 (24): 3706-13. doi: 10.1182/blood-2014-02-555151. Epub 2014 Apr. 4. PMID: 24705491 and Everett LA, Cleuren AC, Khoriaty RN, Ginsburg D. Murine coagulation factor VIII is synthesized in endothelial cells/Blood. 2014 Jun. 12;123 (24): 3697-705. doi: 10.1182/blood-2014-02-554501. Epub 2014 Apr. 9. PMID: 24719406). Activated FVIII circulates in an organism as a heterodimer consisting of a heavy chain (A1, A2, B domains) and a light chain (A3, C1, C3 domains) bound to one another through non-covalent metal-dependent interactions. As a result of FVIII processing, only A1-A3, C1, C2 domains are present in the activated form of the protein. This fact contributed to the generation of a B-domain deleted recombinant FVIII (FVIII-BDD), which is not inferior in activity thereof to full-length FVIII (Pitman DD, Alderman EM, Tomkinson KN, Wang JH, Giles AR, Kaufman RJ. Biochemical, immunological, and in vivo functional characterization of B-domain-deleted factor VIII/Blood. 1993 Jun. 1;81 (11): 2925-35. PMID: 8499631). Unlike other proteins of the blood coagulation cascade, which mainly belong to proteases, FVIII is a glycoprotein. However, it plays a crucial role in the formation of a tenase complex that is necessary for the generation of activated coagulation factor X (FXa), the first member of the final common coagulation pathway, which ultimately leads to cross-linked fibrin formation.

[0004] Inversions of intron 1 or intron 22 of the FVIII gene originate more than half of cases of severe haemophilia A (Habart D, Kalabova D, Novotny M, Vorlova Z. Thirty-four novel mutations detected in factor VIII gene by multiplex CSGE: modeling of 13 novel amino acid substitutions/J Thromb Haemost. 2003 April;1 (4): 773-81. doi: 10.1046/j.1538-7836.2003.00149.x. PMID: 1287141). In other cases, abnormalities in the FVIII sequence are associated with

various mutations, including antisense mutations, reading frame shifts, splice-site mutations, deletions and insertions.

[0005] The tendency to bleeding in haemophilia A is correlated with the defined FVIII activity and is classified as mild (0.05-0.40 IU/ml), moderate (0.01-0.05 IU/ml) or severe (<0.01 IU/ml). Patients with mild haemophilia typically experience abnormal bleeding only in connection with medical intervention or injuries. On the contrary, patients with moderate haemophilia exhibit prolonged bleeding reactions to relatively minor injuries, and patients with severe disease often have spontaneous bleeding. Severe haemophilia A manifests with spontaneous haemarthrosis, soft-tissue hematomas, retroperitoneal hemorrhage, intracerebral hemorrhage and delayed postoperative bleeding. Over time, complications from recurrent haemarthrosis and soft-tissue hematomas can result in severe arthropathy, joint contractures, and pseudotumours, leading to chronic diseases. The proportion of patients with mild, moderate and severe variants of haemophilia A is not precisely known, but recent epidemiological studies reported that approximately 60% of patients with haemophilia A have a severe variant (Report on the annual global survey 2019, WFH).

[0006] To date, lifelong replacement therapy in the form of injections of recombinant FVIII is the standard of care for patients with haemophilia A (Report on the annual global survey 2019, WFH). Despite the success achieved in the therapy of haemophilia, this approach has serious problems. Prophylactic replacement therapy in haemophilia A involves intravenous injections of recombinant FVIII every 3 days throughout the life of a patient with a severe variant of the disease. Such treatment approach is very expensive and does not guarantee the absence of complications primarily associated with haemarthrosis. In some cases, patients develop inhibitory antibodies. Inhibitory variants of haemophilia A are more typically observed in patients with severe disease and require the use of alternative approaches to the treatment and prophylaxis of the disease (Eckhardt CL, van der Bom JG, van der Naald M, Peters M, Kamphuisen PW, Fijnvandraat K. Surgery and inhibitor development in haemophilia A: a systematic review/J Thromb Haemost. 2011 October; 9 (10): 1948-58. doi: 10.1111/j.1538-7836.2011.04467.x. PMID: 21838755).

[0007] Gene therapy of haemophilia A by means of adeno-associated virus (AAV)-based viral (expression) vectors encoding the FVIII gene has shown excellent results in a series of preclinical and clinical studies (Bunting S, Zhang L, Xie L, Bullens S, Mahimkar R, Fong S, Sandza K, Harmon D, Yates B, Handyside B, Sihh CR, Galicia N, Tsuruda L, O'Neill CA, Bagri A, Colosi P, Long S, Vehar G, Carter B. Gene Therapy with BMN 270 Results in Therapeutic Levels of FVIII in Mice and Primates and Normalization of Bleeding in Hemophilic Mice/Mol Ther. 2018 Feb. 7;26 (2): 496-509. doi: 10.1016/j.ymthe.2017.12.009. Epub 2017 Dec. 14. PMID: 29292164 and Peyvandi F, Garagiola I. Clinical advances in gene therapy updates on clinical trials of gene therapy in haemophilia/Haemophilia. 2019 September;25 (5): 738-746. doi: 10.1111/hae.13816. Epub 2019 Jul. 8. PMID: 31282050). Unlike traditional approaches to the treatment of haemophilia, gene therapy using AAV allows maintaining the expression levels of extrinsic FVIII at a sufficient level for several years following a single administration of the therapeutic to patients (Long BR, Veron P, Kuranda K, Hardet R, Mitchell N, Hayes GM, Wong WY, Lau K, Li M, Hock MB, Zoog SJ, Vetter-

mann C, Mingozi F, Schweighardt B. Early Phase Clinical Immunogenicity of Valoctocogene Roxaparvovec, an AAV5-Mediated Gene Therapy for Haemophilia A/Mol Ther. 2021 Feb. 3;29 (2): 597-610. doi: 10.1016/j.ymthe.2020.12.008. Epub 2020 Dec. 10. PMID: 33309883).

[0008] To date, no gene therapy product has been registered in the world for the treatment of haemophilia A.

[0009] Thus, there is a need to develop a gene therapy product for the treatment of haemophilia A, as well as solutions that will improve the efficacy of the gene therapy product for the treatment of haemophilia A.

Disclosure of the Essence of the Invention

[0010] One of the urgent purposes of research in the area of development of effective gene therapy is codon optimization of genes of interest in vectors to achieve the maximum level of production of the protein of interest, which, in turn, will allow using lower doses of the vector to achieve a significant effect.

[0011] The authors of the invention surprisingly found that a codon-optimized nucleic acid that encodes the FVIII-BDD (B-domain deleted coagulation factor VIII) protein with the amino acid sequence of SEQ ID NO: 11 and includes a nucleotide sequence that is selected from the group: SEQ ID NO: 2 (variant FVIII-BDDco-v1), SEQ ID NO: 3 (variant FVIII-BDDco-v2), SEQ ID NO: 4 (variant FVIII-BDDco-v3) or SEQ ID NO: 5 (variant FVIII-BDDco-v4) surprisingly causes increased levels of FVIII-BDD gene expression, increased levels of coagulation factor VIII-BDD protein production, as well as to increased levels of coagulation factor VIII-BDD protein activity with fold increase as compared to a wild-type gene encoding the coagulation factor VIII-BDD (FVIII-BDD-wt). These variants of the codon-optimized nucleic acid according to the invention with a nucleotide sequence selected from the group: SEQ ID NO: 2 (variant FVIII-BDDco-v1), SEQ ID NO: 3 (variant FVIII-BDDco-v2), SEQ ID NO: 4 (variant FVIII-BDDco-v3) or SEQ ID NO: 5 (variant FVIII-BDDco-v4) are included in the expression cassette and the vector based thereon.

Definitions and General Methods

[0012] Unless defined otherwise herein, all technical and scientific terms used in connection with the present invention will have the same meaning as is commonly understood by those skilled in the art.

[0013] Furthermore, unless otherwise required by context, singular terms shall include plural terms, and the plural terms shall include the singular terms. Typically, the present classification and methods of cell culture, molecular biology, immunology, microbiology, genetics, analytical chemistry, organic synthesis chemistry, medical and pharmaceutical chemistry, as well as hybridization and chemistry of protein and nucleic acids described herein are well known by those skilled and widely used in the art. Enzyme reactions and purification methods are performed according to the manufacturer's guidelines, as is common in the art, or as described herein.

[0014] The terms "naturally occurring", "native", or "wild-type" are used to describe an object that can be found in nature as distinct from being artificially produced. For example, a protein or nucleotide sequence present in an organism, including in a virus, which can be isolated from

a source in nature and that has not been intentionally modified by a person in the laboratory, is naturally occurring.

[0015] As used in the present description and claims that follow, unless otherwise dictated by the context, the words "include" and "comprise", or variations thereof such as "includes", "including", "comprises", or "comprising", will be understood to imply the inclusion of a stated integer or group of integers but not the exclusion of any other integer or group of integers.

Protein (Peptide)

[0016] As used in the present description, the terms "peptide", "polypeptide" and "protein" are used interchangeably, and they refer to a compound consisting of amino acid residues that are covalently linked by peptide bonds. The polypeptides include natural peptides, recombinant peptides, synthetic peptides, or a combination thereof.

Nucleic Acid Molecules

[0017] The terms "nucleic acid", "nucleic sequence", "nucleic acid sequence", "polynucleotide", "oligonucleotide", "polynucleotide sequence" and "nucleotide sequence", used interchangeably in the present description, mean a precise sequence of nucleotides, modified or not, determining a fragment or a region of a nucleic acid, containing unnatural nucleotides or not, and being either a double-strand DNA or RNA, a single-strand DNA or RNA, or transcription products of said DNAs.

[0018] As used in the present description, polynucleotides include, as non-limiting examples, all nucleic acid sequences which are obtained by any means available in the art, including, as non-limiting examples, recombinant means, i.e. the cloning of nucleic acid sequences from a recombinant library or a cell genome, using ordinary cloning technology and PCR and the like, and by synthetic means.

[0019] It should also be included here that the present invention does not relate to nucleotide sequences in their natural chromosomal environment, i.e. in a natural state. The sequences of the present invention have been isolated and/or purified, i.e., they were sampled directly or indirectly, for example by copying, their environment having been at least partially modified. Thus, isolated nucleic acids obtained by recombinant genetics, by means, for example, of host cells, or obtained by chemical synthesis should also be mentioned here.

[0020] Unless otherwise indicated, the term nucleotide sequence encompasses its complement. Thus, a nucleic acid having a particular sequence should be understood as one which encompasses the complementary strand thereof with the complementary sequence thereof.

Vector

[0021] The term "vector" as used herein means a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. Furthermore, the term "vector" herein refers to a recombinant viral particle capable of transporting a nucleic acid.

[0022] As used in the present description, the term "expression" is defined as the transcription and/or translation of a particular nucleotide sequence driven by its promoter.

Use

[0023] “Gene therapy” is the insertion of genes into subject’s cells and/or tissues to treat a disease, typically hereditary diseases, in which a defective mutant allele is replaced with a functional one.

[0024] “Treat”, “treatment” and “therapy” refer to a method of alleviating or abrogating a biological disorder and/or at least one of attendant symptoms thereof.

[0025] The terms “subject”, “patient”, “individual”, and the like are used interchangeably in the present description, and they refer to any animal which is amenable to the methods described in the present description. In certain non-limiting embodiments, the subject, patient or individual is a human. Said subject may be either male or female, of any age.

[0026] “Therapeutically effective amount” or “effective amount” refers to that amount of the therapeutic agent being administered which will relieve to some extent one or more of the symptoms of the disease being treated.

DETAILED DESCRIPTION OF THE INVENTION

Nucleic Acid

[0027] In one aspect, the present invention relates to an isolated codon-optimized nucleic acid that encodes the FVIII-BDD (B-domain deleted coagulation factor VIII) protein with the amino acid sequence of SEQ ID NO: 11 and includes a nucleotide sequence that is selected from the group: SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4 or SEQ ID NO: 5.

[0028] An “isolated” nucleic acid molecule is one which is identified and separated from at least one nucleic acid molecule-impurity. An isolated nucleic acid molecule is different from the form or set in which it is found under natural conditions. Thus, an isolated nucleic acid molecule is different from a nucleic acid molecule that exists in cells under natural conditions.

[0029] One of the properties of the genetic code is degeneracy, i.e. the ability of different codons (trinucleotides) to encode the same amino acid. Such codons that are translated to the same amino acid are called synonymous codons. In natural sequences, one of the synonymous codons is selected randomly in the course of evolution, but the frequencies of usage of synonymous codons are different: each amino acid has more and less preferred ones. Codon optimization is a widely used technique to amplify the production of protein molecules, which provides a rational mapping of one of suitable synonymous codons to each amino acid in a protein sequence. One of the common principles of codon optimization involves the usage of the most frequent codons, whereas other approaches were introduced later, such as harmonization (reproduction of distribution of codon usage frequencies), but they do not always increase productivity. In addition to codon frequencies, the sequence GC content (ratio of guanine and cytosine to the total length of the sequence) may affect the production efficiency, in particular, it was shown that high GC content is associated with increased mRNA levels in mammalian cells (Grzegorz Kudla ET AL., High Guanine and Cytosine Content Increases mRNA Levels in Mammalian Cells, June 2006, Volume 4, Issue 6, e180, pp. 933-942). It is further worth

noting that stable secondary structure elements of mRNA, i.e. those having a low free folding energy, may reduce the efficiency.

[0030] Different variants of codon-optimization of the sequence of a gene of interest may lead to the following (as compared to a wild-type gene):

[0031] a) expression levels of the genes of interest will be slightly increased;

[0032] b) expression levels of the genes of interest will be significantly increased;

[0033] c) expression levels of the genes of interest will remain approximately at the same level;

[0034] d) expression levels of the genes of interest will be lowered.

[0035] The above codon-optimized nucleic acid according to the invention was produced by codon-optimizing a wild-type nucleic acid with the nucleotide sequence of SEQ ID NO: 1.

[0036] As a result of codon optimization of the FIX-BDD protein-encoding wild-type nucleic acid having the nucleotide sequence of SEQ ID NO: 1, a number of codon-optimized nucleic acids were produced, which were further tested for the level of protein production as compared to the control FVIII-BDD-wt (wild-type nucleic acid with SEQ ID NO:1).

[0037] All codon-optimized nucleic acids caused an increased level of FVIII-BDD protein production as compared to the wild-type nucleic acid; further, a number of codon-optimized nucleic acids caused a slight increase in the level of FVIII-BDD protein production as compared to the wild-type nucleic acid. In turn, the codon-optimized nucleic acid according to the invention that is selected from the group: SEQ ID NO: 2 (variant FVIII-BDDco-v1), SEQ ID NO: 3 (variant FVIII-BDDco-v2), SEQ ID NO: 4 (variant FVIII-BDDco-v3) or SEQ ID NO: 5 (variant FVIII-BDDco-v4) surprisingly causes increased levels of FVIII-BDD gene expression, increased levels of coagulation factor VIII-BDD protein production, as well as to increased levels of coagulation factor VIII-BDD protein activity with fold increase as compared to a wild-type gene (FVIII-BDD-wt).

Expression Cassette. Expression Vector.

[0038] In one aspect, the present invention relates to an expression cassette comprising any one of the above codon-optimized nucleic acids encoding the FVIII-BDD protein.

[0039] The term “cassette which expresses” or “expression cassette”, as used herein, refers in particular to a DNA fragment that is capable, in an appropriate setting, of triggering the expression of a polynucleotide encoding a polypeptide of interest, the sequence of which is included in said expression cassette. When introduced into a host cell, the expression cassette is, inter alia, capable of engaging cellular mechanisms to transcribe the polynucleotide encoding the polypeptide of interest into RNA that is then typically further processed and eventually translated into the polypeptide of interest. The expression cassette may be contained in an expression vector.

[0040] The expression cassette of the present invention comprises a promoter as an element. The term “promoter” as used herein refers in particular to a DNA element that promotes the transcription of a polynucleotide to which the promoter is operably linked. The promoter may further form part of a promoter/enhancer element. Although the physical boundaries between the “promoter” and “enhancer” elements are not always clear, the term “promoter” typically

refers to a site on the nucleic acid molecule to which an RNA polymerase and/or any associated factors binds and at which transcription is initiated. Enhancers potentiate promoter activity temporally as well as spatially. Many promoters are known in the art to be transcriptionally active in a wide range of cell types. Promoters can be divided into two classes, those that function constitutively and those that are regulated by induction or derepression. The both classes are suitable for protein expression. Promoters that are used for high-level production of polypeptides in eukaryotic cells and, in particular, in mammalian cells, should be strong and preferably active in a wide range of cell types. Strong constitutive promoters which are capable of driving expression in many cell types are well known in the art and, therefore, it is not herein necessary to describe them in detail.

[0041] According to one embodiment of the invention, the HLP promoter is used in the expression cassette of the present invention.

[0042] In some embodiments, the expression cassette includes the following elements in the 5'-end to 3'-end direction:

- [0043]** a left-hand (first) ITR (inverted terminal repeats);
- [0044]** a promoter;
- [0045]** a nucleic acid encoding a signal peptide;
- [0046]** any one of the above codon-optimized nucleic acids encoding the FVIII-BDD protein;
- [0047]** a polyadenylation signal;
- [0048]** a right-hand (second) ITR.

[0049] The above structural elements of the expression cassette are operably linked to one another.

[0050] As used herein, the term "operably linked" refers to a linkage of polynucleotide (or polypeptide) elements in a functional relationship. A nucleic acid is "operably linked" when it is present in functional relationship conditions with another nucleic acid sequence. For example, a transcription regulatory sequence is operably linked to a coding sequence if it affects the transcription of said coding sequence. The term "operably linked" means that the DNA sequences being linked are typically contiguous and, where it is necessary to join two protein coding regions, are also contiguous and are present in the reading frame.

[0051] In some embodiments, the expression cassette includes a left-hand (first) ITR with the nucleotide sequence of SEQ ID NO: 13.

[0052] In some embodiments, the expression cassette includes an HLP promoter with the nucleotide sequence of SEQ ID NO: 14.

[0053] In some embodiments, the expression cassette includes a polyadenylation signal with the nucleotide sequence of SEQ ID NO: 15.

[0054] In some embodiments, the expression cassette includes a right-hand (second) ITR with the nucleotide sequence of SEQ ID NO: 16.

[0055] In some embodiments, the nucleic acid encoding a signal peptide has a nucleotide sequence that is selected from the group: SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 20 or SEQ ID NO: 21.

[0056] In some embodiments, the codon-optimized nucleic acid encoding the FVIII-BDD protein with a signal peptide (FVIII-BDDco-v1 variant) has the nucleotide sequence of SEQ ID NO: 7.

[0057] In some embodiments, the codon-optimized nucleic acid encoding the FVIII-BDD protein with a signal peptide (FVIII-BDDco-v2 variant) has the nucleotide sequence of SEQ ID NO: 8.

[0058] In some embodiments, the codon-optimized nucleic acid encoding the FVIII-BDD protein with a signal peptide (FVIII-BDDco-v3 variant) has the nucleotide sequence of SEQ ID NO: 9.

[0059] In some embodiments, the codon-optimized nucleic acid encoding the FVIII-BDD protein with a signal peptide (FVIII-BDDco-v4 variant) has the nucleotide sequence of SEQ ID NO: 10.

[0060] In some embodiments, the expression cassette includes the following elements in the 5'-end to 3'-end direction:

- [0061]** a left-hand (first) ITR (inverted terminal repeats) with the nucleotide sequence of SEQ ID NO: 13;
- [0062]** a promoter with the nucleotide sequence of SEQ ID NO: 14;
- [0063]** a nucleic acid encoding a signal peptide that has a nucleotide sequence that is selected from the group: SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 20 or SEQ ID NO: 21;
- [0064]** any one of the above codon-optimized nucleic acids encoding the FVIII-BDD protein;
- [0065]** a polyadenylation signal with the nucleotide sequence of SEQ ID NO: 15;
- [0066]** a right-hand (second) ITR with the nucleotide sequence of SEQ ID NO: 16.

[0067] In some embodiments, the expression cassette includes the following elements in the 5'-end to 3'-end direction:

- [0068]** a left-hand (first) ITR (inverted terminal repeats) with the nucleotide sequence of SEQ ID NO: 13;
- [0069]** a promoter with the nucleotide sequence of SEQ ID NO: 14;
- [0070]** a codon-optimized nucleic acid encoding the FVIII-BDD protein with a signal peptide, the codon-optimized nucleic acid having a nucleotide sequence that is selected from the group: SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9 or SEQ ID NO: 10;
- [0071]** a polyadenylation signal with the nucleotide sequence of SEQ ID NO: 15;
- [0072]** a right-hand (second) ITR with the nucleotide sequence of SEQ ID NO: 16.

[0073] In one aspect, the present invention relates to an expression vector that includes any one of the above codon-optimized nucleic acids encoding the FVIII-BDD protein, or any one of the above expression cassettes.

[0074] In some embodiments of the invention, the vector is a plasmid, i.e. a circular double stranded piece of DNA into which additional DNA segments may be inserted.

[0075] In some embodiments of the invention, the vector is a viral (expression) vector, wherein additional DNA segments may be inserted into the viral genome.

[0076] In some embodiments of the invention, vectors are capable of autonomous replication in a host cell into which they are introduced (e.g. bacterial vectors having a bacterial site of replication origin and episomal vectors). In further embodiments of the invention, vectors (e.g. non-episomal vectors) may be integrated into the genome of a host cell upon introduction into a host cell, and thereby are replicated along with the host gene. Moreover, certain vectors are capable of directing the expression of genes to which they

are operably linked. Such vectors are referred to herein as “recombinant expression vectors” (or simply, “expression vectors”).

[0077] Expression vectors include plasmids, retroviruses, adenoviruses, adeno-associated viruses (AAVs), plant viruses, such as cauliflower mosaic virus, tobacco mosaic virus, cosmids, YACs, EBV, and the like. DNA molecules may be inserted into a vector such that transcriptional and translational control sequences within the vector serve their intended function of regulating the transcription and translation of the DNA. An expression vector and expression control sequences may be chosen to be compatible with the expression host cell used. DNA molecules may be introduced into the expression vector by standard methods (e.g. ligation of complementary restriction sites, or blunt end ligation if no restriction sites are present).

[0078] In some embodiments, the expression vector is a recombinant adeno-associated virus (AAV).

[0079] In some embodiments, the AAV is selected from a group including the following AAV serotypes: AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV11, AAV12, AAV13, AAV14, AAV15, AAV16, rAAV.rh8, rAAV.rh10, rAAV.rh20, rAAV.rh39, rAAV.Rh74, rAAV.RHM4-1, AAV.hu37, rAAV.Anc80, rAAV.Anc80L65, rAAV.7m8, rAAV.PHP.B, rAAV2.5, rAAV2tYF, rAAV3B, rAAV.LK03, AAV.HSC1, AAV.HSC2, AAV.HSC3, AAV.HSC4, AAV.HSC5, AAV.HSC6, AAV.HSC7, AAV.HSC8, AAV.HSC9, AAV.HSC10, AAV.HSC11, AAV.HSC12, AAV.HSC13, AAV.HSC14, AAV.HSC15 or AAV.HSC16.

[0080] In some embodiments of the invention, the vector or cassette may include an expression control sequence. The term “expression control sequence” as used in the present description refers to polynucleotide sequences that are necessary to effect the expression and processing of coding sequences to which they are inserted. It will be understood by those skilled in the art that the design of an expression vector or cassette, including the selection of expression control sequences, may depend on such factors as the choice of the type of a host cell to be transformed, the required level of expression of a protein, and so forth. The expression control sequences include appropriate transcription initiation, termination, promoter and enhancer sequences; efficient RNA processing signals such as splicing and polyadenylation signals; sequences that stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (i.e., Kozak consensus sequence); sequences that enhance protein stability; and when desired, sequences that enhance protein secretion. The nature of such control sequences differs depending upon the host organism; in prokaryotes, such control sequences generally include a promoter, a ribosome binding site, and transcription termination sequences; in eukaryotes, such control sequences typically include promoters and transcription termination sequences. Preferred expression control sequences for an expression host cell in a mammal include viral elements that ensure high levels of protein expression in mammalian cells, such as promoters and/or enhancers derived from a retroviral LTR, cytomegalovirus (CMV) (such as a CMV promoter/enhancer), simian virus 40 (SV40) (such as a SV40 promoter/enhancer), adenovirus, (e.g. the major late promoter adenovirus (AdMLP)), polyomavirus and strong mammalian promoters such as TTR promoter, native immunoglobulin promoter, actin promoter, and HLP (hybrid liver-specific promoter).

Expression control sequences encompass at least all components whose presence is important for expression and processing.

[0081] In addition to the above genes and expression control sequences, recombinant expression vectors of the invention may carry additional sequences, such as sequences that regulate replication of a vector in host cells (e.g. origins of replication) and selectable marker genes. The selectable marker gene facilitates the selection of host cells into which a vector or cassette has been introduced.

[0082] In one embodiment of the present invention, the expression vector relates to a vector comprising one or more polynucleotide sequences of interest, genes of interest, or transgenes that are flanked by parvoviral sequences or inverted terminal repeat (ITR) sequences.

[0083] Neither the cassette nor the vector of the invention comprises nucleotide sequences of genes encoding non-structural proteins (Rep) and structural proteins (Cap) of the adeno-associated virus.

Host Cell

[0084] In one aspect, the present invention relates to a host cell for producing the FVIII-BDD protein or for producing any one of the above expression vectors, which comprises any one of the above codon-optimized nucleic acids encoding the FVIII-BDD protein.

[0085] The term “host cell” as used herein refers to a cell into which a recombinant expression vector or cassette according to the invention has been introduced. The present invention relates to host cells, which may include, for example, the above-described vector according to the invention. It should be understood that “host cell” refers not only to a particular subject cell but to the progeny of such cell as well. Since modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to a parental cell; however, such cells are still included within the scope of the term “host cell” as used herein.

[0086] Expression vectors or cassettes according to the invention may be used for transfection of a mammalian cell, plant cell, bacterial or yeast host cell. Transfection may be carried out by any known technique of introducing polynucleotides into a host cell. Methods for introduction of heterologous polynucleotides into mammalian cells are well known in the art and include dextran-mediated transfection, cationic polymer-nucleic acid complex transfection, calcium phosphate precipitation, polybrene-mediated transfection, protoplast fusion, encapsulation of the polynucleotides in liposomes, and direct microinjection of DNA into nuclei. In addition, the nucleic acid molecules may be introduced into mammalian cells by viral (expression) vectors.

[0087] Mammalian cell lines used as hosts for transformation are well known in the art and include a plurality of immortalized cell lines available. These include, e.g., Chinese hamster ovary (CHO) cells, NSO cells, SP2 cells, HEK-293T cells, FreeStyle 293 cells (Invitrogen), NIH-3T3 cells, HeLa cells, baby hamster kidney (BHK) cells, African green monkey kidney cells (COS), human hepatocellular carcinoma cells (e.g., Hep G2), A549 cells, SK-HEP1, HUH7, Hep-RG and a number of other cell lines. Cell lines are selected by determining which cell lines have high expression levels and provide for necessary characteristics of the protein being produced. Other cell lines that may be used are insect cell lines, such as Sf9 or Sf21 cells. When the

recombinant expression vectors of the invention are introduced into mammalian host cells, the FVIII-BDD protein is produced by culturing the host cells for a period of time sufficient to express the fusion protein in host cells, or, more preferably, secrete the fusion protein into the culture medium in which the host cells are cultured. The fusion protein may be isolated from culture medium using standard protein purification techniques. Plant host cells include e.g. *Nicotiana*, *Arabidopsis*, duckweed, corn, wheat, potato, etc. Bacterial host cells include *Escherichia* and *Streptomyces* species. Yeast host cells include *Schizosaccharomyces pombe*, *Saccharomyces cerevisiae* and *Pichia pastoris*.

[0088] The above host cell does not refer to a host cell produced using human embryos.

[0089] The above host cell does not refer to a host cell produced by modifying the genetic integrity of human germline cells.

Pharmaceutical Composition

[0090] In one aspect, the present invention relates to a pharmaceutical composition for delivering the FVIII-BDD gene to target cells, which includes any one of the above expression vectors or cassettes.

[0091] In some embodiments, the pharmaceutical composition for delivering the FVIII-BDD gene to target cells includes any one of the above expression vectors or cassettes in combination with one or more pharmaceutically acceptable excipients.

[0092] The active substance in the above composition is present in an effective amount, for example, in a biologically effective amount.

[0093] “Pharmaceutical composition” means a composition comprising any one of the above expression vectors according to the invention and at least one of components selected from the group consisting of pharmaceutically acceptable and pharmacologically compatible excipients, fillers, solvents, diluents, carriers, auxiliary agents, distributing agents, or delivery agents.

[0094] The pharmaceutical compositions of the present invention and methods of preparation thereof will be undoubtedly apparent to those skilled in the art. The pharmaceutical compositions should preferably be manufactured in compliance with the GMP (Good Manufacturing Practice) requirements.

[0095] In some embodiments of the pharmaceutical composition, it may include a buffer composition, tonicity agents (osmolyte or osmotic agent), stabilizers and/or solubilizers.

[0096] “Pharmaceutically acceptable” means a material that does not have biological or other negative side effects, for example, the material can be administered to a subject without causing any undesirable biological effects. Thus, such pharmaceutical compositions may be used, for example, in ex vivo transfection of a cell or in vivo administration of any one of the above expression vectors of the invention directly to a subject.

[0097] The term “excipient” is used herein to describe any ingredient other than the above ingredients of the invention. These are substances of inorganic or organic nature which are used in the pharmaceutical production/manufacturing in order to give drug products the necessary physicochemical properties.

[0098] The pharmaceutical composition according to the invention is a stable composition.

[0099] The pharmaceutical composition is “stable” if the active agent retains physical stability and/or chemical stability and/or biological activity thereof during the specified shelf life at storage temperature, for example, of 2-8° C. Preferably, the active agent retains both physical and chemical stability, as well as biological activity. Storage period is adjusted based on the results of stability test in accelerated or natural aging conditions.

[0100] In some embodiments, the pharmaceutical composition is a solution for intravenous administration.

[0101] In some embodiments, the pharmaceutical composition is a concentrate for the preparation of a solution for intravenous administration.

Use

[0102] In one aspect, the present invention relates to the use of any one of the above expression cassettes or vectors or the above composition to deliver the FVIII-BDD gene to target cells.

[0103] In one aspect, the present invention relates to the use of any one of the above expression cassettes or vectors or the above composition to provide the FVIII-BDD protein to a subject who has haemophilia A and/or does not have functional copies of the FVIII gene.

[0104] The lack of functional copies of the FVIII gene refers to inactivating mutations or deletions in all copies of the FVIII gene in the genome, which result in the loss or defect of the function of the FVIII gene.

[0105] In one aspect, the present invention relates to a method for providing the FVIII-BDD protein to a subject with haemophilia A, comprising introducing a therapeutically effective amount of any one of the above expression vectors or the above composition into the cells of the subject in need thereof.

[0106] In one aspect, the present invention relates to a method of delivering the FVIII-BDD gene to target cells of a subject with haemophilia A, comprising introducing any one of the above expression vectors or the above composition into the cells of the subject.

[0107] A subject in need of delivering the FVIII-BDD gene to target cells, or a subject in need of being provided with the FVIII-BDD protein refers to a subject who has haemophilia A, or to a subject who has the deficiency of coagulation factor FVIII, or to a subject who has inactivating mutations or deletions in the FVIII gene that lead to loss of or defect in the function of the FVIII gene.

[0108] In one aspect, the present invention relates to the use of any one of the above expression vectors or the above composition for treating haemophilia A in a subject that has haemophilia A.

[0109] In one aspect, the present invention relates to a method for treating haemophilia A in a subject, comprising administering a therapeutically effective amount of any one of the above expression vectors or the above composition into a subject that has haemophilia A.

[0110] In some embodiments, haemophilia A is severe haemophilia A (<1% factor VIII activity) or moderate haemophilia A (1-5% factor VIII activity).

[0111] Exemplary modes of administration include topical application, intranasal, inhalation, transmucosal, transdermal, enteral (e.g. oral, rectal), parenteral (e.g. intravenous, subcutaneous, intradermal, intramuscular) administrations, as well as direct tissue or organ injections.

[0112] In some embodiments of the use, any one of the above expression vectors or the above composition is administered to the subject as an intravenous infusion.

[0113] Any one of the above expression vectors are administered into an organism in an effective amount. Any one of the above expression vectors is preferably administered into an organism in a biologically effective amount. A “biologically effective” amount of the expression vector is an amount that is sufficient to cause cell transduction and expression of a nucleic acid sequence in the cell. If the expression vector is administered into a cell in vivo, a “biologically-effective” amount of the expression vector is an amount that is sufficient to cause the transduction of target cells and expression of the nucleic acid sequence in a target cell.

[0114] Dosages of any one of the above expression vectors according to the present invention will depend on the mode of administration of a particular vector, and they can be determined in a routine manner.

[0115] The cell for administering any one of the above expression cassettes or vectors according to the invention may be a cell of any type, including but not limited to epithelial cells (e.g. skin, respiratory and gut epithelial cells), hepatic cells, muscle cells, pancreatic cells (including islet cells), hepatic cells, spleen cells, fibroblasts, endothelial cells, and the like.

[0116] Any one of the above expression cassettes or vectors according to the invention is not used to modify the genetic integrity of human germ line cells.

[0117] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a product based thereon, are used as monotherapy.

[0118] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a product based thereon, are used in combination with replacement therapy with coagulation factor concentrates, desmopressin and/or fibrinolysis inhibitors.

[0119] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a product based thereon, are used in combination with a monoclonal antibody (for example, emicizumab).

[0120] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a therapeutic based thereon, are used in combination with RNA interference therapeutics (for example, fitusiran).

[0121] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a product based thereon, are administered into a subject once.

[0122] In some embodiments of the use, any one of the above expression vectors according to the present invention, as well as a product based thereon, are administered into a subject repeatedly.

BRIEF DESCRIPTION OF DRAWINGS

[0123] FIG. 1 is a scheme of plasmid pAAV-hFVIII-BDD comprising the human coagulation factor VIII (FVIII) gene sequence selected from SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 or SEQ ID NO:5. The plasmid sequence further comprises the following elements:

[0124] AmpR is a beta-lactamase gene that provides resistance to ampicillin;

[0125] pUC origin is a pUC replication origin in bacteria;

[0126] ITR is inverted terminal repeats;

[0127] HLP promoter is a synthetic tissue-specific promoter;

[0128] sPA is a synthetic polyadenylation signal sequence, for increasing mRNA stability.

[0129] FIG. 2 is a graph that shows increased level of FVIII-BDD protein production into culture fluid following transfection with codon-optimized nucleic acids encoding the FVIII-BDD (B-domain deleted coagulation factor VIII) protein as compared to a wild-type nucleic acid encoding the FVIII-BDD protein.

[0130] FVIII-BDD protein level following cell transfection:

[0131] 1—with a wild-type nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 1.

[0132] 2—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0133] 3—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 3.

[0134] 4—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 4.

[0135] 5—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 5.

[0136] FIG. 3 is a graph that shows increased level of FVIII-BDD protein activity in culture fluid following transfection with codon-optimized nucleic acids encoding the FVIII-BDD protein (B-domain deleted coagulation factor VIII) as compared to a wild-type nucleic acid encoding the FVIII-BDD protein.

[0137] FVIII-BDD activity level following cell transfection:

[0138] 1—with a wild-type nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 1.

[0139] 2—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0140] 3—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 3.

[0141] 4—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 4.

[0142] 5—with a codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 5.

[0143] FIG. 4 is a graph that shows increased level of FVIII-BDD protein production in case of in vitro delivery of the nucleic acids in the form of an AAV expression vector comprising a codon-optimized nucleic acid encoding the FVIII-BDD protein (B-domain deleted coagulation factor VIII) as compared to an AAV expression vector comprising a wild-type nucleic acid encoding the FVIII-BDD protein.

[0144] FVIII-BDD protein level following cell transduction:

[0145] 1—control solution free of AAV (negative control).

[0146] 2—AAV serotype 6 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0147] 3—AAV serotype 6 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 5.

[0148] 4—AAV serotype 5 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0149] FIG. 5 is a graph that shows increased level of FVIII-BDD protein activity in case of in vitro delivery of the nucleic acids in the form of an AAV expression vector comprising a codon-optimized nucleic acid encoding the FVIII-BDD protein (B-domain deleted coagulation factor VIII) as compared to an AAV expression vector comprising a wild-type nucleic acid encoding the FVIII-BDD protein.

[0150] FVIII-BDD activity level following cell transduction:

[0151] 1—control solution free of AAV (negative control).

[0152] 2—AAV serotype 6 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0153] 3—AAV serotype 6 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 5.

[0154] 4—AAV serotype 5 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0155] FIG. 6 is a graph that shows increased level of the FVIII-BDD protein in case of in vivo delivery of a codon-optimized nucleic acid encoding the FVIII-BDD protein to B6.129S-F8tm1Smoc (HemA) mice in the form of an AAV expression vector.

[0156] FVIII-BDD protein levels in blood plasma of animals following injection:

[0157] 1—control solution free of AAV (negative control).

[0158] 2—AAV serotype 5 expression vector comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

[0159] 3—AAV serotype 6 expression vectors comprising codon-optimized nucleic acid that encodes the FVIII-BDD protein, with the nucleotide sequence of SEQ ID NO: 2.

EXAMPLES

[0160] The following examples are provided for better understanding of the invention. These examples are for purposes of illustration only and are not to be construed as limiting the scope of the invention in any manner.

[0161] All publications, patents, and patent applications cited in this specification are incorporated herein by reference. Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be readily apparent to those of ordinary skill in the art in light of the

teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the appended embodiments.

Materials and General Methods

Recombinant DNA Techniques

[0162] Standard methods were used to manipulate DNA as described in Sambrook, J. et al, *Molecular cloning: A laboratory manual*; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989. The molecular biological reagents were used according to the manufacturer protocols. Briefly, plasmid DNA was produced for further manipulation in *E. coli* cells grown under selective antibiotic pressure so that the plasmids were not lost in the cell population. We isolated the plasmid DNA from cells using commercial kits, measured the concentration, and used it for cloning by restriction endonuclease treatment or PCR amplification. The DNA fragments were ligated to each other using ligases and transformed into bacterial cells for the selection of clones and further production. All resulting genetic constructs were confirmed by restriction patterns and complete Sanger sequencing.

Gene Synthesis

[0163] Desired gene segments were prepared from oligonucleotides made by chemical synthesis. Gene fragments of 300 to 1000 bp long, which were flanked by unique restriction sites, were collected by renaturing oligonucleotides on top of each other, followed by PCR amplification from border primers. As a result, a mixture of fragments was produced, including the desired one. The fragments were cloned at restriction sites into intermediate vectors, following which the DNA sequences of the subcloned fragments were confirmed by DNA sequencing.

Dna Sequence Determination

[0164] DNA sequences were determined by Sanger sequencing. DNA and protein sequences were analyzed and sequence data was processed in SnapGene Viewer 4.2 or higher for sequence creation, mapping, analysis, annotation and illustration.

Culturing Cell Cultures

[0165] The experiments used the following cell lines: HEK293 (Human Embryonic Kidney clone 293), SK-HEP1 (human adenocarcinoma endothelial cell line) and HUH7 (human hepatocellular carcinoma cell lines). The suspended HEK293 cells used to produce AAV were cultured under standard conditions at 37° C. and 5% CO₂ on a complete culture medium without FBS and antibiotic. The adherent SK-HEP1 cells used to test the efficacy of AAV products were cultured under standard conditions at 37° C. and 5% CO₂, on a complete EMEM medium supplemented with 10% FBS, antibiotic/antimycotic. The adherent HUH7 cells used to test the efficacy of AAV products were cultured under standard conditions at 37° C. and 5% CO₂, on a complete DMEM medium supplemented with 10% FBS, antibiotic/antimycotic. Cells were subcultured upon reaching 80-90% confluence. TrypLE Select enzyme (10x) was used to dissociate the cell monolayer. Cell viability was assessed using Trypan Blue stain and disposable cell counting chambers using an automatic Countess II counter.

Transfection of Cell Cultures

[0166] To assess the functionality of the new codon-optimized nucleic acids that encode the FVIII-BDD protein, plasmids comprising an expression cassette for expressing various variants of hFVIII-BDD transgenes were used in transfection. SK-HEP1 cells were pre-seeded into wells of 12-well plates at a density of 10000 cells/cm². A day later, plasmids with the same copy number were introduced in a complex with Lipofectamine 3000. On day 7 following transfection, the level and activity of the FVIII-BDD protein in the culture fluid were determined by ELISA and chromogenic assay. Studies involving the assessment of the level and activity of the FVIII-BDD protein in the culture fluid were performed in 6 independent experiments. Intact SK-HEP1 cells were used as a negative control.

Assembly and Purification of Expression Vectors Based on AAV

[0167] To assemble AAV expression vectors comprising variants of the FVIII-BDD gene, we used the HEK293 producer cells which were transfected with 3 plasmids as follows:

[0168] 1) plasmids comprising an AAV expression cassette for expressing various variants of hFVIII-BDD transgenes (FIG. 1.);

[0169] 2) a plasmid for expressing the AAV6 or AAV5 serotype Cap gene and the AAV2 serotype Rep gene. Each gene, using alternative reading frames, encodes several protein products;

[0170] 3) a plasmid for expressing adenovirus Ad5 genes that are required for assembly and packaging of AAV capsids.

[0171] After 72 hours, the cells were lysed, and the vectors were purified and concentrated using filtration, chromatography and ultracentrifugation methods. The titer of the viral vectors was determined by quantitative PCR with primers and a sample that were specific for the region of the recombinant viral genome and expressed as the copy number of viral genomes per 1 ml.

Transduction of Cell Cultures

[0172] The HUH7 cell line was pre-seeded into the wells of 12-well plates at a density of 10000 cells/cm². After the cells were attached to the adhesive substrate, AAV preparations were introduced at MOI of 500000 vg/cell. On day 7 following transduction, the level and activity of the FVIII-BDD protein in the culture fluid were determined by ELISA and chromogenic assay. Studies involving the assessment of the level and activity of the FVIII protein in the culture fluid were performed in 6 independent experiments. Intact cells were used as a negative control.

Determination of Amount of Coagulation Factor VIII-BDD Protein by ELISA

[0173] Coagulation factor VIII-BDD protein levels in culture fluid following cell transfection with target candidates were assessed by sandwich method of non-competitive solid-phase enzyme immunoassay (ELISA). Briefly, culture fluid samples diluted in a dilution buffer were introduced into 96-well plate wells sensitized with primary antibodies specific for coagulation factor VIII-BDD. The same plate was loaded with standards for plotting a calibration curve,

controls. The plate was incubated for 1 hour at a temperature of 37° C. The plate wells were washed with washing buffer prior to introducing biotinylated antibodies, solution of streptavidin peroxidase conjugate and TMB. A solution containing biotinylated detecting antibodies specific for factor VIII-BDD was introduced, and the plate was incubated for 30 minutes at a temperature of 37° C. Streptavidin peroxidase conjugate solution was then added to the resulting complex, and the plate was incubated for 30 minutes at a temperature of 37° C. TMB solution was introduced to visualize the enzyme reaction. Upon achieving the required degree of staining intensity, a stop solution was added to all wells to stop the reaction. The optical density of the solutions in the plate wells was then measured. The concentration of coagulation factor VIII-BDD in the test samples was determined by the calibration curve considering the preliminary dilution of the samples.

Determination of Activity Level of Coagulation Factor VIII-BDD Protein by ELISA

[0174] The activity of the coagulation factor VIII protein in the culture fluid following transfection of the cells with target candidates was assessed by a chromogenic assay. The assay is based on the fact that in the presence of calcium ions, phospholipids and factor IXa, factor X transforms into the activated form Xa, factor VIII functions as a cofactor in the reaction, and the rate of factor X activation is linearly associated with the level of factor VIII. Briefly, culture fluid samples diluted in a dilution buffer, standards for plotting a calibration curve and controls were introduced into the wells of a 96-well plate. The plate was incubated for 3 minutes at a temperature of 37° C. A Factor reagent solution comprising factor IXa, factor X, thrombin, CaCl and phospholipids was introduced into all wells of the plate. The plate was incubated for 4 minutes at a temperature of 37° C. A solution of chromogenic substrate S-2765+1-2581 was introduced into all wells of the plate. The plate was incubated for 7 minutes at a temperature of 37° C. Upon achieving the required degree of staining intensity, a 20% solution of acetic acid was added to all wells to stop the reaction. The optical density of the solutions in the plate wells was then measured. The activity of coagulation factor VIII in the test samples was determined by the calibration curve considering the preliminary dilution of the samples.

In Vivo Study on Laboratory Animals

[0175] The experiments were performed on C57BL/6 mice (males aged 6-8 weeks). The products were administered to animals by way of a single intravenous injection into the tail vein. A buffer solution free of AAV was administered into the negative control group of animals. Blood plasma sampling was performed on the day of injection before administering the products, then on days 35 and 56 following introducing the expression vectors.

Statistical Data Analysis

[0176] The results indicate an average value±standard deviation (SD), one-way analysis of variance (ANOVA) followed by Dunnett's multiple pairwise comparisons was employed to compare the experiment results, and they were determined to be statistically significant.

Example 1: Modification of hFVIII-BDD Gene Sequence Using Developed Codon Optimization Algorithm

[0177] The developed genetic constructs are nucleotide sequences encoding an expression cassette with a human B-domain deleted coagulation factor VIII gene (FVIII-BDD).

[0178] The resulting expression cassette comprises all the elements required for both gene expression and assembly in the recombinant AAV genome (FIG. 1):

[0179] 1) ITRs at the ends of the sequence that is encapsidated into an expression vector;

[0180] 2) elements for expressing the target gene (promoter, transgene, polyadenylation site);

[0181] 3) bacterial replication origin and antibiotic resistance gene for producing plasmid DNA in bacterial cells.

[0182] As a wild-type nucleic acid, we used a nucleic acid that encodes the human B-domain deleted coagulation factor VIII protein, and includes the nucleotide sequence of SEQ ID NO: 1. The given nucleic acid is used within the expression cassette as a control.

[0183] Further, to increase the efficiency of expression, the naturally-occurring nucleotide sequence of the B-domain deleted coagulation factor VIII gene was modified using a codon optimization algorithm.

[0184] Codon optimization of the nucleic acid corresponding to the sequence of SEQ ID NO: 1 resulted in a number of codon-optimized nucleic acids of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 or SEQ ID NO: 5 which were further tested for coagulation factor VIII-BDD protein expression and activity levels as compared to the control (nucleic acid of SEQ ID NO: 1) within the expression cassette (FIG. 1).

Example 2. Functional Testing of Codon-Optimized Variants of B-Domain Deleted FVIII Gene Sequence In Vitro

[0185] The produced codon-optimized nucleic acids selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO: 4 or SEQ ID NO:5 encoding the FVIII-BDD protein were checked by transfecting SK-HEP1 cells in vitro as part of an expression cassette consisting of a left-hand (first) ITR (inverted terminal repeats), tissue-specific promoter, transgene, polyadenylation signal, right-hand (second) ITR, wherein the transgene is one of the sequences of SEQ ID NO: 2-5. As a control, the transgen was a non-optimized nucleic acid encoding the human B-domain deleted FVIII protein, the non-optimized nucleic acid corresponding to the sequence of SEQ ID NO:1.

[0186] Use of all the nucleic acids selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 or SEQ ID NO: 5 encoding the FVIII-BDD protein caused increased levels of production (FIG. 2) and activity (FIG. 3) of the FVIII-BDD protein as compared to the use of the non-optimized nucleic acid of SEQ ID NO:1.

[0187] Furthermore, the produced codon-optimized nucleic acids encoding the B-domain deleted coagulation factor VIII protein (SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 or SEQ ID NO:5) are capable of causing increased expression of the FVIII-BDD protein in vitro in the host cell as compared to the use of the non-optimized nucleic acid of SEQ ID NO: 1. Thus, the codon-optimized nucleic acids

according to the invention have a high potential for producing a recombinant FVIII-BDD protein for the therapy of Haemophilia A.

Example 3. Creation and Functional Testing of Expression Vectors Bearing Codon-Optimized Variants of FVIII-BDD Gene Sequence In Vitro

[0188] To prove the efficiency of delivery of the developed codon-optimized nucleic acids using an expression vector in vitro, we used plasmids encoding target genetic constructs together with the rest of the necessary plasmids to generate expression vectors based on adeno-associated virus serotype 5 bearing the nucleotide sequence of SEQ ID NO:2 (hereinafter referred to as AAV5-FVIII-BDDco-v1), and based on adeno-associated virus serotype 6 bearing the nucleotide sequence of SEQ ID NO:2 (hereinafter referred to as AAV6-FVIII-BDDco-v1) or the nucleotide sequence of SEQ ID NO:5 (hereinafter referred to as AAV6-FVIII-BDDco-v4). The purified AAV5-FVIII-BDDco-v1, AAV6-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v4 products used for in vitro and in vivo studies were prepared using standard buffers and excipients that are safe and do not alter AAV properties.

[0189] The AAV5-FVIII-BDDco-v1, AAV6-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v4 products were tested in vitro using adherent HUH7 cell line (FIGS. 4 and 5). The cell line's cells were plated into the wells of 12-well plates at a density of 10,000 cells/cm². After the cells were attached to the adhesive substrate, AAV preparations were introduced at MOI of 500,000 vg/cell. On day 7 following transduction, the level and activity of the FVIII-BDD protein in the culture fluid were determined by ELISA. All samples were run in triplicates. Intact cells were used as a negative control.

[0190] It was shown that the produced AAV5-FVIII-BDDco-v1, AAV6-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v4 expression vectors bearing codon-optimized variants of the coagulation factor VIII-BDD gene are capable of effectively delivering the coagulation factor VIII-BDD transgene to HUH7 cells and provide the production of the target protein, as confirmed by a culture fluid analysis by ELISA (FIG. 4) and activity analysis (FIG. 5) of the coagulation factor VIII-BDD protein. Delivery of SEQ ID NO:2 using the AAV serotype 5 expression vector causes the production of FVIII-BDD protein in culture fluid at 129 ng/ml and activity at 97%. Delivery of SEQ ID NO:2 using the AAV serotype 6 expression vector causes the production of FVIII-BDD protein in culture fluid at 104 ng/ml and activity at 91%. Delivery of SEQ ID NO:5 using the AAV serotype 6 expression vector causes the production of FVIII-BDD protein in culture fluid at 61 ng/ml and activity at 68%.

Example 4. Functional Testing of AAV5-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v1 Products In Vivo

[0191] To show the efficiency of delivery of the developed codon-optimized nucleic acids when delivered within an expression vector in vivo, the selected products AAV5-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v1 were administered to laboratory C57BL/6 mice. The dose of AAV products used in the study was 6x10¹³ vg/mouse. A control solution free of AAV was used as a negative control. The products were administered to animals by way of a single

intravenous hydrodynamic administration into the tail vein. Blood plasma sampling was performed on the day of injection before administering the products (day 0), then on days 35 and 56 following introducing the products. The level of the coagulation factor VIII-BDD protein in the blood plasma samples was determined by ELISA, as described above.

[0192] In vivo studies showed that when using the both products AAV5-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v1 comprising the coagulation factor VIII-BDD gene codon-optimized sequence of SEQ ID NO: 2, there are observed significantly increased levels of factor VIII-BDD in blood plasma of animals on days 35 and 56 (FIG. 6). The product AAV5-FVIII-BDDco-v1 comprising the coagulation factor VIII-BDD gene codon-optimized sequence of

SEQ ID NO:2 resulted in FVIII-BDD expression at 304 and 279 ng/ml in blood plasma of animals on days 35 and 56, respectively, following injection. The product AAV6-FVIII-BDDco-v1 comprising the coagulation factor VIII-BDD gene codon-optimized sequence of SEQ ID NO: 2 resulting in FVIII-BDD expression at 415 and 459 ng/ml in blood plasma of animals on days 35 and 56, respectively, following injection.

[0193] Accordingly, the developed AAV5 and AAV6 expression vectors bearing codon-optimized versions of the B-domain deleted coagulation factor VIII gene (AAV5-FVIII-BDDco-v1 and AAV6-FVIII-BDDco-v1) are capable of causing expression of the FVIII-BDD protein in vivo and have high potential for gene therapy of Haemophilia A.

SEQUENCE LISTING

Sequence total quantity: 22
 SEQ ID NO: 1 moltype = DNA length = 4314
 FEATURE Location/Qualifiers
 source 1..4314
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 1

gccaccagaa	gatactacct	gggtgcagtg	gaactgtcat	gggactatat	gcaaagtgat	60
ctcgggtgagc	tgcccttgga	cgcaagattt	cctcctagag	tgccaaaatc	ttttccattc	120
aacacctcag	tcgtgtacaa	aaagactctg	tttgtagaat	tcacggatca	cctttttcaac	180
atcgctaagc	caaggccacc	ctggatgggt	ctgctagggtc	ctaccatcca	ggctgaggtt	240
tatgatacag	tggtcattac	acttaagaac	atggcttccc	atcctgtcag	tcttcattgt	300
gttgggtgat	cctactggaa	agcttctgag	ggagctgaat	atgatgatca	gaccagtcac	360
agggagaaa	aagatgataa	agtcttccct	ggtggaagcc	atacatatgt	ctggcaggtc	420
ctgaaagaga	atgggtccaat	ggcctctgac	ccactgtgcc	ttacctactc	atatctttct	480
catgtggacc	tggtaaaaga	cttgaattca	ggcctcattg	gagccctact	agtatgtaga	540
gaagggagtc	tgcccaagga	aaagacacag	accttgccac	aattttatact	actttttgct	600
gtatttgatg	aagggaaaag	ttggcactca	gaaacaaaga	actccttgat	gcaggatagg	660
gatgctgcat	ctgctcgggc	ctggcctaaa	atgcacacag	tcaatgggtta	tgtaaacagg	720
tctctgccag	gtctgattgg	atgccacagg	aaatcagttc	attggcatgt	gattggaatg	780
ggcaccactc	ctgaagtgc	ctcaatattc	ctcgaaggtc	acacatttct	tgtgagggaac	840
catcgccagg	cgctccttga	aatctcgcca	ataactttcc	ttactgtctc	aacactcttg	900
atggaccttg	gacagtttct	actgttttgt	catatctott	cccaccaaca	tgatggcatg	960
gaagcttatg	tcaaatgaga	cagctgtcca	gaggaacccc	aactacgaat	gaaaaataat	1020
gaagaagcgg	aagactatga	tgatgatctt	actgattctg	aaatggatgt	ggtcagggtt	1080
gatgatgaca	actctccttc	ctttatccaa	attcgctcag	ttgccaagaa	gcactcctaa	1140
acttgggtac	attacattgc	tgtcgaagag	gaggactggg	actatgtctc	cttagtcttc	1200
gcccccgatg	acagaagtta	taaaagtcaa	tatttgaaca	atggccctca	gcggattggg	1260
aggaagtaca	aaagactcgc	atttatggca	tacacagatg	aaacctttaa	gactcgtgaa	1320
gctattcagc	atgaatcagg	aatcttggga	cctttacttt	atggggaagt	tggagacaca	1380
ctgttgatta	tatttaagaa	tcaagcaagc	agaccatata	acatctaccc	tcacgggaatc	1440
actgatgtcc	gtcctttgta	ttcaaggaga	ttaccaaaaag	gtgtaaaaaca	tttgaaggat	1500
tttccaattc	tgccaggaga	aatattcaaa	tataaatgga	cagtgaactgt	agaagatggg	1560
ccaactaaat	cagatcctcg	gtgcctgacc	cgctattact	ctagtctcgt	taatatggag	1620
agagatctag	cttcaggact	cattggccct	ctcctcatct	gctacaaaga	atctgtagat	1680
caaagaggaa	accagataat	gtcagacaag	aggaatgtca	tcctgttttc	tgtatttgat	1740
gagaaccgaa	gctggttacct	cacagagaat	atacaacgct	ttctcccaaa	tcacagctgga	1800
gtgcagcttg	aggatccaga	gttccaagcc	tccaacatca	tgccacagcat	caatggctat	1860
gtttttgata	gtttgcagtt	gtcagtttgt	ttgcattgag	tgccatctgt	gtacattcta	1920
agcattggag	cacagactga	cttcctttct	gtcttcttct	ctggatatac	cttcaaacac	1980
aaaatggctc	atgaagacac	actcacccca	ttcccattct	caggagaaaac	tgctctcatg	2040
tcgatggaaa	accaggtctc	atggattctg	gggtgccaca	actcagactt	tcggaacaga	2100
ggcatgaccg	ccttactgaa	gggttctagt	tggtgacaaga	acactgggtga	ttattacagag	2160
gacagttatg	aagatatttc	agcataactg	ctgagtaaaa	acaatgccat	tgaaccaaga	2220
agcttctctc	aaaaccacc	agtcttgaaa	cgccatcaac	gggaaataac	tcgtactact	2280
cttcagtcag	atcaagagga	aattgactat	gatgatacca	tatcagttga	aatgaagaag	2340
gaagattttg	acattttatga	tgaggatgaa	aatcagagcc	cccgacgctt	tcaaaagaaa	2400
acacgacact	attttattgc	tgacgtggag	aggctctggg	attatgggat	gagttagctcc	2460
ccacatgttc	taagaacacg	ggctcagagt	ggcagtgtec	ctcagttcaa	gaaagtgtgt	2520
ttccaggatg	ttactgtgtc	ctcctttact	cagcccttat	accgtggaga	actaaatgaa	2580
catttgggac	tcttggggcc	atatataaga	gcagaagttg	aagataatat	catggtaact	2640
ttcagaatac	aggcctctcg	tccctattcc	ttctatttca	gccttatttc	ttatgaggaa	2700
gatcagagcc	aaggagcaga	acctagaaaa	aactttgtca	agcctaataa	aaccacaaat	2760
tacttttggg	aagtgcacaa	tcatatggca	cccactaaag	atgagtttga	ctgcaaaagc	2820
tgggcttatt	tctctgatgt	tgacctggaa	aaagatgtgc	actcagccct	gattggaccc	2880
cttctggctc	gccacactaa	cacactgaac	cctgctcatg	ggagacaagt	gacagtacag	2940
gaatttgcct	tggtttttcac	catctttgat	gagacaaaaa	gctggtactt	cactgaaaat	3000

-continued

atggaagaa	actgcagggc	tccctgcaat	atccagatgg	aagatcccac	ttttaaagag	3060
aattatcgct	tccatgcaat	caatggctac	ataatggata	cactacctgg	cttagtaatg	3120
gctcaggatc	aaaggattcg	atgggtatctg	ctcagcatgg	gcagcaatga	aaacatccat	3180
tctattcatt	tcaagtggaca	tgtgttcaact	gtacgaaaaa	aagaggagta	taaaatggca	3240
ctgtacaatc	tctatccagg	tgtttttgag	acagtggaaa	tgttaccatc	caaagctgga	3300
atttggcggg	tggaaatgct	tattggcgag	catctacatg	ctgggatgag	cacacttttt	3360
ctggtgtaca	gcaataagtg	tcagactccc	ctgggaatgg	cttctggaca	cattagagat	3420
tttcagatta	cagcttcagg	acaatatgga	cagtgggccc	caaagctggc	cagacttcat	3480
tattccggat	caatcaatgc	ctggagcacc	aaggagccct	tttcttgatg	caaggtggat	3540
ctgttggcac	caatgattat	tcacggcatc	aagaccagg	gtgcccgtca	gaagtctcc	3600
agcctctaca	tctctcagtt	tatcatcatg	tatagtcttg	atgggaagaa	gtggcagact	3660
tatcgaggaa	attccactgg	aaccttaatg	gtcttctttg	gcaatgtgga	ttcatctggg	3720
ataaaacaca	atatttttaa	ccctccaatt	attgctcgat	acatccgttt	gcaccaact	3780
cattatagca	tctgcagcac	tcttcgatg	gagttgatgg	gctgtgattt	aaatagttgc	3840
agcatgccat	tgggaatgga	gagtaaagca	atatcagatg	cacagattac	tgcttcatcc	3900
tactttacca	atatgtttgc	cacctgggtc	ccttcaaaag	ctcgacttca	cctccaaggg	3960
aggagtaatg	ctcgggagac	tcagggtgaat	aatccaaaag	agtggctgca	agtggacttc	4020
cagaagacaa	tgaagtcac	aggagtaact	actcagggaag	taaaatctct	gcttaccagc	4080
atgtatgtga	aggagttctc	catctccagc	agtcaagatg	gccatcagtg	gactctcttt	4140
tttcagaaatg	gcaagtaaaa	gggtttttcag	ggaaatcaag	actccttcac	acctgtgggtg	4200
aactctctag	accacacggt	actgactcgc	taccttcgaa	ttcaccccca	gagttgggtg	4260
caccagattg	ccctgaggat	ggaggtttctg	ggctgcgagg	cacaggacct	ctac	4314

SEQ ID NO: 2 moltype = DNA length = 4314
 FEATURE Location/Qualifiers
 source 1..4314
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 2

gccaccagaa	gggtactacct	ggggcgccgtg	gagctgagct	gggactacat	gcagagcgac	60
ctgggcgagc	tgccctgtgga	gccagattc	ccccccagag	tgccctaaag	cttcccttc	120
aacaccagcg	tgggtgtacaa	gaagaccctg	ttcgtggagt	tcaccgacca	cctgttcaac	180
atcgccaagg	ccagaccccc	ctggatgggc	ctgctggggc	ctaccatcca	ggccgagggtg	240
tacgacacgc	tggtgatcac	cctgaagaac	atggccagcc	accctgtgag	cctgcacgcc	300
gtgggctgga	gctactggaa	ggccagcgag	ggcgccgagt	acgacgacca	gaccagccag	360
agagagaagg	aggacgacaa	gggtgtccccc	ggcgccagcc	acacctacgt	gtggcagggtg	420
ctgaaggaga	acggccccc	ggccagcgac	ccctgtgccc	tgacctacag	ctacctgagc	480
cacgtggacc	tgggtgaagga	cctgaacagc	ggcctgatcg	gcgcccctgct	ggtgtgcaga	540
gagggcgagc	tggccaagga	gaagacccag	accctgcaca	agttcatcct	gctgttcgcc	600
gtgttcgacg	agggcaagag	ctggcacagc	gagaccaaga	acagcctgat	gcaggacaga	660
gacgcccga	gcgcccagagc	ctggcccgaag	atgcacacgc	tgaacggcta	cgtgaacagg	720
agcctgcccc	gcctgatcgg	ctgccacaga	aagagcgtgt	actggcacgt	gatcgccatg	780
ggcaccaccc	ccgaggtgtca	cagcatcttc	ctggagggccc	acaccttcc	ggtgagggaac	840
cacagacagg	ccagcctgga	gatcagcccc	atcaccttcc	tgaccgcccc	gaccctgctg	900
atggacctgg	gccagttcct	gctgttctgc	cacatcagca	gccaccagca	cgacggcatg	960
gaggcctacg	tgaaggttga	cagctgcccc	gaggagcccc	agctgagaat	gaagaacaac	1020
gaggaggccg	aggactacga	cgacgacctg	accgacagcg	agatggacgt	ggtgagattc	1080
gacgacgaca	acagccccag	cttcatccag	atcaggagcg	tggccaagaa	gcaccccaag	1140
acctgggtgc	actacatcgc	gcgcgaggag	gaggactggg	actacgcccc	cctggtgctg	1200
gcccccgacg	acagaagcta	caagagccag	tacctgaaca	acggccccca	gaggatcgcc	1260
agaaagtaca	agaaggtgcg	gttcatggcc	tacaccgacg	agaccttcaa	gaccagggag	1320
gccatccagc	acgagagcgg	catcctgggc	cctctgctgt	acggcgaggt	ggcgacaccc	1380
ctgctgatca	tcttcaagaa	ccaggccagc	agaccttaca	acatctaccc	ccacggcatc	1440
accgacctga	gacccctgta	cagcagaaga	ctgcccgaag	gcgtgaagca	cctgaaggac	1500
ttcccatccc	tgcgccggca	gatcttcaag	tacaagtgga	ccgtgacctg	ggaggacggc	1560
cccaccaaga	gcgaccccag	gatcctgacc	agatactaca	gcagcttcgt	gaacatggag	1620
cgggacctgg	ccagcggcct	gatcggcccc	ctgctgatct	gctacaagga	gagcgtggac	1680
cagagaggca	accagatcat	gagcgacaag	cggaaactga	tctgtttcag	cgtgttcgac	1740
gagaaccgga	gctggtagct	gaccgagaa	atccagaggt	tcttgcccaa	ccccgcgggc	1800
gtgcagctgg	aggaccccga	gttccaggcc	agcaacatca	tgacacagat	caacggctac	1860
gtgttcgaca	gcctgcagct	gagcgtgtgc	ctgcacgagg	tggcctactg	gtacatcctg	1920
agcatcggcg	cccagaccga	cttctctgagc	gtgtttctca	gcggctacac	cttcaagcac	1980
aagatgggtg	acgaggacac	cctgacccctg	ttcccttcca	gcggcgagac	cgtgttcatg	2040
agcatggaga	accccgccct	gtggatcctg	ggctgccaca	acagcgactt	cagaaacaga	2100
ggcatgacgg	ccctgctgaa	ggtgagcagc	tgcgacaaga	acacggcgca	ctactacgag	2160
gacagctacg	aggacatcag	cgctacactg	ctgagcaaga	acaacgccat	cgagcccagg	2220
agcttcagcc	agaaccccc	cgtgctgaag	agacaccaga	gagagatcac	caggaccacc	2280
ctgcagagcg	accaggagga	gatcgactac	gacgacacca	tcagcgtgga	gatgaagaag	2340
gaggacttcg	acatctacga	cgaggacgag	aaccagagcc	ccagaagctt	ccagaagaag	2400
accaggcact	acttcatcgc	cgccgtggag	agactgtggg	actacggcat	gagcagcagc	2460
ccccacgtgc	tgcagaacag	agcccagagc	ggcagcgtgc	cccagttcaa	gaaggtgggtg	2520
ttccaggagt	tcacgcagcg	cagcttccac	cagccctctg	acagaggcga	gctgaacgag	2580
caactggggc	tgtctggccc	ctacatcaga	gccaggtggg	aggacaacat	catggtgacc	2640
ttccgggaacc	aggccagcag	accctacagc	ttctacagca	gcctgatcag	ctacgaggag	2700
gaccagaggc	aggcgcccgga	gcccagaaaag	aactctgtga	agcccaacga	gaccaagacc	2760
tacttctgga	aggtgcagca	ccacatggcc	cccaccaagg	acgagttcga	ctgcaaggcc	2820

-continued

tgggcctact	tcagcgacgt	ggacctggag	aaggacgtgc	acagcgccct	gatcgggccc	2880
ctgctgggtg	gccacaccaa	cacctgaac	cccgccacg	gcagacaggt	gaccgtgcag	2940
gagttcgccc	tgtttctcac	catcttcgac	gagaccaaga	gctggctact	caccgagaac	3000
atggagcgga	actgcagagc	ccctgcaac	atccagatgg	aggacccccc	cttcaaggag	3060
aactacaggt	tcacgcgat	caacgctac	atcatggaca	ccctgcccgg	cctgggtgatg	3120
gcccaggacc	agagaatcag	atggtagctg	ctgagcatgg	gcagcaacga	gaacatccac	3180
agcatccact	tcagcgccca	cgtgttcacc	gtgaggaaga	aggaggagta	caagatggcc	3240
ctgtacaacc	tgtaccccgg	cgtgttcgag	accgtggaga	tgtgtcccag	caaggccggc	3300
atctggagag	tggagtgcct	gatcggcgag	cacctgcacg	ccggcatgag	cacctgttc	3360
ctggtgtaca	gcaacaagtg	ccagaccccc	ctgggcattg	ccagcgccca	catcagagac	3420
ttccagatca	ccgcccaggg	ccagtacggc	cagtggggccc	ccaagctggc	cagactgcac	3480
tacagcgcca	gcatcaacgc	ctggagcacc	aaggagccct	tcagctggat	caaggtagac	3540
ctgctggccc	ccatgatcat	ccacggcatc	aagacccagg	gcgcccagaca	gaagtccagc	3600
agcctgtata	tcagcagatt	catcatcatg	tacagcctgg	acggcaagaa	gtggcagacc	3660
tacagaggca	acagcaccgg	cacctgatg	gtgttcttcg	gcaacgtgga	cagcagcggc	3720
atcaagcaca	acatcttcaa	ccccccatc	atcgcccggt	acatcaggct	gcacccccc	3780
caactacagca	tcaggagcac	cctgagaatg	gagctgatgg	gctgcgacct	gaacagctgc	3840
agcatgcccc	tgggcatgga	gagcaaggcc	atcagcgacg	cccagatcac	cgccagcagc	3900
tacttcacca	acatgttcgc	ccactggagc	cccagcaagg	ccagactgca	cctgcagggc	3960
agaagcaacg	ccctggagacc	ccaggtgaac	aaccccaagg	agtggctgca	ggtggacttc	4020
cagaagacca	tgaaggtagc	cggcgtgacc	acccaggggc	tgaagagcct	gctgaccagc	4080
atgtacgtga	aggagttctc	gatcagcagc	agccaggacg	gccaccagtg	gacctgttc	4140
ttccagaacg	gcaagggtgaa	ggtgttccag	ggcaaccagg	acagcttcac	ccccgtggtg	4200
aacagccttg	acccccccct	gctgaccaga	tacctgagaa	tcacccccca	gagctgggtg	4260
caccagatcg	ccctgagaat	ggaggtgctg	ggctgcgagg	cccaggacct	gtac	4314

SEQ ID NO: 3 moltype = DNA length = 4314
 FEATURE Location/Qualifiers
 source 1..4314
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 3

gccacaagaa	gatactatct	ggcgcccgctg	gagctgagct	gggattatat	gcagtcgcac	60
ctgggcgagc	tgccagtgga	tgtctagattc	cctcctagag	tgcctaagag	ctttccattc	120
aatacctccg	tgggtgtacaa	gaagaccctg	ttcgtggagt	ttaccgacca	cctgttcaac	180
atcgcccaac	ctagaccacc	ttggatggga	ctgctggggc	caactattca	ggccgaagtg	240
tacgataccg	tgggtgatcac	tctgaagaat	atggcctccc	acctgtgag	cctgcatgca	300
gttggcgtga	gctattggaa	ggccagcgag	ggagccgaat	acgatgacca	gaccagccag	360
agggagaaag	aagacgacaa	ggtgtttccc	ggaggaagcc	acacctatgt	gtggcagggtg	420
ctgaaggaga	atggacctat	ggccagcgat	ccactgtgcc	tgacctactc	ttatctgagc	480
cacgtggacc	tgggtgaagga	cctgaatagc	ggcctgattg	gcgcactgct	ggtgtgtaga	540
gagggatctc	tggccaaaaga	gaagacccag	accctgcaca	agtttatcct	gctgttttgc	600
gtgtttgacg	agggcacaatc	ttggccacagc	gagacccaaa	acagcctgat	gcaggataga	660
gacgcagcct	ctgctagagc	ttggcctaag	atgcacaccg	tgaatggcta	cgtgaacaga	720
tccttgcccc	gcctgattgg	atgtcacaga	aagagcgtgt	actggcacgt	gatcggaatg	780
ggaactaccc	cagaagtgcga	cagcatcttt	ctggaggggac	acacctttct	ggtgcgggaat	840
catagacagg	ccagcctgga	aatcagccct	attaccttcc	tgaccgcccc	gacactgctg	900
atggatctgg	gacagtttct	gctgtttctg	cacatcagct	ctcaccagca	tgacggaatg	960
gaagcctacg	tgaaggtgga	cagctgccct	gaggaaccac	agctgaggat	gaagaataac	1020
gaggaggccg	aggattacga	cgtatgacctg	accgattctg	agatggacgt	ggtgagattc	1080
gacgacgata	actctccctc	cttcatccag	atcagatccg	tggccaaaaa	gcaccctaaa	1140
acctgggtgc	actatatcgc	gcagagggaa	gaagactggg	attacgcacc	cttgggtgctg	1200
gcccctgatg	acagatctta	taagtctcag	tacctgaaca	acggccctca	gagaatcggc	1260
aggaagtaca	agaaggtgag	attcatggcc	tacacagacg	agacattcaa	gaccagagag	1320
gccattcagc	acgagtcggg	catcttggga	ccactgctgt	acggagaggt	ggcgatata	1380
ctgctgatca	tcttcaaaaa	tcaggccagc	aggccctaca	acatctaccc	acatggcatc	1440
acagacgtga	ggcctctgtg	cagcagaaga	ctgcctaaag	gcgtgaagca	cctgaaggac	1500
ttccccattc	tggccaggca	gattttcaag	tacaagtggg	cagtgaacct	ggaggatgga	1560
cccacaaagt	ctgaccctag	atgcctgacc	aggtagctata	gctccttcgt	gaacatggaa	1620
agggatctgg	cctctggact	gattggccca	ctgctgatct	gctacaagga	atccgtggac	1680
acagagagaa	accagatcat	gagcgataag	aggaatgtga	tcctgttcag	cgtgttcgat	1740
gagaacagga	gctggatctc	gaccgagaa	atccagagat	tcctgcccac	tcagccgggc	1800
gtgcagctgg	aagatctctg	atttcaggcc	tccaatatca	tgactcccat	caatggctac	1860
gtgtttgaca	gccctgcagc	gtctgtgtgt	ctgcacgaag	tggcctactg	gtacatcctg	1920
agcattggag	cccagaccga	ctttctgagc	gtgtttttct	ctggctacac	cttcaagcac	1980
aagatgggtg	acgaggacac	cctgacactg	ttccattctc	caggcgaaac	cgtgtttatg	2040
agcatggaga	accaggagct	gtggattctg	ggctgccaca	actccgactt	cagggaataga	2100
ggaatgacgg	ccctgctgaa	agtgcagcag	tgcgataaga	acaccggcga	ttattacgag	2160
gactcctacg	aggatatcag	cgccctacctg	ctgtccaaaa	acaaatgccat	cgagcccagg	2220
agcttctccc	agaatccacc	tgtgctgaaa	agacaccaga	gggagctcac	cagaaccaca	2280
ctgcagctgt	atcaggagga	gatcgactat	gacgacacca	tcagcgtgga	gatgaagaag	2340
gaggactttg	atatctacga	cgaggatgag	aaccagagcc	ccaggagctt	tcagaagaag	2400
accaggcact	acttcatcgc	cgcagtggag	agactgtggg	actacggaa	gtcttctctc	2460
cttcacgtgc	tgagaaatag	agcccagctc	ggaagcgtgc	cacagtttaa	gaaggtggtg	2520
ttccaggagt	ttaccgacgg	ctctttcacc	cagccactgt	atagaggcga	actgaacgaa	2580
cacctggggc	tgtctgggacc	ttatatcaga	gccgaagtgg	aggacaacat	catggtgacc	2640

-continued

ttcagaaacc	aggccagcag	acettacagc	ttctactcca	gcctgatcag	ctacgaagag	2700
gatcagagac	agggcgccga	acctaggaaa	aattttgtga	agccaaacga	gaccaagacc	2760
tacttttgga	agggtgcagca	tcacatggcc	cccaccaag	atgagttcga	ttgtaaagcc	2820
tgggcctact	tctccgatgt	ggacctggaa	aaggatgtgc	acagcggact	gatcggacca	2880
ctgctgggtg	gccacacaaa	tacctgaac	cctgcccacg	gaagacaggt	gacagtgcag	2940
gaatttgccc	tggtcttcac	catctttgac	gagaccaagt	cctggtaact	caccgagAAC	3000
atggagagaa	actgcagagc	cccttgcaac	attcagatgg	aggacccaac	attcaaggag	3060
aactacaggt	tccacgccat	caatggctac	atcatggata	cactgcctgg	cctgggtgatg	3120
gcccaggatc	agagaattag	gtggtaacctg	ctgtctatgg	gctccaatga	gaatatccac	3180
tccatccact	tcagcgccca	cgtgttcacc	gtgagaaaag	aagaggagta	caagatggcc	3240
ctgtacaacc	tgtaccaggg	cgtgttttag	accgtggaga	tgctgccttc	taaagctggc	3300
atctggagag	tggagtgcct	gatcggcgag	catctgcatg	ctggaatgtc	taccctgttt	3360
ctgggtgact	ccaacaagtg	ccagacacct	ctgggcatgg	cttctggaca	tatcagagac	3420
tttcagatca	cgcctctcgg	ccagtacgga	caatgggctc	caaagctggc	cagactgcat	3480
tactctggct	ctattaatgc	ctggagcacc	aaggagccct	tttctctggat	caagggtggat	3540
ctgctggccc	ccatgattat	ccacggcatc	aaaaccagg	gcgcccaggca	gaagttttct	3600
tccctgtaca	tcagccaggt	catcatcatg	tacagcctgg	atggcaagaa	gtggcagacc	3660
tacagaggca	atagaccagg	aacctgatg	gtgtttttcg	gcaacgtgga	ctcctccggc	3720
atatagcaca	atatcttcaa	cccactatc	atcgccaggt	acatcagact	gcaccccaacc	3780
cactactcta	tcagaagcac	cctgaggatg	gaactgatgg	gctgtgacct	gaattcctgt	3840
agcatgcctc	tgggaattgga	gtctaaagcc	atcagtgcag	cccagattac	cgccagcagc	3900
tactttacca	acatgtttgc	tacatgggtc	ccctctaagg	ccagactgca	cctgcaggga	3960
agatctaacc	ctctggagac	acaggtgaac	aaccccaag	aatggctgca	ggtggatttt	4020
cagaagacca	tgaagtgac	cggcgtgaca	acacagggcg	tgaatctctc	gctgacctct	4080
atgtacgtga	aggagtttct	gatcagcagc	agccaggacg	gccatcagtg	gacctgtttt	4140
tttcagaatg	gcaaggtgaa	gggtgtccag	ggcaatcagg	actcattcac	tcagtggtg	4200
aacagcctgg	accacacctc	gctgaccaga	tacctgagaa	ttcaccacac	gtcctgggtg	4260
catcagatcg	ccctgagaat	ggaagtgtcg	ggatgtgagg	cacaggacct	gtac	4314

SEQ ID NO: 4 moltype = DNA length = 4314
 FEATURE Location/Qualifiers
 source 1..4314
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 4

gccacaagga	gggtactatct	ggggcgccgtg	gaactgagct	gggactatat	gcagagcgac	60
ctgggagagc	tgccctgtgga	tgccagattt	ccacctaggg	tgcccaagag	cttcctcttc	120
aatacaagcg	tggtgtacaa	gaagaccctg	ttcgtggagt	ttaccgacca	cctgttcaac	180
atcgccaagc	ctagacctcc	ttggatggga	ctgctggggc	ctaccattca	ggccgaagtg	240
tacgacacag	tgtgtatcac	ctgaagaat	atggccagcc	atccagtgtc	cctgcacgca	300
gtgggagtgt	cttattggaa	ggcctctgag	ggcgccgagt	acgatgatca	gaccagccag	360
agagagaag	aggacgacaa	gggtgtcccc	ggaggaagcc	acacctacgt	gtggcagggtg	420
ctgaaagaga	atggcccaat	ggcctccgac	cccctgtgtc	tgacatacac	ctacctgagc	480
cacgtggacc	tggtgaagga	ctcgaactct	ggcctgatcg	gagctctgct	ggtgtgtaga	540
gaaggcgacc	tgcccaagga	gaagacccag	accctgcaca	agttcatcct	gctgttttgc	600
gtgttcgatg	agggccaagg	ctggcattcc	gagaccaaag	attcctgat	gcaggatagg	660
gacgtgccca	gcgctagagc	ctggcctaag	atgcacactg	tgaatggcta	cgtgaaccgg	720
agcctgccag	gcctgatcgg	ctgtcacaga	aagagcgtgt	actggcacgt	gatcggcatg	780
ggcaccactc	ctgaggtgca	ctctatcttt	ctggaaggcc	acacctttct	ggtgcgggaac	840
catagacagg	cctccctgga	aatcagcccc	atcacctttc	tgaccgcccc	gacctgtctg	900
atggatctcg	gacagtccct	gctgttttgc	cacatctcct	ctcaccagca	cgacggaatg	960
gaggcctag	tgaaagtgga	cagctgtcct	gaagaacctc	agctgcggat	gaagaataac	1020
gaggaggccg	aggactacga	cgatgacctg	accgatagcg	agatggacgt	ggtgagattc	1080
gacgacgata	acagccccag	cttcatccag	atcagatccg	tgcccaagaa	gcaccccaag	1140
acatgggtgc	actatatcgc	cgcagaggag	gaggattggg	actacgcacc	tctggtgctg	1200
gctcctgacg	atagatccca	caagtcccag	tacctgaaca	acggccccca	gagaatcggc	1260
agaaagtaca	agaaggtgag	attcatggcc	tacaccgacg	agaccttta	gaccagagag	1320
gccatccagc	acgagagcgg	catctctggga	ccactgctgt	atggagaggt	ggcgataaca	1380
ctgctgatca	tcttcaagaa	tcaggcctcc	cgcccataca	acatctatcc	acacggcatc	1440
accgacgtga	gaccactgta	ctccaggaga	ctgcccgaag	gcgtgaagca	cctgaaggac	1500
ttccctatct	tgccaggcga	gatcttcaag	tacaagtgga	cagtgaacct	ggaagacgga	1560
cctaccacaaa	gcgaccccag	atgcctgacc	cggtactact	ccagcttcgt	gaacatggag	1620
agagatctgg	ccagcggact	gattggacct	ctgctgattt	gttacaagga	gagcgtggac	1680
cagaggggca	accagattat	gagcgacaag	cggaaatgta	tctgtttctc	cgtgttcgac	1740
gagaaccgca	gctggtatct	gaccgagaat	atccagaggt	tcttgccaaa	ccccgcggcg	1800
gttcagctgg	aagatccaga	gtttcaggcc	tccaacatca	tgacacagcat	caatggctac	1860
gtgttcgaca	gcctgcagct	gtccgtgtgt	ctgcatgaag	tgccctactg	gtatatccctg	1920
agcatcggcg	cccagaccga	ttttctgtcc	gtgtttttct	cggctacac	cttcaagcac	1980
aagatgggtg	acgaggacac	cctgacctctg	tttctcttta	gcggcgaaac	cgtgttcatg	2040
agcatggaga	accaggact	gtggattctg	ggctgtcaca	acagcgactt	cagaaatcgg	2100
ggcatgacgg	ctctgtgaa	ggtgagctct	tgtgacaaaa	atccggcgca	ctactacgag	2160
gacagctacg	aggatatcag	cgcctacctg	ctgagcaaga	acaacgcat	cgagccaaga	2220
agcttcagcc	agaatcccc	cgtgctgaag	agacatcaga	gggagatcac	cagaaccacc	2280
ctgcagagcg	accaggagga	gatcgattac	gacgacacca	tcagcgtgga	gatgaagaag	2340
gaggatttcg	acatctacga	cagggacgag	aatcagagcc	caaggagctt	tcagaagaag	2400
acccggcact	acttcatcgc	tgccgtggag	agactgtggg	attatggcat	gagctccagc	2460

-continued

```

cctcacgtgc tgagaaatag agcccagctct ggetccgtgc cccagttcaa gaaagtgggtg 2520
ttccaggaat tcacogacgg cagcttttacc cagccoctgt atagaggcga actgaatgaa 2580
cacctggggcc tgctggggacc ttacatcaga gccgaagtgg aggacaacat catgggtgacc 2640
tttaggaatc agggccagcg accctacagc ttctatagct ccctgatctc ctacgaggag 2700
gaccagagac agggcgctga gccaaagaaag aatttcgtga agcccaacga gaccaagacc 2760
tacttctgga aagtgcagca ccacatggcc cctaccaagg atgagttcga ctgtaaaacc 2820
tgggcctact tcagcgacgt ggacctggag aaggacgtgc actccggact gatcggacca 2880
ctgctgggtg gccacacaaa caccctgaac cctgcccatt gaagacaggt gactgtgcag 2940
gaattcgccc tgtttcttac catcttcgac gagaccaagt cctggtagct caccgagaat 3000
atggagagga attgcagagc ccctgttaac atccagatgg aggaccccac ctttaaggag 3060
aattacaggt ttacgcacct caacggctac atcatggaca cactggcagg cctgggtgatg 3120
gcacaggatc agaggatcag atggtagctg ctgagcatgg gctccaacga gaacatccac 3180
tccatccact tcagcgccca cgtgtttacc gtgagaaaga agggaggagta caagatggcc 3240
ctgtacaacc tgtatcccg cgtgttcgaa accgtggaga tctgctcttc caaagccgga 3300
atctggagag tggagtgcct gatggcgag cactgcacg ctggaatgac caccctgttc 3360
ctggtgtata gcaacaagt ccagacccc ctgggcatgg ctacgggaca cattagagac 3420
tttcagatca ccgcctccgg ccagtacgga cagtgggccc caaaactggc taggctgcat 3480
tacagcggtc ccatcaatgc ctgggtccacc aaggagccat tcagctggat caaagtggat 3540
ctgctggccc ccatgatcat ccacggcatt aagacacagg gcgcccaggc gaagttcagc 3600
tctctgtata tctcccagtt catcatcatg tactccctgg acggcaagaa gtggcgagac 3660
tacaggggca atagaccgg cactactgat gtgtttttcg gcaacgtgga ctcttcgggc 3720
atcaagcaca acatctttaa ccccccattc atcgccaggt acatcaggct gcaccccact 3780
cactacagca tcagatccac cctgagaatg gagctgatgg gatgcgacct gaacagctgc 3840
agcatgcccc tgggcatgga gagcaaggcc atttctgacg cccagatcac cgcacgacgc 3900
tatttcacca atagtctgc tactctggag cccagcaagg ccagactgca tctcgagggc 3960
agaagcaacg cctggagacg acaggtgaac aatcctaagg agtggctgca ggtggacttc 4020
cagaagacca tgaagggtgac cggcgtgaca acccaggggc tgaaatctct gctgacctcc 4080
atgtactgta aggagttctc gatctcctcc agccaggatg gccatcagtg gaccctgttc 4140
ttccagaacg gcaagggtgaa atgtgtccag ggcaaccagg acagctttac cctgtgggtg 4200
aactctctgg atccccccct gctgaccagg tacctgagaa ttcaccccca gagctgggtg 4260
caccagatcg ccctgagaat ggaagtgtct ggatgcgagg cacaggacct gtac 4314

```

```

SEQ ID NO: 5      moltype = DNA length = 4314
FEATURE          Location/Qualifiers
source            1..4314
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 5
gctacccgga ggtactacct gggcgctgtg gagctgagct gggactacat gcagagcgat 60
ctgggcgagc ctggcgctgga tgccagattt cccccaagag tgcctaagtc cttcccttc 120
aacaccagcg tgggtgacaa gaagaccctg ttcgtggagt tcaccgacca cctgttcaac 180
atcgccaagc caagggcccc ctggatggga ctgctgggac ctacaattca ggccgagggtg 240
tacgataccg tgggtgatcac cctgaagaac atggcctccc acccagtgtc cctgcatgcc 300
gtggcgctga gctactggaa ggcctctgaa ggcgcgagc acgacgacca gaccagccag 360
agggagaagg aggacgacaa ggtgttccca ggcggtatct acacctagct gtggcagggtg 420
ctgaaggaga atggcccaat ggcacgcgac ccactgtgtc tgacctacag ctacctgtcc 480
cacgtggacc tgggtaagga cctgaactcc ggcctgatcg gcgcccctgt ggtgtgtaga 540
gaaggatctc tggccaagga gaagacccag accctgcaca agtgcacctg gctgttcgcc 600
gtgtttgacg agggcaagag ctggcattcc gagaccaaga acagcctgat gcaggacaga 660
gacgcagcca gcgctagagc ctggcccaag atgcacacgg tgaatggcta cgtgaaccgg 720
tccctgccag ccctgatcgg ctgtcacaga aaaagcgtgt actggcagct gatcggcgatg 780
ggcaccacac ccaggtgtgca cagcatcttt ctggaggggc acaccttctt ggtgagaaac 840
cacaggcagg cctccctgga gatctcccc atcaccttc tgaccgcccc gaccctgctg 900
atggatctgg gccagttcct gctgttctgc cacatcagct cccaccagca cgacggaatg 960
gaggcctacg tgaaggtgga tagctgcccc gaggagcccc agctgagaat gaagaacaac 1020
gaggaggccg agggactcga cgtgacctg accgattccg agatggacgt ggtgcgcttc 1080
gacgacgata atagccccag ctctcatccag atcagatccg tggccaagaa gcacccaaag 1140
acctgggtgc actacatcgc tgccgaggag gaggaactggg attacgcccc actgggtctg 1200
gcccctgatg acagatccta caagagccag tacctgaaca acggccccca gagaatcggc 1260
cggaagtaca agaagggtgag atctcatggc tacaccgacg agaccttcaa gaccagggaa 1320
gccatccagc acgagagcgg catcctggga ccaactgctgt acggagaagt gggcgatacc 1380
ctgctgatca tcttcaagaa ccaggcctcc cggccctaca acatctaccc ccacggcatc 1440
accgactgta ggcactgta cagcaggagg ctgcccaggc gcgtgaagca cctgaaggac 1500
ttcccctacc tgcggcgcca gatctttaag tacaagtgga ccgtgaccgt ggaggacggc 1560
ccaaccaaga gcgaccaag atgcctgacc aggtactact cctcctcgt gaacatggag 1620
cgggcatctg ccagcggact gatggccct ctgctgatct gctacaagga gagcgtggac 1680
cagcgcgcca atcagatcat gagcgacaag agaaacgtga tccgtgtcag cgtgttcgac 1740
gagaatcgca gctggtaact gaccgagaac atccagaggt tccgtgccaa cccagccggc 1800
gtgcagctgg aagatcctga atttcaggcc agcaacatca tgactccat caacggctac 1860
gtgttcgact cctgcagct gagcgtgtgt ctgcacgaag tggcctactg gtacatcctg 1920
agcatcgggc cccagaccca ctctctgtcc gtgttcttt cggctacac cttcaagcac 1980
aagatgggtg acgagacac cctgacctg tccccctta cggcgagac cgtgttcacg 2040
agcatggaga accaggcct gtggattctg ggtgcccaca acagcgactt ccgcaatagg 2100
ggcatgaccg ccctgctgaa agtgtccagc tgcgataaga acaccggcga ctactacgag 2160
gacagctacg aggacatctc cgcctacctg ctgagcaaga acaacgcat cgagccca 2220
tccttcagcc agaacctcc agtgcgaag aggcaccagc gcgagatcac cagaaccacc 2280

```

-continued

ctgcagctctg	atcaggagga	gatcgactac	gacgacacca	tcagcgtgga	gatgaagaag	2340
gaggacttcg	acatctacga	cgaggacgag	aaccagagcc	ctaggtcctt	ccagaagaag	2400
acccggcact	acttcacgc	cgagtgagg	aggctgtggg	attacggcat	gagcagctcc	2460
ccacacgtgc	tgagaaatag	ggcccagagc	ggcagcgtgc	cccagttcaa	aaaggtggtg	2520
ttccaggagt	tcacgcagcg	ctccttcacc	cagccctgt	acagaggcga	gctgaatgag	2580
cacctggggc	tgctgggacc	ctacatcaga	gcagaggtgg	aggacaacat	catggtgacc	2640
ttcagggaacc	aggccagcag	accctacagc	ttctacagca	gcctgatcag	ctacgaggag	2700
gaccagagac	agggagccga	gccacgcaag	aacttcgtga	agcccaacga	gaccaagacc	2760
tactttctgga	agggtgcagca	ccacatggcc	cccaccaagg	acgagttcga	ttgtaaaacc	2820
tgggcctact	tcagcgacgt	ggacctggag	aaggacgtgc	acagcggcct	gatcggacct	2880
ctgctgggtg	gtcataccaa	cacctggaac	cccggccacg	gcagacaggt	gactgtgcag	2940
gagtttgccc	tgttcttcac	catcttcgac	gagaccaaga	gctggtactt	caccgagaac	3000
atggagagaa	actgcagggc	ccatgcaac	atccagatgg	aagacccccc	cttcaaggag	3060
aaactaccgt	tcacgcgat	caacggctac	atcatggata	ccctgcctgg	cctgggtgatg	3120
gcccaggatc	agagaatcag	gtggtagctg	ctgagcatgg	gctccaacga	gaacatccac	3180
agcatccact	tctccggcca	cgtgttcacc	gtgaggaata	aggaggagta	caagatggcc	3240
ctgtacaacc	tgtaccccg	cgtgtttgag	accgtggaga	tgctgccatc	taaggccggc	3300
atttgaggag	tggagtgcct	gatcggcgag	cacctgcacg	ccggaatgtc	tacctgttc	3360
ctggtgtaca	gcaacaagt	ccagaccccc	ctgggcacatg	ccagcggaca	catcagagac	3420
ttccagatca	ccgcccaggg	ccagtacgga	cagtgggctc	ctaaactggc	ccgcctgcac	3480
tatagcggca	gcattaacgc	ctgggtccacc	aaggagccat	tcagctggat	caaggtggat	3540
ctgctggccc	ccatgatcat	ccacggcatc	aaaaacacag	gcgcccagaca	gaagtttctc	3600
agcctgtaca	tctccagtt	catcatcatg	tactccctgg	acggcaagaa	gtggcagacc	3660
tacagaggca	actccaccgg	cacactgatg	gtgttcttcg	gcaacgtgga	cagcagcggc	3720
atcaagcaca	acatcttcaa	ccccccatc	atcgcccggt	acatcagact	gcaccaacc	3780
cactactcca	tcagggtccac	cctgaggatg	gagctgatgg	gctgcgatct	gaattcctgc	3840
agcatgcccc	tgggcatgga	gtccaaagcc	atctctgacg	cccagatcac	cgccagctcc	3900
tacttcacca	acatgtctgc	ccattggagc	cccagcaagg	ccagactgca	cctgcagggc	3960
agaagcaatg	cctggagacc	ccagggtgaac	aacccaaagg	agtggctgca	ggtggacttc	4020
cagaagacca	tgaagggtgac	cggcgtgacc	acacaggggc	tgaaaagcct	gctgaccagc	4080
atgtacgtga	aggagttctc	gatcagctcc	agccaggatg	ggcaccagtg	gaccctgttc	4140
tttcagaacg	gcaagggtgaa	gggtgtccag	ggcaatcagg	actcattcac	cctgtggtg	4200
aaactctctg	acccccccct	gctgaccccg	tacctgagaa	tccaccacac	gtcttgggtg	4260
caccagatcg	ccctgaggat	ggaagtgtcg	ggctgcgagg	ctcaggatct	gtac	4314

SEQ ID NO: 6 moltype = DNA length = 4371
 FEATURE Location/Qualifiers
 source 1..4371
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 6

atgcaaatag	agctctccac	ctgctctctt	ctgtgccttt	tgcgattctg	ctttagtgcc	60
accagaagat	actacctggg	tgcaagtggaa	ctgtcatggg	actatatgca	aagtgatctc	120
ggtgagctgc	ctgtggacgc	aagatttctc	cctagagtgc	caaaatcttt	tccattcaac	180
acctcagctg	tgtacaaaaa	gactctgttt	gtagaattca	cggatcacct	tttcaacatc	240
gctaagccaa	ggccaccctg	gatgggtctg	ctaggtccta	ccatccaggc	tgaggtttat	300
gatacagtgg	tctattacact	taagaacatg	gcttcccatc	ctgtcagttc	tcatgctgtt	360
ggtgtatcct	actggaaagc	ttctgaggga	gctgaatatg	atgatcacag	cagtcacaaagg	420
gagaaagaag	atgataaagt	cttccctggg	ggaagccata	catatgtctg	gcaggctcctg	480
aaagagaatg	gtccaatggc	ctctgaccca	ctgtgcctta	cctactcata	tctttctcat	540
gtggacctgg	taaaagactt	gaattcaggc	ctcattggag	ccctactagt	atgtagagaa	600
gggaggtctg	ccaaggaaaa	gacacagacc	ttgcacaaat	ttatactact	ttttctgtta	660
tttgatgaag	ggaaaaagttg	gcactcagaa	acaaaagaact	ccttgatgca	ggatagggat	720
gctgcatctg	ctcgggcctg	gccataaatg	cacacagtca	atggttatgt	aaacagggtct	780
ctgccaggtc	tgattggatg	ccacaggaaa	tcagttctatt	ggcatgtgat	tggaaatgggc	840
accactcctg	aagtgcactc	aatattcttc	gaaggtcaca	catttcttgt	gaggaacctc	900
cgccaggcgt	ccttggaact	ctcgccaata	actttcctta	ctgctcaaac	actcttgatg	960
gaccttggac	agtttctact	gttttgtcat	atctcttccc	accaacatga	tggcatggaa	1020
gcttatgtca	aagtagacag	ctgtccagag	gaaccccaac	tacgaatgaa	aaataatgaa	1080
gaagcggaa	actatgatga	tgatcttact	gattctgaaa	tggtatgggt	cagggtttgat	1140
gatgacaact	ctccttccct	tatccaaatt	cgtcagttg	ccaagaagca	tcctaaaaact	1200
tgggtacatt	acattgtctg	tgaagaggag	gactgggact	atgctccctt	agtctctgcc	1260
cccgatgaca	gaagttataa	aagtcaatat	ttgaacaatg	gccctcagcg	gatttgtagg	1320
aagtacaaaa	aagtccgatt	tatggcatat	acagatgaaa	cctttaagac	tcgtgaagct	1380
attcagcatg	aatcaggaa	cttgggacct	ttactttatg	gggaagttgg	agacacactg	1440
ttgatttatat	ttaagaatca	agcaagcaga	ccatataaca	tctaccctca	cggaatcaact	1500
gatgtccgtc	ctttgtattc	aaggagatta	ccaaaagggt	taaaacattt	gaaggatttt	1560
ccaattctcg	caggagaaat	attcaaatat	aaatggacag	tgactgtaga	agatggggca	1620
actaaatcag	atcctcgggt	cctgacccgc	tattactcta	gtttcgttaa	tatggagaga	1680
gatctagctt	caggactcat	tggtccctctc	ctcatctgct	acaaagaata	tgtagatcaa	1740
agaggaaacc	agataaagtc	agacaagagg	aatgtcatcc	tggtttctgt	atttgatgag	1800
aaccgaagct	ggtaacctcac	agagaatata	caacgctttc	tccccaatcc	agctggagtg	1860
cagcttgagg	atccagagtt	ccaagcctcc	aacatcatgc	acagcatcaa	tggctatgtt	1920
tttgatagtt	tgacagttgtc	agtttgtttg	catgaggtgg	catactggta	catttctaagc	1980
atggagacac	agactgactt	ctttctctgc	gatataacct	caaacacaaa		2040
atggtctatg	aagacacact	cacctatttc	ccattctcag	gagaaactgt	cttcagtctgc	2100

-continued

```

atggaaaacc caggctctatg gattctgagg tgccacaact cagactttcg gaacagaggc 2160
atgacgcgct tactgaaggt ttctagtgtg gacaagaaca ctggtgatta ttacgaggac 2220
agttatgaag atattttcagc atacttgctg agtaaaaaa atgccattga accaagaagc 2280
ttctctcaaa accaccagct ctgaaacgc catcaacggg aaataactcg tactactctt 2340
cagtcagatc aagaggaagt tgactatgat gataccatat cagttgaaat gaagaaggaa 2400
gattttgaca tttatgatga ggatgaaaat cagagccccc cgacttttca aaagaaaaca 2460
cgacactatt ttattgctgc agtggagagg ctctgggatt atgggatgag tagctcccca 2520
catgtttctaa gaaacagggc tcagagtggc agtgtccctc agttcaagaa agttgttttc 2580
caggaattta ctgatggctc ctttactcag cccttatacc gtggagaact aaatgaacat 2640
ttgggactcc tggggccata tataagagca gaagtgaag ataatacat ggtaactttc 2700
agaaatcagg cctctcgctc ctattccttc tattctagcc ttatttctta tgaggaagat 2760
cagaggcaag gagcagaacc tagaaaaaac ttgttcaagc ctaatgaaac caaaacttac 2820
ttttggaaaag tgcaacatca tatggcacc actaaagatg agtttgactg caaagcctgg 2880
gcttatttct ctgatgttga cctggaaaaa gatgtgcact caggcctgat tggacccctt 2940
ctggtctgctc acactaacac actgaaccct gctcatggga gacaagtgc agtacaggaa 3000
tttgcctctg tttcaccatc ctttgatgag accaaaagct ggtacttcac tgaaaatatg 3060
gaaagaaaact gcagggtctc ctgcaatata cagatggaag atcccacttt taaagagaat 3120
tatcgcttcc atgcaatcaa tggctacata atggatacac tacctggctt agtaatggct 3180
caggatcaaa ggattcgatg gtatctgctc agcatgggca gcaatgaaaa catccattct 3240
attcatttca gtggacatgt gttcactgta cgaaaaaaag aggagataaa aatggcactg 3300
tacaatctct atccaggtgt ttttgagaca gtggaaatgt taccatccaa agctggaatt 3360
tggcgggtgg aatgccttat tggcgagcat ctacatgctg ggatgagcac actttttctg 3420
gtgtacagca ataaggtgca gactccctcg ggaatggctt ctggacacat tagagatttt 3480
cagattacag cttcaggaca atatggacag tggggcccaa agctggccag acttcattat 3540
tcggatcaaa tcaatgcctg gagcaccagg gagccctttt cttggatcaa ggtggatctg 3600
ttggcaccaa tgattattca cggcatcaag acccagggtg cccgtcagaa gttctccagc 3660
ctctacatct ctcagtttat catcatgtat agtcttgatg ggaagaagtg gcagacttat 3720
cgaggaaatt ccaatggaac ttcttgggca atgtggattc atctgggata 3780
aaacacaata tttttaacc tccaattatt gctcgataca tccgtttgca cccaactcat 3840
tatagcattc gcagcactct tcgcatggag ttgatgggct gtgattttaa tagttgcagc 3900
atgacattgg gaatggagag taaagcaata tcagatgcac agattactgc ttcactctac 3960
tttaccataa tgtttgccc ctgggtctct tcaaaagctc gacttcacct ccaagggagg 4020
agtaatgcct ggagacctca ggtgaataat ccaaagaggt ggctgcaagt ggacttcag 4080
aagacaatga aagtcacagg agtaactact caggagagtaaatctctgct taccagcatg 4140
tatgtgaagg agttcctcat cctccagcag caagatggcc atcagtggac tctctttttt 4200
cagaatggca aagtaaaagt ttttcaggga aatcaagact ccttcacacc tgtggtgaac 4260
tctctagacc caccgttact gactcgctac cttcgaattc acccccagag ttgggtgcac 4320
cagattgccc tcaggatgga ggttctgggc tgcgaggcac aggacctcta c 4371

```

```

SEQ ID NO: 7          moltype = DNA length = 4371
FEATURE              Location/Qualifiers
source                1..4371
                     mol_type = other DNA
                     organism = synthetic construct

```

```

SEQUENCE: 7
atgcagatcg agctgagcac ctgcttcttc ctgtgcctgc tgagggtctg cttcagcgcc 60
accagaaggt actacctggg cgcgctggag ctgagctggg actacatgca gacgcacctg 120
ggcgagctgc ctgtggagcg cagattcccc ccagagatgc ctaagagctt ccccttcaac 180
accagcgtgg tgtacaagaa gaccctgttc gtggagttca ccgaccactt gttcaacatc 240
gccaagccca gacccccctg gatgggctct ctggggccta ccatccagcg cgaggtgtac 300
gacacccgtg tgatcaccct gaagaacatg gccagccacc ccgtgagcct gcacgcccgt 360
ggcgtgagct actggaaggg cagcgagggc gccagtagc acgaccagac cagccagaga 420
gagaaggagg acgacaaggt gttccccggc ggcagccaca cctacgtgtg gcaggtgctg 480
aaggagaaac gccccatggc cagcgacccc ctgtgcctga cctacagcta cctgagccac 540
tgggaacctg tgaaggacct gaacagcggc ctgatcggcg cctgctggtg gtgcagagag 600
ggcagccttg ccaaggagaa gaccacagac ctgcacaagt tcatcctgct gttcgccgtg 660
ttcgacgagg gcaagagctg gcacagcgag accaagaaca gcctgatgca ggacagagac 720
gccgccagcg ccagagcctg cccaagatg cacaccgtga acggtacgtg gaacaggagc 780
ctgcccggcc tgatcggtct ccacagaaaag agcgtgtact ggcacgtgat cggcatgggc 840
accacccccg aggtgcacag catcttctct gaggggccaca ccttctcggt gagggaaccac 900
agacaggcca gccctggagat cagccccatc accttctgta ccgcccagac cctgctgatg 960
gacctggggc agttctctgt gttctgccac atcagcagcc accagcacga cggcatggag 1020
gcctacgtga aggtggacag ctgcccagag gagccccagc tgagaatgaa gaacaacag 1080
gaggccgagg actacgacga cgacctgacc gacagcgaga tggacgtggt gagattcgac 1140
gacgacaaca gccccagctt catccagatc aggagcgtgg ccaagaagca cccaagacc 1200
tgggtgcact acatcgccgc cgaggaggag gactgggact acgccccctt ggtgctggcc 1260
cccgacgaca gaagctacaa gagccagtac ctgaacaacg gccccagag gatcggcaga 1320
aagtacaaga aggtgcgggt catggcctac accgacgaga ccttcaagac cagggaggcc 1380
atccagcacg agagcggtat cctgggcctt ctgctgtacg gcgaggtggg cgacacctgt 1440
ctgatcatct tcaagaacca ggcacgacga cctacaaca tctaccccc cggcatcacc 1500
gacgtgagac cctgtacag cagaagactg cccaaggggc tgaagcacct gaaggacttc 1560
cccatcctgc ccggtcagat cttcaagatc aagtggaccg tgaccgtgga ggacggcccc 1620
accaagagcg accccagatg cctgaccaga tactacagca ccttcgtgaa catggagcgg 1680
gacctggcca cgggctgatg cggccccctg ctgatctgct acaaggagag cgtggaccag 1740
agaggcaacc agatcatgag gcacaagcgg aacgtgatcc tgttcagcgt gttcgacgag 1800
aaccggagct ggtacctgac cgagaacatc cagaggttcc tgccccaccc cgccggcgtg 1860

```

-continued

```

cagctggagg accccgagtt ccaggccagc aacatcatgc acagcatcaa cggtacgtg 1920
ttcgacagcc tgcagctgag cgtgtgacct cactggtgg cctactggtg catcctgagc 1980
atcgcgcccc agaccgactt cctgagcgtg ttcttcagcg gctacacctt caagcacaag 2040
atgggtgtacg aggacacctt gacctgttgc ccttcagcg gcgagaccgt gttcatgagc 2100
atggagaacc cgggacctgt gatcctgggc tggcacaaca gcgacttcag aaacagaggc 2160
atgaccgccc tgctgaaggt gagcagctgc gacaagaaca cggcgacta ctacgaggac 2220
agctacgagg acatcagcgc ctacctgtgc agcaagaaca acgccatcga gcccaggagc 2280
ttcagccaga acccccctgt gctgaagaga caccagagag agatcaccag gaccacctg 2340
cagagcgacc agggaggagat cgactacgac gacaccatca gcgtggagat gaagaaggag 2400
gacttcgaca tctacgacga ggacgagaa cagagcccca gaagcttcca gaagaagacc 2460
aggcactact tcatcgccgc cgtggagaga ctgtgggact acggcatgag cagcagcccc 2520
cacgtgctga gaaacagagc ccagagcggc agcgtgcccc agttcaagaa ggtggtgttc 2580
caggagtcca ccgacggcag cttcaccag cccctgtaca gaggcgagct gaacgagcac 2640
ctgggacctgc tgggacctga catcagagcc gaggtggagg acaacatcat ggtgaccttc 2700
cggaaccagg ccagcagacc ctacagcttc tacagcagcc tgatcagcta caggaggagc 2760
cagaggcagg gcgcccagcc cagaaagaac ttctgtgaag ccaacgagac caagacctac 2820
ttctggaagg tgcagacca catggcccc accaaggacg agttcgactg caaggcctgg 2880
gcctacttca gcgacgtgga cctggagaag gacgtgcaca gcggcctgat cggccccctg 2940
ctggtgtgcc acaccaacac cctgaacccc gccacggca gacaggtgac cgtgcaggag 3000
ttcgccctgt tcttcacct cttcgacgag accaagagct ggtacttcac cgagaacatg 3060
gagcggaact gcagagcccc ctgcaacatc catagtgagg acccacctt caaggagAAC 3120
tacagggtcc acgcccataa ggctacatc atggacaccc tggccggcct ggtgatggcc 3180
caggaccaga gaatcagatg gtacctgtgc agcatgggca gcaacgagaa catccacagc 3240
atccacttca gcggccacct gttcaccgtg aggaagaagg aggagtacaa gatggccctg 3300
tacaacctgt acccggcgt gttcgagacc gtggagatgc tggccagcaa ggcggcctc 3360
tggagagtgg agtgcctgat cggcgagcac ctgacgcgg gcctgagcac cctgttctctg 3420
gtgtacagca acaagtgcga gacccccctg ggcctggcca gcggcccatc cagagacttc 3480
cagatcaccg ccagcgccca gtacggccag tgggccccca agctggccag actgcactac 3540
agcggcagca tcaacgcctg gagcaccacg gagcccttca gctggatcaa ggtggacctg 3600
ctggccccca tgatcatcca cggcatcaag acccagggcg ccagacagaa gttcagcagc 3660
ctgtacatca gccagttcat catcatgtac agcctggacg gcaagaagtg gcagacctac 3720
agaggcaaca gcacccgcac cctgatgggt ttcttcggca acgtggacag cagcggcatc 3780
aagcacaca tcttcaaccc ccccatcatc gcccggtaca tcagggtgca cccccccac 3840
tacagcatca ggagaccctt gagaatggag ctgatgggct gcgacctgaa cagctgcagc 3900
atgccctcgg ccatgggagag caaggccatc agcgacggcc agatcacgcg cagcagctac 3960
ttcaccaca tgctcgccac ctggagcccc agcaaggcca gactgcacct gcagggcaga 4020
agcaacgcct ggagaccaca ggtgaacacac cccaaggagt ggctgcaggt ggacttcacg 4080
aagaccatga aggtgaccgg cgtgaccacc cagggcgctg agagcctgct gaccagcatg 4140
tacgtgaagg agttcctgat cagcagcagc caggacggcc accagtgagc cctgttcttc 4200
cagaacggca aggtgaaggt gttccagggc aaccaggaca gcttcacccc cgtggtgaac 4260
agcctggacc cccccctgct gaccagatac ctgagaatcc acccccagag ctgggtgac 4320
cagatcgccc tgagaatgga ggtgctgggc tgcgagggcc aggacctgta c 4371

```

```

SEQ ID NO: 8      moltype = DNA length = 4371
FEATURE          Location/Qualifiers
source           1..4371
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 8
atgcagatcg agctgagcac ctgttttttt ctgtgacctg tgaggttctg cttctccgcc 60
acaagaagat actatctggg cgcctgggag ctgagctggg attatatgca gtcgacctg 120
ggcgagctgc cagtggatgc tagattccct ctagagtgc ctaagagctt tccattcaat 180
acctccgtgg tgtacaagaa gacctgttgc gtggagtta ccgaccacct gttcaacatc 240
gccaaaccta gaccaccttg gatgggactg ctgggcccac ctattcagcg cgaagtgtac 300
gataccgtgg tgatcactct gaagaatatg gcctccaccc ctgtgagcct gcatgcagtt 360
ggcgtgagct attggaaggg acgagaggga gccgaatacg atgaccagac cagccagagg 420
gagaaggaag acgacaaggt gtttcccggg ggaagccaca cctatgtgtg gcagggtgctg 480
aaggagaatg gacctatggt cagcgatcca ctgtgacctg cctactctta tctgagccac 540
gtggacctgg tgaaggacct gaatagcggc ctgattggcg cactgctggt gtgtagagag 600
ggatctctgg ccaaaagaaa gaccagagac ctgcacaagt ttatcctgct gtttgcctg 660
tttgacgagg gcaaatcttg gcacagcgag accaaaaaca gcctgatgca ggatagagac 720
gcagcctctg ctagagcttg gcctaagatg cacaccgtga atggctacgt gaacagatcc 780
ctgcccggcc tgattggatg tcacagaaag agcgtgtact ggcacgtgat cggaatggga 840
actacccccc aagtgcacag catctttctg gagggacaca cctttctggt gcggaatcat 900
agacaggcca gccctggaat cagccctatt acctttctga ccgcccagac actgctgtag 960
gatctgggac agtttctgct gttctgccac atcagctctc accagcatga cggaatggaa 1020
gcctacgtga aggtggacag ctgccctgag gaaccacagc tgaggatgaa gaataacgag 1080
gagggcgagg attacgacga tgacctgacc gattctgaga tggacgtggg gagattcgac 1140
gacgataact ctccctcctt catccagatc agatccgtgg ccaaaaagca ccctaaaacc 1200
tgggtgcact atatcgccgc agaggaagaa gactgggatt acgcacctct ggtgctggcc 1260
cctgatgaca gatcttataa gtctcagtac ctgaacacag gccctcagag aatcggcagg 1320
aagtacaaga aggtgagatt catggcctac acagacgaga cattcaagac cagagaggcc 1380
attcagcacg agtccgcat tctgggacca ctgctgtacg gagaggtggg cgatacactg 1440
ctgatcatct tcaaaaatca ggcacgagc ccctacaaca tctaccaca tggcatcaca 1500
gacgtgagcg cctgtgacag cagaagactg cctaaggcg tgaagcact gaaggacttc 1560
cccatctgca caggcgagat tttcaagtac aagtggacag tgacctgga ggatggaccc 1620

```

-continued

```

acaaagtctg accctagatg cctgaccagg tactatagct ccttcgtgaa catggaaagg 1680
gatctggcct ctggactgat tggcccactg ctgatctgct acaaggaatc cgtggaccag 1740
agaggaaacc agatcatgag cgataagagg aatgtgatcc tgttcagcgt gttcagatgag 1800
aacaggagct ggtatctgac cgagaacatc cagagattcc tgccaaatcc agccggcgtg 1860
cagctggaag atcctgaatt tcaggcctcc aatatcatgc actccatcaa tggctacgtg 1920
tttgacagcc tgcagctgtc tgtgtgtctg cacgaagtgg cctactggta catcctgagc 1980
attggagccc agaccgactt ctgagcgtg tttttctctg gctacacctt caagcacaag 2040
atgggtgtac aggacacctt gacactgttc ccattctcag gcgaaacgtt gtttatgagc 2100
atggagaacc caggactgtg gattctgggc tgccacaact ccgacttcag gaatagagg 2160
atgaccgccc tgctgaaagt gaggcgtgc gataagaaca ccggcgatta ttacgaggac 2220
tcctacgagg atatcagcgc ctacctgtct tccaaaaaca atgccatcga gcccaggagc 2280
ttctcccaga atccacctgt gctgaaaaga caccagaggg agatcaccag aaccacactg 2340
cagtctgac agggaggagt cgaactatgac gacaccatca gcgtggagat gaagaaggag 2400
gactttgata tctcagcaga ggaatgagaac cagagcccca ggagctttca gaagaagacc 2460
aggcactact tcctcgcgcg agtggagaga ctgtgggact acggaatgtc ttctccctct 2520
cacgtgtcga gaaatagagc ccagtctgga agcgtgccac agtttaagaa ggtggtgttc 2580
caggagttaa ccgacgcctc tttcacccag ccactgtata gaggcgaaat gaacgaacac 2640
ctgggcctgc tgggacctta tatcagagcc gaagtggagg acaacatcat ggtgaccttc 2700
agaaaccagg ccagcagacc ttacagcttc tactccagcc tgatcagcta cgaagaggat 2760
cagagacagg ccgcccgaac taggaaaaat tttgtgaagc caaacgagac caagacctac 2820
ttttggaagg tgcagcatca catggccccc accaaggatg agttcagattg taagcctgg 2880
gcctacttct ccgatgtgga cctggaanaag gatgtgcaca gcgactgat cggaccactg 2940
ctggtgtgccc acacaaatcc cctgaacctt gccacgggaa gacaggtgac agtgacggaa 3000
tttgccctgt tcttcacctt ctttgacgag accaagtccct ggtacttcac cgagaacatg 3060
gagagaaact gcagagcccc ttgcaacatt cagatggagg acccaacatt caaggagAAC 3120
tacaggttcc acgccaatca tggctacatc atggatacac tgccctggcc ggtgatggcc 3180
caggatcaga gaattagggt gtacctgtct tctatgggct ccaatgagaa tatccactcc 3240
atccacttca gcggccactg gttccactgt agaaagaaag aggagtacaa gatggccctg 3300
tacaaactgt accaggcgtt gtttgagacc gtggagatgc tgccctctaa agctggcatc 3360
tggaagtggt agtgccctg cggcgagcat ctgcatgctg gaatgtctac cctgtttctg 3420
gtgtactcca acaagtgcga gacacctctg ggcattggct ctggacatat cagagacttt 3480
cagatcaccc cctccggcca gtacggacaa tgggctccaa agctggccag actgcattac 3540
tctggctcta ttaatgcctg gaggaccaag gagccctttt cctggatcaa ggtggatctg 3600
ctggcccccga gacttatcca cgcatcaaa acccaggcgc ccaggcagaa gttttcttcc 3660
ctgtacatca gccagttcat catcatgtac agcctggatg gcaagaagtg gcagacctac 3720
agaggcaata gcaccggaac cctgatgggt ttttcggcca acgtggactc ctccggcatt 3780
aagcacataa tcttcaaccc accatatcgc gccaggtaca tcagactgca ccccaaccac 3840
tactctatca gaagcaccct gaggatggaa ctgatgggct gtgacctgaa ttctgtagc 3900
atgctctctg gaattggagt taaagccatc agtgacgccc agattaccgc cagcagctac 3960
tttaccacaa tgtttgtctc atggtccccc tctaaggcca gactgcacct gcagggaaga 4020
tctaagcctt ggagaccaca ggtgaacaac cccaaagaat ggctgcaggt ggattttcag 4080
aagaccatga aagtgaaccg cgtgacaaca cagggcgtga aatctctgct gacctctatg 4140
tacgtgaagg agtttctgat cagcagcagc caggacggcc atcagtggac cctgtttttt 4200
cagaatggca aggtgaaggt gttccagggc aatcaggact cattcactcc agtggtgaac 4260
agcctggacc cactctgctt gaccagatac ctgagaattc acccacagtc ctgggtgcat 4320
cagatcggcc tgagaatgga agtgctggga tgtgaggcac aggacctgta c 4371

```

```

SEQ ID NO: 9      moltype = DNA length = 4371
FEATURE
source            Location/Qualifiers
                  1..4371
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 9
atgcagatcg agctgagcac ctgtttcttc ctgtgcctcg tgaggttctg ttccagcgcc 60
acaaggagggt actatctggg gcgcgtggaa ctgagctggg actatatgca gagcgacctg 120
ggagagctgc ctgtggatgc cagatttcca cctaggggtgc ccaagagctt ccccttcaat 180
acaagcgtgg tgtacaagaa gacctgttc gtggagttaa ccgaccacct gttcaacatc 240
gccaaagccta gacctccttg gatgggactg ctgggccccta ccattcaggc cgaagtgtac 300
gacacagtgg tgatcacctt gaagaatatg gccagccatc cagtgtccct gcacgcagtg 360
ggagtgtctt attggaaggg cctctgagggc gccagtagac atgatcagac cagccagaga 420
gagaaggagg acgacaaggt gttccccga ggaagccaca cctacgtgtg gcagggtctg 480
aaagagaatg gcccaatggc ctccgacccc ctgtgtctga catacagcta cctgagccac 540
gtggacctgg tgaaggacct gaactctggc ctgatcggag ctctgctggt gtgtagagaa 600
ggcagcctgg ccaaggagaa gaccagacc ctgcacaagt tcactctgct gtttgcctg 660
ttcgataggg gcaaaagctg gcattccgag accaagaatt ccctgatgca ggatagggac 720
gctgccagcg ctagagcctg gcctaagatg cacactgtga atggctacct gaaccggagc 780
ctgccaggcc tgatcggttg tcacagaaag agcgtgtact ggcacgtgat cggcatgggc 840
accactcctg aggtgcactc tatctttctg gaaggccaca cctttctggt gcggaacct 900
agacaggcct ccttgaaat cagcccccac acctttctga ccgcccagac cctgctgatg 960
gatctgggac agttcctgct gttttgccac atctctctc accagcacga cggataggag 1020
gcctacgtga aagtggacag ctgtctgaa gaacctcagc tgccgatgaa gaataacgag 1080
gaggccgagg actacagcga tgacctgacc gatagcgaga tggacgtggt gagattcgac 1140
gacgataaca gcccagctt catccagatc agatccgtgg ccaagaagca cccaagaca 1200
tgggtgcaat atatcgccgc agaggaggag gattgggact acgcacctct ggtgctggct 1260
cctgacgata gatcctacaa gtcccagta ctgaacaacg gcccccagag aatcggcaga 1320
aagtacaaga aggtgagatt catggcctac accgacgaga cctttaagac cagagaggcc 1380

```


-continued

```

atccagcagc agagcggcat tctgggacca ctgctgtatg gagaggtggg cgatacactg 1440
ctgatacatc tcaagaatca ggccctcccg ccatacaaca tctatccaca cgcatcacc 1500
gacgtgagac cactgtactc caggagactg cccaaggcgc tgaagcactt gaaggacttc 1560
cctattctgc caggcgagat cttcaagtac aagtggacag tgaccgtgga agacggacct 1620
acccaaagcg accccagatg cctgaccccg tactactcca gcttcgtgaa catggagaga 1680
gatctggcca gcgagactgt tggacctctg ctgatttgtt acaaggagag cgtggaccag 1740
aggggcaacc agattatgag cgacaagcgg aatgtgatcc tgttctccgt gttcgacgag 1800
aaccgcagct ggtatctgac cgagaatatc cagagggtcc tgccaaaccc cgccggcgtt 1860
cagctggaag atccagagtt tcaggcctcc aacatcatgc acagcatcaa tggctacgtg 1920
ttcgacagcc tgcagctgtc cgtgtgtctg catgaagtgg cctactggta tatcctgagc 1980
atcgcgccgc agacagattt tctgtccgtg tttttctccg gctacacctt caagcacaag 2040
atgggtgtacg aggacacctt gacctgtttt ccttttagcg gcgaacccgt gttcatgagc 2100
atggagaacc caggactgtg gattctgggc tgtcacaaca gcgacttcag aaatcggggc 2160
atgacgcgtc tgcgtgaagg gagctcttgt gacaaaaata ccggcgacta ctacgaggac 2220
agctacgagg atatcagcgc ctacctgtct agcaagaaca acgcatcga gccaaagaagc 2280
ttcagccaga atcccccggt gctgaagaga catcagaggg agatccaccg aaccacctg 2340
cagagcgacc aggaggagat cgattacgac gacaccatca gcgtggagat gaagaaggag 2400
gatttcgaca tctacgacga ggacgagaat cagagcccaa ggagctttca gaagaagacc 2460
cggcactact tcatcgctgc cgtggagaga ctgtgggatt atggcatgag ctccagccct 2520
cacgtgtctg gaaatagagc ccagtctggc tccgtgcccc agttcaagaa agtgggtgtc 2580
caggaattca ccgacggcag ctttaccagg cccctgtata gaggcgaaact gaatgaacac 2640
ctgggcctgc tgggactcta catcagagcc gaagtggagg acaacatcat ggtgaccttt 2700
aggaatcagg ccagcagacc ctacagcttc tatagctccc tgatctccta cgaggaggac 2760
cagagacagg gcgctgagcc aagaaagaat ttcgtgaagc ccaacgagac caagacctac 2820
ttctggaaag tgcagcaca catggccctt accaaggatg agttcgactg taaagcctgg 2880
gcctacttca gcgacgtgga cctggagaag gacgtgcact ccggaactgat cggaccactg 2940
ctggtgtgccc acacaaacac cctgaaccct gcccatggaa gacaggtgac tgtgcaggaa 3000
ttcgccctgt tctttacctt cttcgacgag accaagtcct ggtacttcac cgagaatatg 3060
gagaggaatt ccagagcccc ctgtaacatc cagatggagg accccacctt taaggagaat 3120
tacaggtttc acgcatcaa cggctacatc atggacacac tgccaggcct ggtgatggca 3180
caggatcaga ggcagagctg gtatctgctg agcatgggct ccaacgagaa catccactcc 3240
atccacttca gcgccacagt gtttaccgtg agaaagaagg aggagtacaa gatggccctg 3300
tacaacctgt atcccgcgct gttcgaaacc gtggagatgc tgccctccaa agccggaatc 3360
tgagagtggt agtgctgtat tggcagacac ctgacgctg gaatgtccac cctgttctg 3420
gtgtatagca acaagtgcga gacccccctg ggcattggcta gcggacacat tagagacttt 3480
cagatcaccc cctccggcca gtacggacag tgggccccaa aactggctag gctgcattac 3540
agcggtccca tcaatgacct gtccaccaag gagccattca gctggatcaa agtggatctg 3600
ctggccccca tgatcatcca cggcattaag acacagggcg ccaggcgaaa gttcagctct 3660
ctgtacatct cccagttcat catcatgtac tccctggacg gcaagaagtg gcagacctac 3720
aggggcaata gcacggcacc atgatggtg tttttcgcca acgtggactc ttccggcatc 3780
aagcacaaac tctttaaccc ccttatcatc gccaggtaaa tcagggtgca ccccaactac 3840
tacagcatca gatccacctt gagaatggag ctgatgggat gcgacctgaa cagctgcagc 3900
atgccctcgg ccattggagag caaggccatt tctgacgccc agatcaccgc cagcagctat 3960
ttcaccaata gtttcgttac ctggagcccc agcaaggcca gactgcatct gcagggcaga 4020
agcaacgcct ggagaccaca ggtgaacaat cctaagagtg ggctgcaggt ggacttcag 4080
aagaccatga aggtgaccgg cgtgacaacc cagggcgctga aatctctgct gacctccatg 4140
tacgtgaagg agttcctgat ctctccagc caggatggcc atcagtgagc cctgtttctt 4200
cagaacggca aggtgaaagt gttccagggc aaccaggaca gctttacccc tgtggtgaac 4260
tctctggatc cccccctgct gaccaggtac ctgagaattc acccccagag ctgggtgcac 4320
cagatcgccc tgagaatgga agtgctggga tgcgaggcac aggacctgta c 4371

```

```

SEQ ID NO: 10      moltype = DNA length = 4371
FEATURE
source             Location/Qualifiers
                   1..4371
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 10
atgcagatcg agctgtccac ctgcttcttc ctgtgcctgc tgcgcttctg tttctctgct 60
acccggagggt actacctggg cgtgtgtggg ctgagctggg actacatgca gagcgatctg 120
ggcgagctgc ccgtggatgc cagatttccc ccaagatgac ctaagtcctt ccccttcaac 180
accagcgttg tgtacaagaa gacctgttc tgggagttca ccgaccacct gttcaacatc 240
gccaagccaa gggccccctg gatgggactg ctgggacctc caattcaggc cgaggtgtac 300
gataccgtgg tgatccacct gaagaacatg gcctccacc cagtgtccct gcatgcccgt 360
ggcgtgagct actggaaggc tttgaaaggc gccagtagc acgaccagac cagccagagg 420
gagaaggagg acgacaaggt gttcccaggc ggatctcaca cctacgtgtg gcagggtgct 480
aaggagaatg gcccaatggc cagcgaccca ctgtgtctga cctacagcta cctgtccacc 540
gtggacctgg tgaaggacct gaactccggc ctgatcggcg ccctgctggt gtgtagagaa 600
ggatctctgg ccaaggagaa gaccagacc ctgcacaagt tcatcctgct gttcgcctg 660
tttgacgagg gcaagagctg gcattccgag accaagaaca gcctgatgca ggacagagac 720
gcagccagcg ctagagcctg gcccaagatg cacaccgtga atggctacgt gaaccgggtc 780
ctgcccaggc ttatcgctgt tcacagaaaa agcgtgtact ggcacgtgat cggcatgggc 840
accacacccc aggtgcacag catctttctg gagggccaca ccttccctgg gagaaaaccac 900
aggcaggcct cctcggagat ctcccccatc acctttctga ccgcccagac cctgctgatg 960
gatctgggccc agttcctgct gttctgccac atcagctccc accagcacga cggaatggag 1020
gcctacgtga aggtggatag ctgccccgag gagccccagc tgagaatgaa gaacaacgag 1080
gaggccgagg actacgacga tgacctgacc gattccgaga tggacgtggt gcgcttcgac 1140

```


-continued

DQRQGAEPK	NFVKPNETKT	YFWKVQHMA	PTKDEFDCKA	WAYFSDVDLE	KDVHSGLIGP	960
LLVCHTNTLN	PAHGRQVTQ	EFALFFTIFD	ETKSWYFTEN	MERNCRAPCN	IQMEDPTFKE	1020
NYRFHAINGY	IMDTLPGLVM	AQDQIRWYL	LSMGSNENIH	SIHFSGHVFT	VRKKEEYKMA	1080
LYNLYPGVFE	TVEMLPSKAG	IWRVECLIGE	HLHAGMSTLF	LVYSNKCQTP	LGMA SGHIRD	1140
FQITASGQYG	QWAPKLARLH	YSGSINAWST	KEPFSWIKVD	LLAPMIIHGI	KTQGARQKFS	1200
SLYISQFIIM	YSLDGKKWQT	YRGNSTGTLM	VFFGNVDSSG	IKHNI FNPP I	IARYIRLHPT	1260
HYSIRSTLRM	ELMGCDLNSC	SMPLGMESKA	ISDAQITASS	YFTNMFATWS	PSKARLHLQG	1320
RSNAWRPQVN	NPKEWLQVDF	QKTMKVTVGT	TQGVKSLLTS	MYVKEFLISS	SQDGHQWTLF	1380
FQNGKVKVFEQ	GNQDSFTPVV	NSLDPPLLTR	YLRIHPQSWV	HQIALRMEVL	GCEAQDLY	1438

SEQ ID NO: 12 moltype = AA length = 1457
 FEATURE Location/Qualifiers
 source 1..1457
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 12

MQIELSTCF	LCLLRFCFSA	TRRYLGA	LSWDYMQSDL	GELPVDARFP	PRVPKSFPFN	60
TSVVYKKTLE	VEFTDHLFNI	AKPRPPWGL	LGPTIQAEVY	DTVVITLKNM	ASHPVSLHAV	120
GVSYWKASEG	AEYDDQTSQR	EKEDDKVFP	GSHTYVWQVL	KENGPMASDP	LCLTYSYLSH	180
VDLVKDLNSG	LIGALLVCRE	GSLAKEKTQT	LHKFILLFAV	FDEGKSWHSE	TKNSLMQDRD	240
AASARAWPKM	HTVNGYVNR	LPGLIGCHRK	SVYWHVIGMG	TTPEVHSIFL	EGHTFLVRNH	300
RQASLEISPI	TFLTAQTLML	DLGQFLLFCH	ISSHQHDGME	AYVKVDSCEP	EPQLRMKNNE	360
EAEDYDDDLT	DSEMDVVRFD	DDNSPSFIQI	RSVAKKHPKT	WVHYIAEEEE	DWDYAPLVLA	420
PDDRSYKSYQ	LNNGPQRIGR	KYKVRFMAY	TDETPTKREA	IQHESGILGP	LLYGEVGDTL	480
LIIIFKNQASR	PYNIYPHGIT	DVRPLYSRRL	PKGKHLKDF	PILPGEIFKY	KWTVTVEDGP	540
TKSDPRCLTR	YSSSFVNMER	DLASGLIGPL	LICYKESVDQ	RGNQIMSDKR	NVILFSVFDE	600
NRSWYL TENI	QRFLPNPAGV	QLEDPEFQAS	NIMHSINGYV	FDSLQLSVCL	HEVAYWYILS	660
IGAQTDFLSV	FFSGYTFKHK	MVYEDTLTLF	PFSGETVFM	MENPGLWILG	CHNSDFRNRG	720
MTALLKVSSC	DKNTGDIYED	SYEDISAYLL	SKNNAIEPRS	FSQNPPVLKR	HQREITRTTL	780
QSDQEEIDYD	DTISVEMKKE	DFDIYDEDED	QSPRSFQKKT	RHYFIAAVER	LWDYGMSSSP	840
HVLRNRAQSG	SVPPQFKKVV	QEPDGSFTQ	PLYRGELNEH	LGLLGPYIRA	EVEDNIMVTF	900
RNQASRPYSF	YSSLSIYEED	QRQGAEPKRN	FVKPNETKTY	FWKVQHMAP	TKDEFDC KAW	960
AYFSDVDLEK	DVHSGLIGPL	LVCHTNTLNP	AHGRQVTVQE	FALFFTIFDE	TKSWYFTENM	1020
ERNCRAPCNI	QMEDPTFKEN	YRFHAINGYI	MDTLPGLVMA	QDQIRWYLL	SMGSNENIHS	1080
IHFSGHVFTV	RKKEEYKMA	YNLYPGVFET	VEMLPKAGI	WRVECLIGE	HLHAGMSTLFL	1140
VYSNKCQTP	LGMA SGHIRDF	QITASGQYGQ	WAPKLARLHY	SGSINAWSTK	EPFSWIKVDL	1200
LAPMIIHGIK	TQGARQKFS	YSLDGKKWQTY	RGNSTGTLMV	VFFGNVDSSGI		1260
KHNIFNPPII	ARYIRLHPHT	YSIRSTLRME	LMGCDLNSCS	MPLGMESKAI	SDAQITASSY	1320
FTNMFATWSP	SKARLHLQGR	SNAWRPQVNN	PKEWLQVDFQ	KTMKVTVGTT	QGVKSLLTSM	1380
YVKEFLISS	QDGHQWTLFF	QNGKVKVFQ	NQDSFTPVVN	SLDPPLLTRY	LRIHPQSWVH	1440
QIALRMEVLG	CEAQDLY					1457

SEQ ID NO: 13 moltype = DNA length = 130
 FEATURE Location/Qualifiers
 source 1..130
 mol_type = other DNA
 organism = Adeno-associated dependoparvovirus A

SEQUENCE: 13

cctgcaggca	gctgcgcgct	cgctcgctca	ctgaggccgc	cggggcgctg	ggcgaccttt	60
ggtcgccccg	cctcagtgag	cgagcgagcg	cgcagagagg	gagtgggcca	ctccatcact	120
aggggttcct						130

SEQ ID NO: 14 moltype = DNA length = 252
 FEATURE Location/Qualifiers
 source 1..252
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 14

tgtttgtctg	ttgcaatggt	tgtccatttt	agggtggaca	caggacgctg	tgtttcttga	60
gccagggggc	gactcagatc	ccagccagtg	gacttagccc	ctgtttgtct	ctccgataac	120
tgggtgacc	ttggttaata	ttaccagca	gcctcccccg	tgtccctct	ggatccactg	180
cttaataacg	gacgaggaca	gggccctgtc	tcctcagctt	caggcaccac	cactgacctg	240
ggacagtga	tc					252

SEQ ID NO: 15 moltype = DNA length = 60
 FEATURE Location/Qualifiers
 source 1..60
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 15

cggaataaaa	agatctttat	tttcattaga	tctgtgtgtt	ggttttttgt	gtgatgcagc	60
------------	------------	------------	------------	------------	------------	----

SEQ ID NO: 16 moltype = DNA length = 141
 FEATURE Location/Qualifiers
 source 1..141
 mol_type = other DNA

-continued

```

                                organism = Adeno-associated dependoparvovirus A
SEQUENCE: 16
aggaaccctt agtgatggag ttggccactc cctctctgcg cgctcgctcg ctactgagg 60
ccgggcgacc aaaggtcgcc cgacgcccgg gctttgcccg ggcggcctca gtgagcgagc 120
gagcgcgagc ctgctcgagc g 141

SEQ ID NO: 17      moltype = DNA length = 57
FEATURE           Location/Qualifiers
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 17
atgcaaatag agctctccac ctgcttcttt ctgtgctttt tgcgattctg ctttagt 57

SEQ ID NO: 18      moltype = DNA length = 57
FEATURE           Location/Qualifiers
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 18
atgcagatcg agctgagcac ctgcttcttc ctgtgcttgc tgaggttctg cttcagc 57

SEQ ID NO: 19      moltype = DNA length = 57
FEATURE           Location/Qualifiers
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 19
atgcagatcg agctgagcac ctgttttttt ctgtgcttgc tgaggttctg cttctcc 57

SEQ ID NO: 20      moltype = DNA length = 57
FEATURE           Location/Qualifiers
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 20
atgcagatcg agctgagcac ctgtttcttc ctgtgcttgc tgaggttctg tttcagc 57

SEQ ID NO: 21      moltype = DNA length = 57
FEATURE           Location/Qualifiers
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 21
atgcagatcg agctgtccac ctgcttcttc ctgtgcttgc tgcgcttctg tttctct 57

SEQ ID NO: 22      moltype = AA length = 19
FEATURE           Location/Qualifiers
source            1..19
                  mol_type = protein
                  organism = synthetic construct

SEQUENCE: 22
MQIELSTCFP LCLLRFCFS 19

```

1. An isolated codon-optimized nucleic acid encoding the FVIII-BDD (B-domain deleted coagulation factor VIII) protein with the amino acid sequence of SEQ ID NO: 11, which includes a nucleotide sequence that is selected from the group: SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4 or SEQ ID NO: 5.

2. An expression cassette that includes the nucleic acid according to claim 1.

3. The expression cassette according to claim 2, comprising the following elements in the 5'-end to 3'-end direction:

- a left-hand (first) ITR (inverted terminal repeats);
- a promoter;
- a nucleic acid encoding a signal peptide;
- the nucleic acid according to claim 1;
- a polyadenylation signal;
- a right-hand (second) ITR.

4. An expression vector that includes the nucleic acid according to claim 1 or the expression cassette according to any one of claims 2 to 3.

5. The expression vector according to claim 4, wherein the expression vector is a recombinant adeno-associated virus (AAV).

6. The expression vector according to claim 5, wherein the AAV is selected from a group including the following AAV serotypes: AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV11, AAV12, AAV13, AAV14, AAV15, AAV16, rAAV.rh8, rAAV.rh10, rAAV.rh20, rAAV.rh39, rAAV.Rh74, rAAV.RHM4-1, AAV.hu37, rAAV.Anc80, rAAV.Anc80L65, rAAV.7m8, rAAV.PHP.B, rAAV2.5, rAAV2tYF, rAAV3B, rAAV.LK03, AAV.HSC1, AAV.HSC2, AAV.HSC3, AAV.HSC4, AAV.HSC5, AAV.HSC6, AAV.HSC7, AAV.HSC8, AAV.HSC9, AAV.HSC10, AAV.HSC11, AAV.HSC12, AAV.HSC13, AAV.HSC14, AAV.HSC15 or AAV.HSC16.

7. A host cell for producing the FVIII-BDD protein or for producing the expression vector according to claims 4 to 6, comprising the nucleic acid according to claim 1.

8. A pharmaceutical composition for delivering the FVIII-BDD gene to target cells, comprising the expression vector according to any one of claims 4 to 6 or cassette according to any one of claims 2 to 3 in combination with one or more pharmaceutically acceptable excipients.

9. Use of the expression vector according to any one of claims 4 to 6 or the cassette according to any one of claims 2 to 3 or the composition according to claim 8 for delivering the FVIII-BDD gene to target cells.

10. Use of the expression vector according to any one of claims 4 to 6 or the cassette according to any one of claims 2 to 3 or the composition according to claim 8 for providing the FVIII-BDD protein to a subject who has haemophilia A and/or does not have functional copies of the FVIII gene.

11. A method of providing the FVIII-BDD protein to a subject with haemophilia A, comprising administering a

therapeutically effective amount of the expression vector according to any one of claims 4 to 6 or the composition according to claim 8 into the cells of a subject in need thereof.

12. A method of delivering the FVIII-BDD gene to the target cells of a subject with haemophilia A, comprising administering the expression vector according to any one of claims 4 to 6 or the composition according to claim 8 into the cells of a subject.

13. The use of the expression vector according to any one of claims 4 to 6 or the composition according to claim 8 for treating haemophilia A in a subject who has haemophilia A.

14. A method of treating haemophilia A in a subject, comprising administering a therapeutically effective amount of the expression vector according to any one of claims 4 to 6 or the composition according to claim 8 to a subject who has haemophilia.

* * * * *