



US0D1092073S

(12) **United States Design Patent**
Markopoulos

(10) **Patent No.:** **US D1,092,073 S**
(45) **Date of Patent:** **** Sep. 9, 2025**

- (54) **PIPING SADDLE BRACKET**
- (71) Applicant: **VENTRIX TECHNICAL SERVICES**
PTY LTD, Rockdale (AU)
- (72) Inventor: **Andrew Markopoulos, Rockdale (AU)**
- (73) Assignee: **VENTRIX TECHNICAL SERVICES**
PTY LTD, Rockdale (AU)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/877,651**
- (22) Filed: **Jun. 9, 2023**

- (30) **Foreign Application Priority Data**
- Dec. 16, 2022 (AU) 202217542
- (51) **LOC (15) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D23/354**
- (58) **Field of Classification Search**
USPC D23/265; 285/199, 289.1
CPC F16L 41/12; F16L 33/04; F24D 3/1058
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D16,160	S	*	7/1885	Crane		D23/265
D168,928	S	*	3/1953	English		D23/265
3,142,881	A	*	8/1964	Johnston		F16L 33/04
						D23/265
3,307,859	A	*	3/1967	Tidd et al.		F24D 3/1058
						285/289.1
D217,503	S	*	5/1970	Merritt		D23/265
D251,918	S	*	5/1979	Fouts		D23/265
4,494,780	A	*	1/1985	Burnett		F16L 41/12
						285/199
D304,676	S	*	11/1989	Glynn		D23/265

D309,094	S	*	7/1990	Donis		D23/265
D409,293	S	*	5/1999	Senninger		D23/265
D461,544	S	*	8/2002	Crockett, IV		D23/265
D577,423	S	*	9/2008	Dole		D23/265
D583,027	S	*	12/2008	Morita		D23/265
D583,916	S	*	12/2008	Madara		D23/265
D600,326	S	*	9/2009	Gibb		D23/265
D600,327	S	*	9/2009	Morita		D23/265
D602,131	S	*	10/2009	Morita		D23/265
D774,991	S	*	12/2016	Calley		D12/126
D879,261	S	*	3/2020	Nicolia		D23/265
D895,775	S	*	9/2020	Horning		D23/265
D999,881	S	*	9/2023	Collier		D23/265
D1,035,432	S	*	7/2024	Haddock		D23/265
D1,057,910	S	*	1/2025	Markopoulos		D23/265

* cited by examiner

Primary Examiner — Justin M Jonaitis
Assistant Examiner — Assam Y. Fittahy
(74) *Attorney, Agent, or Firm* — INNOVATION
CAPITAL LAW GROUP, LLP; Vic Lin


(57) **CLAIM**

The ornamental design for a piping saddle bracket as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a piping saddle bracket, showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8