



US0D1092791S

(12) **United States Design Patent**
Joy

(10) **Patent No.:** **US D1,092,791 S**

(45) **Date of Patent:** **** Sep. 9, 2025**

(54) **SAFETY POST**

(71) Applicant: **FRANK P. FREY AND COMPANY,**
Bensenville, IL (US)

(72) Inventor: **Brian Joy**, Bensenville, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/863,933**

(22) Filed: **Dec. 23, 2022**

(51) **LOC (15) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/133**

(58) **Field of Classification Search**

USPC ... D25/38, 38.1, 119, 123–136, 61, 157, 39,
D25/42, 43, 48, 35, 11, 46, 31, 143, 68;
D34/31; D14/253, 238; D16/243, 244;
D8/388, 380, 381, 382, 400, 402, 409,
D8/355, 356, 363, 374, 354, 394–396,
D8/383, 74, 349, 371, 70, 72, 377, 398,
D8/43, 73, 16, 19, 350, 353, 364, 366,
D8/373, 499, 376; D12/55, 182, 183,
D12/223, 162, 414; D11/183, 182;
D21/840, 799, 705, 699, 484, 500, 504
CPC ... A63B 9/00; A63B 21/1681; A63B 2210/50;
A63B 2244/225; A47B 61/003; A47B
96/1483; A47B 96/1425; A47F 5/10;
A47G 25/0692; A47K 3/38; B60P 7/15;
B61D 45/00; B65G 69/30; B65G
69/2811; B65G 69/2876; B66F 3/00;
B66F 3/247; B66F 3/24; E04B 2/821;
E04B 2/7435; E04B 2/7845; E04B
2/7455; E04B 9/18; E04B 2002/7494;
E04B 2002/7492; E04B 2009/186; E04C
3/005; E04C 3/32; E04F 11/1865; E04F
11/181; E04F 21/00; E04F 21/1833;
E04G 3/26; E04G 3/265; E04G 5/14;
E04G 5/045; E04G 5/142; E04G 5/041;
E04G 5/145; E04G 5/043; E04G 7/28;
E04G 11/486; E04G 11/483; E04G 11/38;
E04G 11/48; E04G 13/062; E04G

21/3233; E04G 21/32; E04G 21/243;
E04G 21/24; E04G 21/30; E04G 21/3261;
E04G

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,881,698 A * 5/1975 Marsh E04G 21/3233
248/231.41
3,920,221 A * 11/1975 Berry E04G 21/3233
52/707

(Continued)

OTHER PUBLICATIONS

Fallban, posted Sep. 19, 2019 [online], [retrieved Aug. 23, 2024].
Retrieved from internet, <https://www.bigrocksupply.com/fallban-stanchion-support-plate-1b.aspx>, (verified with Google AI) (Year: 2019).*

(Continued)

Primary Examiner — Brett Miller

Assistant Examiner — Sara Michie Pottenger

(74) *Attorney, Agent, or Firm* — Kutak Rock LLP; Eric S. Endsley

(57)

CLAIM

The ornamental design for a safety post as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety post of the present invention, according to some embodiments.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof.

FIG. 4 is a left-side elevation view thereof.

FIG. 5 is a right-side elevation view thereof.


FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

Broken lines form no part of the claim.

Shading forms no part of the claim.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC 21/3214; E04G 21/3223; E04G 21/3276;
 E04G 21/3295; E04G 21/26; E04G
 21/3242; E04G 21/3219; E04G 21/3204;
 E04G 21/328; E04G 21/3238; E04G
 23/0218; E04G 23/0237; E04G 25/065;
 E04G 25/06; E04G 25/061; E04G 25/063;
 E04G 25/04; E04G 25/00; E04G 25/08;
 E04G 2005/148; E04G 2025/042; E04G
 2025/045; E04G 2025/047; E04H
 12/2215; E04H 17/20; E04H 17/009;
 E04H 17/1413; E04H 17/22; E04H
 17/1465; E04H 17/146; E21D 15/18;
 E21D 15/40; E21D 15/325; E21D 15/22;
 E21D 15/38; E21D 15/42; E21D 15/55;
 E21D 15/24; E21D 15/52; E21D 15/502;
 E21D 15/566; F16B 2/246; F16B 12/02;
 F16B 7/105; F16B 7/1463; F16B 7/149;
 F16B 7/14; F16B 7/16; F16M 11/28;
 F16M 11/046; F16M 13/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,666,131 A * 5/1987 Kettelkamp, Sr. E04G 5/041
 182/113
 5,515,941 A * 5/1996 Palmer E04G 5/041
 52/27
 5,718,305 A * 2/1998 Palmer E04G 21/3261
 182/45
 5,896,944 A * 4/1999 McMillian E04G 5/041
 256/65.14
 6,038,829 A * 3/2000 Franks E04G 21/3242
 52/645
 6,039,150 A * 3/2000 Palmer E04G 21/3223
 182/113
 6,053,281 A * 4/2000 Murray E04G 21/3223
 248/237
 6,220,577 B1 * 4/2001 Ostrow E04G 21/3223
 256/DIG. 1
 6,336,623 B1 * 1/2002 McCarthy E04G 21/3214
 256/64

D471,291 S * 3/2003 Ammons D25/131
 6,722,468 B2 * 4/2004 Albano E04G 3/20
 182/150
 7,802,773 B2 * 9/2010 Murphy E04G 21/3223
 256/65.14
 8,132,792 B2 * 3/2012 Perris E04G 21/3223
 182/113
 8,656,652 B1 * 2/2014 Carrillo E04G 21/3276
 52/165
 D708,357 S * 7/2014 Brann D25/126
 11,719,009 B2 * 8/2023 MacKarvich E04G 21/3242
 256/68
 11,851,900 B2 * 12/2023 Brim, III E04G 5/145
 2005/0173689 A1 * 8/2005 Shorey E04G 21/3214
 256/59
 2006/0054393 A1 * 3/2006 Eisenkrein E04G 21/3233
 182/113
 2006/0237263 A1 * 10/2006 Gaines E04G 21/3219
 182/113
 2007/0246299 A1 * 10/2007 Wright E04G 21/3242
 182/113
 2008/0041662 A1 * 2/2008 Despres E04G 21/3228
 182/112
 2009/0127534 A1 * 5/2009 Powell E04G 21/3233
 256/65.02
 2009/0159865 A1 * 6/2009 Carvalho E04G 21/3223
 256/65.14
 2011/0174574 A1 * 7/2011 Collister E04G 3/265
 182/45
 2011/0272659 A1 * 11/2011 Gutierrez E04G 21/3204
 256/68
 2011/0278526 A1 * 11/2011 Carvalho E04G 21/3219
 256/65.03
 2012/0267594 A1 * 10/2012 Fontaine E04G 5/041
 256/65.01
 2018/0127993 A1 * 5/2018 Baca E04G 5/14
 2020/0157839 A1 * 5/2020 Henderson E04H 17/20
 2023/0017980 A1 * 1/2023 Ono A62B 35/0081

OTHER PUBLICATIONS

Simplified Safety, posted Feb. 20, 2020 [online], [retrieved Aug. 23, 2024]. Retrieved from internet, <https://simplifiedsafety.com/safety-railing/roof-safety-railing/temporary-construction-guardrail/guardrail-post-42-height/>, (verified with Google AI) (Year: 2020).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7