

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12401912
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Rivard; William et al.

System and method for generating a digital image

Abstract

A system, method, and computer program product for generating a resulting image from a set of images is disclosed. The method comprises receiving an image set that includes a first image of a photographic scene based on a first set of sampling parameters and a second image of the photographic scene based on a second set of sampling parameters, and generating a resulting image based on the first image and the second image according to depth values in a selection depth map. Each distinct depth value in the selection depth map corresponds to a different image in the image set.

Inventors: Rivard; William (Menlo Park, CA), Feder; Adam (Mountain View, CA), Kindle; Brian (Sunnyvale, CA)

Applicant: Duelight LLC (Sunnyvale, CA)

Family ID: 1000008778470

Assignee: DUELIGHT LLC (Sunnyvale, CA)

Appl. No.: 19/015114

Filed: January 09, 2025

Prior Publication Data

Document Identifier	Publication Date
US 20250150719 A1	May. 08, 2025

Related U.S. Application Data

continuation parent-doc US 17518473 20211103 ABANDONED child-doc US 17868536
continuation parent-doc US 16677385 20191107 US 11394895 20220719 child-doc US 17518473
continuation parent-doc US 16211931 20181206 US 10491834 20191126 child-doc US 16677385
continuation parent-doc US 15863785 20180105 US 10178323 20190108 child-doc US 16211931
continuation parent-doc US 15289039 20161007 US 9894289 20180213 child-doc US 15863785
continuation parent-doc US 14543782 20141117 US 9509919 20161129 child-doc US 15289039
continuation-in-part parent-doc US 18388158 20231108 PENDING child-doc US 19015114
continuation-in-part parent-doc US 17868536 20220719 ABANDONED child-doc US 18388158

Publication Classification

Int. Cl.: H04N23/743 (20230101); H04N23/56 (20230101); H04N23/62 (20230101); H04N23/63 (20230101); H04N23/72 (20230101); H04N23/74 (20230101); H04N23/741 (20230101)

U.S. Cl.:

CPC H04N23/743 (20230101); H04N23/56 (20230101); H04N23/62 (20230101); H04N23/631 (20230101); H04N23/72 (20230101); H04N23/74 (20230101); H04N23/741 (20230101);

Field of Classification Search

CPC: H04N (5/35554); H04N (5/2256); H04N (5/2355); H04N (5/2621); H04N (5/2624); H04N (5/265); H04N (5/3745); H04N (5/37452); H04N (5/37455); H04N (5/378)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
4057809	12/1976	Nakamoto et al.	N/A	N/A
4091374	12/1977	Muller et al.	N/A	N/A
4371928	12/1982	Barlow et al.	N/A	N/A
4425031	12/1983	Tamura et al.	N/A	N/A
4470676	12/1983	Kinoshita et al.	N/A	N/A
4638365	12/1986	Kato	N/A	N/A
4712136	12/1986	Tsunekawa et al.	N/A	N/A
4720723	12/1987	Harunari et al.	N/A	N/A
4734762	12/1987	Aoki et al.	N/A	N/A
4811086	12/1988	Hieda	N/A	N/A
4821099	12/1988	Sakamoto	N/A	N/A
4832518	12/1988	Moriyama	N/A	N/A
4873561	12/1988	Wen	N/A	N/A
4884972	12/1988	Gasper	N/A	N/A
4980773	12/1989	Suda et al.	N/A	N/A
5101253	12/1991	Mizutani et al.	N/A	N/A
5109236	12/1991	Watanabe et al.	N/A	N/A
5115124	12/1991	Muto et al.	N/A	N/A
5126777	12/1991	Akashi et al.	N/A	N/A
5132783	12/1991	Hieda	N/A	N/A
5146316	12/1991	Suzuki	N/A	N/A
5151796	12/1991	Ito et al.	N/A	N/A
5175615	12/1991	Ohara	N/A	N/A
5185668	12/1992	Ohta	N/A	N/A
5200828	12/1992	Jang et al.	N/A	N/A
5262870	12/1992	Nakamura et al.	N/A	N/A
5282024	12/1993	Takei	N/A	N/A
5291151	12/1993	Fujiwara et al.	N/A	N/A
5317406	12/1993	Kobayashi et al.	N/A	N/A
5321528	12/1993	Nakamura	N/A	N/A
5363209	12/1993	Eschbach et al.	N/A	N/A
5384904	12/1994	Sprague et al.	N/A	N/A
5553864	12/1995	Sitrick	N/A	N/A
5559770	12/1995	Hiroki et al.	N/A	N/A
5572633	12/1995	Lo et al.	N/A	N/A
5579530	12/1995	Solomon et al.	N/A	N/A
5633677	12/1996	Okino et al.	N/A	N/A
5689437	12/1996	Nakagawa	N/A	N/A
5698844	12/1996	Shinohara et al.	N/A	N/A

5699108	12/1996	Katayama et al.	N/A	N/A
5726670	12/1997	Tabata et al.	N/A	N/A
5734760	12/1997	Yoshida	N/A	N/A
5737547	12/1997	Zuravleff et al.	N/A	N/A
5754705	12/1997	Okino	N/A	N/A
5757369	12/1997	Ohsawa et al.	N/A	N/A
5764246	12/1997	Wataya et al.	N/A	N/A
5784569	12/1997	Miller et al.	N/A	N/A
5790234	12/1997	Matsuyama	N/A	N/A
5790692	12/1997	Price et al.	N/A	N/A
5812799	12/1997	Zuravleff et al.	N/A	N/A
5818977	12/1997	Tansley	N/A	N/A
5835639	12/1997	Honsinger et al.	N/A	N/A
5859921	12/1998	Suzuki	N/A	N/A
5867215	12/1998	Kaplan	N/A	N/A
5867735	12/1998	Zuravleff et al.	N/A	N/A
5872867	12/1998	Bergen	N/A	N/A
5889956	12/1998	Hauser et al.	N/A	N/A
5900909	12/1998	Parulski et al.	N/A	N/A
5909594	12/1998	Ross et al.	N/A	N/A
5917494	12/1998	Arai et al.	N/A	N/A
5983261	12/1998	Riddle	N/A	N/A
5986668	12/1998	Szeliski et al.	N/A	N/A
5987164	12/1998	Szeliski et al.	N/A	N/A
5987186	12/1998	Oida et al.	N/A	N/A
6018599	12/1999	Kawai	N/A	N/A
6026188	12/1999	Dionysian	N/A	N/A
6038074	12/1999	Kitaguchi et al.	N/A	N/A
6038333	12/1999	Wang	N/A	N/A
6041351	12/1999	Kho	N/A	N/A
6055326	12/1999	Chang et al.	N/A	N/A
6061696	12/1999	Lee et al.	N/A	N/A
6085241	12/1999	Otis	N/A	N/A
6092137	12/1999	Huang et al.	N/A	N/A
6115025	12/1999	Buxton et al.	N/A	N/A
6115065	12/1999	Yadid-Pecht et al.	N/A	N/A
6115717	12/1999	Mehrotra et al.	N/A	N/A
6137468	12/1999	Martinez et al.	N/A	N/A
6148092	12/1999	Qian	N/A	N/A
6184516	12/2000	Sawada et al.	N/A	N/A
6184940	12/2000	Sano	N/A	N/A
6208349	12/2000	Davidson et al.	N/A	N/A
6241609	12/2000	Rutgers	N/A	N/A
6243430	12/2000	Mathe	N/A	N/A
6246226	12/2000	Kawase et al.	N/A	N/A
6262769	12/2000	Anderson et al.	N/A	N/A
6293284	12/2000	Rigg	N/A	N/A
6301440	12/2000	Bolle et al.	N/A	N/A
6326978	12/2000	Robbins	N/A	N/A
6332033	12/2000	Qian	N/A	N/A
6348697	12/2001	Kitajima	N/A	N/A
6365950	12/2001	Sohn	N/A	N/A
6385169	12/2001	Wang	N/A	N/A
6385580	12/2001	Lyberg et al.	N/A	N/A
6442294	12/2001	Nishizawa et al.	N/A	N/A
6453068	12/2001	Li	N/A	N/A
6473159	12/2001	Wakui et al.	N/A	N/A

6498926	12/2001	Ciccarelli et al.	N/A	N/A
6530639	12/2002	Matsuda	N/A	N/A
6532011	12/2002	Francini et al.	N/A	N/A
6539129	12/2002	Yushiya	N/A	N/A
6546150	12/2002	Inui	N/A	N/A
6577613	12/2002	Ramanathan	N/A	N/A
6594279	12/2002	Nguyen et al.	N/A	N/A
6597399	12/2002	Horii	N/A	N/A
6600160	12/2002	Kobayashi et al.	N/A	N/A
6608622	12/2002	Katayama et al.	N/A	N/A
6627896	12/2002	Hashimoto et al.	N/A	N/A
6642962	12/2002	Lin et al.	N/A	N/A
6650774	12/2002	Szeliski	N/A	N/A
6658457	12/2002	Nishikawa et al.	N/A	N/A
6662233	12/2002	Skarpness et al.	N/A	N/A
6704007	12/2003	Clapper	N/A	N/A
6704844	12/2003	Arimilli et al.	N/A	N/A
6734905	12/2003	Fossum et al.	N/A	N/A
6735566	12/2003	Brand	N/A	N/A
6744471	12/2003	Kakinuma et al.	N/A	N/A
6748443	12/2003	Parry et al.	N/A	N/A
6757795	12/2003	Barri et al.	N/A	N/A
6760748	12/2003	Hakim	N/A	N/A
6778948	12/2003	Kanetaka et al.	N/A	N/A
6787778	12/2003	Kobayashi et al.	N/A	N/A
6788338	12/2003	Dinev et al.	N/A	N/A
6789155	12/2003	Jeddeloh	N/A	N/A
6810031	12/2003	Hegde et al.	N/A	N/A
6842265	12/2004	Votipka et al.	N/A	N/A
6862374	12/2004	Nagai et al.	N/A	N/A
6864886	12/2004	Cavallaro et al.	N/A	N/A
6885761	12/2004	Kage	N/A	N/A
6906332	12/2004	Tashiro et al.	N/A	N/A
6920619	12/2004	Milekic	N/A	N/A
6944319	12/2004	Huang et al.	N/A	N/A
6950132	12/2004	Kozuka	N/A	N/A
6952015	12/2004	Kameshima	N/A	N/A
6959157	12/2004	Nakayama	N/A	N/A
6961088	12/2004	Kameshima et al.	N/A	N/A
6975750	12/2004	Yan et al.	N/A	N/A
6989863	12/2005	Takahashi	N/A	N/A
6993769	12/2005	Simonson et al.	N/A	N/A
6996186	12/2005	Ngai et al.	N/A	N/A
7027054	12/2005	Cheiky et al.	N/A	N/A
7030868	12/2005	Clapper	N/A	N/A
7030912	12/2005	Honma	N/A	N/A
7030922	12/2005	Sakuragi	N/A	N/A
7076563	12/2005	Yamanaka et al.	N/A	N/A
7084905	12/2005	Nayar et al.	N/A	N/A
7085590	12/2005	Kennedy et al.	N/A	N/A
7088351	12/2005	Wang	N/A	N/A
7095879	12/2005	Yan et al.	N/A	N/A
7098952	12/2005	Morris et al.	N/A	N/A
7113497	12/2005	Cromer et al.	N/A	N/A
7113648	12/2005	Aihara	N/A	N/A
7127081	12/2005	Erdem	N/A	N/A
7133070	12/2005	Wheeler et al.	N/A	N/A

7138639	12/2005	Kameshima	N/A	N/A
7142697	12/2005	Huang et al.	N/A	N/A
7145966	12/2005	Lai et al.	N/A	N/A
7164423	12/2006	Westen	N/A	N/A
7206449	12/2006	Raskar et al.	N/A	N/A
7256381	12/2006	Asaba	N/A	N/A
7265784	12/2006	Frank	N/A	N/A
7352361	12/2007	Yi	N/A	N/A
7362886	12/2007	Rowe et al.	N/A	N/A
7381963	12/2007	Endo et al.	N/A	N/A
7415152	12/2007	Jiang et al.	N/A	N/A
7421063	12/2007	Takenaka et al.	N/A	N/A
7428378	12/2007	Warpakowski Furlan	N/A	N/A
7433547	12/2007	Yamamoto	N/A	N/A
7443443	12/2007	Raskar et al.	N/A	N/A
7470911	12/2007	Yagi	N/A	N/A
7514690	12/2008	Endo et al.	N/A	N/A
7518645	12/2008	Farrier	N/A	N/A
7522210	12/2008	Shimada	N/A	N/A
7535486	12/2008	Motomura et al.	N/A	N/A
7564037	12/2008	Tashiro et al.	N/A	N/A
7573037	12/2008	Kameshima et al.	N/A	N/A
7587099	12/2008	Szeliski et al.	N/A	N/A
7590775	12/2008	Gildfind et al.	N/A	N/A
7592599	12/2008	Kameshima	N/A	N/A
7595831	12/2008	Kameshima et al.	N/A	N/A
7599541	12/2008	Hayashida	N/A	N/A
7599569	12/2008	Smirnov et al.	N/A	N/A
7609860	12/2008	Lee et al.	N/A	N/A
7622698	12/2008	Igaki et al.	N/A	N/A
7626598	12/2008	Manchester	N/A	N/A
7633528	12/2008	Fukushima et al.	N/A	N/A
7646417	12/2009	Goto et al.	N/A	N/A
7646909	12/2009	Jiang et al.	N/A	N/A
7656456	12/2009	Zhang	N/A	N/A
7660464	12/2009	Peterson	N/A	N/A
7676170	12/2009	Hata	N/A	N/A
7705911	12/2009	Kameshima	N/A	N/A
7715598	12/2009	Li et al.	N/A	N/A
7724292	12/2009	Ueno et al.	N/A	N/A
7724735	12/2009	Locatelli et al.	N/A	N/A
7730422	12/2009	Russo	N/A	N/A
7750913	12/2009	Parenteau et al.	N/A	N/A
7760246	12/2009	Dalton et al.	N/A	N/A
7764880	12/2009	Hamada	N/A	N/A
7768920	12/2009	Goshen et al.	N/A	N/A
7783126	12/2009	Yamashita et al.	N/A	N/A
7800618	12/2009	Westen	N/A	N/A
7802866	12/2009	Kanno et al.	N/A	N/A
7825974	12/2009	Itano et al.	N/A	N/A
7827490	12/2009	Kapur et al.	N/A	N/A
7835586	12/2009	Porikli	N/A	N/A
7842927	12/2009	Tashiro et al.	N/A	N/A
7844076	12/2009	Corcoran et al.	N/A	N/A
7847259	12/2009	Tashiro et al.	N/A	N/A
7852379	12/2009	Aoki et al.	N/A	N/A
7903115	12/2010	Platzter et al.	N/A	N/A

7907791	12/2010	Kinrot et al.	N/A	N/A
7908410	12/2010	Gildfind et al.	N/A	N/A
7911506	12/2010	Suzuki	N/A	N/A
7923695	12/2010	Ishii et al.	N/A	N/A
7923696	12/2010	Kameshima	N/A	N/A
7949201	12/2010	Suzuki	N/A	N/A
7952077	12/2010	Tashiro et al.	N/A	N/A
7952621	12/2010	Yamauchi	N/A	N/A
7953286	12/2010	Chiang et al.	N/A	N/A
7962030	12/2010	Trevelyan	N/A	N/A
7966661	12/2010	Gunawardena	N/A	N/A
7978182	12/2010	Ording et al.	N/A	N/A
7984177	12/2010	Girardeau, Jr. et al.	N/A	N/A
7991887	12/2010	Sutardja	N/A	N/A
7999858	12/2010	Nayar et al.	N/A	N/A
8018525	12/2010	Trevelyan et al.	N/A	N/A
8063967	12/2010	Itano et al.	N/A	N/A
8068121	12/2010	Williamson et al.	N/A	N/A
8081606	12/2010	Cai et al.	N/A	N/A
8107497	12/2011	Zerillo et al.	N/A	N/A
8114172	12/2011	Givon	N/A	N/A
8120625	12/2011	Hinckley	N/A	N/A
8125499	12/2011	Yamada	N/A	N/A
8125526	12/2011	Maruyama et al.	N/A	N/A
8129760	12/2011	Hiromatsu	N/A	N/A
8144253	12/2011	Su et al.	N/A	N/A
8155391	12/2011	Tang et al.	N/A	N/A
8155397	12/2011	Bigioi et al.	N/A	N/A
8170576	12/2011	Wu	N/A	N/A
8189097	12/2011	Chou et al.	N/A	N/A
8189944	12/2011	Lim	N/A	N/A
8194993	12/2011	Chen et al.	N/A	N/A
8199203	12/2011	Sugimoto	N/A	N/A
8208051	12/2011	Kitani	N/A	N/A
8217964	12/2011	Laine et al.	N/A	N/A
8218070	12/2011	Kameshima	N/A	N/A
8218625	12/2011	Ward et al.	N/A	N/A
8224176	12/2011	Pillman et al.	N/A	N/A
8228560	12/2011	Hooper	N/A	N/A
8233003	12/2011	Obinata	N/A	N/A
8237813	12/2011	Garten	N/A	N/A
8247779	12/2011	Kameshima et al.	N/A	N/A
8270764	12/2011	Agarwala et al.	N/A	N/A
8276085	12/2011	Sherwani	N/A	N/A
8291446	12/2011	Kennedy	N/A	N/A
8294723	12/2011	Labour et al.	N/A	N/A
8300900	12/2011	Lai et al.	N/A	N/A
8314817	12/2011	Williamson et al.	N/A	N/A
8330811	12/2011	Macguire, Jr.	N/A	N/A
8335021	12/2011	Tanaka et al.	N/A	N/A
8339508	12/2011	Levy	N/A	N/A
8345327	12/2012	Mikami	N/A	N/A
8346923	12/2012	Rowles et al.	N/A	N/A
8351711	12/2012	Takano et al.	N/A	N/A
8363122	12/2012	Onozawa	N/A	N/A
8363145	12/2012	Iwamoto	N/A	N/A
8363951	12/2012	Bigioi et al.	N/A	N/A

8363952	12/2012	Bigioi et al.	N/A	N/A
8369586	12/2012	Corcoran et al.	N/A	N/A
8369893	12/2012	Kirch et al.	N/A	N/A
8406482	12/2012	Chien et al.	N/A	N/A
8412277	12/2012	Fujiwara	N/A	N/A
8441560	12/2012	Yanai	N/A	N/A
8451296	12/2012	Ono	N/A	N/A
8488219	12/2012	Mikami	N/A	N/A
8493413	12/2012	Mo	N/A	N/A
8508600	12/2012	Ibi	N/A	N/A
8521883	12/2012	Wartnick et al.	N/A	N/A
RE44499	12/2012	Inoue et al.	N/A	N/A
8531465	12/2012	Platzter et al.	N/A	N/A
8532395	12/2012	Mitsui	N/A	N/A
8543946	12/2012	Kethireddy	N/A	N/A
8548257	12/2012	Reid et al.	N/A	N/A
8563915	12/2012	Takenaka et al.	N/A	N/A
8570415	12/2012	Takeda	N/A	N/A
8576294	12/2012	Kameshima et al.	N/A	N/A
8581935	12/2012	Handa	N/A	N/A
8605142	12/2012	Hayashi	N/A	N/A
8610724	12/2012	Garg	N/A	N/A
8610789	12/2012	Nayar et al.	N/A	N/A
8619728	12/2012	Frank et al.	N/A	N/A
8633978	12/2013	Yang et al.	N/A	N/A
8644644	12/2013	Yadav	N/A	N/A
8675086	12/2013	Linzer	N/A	N/A
8675960	12/2013	Reid et al.	N/A	N/A
8682029	12/2013	Piramuthu	N/A	N/A
8692851	12/2013	Ording et al.	N/A	N/A
8692917	12/2013	Takeda	N/A	N/A
8698062	12/2013	Yoshida	N/A	N/A
8699822	12/2013	Park et al.	N/A	N/A
8712160	12/2013	Bigioi et al.	N/A	N/A
8712189	12/2013	Bitouk et al.	N/A	N/A
8717293	12/2013	Wong et al.	N/A	N/A
8723284	12/2013	Hynecek	N/A	N/A
8754978	12/2013	Hayashi et al.	N/A	N/A
8761245	12/2013	Puri et al.	N/A	N/A
8763056	12/2013	Bagasra	N/A	N/A
8764560	12/2013	Sitrick	N/A	N/A
8774553	12/2013	Winn	N/A	N/A
8774554	12/2013	Winn	N/A	N/A
8780420	12/2013	Bluzer et al.	N/A	N/A
8783816	12/2013	Masuda	N/A	N/A
8785870	12/2013	Matsumoto et al.	N/A	N/A
8786725	12/2013	Maruyama et al.	N/A	N/A
8786920	12/2013	Mikami	N/A	N/A
8792679	12/2013	Sengupta et al.	N/A	N/A
8793714	12/2013	Kelsen et al.	N/A	N/A
8794733	12/2013	Kanno et al.	N/A	N/A
8797337	12/2013	Labour et al.	N/A	N/A
8797445	12/2013	Kang	N/A	N/A
8805091	12/2013	Hensel et al.	N/A	N/A
8809760	12/2013	Takenaka et al.	N/A	N/A
8811757	12/2013	Batur	N/A	N/A
8817048	12/2013	Kerr et al.	N/A	N/A

8824747	12/2013	Free	N/A	N/A
8830177	12/2013	Woo	N/A	N/A
8830261	12/2013	Asai	N/A	N/A
8836837	12/2013	Kinugasa	N/A	N/A
8849984	12/2013	Yamagishi	N/A	N/A
8852003	12/2013	Oku	N/A	N/A
8854325	12/2013	Byrd et al.	N/A	N/A
8854421	12/2013	Kasahara	N/A	N/A
8861805	12/2013	Hwang et al.	N/A	N/A
8861847	12/2013	Srinivasan et al.	N/A	N/A
8861886	12/2013	Huo et al.	N/A	N/A
8867105	12/2013	Mikami	N/A	N/A
8872855	12/2013	Doll	N/A	N/A
8878117	12/2013	Ogushi	N/A	N/A
8878963	12/2013	Prabhudesai et al.	N/A	N/A
8881057	12/2013	Mori et al.	N/A	N/A
8890897	12/2013	Homma et al.	N/A	N/A
8896632	12/2013	MacDougall et al.	N/A	N/A
8897501	12/2013	Okada et al.	N/A	N/A
8897504	12/2013	Steinberg et al.	N/A	N/A
8902342	12/2013	Araoka et al.	N/A	N/A
8908932	12/2013	Corcoran et al.	N/A	N/A
8914744	12/2013	Spencer et al.	N/A	N/A
8915437	12/2013	Hoshino et al.	N/A	N/A
8928654	12/2014	Givon	N/A	N/A
8933960	12/2014	Lindahl et al.	N/A	N/A
8934029	12/2014	Nayar et al.	N/A	N/A
8935767	12/2014	Li et al.	N/A	N/A
8937735	12/2014	Mori	N/A	N/A
8942436	12/2014	Mori et al.	N/A	N/A
8947382	12/2014	Winkler et al.	N/A	N/A
8948584	12/2014	Inoue et al.	N/A	N/A
8953094	12/2014	Baer	N/A	N/A
8953882	12/2014	Lim et al.	N/A	N/A
8965390	12/2014	Morrison	N/A	N/A
8966401	12/2014	Kang et al.	N/A	N/A
8970770	12/2014	Nanu et al.	N/A	N/A
8976264	12/2014	Rivard et al.	N/A	N/A
8977073	12/2014	Kwon et al.	N/A	N/A
8988349	12/2014	Alberth et al.	N/A	N/A
8988548	12/2014	Manabe	N/A	N/A
8988559	12/2014	Chao et al.	N/A	N/A
8988561	12/2014	Yamauchi	N/A	N/A
9001232	12/2014	Tatsumi	N/A	N/A
9001249	12/2014	Iwane	N/A	N/A
9003293	12/2014	Grosz et al.	N/A	N/A
9007505	12/2014	Ichikawa	N/A	N/A
9014459	12/2014	Xiang et al.	N/A	N/A
9015640	12/2014	de Leon	N/A	N/A
9030566	12/2014	Miyasako	N/A	N/A
9030587	12/2014	Suzuki et al.	N/A	N/A
9036056	12/2014	Ohtsuka	N/A	N/A
9055003	12/2014	Baratakke et al.	N/A	N/A
9058655	12/2014	Doepke et al.	N/A	N/A
9070185	12/2014	Lee et al.	N/A	N/A
9070229	12/2014	Williamson et al.	N/A	N/A
9077943	12/2014	Lim et al.	N/A	N/A

9080914	12/2014	Kinugasa	N/A	N/A
9081257	12/2014	Miyazaki	N/A	N/A
9083905	12/2014	Wan et al.	N/A	N/A
9083935	12/2014	Demandolx et al.	N/A	N/A
9098069	12/2014	Dickinson et al.	N/A	N/A
9100514	12/2014	Gu et al.	N/A	N/A
9104410	12/2014	Wong et al.	N/A	N/A
9106888	12/2014	Chou	N/A	N/A
9118876	12/2014	Felt	N/A	N/A
9123621	12/2014	Watanabe	N/A	N/A
9124814	12/2014	Kim et al.	N/A	N/A
9129550	12/2014	Doll	N/A	N/A
9137455	12/2014	Rivard et al.	N/A	N/A
9144714	12/2014	Hollinger	N/A	N/A
9154708	12/2014	Rivard et al.	N/A	N/A
9158492	12/2014	Miyata	N/A	N/A
9160936	12/2014	Rivard et al.	N/A	N/A
9165533	12/2014	Paulson	N/A	N/A
9167169	12/2014	Rivard et al.	N/A	N/A
9167174	12/2014	Rivard et al.	N/A	N/A
9177362	12/2014	Restrepo et al.	N/A	N/A
9179062	12/2014	Rivard et al.	N/A	N/A
9179085	12/2014	Rivard et al.	N/A	N/A
9189069	12/2014	Hinckley	N/A	N/A
9195880	12/2014	Levoy et al.	N/A	N/A
9196076	12/2014	MacLeod	N/A	N/A
9208548	12/2014	Noble et al.	N/A	N/A
9215405	12/2014	Atkinson	N/A	N/A
9215433	12/2014	Rivard et al.	N/A	N/A
9218662	12/2014	Feder et al.	N/A	N/A
9219825	12/2014	Sheikh Naziruddin et al.	N/A	N/A
9223467	12/2014	Landry	N/A	N/A
9230343	12/2015	Ozawa	N/A	N/A
9232124	12/2015	Song	N/A	N/A
9232164	12/2015	Minowa et al.	N/A	N/A
9232173	12/2015	Duggal et al.	N/A	N/A
9239947	12/2015	Auberger et al.	N/A	N/A
9256974	12/2015	Hines	N/A	N/A
9261909	12/2015	Lam	N/A	N/A
9277135	12/2015	Ichikawa	N/A	N/A
9282167	12/2015	Jo et al.	N/A	N/A
9285729	12/2015	Saito et al.	N/A	N/A
9292154	12/2015	Ji et al.	N/A	N/A
9292911	12/2015	Paris et al.	N/A	N/A
9294744	12/2015	Takeda	N/A	N/A
9298745	12/2015	Lee et al.	N/A	N/A
9313413	12/2015	Cho et al.	N/A	N/A
9336574	12/2015	Zhang et al.	N/A	N/A
9342138	12/2015	Ding	N/A	N/A
9354184	12/2015	Dowaki	N/A	N/A
9361319	12/2015	Feder et al.	N/A	N/A
9383202	12/2015	Zhou et al.	N/A	N/A
9384384	12/2015	Tyagi	N/A	N/A
9406147	12/2015	Rivard et al.	N/A	N/A
9407675	12/2015	Ludwig et al.	N/A	N/A
9417836	12/2015	Postal et al.	N/A	N/A
9418408	12/2015	Thompson	N/A	N/A

9421462	12/2015	Oku	N/A	N/A
9424798	12/2015	Park	N/A	N/A
9426398	12/2015	Ohshitanai	N/A	N/A
9438809	12/2015	Sheikh et al.	N/A	N/A
9438836	12/2015	Tashiro et al.	N/A	N/A
9443132	12/2015	Linguraru et al.	N/A	N/A
9445029	12/2015	Shimizu	N/A	N/A
9448771	12/2015	Feder et al.	N/A	N/A
9456144	12/2015	Miyazaki	N/A	N/A
9459781	12/2015	Wilson et al.	N/A	N/A
9460118	12/2015	Feder et al.	N/A	N/A
9460125	12/2015	Feder et al.	N/A	N/A
9467607	12/2015	Ng et al.	N/A	N/A
9478012	12/2015	Uratani et al.	N/A	N/A
9489927	12/2015	Aizawa	N/A	N/A
9495025	12/2015	Ishikawa et al.	N/A	N/A
9507379	12/2015	Kamei et al.	N/A	N/A
9507445	12/2015	Sutton et al.	N/A	N/A
9508133	12/2015	Kindle et al.	N/A	N/A
9509919	12/2015	Rivard et al.	N/A	N/A
9516217	12/2015	Corcoran et al.	N/A	N/A
9531961	12/2015	Rivard et al.	N/A	N/A
9538112	12/2016	Wada et al.	N/A	N/A
9552076	12/2016	Homma et al.	N/A	N/A
9560269	12/2016	Baldwin	N/A	N/A
9571745	12/2016	Mahowald	N/A	N/A
9578211	12/2016	Kong et al.	N/A	N/A
9591225	12/2016	Jung et al.	N/A	N/A
9600735	12/2016	Nakagome et al.	N/A	N/A
9600741	12/2016	Su et al.	N/A	N/A
9621796	12/2016	Muukki et al.	N/A	N/A
9628647	12/2016	Tomono et al.	N/A	N/A
9639742	12/2016	Lee et al.	N/A	N/A
9646576	12/2016	Masuko	N/A	N/A
9661327	12/2016	Nilsson	N/A	N/A
9667892	12/2016	Sakuragi	N/A	N/A
9684434	12/2016	Lewin et al.	N/A	N/A
9704250	12/2016	Shah et al.	N/A	N/A
9716880	12/2016	Chen et al.	N/A	N/A
9721375	12/2016	Rivard et al.	N/A	N/A
9741150	12/2016	Feder et al.	N/A	N/A
9756267	12/2016	Dowaki et al.	N/A	N/A
9760764	12/2016	Mishra et al.	N/A	N/A
9761033	12/2016	Flider	N/A	N/A
9769404	12/2016	Ohshitanai	N/A	N/A
9773827	12/2016	Minowa et al.	N/A	N/A
9779287	12/2016	Steinberg et al.	N/A	N/A
9779481	12/2016	Yuasa	N/A	N/A
9794607	12/2016	Joy et al.	N/A	N/A
9798395	12/2016	Ye et al.	N/A	N/A
9800638	12/2016	Munagala et al.	N/A	N/A
9807322	12/2016	Feder et al.	N/A	N/A
9819849	12/2016	Rivard et al.	N/A	N/A
9846804	12/2016	Lim et al.	N/A	N/A
9858648	12/2017	Li et al.	N/A	N/A
9860461	12/2017	Feder et al.	N/A	N/A
9886192	12/2017	Masuko	N/A	N/A

9894289	12/2017	Rivard et al.	N/A	N/A
9898674	12/2017	Connell, II et al.	N/A	N/A
9912928	12/2017	Rivard et al.	N/A	N/A
9918017	12/2017	Rivard et al.	N/A	N/A
9924147	12/2017	Rivard et al.	N/A	N/A
9934561	12/2017	Feder et al.	N/A	N/A
9942464	12/2017	Voss	N/A	N/A
9942504	12/2017	Nishizawa	N/A	N/A
9953454	12/2017	Rivard et al.	N/A	N/A
9979910	12/2017	Ikedo	N/A	N/A
9998721	12/2017	Rivard et al.	N/A	N/A
9998935	12/2017	Rivard et al.	N/A	N/A
10007842	12/2017	Hu	N/A	N/A
10025972	12/2017	Matas et al.	N/A	N/A
10027726	12/2017	Ozog	N/A	N/A
10033917	12/2017	Silverstein et al.	N/A	N/A
10043058	12/2017	Ahmed	N/A	N/A
10049425	12/2017	Cornell	N/A	N/A
10055646	12/2017	Bataller et al.	N/A	N/A
10088866	12/2017	Braun et al.	N/A	N/A
10088989	12/2017	Rivard et al.	N/A	N/A
10097765	12/2017	Sheikh et al.	N/A	N/A
10102829	12/2017	Paulson	N/A	N/A
10109098	12/2017	Feder et al.	N/A	N/A
10109107	12/2017	Knorr et al.	N/A	N/A
10110867	12/2017	Rivard et al.	N/A	N/A
10110870	12/2017	Rivard et al.	N/A	N/A
10129476	12/2017	Hushchyn et al.	N/A	N/A
10129514	12/2017	Rivard et al.	N/A	N/A
10148898	12/2017	Dowaki et al.	N/A	N/A
10178300	12/2018	Rivard et al.	N/A	N/A
10178323	12/2018	Rivard et al.	N/A	N/A
10182197	12/2018	Feder et al.	N/A	N/A
10186019	12/2018	Homma et al.	N/A	N/A
10225479	12/2018	Shabtay et al.	N/A	N/A
10270958	12/2018	Rivard et al.	N/A	N/A
10271001	12/2018	Uchida et al.	N/A	N/A
10284834	12/2018	Rivard et al.	N/A	N/A
10346676	12/2018	Ahmed	N/A	N/A
10346677	12/2018	Steinberg et al.	N/A	N/A
10360716	12/2018	van der Meulen et al.	N/A	N/A
10365820	12/2018	Lee et al.	N/A	N/A
10366526	12/2018	Rivard et al.	N/A	N/A
10372971	12/2018	Rivard et al.	N/A	N/A
10375367	12/2018	Rivard et al.	N/A	N/A
10375369	12/2018	Rivard et al.	N/A	N/A
10382702	12/2018	Rivard et al.	N/A	N/A
10387963	12/2018	Leise et al.	N/A	N/A
10410605	12/2018	Gardenfors et al.	N/A	N/A
10469714	12/2018	Rivard et al.	N/A	N/A
10477077	12/2018	Rivard et al.	N/A	N/A
10477087	12/2018	Rivard et al.	N/A	N/A
10491834	12/2018	Rivard et al.	N/A	N/A
10498982	12/2018	Feder et al.	N/A	N/A
10506463	12/2018	Rivard et al.	N/A	N/A
10521946	12/2018	Roche et al.	N/A	N/A
10552016	12/2019	Cherna et al.	N/A	N/A

10552946	12/2019	Furukawa	N/A	N/A
10554890	12/2019	Le et al.	N/A	N/A
10554943	12/2019	Rivard et al.	N/A	N/A
10558848	12/2019	Rivard et al.	N/A	N/A
10586097	12/2019	Rivard et al.	N/A	N/A
10586369	12/2019	Roche et al.	N/A	N/A
10587864	12/2019	Hayasaka et al.	N/A	N/A
10621771	12/2019	Matts et al.	N/A	N/A
10627854	12/2019	Gurr et al.	N/A	N/A
10628666	12/2019	Sareen et al.	N/A	N/A
10628729	12/2019	Sareen	N/A	N/A
10630903	12/2019	Srivastava et al.	N/A	N/A
10652478	12/2019	Rivard et al.	N/A	N/A
10708545	12/2019	Rivard et al.	N/A	N/A
10742892	12/2019	Le et al.	N/A	N/A
10785401	12/2019	Rivard et al.	N/A	N/A
10810781	12/2019	Feder et al.	N/A	N/A
10832388	12/2019	Liu et al.	N/A	N/A
10834329	12/2019	Gatt et al.	N/A	N/A
10880521	12/2019	Rivard et al.	N/A	N/A
10904505	12/2020	Rivard et al.	N/A	N/A
10917571	12/2020	Shanmugam et al.	N/A	N/A
10924688	12/2020	Rivard et al.	N/A	N/A
10929945	12/2020	Lim et al.	N/A	N/A
10931897	12/2020	Feder et al.	N/A	N/A
10937222	12/2020	Rivard et al.	N/A	N/A
11025831	12/2020	Rivard et al.	N/A	N/A
11113821	12/2020	Rivard et al.	N/A	N/A
11113859	12/2020	Xiao et al.	N/A	N/A
11202047	12/2020	Rivard et al.	N/A	N/A
11252589	12/2021	Rivard et al.	N/A	N/A
11308626	12/2021	Rivard et al.	N/A	N/A
11356647	12/2021	Rivard	N/A	N/A
11363179	12/2021	Rivard et al.	N/A	N/A
11375085	12/2021	Rivard et al.	N/A	N/A
11394894	12/2021	Rivard et al.	N/A	N/A
11394895	12/2021	Rivard et al.	N/A	N/A
11455829	12/2021	Rivard et al.	N/A	N/A
11463630	12/2021	Rivard et al.	N/A	N/A
11620754	12/2022	Rivard et al.	N/A	N/A
11683448	12/2022	Rivard et al.	N/A	N/A
11699219	12/2022	Rivard et al.	N/A	N/A
11729518	12/2022	Rivard et al.	N/A	N/A
12003853	12/2023	Rivard et al.	N/A	N/A
12003864	12/2023	Rivard et al.	N/A	N/A
12143842	12/2023	Rivard et al.	N/A	N/A
12175632	12/2023	Gao et al.	N/A	N/A
2001/0009437	12/2000	Klein et al.	N/A	N/A
2001/0030770	12/2000	Ohashi	N/A	N/A
2001/0033284	12/2000	Chan	N/A	N/A
2001/0033336	12/2000	Kameshima et al.	N/A	N/A
2001/0033675	12/2000	Maurer et al.	N/A	N/A
2001/0039582	12/2000	McKinnon et al.	N/A	N/A
2002/0003545	12/2001	Nakamura	N/A	N/A
2002/0006232	12/2001	Inui	N/A	N/A
2002/0012450	12/2001	Tsujii	N/A	N/A
2002/0059432	12/2001	Masuda et al.	N/A	N/A

2002/0060566	12/2001	Debbins et al.	N/A	N/A
2002/0063714	12/2001	Haas et al.	N/A	N/A
2002/0070945	12/2001	Kage	N/A	N/A
2002/0087300	12/2001	Patwari	N/A	N/A
2002/0106114	12/2001	Yan et al.	N/A	N/A
2002/0107750	12/2001	Kanevsky et al.	N/A	N/A
2002/0113882	12/2001	Pollard et al.	N/A	N/A
2002/0114296	12/2001	Hardy	N/A	N/A
2002/0122014	12/2001	Rajasingham	N/A	N/A
2002/0141256	12/2001	Barri et al.	N/A	N/A
2002/0146074	12/2001	Ariel et al.	N/A	N/A
2002/0196472	12/2001	Enomoto	N/A	N/A
2003/0015645	12/2002	Brickell et al.	N/A	N/A
2003/0025816	12/2002	Sakuragi	N/A	N/A
2003/0039211	12/2002	Hvostov et al.	N/A	N/A
2003/0042425	12/2002	Tashiro et al.	N/A	N/A
2003/0046477	12/2002	Jeddeloh	N/A	N/A
2003/0086002	12/2002	Cahill et al.	N/A	N/A
2003/0090577	12/2002	Shirakawa	N/A	N/A
2003/0097531	12/2002	Arimilli et al.	N/A	N/A
2003/0103523	12/2002	Frossard et al.	N/A	N/A
2003/0133599	12/2002	Tian et al.	N/A	N/A
2003/0142745	12/2002	Osawa	N/A	N/A
2003/0148811	12/2002	Sitrick	N/A	N/A
2003/0152096	12/2002	Chapman	N/A	N/A
2003/0179911	12/2002	Ho et al.	N/A	N/A
2003/0184660	12/2002	Skow	N/A	N/A
2003/0206654	12/2002	Teng	N/A	N/A
2003/0210672	12/2002	Cromer et al.	N/A	N/A
2003/0212792	12/2002	Raymond	N/A	N/A
2003/0215153	12/2002	Gindele et al.	N/A	N/A
2003/0222978	12/2002	Thomason	N/A	N/A
2003/0223622	12/2002	Simon et al.	N/A	N/A
2004/0021701	12/2003	Iwema et al.	N/A	N/A
2004/0027471	12/2003	Koseki et al.	N/A	N/A
2004/0042807	12/2003	Nakayama	N/A	N/A
2004/0045006	12/2003	Simonson et al.	N/A	N/A
2004/0052248	12/2003	Frank et al.	N/A	N/A
2004/0059783	12/2003	Kazui et al.	N/A	N/A
2004/0070676	12/2003	Lawther et al.	N/A	N/A
2004/0071465	12/2003	Smart et al.	N/A	N/A
2004/0085259	12/2003	Tarlton et al.	N/A	N/A
2004/0135912	12/2003	Hofflinger et al.	N/A	N/A
2004/0145674	12/2003	Hoppe et al.	N/A	N/A
2004/0150622	12/2003	Bohn	N/A	N/A
2004/0158582	12/2003	Takagi et al.	N/A	N/A
2004/0178349	12/2003	Kameshima	N/A	N/A
2004/0181375	12/2003	Szu et al.	N/A	N/A
2004/0184115	12/2003	Suzuki	N/A	N/A
2004/0184677	12/2003	Raskar et al.	N/A	N/A
2004/0201589	12/2003	Ekstrom	N/A	N/A
2004/0228528	12/2003	Lao	N/A	N/A
2004/0234259	12/2003	Muramatsu	N/A	N/A
2004/0239792	12/2003	Shibutani et al.	N/A	N/A
2004/0247177	12/2003	Rowe et al.	N/A	N/A
2004/0252199	12/2003	Cheung et al.	N/A	N/A
2004/0263510	12/2003	Marschner et al.	N/A	N/A

2005/0010697	12/2004	Kinawi et al.	N/A	N/A
2005/0022131	12/2004	Saint-Hilaire et al.	N/A	N/A
2005/0047333	12/2004	Todd et al.	N/A	N/A
2005/0068432	12/2004	Kozuka	N/A	N/A
2005/0088570	12/2004	Seo	N/A	N/A
2005/0089212	12/2004	Mashitani et al.	N/A	N/A
2005/0093997	12/2004	Dalton et al.	N/A	N/A
2005/0104848	12/2004	Yamaguchi et al.	N/A	N/A
2005/0128438	12/2004	Kang et al.	N/A	N/A
2005/0134723	12/2004	Lee et al.	N/A	N/A
2005/0143124	12/2004	Kennedy et al.	N/A	N/A
2005/0147292	12/2004	Huang et al.	N/A	N/A
2005/0154798	12/2004	Nurmi	N/A	N/A
2005/0155043	12/2004	Schulz et al.	N/A	N/A
2005/0173646	12/2004	Tashiro et al.	N/A	N/A
2005/0180657	12/2004	Zhang et al.	N/A	N/A
2005/0182808	12/2004	Kanai	N/A	N/A
2005/0196069	12/2004	Yonaha	N/A	N/A
2005/0218333	12/2004	Kameshima	N/A	N/A
2005/0237587	12/2004	Nakamura	N/A	N/A
2005/0237588	12/2004	Gohara et al.	N/A	N/A
2005/0253945	12/2004	Shinohara	N/A	N/A
2005/0253946	12/2004	Shinohara	N/A	N/A
2005/0264688	12/2004	Ouchi	N/A	N/A
2005/0286559	12/2004	Miernik et al.	N/A	N/A
2006/0007346	12/2005	Nakamura et al.	N/A	N/A
2006/0008171	12/2005	Petschnigg et al.	N/A	N/A
2006/0012689	12/2005	Dalton et al.	N/A	N/A
2006/0015308	12/2005	Marschner et al.	N/A	N/A
2006/0017837	12/2005	Sorek et al.	N/A	N/A
2006/0026535	12/2005	Hotelling et al.	N/A	N/A
2006/0028987	12/2005	Alexander Gildfind et al.	N/A	N/A
2006/0029292	12/2005	Hagiwara	N/A	N/A
2006/0033724	12/2005	Chaudhri et al.	N/A	N/A
2006/0033760	12/2005	Koh	N/A	N/A
2006/0038899	12/2005	Tamaru et al.	N/A	N/A
2006/0039630	12/2005	Kotani	N/A	N/A
2006/0050165	12/2005	Amano	N/A	N/A
2006/0050335	12/2005	Dorrell et al.	N/A	N/A
2006/0053371	12/2005	Anderson	N/A	N/A
2006/0054834	12/2005	Kameshima	N/A	N/A
2006/0067668	12/2005	Kita	348/E5.029	H04N 23/56
2006/0072810	12/2005	Scharlack et al.	N/A	N/A
2006/0085541	12/2005	Cuomo et al.	N/A	N/A
2006/0087702	12/2005	Satoh et al.	N/A	N/A
2006/0115157	12/2005	Mori et al.	N/A	N/A
2006/0120571	12/2005	Tu et al.	N/A	N/A
2006/0133375	12/2005	Napierala	N/A	N/A
2006/0133695	12/2005	Obinata	N/A	N/A
2006/0139460	12/2005	Ozaki	N/A	N/A
2006/0153127	12/2005	Lee	N/A	N/A
2006/0177150	12/2005	Uyttendaele et al.	N/A	N/A
2006/0181614	12/2005	Yen et al.	N/A	N/A
2006/0188132	12/2005	Shigeta	N/A	N/A
2006/0192130	12/2005	Yagi	N/A	N/A
2006/0192785	12/2005	Marschner et al.	N/A	N/A
2006/0195252	12/2005	Orr et al.	N/A	N/A

2006/0203100	12/2005	Ajito et al.	N/A	N/A
2006/0212538	12/2005	Sutardja	N/A	N/A
2006/0215016	12/2005	Cohen et al.	N/A	N/A
2006/0222260	12/2005	Sambongi et al.	N/A	N/A
2006/0225034	12/2005	Peck et al.	N/A	N/A
2006/0231875	12/2005	Patrick et al.	N/A	N/A
2006/0245014	12/2005	Haneda	N/A	N/A
2006/0245639	12/2005	Jiang et al.	N/A	N/A
2006/0262363	12/2005	Henley	N/A	N/A
2006/0280343	12/2005	Lee et al.	N/A	N/A
2007/0002897	12/2006	Goshen et al.	N/A	N/A
2007/0004451	12/2006	C. Anderson	N/A	N/A
2007/0019000	12/2006	Motomura et al.	N/A	N/A
2007/0023798	12/2006	McKee	N/A	N/A
2007/0025714	12/2006	Shiraki	N/A	N/A
2007/0025717	12/2006	Raskar et al.	N/A	N/A
2007/0025720	12/2006	Raskar et al.	N/A	N/A
2007/0030357	12/2006	Levien et al.	N/A	N/A
2007/0045433	12/2006	Chapman et al.	N/A	N/A
2007/0052838	12/2006	Zhang	N/A	N/A
2007/0060135	12/2006	Lin	N/A	N/A
2007/0069144	12/2006	Kameshima	N/A	N/A
2007/0070364	12/2006	Henley	N/A	N/A
2007/0080299	12/2006	Endo et al.	N/A	N/A
2007/0092137	12/2006	Zhao et al.	N/A	N/A
2007/0101067	12/2006	Shafi et al.	N/A	N/A
2007/0101251	12/2006	Lee et al.	N/A	N/A
2007/0110305	12/2006	Corcoran et al.	N/A	N/A
2007/0121182	12/2006	Fukushima et al.	N/A	N/A
2007/0122034	12/2006	Maor	N/A	N/A
2007/0133988	12/2006	Kim et al.	N/A	N/A
2007/0136208	12/2006	Hamashima et al.	N/A	N/A
2007/0146529	12/2006	Suzuki	N/A	N/A
2007/0146538	12/2006	Kakinuma et al.	N/A	N/A
2007/0165960	12/2006	Yamada	N/A	N/A
2007/0171210	12/2006	Chaudhri et al.	N/A	N/A
2007/0182823	12/2006	Maruyama et al.	N/A	N/A
2007/0182936	12/2006	Suzuki	N/A	N/A
2007/0189748	12/2006	Drimbarean et al.	N/A	N/A
2007/0198931	12/2006	Ono et al.	N/A	N/A
2007/0200663	12/2006	White et al.	N/A	N/A
2007/0200925	12/2006	Kim	N/A	N/A
2007/0201853	12/2006	Petschnigg	N/A	N/A
2007/0206885	12/2006	Wen	N/A	N/A
2007/0223062	12/2006	Tanaka et al.	N/A	N/A
2007/0223954	12/2006	Hata	N/A	N/A
2007/0236515	12/2006	Montague	N/A	N/A
2007/0236709	12/2006	Mitani	N/A	N/A
2007/0242900	12/2006	Chen et al.	N/A	N/A
2007/0244925	12/2006	Albouze	N/A	N/A
2007/0248342	12/2006	Tamminen et al.	N/A	N/A
2007/0258008	12/2006	Kameshima et al.	N/A	N/A
2007/0260979	12/2006	Hertzfeld et al.	N/A	N/A
2007/0263099	12/2006	Motta et al.	N/A	N/A
2007/0263106	12/2006	Tanaka et al.	N/A	N/A
2007/0264000	12/2006	Hsieh et al.	N/A	N/A
2007/0274331	12/2006	Locatelli et al.	N/A	N/A

2007/0280505	12/2006	Breed	N/A	N/A
2007/0291081	12/2006	Kanno et al.	N/A	N/A
2007/0296820	12/2006	Lonn	N/A	N/A
2007/0297567	12/2006	Takenaka et al.	N/A	N/A
2008/0001945	12/2007	Kashito et al.	N/A	N/A
2008/0001950	12/2007	Lin et al.	N/A	N/A
2008/0004946	12/2007	Schwarz	N/A	N/A
2008/0018763	12/2007	Sato	N/A	N/A
2008/0018911	12/2007	Igaki et al.	N/A	N/A
2008/0019575	12/2007	Scalise et al.	N/A	N/A
2008/0019680	12/2007	Kasahara et al.	N/A	N/A
2008/0025576	12/2007	Li et al.	N/A	N/A
2008/0030592	12/2007	Border et al.	N/A	N/A
2008/0037829	12/2007	Givon	N/A	N/A
2008/0043032	12/2007	Mamona et al.	N/A	N/A
2008/0050022	12/2007	Okada et al.	N/A	N/A
2008/0052945	12/2007	Matas et al.	N/A	N/A
2008/0076481	12/2007	Iwasaki et al.	N/A	N/A
2008/0079842	12/2007	Aoki et al.	N/A	N/A
2008/0092051	12/2007	Sidon et al.	N/A	N/A
2008/0094419	12/2007	Leigh et al.	N/A	N/A
2008/0106636	12/2007	Wernersson	N/A	N/A
2008/0107411	12/2007	Hope	N/A	N/A
2008/0112361	12/2007	Wu	N/A	N/A
2008/0122796	12/2007	Jobs et al.	N/A	N/A
2008/0122933	12/2007	Murayama	N/A	N/A
2008/0129848	12/2007	Yamauchi	N/A	N/A
2008/0151097	12/2007	Chen et al.	N/A	N/A
2008/0158398	12/2007	Yaffe et al.	N/A	N/A
2008/0158403	12/2007	Itano et al.	N/A	N/A
2008/0165144	12/2007	Forstall et al.	N/A	N/A
2008/0170160	12/2007	Lukac	N/A	N/A
2008/0174570	12/2007	Jobs et al.	N/A	N/A
2008/0181597	12/2007	Tamura	N/A	N/A
2008/0192064	12/2007	Hong et al.	N/A	N/A
2008/0192773	12/2007	Ou et al.	N/A	N/A
2008/0192819	12/2007	Ward et al.	N/A	N/A
2008/0192991	12/2007	Gremse et al.	N/A	N/A
2008/0193119	12/2007	Miyazaki	N/A	N/A
2008/0198219	12/2007	Yoshida et al.	N/A	N/A
2008/0199172	12/2007	Hamada	N/A	N/A
2008/0207322	12/2007	Mizrahi	N/A	N/A
2008/0212591	12/2007	Wu et al.	N/A	N/A
2008/0218611	12/2007	Parulski et al.	N/A	N/A
2008/0225057	12/2007	Hertzfeld et al.	N/A	N/A
2008/0266326	12/2007	Porwal	N/A	N/A
2008/0269958	12/2007	Filev et al.	N/A	N/A
2008/0275881	12/2007	Conn et al.	N/A	N/A
2008/0297596	12/2007	Inomata et al.	N/A	N/A
2008/0298794	12/2007	Subbotin et al.	N/A	N/A
2008/0303813	12/2007	Joung et al.	N/A	N/A
2008/0307363	12/2007	Jalon et al.	N/A	N/A
2008/0309788	12/2007	Onozawa	N/A	N/A
2008/0309810	12/2007	Smith et al.	N/A	N/A
2008/0310753	12/2007	Edgar	N/A	N/A
2008/0316226	12/2007	Weibrecht et al.	N/A	N/A
2008/0317376	12/2007	Kasperkiewicz	N/A	N/A

2009/0002335	12/2008	Chaudhri	N/A	N/A
2009/0002391	12/2008	Williamson et al.	N/A	N/A
2009/0002395	12/2008	Yamada	N/A	N/A
2009/0002475	12/2008	Jelley et al.	N/A	N/A
2009/0006626	12/2008	Yamagishi	N/A	N/A
2009/0009636	12/2008	Endo	N/A	N/A
2009/0015581	12/2008	Hirohara	N/A	N/A
2009/0021937	12/2008	Sloan et al.	N/A	N/A
2009/0027516	12/2008	Suzuki	N/A	N/A
2009/0034460	12/2008	Moratt et al.	N/A	N/A
2009/0040364	12/2008	Rubner	N/A	N/A
2009/0041376	12/2008	Carletta et al.	N/A	N/A
2009/0052748	12/2008	Jiang et al.	N/A	N/A
2009/0058845	12/2008	Fukuda et al.	N/A	N/A
2009/0058873	12/2008	Brown Elliott et al.	N/A	N/A
2009/0058882	12/2008	Adachi et al.	N/A	N/A
2009/0060379	12/2008	Manabe	N/A	N/A
2009/0066782	12/2008	Choi et al.	N/A	N/A
2009/0080713	12/2008	Bigioi et al.	N/A	N/A
2009/0085919	12/2008	Chen et al.	N/A	N/A
2009/0110274	12/2008	Atanasov et al.	N/A	N/A
2009/0141149	12/2008	Zhang et al.	N/A	N/A
2009/0153245	12/2008	Lee	N/A	N/A
2009/0160944	12/2008	Trevelyan et al.	N/A	N/A
2009/0160992	12/2008	Inaba et al.	N/A	N/A
2009/0166547	12/2008	Endo et al.	N/A	N/A
2009/0172516	12/2008	Gill	N/A	N/A
2009/0175551	12/2008	Thorn	N/A	N/A
2009/0175555	12/2008	Mahowald	N/A	N/A
2009/0181770	12/2008	Viner et al.	N/A	N/A
2009/0185659	12/2008	Ishii et al.	N/A	N/A
2009/0196236	12/2008	Cai et al.	N/A	N/A
2009/0218476	12/2008	Kameshima et al.	N/A	N/A
2009/0219387	12/2008	Marman et al.	N/A	N/A
2009/0230290	12/2008	Tashiro et al.	N/A	N/A
2009/0230312	12/2008	Tashiro et al.	N/A	N/A
2009/0237420	12/2008	Lawrenz	N/A	N/A
2009/0238419	12/2008	Steinberg et al.	N/A	N/A
2009/0257683	12/2008	Cloud et al.	N/A	N/A
2009/0262074	12/2008	Nasiri et al.	N/A	N/A
2009/0262087	12/2008	Kim	N/A	N/A
2009/0268055	12/2008	Hamilton, Jr. et al.	N/A	N/A
2009/0278922	12/2008	Tinker et al.	N/A	N/A
2009/0295941	12/2008	Nakajima et al.	N/A	N/A
2009/0303373	12/2008	Yamada	N/A	N/A
2009/0304070	12/2008	Lamy-Bergot et al.	N/A	N/A
2009/0309035	12/2008	Kameshima	N/A	N/A
2009/0309985	12/2008	Ibi	N/A	N/A
2009/0309990	12/2008	Levoy et al.	N/A	N/A
2009/0309994	12/2008	Inoue	N/A	N/A
2009/0322903	12/2008	Hashimoto et al.	N/A	N/A
2009/0323897	12/2008	Kameshima et al.	N/A	N/A
2010/0007603	12/2009	Kirkup	N/A	N/A
2010/0007665	12/2009	Smith et al.	N/A	N/A
2010/0010986	12/2009	Icho et al.	N/A	N/A
2010/0013842	12/2009	Green et al.	N/A	N/A
2010/0017545	12/2009	Gildfind et al.	N/A	N/A

2010/0020822	12/2009	Zerillo et al.	N/A	N/A
2010/0026836	12/2009	Sugimoto	N/A	N/A
2010/0066763	12/2009	MacDougall et al.	N/A	N/A
2010/0066822	12/2009	Steinberg et al.	N/A	N/A
2010/0073499	12/2009	Gere	N/A	N/A
2010/0079491	12/2009	Nonaka	N/A	N/A
2010/0079494	12/2009	Sung et al.	N/A	N/A
2010/0092036	12/2009	Das et al.	N/A	N/A
2010/0115462	12/2009	Spencer et al.	N/A	N/A
2010/0115605	12/2009	Beattie et al.	N/A	N/A
2010/0118038	12/2009	Labour et al.	N/A	N/A
2010/0118115	12/2009	Takahashi et al.	N/A	N/A
2010/0118204	12/2009	Proca et al.	N/A	N/A
2010/0121964	12/2009	Rowles et al.	N/A	N/A
2010/0123737	12/2009	Williamson et al.	N/A	N/A
2010/0123805	12/2009	Craig et al.	N/A	N/A
2010/0123929	12/2009	Yoshimoto	N/A	N/A
2010/0128145	12/2009	Pitts et al.	N/A	N/A
2010/0135541	12/2009	Lai et al.	N/A	N/A
2010/0146446	12/2009	Ahn et al.	N/A	N/A
2010/0149377	12/2009	Shintani et al.	N/A	N/A
2010/0157079	12/2009	Atanassov et al.	N/A	N/A
2010/0157139	12/2009	Velarde et al.	N/A	N/A
2010/0160049	12/2009	Oku	N/A	N/A
2010/0165178	12/2009	Chou et al.	N/A	N/A
2010/0165181	12/2009	Murakami et al.	N/A	N/A
2010/0172578	12/2009	Reid et al.	N/A	N/A
2010/0172579	12/2009	Reid et al.	N/A	N/A
2010/0182465	12/2009	Okita	N/A	N/A
2010/0183071	12/2009	Segall et al.	N/A	N/A
2010/0194851	12/2009	Pasupaleti et al.	N/A	N/A
2010/0194963	12/2009	Terashima	N/A	N/A
2010/0201831	12/2009	Weinstein	N/A	N/A
2010/0201846	12/2009	Silverbrook	N/A	N/A
2010/0208099	12/2009	Nomura	N/A	N/A
2010/0214320	12/2009	Mo	N/A	N/A
2010/0215259	12/2009	Scalise et al.	N/A	N/A
2010/0218113	12/2009	White et al.	N/A	N/A
2010/0220933	12/2009	Takano et al.	N/A	N/A
2010/0231747	12/2009	Yim	N/A	N/A
2010/0231761	12/2009	Yanai	N/A	N/A
2010/0257239	12/2009	Roberts	N/A	N/A
2010/0265079	12/2009	Yin	N/A	N/A
2010/0278452	12/2009	Sarkijarvi et al.	N/A	N/A
2010/0299630	12/2009	McCutchen et al.	N/A	N/A
2010/0302278	12/2009	Shaffer et al.	N/A	N/A
2010/0302407	12/2009	Ayers et al.	N/A	N/A
2010/0302408	12/2009	Ito	N/A	N/A
2010/0315656	12/2009	Agata	N/A	N/A
2010/0317332	12/2009	Bathiche et al.	N/A	N/A
2010/0321439	12/2009	Kanno et al.	N/A	N/A
2010/0322074	12/2009	Nakahira	N/A	N/A
2010/0328442	12/2009	Yang et al.	N/A	N/A
2010/0328486	12/2009	Steinberg et al.	N/A	N/A
2010/0329564	12/2009	Hervas et al.	N/A	N/A
2010/0333044	12/2009	Kethireddy	N/A	N/A
2011/0012914	12/2010	Nakamura et al.	N/A	N/A

2011/0013042	12/2010	Itano et al.	N/A	N/A
2011/0013043	12/2010	Corcoran et al.	N/A	N/A
2011/0013052	12/2010	Yanai	N/A	N/A
2011/0019051	12/2010	Yin et al.	N/A	N/A
2011/0019094	12/2010	Rossignol et al.	N/A	N/A
2011/0029635	12/2010	Shkurko et al.	N/A	N/A
2011/0032384	12/2010	Ono	N/A	N/A
2011/0036986	12/2010	Tashiro et al.	N/A	N/A
2011/0037712	12/2010	Kim et al.	N/A	N/A
2011/0037777	12/2010	Lindahl et al.	N/A	N/A
2011/0057880	12/2010	Kasahara	N/A	N/A
2011/0058060	12/2010	Bigioi et al.	N/A	N/A
2011/0058237	12/2010	Mikami	N/A	N/A
2011/0071911	12/2010	Tung et al.	N/A	N/A
2011/0074973	12/2010	Hayashi	N/A	N/A
2011/0090256	12/2010	Manchester	N/A	N/A
2011/0090385	12/2010	Aoyama et al.	N/A	N/A
2011/0095169	12/2010	Takenaka et al.	N/A	N/A
2011/0096192	12/2010	Niikura	N/A	N/A
2011/0096375	12/2010	Mikami	N/A	N/A
2011/0105229	12/2010	Sitrick	N/A	N/A
2011/0115893	12/2010	Hayashi	N/A	N/A
2011/0115971	12/2010	Furuya et al.	N/A	N/A
2011/0123118	12/2010	Nayar et al.	N/A	N/A
2011/0131041	12/2010	Cortez et al.	N/A	N/A
2011/0131331	12/2010	Brunson et al.	N/A	N/A
2011/0134267	12/2010	Ohya	N/A	N/A
2011/0134297	12/2010	Takeda	N/A	N/A
2011/0145694	12/2010	Graves et al.	N/A	N/A
2011/0150332	12/2010	Sibiryakov et al.	N/A	N/A
2011/0150357	12/2010	Prentice	N/A	N/A
2011/0157412	12/2010	Yoshida	N/A	N/A
2011/0158473	12/2010	Sun et al.	N/A	N/A
2011/0167382	12/2010	van Os	N/A	N/A
2011/0185296	12/2010	Lanier et al.	N/A	N/A
2011/0187749	12/2010	Dehmann et al.	N/A	N/A
2011/0193982	12/2010	Kook et al.	N/A	N/A
2011/0194618	12/2010	Gish et al.	N/A	N/A
2011/0199519	12/2010	Yamauchi	N/A	N/A
2011/0205395	12/2010	Levy	N/A	N/A
2011/0212717	12/2010	Rhoads et al.	N/A	N/A
2011/0221758	12/2010	Livingston	N/A	N/A
2011/0221911	12/2010	Kang	N/A	N/A
2011/0221935	12/2010	Kameshima	N/A	N/A
2011/0227923	12/2010	Mariani et al.	N/A	N/A
2011/0242334	12/2010	Wilburn et al.	N/A	N/A
2011/0249086	12/2010	Guo et al.	N/A	N/A
2011/0254792	12/2010	Waters et al.	N/A	N/A
2011/0254860	12/2010	Zontrop et al.	N/A	N/A
2011/0256886	12/2010	Velusamy	N/A	N/A
2011/0261075	12/2010	Tanaka	N/A	N/A
2011/0279698	12/2010	Yoshikawa	N/A	N/A
2011/0279699	12/2010	Matsui	N/A	N/A
2011/0280541	12/2010	Lee	N/A	N/A
2011/0283346	12/2010	Li et al.	N/A	N/A
2011/0286658	12/2010	Mitsui	N/A	N/A
2011/0292242	12/2010	Imai	N/A	N/A

2011/0298828	12/2010	Suzuki	N/A	N/A
2011/0298982	12/2010	Kobayashi	N/A	N/A
2011/0299741	12/2010	Zhang et al.	N/A	N/A
2011/0304613	12/2010	Thoresson	N/A	N/A
2011/0310094	12/2010	Park et al.	N/A	N/A
2011/0311150	12/2010	Okamoto	N/A	N/A
2011/0312376	12/2010	Woo et al.	N/A	N/A
2011/0316859	12/2010	Nikula et al.	N/A	N/A
2011/0316888	12/2010	Sachs et al.	N/A	N/A
2011/0317005	12/2010	Atkinson	N/A	N/A
2011/0317917	12/2010	Free	N/A	N/A
2012/0001943	12/2011	Ishidera	N/A	N/A
2012/0002082	12/2011	Johnson et al.	N/A	N/A
2012/0002089	12/2011	Wang et al.	N/A	N/A
2012/0007859	12/2011	Lee et al.	N/A	N/A
2012/0007908	12/2011	Masuda	N/A	N/A
2012/0008011	12/2011	Garcia Manchado	N/A	N/A
2012/0026359	12/2011	Fukushima et al.	N/A	N/A
2012/0033118	12/2011	Lee et al.	N/A	N/A
2012/0033262	12/2011	Sakurai	N/A	N/A
2012/0036051	12/2011	Sachson	N/A	N/A
2012/0038635	12/2011	Stamate et al.	N/A	N/A
2012/0044266	12/2011	Mori	N/A	N/A
2012/0044543	12/2011	Mikami	N/A	N/A
2012/0056889	12/2011	Carter et al.	N/A	N/A
2012/0057051	12/2011	Ito et al.	N/A	N/A
2012/0057064	12/2011	Gardiner et al.	N/A	N/A
2012/0057786	12/2011	Yano	N/A	N/A
2012/0066355	12/2011	Tiwari et al.	N/A	N/A
2012/0069213	12/2011	Jannard et al.	N/A	N/A
2012/0075285	12/2011	Oyagi et al.	N/A	N/A
2012/0075492	12/2011	Nanu et al.	N/A	N/A
2012/0081382	12/2011	Lindahl et al.	N/A	N/A
2012/0104267	12/2011	Matsumoto et al.	N/A	N/A
2012/0105579	12/2011	Jeon et al.	N/A	N/A
2012/0105584	12/2011	Gallagher et al.	N/A	N/A
2012/0113092	12/2011	Bar-Zeev et al.	N/A	N/A
2012/0113106	12/2011	Choi et al.	N/A	N/A
2012/0117499	12/2011	Mori et al.	N/A	N/A
2012/0120304	12/2011	Corcoran et al.	N/A	N/A
2012/0127072	12/2011	Kim	N/A	N/A
2012/0127333	12/2011	Maruyama et al.	N/A	N/A
2012/0139904	12/2011	Lee et al.	N/A	N/A
2012/0144347	12/2011	Jo et al.	N/A	N/A
2012/0154276	12/2011	Shin et al.	N/A	N/A
2012/0154541	12/2011	Scott	N/A	N/A
2012/0154627	12/2011	Rivard et al.	N/A	N/A
2012/0159372	12/2011	Stallings et al.	N/A	N/A
2012/0162251	12/2011	Minamino et al.	N/A	N/A
2012/0162263	12/2011	Griffin et al.	N/A	N/A
2012/0162465	12/2011	Culbert et al.	N/A	N/A
2012/0172088	12/2011	Kirch et al.	N/A	N/A
2012/0173889	12/2011	Wong et al.	N/A	N/A
2012/0176413	12/2011	Kulik et al.	N/A	N/A
2012/0176474	12/2011	Border	N/A	N/A
2012/0176477	12/2011	Givon	N/A	N/A
2012/0177352	12/2011	Pillman et al.	N/A	N/A

2012/0188386	12/2011	Kulkarni et al.	N/A	N/A
2012/0188392	12/2011	Smith	N/A	N/A
2012/0194545	12/2011	Shibata et al.	N/A	N/A
2012/0194905	12/2011	Ushio et al.	N/A	N/A
2012/0206488	12/2011	Wong et al.	N/A	N/A
2012/0206582	12/2011	DiCarlo et al.	N/A	N/A
2012/0210275	12/2011	Park et al.	N/A	N/A
2012/0212661	12/2011	Yamaguchi et al.	N/A	N/A
2012/0213407	12/2011	Haikin et al.	N/A	N/A
2012/0218290	12/2011	Waschbuesch et al.	N/A	N/A
2012/0224042	12/2011	Saijo	N/A	N/A
2012/0224788	12/2011	Jia et al.	N/A	N/A
2012/0226800	12/2011	Baratakke et al.	N/A	N/A
2012/0229370	12/2011	Stroffolino et al.	N/A	N/A
2012/0242683	12/2011	Asai	N/A	N/A
2012/0242844	12/2011	Walker et al.	N/A	N/A
2012/0242886	12/2011	Kawarada	N/A	N/A
2012/0250082	12/2011	Mori	N/A	N/A
2012/0250952	12/2011	Kveton et al.	N/A	N/A
2012/0254808	12/2011	Gildfind	N/A	N/A
2012/0256959	12/2011	Ye et al.	N/A	N/A
2012/0262450	12/2011	Aiba	N/A	N/A
2012/0262600	12/2011	Velarde et al.	N/A	N/A
2012/0273651	12/2011	Willassen	N/A	N/A
2012/0274661	12/2011	Ye et al.	N/A	N/A
2012/0274806	12/2011	Mori	N/A	N/A
2012/0277914	12/2011	Crow et al.	N/A	N/A
2012/0278727	12/2011	Ananthakrishnan et al.	N/A	N/A
2012/0287223	12/2011	Zhang et al.	N/A	N/A
2012/0293556	12/2011	Kim et al.	N/A	N/A
2012/0294533	12/2011	Ikenoue	N/A	N/A
2012/0299964	12/2011	Homma et al.	N/A	N/A
2012/0307096	12/2011	Ford et al.	N/A	N/A
2012/0307097	12/2011	Araoka et al.	N/A	N/A
2012/0307100	12/2011	Iwane	N/A	N/A
2012/0314100	12/2011	Frank	N/A	N/A
2012/0314124	12/2011	Kaizu et al.	N/A	N/A
2012/0324400	12/2011	Caliendo, Jr. et al.	N/A	N/A
2013/0001402	12/2012	Ogushi	N/A	N/A
2013/0001429	12/2012	Dowaki et al.	N/A	N/A
2013/0002932	12/2012	Guenter et al.	N/A	N/A
2013/0006953	12/2012	Epshtein et al.	N/A	N/A
2013/0010075	12/2012	Gallagher et al.	N/A	N/A
2013/0010138	12/2012	Bigioi et al.	N/A	N/A
2013/0011039	12/2012	Kadir et al.	N/A	N/A
2013/0016122	12/2012	Bhatt et al.	N/A	N/A
2013/0016222	12/2012	Jiang et al.	N/A	N/A
2013/0019196	12/2012	Bhatt	N/A	N/A
2013/0021358	12/2012	Nordlund et al.	N/A	N/A
2013/0021377	12/2012	Doll	N/A	N/A
2013/0021447	12/2012	Brisedoux et al.	N/A	N/A
2013/0026349	12/2012	Kinugasa	N/A	N/A
2013/0027580	12/2012	Olsen et al.	N/A	N/A
2013/0038634	12/2012	Yamada et al.	N/A	N/A
2013/0044237	12/2012	Ikizyan et al.	N/A	N/A
2013/0050460	12/2012	Steinberg et al.	N/A	N/A
2013/0050520	12/2012	Takeuchi	N/A	N/A

2013/0050551	12/2012	Ichikawa	N/A	N/A
2013/0057713	12/2012	Khawand	N/A	N/A
2013/0063571	12/2012	Ishii	N/A	N/A
2013/0063633	12/2012	Hayashi et al.	N/A	N/A
2013/0067093	12/2012	Moreno et al.	N/A	N/A
2013/0069988	12/2012	Kamei et al.	N/A	N/A
2013/0069989	12/2012	Nagata et al.	N/A	N/A
2013/0070111	12/2012	Ohtsuka	N/A	N/A
2013/0070145	12/2012	Matsuyama	N/A	N/A
2013/0101219	12/2012	Bosworth et al.	N/A	N/A
2013/0101220	12/2012	Bosworth et al.	N/A	N/A
2013/0107062	12/2012	Okazaki	N/A	N/A
2013/0108123	12/2012	Hwang et al.	N/A	N/A
2013/0111337	12/2012	Deng et al.	N/A	N/A
2013/0111369	12/2012	Pasquero et al.	N/A	N/A
2013/0114853	12/2012	Sengupta et al.	N/A	N/A
2013/0114894	12/2012	Yadav et al.	N/A	N/A
2013/0120011	12/2012	Yamazaki et al.	N/A	N/A
2013/0120256	12/2012	Ishidera et al.	N/A	N/A
2013/0120607	12/2012	Manabe	N/A	N/A
2013/0129142	12/2012	Miranda-Steiner	N/A	N/A
2013/0129209	12/2012	Reid et al.	N/A	N/A
2013/0132903	12/2012	Krishnaswamy	N/A	N/A
2013/0140435	12/2012	Kikuchi	N/A	N/A
2013/0141456	12/2012	Sokolov et al.	N/A	N/A
2013/0141464	12/2012	Hunt et al.	N/A	N/A
2013/0147979	12/2012	McMahon et al.	N/A	N/A
2013/0148013	12/2012	Shiohara	N/A	N/A
2013/0154978	12/2012	Kim et al.	N/A	N/A
2013/0162542	12/2012	Badali et al.	N/A	N/A
2013/0162848	12/2012	Miyasako	N/A	N/A
2013/0162874	12/2012	Hashimoto et al.	N/A	N/A
2013/0176222	12/2012	Tanaka	N/A	N/A
2013/0176442	12/2012	Shuster et al.	N/A	N/A
2013/0176458	12/2012	Van Dalen et al.	N/A	N/A
2013/0179308	12/2012	Agustin et al.	N/A	N/A
2013/0179831	12/2012	Izaki	N/A	N/A
2013/0188886	12/2012	Petrou et al.	N/A	N/A
2013/0194963	12/2012	Hampel	N/A	N/A
2013/0196653	12/2012	Morrison	N/A	N/A
2013/0201217	12/2012	Morinaga et al.	N/A	N/A
2013/0205244	12/2012	Decker et al.	N/A	N/A
2013/0215113	12/2012	Corazza et al.	N/A	N/A
2013/0222231	12/2012	Gardenfors et al.	N/A	N/A
2013/0222275	12/2012	Byrd et al.	N/A	N/A
2013/0222516	12/2012	Do et al.	N/A	N/A
2013/0222646	12/2012	Tsubota et al.	N/A	N/A
2013/0223530	12/2012	Demos	N/A	N/A
2013/0227469	12/2012	Park	N/A	N/A
2013/0228673	12/2012	Hashimoto et al.	N/A	N/A
2013/0235068	12/2012	Ubillos et al.	N/A	N/A
2013/0235069	12/2012	Ubillos et al.	N/A	N/A
2013/0235071	12/2012	Ubillos et al.	N/A	N/A
2013/0235081	12/2012	Ishibashi	N/A	N/A
2013/0239057	12/2012	Ubillos et al.	N/A	N/A
2013/0239154	12/2012	Bagasra	N/A	N/A
2013/0241442	12/2012	Trattler	N/A	N/A

2013/0243271	12/2012	Kawahara et al.	N/A	N/A
2013/0251202	12/2012	Auberger et al.	N/A	N/A
2013/0257877	12/2012	Davis	N/A	N/A
2013/0258040	12/2012	Kaytaz et al.	N/A	N/A
2013/0258044	12/2012	Betts-Lacroix	N/A	N/A
2013/0258118	12/2012	Felt	N/A	N/A
2013/0262258	12/2012	Jennings	N/A	N/A
2013/0262486	12/2012	O'Dell et al.	N/A	N/A
2013/0271622	12/2012	Tatsumi	N/A	N/A
2013/0271631	12/2012	Tatsuzawa et al.	N/A	N/A
2013/0277534	12/2012	Watanabe	N/A	N/A
2013/0278482	12/2012	Hsu	N/A	N/A
2013/0278798	12/2012	Hattori	N/A	N/A
2013/0278819	12/2012	Liaw	N/A	N/A
2013/0278979	12/2012	Mikami	N/A	N/A
2013/0279584	12/2012	Demos	N/A	N/A
2013/0286876	12/2012	Moratt et al.	N/A	N/A
2013/0287265	12/2012	Nepomniachtchi et al.	N/A	N/A
2013/0293502	12/2012	Kitatani	N/A	N/A
2013/0293744	12/2012	Attar et al.	N/A	N/A
2013/0294688	12/2012	Auberger et al.	N/A	N/A
2013/0301729	12/2012	Demos	N/A	N/A
2013/0301885	12/2012	Mori et al.	N/A	N/A
2013/0303247	12/2012	Wu et al.	N/A	N/A
2013/0307999	12/2012	Motta	N/A	N/A
2013/0314576	12/2012	Suzuki et al.	N/A	N/A
2013/0321671	12/2012	Cote et al.	N/A	N/A
2013/0328864	12/2012	Lee et al.	N/A	N/A
2013/0328935	12/2012	Tu	N/A	N/A
2013/0329015	12/2012	Pulli et al.	N/A	N/A
2013/0335317	12/2012	Liu et al.	N/A	N/A
2013/0335596	12/2012	Demandolx et al.	N/A	N/A
2013/0336600	12/2012	Bitouk et al.	N/A	N/A
2013/0342526	12/2012	Ng et al.	N/A	N/A
2013/0342739	12/2012	Yanowitz et al.	N/A	N/A
2013/0342740	12/2012	Govindarao	N/A	N/A
2014/0001340	12/2013	Takenaka et al.	N/A	N/A
2014/0002606	12/2013	Blayvas et al.	N/A	N/A
2014/0002718	12/2013	Spielberg	N/A	N/A
2014/0009636	12/2013	Lee et al.	N/A	N/A
2014/0009664	12/2013	Kinugasa	N/A	N/A
2014/0016001	12/2013	Ichikawa	N/A	N/A
2014/0036118	12/2013	Dowaki et al.	N/A	N/A
2014/0036121	12/2013	Minowa et al.	N/A	N/A
2014/0043628	12/2013	Kishino et al.	N/A	N/A
2014/0055494	12/2013	Mikawa	N/A	N/A
2014/0063287	12/2013	Yamada	N/A	N/A
2014/0063301	12/2013	Solhusvik	N/A	N/A
2014/0063611	12/2013	Raymond et al.	N/A	N/A
2014/0070965	12/2013	Letsu-Dake	N/A	N/A
2014/0075286	12/2013	Harada	N/A	N/A
2014/0075372	12/2013	Wu et al.	N/A	N/A
2014/0078171	12/2013	Miyatake et al.	N/A	N/A
2014/0079279	12/2013	Pulli et al.	N/A	N/A
2014/0085339	12/2013	Brady et al.	N/A	N/A
2014/0085422	12/2013	Aronsson et al.	N/A	N/A
2014/0085430	12/2013	Komori et al.	N/A	N/A

2014/0085508	12/2013	Ichikawa	N/A	N/A
2014/0096064	12/2013	Suzuki	N/A	N/A
2014/0098118	12/2013	Liu et al.	N/A	N/A
2014/0098248	12/2013	Okazaki	N/A	N/A
2014/0098259	12/2013	Song et al.	N/A	N/A
2014/0111548	12/2013	Shin	N/A	N/A
2014/0111657	12/2013	Weatherford et al.	N/A	N/A
2014/0112299	12/2013	Frank et al.	N/A	N/A
2014/0118256	12/2013	Sonoda et al.	N/A	N/A
2014/0119290	12/2013	Grewal et al.	N/A	N/A
2014/0125856	12/2013	Kim et al.	N/A	N/A
2014/0129966	12/2013	Kolesnikov et al.	N/A	N/A
2014/0132735	12/2013	Lee et al.	N/A	N/A
2014/0140630	12/2013	Hwang et al.	N/A	N/A
2014/0160333	12/2013	Takeda	N/A	N/A
2014/0161351	12/2013	Yagnik	N/A	N/A
2014/0168271	12/2013	Yu et al.	N/A	N/A
2014/0168468	12/2013	Levoy et al.	N/A	N/A
2014/0176458	12/2013	Matsuda	N/A	N/A
2014/0176750	12/2013	Pajak et al.	N/A	N/A
2014/0176757	12/2013	Rivard et al.	N/A	N/A
2014/0176759	12/2013	Goto	N/A	N/A
2014/0177008	12/2013	Raymond et al.	N/A	N/A
2014/0181089	12/2013	Desmond et al.	N/A	N/A
2014/0184865	12/2013	Muto et al.	N/A	N/A
2014/0184894	12/2013	Motta	N/A	N/A
2014/0186050	12/2013	Oshima et al.	N/A	N/A
2014/0189181	12/2013	Cheng et al.	N/A	N/A
2014/0192216	12/2013	Matsumoto	N/A	N/A
2014/0192267	12/2013	Biswas et al.	N/A	N/A
2014/0193088	12/2013	Capata et al.	N/A	N/A
2014/0197302	12/2013	Araoka et al.	N/A	N/A
2014/0198242	12/2013	Weng et al.	N/A	N/A
2014/0204084	12/2013	Corazza et al.	N/A	N/A
2014/0208208	12/2013	Chevallier et al.	N/A	N/A
2014/0210754	12/2013	Ryu et al.	N/A	N/A
2014/0210847	12/2013	Knibbeler et al.	N/A	N/A
2014/0211852	12/2013	Demos	N/A	N/A
2014/0215365	12/2013	Hiraga et al.	N/A	N/A
2014/0219517	12/2013	Mishra et al.	N/A	N/A
2014/0219526	12/2013	Linguraru et al.	N/A	N/A
2014/0240453	12/2013	Kim et al.	N/A	N/A
2014/0240543	12/2013	Kim et al.	N/A	N/A
2014/0244858	12/2013	Okazaki	N/A	N/A
2014/0247342	12/2013	Ellenby et al.	N/A	N/A
2014/0247870	12/2013	Mertens	N/A	N/A
2014/0247979	12/2013	Roffet et al.	N/A	N/A
2014/0253752	12/2013	Kawano et al.	N/A	N/A
2014/0258674	12/2013	Kim et al.	N/A	N/A
2014/0267833	12/2013	Chen et al.	N/A	N/A
2014/0267869	12/2013	Sawa	N/A	N/A
2014/0269550	12/2013	Webb	N/A	N/A
2014/0270543	12/2013	Zhang et al.	N/A	N/A
2014/0279181	12/2013	Wills	N/A	N/A
2014/0283113	12/2013	Hanna	N/A	N/A
2014/0289360	12/2013	Mahkovec et al.	N/A	N/A
2014/0298323	12/2013	Stolberg et al.	N/A	N/A

2014/0300795	12/2013	Bilcu et al.	N/A	N/A
2014/0301642	12/2013	Muninder	N/A	N/A
2014/0306899	12/2013	Hicks	N/A	N/A
2014/0307001	12/2013	Aizawa	N/A	N/A
2014/0307117	12/2013	Feng et al.	N/A	N/A
2014/0310788	12/2013	Ricci	N/A	N/A
2014/0317295	12/2013	Martini	N/A	N/A
2014/0320720	12/2013	Ohshitanai	N/A	N/A
2014/0337791	12/2013	Agnetta et al.	N/A	N/A
2014/0340428	12/2013	Shibayama	N/A	N/A
2014/0351687	12/2013	Hall	N/A	N/A
2014/0354781	12/2013	Matsuyama	N/A	N/A
2014/0359517	12/2013	Elings et al.	N/A	N/A
2014/0359656	12/2013	Banica et al.	N/A	N/A
2014/0362117	12/2013	Paulson	N/A	N/A
2014/0364241	12/2013	Oku	N/A	N/A
2014/0365977	12/2013	Elyada et al.	N/A	N/A
2014/0372914	12/2013	Byrd et al.	N/A	N/A
2014/0375837	12/2013	Ichihara	N/A	N/A
2015/0005637	12/2014	Stegman et al.	N/A	N/A
2015/0015740	12/2014	Cho et al.	N/A	N/A
2015/0015774	12/2014	Sugie	N/A	N/A
2015/0016693	12/2014	Gattuso	N/A	N/A
2015/0016735	12/2014	Kikuchi	N/A	N/A
2015/0025359	12/2014	Fenchel et al.	N/A	N/A
2015/0026101	12/2014	Lin et al.	N/A	N/A
2015/0029226	12/2014	Feder et al.	N/A	N/A
2015/0030242	12/2014	Shen	N/A	N/A
2015/0030246	12/2014	Wilensky	382/167	G06T 5/70
2015/0035991	12/2014	Sachs et al.	N/A	N/A
2015/0042669	12/2014	Van Nostrand et al.	N/A	N/A
2015/0042743	12/2014	Cullen	N/A	N/A
2015/0049119	12/2014	Homma et al.	N/A	N/A
2015/0055835	12/2014	Ozawa	N/A	N/A
2015/0062038	12/2014	Taniuchi	N/A	N/A
2015/0062044	12/2014	Chen et al.	N/A	N/A
2015/0063694	12/2014	Shroff et al.	N/A	N/A
2015/0067600	12/2014	Steinberg et al.	N/A	N/A
2015/0070458	12/2014	Kim et al.	N/A	N/A
2015/0077326	12/2014	Kramer et al.	N/A	N/A
2015/0077581	12/2014	Baltz et al.	N/A	N/A
2015/0077603	12/2014	Matsuzawa et al.	N/A	N/A
2015/0078661	12/2014	Granados et al.	N/A	N/A
2015/0084885	12/2014	Kawamoto	N/A	N/A
2015/0085184	12/2014	Vidal et al.	N/A	N/A
2015/0091945	12/2014	Uratani et al.	N/A	N/A
2015/0092019	12/2014	Asano et al.	N/A	N/A
2015/0092077	12/2014	Feder et al.	N/A	N/A
2015/0092852	12/2014	Demos	N/A	N/A
2015/0093044	12/2014	Feder et al.	N/A	N/A
2015/0095775	12/2014	Lewis et al.	N/A	N/A
2015/0098014	12/2014	Raskar et al.	N/A	N/A
2015/0098651	12/2014	Rivard et al.	N/A	N/A
2015/0103192	12/2014	Venkatraman et al.	N/A	N/A
2015/0109505	12/2014	Sakuragi	N/A	N/A
2015/0113368	12/2014	Flider	N/A	N/A
2015/0113370	12/2014	Flider	N/A	N/A

2015/0113371	12/2014	Flider	N/A	N/A
2015/0116365	12/2014	Ding	N/A	N/A
2015/0116523	12/2014	Sinha et al.	N/A	N/A
2015/0117786	12/2014	James et al.	N/A	N/A
2015/0127775	12/2014	Munagala et al.	N/A	N/A
2015/0130978	12/2014	Tashiro et al.	N/A	N/A
2015/0138366	12/2014	Keelan et al.	N/A	N/A
2015/0142182	12/2014	Kimura et al.	N/A	N/A
2015/0146079	12/2014	Kim	N/A	N/A
2015/0146979	12/2014	Paliy et al.	N/A	N/A
2015/0169166	12/2014	Kim et al.	N/A	N/A
2015/0169940	12/2014	Kang et al.	N/A	N/A
2015/0178977	12/2014	Kontkanen	N/A	N/A
2015/0189161	12/2014	Chun et al.	N/A	N/A
2015/0193912	12/2014	Yuasa	N/A	N/A
2015/0195330	12/2014	Lee	N/A	N/A
2015/0199022	12/2014	Gottesman et al.	N/A	N/A
2015/0205236	12/2014	Saito et al.	N/A	N/A
2015/0207920	12/2014	Choi et al.	N/A	N/A
2015/0213784	12/2014	Jafarzadeh et al.	N/A	N/A
2015/0215526	12/2014	Jafarzadeh et al.	N/A	N/A
2015/0215532	12/2014	Jafarzadeh et al.	N/A	N/A
2015/0222809	12/2014	Osuka et al.	N/A	N/A
2015/0222836	12/2014	Wada et al.	N/A	N/A
2015/0229819	12/2014	Rivard et al.	N/A	N/A
2015/0229898	12/2014	Rivard et al.	N/A	N/A
2015/0235073	12/2014	Hua et al.	N/A	N/A
2015/0244980	12/2014	Matthews	N/A	N/A
2015/0249810	12/2014	Sasaki	N/A	N/A
2015/0254502	12/2014	Lim et al.	N/A	N/A
2015/0256752	12/2014	Ninan et al.	N/A	N/A
2015/0264273	12/2014	Feder et al.	N/A	N/A
2015/0269423	12/2014	Nakagome et al.	N/A	N/A
2015/0278853	12/2014	McLaughlin et al.	N/A	N/A
2015/0278999	12/2014	Summers et al.	N/A	N/A
2015/0279113	12/2014	Knorr et al.	N/A	N/A
2015/0287189	12/2014	Hirai et al.	N/A	N/A
2015/0288870	12/2014	Nagaraja et al.	N/A	N/A
2015/0296145	12/2014	Hwang et al.	N/A	N/A
2015/0302587	12/2014	Hirano et al.	N/A	N/A
2015/0310261	12/2014	Lee et al.	N/A	N/A
2015/0312397	12/2014	Chiang	N/A	N/A
2015/0324983	12/2014	Takasugi et al.	N/A	N/A
2015/0334318	12/2014	Georgiev et al.	N/A	N/A
2015/0339002	12/2014	Arnold et al.	N/A	N/A
2015/0339006	12/2014	Chaland et al.	N/A	N/A
2015/0341536	12/2014	Huang et al.	N/A	N/A
2015/0341593	12/2014	Zhang et al.	N/A	N/A
2015/0350516	12/2014	Rivard et al.	N/A	N/A
2015/0350562	12/2014	Hubel et al.	N/A	N/A
2015/0363915	12/2014	Li et al.	N/A	N/A
2015/0370399	12/2014	Kim et al.	N/A	N/A
2015/0373414	12/2014	Kinoshita	N/A	N/A
2015/0379690	12/2014	Stepanov et al.	N/A	N/A
2016/0006949	12/2015	Kim et al.	N/A	N/A
2016/0006987	12/2015	Li et al.	N/A	N/A
2016/0014312	12/2015	Nikkanen et al.	N/A	N/A

2016/0014421	12/2015	Cote et al.	N/A	N/A
2016/0026658	12/2015	Krishnaraj et al.	N/A	N/A
2016/0027150	12/2015	Lee et al.	N/A	N/A
2016/0028948	12/2015	Omori et al.	N/A	N/A
2016/0034166	12/2015	Wilson et al.	N/A	N/A
2016/0034167	12/2015	Wilson et al.	N/A	N/A
2016/0044293	12/2015	Rivard et al.	N/A	N/A
2016/0054851	12/2015	Kim et al.	N/A	N/A
2016/0057348	12/2015	Liang et al.	N/A	N/A
2016/0062515	12/2015	Bae et al.	N/A	N/A
2016/0062615	12/2015	Price et al.	N/A	N/A
2016/0062645	12/2015	Masuko	N/A	N/A
2016/0065926	12/2015	Nonaka et al.	N/A	N/A
2016/0070963	12/2015	Chakraborty et al.	N/A	N/A
2016/0071241	12/2015	Karunamuni et al.	N/A	N/A
2016/0071289	12/2015	Kobayashi et al.	N/A	N/A
2016/0086318	12/2015	Hannuksela et al.	N/A	N/A
2016/0092472	12/2015	Feder et al.	N/A	N/A
2016/0110168	12/2015	Feder et al.	N/A	N/A
2016/0132130	12/2015	Lu	N/A	N/A
2016/0133037	12/2015	Vemulapalli et al.	N/A	N/A
2016/0139774	12/2015	Rivard et al.	N/A	N/A
2016/0140702	12/2015	Kindle et al.	N/A	N/A
2016/0142610	12/2015	Rivard et al.	N/A	N/A
2016/0143040	12/2015	Rivard et al.	N/A	N/A
2016/0148551	12/2015	Jian	N/A	N/A
2016/0148648	12/2015	Dimson et al.	N/A	N/A
2016/0150147	12/2015	Shioya	N/A	N/A
2016/0150175	12/2015	Hynecek	N/A	N/A
2016/0154994	12/2015	Kim et al.	N/A	N/A
2016/0157587	12/2015	Yamanashi et al.	N/A	N/A
2016/0163289	12/2015	Masuko	N/A	N/A
2016/0170608	12/2015	Zambetti et al.	N/A	N/A
2016/0173782	12/2015	Dimson et al.	N/A	N/A
2016/0179387	12/2015	Gaur et al.	N/A	N/A
2016/0180567	12/2015	Lee	N/A	N/A
2016/0182874	12/2015	Richards et al.	N/A	N/A
2016/0191973	12/2015	Joy et al.	N/A	N/A
2016/0196042	12/2015	Laute et al.	N/A	N/A
2016/0202866	12/2015	Zambetti et al.	N/A	N/A
2016/0202872	12/2015	Jang et al.	N/A	N/A
2016/0210716	12/2015	Ghosh et al.	N/A	N/A
2016/0219211	12/2015	Katayama	N/A	N/A
2016/0231883	12/2015	Zambetti et al.	N/A	N/A
2016/0232419	12/2015	Bai et al.	N/A	N/A
2016/0240168	12/2015	Keal et al.	N/A	N/A
2016/0248968	12/2015	Baldwin	N/A	N/A
2016/0274622	12/2015	Braun et al.	N/A	N/A
2016/0274768	12/2015	Tian et al.	N/A	N/A
2016/0275650	12/2015	Case et al.	N/A	N/A
2016/0277656	12/2015	Tsunoda	N/A	N/A
2016/0284065	12/2015	Cohen	N/A	N/A
2016/0292905	12/2015	Nehmadi et al.	N/A	N/A
2016/0313781	12/2015	Jeon et al.	N/A	N/A
2016/0315830	12/2015	Cote et al.	N/A	N/A
2016/0316154	12/2015	Elmfors et al.	N/A	N/A
2016/0316156	12/2015	Ohshitanai	N/A	N/A

2016/0323518	12/2015	Rivard et al.	N/A	N/A
2016/0330383	12/2015	Oyama	N/A	N/A
2016/0342863	12/2015	Kwon et al.	N/A	N/A
2016/0344927	12/2015	Brasket et al.	N/A	N/A
2016/0350587	12/2015	Bataller et al.	N/A	N/A
2016/0352996	12/2015	Qian et al.	N/A	N/A
2016/0357420	12/2015	Wilson et al.	N/A	N/A
2016/0366331	12/2015	Barron et al.	N/A	N/A
2016/0371824	12/2015	Feder et al.	N/A	N/A
2016/0373362	12/2015	Cheng et al.	N/A	N/A
2016/0381304	12/2015	Feder et al.	N/A	N/A
2016/0381348	12/2015	Hayasaka et al.	N/A	N/A
2017/0006322	12/2016	Dury et al.	N/A	N/A
2017/0011745	12/2016	Navaratnam	N/A	N/A
2017/0019617	12/2016	Dowaki et al.	N/A	N/A
2017/0026562	12/2016	Rivard et al.	N/A	N/A
2017/0032181	12/2016	Hu	N/A	N/A
2017/0039750	12/2016	Tong et al.	N/A	N/A
2017/0048442	12/2016	Cote et al.	N/A	N/A
2017/0048449	12/2016	Chen et al.	N/A	N/A
2017/0052604	12/2016	Hunt et al.	N/A	N/A
2017/0054966	12/2016	Zhou et al.	N/A	N/A
2017/0055101	12/2016	Studerus et al.	N/A	N/A
2017/0061234	12/2016	Lim et al.	N/A	N/A
2017/0061236	12/2016	Pope	N/A	N/A
2017/0061567	12/2016	Lim et al.	N/A	N/A
2017/0061669	12/2016	Hirano et al.	N/A	N/A
2017/0064192	12/2016	Mori	N/A	N/A
2017/0064204	12/2016	Sapiro et al.	N/A	N/A
2017/0064227	12/2016	Lin et al.	N/A	N/A
2017/0064276	12/2016	Rivard et al.	N/A	N/A
2017/0068846	12/2016	Linguraru et al.	N/A	N/A
2017/0070690	12/2016	Feder et al.	N/A	N/A
2017/0076430	12/2016	Xu	N/A	N/A
2017/0085785	12/2016	Corcoran et al.	N/A	N/A
2017/0109807	12/2016	Krishnan et al.	N/A	N/A
2017/0109931	12/2016	Knorr et al.	N/A	N/A
2017/0115749	12/2016	Li	N/A	N/A
2017/0118394	12/2016	Van Hoeckel et al.	N/A	N/A
2017/0140214	12/2016	Matas et al.	N/A	N/A
2017/0150080	12/2016	Nishizawa	N/A	N/A
2017/0150118	12/2016	Pacheco et al.	N/A	N/A
2017/0154211	12/2016	Shaburov et al.	N/A	N/A
2017/0154457	12/2016	Theobald et al.	N/A	N/A
2017/0169303	12/2016	Connell, II et al.	N/A	N/A
2017/0187938	12/2016	Ichihara	N/A	N/A
2017/0187953	12/2016	Graham et al.	N/A	N/A
2017/0201677	12/2016	Otani	N/A	N/A
2017/0201692	12/2016	Wu	N/A	N/A
2017/0208292	12/2016	Smits	N/A	N/A
2017/0213076	12/2016	Francisco et al.	N/A	N/A
2017/0228583	12/2016	Lee et al.	N/A	N/A
2017/0236253	12/2016	Restrepo et al.	N/A	N/A
2017/0237786	12/2016	Crowe et al.	N/A	N/A
2017/0237925	12/2016	Uchida et al.	N/A	N/A
2017/0256086	12/2016	Park et al.	N/A	N/A
2017/0262695	12/2016	Ahmed	N/A	N/A

2017/0274768	12/2016	Hök et al.	N/A	N/A
2017/0277941	12/2016	Smith	N/A	N/A
2017/0278292	12/2016	Feder et al.	N/A	N/A
2017/0280069	12/2016	Smith	N/A	N/A
2017/0285743	12/2016	Yu et al.	N/A	N/A
2017/0286752	12/2016	Gusarov et al.	N/A	N/A
2017/0300778	12/2016	Sato	N/A	N/A
2017/0302903	12/2016	Ng et al.	N/A	N/A
2017/0323149	12/2016	Harary et al.	N/A	N/A
2017/0337440	12/2016	Green et al.	N/A	N/A
2017/0337657	12/2016	Cornell	N/A	N/A
2017/0343887	12/2016	Hoshino	N/A	N/A
2017/0364752	12/2016	Zhou et al.	N/A	N/A
2017/0372108	12/2016	Corcoran et al.	N/A	N/A
2017/0374336	12/2016	Rivard et al.	N/A	N/A
2018/0005420	12/2017	Bondich et al.	N/A	N/A
2018/0007240	12/2017	Rivard et al.	N/A	N/A
2018/0020156	12/2017	Zobel	N/A	N/A
2018/0024661	12/2017	Lin et al.	N/A	N/A
2018/0025218	12/2017	Steinberg et al.	N/A	N/A
2018/0025244	12/2017	Bohl et al.	N/A	N/A
2018/0061126	12/2017	Huang et al.	N/A	N/A
2018/0063019	12/2017	Martin	N/A	N/A
2018/0063409	12/2017	Rivard et al.	N/A	N/A
2018/0063411	12/2017	Rivard et al.	N/A	N/A
2018/0067633	12/2017	Wilson et al.	N/A	N/A
2018/0070069	12/2017	Rivard et al.	N/A	N/A
2018/0074495	12/2017	Myers et al.	N/A	N/A
2018/0075637	12/2017	Henry et al.	N/A	N/A
2018/0077367	12/2017	Feder et al.	N/A	N/A
2018/0088775	12/2017	Ye et al.	N/A	N/A
2018/0109771	12/2017	Rivard et al.	N/A	N/A
2018/0114025	12/2017	Cui et al.	N/A	N/A
2018/0114351	12/2017	Rivard et al.	N/A	N/A
2018/0114352	12/2017	Rivard et al.	N/A	N/A
2018/0115702	12/2017	Brauer et al.	N/A	N/A
2018/0121716	12/2017	Sun et al.	N/A	N/A
2018/0130182	12/2017	Bhatt et al.	N/A	N/A
2018/0131855	12/2017	Rivard et al.	N/A	N/A
2018/0137375	12/2017	Takemura et al.	N/A	N/A
2018/0137678	12/2017	Kaehler	N/A	N/A
2018/0160092	12/2017	Rivard et al.	N/A	N/A
2018/0165862	12/2017	Sawaki	N/A	N/A
2018/0183986	12/2017	Smith et al.	N/A	N/A
2018/0183989	12/2017	Rivard et al.	N/A	N/A
2018/0197281	12/2017	Feder et al.	N/A	N/A
2018/0204052	12/2017	Li et al.	N/A	N/A
2018/0211101	12/2017	Ahmed	N/A	N/A
2018/0253881	12/2017	Edwards et al.	N/A	N/A
2018/0262934	12/2017	Rivard et al.	N/A	N/A
2018/0288311	12/2017	Bagheri et al.	N/A	N/A
2018/0295292	12/2017	Lee et al.	N/A	N/A
2018/0341383	12/2017	Sully	N/A	N/A
2018/0342091	12/2017	Seibert et al.	N/A	N/A
2018/0352241	12/2017	Gatt et al.	N/A	N/A
2018/0367774	12/2017	Barron et al.	N/A	N/A
2019/0005632	12/2018	Huang	N/A	N/A

2019/0012525	12/2018	Wang et al.	N/A	N/A
2019/0026010	12/2018	Rivard et al.	N/A	N/A
2019/0031145	12/2018	Trelin	N/A	N/A
2019/0035047	12/2018	Lim et al.	N/A	N/A
2019/0035135	12/2018	Feder et al.	N/A	N/A
2019/0037192	12/2018	Rivard et al.	N/A	N/A
2019/0039570	12/2018	Foster et al.	N/A	N/A
2019/0042833	12/2018	Gernoth et al.	N/A	N/A
2019/0043176	12/2018	Li et al.	N/A	N/A
2019/0045165	12/2018	Rivard et al.	N/A	N/A
2019/0057554	12/2018	Knorr et al.	N/A	N/A
2019/0080119	12/2018	Wang et al.	N/A	N/A
2019/0102279	12/2018	Awan et al.	N/A	N/A
2019/0108387	12/2018	Rivard et al.	N/A	N/A
2019/0108388	12/2018	Rivard et al.	N/A	N/A
2019/0109974	12/2018	Rivard et al.	N/A	N/A
2019/0116306	12/2018	Rivard et al.	N/A	N/A
2019/0122378	12/2018	Aswin	N/A	N/A
2019/0124280	12/2018	Feder et al.	N/A	N/A
2019/0149706	12/2018	Rivard et al.	N/A	N/A
2019/0174028	12/2018	Rivard et al.	N/A	N/A
2019/0179594	12/2018	Alameh et al.	N/A	N/A
2019/0188857	12/2018	Rivard et al.	N/A	N/A
2019/0197297	12/2018	Rivard et al.	N/A	N/A
2019/0197330	12/2018	Mahmoud et al.	N/A	N/A
2019/0208172	12/2018	Rivard et al.	N/A	N/A
2019/0215440	12/2018	Rivard et al.	N/A	N/A
2019/0222769	12/2018	Srivastava et al.	N/A	N/A
2019/0222807	12/2018	Rivard et al.	N/A	N/A
2019/0244010	12/2018	Kim et al.	N/A	N/A
2019/0251682	12/2018	Feder et al.	N/A	N/A
2019/0263415	12/2018	Gong	N/A	N/A
2019/0285881	12/2018	Ilic et al.	N/A	N/A
2019/0335151	12/2018	Rivard et al.	N/A	N/A
2019/0342534	12/2018	Rivard et al.	N/A	N/A
2019/0347843	12/2018	Rivard et al.	N/A	N/A
2019/0349510	12/2018	Rivard et al.	N/A	N/A
2019/0379863	12/2018	Rivard et al.	N/A	N/A
2019/0385311	12/2018	Rivard et al.	N/A	N/A
2020/0029008	12/2019	Rivard et al.	N/A	N/A
2020/0057654	12/2019	Yang	N/A	N/A
2020/0059575	12/2019	Rivard et al.	N/A	N/A
2020/0059582	12/2019	Rivard et al.	N/A	N/A
2020/0059806	12/2019	Rivard et al.	N/A	N/A
2020/0067715	12/2019	Yi et al.	N/A	N/A
2020/0077013	12/2019	Rivard et al.	N/A	N/A
2020/0084398	12/2019	Feder et al.	N/A	N/A
2020/0092596	12/2019	Moore, Jr. et al.	N/A	N/A
2020/0106956	12/2019	Kimball et al.	N/A	N/A
2020/0118315	12/2019	Ranzinger	N/A	N/A
2020/0126283	12/2019	van Vuuren et al.	N/A	N/A
2020/0154089	12/2019	Rivard et al.	N/A	N/A
2020/0193144	12/2019	Rivard et al.	N/A	N/A
2020/0242774	12/2019	Park et al.	N/A	N/A
2020/0249763	12/2019	Moritani	N/A	N/A
2020/0259991	12/2019	Rivard et al.	N/A	N/A
2020/0267299	12/2019	Le et al.	N/A	N/A

2020/0351432	12/2019	Rivard et al.	N/A	N/A
2021/0001810	12/2020	Rivard et al.	N/A	N/A
2021/0037178	12/2020	Rivard et al.	N/A	N/A
2021/0049984	12/2020	Cain	N/A	N/A
2021/0074051	12/2020	Feder et al.	N/A	N/A
2021/0110554	12/2020	Rivard et al.	N/A	N/A
2021/0152779	12/2020	Rivard et al.	N/A	N/A
2021/0274142	12/2020	Rivard et al.	N/A	N/A
2021/0314507	12/2020	Feder et al.	N/A	N/A
2021/0319613	12/2020	Rivard et al.	N/A	N/A
2021/0337104	12/2020	Rivard et al.	N/A	N/A
2021/0360141	12/2020	Rivard et al.	N/A	N/A
2021/0382969	12/2020	Park	N/A	N/A
2022/0107550	12/2021	Yeh	N/A	G03B 7/16
2022/0210313	12/2021	Rivard et al.	N/A	N/A
2022/0210386	12/2021	Rivard et al.	N/A	N/A
2022/0215504	12/2021	Moens	N/A	N/A
2022/0224820	12/2021	Liu et al.	N/A	N/A
2022/0239866	12/2021	Rivard et al.	N/A	N/A
2022/0272553	12/2021	Rivard et al.	N/A	N/A
2022/0291758	12/2021	Wang et al.	N/A	N/A
2022/0343476	12/2021	Feder et al.	N/A	N/A
2022/0343509	12/2021	Rivard et al.	N/A	N/A
2022/0343678	12/2021	Rivard et al.	N/A	N/A
2022/0345613	12/2021	Rivard et al.	N/A	N/A
2022/0353712	12/2021	Rivard et al.	N/A	N/A
2022/0368793	12/2021	Xu et al.	N/A	N/A
2023/0005294	12/2022	Rivard et al.	N/A	N/A
2023/0008242	12/2022	Rivard et al.	N/A	N/A
2023/0047124	12/2022	Rivard et al.	N/A	N/A
2023/0050695	12/2022	Rivard et al.	N/A	N/A
2023/0052018	12/2022	Rivard et al.	N/A	N/A
2023/0060489	12/2022	Rivard et al.	N/A	N/A
2023/0061404	12/2022	Feder et al.	N/A	N/A
2023/0079783	12/2022	Rivard et al.	N/A	N/A
2023/0081630	12/2022	Rivard et al.	N/A	N/A
2023/0093132	12/2022	Rivard et al.	N/A	N/A
2023/0154097	12/2022	Feder et al.	N/A	N/A
2023/0156344	12/2022	Rivard et al.	N/A	N/A
2023/0156350	12/2022	Feder et al.	N/A	N/A
2023/0188676	12/2022	Rivard et al.	N/A	N/A
2023/0325080	12/2022	Huo et al.	N/A	N/A
2023/0351608	12/2022	Rivard et al.	N/A	N/A
2024/0064419	12/2023	Rivard et al.	N/A	N/A
2024/0073543	12/2023	Rivard et al.	N/A	N/A
2025/0030945	12/2024	Rivard et al.	N/A	N/A
2025/0053287	12/2024	Rivard et al.	N/A	N/A
2025/0056130	12/2024	Rivard et al.	N/A	N/A
2025/0056131	12/2024	Rivard et al.	N/A	N/A
2025/0063246	12/2024	Rivard et al.	N/A	N/A
2025/0071430	12/2024	Rivard et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
101290388	12/2007	CN	N/A
101408709	12/2008	CN	N/A
101547306	12/2008	CN	N/A

102053453	12/2010	CN	N/A
102165783	12/2010	CN	N/A
102521814	12/2011	CN	N/A
102608036	12/2011	CN	N/A
103152519	12/2012	CN	N/A
103581556	12/2013	CN	N/A
103813098	12/2013	CN	N/A
104040292	12/2013	CN	N/A
204316606	12/2014	CN	N/A
105026955	12/2014	CN	N/A
102011107844	12/2012	DE	N/A
1549080	12/2004	EP	N/A
2169946	12/2009	EP	N/A
2346079	12/2010	EP	N/A
2565843	12/2012	EP	N/A
2731326	12/2013	EP	N/A
2879375	12/2014	EP	N/A
3105713	12/2015	EP	N/A
2486878	12/2011	GB	N/A
2487943	12/2011	GB	N/A
H09-200617	12/1996	JP	N/A
2000278532	12/1999	JP	N/A
2000308068	12/1999	JP	N/A
2001245213	12/2000	JP	N/A
2002112008	12/2001	JP	N/A
2003101886	12/2002	JP	N/A
2003299067	12/2002	JP	N/A
2004247983	12/2003	JP	N/A
2004248061	12/2003	JP	N/A
2004326119	12/2003	JP	N/A
2004328532	12/2003	JP	N/A
2006080752	12/2005	JP	N/A
2006121612	12/2005	JP	N/A
2006311311	12/2005	JP	N/A
2007035028	12/2006	JP	N/A
2007228099	12/2006	JP	N/A
2008162498	12/2007	JP	N/A
2008177738	12/2007	JP	N/A
2008187615	12/2007	JP	N/A
2008236726	12/2007	JP	N/A
2009267923	12/2008	JP	N/A
2009303010	12/2008	JP	N/A
2010016416	12/2009	JP	N/A
2010512049	12/2009	JP	N/A
2010136224	12/2009	JP	N/A
2010157925	12/2009	JP	N/A
2010166281	12/2009	JP	N/A
2010239317	12/2009	JP	N/A
4649623	12/2010	JP	N/A
2011097141	12/2010	JP	N/A
2011101180	12/2010	JP	N/A
2011120087	12/2010	JP	N/A
2011120094	12/2010	JP	N/A
2011146957	12/2010	JP	N/A
2012080196	12/2011	JP	N/A
2012119840	12/2011	JP	N/A
2012156885	12/2011	JP	N/A

2012195660	12/2011	JP	N/A
2012213137	12/2011	JP	N/A
2013026734	12/2012	JP	N/A
2013055610	12/2012	JP	N/A
2013066142	12/2012	JP	N/A
2013093875	12/2012	JP	N/A
2013120254	12/2012	JP	N/A
2013207327	12/2012	JP	N/A
2013219708	12/2012	JP	N/A
2013258444	12/2012	JP	N/A
2013258510	12/2012	JP	N/A
2014057256	12/2013	JP	N/A
2014140246	12/2013	JP	N/A
2014140247	12/2013	JP	N/A
2014142836	12/2013	JP	N/A
2014155033	12/2013	JP	N/A
2016019196	12/2015	JP	N/A
2016066015	12/2015	JP	N/A
6333095	12/2017	JP	N/A
20100094200	12/2009	KR	N/A
20150130186	12/2014	KR	N/A
20160127606	12/2015	KR	N/A
201630406	12/2015	TW	N/A
9746001	12/1996	WO	N/A
0237830	12/2001	WO	N/A
2004064391	12/2003	WO	N/A
2008010559	12/2007	WO	N/A
2009074938	12/2008	WO	N/A
2009074938	12/2008	WO	N/A
2013184256	12/2012	WO	N/A
2014094199	12/2013	WO	N/A
2014172059	12/2013	WO	N/A
2015120873	12/2014	WO	N/A
2015123455	12/2014	WO	N/A
2015173565	12/2014	WO	N/A
2016073643	12/2015	WO	N/A
2018044314	12/2017	WO	N/A
2021003261	12/2020	WO	N/A

OTHER PUBLICATIONS

Notice of Allowance from U.S. Appl. No. 16/278,543, dated Apr. 3, 2020. cited by applicant

Lim et al., U.S. Appl. No. 15/663,005, filed Jul. 28, 2017. cited by applicant

First Action Interview Pilot Program Pre-Interview Communication from U.S. Appl. No. 15/663,005, dated May 28, 2020. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/663,005, dated Oct. 29, 2020. cited by applicant

Sogaard et al., "Video Quality Assessment and Machine Learning: Performance and Interpretability," In Proceedings of IEEE QoMEX, 2015, 7 pages. cited by applicant

Aghazadeh et al., "Novelty Detection from an Ego-Centric Perspective," IEEE Conference on Computer Vision and Pattern Recognition, 2011, pp. 3297-3304. cited by applicant

Bouguet, J., "Pyramidal Implementation of the Affine Lucas Kanade Feature Tracker Description of the algorithm," Intel Corporation, 2001, 10 pages, retrieved from http://robots.stanford.edu/cs223b04/algo_affine_tracking.pdf. cited by applicant

Doherty et al., "Investigating Keyframe Selection Methods in the Novel Domain of Passively Captured Visual Lifelogs," ACM International Conference on Image and Video Retrieval, Jul. 2008, 10 pages. cited by applicant

Gokalp et al., "Scene Classification Using Bag-of-Regions Representations," IEEE Computer Society Conference on Computer Vision and Pattern Recognition, Jun. 2007, 9 pages. cited by applicant

Gygli et al., "Creating Summaries from User Videos," European Conference on Computer Vision, 2014, pp. 505-520.

cited by applicant

Horn et al., "Determining Optical Flow," Artificial Intelligence, Aug. 1981, pp. 185-203. cited by applicant

Jain et al., "Displacement Measurement and Its Application in Interframe Image Coding," IEEE Transactions on Communications, vol. COM-29, No. 12, Dec. 1981, pp. 1799-1808. cited by applicant

Khosla et al., "Large-Scale Video Summarization using Web-Image Priors," IEEE Conference on Computer Vision and Pattern Recognition, 2013, 8 pages, retrieved from https://people.csail.mit.edu/khosla/papers/cvpr2013_khosla.pdf. cited by applicant

Lee et al., "Discovering Important People and Objects for Egocentric Video Summarization," IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2012, 8 pages, retrieved from https://vision.cs.utexas.edu/projects/egocentric/egocentric_cvpr2012.pdf. cited by applicant

Ling et al., "Method for Fast Shot Boundary Detection Based on SVM," Congress on Image and Signal Processing, 2008, pp. 445-449. cited by applicant

Liu et al., "Brief and High-Interest Video Summary Generation: Evaluating the AT&T Labs Rushes Summarizations," Proceedings of the 2nd ACM TRECVID Video Summarization Workshop, Oct. 2008, pp. 21-25. cited by applicant

Lu et al., "Fast Video Shot Boundary Detection Based on SVD and Pattern Matching," IEEE Transactions on Image Processing, vol. 22, Dec. 2013, pp. 5136-5145. cited by applicant

Lu et al., "Story-Driven Summarization for Egocentric Video," IEEE Conference on Computer Vision and Pattern Recognition, 2013, pp. 2714-2721. cited by applicant

Lucas et al., "An Iterative Image Registration Technique with an Application to Stereo Vision," Proceedings of DARPA Image Understanding Workshop, Apr. 1981, pp. 121-130. cited by applicant

Lupatini et al., "Scene Break Detection: A Comparison," Proceedings Eighth International Workshop on Research Issues in Data Engineering, Feb. 1998, 8 pages, retrieved from <https://ieeexplore.ieee.org/document/658276>. cited by applicant

Ma et al., "A Generic Framework of User Attention Model and its Application in Video Summarization," IEEE Transactions on Multimedia, vol. 7, Oct. 2005, pp. 907-919. cited by applicant

Marat et al., "Video Summarization using a Visual Attention Mode," European Signal Processing Conference, Sep. 2007, pp. 1784-1788. cited by applicant

Marpe et al., "The H.264/MPEG4 Advanced Video Coding Standard and its Applications," IEEE Communications Magazine, Aug. 2006, pp. 134-143. cited by applicant

Mertens et al., "Exposure Fusion," Pacific Conference on Computer Graphics and Applications (PG '07), 2007, 9 pages, retrieved from https://mericam.github.io/exposure_fusion/index.html. cited by applicant

Ngo et al., "On Clustering and Retrieval of Video Shots through Temporal Slices Analysis," IEEE Transactions on Multimedia, vol. 4, No. 4, Dec. 2002, pp. 446-458. cited by applicant

Sheikh et al., "Blind Quality Assessment of JPEG2000 Compressed Images," IEEE Asilomar Conference on Signals, Systems and Computers, Nov. 2002, 4 pages, retrieved from <https://ece.uwaterloo.ca/~z70wang/publications/asilomar02.html>. cited by applicant

Swain et al., "Indexing via Color Histograms," Proceedings Third International Conference on Computer Vision, Dec. 1990, pp. 390-393. cited by applicant

Wan et al., "A New Approach to Image Retrieval with Hierarchical Color Clustering," IEEE Transactions on Circuits and Systems for Video Technology, vol. 8, No. 5, Sep. 1998, pp. 628-643. cited by applicant

Wang, Z., "Objective Image Quality Assessment: Facing the Real-World Challenges," Electronic Imaging, Image Quality and System Performance, Feb. 2016, 6 pages. cited by applicant

Wang et al., "Reduced and No Reference Visual Quality Assessment," IEEE Signal Processing Magazine, Special Issue on Multimedia Quality Assessment, vol. 29, Nov. 2011, pp. 29-40. cited by applicant

Wolf, W., "Key Frame Selection by Motion Analysis," IEEE International Conference on Acoustics, Speech, and Signal Processing Conference, May 1996, pp. 1228-1231. cited by applicant

Zhu et al., "A New Diamond Search Algorithm for Fast Block-Matching Motion Estimation," IEEE Transactions on Image Processing, vol. 9, No. 2, Feb. 2000, pp. 287-290. cited by applicant

T-Mobile, "T-Mobile Sets Your Music Free," T-Mobile Webpage, Newsroom, Jun. 19, 2014, 5 pages, retrieved from <https://www.t-mobile.com/news/press/t-mobile-sets-your-music-free>. cited by applicant

T-Mobile, "T-Mobile Brings iPhone 6 & iPhone 6 Plus to its Data Strong Network," T-Mobile Webpage, Newsroom, Sep. 8, 2014, 6 pages, retrieved from <https://www.t-mobile.com/news/press/apple-devices>. cited by applicant

Gatt et al., U.S. Appl. No. 15/978,122, filed May 12, 2018. cited by applicant

Non-Final Office Action from U.S. Appl. No. 15/978,122, dated Sep. 16, 2019. cited by applicant

Final Office Action from U.S. Appl. No. 15/978,122, dated Mar. 2, 2020. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/978,122, dated Aug. 18, 2020. cited by applicant

Easy Flex, Two Examples of Layout Animations, Apr. 11, 2010, pp. 1-11, <http://evtimmy.com/2010/04/two-examples->

of-layout-animations/. cited by applicant

Tidwell, J., "Animated Transition," from Designing Interfaces, O'Reilly Media, Inc., Dec. 2010, pp. 127-129. cited by applicant

International Search Report and Written Opinion from PCT Application No. PCT/US17/57704, dated Nov. 16, 2017. cited by applicant

Extended European Search Report from European Application No. 17863122.2, dated Dec. 2, 2019. cited by applicant

European Search Report from European Application No. 17863122.2, dated Dec. 10, 2020. cited by applicant

Examination Report from Indian Application No. 201927013698, dated Jun. 9, 2021. cited by applicant

Examination Report from European Application No. 17863122.2, dated Aug. 4, 2021. cited by applicant

XP055828762, Google display tablet "iPad mini 2", device pictures, 2014, 5 pages. cited by applicant

Office Action from Chinese Patent Application No. 201780064462.1, dated Nov. 2, 2022. cited by applicant

Second Office Action from Chinese Patent Application No. 201780064462.1, dated Jun. 14, 2023. cited by applicant

International Search Report and Written Opinion from PCT Application No. PCT/US2018/066293, dated Mar. 15, 2019. cited by applicant

Yoon et al., "Image Contrast Enhancement based Sub-histogram Equalization Technique without Over-equalization Noise," World Academy of Science, Engineering and Technology, vol. 50, 2009, 7 pages. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/687,278, dated Aug. 24, 2018. cited by applicant

Rivard et al., U.S. Appl. No. 15/836,655, filed Dec. 8, 2017. cited by applicant

Non-Final Office Action from U.S. Appl. No. 15/836,655, dated Apr. 6, 2018. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/836,655, dated Apr. 30, 2018. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 15/836,655, dated May 14, 2018. cited by applicant

Rivard et al., U.S. Appl. No. 15/885,296, filed Jan. 31, 2018. cited by applicant

Non-Final Office Action for U.S. Appl. No. 15/885,296, dated Jun. 4, 2018. cited by applicant

Notice of Allowance for U.S. Appl. No. 15/885,296 dated Sep. 21, 2018. cited by applicant

Corrected Notice of Allowance for U.S. Appl. No. 15/885,296 dated Oct. 16, 2018. cited by applicant

Rivard et al., U.S. Appl. No. 16/154,999, filed Oct. 9, 2018. cited by applicant

Non-Final Office Action for U.S. Appl. No. 16/154,999, dated Dec. 20, 2018. cited by applicant

Notice of Allowance from U.S. Appl. No. 16/154,999, dated Jun. 7, 2019. cited by applicant

Rivard et al., U.S. Appl. No. 16/505,278, filed Jul. 8, 2019. cited by applicant

Non-Final Office Action for U.S. Appl. No. 16/505,278, dated Jan. 10, 2020. cited by applicant

Notice of Allowance from U.S. Appl. No. 16/505,278, dated Sep. 25, 2020. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 16/505,278, dated Oct. 22, 2020. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 16/505,278, dated Nov. 18, 2020. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 16/505,278, dated Dec. 24, 2020. cited by applicant

Rivard et al., U.S. Appl. No. 17/144,915, filed Jan. 8, 2021. cited by applicant

Non-Final Office Action for U.S. Appl. No. 17/144,915, dated Aug. 13, 2021. cited by applicant

Notice of Allowance from U.S. Appl. No. 17/144,915, dated Feb. 10, 2022. cited by applicant

Rivard et al., U.S. Appl. No. 17/749,919, filed May 20, 2022. cited by applicant

Non-Final Office Action for U.S. Appl. No. 17/749,919, dated Feb. 16, 2023. cited by applicant

Final Office Action for U.S. Appl. No. 17/749,919, dated Sep. 11, 2023. cited by applicant

Rivard et al., U.S. Appl. No. 14/823,993, filed Aug. 11, 2015. cited by applicant

Non-Final Office Action from U.S. Appl. No. 14/823,993, dated Jul. 28, 2016. cited by applicant

Final Office Action from U.S. Appl. No. 14/823,993, dated Feb. 10, 2017. cited by applicant

Non-Final Office Action from U.S. Appl. No. 14/823,993, dated Jul. 14, 2017. cited by applicant

Notice of Allowance from U.S. Appl. No. 14/823,993, dated Oct. 31, 2017. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 14/823,993, dated Dec. 27, 2017. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 14/823,993, dated Jan. 4, 2018. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 14/823,993, dated Feb. 8, 2018. cited by applicant

Rivard et al., U.S. Appl. No. 15/891,251, filed Feb. 7, 2018. cited by applicant

Non-Final Office Action for U.S. Appl. No. 15/891,251, dated May 31, 2018. cited by applicant

Final Office Action for U.S. Appl. No. 15/891,251, dated Nov. 29, 2018. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/891,251, dated May 7, 2019. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 15/891,251, dated Jul. 3, 2019. cited by applicant

Non-Final Office Action for U.S. Appl. No. 16/519,244, dated Sep. 23, 2019. cited by applicant

Notice of Allowance from U.S. Appl. No. 16/519,244, dated Jan. 14, 2020. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 16/519,244, dated Feb. 20, 2020. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 16/519,244, dated Apr. 9, 2020. cited by applicant

Rivard et al., U.S. Appl. No. 16/857,016, filed Apr. 23, 2021. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/857,016, dated Aug. 5, 2020. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/857,016, dated Jan. 27, 2021. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/857,016, dated Feb. 16, 2021. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/857,016, dated Apr. 13, 2021. cited by applicant
Rivard et al., U.S. Appl. No. 17/321,166, filed May 14, 2021. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/321,166, dated Apr. 25, 2022. cited by applicant
Final Office Action for U.S. Appl. No. 17/321,166, dated Dec. 9, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/321,166, dated Jun. 5, 2023. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/271,604, dated Sep. 19, 2019. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/662,965, dated Mar. 22, 2021. cited by applicant
Final Office Action for U.S. Appl. No. 16/662,965, dated Sep. 3, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/662,965, dated Mar. 1, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/835,823, filed Jun. 8, 2022. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/835,823, dated Apr. 18, 2023. cited by applicant
Final Office Action for U.S. Appl. No. 17/835,823, dated Nov. 14, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 15/254,964, filed Apr. 3, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/254,964, dated Jan. 3, 2018. cited by applicant
Final Office Action for U.S. Appl. No. 15/254,964 dated Jul. 24, 2018. cited by applicant
Notice of Allowance for U.S. Appl. No. 15/254,964, dated Dec. 21, 2018. cited by applicant
Supplemental Notice of Allowance for U.S. Appl. No. 15/254,964, dated Feb. 1, 2019. cited by applicant
Supplemental Notice of Allowance for U.S. Appl. No. 15/254,964, dated Mar. 11, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 15/643,311, filed Jul. 6, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/643,311, dated Jan. 4, 2018. cited by applicant
Final Office Action for U.S. Appl. No. 15/643,311 dated Jul. 24, 2018. cited by applicant
Notice of Allowance for U.S. Appl. No. 15/643,311, dated Oct. 31, 2018. cited by applicant
Supplemental Notice of Allowance for U.S. Appl. No. 15/643,311, dated Dec. 11, 2018. cited by applicant
Rivard et al., U.S. Appl. No. 16/213,041, filed Dec. 7, 2018. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/213,041, dated Oct. 30, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/213,041, dated May 29, 2020. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 16/213,041, dated Jun. 17, 2020. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 16/213,041, dated Aug. 31, 2020. cited by applicant
Rivard et al., U.S. Appl. No. 17/000,098, filed Aug. 21, 2020. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/000,098, dated Dec. 7, 2021. cited by applicant
Final Office Action for U.S. Appl. No. 17/000,098, dated Aug. 25, 2022. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/000,098, dated Apr. 11, 2023. cited by applicant
Notice of Allowance for U.S. Appl. No. 17/000,098, dated Jan. 25, 2024. cited by applicant
Corrected Notice of Allowance for U.S. Appl. No. 17/000,098, dated May 1, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 18/646,620, filed Apr. 25, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 15/331,733, filed Oct. 21, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/331,733, dated Dec. 7, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/331,733, dated Apr. 17, 2017. cited by applicant
Rivard et al., U.S. Appl. No. 15/452,639, filed Apr. 4, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/452,639, dated May 11, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/452,639, dated Nov. 30, 2017. cited by applicant
Rivard et al., U.S. Appl. No. 15/642,074, filed Jul. 5, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/642,074, dated Oct. 19, 2018. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/642,074, dated Apr. 10, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/518,786, filed Jul. 22, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/518,786, dated Jun. 29, 2020. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/518,786, dated Nov. 2, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/518,786, dated Nov. 20, 2020. cited by applicant
Rivard et al., U.S. Appl. No. 17/180,526, filed Feb. 19, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/180,526, dated Jul. 25, 2022. cited by applicant
Final Office Action from U.S. Appl. No. 17/180,526, dated Jan. 23, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/180,526, dated Sep. 15, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/824,773, dated Feb. 16, 2023. cited by applicant

Final Office Action from U.S. Appl. No. 17/824,773, dated Sep. 27, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 15/976,756, filed May 10, 2018. cited by applicant
Final Office Action from U.S. Appl. No. 17/874,086, dated Aug. 21, 2023. cited by applicant
Feder et al., U.S. Appl. No. 16/395,792, filed Apr. 26, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/395,792, dated Aug. 26, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 16/395,792, dated Feb. 24, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/395,792, dated Nov. 9, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 16/395,792, dated Apr. 26, 2022. cited by applicant
Feder et al., U.S. Appl. No. 17/953,238, filed Sep. 26, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/953,238, dated Jul. 5, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/063,487, filed Oct. 5, 2020. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/063,487, dated Oct. 14, 2022. cited by applicant
Final Office Action from U.S. Appl. No. 17/063,487, dated May 19, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 16/584,486, filed Sep. 26, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/584,486, dated Oct. 21, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/584,486, dated Nov. 18, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/584,486, dated Dec. 24, 2020. cited by applicant
Rivard et al., U.S. Appl. No. 17/163,086, filed Jan. 29, 2021. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/163,086, dated Oct. 13, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/163,086, dated Mar. 21, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/857,906, filed Jul. 5, 2022. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/857,906, dated Feb. 9, 2023. cited by applicant
Final Office Action for U.S. Appl. No. 17/857,906, dated Sep. 11, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 16/931,286, filed Jul. 16, 2020. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/931,286, dated May 11, 2021. cited by applicant
Final Office Action for U.S. Appl. No. 16/931,286, dated Dec. 29, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/931,286, dated Jun. 7, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/945,939, filed Sep. 15, 2022. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/945,939, dated Mar. 20, 2023. cited by applicant
Final Office Action for U.S. Appl. No. 17/945,939, dated Oct. 27, 2023. cited by applicant
Feder et al., U.S. Appl. No. 17/694,472, filed Mar. 14, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/694,472, dated May 29, 2024. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US15/59348, dated Feb. 2, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US15/59097, dated Jan. 4, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/060476, dated Feb. 10, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/058895, dated Apr. 11, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/059103, dated Dec. 21, 2015. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/059105, dated Jul. 26, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/058896, dated Aug. 26, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2015/058891, dated Aug. 26, 2016. cited by applicant
International Search Report and Written Opinion from International Application No. PCT/US2016/050011, dated Nov. 10, 2016. cited by applicant
Wan et al., "CMOS Image Sensors With Multi-Bucket Pixels for Computational Photography," IEEE Journal of Solid-State Circuits, vol. 47, No. 4, Apr. 2012, pp. 1031-1042. cited by applicant
Chatterjee et al., "Clustering-Based Denoising With Locally Learned Dictionaries," IEEE Transactions on Image Processing, vol. 18, No. 7, Jul. 2009, pp. 1-14. cited by applicant
Burger et al., "Image denoising: Can plain Neural Networks compete with BM3D?," Computer Vision and Pattern Recognition (CVPR), IEEE, 2012, pp. 4321-4328. cited by applicant
Kervann et al., "Optimal Spatial Adaptation for Patch-Based Image Denoising," IEEE Transactions on Image

Processing, vol. 15, No. 10, Oct. 2006, pp. 2866-2878. cited by applicant
Foi et al., "Practical Poissonian-Gaussian noise modeling and fitting for single-image raw-data," IEEE Transactions, 2007, pp. 1-18. cited by applicant
International Search Report and Written Opinion from PCT Application No. PCT/US17/39946, dated Sep. 25, 2017. cited by applicant
European Office Communication and Exam Report from European Application No. 15856814.7, dated Dec. 14, 2017. cited by applicant
European Office Communication and Exam Report from European Application No. 15856267.8, dated Dec. 12, 2017. cited by applicant
European Office Communication and Exam Report from European Application No. 15856710.7, dated Dec. 21, 2017. cited by applicant
European Office Communication and Exam Report from European Application No. 15857675.1, dated Dec. 21, 2017. cited by applicant
European Office Communication and Exam Report from European Application No. 15856212.4, dated Dec. 15, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/547,074, dated Aug. 19, 2016. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 14/547,074, dated Oct. 31, 2016. cited by applicant
Rivard et al., U.S. Appl. No. 14/547,077, filed Nov. 18, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,077, dated Dec. 9, 2016. cited by applicant
Final Office Action from U.S. Appl. No. 14/547,077, dated May 12, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,077, dated Dec. 28, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/547,077, dated Jun. 1, 2018. cited by applicant
Rivard et al., U.S. Appl. No. 16/116,715, filed Aug. 29, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/116,715, dated Feb. 18, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 16/116,715, dated Sep. 28, 2020. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/116,715, dated Jul. 12, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 16/116,715, dated Mar. 7, 2022. cited by applicant
Rivard et al., U.S. Application No. 17/874, 102, filed Jul. 26, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/874,102, dated Jan. 23, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/874,102, dated Jul. 20, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 14/547,079, filed Nov. 18, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,079, dated Nov. 7, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,079, dated Mar. 15, 2017. cited by applicant
Final Office Action from U.S. Appl. No. 14/547,079, dated Jul. 17, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,079, dated Nov. 9, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/547,079, dated May 3, 2018. cited by applicant
Rivard et al., U.S. Appl. No. 15/975,646, filed May 9, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/975,646, dated Sep. 27, 2018. cited by applicant
Final Office Action from U.S. Appl. No. 15/975,646, dated Mar. 25, 2019. cited by applicant
Advisory Action from U.S. Appl. No. 15/975,646, dated Apr. 23, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/975,646, dated Aug. 9, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/666,215, filed Oct. 28, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/666,215, dated Apr. 2, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/666,215, dated Oct. 8, 2021. cited by applicant
Rivard et al., U.S. Appl. No. 17/569,400, filed Jan. 5, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/569,400, dated Jan. 11, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/569,400, dated Jun. 26, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/569,400, dated Nov. 24, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/569,400, dated Mar. 13, 2024. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/569,400, dated Jul. 31, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 17/701,484, filed Mar. 22, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/701,484, dated Feb. 13, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/701,484, dated Jul. 24, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/701,484, dated Jul. 18, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 14/702,549, filed May 1, 2015. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/702,549, dated Jan. 25, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/702,549, dated Aug. 15, 2016. cited by applicant

Corrected Notice of Allowance from U.S. Appl. No. 14/702,549, dated Nov. 10, 2016. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/702,549, dated Dec. 1, 2016. cited by applicant
Rivard et al., U.S. Appl. No. 15/352,510, filed Nov. 15, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/352,510, dated Oct. 17, 2017. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 15/352,510, dated Jan. 8, 2018. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 15/352,510, dated Jan. 29, 2018. cited by applicant
Rivard et al., U.S. Appl. No. 15/687,278, filed Aug. 25, 2017. cited by applicant
Non-Final Office Action for U.S. Appl. No. 15/687,278, dated Apr. 13, 2018. cited by applicant
Kadir et al., "Non-parametric Estimation of Probability Distributions from Sampled Signals," Robotics Research Laboratory, Department of Engineering Science, University of Oxford, Jul. 4, 2005, pp. 1-22. cited by applicant
International Preliminary Examination Report from PCT Application No. PCT/US2018/066293, dated Jul. 2, 2020. cited by applicant
Examination Report from Indian Application No. 202027030380, dated May 30, 2022. cited by applicant
Sherrier et al., "Regionally Adaptive Histogram Equalization of the Chest," IEEE Transactions on Medical Imaging, vol. MI-6, No. 1, Mar. 1987, pp. 1-7. cited by applicant
International Search Report and Written Opinion from PCT Application No. PCT/US 19/13847, dated Apr. 12, 2019. cited by applicant
International Preliminary Examination Report from PCT Application No. PCT/US2019/13847, dated Jul. 30, 2020. cited by applicant
Office Action from Indian Patent Application No. 202027034317, dated Apr. 21, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/507,862, dated May 20, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 16/507,862, dated Oct. 13, 2020. cited by applicant
Advisory Action from U.S. Appl. No. 16/507,862, dated Dec. 21, 2020. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/507,862, dated Feb. 5, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/507,862, dated May 19, 2021. cited by applicant
Extended European Search Report from European Application No. 20835135.3, dated Jun. 14, 2023. cited by applicant
Canon, "Canon EOS 7D Mark II," Canon User Manual, 2014, 548 pages. cited by applicant
Canon, "Canon EOS 1200D," Canon User Manual, 2014, 342 pages. cited by applicant
Canon, "Canon PowerShot G1 X Mark II," Canon User Manual, 2014, 240 pages. cited by applicant
Canon, "Canon Powershot G7 X," Canon User Manual, 2014, 202 pages. cited by applicant
Canon, "Canon PowerShot S200," Canon User Manual, 2013, 183 pages. cited by applicant
Canon, "Canon PowerShot SX60 HS," Canon User Manual, 2014, 203 pages. cited by applicant
Canon, "Canon PowerShot SX520 HS," Canon User Manual, 2014, 139 pages. cited by applicant
Micron, "1/3.2-Inch 2-Megapixel SOC Digital Image Sensor Features," Micron Technology, MT9D111, 2012, 186 pages. cited by applicant
Google, "Google Search timeline Page," Google, 2018, 1 page. cited by applicant
Examination Report from Indian Application No. 202227003071, dated Jul. 1, 2022. cited by applicant
Examination Report from Canadian Application No. 3,144,478, dated Jan. 28, 2023. cited by applicant
Notice of Reasons for Refusal from Japanese Application No. 2021-576343, dated Jan. 31, 2023. cited by applicant
Ingle et al., "Samsung Proposes SEFET Sensor, Pixart Flips Color Filter and Microlens," Image Sensors World, Dec. 30, 2010, 7 pages. cited by applicant
Rivard et al., U.S. Appl. No. 17/696,717, filed Mar. 16, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/696,717, dated Dec. 5, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 18/121,579, filed Mar. 14, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 18/646,581, filed Apr. 25, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 18/930,881, filed Oct. 29, 2024. cited by applicant
Non-Final Office Action for U.S. Appl. No. 18/930,881, dated Dec. 23, 2024. cited by applicant
Notice of Allowance from U.S. Appl. No. 18/930,881, dated Feb. 4, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,744, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 18/930,887, filed Oct. 29, 2024. cited by applicant
Notice of Allowance from U.S. Appl. No. 18/930,887, dated Dec. 20, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,772, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,969, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 18/932,436, filed Oct. 30, 2024. cited by applicant
Non-Final Office Action for U.S. Appl. No. 18/932,436, dated Dec. 27, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,856, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 18/930,891, filed Oct. 29, 2024. cited by applicant

Non-Final Office Action from U.S. Appl. No. 18/930,891, filed Jan. 30, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,870, filed Jan. 16, 2025. cited by applicant
Feder et al., U.S. Appl. No. 18/957,506, filed Nov. 22, 2024. cited by applicant
Non-Final Office Action from U.S. Appl. No. 18/957,506, dated Jan. 17, 2025. cited by applicant
Feder et al., U.S. Appl. No. 19/025,885, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 16/244,982, filed Jan. 10, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/244,982, dated Apr. 1, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 16/244,982, dated Nov. 27, 2020. cited by applicant
Non-Final Office Action for U.S. Appl. No. 15/976,756, dated Jun. 27, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/976,756, dated Oct. 4, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/215,351, filed Dec. 10, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/215,351, dated Jan. 24, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/215,351, dated Apr. 1, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/290,763, filed Mar. 1, 2019. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/290,763, dated Jun. 26, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/290,763, dated Oct. 10, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/796,497, filed Feb. 20, 2020. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/796,497, dated Dec. 8, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/796,497, dated May 26, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/694,458, filed Mar. 14, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/694,458, dated Mar. 1, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/745,668, filed May 16, 2022. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/745,668, dated Jun. 8, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 16/221,289, filed Dec. 14, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/221,289, dated May 15, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 16/221,289, dated Nov. 24, 2020. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/221,289, dated May 12, 2021. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 16/221,289, dated Jul. 16, 2021. cited by applicant
Rivard et al., U.S. Appl. No. 16/552,649, filed Aug. 27, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/552,649, dated Jun. 18, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/552,649, dated Dec. 17, 2021. cited by applicant
Rivard et al., U.S. Appl. No. 16/206,241, filed Nov. 30, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/206,241, dated Jun. 20, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/206,241, dated Sep. 26, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/206,241, dated Mar. 5, 2020. cited by applicant
Rivard et al., U.S. Appl. No. 16/547,358, filed Aug. 21, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/547,358, dated Mar. 23, 2020. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/547,358, dated Aug. 31, 2020. cited by applicant
Rivard et al., U.S. Appl. No. 17/108,867, filed Dec. 1, 2020. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/108,867, dated Aug. 20, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 17/108,867, dated Jan. 28, 2022. cited by applicant
Advisory Action from U.S. Appl. No. 17/108,867, dated Jul. 18, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/543,519, filed Dec. 6, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/543,519, dated Oct. 19, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/543,519, dated Feb. 8, 2023. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 17/543,519, dated Apr. 26, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/875,263, filed Jul. 27, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/875,263, dated Mar. 27, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/875,263, dated Sep. 7, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/969,593, filed Oct. 19, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/969,593, dated May 17, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 16/460,807, filed Jul. 2, 2019. cited by applicant
Non-Final Office Action for U.S. Appl. No. 16/460,807, dated Aug. 20, 2020. cited by applicant
Final Office Action for U.S. Appl. No. 16/460,807, dated Mar. 1, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/460,807, dated Aug. 30, 2021. cited by applicant
Final Office Action for U.S. Appl. No. 16/460,807, dated Mar. 2, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/874,086, filed Jul. 26, 2022. cited by applicant

Non-Final Office Action from U.S. Appl. No. 17/874,086, dated Feb. 2, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 16/211,931, filed Dec. 6, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/211,931, dated Apr. 5, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/211,931, dated Aug. 2, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/677,385, filed Nov. 7, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/677,385, dated Jan. 8, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 16/677,385, dated Sep. 17, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/677,385, dated Mar. 22, 2022. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/677,385, dated Apr. 6, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/518,473, filed Nov. 3, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/518,473, dated Dec. 9, 2022. cited by applicant
Final Office Action from U.S. Appl. No. 17/518,473, dated Aug. 18, 2023. cited by applicant
Advisory Action from U.S. Appl. No. 17/518,473, dated Nov. 1, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/694,441, filed Mar. 14, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/694,441, dated Jan. 23, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/694,441, dated Oct. 2, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 17/868,536, filed Jul. 19, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/868,536, dated Sep. 29, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 14/534,079, filed Nov. 5, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/534,079, dated Jan. 29, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/534,079, dated May 11, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/534,079, dated Aug. 19, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/534,089, filed Nov. 5, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/534,089, dated Feb. 25, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/534,089, dated Jun. 23, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/534,089, dated Aug. 25, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/534,089, dated Sep. 23, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/535,274, filed Nov. 6, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/535,274, dated Feb. 3, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/535,274, dated May 26, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/535,274, dated Aug. 25, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/535,279, filed Nov. 6, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/535,279, dated Feb. 5, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/535,279, dated Aug. 31, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/535,282, filed Nov. 6, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/535,282, dated Jan. 30, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/535,282, dated Jun. 23, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/535,282, dated Sep. 18, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/535,282, dated Oct. 7, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/536,524, filed Nov. 7, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/536,524, dated Mar. 3, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/536,524, dated Jun. 29, 2015. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 14/536,524, dated Aug. 19, 2015. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 14/536,524, dated Sep. 18, 2015. cited by applicant
Feder et al., U.S. Appl. No. 14/535,285, filed Nov. 6, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/535,285, dated Feb. 3, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/535,285, dated Jul. 31, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/535,285, dated Oct. 15, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/535,285, dated Nov. 16, 2015. cited by applicant
Kindle et al., U.S. Appl. No. 14/547,074, filed Nov. 18, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/547,074, dated Feb. 26, 2016. cited by applicant
Supplemental Notice of Allowance from U.S. Appl. No. 15/354,935, dated Dec. 1, 2017. cited by applicant
Feder et al., U.S. Appl. No. 15/814,238, filed Nov. 15, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/814,238, dated Feb. 8, 2018. cited by applicant
Notice of Allowance for U.S. Appl. No. 15/814,238 dated Oct. 4, 2018. cited by applicant
Corrected Notice of Allowance for U.S. Appl. No. 15/814,238 dated Nov. 13, 2018. cited by applicant
Feder et al., U.S. Appl. No. 16/217,848, filed Dec. 12, 2018. cited by applicant

Notice of Allowance from U.S. Appl. No. 16/217,848, dated Jul. 31, 2019. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/217,848, dated Sep. 24, 2019. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/217,848, dated Oct. 31, 2019. cited by applicant
Feder et al., U.S. Appl. No. 16/684,389, filed Nov. 14, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/684,389, dated Oct. 29, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/684,389, dated Nov. 27, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/684,389, dated Dec. 23, 2020. cited by applicant
Feder et al., U.S. Appl. No. 17/171,800, filed Feb. 9, 2021. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/171,800, dated Aug. 18, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/171,800, dated May 26, 2023. cited by applicant
Non-Final Office Action for U.S. Appl. No. 17/171,800, dated Oct. 4, 2023. cited by applicant
Feder et al., U.S. Appl. No. 14/340,557, filed Jul. 24, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/340,557, dated Jan. 21, 2016. cited by applicant
Final Office Action from U.S. Appl. No. 14/340,557, dated Sep. 16, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/340,557, dated Mar. 3, 2017. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/340,557, dated Jul. 27, 2017. cited by applicant
Feder et al., U.S. Appl. No. 15/622,520, filed Jun. 14, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/622,520, dated Jan. 10, 2018. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/622,520, dated Jul. 18, 2018. cited by applicant
Feder et al., U.S. Appl. No. 16/147,206, filed Sep. 28, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/147,206, dated Oct. 18, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/147,206, dated Jun. 19, 2020. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/147,206, dated Aug. 27, 2020. cited by applicant
Feder et al., U.S. Appl. No. 17/023,159, filed Sep. 16, 2020. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/023,159, dated Sep. 2, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 17/023,159, dated Apr. 15, 2022. cited by applicant
Feder et al., U.S. Appl. No. 17/945,922, filed Sep. 15, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/945,922, dated Mar. 31, 2023. cited by applicant
Final Office Action from U.S. Appl. No. 17/945,922, dated Sep. 19, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 15/201,283, filed Jul. 1, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/201,283, dated Dec. 7, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/201,283, dated Mar. 23, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/201,283, dated Jul. 19, 2017. cited by applicant
Rivard et al., U.S. Appl. No. 15/636,324, filed Jun. 28, 2017. cited by applicant
Non-Final Office Action for U.S. Appl. No. 15/636,324, dated Oct. 18, 2018. cited by applicant
Final Office Action for U.S. Appl. No. 15/636,324, dated Mar. 22, 2019. cited by applicant
Non-Final Office Action for U.S. Appl. No. 15/636,324, dated Apr. 18, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/636,324, dated Jul. 2, 2019. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 15/636,324, dated Aug. 20, 2019. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 15/636,324, dated Sep. 5, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/271,604, filed Feb. 8, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/271,604, dated Apr. 5, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/271,604, dated Jul. 2, 2019. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/271,604, dated Aug. 8, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/321,166, dated Sep. 20, 2023. cited by applicant
Feder et al., U.S. Appl. No. 14/843,896, filed Sep. 2, 2015. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/843,896, dated Jan. 14, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/843,896, dated Jun. 9, 2016. cited by applicant
Feder et al., U.S. Appl. No. 15/253,721, filed Aug. 31, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/253,721, dated Jun. 9, 2017. cited by applicant
Final Office Action from U.S. Appl. No. 15/253,721, dated Nov. 3, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/253,721, dated Jan. 4, 2018. cited by applicant
Feder et al., U.S. Appl. No. 15/913,742, filed Mar. 6, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/913,742, dated Jul. 31, 2019. cited by applicant
Final Office Action from U.S. Appl. No. 15/913,742, dated Nov. 21, 2019. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/913,742, dated Jun. 18, 2020. cited by applicant
Final Office Action from U.S. Appl. No. 15/913,742, dated Dec. 16, 2020. cited by applicant

Non-Final Office Action from U.S. Appl. No. 15/913,742, dated Jun. 9, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 15/913,742, dated Feb. 14, 2022. cited by applicant
Feder et al., U.S. Appl. No. 17/865,299, filed Jul. 14, 2022. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/865,299, dated Feb. 22, 2024. cited by applicant
Final Office Action from U.S. Appl. No. 17/865,299, dated Sep. 12, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 13/999,343, filed Feb. 11, 2014. cited by applicant
Notice of Allowance for U.S. Appl. No. 13/999,343, dated Jul. 17, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/887,211, filed Oct. 19, 2015. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/887,211, dated Feb. 18, 2016. cited by applicant
Final Office Action from U.S. Appl. No. 14/887,211, dated Sep. 23, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/887,211, dated Jan. 17, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/887,211, dated May 1, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/887,211, dated Sep. 13, 2017. cited by applicant
Rivard et al., U.S. Appl. No. 15/808,753, filed Nov. 9, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/808,753, dated Feb. 23, 2018. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/808,753, dated Jul. 10, 2018. cited by applicant
Rivard et al., U.S. Appl. No. 16/147,149, filed Sep. 28, 2018. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/147,149, dated Jan. 14, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/296,038, filed Mar. 7, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/296,038, dated Apr. 12, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/518,811, filed Jul. 22, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/518,811, dated Sep. 25, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/744,735, filed Jan. 16, 2020. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/744,735, dated Aug. 18, 2021. cited by applicant
Rivard et al., U.S. Appl. No. 17/518,436, filed Nov. 3, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 17/518,436, dated Jul. 11, 2022. cited by applicant
Notice of Allowance from U.S. Appl. No. 17/518,436, dated Mar. 28, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 18/213,198, filed Jun. 22, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 18/213,198, dated Feb. 1, 2024. cited by applicant
Feder et al., U.S. Appl. No. 13/999,678, filed Mar. 14, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 13/999,678, dated Aug. 12, 2015. cited by applicant
Final Office Action from U.S. Appl. No. 13/999,678, dated Mar. 28, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 13/999,678, dated Dec. 20, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 13/999,678, dated Jun. 29, 2017. cited by applicant
Feder et al., U.S. Appl. No. 15/354,935, filed Nov. 17, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/354,935, dated Feb. 8, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/354,935, dated Aug. 23, 2017. cited by applicant
Examination Report from Indian Application No. 201927010939, dated Jun. 9, 2021. cited by applicant
Summons to Attend Oral Proceedings from European Application No. 15856267.8, dated Sep. 3, 2021. cited by applicant
Photoshop, "Photoshop Help/Levels adjustment," Photoshop Help, retrieved on Aug. 20, 2021 from <https://web.archive.org/web/20141018232619/http://helpx.adobe.com:80/photoshop/using/levels-adjustment.html>, 3 pages. cited by applicant
Photoshop, "Photoshop Help/Levels adjustment," Photoshop Help, 2014, retrieved on Aug. 20, 2021 from <https://web.archive.org/web/20141018232619/http://helpx.adobe.com:80/photoshop/using/levels-adjustment.html>, 3 pages. cited by applicant
Office Action from Japanese Patent Application No. 2020-121537, dated Oct. 19, 2021. cited by applicant
Extended European Search Report from European Application No. 21196442.4, dated Dec. 13, 2021. cited by applicant
Huo et al., "Robust Automatic White Balance algorithm using Gray Color Points in Images," IEEE Transactions on Consumer Electronics, vol. 52, No. 2, May 2006, pp. 541-546. cited by applicant
Examination Report from European Application No. 15857386.5, dated Dec. 12, 2021. cited by applicant
Final Office Action from Japanese Patent Application No. 2017-544282, dated Mar. 1, 2022. cited by applicant
Notice of Final Rejection from Japanese Patent Application No. 2017-544282, dated Mar. 1, 2022. cited by applicant
Examination Report from Indian Application No. 201927010939, dated Mar. 25, 2022. cited by applicant
Examination Report from Indian Application No. 202027018945, dated Mar. 17, 2022. cited by applicant
Office Action from Japanese Patent Application No. 2021-076679, dated Aug. 2, 2022. cited by applicant
Office Action from Japanese Patent Application No. 2021-079285, dated Aug. 2, 2022. cited by applicant

Office Action from Japanese Patent Application No. 2021-096499, dated Sep. 6, 2022. cited by applicant

Office Action from Japanese Patent Application No. 2021-154653, dated Sep. 13, 2022. cited by applicant

Office Action from Chinese Patent Application No. 202110773625.1, dated Nov. 2, 2022. cited by applicant

Summons to Attend Oral Proceedings from European Application No. 16 915 389.7, dated Oct. 21, 2022. cited by applicant

Office Action from Australian Patent Application No. 2020299585, dated Nov. 24, 2022. cited by applicant

Srivastava et al., U.S. Appl. No. 15/870,689, filed Jan. 12, 2018. cited by applicant

Non-Final Office Action from U.S. Appl. No. 15/870,689, dated Mar. 17, 2019. cited by applicant

Final Office Action from U.S. Appl. No. 15/870,689, dated Sep. 5, 2019. cited by applicant

Advisory Action from U.S. Appl. No. 15/870,689, dated Nov. 14, 2019. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/870,689, dated Dec. 17, 2019. cited by applicant

Examination Report from European Application No. 15 857 386.5, dated Jan. 3, 2023. cited by applicant

Decision for Rejection from Japanese Patent Application No. 2021-154653, dated May 23, 2023. cited by applicant

Second Office Action from Chinese Patent Application No. 202110773625.1, dated May 7, 2023. cited by applicant

Examination Report from European Application No. 18864431.4, dated Apr. 21, 2023. cited by applicant

Decision for Rejection from Japanese Patent Application No. 2021-076679, dated Jun. 6, 2023. cited by applicant

Wang et al., "A High Dynamic Range CMOS APS Image Sensor," Semantic Scholar, 2001, pp. 1-4, retrived from <https://www.semanticscholar.org/paper/A-High-Dynamic-Range-CMOS-APS-Image-Sensor-Wang/a824e97836438887089a3c62f4d9be77d47c9067>. cited by applicant

Bock et al., "A Wide-VGA CMOS Image Sensor with Global Shutter and Extended Dynamic Range," International Image Sensor Society, 2005, pp. 222-225, retrieved from <https://www.imagesensors.org/Past%20Workshops/2005%20Workshop/2005%20Papers/56%20Bock%20et%20al.pdf>> cited by applicant

Micron, "1/3-Inch, Wide-VGA CMOS Digital Image Sensor," Micron Technology, 2006, 15 pages, retrieved from <https://media.digikey.com/pdf/Data%20Sheets/Micron%20Technology%20Inc%20PDFs/MT9V022.pdf>. cited by applicant

Neo Film School, "A Final Nail in the Coffin of Film Cinematography!" Neo Film School Blog, Mar. 7, 2011, 4 pages, retrieved from <https://neofilmschool.wordpress.com/2011/03/07/a-final-nail-in-the-coffin-of-film-cinematography/>. cited by applicant

Cmosis, "Cmosis Outlining Low Noise/High Dynamic Image Sensor Concept," Photonics Online, Nov. 29, 2010, 1 page, retrieved from <https://www.photonicsonline.com/doc/cmosis-outlining-low-noisehigh-dynamic-image-0001?VNETCOOKIE=NO>. cited by applicant

Koifman et al., "Image Sensors World," Blog, Dec. 30, 2010, 62 pages, retrieved from <http://image-sensors-world.blogspot.com/2010/>. cited by applicant

Office Action from Chinese Patent Application No. 202111599811.4, dated Feb. 23, 2024, 7 pages. cited by applicant

Aksoy et al., "A Dataset of Flash and Ambient Illumination Pairs from the Crowd," ECCV, 2018, pp. 1-16. cited by applicant

Cornell, B., U.S. Appl. No. 15/162,326, filed May 23, 2016. cited by applicant

Non-Final Office Action from U.S. Appl. No. 15/162,326, dated Sep. 27, 2017. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/162,326, dated Jan. 29, 2018. cited by applicant

Notice of Allowance from U.S. Appl. No. 15/162,326, dated Apr. 11, 2018. cited by applicant

Adnan et al., "Efficient Kernal Fusion Techniques for Massive Video Data Analysis on GPGPUs," arXiv, Sep. 15, 2015, 10 pages, retieved from <https://arxiv.org/abs/1509.04394>. cited by applicant

Liu et al., "An Efficient SAR Processor Based on GPU via CUDA," 2nd International Congress on Image and Signal Processing, Oct. 17, 2009, pp. 1-5. cited by applicant

Sung, Hsiang-Wei et al., "OpenCV Optimization on Heterogeneous Multi-Core Systems for Gesture Recognition Applications," IEEE 45th International Conference on Parallel Processing Workshops {ICPPW}, Aug. 16, 2016, pp. 59-65. cited by applicant

U.S. Appl. No. 14/178,305, filed Feb. 12, 2014. cited by applicant

Final Office Action from U.S. Appl. No. 14/178,305, dated May 18, 2015. cited by applicant

Non-Final Office Action from U.S. Appl. No. 14/178,305, dated Aug. 11, 2014. cited by applicant

Le et al., U.S. Appl. No. 16/278,581, filed Feb. 18, 2019. cited by applicant

Zhen et al., U.S. Appl. No. 16/277,630, filed Feb. 15, 2019. cited by applicant

Le et al., U.S. Appl. No. 16/278,543, filed Feb. 18, 2019. cited by applicant

European Office Communication and Exam Report from European Application No. 15857386.5, dated Jan. 11, 2018. cited by applicant

Kim et al., "A CMOS Image Sensor Based on Unified Pixel Architecture With Time-Division Multiplexing Scheme for

Color and Depth Image Acquisition,” IEEE Journal of Solid-State Circuits, vol. 47, No. 11, Nov. 2012, pp. 2834-2845. cited by applicant

European Office Communication and Exam Report from European Application No. 15857748.6, dated Jan. 10, 2018. cited by applicant

Extended European Search Report from European Application No. 15891394.7 dated Jun. 19, 2018. cited by applicant

International Preliminary Examination Report from PCT Application No. PCT/US2017/39946, dated Jan. 10, 2019. cited by applicant

International Search Report and Written Opinion from International Application No. PCT/US 18/54014, dated Dec. 26, 2018. cited by applicant

Office Action from Chinese Patent Application No. 201580079444.1, dated Aug. 1, 2019. cited by applicant

Examination Report from European Application No. 15 856 814.7, dated Aug. 20, 2019. cited by applicant

Examination Report from European Application No. 15 857 675.1, dated Aug. 23, 2019. cited by applicant

Examination Report from European Application No. 15 856 710.7, dated Sep. 9, 2019. cited by applicant

Examination Report from European Application No. 15 857 386.5, dated Sep. 17, 2019. cited by applicant

Examination Report from European Application No. 15 857 748.6, dated Sep. 26, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544279, dated Oct. 23, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544280, dated Oct. 29, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544283, dated Oct. 29, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544547, dated Nov. 5, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544281, dated Nov. 26, 2019. cited by applicant

Extended European Search Report from European Application No. 16915389.7, dated Dec. 2, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544284, dated Dec. 10, 2019. cited by applicant

Office Action from Japanese Patent Application No. 2017-544282, dated Jan. 7, 2020. cited by applicant

Office Action from Chinese Patent Application No. 201780053926.9, dated Jan. 16, 2020. cited by applicant

Extended European Search Report from European Application No. 17821236.1, dated Jan. 24, 2020. cited by applicant

Petschnigg et al., “Digital Photography with Flash and No-Flash Image Pairs,” ACM Transactions of Graphics, vol. 23, Aug. 2004, pp. 664-672. cited by applicant

International Preliminary Examination Report from PCT Application No. PCT/US2018/054014, dated Apr. 16, 2020. cited by applicant

Office Action from Chinese Patent Application No. 201680088945.0, dated May 21, 2020. cited by applicant

Office Action from Japanese Patent Application No. 2017-544284, dated Aug. 18, 2020. cited by applicant

International Search Report and Written Opinion from PCT Application No. PCT/US2020/040478, dated Sep. 25, 2020. cited by applicant

Summons to Attend Oral Proceedings from European Application No. 15 856 710.7, dated Sep. 18, 2020. cited by applicant

Office Action from Japanese Patent Application No. 2017-544281, dated Oct. 27, 2020. cited by applicant

Office Action from Chinese Patent Application No. 201780053926.9, dated Oct. 13, 2020. cited by applicant

Office Action from Japanese Patent Application No. 2017-544280, dated Jun. 30, 2020. cited by applicant

Second Office Action from Chinese Patent Application No. 201680088945.0, dated Dec. 17, 2020. cited by applicant

Office Action from Japanese Patent Application No. 2017-544282, dated Jan. 5, 2021. cited by applicant

Office Action from Japanese Patent Application No. 2017-544283, dated Jan. 12, 2021. cited by applicant

Decision to Refuse from European Application No. 15856710.7, dated Mar. 15, 2021. cited by applicant

Examination Report from Indian Application No. 201827049041, dated Mar. 19, 2021. cited by applicant

Decision to Refuse from European Application No. 15856212.4, dated Mar. 22, 2021. cited by applicant

Examination Report from European Application No. 16915389.7, dated Feb. 25, 2021. cited by applicant

Examination Report from European Application No. 15857386.5, dated Feb. 8, 2021. cited by applicant

Decision for Rejection and Decision of Dismissal of Amendment for Japanese Application No. 2017-544280, dated May 25, 2021. cited by applicant

Extended European Search Report from European Application No. 18864431.4, dated Jun. 1, 2021. cited by applicant

Kaufman et al., “Content-Aware Automatic Photo Enhancemen,” Computer Graphics Forum, vol. 31, No. 08, 2012, pp. 2528-2540. cited by applicant

Battiato et al., “Automatic Image Enhancement by Content Dependent Exposure Correction,” EURASIP Journal on Applied Signal Processing, 2004, pp. 1849-1860. cited by applicant

Mangiat et al., “Automatic scene relighting for video conferencing,” IEEE 16th Annual International Conference on Image Processing (ICIP), Nov. 2009, pp. 2781-2784. cited by applicant

Weyrich et al., “Analysis of human faces using a measurement-based skin reflectance model,” ACM Transactions on Graphics, vol. 25, No. 3, 2006, pp. 1013-1024. cited by applicant

Extended European Search Report from European Application No. 21169039.1, dated Jun. 16, 2021. cited by applicant
Office Action from Japanese Patent Application No. 2017-544284, dated Jul. 13, 2021. cited by applicant
Office Action from Japanese Patent Application No. 2017-544284, dated Jul. 3, 2021. cited by applicant
Office Action from Chinese Patent Application No. 202010904659.5, dated Jul. 28, 2021. cited by applicant
Extended European Search Report from European Application No. 21175832.1, dated Aug. 27, 2021. cited by applicant
International Search Report and Written Opinion from PCT Application No. PCT/US18/61547, dated Jan. 25, 2019.
cited by applicant
Rivard et al., U.S. Appl. No. 16/519,244, filed Jul. 23, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 15/815,463, filed Nov. 16, 2017. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/815,463, dated Mar. 21, 2019. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/815,463, dated Jul. 10, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/663,015, filed Oct. 24, 2019. cited by applicant
Rivard et al., U.S. Appl. No. 16/662,965, filed Oct. 24, 2019. cited by applicant
International Preliminary Examination Report from PCT Application No. PCT/US18/61547, dated May 28, 2020. cited
by applicant
Non-Final Office Action from U.S. Appl. No. 16/663,015, dated Jul. 9, 2020. cited by applicant
Extended European Search Report from European Application No. 18878357.5, dated May 31, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 16/663,015, dated Feb. 4, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/663,015, dated Jul. 22, 2021. cited by applicant
Notice of Allowance from U.S. Appl. No. 16/663,015, dated Feb. 15, 2022. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 16/663,015, dated May 11, 2022. cited by applicant
Rivard et al., U.S. Appl. No. 17/824,773, filed May 25, 2022. cited by applicant
Feder et al., U.S. Appl. No. 14/503,210, filed Sep. 30, 2014. cited by applicant
Restriction Requirement from U.S. Appl. No. 14/503,210, dated Oct. 16, 2015. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/503,210, dated Jan. 12, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/503,210, dated May 31, 2016. cited by applicant
Feder et al., U.S. Appl. No. 14/503,224, filed Sep. 30, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/503,224, dated Sep. 2, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/503,224, dated Feb. 3, 2016. cited by applicant
Rivard et al., U.S. Appl. No. 13/573,252, filed Sep. 4, 2012. cited by applicant
Restriction Requirement from U.S. Appl. No. 13/573,252, dated Apr. 21, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 13/573,252, dated Jul. 10, 2014. cited by applicant
Notice of Allowance from U.S. Appl. No. 13/573,252, dated Oct. 22, 2014. cited by applicant
Rivard et al., U.S. Appl. No. 14/568,045, filed Dec. 11, 2014. cited by applicant
Restriction Requirement from U.S. Appl. No. 14/568,045, dated Jan. 15, 2015. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/568,045, dated Mar. 24, 2015. cited by applicant
Final Office Action from U.S. Appl. No. 14/568,045, dated Sep. 18, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/568,045, dated Apr. 26, 2016. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/568,045, dated Jan. 12, 2016. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/568,045, dated Feb. 19, 2016. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/568,045, dated Jun. 30, 2016. cited by applicant
Feder et al., U.S. Appl. No. 14/517,731, filed Oct. 17, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/517,731, dated Oct. 6, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/517,731, dated May 19, 2016. cited by applicant
Rivard et al., U.S. Appl. No. 14/534,068, filed Nov. 5, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/534,068, dated Feb. 17, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/534,068, dated Jul. 29, 2015. cited by applicant
Corrected Notice of Allowance from U.S. Appl. No. 14/534,068, dated Sep. 22, 2015. cited by applicant
Rivard et al., U.S. Appl. No. 14/543,782, filed Nov. 17, 2014. cited by applicant
Non-Final Office Action from U.S. Appl. No. 14/543,782, dated Dec. 3, 2015. cited by applicant
Notice of Allowance from U.S. Appl. No. 14/543,782, dated Jul. 7, 2016. cited by applicant
Rivard et al., U.S. Appl. No. 15/289,039, filed Oct. 7, 2016. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/289,039, dated May 11, 2017. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/289,039, dated Oct. 12, 2017. cited by applicant
Rivard et al., U.S. Appl. No. 15/863,785, filed Jan. 5, 2018. cited by applicant
Non-Final Office Action from U.S. Appl. No. 15/863,785, dated Apr. 11, 2018. cited by applicant
Notice of Allowance from U.S. Appl. No. 15/863,785, dated Sep. 11, 2018. cited by applicant

Non-Final Office Action from U.S. Appl. No. 16/244,982, dated May 13, 2021. cited by applicant
Final Office Action from U.S. Appl. No. 16/244,982, dated Dec. 20, 2021. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/244,982, dated Jun. 24, 2022. cited by applicant
Final Office Action from U.S. Appl. No. 16/244,982, dated Feb. 14, 2023. cited by applicant
Non-Final Office Action from U.S. Appl. No. 16/244,982, dated Aug. 3, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 18/388,158, filed Nov. 8, 2023. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,941, filed Jan. 16, 2025. cited by applicant
Rivard et al., U.S. Appl. No. 18/935,319, filed Nov. 1, 2024. cited by applicant
Non-Final Office Action for U.S. Appl. No. 18/935,319, dated Dec. 12, 2024. cited by applicant
Rivard et al., U.S. Appl. No. 19/025,910, filed Jan. 16, 2025. cited by applicant
Non-Final Office Action from U.S. Appl. No. 18/388,158 dated May 19, 2025. cited by applicant

Primary Examiner: Dagnew; Mekonnen D

Attorney, Agent or Firm: Zilka-Kotab, P.C.

Background/Summary

RELATED APPLICATIONS (1) The present application is a continuation in part, by virtue of the removal of subject matter (that was either expressly disclosed or incorporated by reference in one or more priority applications), with the purpose of claiming priority to and including herewith the full express and incorporated disclosure of U.S. patent application Ser. No. 14/543,782, now U.S. Pat. No. 9,509,919, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," filed Nov. 17, 2014, which, at the time of the aforementioned Nov. 17, 2014 filing, incorporated by reference U.S. application Ser. No. 14/178,305, filed Feb. 12, 2014 (abandoned in favor of the above application), entitled "SYSTEMS AND METHOD FOR GENERATING A DIGITAL IMAGE" (which is incorporated by reference in its entirety). (2) To accomplish the above, the present application is a continuation in part of, and claims priority to, U.S. patent application Ser. No. 18/388,158, entitled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," filed Nov. 8, 2023, which is a continuation-in-part of, and claims priority to U.S. patent application Ser. No. 17/868,536 (abandoned in favor of the above application), entitled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," filed Jul. 19, 2022, which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 17/518,473 (abandoned in favor of the above application), filed Nov. 3, 2021, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 16/677,385, now U.S. Pat. No. 11,394,895, filed Nov. 7, 2019, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 16/211,931, now U.S. Pat. No. 10,491,834, filed Dec. 6, 2018, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," now U.S. Pat. No. 10,491,834, which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 15/863,785, filed Jan. 5, 2018, now U.S. Pat. No. 10,178,323 titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 15/289,039, filed Oct. 7, 2016, now U.S. Pat. No. 9,894,289, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE," which in turn is a continuation of and claims priority to U.S. patent application Ser. No. 14/543,782, filed Nov. 17, 2014, now U.S. Pat. No. 9,509,919, titled "SYSTEM AND METHOD FOR GENERATING A DIGITAL IMAGE."

FIELD OF THE INVENTION

(1) The present invention relates generally to digital photographic systems, and more specifically to a system, method, and computer program product for generating a digital image.

BACKGROUND

(2) Traditional digital photography systems are inherently limited by the dynamic range of a capturing image sensor. One solution to such limitation is the use of high dynamic-range (HDR) photography. HDR photography involves capturing multiple exposures of a same scene, where each of the exposures is exposed differently, and then merging the multiple captures to create an image with a larger dynamic range.

SUMMARY

(3) A system, method, and computer program product for generating a resulting image from a set of images is disclosed. The method comprises receiving an image set that includes a first image of a photographic scene

based on a first set of sampling parameters and a second image of the photographic scene based on a second set of sampling parameters, and generating a resulting image based on the first image and the second image according to depth values in a selection depth map. Each distinct depth value in the selection depth map corresponds to a different image in the image set.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1A illustrates a flow chart of a method for generating a resulting image from an image set comprising two or more images sampled under ambient illumination and/or strobe illumination, in accordance with one embodiment;
- (2) FIG. 1B illustrates a flow chart of a method for generating an image set comprising two or more images sampled under strobe illumination, in accordance with one embodiment;
- (3) FIG. 1C illustrates a flow chart of a method for selecting one image from an image set based on exposure quality, in accordance with one embodiment;
- (4) FIG. 2A illustrates a digital camera, configured to implement one or more aspects of the present invention;
- (5) FIG. 2B illustrates a mobile device, configured to implement one or more aspects of the present invention;
- (6) FIG. 3A illustrates a digital photographic system, configured to implement one or more aspects of the present invention;
- (7) FIG. 3B illustrates a processor complex within the digital photographic system, in accordance with one embodiment;
- (8) FIG. 4A illustrates a linear profile for a strobe intensity function associated with sampling an image set, in accordance with one embodiment;
- (9) FIG. 4B illustrates a range-limited profile for a strobe intensity function associated with sampling an image set, in accordance with one embodiment;
- (10) FIG. 4C illustrates an adaptive profile for a strobe intensity function associated with sampling an image set, in accordance with one embodiment;
- (11) FIG. 4D illustrates a range-limited profile for a strobe intensity function and a monotonic profile for an exposure parameter function associated with sampling a set of digital photographs, in accordance with one embodiment;
- (12) FIG. 4E illustrates a range-limited profile for a strobe intensity function and a non-monotonic profile for an exposure parameter function associated with sampling a set of digital photographs, in accordance with one embodiment;
- (13) FIG. 4F illustrates a constant intensity profile for a strobe intensity function and a monotonic profile for exposure parameter function associated with sampling a set of digital photographs, in accordance with one embodiment;
- (14) FIG. 4G illustrates a range-limited profile for a strobe intensity function based on variable width pulses, in accordance with one embodiment;
- (15) FIG. 4H illustrates determining a range for a range-limited profile, in accordance with one embodiment;
- (16) FIG. 5A illustrates a viewer application configured to generate a resulting image based on an image set, in accordance with one embodiment;
- (17) FIG. 5B illustrates an exemplary user interface associated with a viewer application, in accordance with one embodiment;
- (18) FIG. 5C illustrates a resulting image with differing levels of strobe exposure, in accordance with one embodiment;
- (19) FIG. 5D illustrates a resulting image generated from source images and a selection depth map, in accordance with one embodiment;
- (20) FIG. 5E illustrates a selection depth map relative to a stack of source images, in accordance with one embodiment; and
- (21) FIG. 5F illustrates specifying a selection depth map, in accordance with one embodiment.

DETAILED DESCRIPTION

(22) Embodiments of the present invention enable a digital photographic system to generate a digital image (or simply “image”) of a photographic scene subjected to strobe illumination. Exemplary digital photographic systems include, without limitation, digital cameras and mobile devices such as smart phones that are configured to include a digital camera module and a strobe unit. A given photographic scene is a portion of an overall scene sampled by the digital photographic system.

(23) Two or more images are sequentially sampled by the digital photographic system to generate an image set. Each image within the image set is generated in conjunction with different strobe intensity, different exposure parameters, or a combination thereof. Exposure parameters may include sensor sensitivity (“ISO” parameter), exposure time (shutter speed), aperture size (f-stop), and focus distance. In certain embodiments, one or more exposure parameters, such as aperture size, may be constant and not subject to determination. For example, aperture size may be constant based on a given lens design associated with the digital photographic system. At least two of the images comprising the image set are sampled in conjunction with a strobe unit, such as a light-emitting diode (LED) strobe unit, configured to contribute illumination to the photographic scene.

(24) In one embodiment, exposure parameters are initially determined and held constant for each image in the image set. The exposure parameters may be initially determined based on ambient lighting conditions. If insufficient ambient lighting is available, such as for extremely dark scenes, then exposure parameters may be determined based on a mid-range strobe intensity. For example, mid-range strobe intensity may be selected as fifty-percent of a maximum strobe intensity for the strobe unit. The strobe unit is configured to modulate strobe intensity to provide a range of illumination contribution among the images within the image set. For example, the image set may comprise ten images, each with monotonically increasing illumination from the strobe unit. The first of ten images within the image set may be relatively under-exposed with respect to strobe illumination, while the tenth image may be over-exposed with respect to strobe illumination. However, one or more images between the first image and the tenth image will likely be appropriately-exposed with respect to strobe illumination. An image with appropriate illumination may be selected automatically or manually selected by a user. The image with appropriate illumination is then a resulting image for the photographic scene.

(25) In another embodiment, images within the image set are sampled according to varying exposure parameters while the strobe unit is enabled to illuminate the photographic scene. One or more of the exposure parameters may be varied among sequential images comprising the image set. For example, exposure time may be increased (or decreased) among sequential images within the image set. Alternatively, sensor sensitivity may be increased (or decreased) among sequential images within the image set. Furthermore, two or more of the exposure parameters may be varied together among sequential images comprising the image set. For example, exposure time may be decreased while sensor sensitivity is increased. The net effect may preserve overall exposure, while decreasing blur as strobe intensity increases and exposure time decreases. As strobe intensity increases, sensor sensitivity may be increased. Because subject illumination in the photographic scene increases as the strobe intensity increases, increasing sensor sensitivity in sequential images will not likely introduce substantial additional image noise.

(26) Sequential images may be sampled rapidly relative to motion and changes within the photographic scene. For example, the sequential images may be sampled at a rate of at least five samples per second. In high performance systems, the images may be sampled at greater than fifty samples per second. With an inter-image time of less than two-hundred milliseconds, each image within the image set will depict substantially identical subject matter in common photographic scenarios. In one embodiment, the strobe unit is configured to modulate strobe intensity in time-synchronization with respect to image sampling. For example, the strobe unit may be configured to maintain a specified first strobe intensity during an exposure time for a first image in the image set and maintain a second strobe intensity during an exposure time of a second image in the image set. A transition from the first strobe intensity to the second strobe intensity is synchronized in time with completion of sampling the first image and initiating sampling of the second image.

(27) In one embodiment, an image is selected from the image set based on exposure metrics generated for each image within the image set. In another embodiment, an image is selected by a user. An image may be recommended to the user based on the exposure metrics, but the user may select a different image based on individual choice. The user may view each image in the image set and select the image through a viewer system, configured to present the image set as a sequence of images that may be browsed using a continuous position control, such as a slider control.

(28) FIG. 1A illustrates a flow chart of a method **1** for generating a resulting image from an image set comprising two or more images sampled under ambient illumination and/or strobe illumination, in accordance with one embodiment. Although method **1** is described in conjunction with the systems of FIGS. 2A-3B, persons of ordinary skill in the art will understand that any system that performs method **1** is within the scope and spirit of embodiments of the present invention. In one embodiment, a digital photographic system, such as digital photographic system **300** of FIG. 3A, is configured to perform method **1**. The digital photographic system **300** may be implemented within a digital camera, such as digital camera **202** of FIG. 2A, or a mobile device, such as mobile device **204** of FIG. 2B.

(29) Method **1** begins at step **10**, where the digital photographic system receives an image set. The image set may include a plurality of images including at least a first image and a second image. In one embodiment, the

first image may be captured by the digital photographic system based on a first set of sampling parameters, and the second image may be captured by the digital photographic system based on a second set of sampling parameters. The set of sampling parameters may include, but is not limited to, a shutter speed, an aperture setting, a strobe setting (i.e., a flash setting), a strobe intensity, an image sensor sensitivity (e.g., ISO setting), and the like. The images in the image set may include one or more images captured with ambient light (i.e., without a flash) and/or one or more images captured with strobe illumination (i.e., with a flash).

(30) At step **20**, a resulting image is generated based on the first image and the second image according to depth values in a selection depth map. Each distinct depth value in the selection depth map corresponds to a different image in the image set. For example, a first image captured with ambient light may correspond to a minimum value (e.g., distinct value of 0) in the selection depth map. A second image captured with strobe illumination may correspond to a higher value (e.g., distinct value of 1) in the selection depth map. Each different image may be assigned to a distinct depth. Additional images captured with strobe illumination may correspond to even higher distinct values in the selection depth map and so forth. The image set may consist entirely of images captured with ambient illumination (e.g., images captured without flash but with increasing exposure time/decreasing shutter speed, etc.), entirely of images captured with strobe illumination (e.g., images captured with increasing strobe intensity, etc.), or some combination of the two. Exemplary image sets may include tens or hundreds of images. Other image sets may include just two images, or more than two images.

(31) As used herein, images captured with ambient illumination may comprise images captured while a strobe unit is disabled. In contrast, images captured with strobe illumination may comprise images captured while a strobe unit is enabled for at least a portion of the exposure time period such that the captured image data includes color information that includes light from the strobe unit reflected off at least one object in the photographic scene.

(32) In one embodiment, the selection depth map includes a two-dimensional (2D) array of depth values and a location of a particular depth value in the 2D array corresponds to a particular pixel in the resulting image. In other words, the selection depth map may include an array having the same number of elements as the resolution of the images in the image set. The array may have a number of rows equal to the vertical resolution of the images in the image set and a number of columns equal to the horizontal resolution of the images in the image set. Alternatively, the array may have fewer elements than the resolution of each image in the image set and a particular depth value for a pixel in the resulting image is interpolated from elements of the array. For example a particular depth value may be calculated using a bilinear interpolation of array elements.

(33) In another embodiment, the resulting image may be displayed in a user interface associated with a viewer application. For example, a digital photographic system may include an LCD display and a viewer application configured to display a user interface on the LCD display. The viewer application may display a resulting image and enable a user to modify the selection depth map to blend a plurality of images in the image set to generate the resulting image. In one embodiment, the viewer application may detect user input associated with the user interface that indicates a selection path within the resulting image. For example, the user may use an input device such as a mouse or stylus to draw a selection path over the resulting image. Alternatively, if the display device includes a touch-sensitive interface, the user may use touch input or multi-touch input to draw the selection path over the resulting image. The selection path may comprise a set of points relative to the pixel locations of the resulting image. The set of points may be connected to determine a plurality of pixels that intersect with the selection path. The selection path may intersect the same pixel more than once and may cross itself based on the user input.

(34) In one embodiment, a selection region is selected based on the selection path. For example, a surface that includes all points in the selection path may be selected as the selection region. The points may include all points covered by stroking a geometric shape, such as a circle, along the selection path. Further, in another embodiment, a source image in the set of images may be analyzed to find edges in the source image. Any technically feasible edge detection algorithm may be used to find edges in the source image. Once edges are detected in the source image, a surface that includes all points in the selection path may be selected as the selection region, wherein the surface edges correspond to the pre-determined edges in the source image. In one embodiment, a nearest edge is selected for each point in the selection path to generate a set of nearest edges in the source image. The set of nearest edges are then analyzed to determine a closed surface that includes all of the edges in the set of nearest edges, where the closed surface is then selected as the selection region. Alternatively, the closed surface may define a selection affinity boundary with a tapering region of influence.

(35) Depth values in the selection depth map corresponding to the selection region are then adjusted based on the selection path. For example, in one embodiment, a depth value for a particular pixel is incremented each time the selection path overlaps with that pixel. In other words, as a user draws the selection path over the resulting image, the depth values in the selection depth map will be accumulated based on the intersection of the selection

path with those pixels in the resulting image. In another embodiment, depth values in the selection depth map corresponding to the selection region based on a tapering region of influence around the selection path. In other words, a window function may increase (or decrease) depth values for pixels close to the selection path, but not intersected by the selection path, as well as pixels intersected by the selection path. The amount that a depth value is incremented (or decremented) may be based on the distance of that pixel from the selection path, with pixels closer to or intersected by the selection path being incremented by a greater amount than pixels further away from the selection path. Such adjusting of the selection depth map may be visualized similar to an airbrush tool in a Paint program. In such embodiments, the depth values may be incremented by fractional depth values that indicate a blend (e.g., alpha blend, etc.) between two source images in the image set. In one input mode, depth values are increased, while in another input mode, depth values are decreased.

(36) FIG. 1B illustrates a flow chart of a method **100** for generating an image set comprising two or more images sampled under strobe illumination, in accordance with one embodiment. Although method **100** is described in conjunction with the systems of FIGS. 2A-3B, persons of ordinary skill in the art will understand that any system that performs method **100** is within the scope and spirit of embodiments of the present invention. In one embodiment, a digital photographic system, such as digital photographic system **300** of FIG. 3A, is configured to perform method **100**. The digital photographic system **300** may be implemented within a digital camera, such as digital camera **202** of FIG. 2A, or a mobile device, such as mobile device **204** of FIG. 2B.

(37) Method **100** begins in step **110**, where the digital photographic system receives a shutter release command. The shutter release command may be generated explicitly by a user pressing a physical button or virtual button, or the shutter release command may be generated by a timer, motion sensor, voice control, remote control, or any other technically feasible mechanism.

(38) If, in step **112**, one or more images should be sampled without strobe illumination, then method **100** proceeds to step **114**. In certain configurations, one or more images may be sampled without strobe illumination and added to the image set. An image sampled without strobe illumination is referred to herein as an ambient image. For certain photographic scenes, an ambient image may represent a better choice for a resulting image than other images within the image set sampled with strobe illumination. In certain implementations, whether to sample an ambient image is a design decision that applies to all image sets. In other implementations, a decision to sample an ambient image is made by a user and indicated through a user interface (UI) control. In still other implementations, a decision to sample an ambient image is made automatically based on photographic scene illumination conditions; for example, if the photographic scene is sufficiently dark, then no ambient image is sampled.

(39) In step **114**, the digital photographic system configures a camera module, such as camera module **330**, to sample an ambient image according to ambient illumination conditions. Configuring the camera module may include determining exposure parameters for a current photographic scene and transmitting the exposure parameters to the camera module. In certain embodiments, the camera module determines exposure parameters for the photographic scene, such as in response to a command to meter a scene. Sampling parameters include the exposure parameters and strobe parameters, which include strobe intensity and may include strobe color. The strobe unit is disabled in this step and corresponding strobe parameters may be set to reflect that the strobe unit is disabled.

(40) In step **116**, the digital photographic system samples one or more ambient images based on the sampling parameters. In one embodiment, the one or more ambient images are sampled in conjunction with an exposure parameter sweep, such as an exposure time sweep. The one or more ambient images may be stored within the image set or combined to generate one or more high-dynamic range (HDR) images, which may be stored within the image set. In certain embodiments, the one or more HDR images are stored within the image set, but the one or more ambient images are not.

(41) Returning to step **112**, if one or more images should not be sampled without strobe illumination, then the method **100** proceeds to step **120**.

(42) If, in step **120**, an image should be sampled, then the method **100** proceeds to step **122**. A given image set should comprise at least two images sampled with strobe illumination. An image should be sampled if another image is needed to complete a given image set. In one embodiment, the image set comprises a fixed number of images, and another image should be sampled until the fixed number of images has been sampled. In other embodiments, the image set comprises a variable number of images, the number of images being determined adaptively based on exposure of sampled images comprising the image set. For example, the number of images may continue to increase, up to a maximum number of images, until an image having proper exposure is sampled in conjunction with varying the sampling parameters. Once the image having proper exposure is sampled, another image need not be sampled.

(43) In step **122**, the digital photographic system configures the strobe unit based on strobe parameters.

Configuring the strobe unit may include enabling the strobe unit to generate illumination according to the strobe parameters. The strobe parameters specify a strobe intensity function that defines strobe intensity as a function corresponding to the images within the image set. In one embodiment, the strobe intensity function defines a predetermined strobe intensity for sequential images within the image set. In another embodiment, the strobe intensity function adaptively generates strobe intensity corresponding to a given image based on at least one previously sampled image or a previously determined exposure.

(44) In certain embodiments, the strobe parameters specify a strobe illumination color, which may be specified as a ratio of red, green, and blue intensity, a color temperature, a color hue, or any other technically feasible color specification. When enabled, the strobe unit is configured to generate strobe illumination according to the specified strobe illumination color. In one embodiment, an ambient illumination color measurement is performed to determine which color to specify as a strobe illumination color. Any technically feasible technique may be implemented to perform the ambient illumination color measurement, including, without limitation, scene color averaging techniques, illuminator color detection techniques, and the like. Measurement data comprising image frames may be collected by a digital camera module. By causing the strobe unit to generate strobe illumination that is consistent in color with ambient illumination, subjects within the photographic scene that are substantially illuminated by the strobe illumination may appear to have proper and consistent color relative to other objects in the scene that are instead substantially illuminated by ambient illumination sources.

(45) In step **124**, the digital photographic system configures the camera module to be ready to sample an image according to exposure parameters, which may be determined once and applied to each image within the image set sampled with strobe illumination, or determined per image within the image set based on an exposure parameter function for the image set. Configuring the camera module may include writing registers within the camera module according to the exposure parameters.

(46) The digital camera module includes an image sensor with a sensor sensitivity ranging from low-sensitivity (an ISO value of 100 or less) for generally bright photographic scenes to high-sensitivity (an ISO value of 1600 or more) for generally dark photographic scenes. Exposure time may range from one millisecond or less to more than a second. Determining exposure parameters typically comprises finding a combination of at least sensor sensitivity and exposure time that is estimated to be appropriate for a given intensity distribution, absolute overall scene brightness, or any combination thereof. The camera module may adaptively sample multiple image frames in finding the combination. As sensitivity is increased and/or exposure time is increased, image noise also increases. Image quality degradation due to noise typically establishes a combination of maximum exposure time and maximum sensitivity that should not be exceeded. If sufficient ambient illumination is not available, the digital camera module is unable to sample a usable image, and in some cases may simply generate a dark noise field. A certain implementation or design of a digital camera module may have better low-light performance than another implementation or design, and therefore a determination of whether sufficient ambient illumination is available is implementation-dependent.

(47) In one embodiment, the exposure parameters are determined based on ambient illumination. Any technically feasible technique may be implemented to determine the exposure parameters. Persons skilled in the art will understand that such techniques are well-known in the art and, in certain scenarios, depend on a specific implementation of a digital photographic system.

(48) In another embodiment, the exposure parameters are determined based on ambient illumination if sufficient ambient illumination is available or determined based on metering strobe illumination if sufficient ambient illumination is not available. The metering strobe illumination is provided by the strobe unit (or a similar unit), configured to provide mid-range strobe intensity while the exposure parameters are being determined. Alternatively, the strobe unit may be configured to provide a range of strobe intensity to provide a larger search space for determining exposure parameters. Any technically feasible technique may be implemented to determine whether sufficient ambient illumination is available, including, but not limited to, techniques that are associated with a particular implementation of a given digital camera module.

(49) In step **126**, the digital photographic system causes the digital camera module to sample an image based on current sampling parameters. In certain embodiments, a new set of sampling parameters may be determined based on the sampled image to be applied to sampling a subsequent image. For example, if the sampled image is under exposed, the new set of sampling parameters may provide for increased exposure time or an increased ISO value.

(50) In step **128**, the digital photographic system stores the image in the image set. The image set may be stored within NV memory **316**, volatile memory **318**, or the image set may be stored to a remote storage system, such as through wireless unit **340**. Each image within the image set may be referred to herein as a source image.

(51) Returning to step **120**, if the last image for the image set has been sampled, then the method **100** proceeds to step **132**, where the digital photographic system disables the strobe unit. In step **134**, the digital photographic

system evaluates images comprising the image set to select a recommended image from the image set having appropriate exposure. In one embodiment, step **134** comprises method **102** of FIG. **1C**. In step **136**, the digital photographic system displays the recommended image. As discussed below in FIGS. **5A** through **5C**, a user may select a different image within the image set than the recommended image.

(52) In an alternative embodiment, an exposure quality metric, described below in FIG. **1C**, is evaluated and stored in step **128** for a corresponding image sampled in step **126**. In step **134**, a recommended image is selected from the image set based on at least one exposure quality metric associated with each image in the image set. For example, if the exposure quality metric is defined to be a cost function that assigns an increasing cost penalty to increasingly undesirable exposures, then the recommended image is selected to have the lowest corresponding cost penalty (exposure quality metric) among the images in the image set.

(53) FIG. **1C** illustrates a flow chart of a method **102** for selecting one image from an image set based on exposure quality, in accordance with one embodiment. Although method **102** is described in conjunction with the systems of FIGS. **2A-3B**, persons of ordinary skill in the art will understand that any system that performs method **102** is within the scope and spirit of embodiments of the present invention. In one embodiment, a digital photographic system, such as digital photographic system **300** of FIG. **3A**, is configured to perform method **102**. The digital photographic system may be implemented within a digital camera, such as digital camera **202** of FIG. **2A**, or a mobile device, such as mobile device **204** of FIG. **2B**.

(54) Method **102** begins in step **150**, where the digital photographic system selects an image in the image set of FIG. **1C**. In one embodiment, the image set is organized as an ordered sequence of images, and the selected image comprises a first image of the ordered sequence of images. In step **152**, the digital photographic system evaluates exposure quality of the selected image. In one embodiment, a cost function that assigns a high cost penalty to over-exposed pixels within the selected image may be implemented to evaluate an exposure quality metric. The cost function may assign a constant cost penalty to each over-exposed pixel or a progressively increasing cost function based on a count for over-exposed pixels within the selected image. Any other technically feasible technique for evaluating an exposure quality metric may also be implemented without departing the scope and spirit of the present invention.

(55) In step **154**, the digital photographic system stores the exposure quality metric associated with the selected image. If, in step **160**, the selected image is not the last image within the image set to be selected and evaluated, then the method proceeds to step **162**, where the digital photographic system selects a next image in the image set before proceeding back to step **152**.

(56) Returning to step **160**, if the selected image is the last image within the image set to be selected and evaluated, then the method proceeds to step **164**, where the digital photographic system selects an image within the image set having the best exposure quality metric. For example, if the exposure quality metric is defined to be a cost function configured to assign an increasingly higher cost to increasingly undesirable exposures, then an image is selected to have the lowest corresponding cost (exposure quality metric) among the images in the image set. The selected image in this step may comprise a recommended image.

(57) FIG. **2A** illustrates a digital camera **202**, configured to implement one or more aspects of the present invention. Digital camera **202** includes a digital photographic system, such as digital photographic system **300** of FIG. **3A**, configured to generate an image set by sampling a photographic scene as described in conjunction with method **100** of FIG. **1B**. A digital camera unit within the digital photographic system is coupled to a lens **230**, through which each image comprising the image set is sampled.

(58) Digital camera **202** includes a strobe unit **236**, and may include a shutter release button **215** for triggering a photographic sample event, whereby digital camera **202** samples two or more images comprising an image set. Any other technically feasible shutter release command may trigger the photographic sample event, such as a timer trigger or remote control receiver configured to generate a shutter release command. Embodiments of the present invention advantageously enable a user to photograph a scene using a single shutter release command, and subsequently select an image sampled according to a strobe intensity that best satisfies user aesthetic requirements for the photographic scene. In contrast, a conventional digital camera typically samples a single image illuminated by strobe illumination per shutter release trigger, commonly forcing the user to either manually photograph the photographic scene multiple times, or to suffer poor image quality resulting over-exposure or under-exposure.

(59) FIG. **2B** illustrates a mobile device **204**, configured to implement one or more aspects of the present invention. Mobile device **204** includes a digital photographic system, such as digital photographic system **300** of FIG. **3A**, configured to generate an image set by sampling a scene as described in conjunction with method **100** of FIG. **1B**. A shutter release command may be generated through a mechanical button or a virtual button, which may be activated by a touch gesture on a touch entry display system **240** within mobile device **204**.

(60) In one embodiment, the touch entry display system **240** is disposed on the opposite side of mobile device

204 relative to the lens **230**. In certain embodiments, the mobile device **204** includes a user-facing digital camera coupled to lens **232** and a user-facing strobe unit. The user-facing digital camera and user-facing strobe unit are configured to sample an image set in accordance with method **100** of FIG. **1B**.

(61) FIG. **3A** illustrates a digital photographic system **300**, configured to implement one or more aspects of the present invention. Digital photographic system **300** includes a processor complex **310** coupled to a camera module **330** and a strobe unit **336**. Digital photographic system **300** may also include, without limitation, a display unit **312**, a set of input/output devices **314**, non-volatile memory **316**, volatile memory **318**, a wireless unit **340**, and sensor devices **342**, each coupled to processor complex **310**. In one embodiment, a power management subsystem **320** is configured to generate appropriate power supply voltages for each electrical load element within digital photographic system **300**. A battery **322** may be configured to supply electrical energy to power management subsystem **320**. Battery **322** may implement any technically feasible energy storage system, including primary or rechargeable battery technologies. In one embodiment, lens **230** of FIGS. **2A** and **2B** is coupled to camera module **330**, and strobe unit **236** comprises strobe unit **336**.

(62) In one embodiment, strobe unit **336** is integrated into digital photographic system **300** and configured to provide strobe illumination **350** during an image sample event performed by digital photographic system **300**. In an alternative embodiment, strobe unit **336** is implemented as an independent device from digital photographic system **300** and configured to provide strobe illumination **350** during an image sample event performed by digital photographic system **300**. Strobe unit **336** may comprise one or more LED devices. In certain embodiments, two or more strobe units are configured to synchronously generate strobe illumination in conjunction with sampling an image.

(63) In one embodiment, strobe unit **336** is directed through a strobe control signal **338** to either emit strobe illumination **350** or not emit strobe illumination **350**. The strobe control signal **338** may implement any technically feasible signal transmission protocol. Strobe control signal **338** may indicate a strobe parameter, such as strobe intensity or strobe color, for directing strobe unit **336** to generate a specified intensity and/or color of strobe illumination **350**. As shown, strobe control signal **338** may be generated by processor complex **310**. Alternatively, strobe control signal **338** may be generated by camera module **330** or by any other technically feasible system element.

(64) In one usage scenario, strobe illumination **350** comprises at least a portion of overall illumination in a photographic scene being photographed by camera module **330**. Optical scene information **352**, which may include strobe illumination **350** reflected from objects in the photographic scene, is focused as an optical image onto an image sensor **332**, within camera module **330**. Image sensor **332** generates an electronic representation of the optical image. The electronic representation comprises spatial color intensity information, which may include different color intensity samples, such as for red, green, and blue light. The spatial color intensity information may also include samples for white light. Alternatively, the color intensity samples may include spatial color intensity information for cyan, magenta, and yellow light. Persons skilled in the art will recognize that other and further sets of spatial color intensity information may be implemented. The electronic representation is transmitted to processor complex **310** via interconnect **334**, which may implement any technically feasible signal transmission protocol.

(65) Input/output devices **314** may include, without limitation, a capacitive touch input surface, a resistive tablet input surface, one or more buttons, one or more knobs, light-emitting devices, light detecting devices, sound emitting devices, sound detecting devices, or any other technically feasible device for receiving user input and converting the input to electrical signals, or converting electrical signals into a physical signal. In one embodiment, input/output devices **314** include a capacitive touch input surface coupled to display unit **312**.

(66) Non-volatile (NV) memory **316** is configured to store data when power is interrupted. In one embodiment, NV memory **316** comprises one or more flash memory devices. NV memory **316** may be configured to include programming instructions for execution by one or more processing units within processor complex **310**. The programming instructions may implement, without limitation, an operating system (OS), UI modules, image processing and storage modules, one or more modules for sampling an image set through camera module **330**, one or more modules for presenting the image set through display unit **312**. The programming instructions may also implement one or more modules for merging images or portions of images within the image set, aligning at least portions of each image within the image set, or a combination thereof. One or more memory devices comprising NV memory **316** may be packaged as a module configured to be installed or removed by a user. In one embodiment, volatile memory **318** comprises dynamic random access memory (DRAM) configured to temporarily store programming instructions, image data such as data associated with an image set, and the like, accessed during the course of normal operation of digital photographic system **300**.

(67) Sensor devices **342** may include, without limitation, an accelerometer to detect motion and/or orientation, an electronic gyroscope to detect motion and/or orientation, a magnetic flux detector to detect orientation, a

global positioning system (GPS) module to detect geographic position, or any combination thereof.

(68) Wireless unit **340** may include one or more digital radios configured to send and receive digital data. In particular, wireless unit **340** may implement wireless standards known in the art as “WiFi” based on Institute for Electrical and Electronics Engineers (IEEE) standard 802.11, and may implement digital cellular telephony standards for data communication such as the well-known “3G” and “4G” suites of standards. Wireless unit **340** may further implement standards and protocols known in the art as LTE (long term evolution). In one embodiment, digital photographic system **300** is configured to transmit one or more digital photographs, sampled according to techniques taught herein, to an online or “cloud-based” photographic media service via wireless unit **340**. The one or more digital photographs may reside within either NV memory **316** or volatile memory **318**. In such a scenario, a user may possess credentials to access the online photographic media service and to transmit the one or more digital photographs for storage and presentation by the online photographic media service. The credentials may be stored or generated within digital photographic system **300** prior to transmission of the digital photographs. The online photographic media service may comprise a social networking service, photograph sharing service, or any other network-based service that provides storage and transmission of digital photographs. In certain embodiments, one or more digital photographs are generated by the online photographic media service based on an image set sampled according to techniques taught herein. In such embodiments, a user may upload source images comprising an image set for processing by the online photographic media service.

(69) In one embodiment, digital photographic system **300** comprises a plurality of camera modules **330**. Such an embodiment also includes at least one strobe unit **336** configured to illuminate a photographic scene, sampled as multiple views by the plurality of camera modules **330**. The plurality of camera modules **330** may be configured to sample a wide angle view (greater than forty-five degrees of sweep among cameras) to generate a panoramic photograph. The plurality of camera modules **330** may also be configured to sample two or more narrow angle views (less than forty-five degrees of sweep among cameras) to generate a stereoscopic photograph.

(70) Display unit **312** is configured to display a two-dimensional array of pixels to form an image for display. Display unit **312** may comprise a liquid-crystal display, an organic LED display, or any other technically feasible type of display. In certain embodiments, display unit **312** is able to display a narrower dynamic range of image intensity values than a complete range of intensity values sampled over a set of two or more images comprising the image set. Here, images comprising the image set may be merged according to any technically feasible HDR blending technique to generate a synthetic image for display within dynamic range constraints of display unit **312**. In one embodiment, the limited dynamic range specifies an eight-bit per color channel binary representation of corresponding color intensities. In other embodiments, the limited dynamic range specifies a twelve-bit per color channel binary representation.

(71) FIG. 3B illustrates a processor complex **310** within digital photographic system **300** of FIG. 3A, according to one embodiment of the present invention. Processor complex **310** includes a processor subsystem **360** and may include a memory subsystem **362**. In one embodiment, processor complex **310** comprises a system on a chip (SoC) device that implements processor subsystem **360**, and memory subsystem **362** comprising one or more DRAM devices coupled to processor subsystem **360**. In one implementation of the embodiment, processor complex **310** comprises a multi-chip module (MCM) encapsulating the SoC device and the one or more DRAM devices.

(72) Processor subsystem **360** may include, without limitation, one or more central processing unit (CPU) cores **370**, a memory interface **380**, input/output interfaces unit **384**, and a display interface unit **382**, each coupled to an interconnect **374**. The one or more CPU cores **370** may be configured to execute instructions residing within memory subsystem **362**, volatile memory **318**, NV memory **316**, or any combination thereof. Each of the one or more CPU cores **370** may be configured to retrieve and store data via interconnect **374** and memory interface **380**. Each of the one or more CPU cores **370** may include a data cache, and an instruction cache. Two or more CPU cores **370** may share a data cache, an instruction cache, or any combination thereof. In one embodiment, a cache hierarchy is implemented to provide each CPU core **370** with a private cache layer, and a shared cache layer.

(73) Processor subsystem **360** may further include one or more graphics processing unit (GPU) cores **372**. Each GPU core **372** comprises a plurality of multi-threaded execution units that may be programmed to implement graphics acceleration functions. GPU cores **372** may be configured to execute multiple thread programs according to well-known standards such as OpenGL™, OpenCL™, CUDA™, and the like. In certain embodiments, at least one GPU core **372** implements at least a portion of a motion estimation function, such as a well-known Harris detector or a well-known Hessian-Laplace detector. Such a motion estimation function may be used for aligning images or portions of images within the image set.

(74) Interconnect **374** is configured to transmit data between and among memory interface **380**, display interface

unit **382**, input/output interfaces unit **384**, CPU cores **370**, and GPU cores **372**. Interconnect **374** may implement one or more buses, one or more rings, a cross-bar, a mesh, or any other technically feasible data transmission structure or technique. Memory interface **380** is configured to couple memory subsystem **362** to interconnect **374**. Memory interface **380** may also couple NV memory **316**, volatile memory **318**, or any combination thereof to interconnect **374**. Display interface unit **382** is configured to couple display unit **312** to interconnect **374**. Display interface unit **382** may implement certain frame buffer functions such as frame refresh. Alternatively, display unit **312** may implement frame refresh. Input/output interfaces unit **384** is configured to couple various input/output devices to interconnect **374**.

(75) In certain embodiments, camera module **330** is configured to store exposure parameters for sampling each image in an image set. When directed to sample an image set, the camera module **330** samples the image set according to the stored exposure parameters. A software module executing within processor complex **310** may generate and store the exposure parameters prior to directing the camera module **330** to sample the image set.

(76) In other embodiments, camera module **330** is configured to store exposure parameters for sampling an image in an image set, and the camera interface unit **386** within the processor complex **310** is configured to cause the camera module **330** to first store exposure parameters for a given image comprising the image set, and to subsequently sample the image. In one embodiment, exposure parameters associated with images comprising the image set are stored within a parameter data structure. The camera interface unit **386** is configured to read exposure parameters from the parameter data structure for a given image to be sampled, and to transmit the exposure parameters to the camera module **330** in preparation of sampling an image. After the camera module **330** is configured according to the exposure parameters, the camera interface unit **386** directs the camera module **330** to sample an image. Each image within an image set may be sampled in this way. The data structure may be stored within the camera interface unit **386**, within a memory circuit within processor complex **310**, within volatile memory **318**, within NV memory **316**, or within any other technically feasible memory circuit. A software module executing within processor complex **310** may generate and store the data structure.

(77) In one embodiment, the camera interface unit **386** transmits exposure parameters and commands to camera module **330** through interconnect **334**. In certain embodiments, the camera interface unit **386** is configured to directly control the strobe unit **336** by transmitting control commands to the strobe unit **336** through strobe control signal **338**. By directly controlling both the camera module **330** and the strobe unit **336**, the camera interface unit **386** may cause the camera module **330** and the strobe unit **336** to perform their respective operations in precise time synchronization. In this context, synchronization applies to coordinating at least method steps **122**, **124**, and **126** of method **100**. That is, synchronizing the steps of configuring the camera module **330** prior to sampling an image, configuring the strobe unit **336** to generate appropriate strobe illumination, and directing the camera module **330** to sample a photographic scene subjected to strobe illumination.

(78) Additional set-up time or execution time associated with each step may reduce overall sampling performance. Therefore, a dedicated control circuit, such as the camera interface unit **386**, may be implemented to substantially minimize set-up and execution time associated with each step and any intervening time between steps.

(79) In other embodiments, a software module executing within processor complex **310** directs the operation and synchronization of camera module **330** and the strobe unit **336**, with potentially reduced performance.

(80) In one embodiment, camera interface unit **386** is configured to accumulate statistics while receiving image data from the camera module **330**. In particular, the camera interface unit **386** may accumulate exposure statistics for a given image while receiving image data for the image through interconnect **334**. Exposure statistics may include an intensity histogram, a count of over-exposed pixels, a counter of under-exposed pixels, an intensity-weighted sum of pixel intensity, or any combination thereof. The camera interface unit **386** may present the exposure statistics as memory-mapped storage locations within a physical or virtual address space defined by a processor, such as a CPU core **370**, within processor complex **310**.

(81) In certain embodiments, camera interface unit **386** accumulates color statistics for estimating scene white-balance. Any technically feasible color statistics may be accumulated for estimating white balance, such as a sum of intensities for different color channels comprising red, green, and blue color channels. The sum of color channel intensities may then be used to perform a white-balance color correction on an associated image, according to a white-balance model such as a gray-world white-balance model. In other embodiments, curve-fitting statistics are accumulated for a linear or a quadratic curve fit used for implementing white-balance correction on an image. In one embodiment, camera interface unit **386** accumulates spatial color statistics for performing color-matching between or among images, such as between or among an ambient image and one or more images sampled with strobe illumination. As with the exposure statistics, the color statistics may be presented as memory-mapped storage locations within processor complex **310**.

(82) In one embodiment, camera module **330** transmits strobe control signal **338** to strobe unit **336**, enabling strobe unit **336** to generate illumination while the camera module **330** is sampling an image. In another embodiment, camera module **330** samples an image illuminated by strobe unit **336** upon receiving an indication from camera interface unit **386** that strobe unit **336** is enabled. In yet another embodiment, camera module **330** samples an image illuminated by strobe unit **336** upon detecting strobe illumination within a photographic scene via a rapid rise in scene illumination.

(83) FIG. **4A** illustrates a linear profile for a strobe intensity function **420** associated with sampling an image set, in accordance with one embodiment. The strobe intensity function **420** represents average strobe intensity during an exposure time for an image sampled within a corresponding time interval **410**. Strobe intensity may vary between off **430** and a maximum intensity **438**. The maximum intensity **438** is a characteristic of a given implementation of a strobe unit, such as strobe unit **336** of FIG. **3A**. Strobe intensity function **420** is depicted herein as scaled according to the maximum intensity **438**.

(84) As shown, the strobe intensity function **420** includes a set of increasing strobe intensity values up to and including maximum intensity **438**. An image comprising the image set may be sampled during each time interval **410** under strobe illumination. An image, such as an ambient image, may also be sampled during a time interval **408** prior to time interval **410(0)**. In one embodiment, sequential images comprising the image set are sampled in sequential time intervals **410**. While each time interval **408**, **410** is shown to be of substantially equal duration, each time interval **408**, **410** may vary.

(85) In one embodiment, steps **122**, **124**, **126**, and **128** of method **100** are performed for each time interval **410**. Steps **132**, **134**, and **136** may be performed subsequent to time interval **410(7)**, or more generally, subsequent to a final time interval for a given image set.

(86) FIG. **4B** illustrates a range-limited profile for a strobe intensity function **420** associated with sampling an image set, in accordance with one embodiment. As shown, the range-limited profile modifies the strobe intensity function **420** relative to FIG. **4A** by limiting the total range of strobe intensity between a low intensity value **432** and a high intensity value **434**. By limiting the strobe intensity range, finer strobe intensity resolution within a range estimated to be appropriate for a given photographic scene may be available within images comprising the image set. The low intensity value **432** and the high intensity value **434** may be determined using any technically feasible technique, such as through a metering-strobe technique illustrated below in FIG. **4H**. In certain operating modes, such as a portrait photographic mode, the high intensity value **434** is constrained based on ambient illumination within a photographic scene. Constraining the high intensity value **434** based on ambient illumination may avoid excessive strobe intensity, which may be unpleasant to persons being subjected to the strobe illumination. The low intensity value **432** may then be determined to provide an appropriate range of strobe intensity for images within the image set.

(87) FIG. **4C** illustrates an adaptive profile for a strobe intensity function **420** associated with sampling an image set, in accordance with one embodiment. As shown, the adaptive profile modifies the strobe intensity function **420** relative to FIG. **4A** by adaptively determining a subsequent strobe intensity value based on at least one previously sampled image. By adaptively determining a subsequent strobe intensity value for sequentially sampled images, a final image may be sampled having a target intensity value **436** that provides an estimated proper strobe exposure for the final image. In one embodiment, adaptively determining a subsequent strobe intensity value is performed during step **122** of method **100**.

(88) Estimating proper strobe exposure may be performed using any technically feasible techniques, including techniques that attempt to minimize over-exposed pixels while maximizing the strobe intensity. As shown, the strobe intensity function **420** represent an exemplary binary-style search performed to minimize over-exposed pixels in sequential time intervals **410** to converge on a target intensity value **436** that provides a minimum of over-exposed pixels while maximizing strobe intensity.

(89) In certain embodiments, camera interface unit **386** is configured to generate exposure statistics, which are analyzed to adaptively determine a subsequent strobe intensity. For example, strobe intensity function **420** may follow a binary search profile, with strobe intensity modulated based on a count of over-exposed pixels and/or under-exposed pixels. Alternatively, the strobe intensity may be modulated according to the binary search profile based on an intensity histogram, which indicates general over-exposure, general under-exposure, and median intensity.

(90) In one embodiment, images comprising the image set are ordered sequentially in sorted order according to strobe intensity. The images within the image set may then be viewed according to a monotonic strobe intensity, which may provide a more intuitive depiction of the strobe intensity range. Any technically feasible technique may be implemented to order the images according to monotonic strobe intensity. For example, image order within the image set may be represented as a sorted list of strobe intensity, whereby each element of the sorted list includes a reference to a corresponding image. Sequentially referencing images within the image set may

therefore be performed by sequentially accessing images referred to by list elements. In one embodiment, certain images that are excessively over-exposed or under-exposed may be discarded from the image set. In general, images within a given image set may be ordered according to a monotonic parameter sequence, such as an increasing strobe intensity sequence, regardless of a particular profile for strobe intensity function **420**.

(91) FIG. **4D** illustrates a range-limited profile for a strobe intensity function **420** and a monotonic profile for an exposure parameter function **422** associated with sampling a set of digital photographs, in accordance with one embodiment. As shown, the range-limited profile for strobe intensity function **420** of FIG. **4B** is executed in conjunction with exposure parameter function **422**. The exposure parameter function **422** may represent any exposure parameter over time intervals **408** and **410**. In one embodiment, the exposure parameter function **422** specifies exposure time varying between a high value **444** (longer exposure) to a low value **442** (shorter exposure).

(92) The high value **444** and the low value **442** may each be selected using any technically feasible technique. In one embodiment, the high value **444** is selected to over-expose an ambient photographic scene, metered during time interval **408(0)**, by a predetermined amount. For example, the high value **444** may be selected over-expose the ambient photographic scene by one conventional photographic exposure stop. Similarly, the low value **442** may be selected to under-expose the ambient photographic scene by a predetermined amount, such as one conventional photographic exposure stop. Regions within the photographic scene predominantly illuminated by ambient illumination will be over-exposed in time interval **410(0)**, under-exposed in time interval **410(7)**, and properly-exposed mid-way between time intervals **410(0)** and **410(7)**. Sequential images within the image set corresponding to time intervals **410(0)** through **410(7)** will advantageously provide a range of exposure variation for both ambient-illuminated regions and strobe-illuminated regions.

(93) In certain embodiments, two exposure parameters may be varied together in sequential time intervals. For example, exposure time may be reduced, while increasing sensor sensitivity to provide a trade-off between sensor image noise and blur due to motion in sequential images comprising the image set.

(94) FIG. **4E** illustrates a range-limited profile for a strobe intensity function **420** and a non-monotonic profile for an exposure parameter function **422** associated with sampling a set of digital photographs, in accordance with one embodiment. As shown, the range-limited profile for strobe intensity function **420** and exposure parameter function **422** of FIG. **4D** are both modified to provide a two-dimensional sampling of both strobe intensity and an exposure parameter. For each strobe intensity value ranging between low intensity value **432** and high intensity value **434**, an image is sampled over each of four different exposure parameter values, as indicated by exposure parameter function **422**. Images within the image set may be displayed based on a combination of strobe intensity function **420** and exposure parameter function **422**, each separately selected. In this way, an image may be selected from the image set based on substantially separately varying strobe exposure and ambient exposure.

(95) FIG. **4F** illustrates a constant intensity profile for a strobe intensity function **420** and a monotonic profile for exposure parameter function **422** associated with sampling a set of digital photographs, in accordance with one embodiment. As shown, the strobe intensity profile indicates a substantially constant strobe intensity of target **436**, which may be determined using any technically feasible technique to sample images having proper exposure for regions within a photographic scene predominately illuminated by strobe illumination. The value of target **436** may be determined for an exposure parameter between low value **442** and high value **444** to ensure at least one of the images sampled during time intervals **410** may have proper exposure with respect to strobe illumination.

(96) FIG. **4G** illustrates a range-limited profile for a strobe intensity function **420** based on variable width pulses, in accordance with one embodiment. An instantaneous intensity **424** illustrates instantaneous strobe intensity as a function of time, while the strobe intensity function **420** represents average strobe intensity during an exposure time for an image sampled within a corresponding time interval **410**. Average strobe intensity corresponds to total accumulated instantaneous intensity **424** during a corresponding time interval **410**. As shown, the value of strobe intensity function **420** for a given time interval **410** is proportional to a pulse width of a pulse having pulse intensity **439**. In one embodiment, each pulse comprising the instantaneous intensity **424** is positioned in time to be within an exposure time for a corresponding image being sampled.

(97) In one embodiment, the strobe unit **336** of FIG. **3A** comprises a gas-discharge strobe, such as a xenon tube strobe, and pulse intensity **439** represents the instantaneous intensity of the gas-discharge strobe while actively firing. In one embodiment, time interval **410** represents less than a fifty-millisecond interval.

(98) While a single pulse is shown here in conjunction with achieving a particular average strobe intensity, alternative embodiments may implement strobe intensity averaging over multiple pulses per time interval **410**. For example, an LED illuminator device may implement pulse-width modulation (PWM), or other average energy modulation techniques, to achieve a specified average strobe intensity. In such embodiments, multiple

pulses should be generated during an associated exposure time. In general, an arbitrary function for instantaneous intensity **424** may be implemented to achieve an average strobe intensity during a given associated exposure time during a corresponding time interval **410**. For example, a smooth ramp may be implemented as a function for instantaneous intensity **424**, the smooth ramp providing increasing average strobe intensity for during sequential, equal time intervals **410**. In certain embodiments, strobe intensity is controlled by controlling a current source configured to drive an illuminator device. In other embodiments, strobe intensity is controlled using a feedback loop that adjusts current driving the illuminator device to match measured optical strobe intensity generated by the strobe unit.

(99) FIG. 4H illustrates determining an intensity range for a range-limited profile, in accordance with one embodiment. Determining the range comprises sampling strobe exposure for a photographic scene subjected strobe illumination during metering-strobe time intervals **460**. Strobe intensity is varied during time intervals **460** to estimate the low intensity value **432**, below which the photographic scene is underexposed with respect to strobe illumination, and the high value, above which the photographic scene is over-exposed with respect to strobe illumination.

(100) In one embodiment, the maximum intensity **438** is constrained based on ambient illumination rather than strobe unit capacity. In darker settings, the maximum intensity **438** is constrained to an intensity that a person will not find unpleasant. In brighter settings, the maximum intensity **438** may instead be constrained by strobe unit capacity.

(101) In certain embodiments, a digital photographic system is configured to continuously sample ambient images within a circular buffer, and to identify a subset of the ambient images within the circular buffer to be stored as identified ambient images within the image set based on time proximity to a shutter release command. Upon receiving the shutter release command, the identified ambient images are associated with time intervals **408** of FIGS. 4A through 4H, as though sampled according to steps **110** through **116** of method **100** of FIG. 1B. Method **100** may proceed to step **120** upon identifying the ambient images.

(102) FIG. 5A illustrates a viewer application **510** configured to generate a resulting image **542** based on an image set **520**, in accordance with one embodiment. The image set **520** includes two or more source images **522**, which may be generated by performing method **100** of FIG. 1B.

(103) In one embodiment, the resulting image **542** represents a source image **522** that is selected from the image set **520**. The source image **522** may be selected according to any technically feasible technique. For example, a given source image **522** may be selected automatically based on exposure quality, as described previously in method **100** and in method **102** of FIG. 1C. Alternatively, a given source image **522** may be selected manually through a UI control **530**, discussed in greater detail below in FIG. 5B. The UI control **530** generates a selection parameter **518** that indicates the manual selection. An image processing subsystem **512** is configured to generate the resulting image **542** by either instantiating the selected source image **522** or marking the selected source image **522** within the image set **520** as the resulting image **542**. In certain embodiments, the image processing subsystem **512** automatically selects a source image and transmits a corresponding recommendation **519** to the UI control **530**. The recommendation **519** indicates, through the UI control **530**, which source image was automatically selected. A user may keep the recommendation or select a different source image to be the resulting image **542** using the UI control **530**.

(104) In an alternative embodiment, viewer application **510** is configured to combine two or more source images **522** to generate a resulting image **542**. The two or more source images **522** may be mutually aligned by the image processing subsystem **512** prior to being combined. Selection parameter **518** may include a weight assigned to each of two source images **522**. The weight may be used to perform a transparency/opacity blend (known as an alpha blend) between two source images **522**.

(105) In certain embodiments, source image **522(0)** is sampled under exclusively ambient illumination, with the strobe unit off. Source image **522(0)** is generated to be white-balanced, according to any technically feasible white balancing technique. Source images **522(1)** through **522(N-1)** are sampled under strobe illumination, which may be of a color that is discordant with respect to ambient illumination. Source images **522(1)** through **522(N-1)** may be white-balanced according to the strobe illumination color. Discordance in strobe illumination color may cause certain regions to appear incorrectly colored with respect to other regions in common photographic settings. For example, in a photographic scene with foreground subjects predominantly illuminated by white strobe illumination and white-balanced accordingly, background subjects that are predominantly illuminated by incandescent lights may appear excessively orange or even red. In one embodiment, spatial color correction is implemented within image processing subsystem **512** to match the color of regions within a selected source image **522** to that of source image **522(0)**. Spatial color correction implements regional color-matching to ambient-illuminated source image **522(0)**. The regions may range in overall scene coverage from individual pixels, to blocks of pixels, to whole frames. In one embodiment, each pixel in a color-corrected image

includes a weighted color correction contribution from at least a corresponding pixel and an associated block of pixels.

(106) In certain implementations, viewer application **510** includes an image cache **516**, configured to include a set of cached images corresponding to the source images **522**, but rendered to a lower resolution than source images **522**. The image cache **516** provides images that may be used to readily and efficiently generate or display resulting image **542** in response to real-time changes to selection parameter **518**. In one embodiment, the cached images are rendered to a screen resolution of display unit **312**. When a user manipulates the UI control **530** to select a source image **522**, a corresponding cached image may be displayed on the display unit **312**. Caching source images **522** may advantageously reduce power consumption associated with rendering a given source image **522** for display. Caching source images **522** may also improve performance by eliminating a rendering process needed to resize a given source image **522** for display each time UI control **530** detects that a user has selected a different source image **522**.

(107) FIG. 5B illustrates an exemplary user interface associated with the viewer application **510** of FIG. 5A, in accordance with one embodiment. The user interface comprises an application window **540** configured to display the resulting image **542** based on a position of the UI control **530**. The viewer application **510** may invoke the UI control **530**, configured to generate the selection parameter **518** based on a position of a control knob **534**. The recommendation **519** may determine an initial position of the control knob **534**, corresponding to a recommended source image **522** within the image set **520**. In one embodiment, the UI control **530** comprises a linear slider control with a control knob **534** configured to slide along a slide path **532**. A user may position the control knob **534** by performing a slide gesture. For example, the slide gesture may include touching the control knob **534** in a current position, and sliding the control knob **534** to a new position. Alternatively, the user may touch along the slide path **532** to move the control knob **534** to a new position defined by a location of the touch.

(108) In one embodiment, positioning the control knob **534** into a discrete position **536** along the slide path **532** causes the selection parameter **518** to indicate selection of a corresponding source image **522**. For example, a user may move control knob **534** into discrete position **536(3)**, to indicate that source image **522(3)** is selected. The UI control **530** then generates selection parameter **518** to indicate that source image **522(3)** is selected. The image processing subsystem **512** responds to the selection parameter **518** by generating the resulting image **542** based on source image **522(3)**. The control knob **534** may be configured to snap to a closest discrete position **536** when released by a user withdrawing their finger.

(109) In an alternative embodiment, the control knob **534** may be positioned between two discrete positions **536** to indicate that resulting image **542** should be generated based on two source images **522** corresponding to the two discrete positions **536**. For example, if the control knob **534** is positioned between discrete position **536(3)** and discrete position **536(4)**, then the image processing subsystem **512** generates resulting image **542** from source images **522(3)** and **522(4)**. In one embodiment, the image processing subsystem **512** generates resulting image **542** by aligning source images **522(3)** and **522(4)**, and performing an alpha-blend between the aligned images according to the position of the control knob **534**. For example, if the control knob **534** is positioned to be one quarter of the distance from discrete position **536(3)** to discrete position **536(4)** along slide path **532**, then an aligned image corresponding to source image **522(4)** may be blended with twenty-five percent opacity over a fully opaque aligned image corresponding to source image **522(3)**.

(110) In one embodiment, UI control **530** is configured to include a discrete position **536** for each source image **522** within a given image set **520** being viewed. Each image set **520** stored within the digital photographic system **300** of FIG. 3A may include a different number of source images **522**, and UI control **530** may be configured to establish discrete positions **536** to correspond to the source images **522** for a given image set **520**.

(111) In certain embodiments, the viewer application **510** may implement two or more independent UI controls. For example, the viewer application **510** may implement a first UI control to select a source image **522** according to strobe intensity, and a second UI control to select a source image **522** according to ambient exposure. The first UI control may select among different values of strobe intensity function **420** illustrated in FIG. 4E, while the second UI control may select among different values of exposure parameter function **422**. In this way, the viewer application **510** may enable a user to independently adjust exposure with respect to strobe intensity and exposure after an image set has been sampled. In one embodiment, another independent UI control is implemented to select among source images **522** sampled under different strobe illumination colors.

(112) FIG. 5C illustrates a resulting image **542** with differing levels of strobe exposure, in accordance with one embodiment. In this example, control knob **534** is configured to select source images **522** of FIG. 5A sampled under increasing strobe intensity from left to right. When the control knob **534** is in the left-most position, the selected source image **522** may correspond to an image captured within time interval **410(0)** of FIG. 4A, 4B, 4C, 4D, 4G, or 4H. With respect to FIG. 4E, the left-most control knob position may select a source image captured within time intervals **410(0)** through **410(3)**, with a specific source image **522** selected through a second UI

control configured to select according to an exposure parameter. When the control knob **534** is in the right-most position, the selected source image **522** may correspond to an image captured within time interval **410(7)** of FIG. **4A**, **4B**, **4D**, **4G**, or **4H**. In the right-most position, the selected source image **522** may correspond to time interval **410(1)** of FIG. **4C**, or time intervals **410(12)** through **410(15)** of FIG. **4E**.

(113) As shown, resulting image **542(1)** includes an under-exposed subject **550** sampled under insufficient strobe intensity, resulting image **542(2)** includes a properly-exposed subject **552** sampled under appropriate strobe intensity, and resulting image **542(3)** includes an over-exposed subject **554** sampled under excessive strobe intensity. A determination of appropriate strobe intensity is sometimes subjective, and embodiments of the present invention advantageously enable a user to subjectively select an image having a desirable or appropriate strobe intensity after a picture has been taken, and without loss of image quality or dynamic range. In practice, a user is able to take what is apparently one photograph by asserting a single shutter-release. The single shutter-release causes the digital photographic system **300** of FIG. **3A** to sample multiple images in rapid succession, where each of the multiple images is sampled under varying strobe intensity. In one embodiment, time intervals **410** of less than two-hundred milliseconds are defined herein to establish rapid succession. A resulting image set **520** enables the user to advantageously select a resulting image later, such as after a particular photographic scene of interest is no longer available. This is in contrast to prior art solutions that conventionally force a user to manually take different photographs and manually adjust strobe intensity over the different photographs. This manual prior art process typically introduces substantial inter-image delay, resulting in a loss of content consistency among sampled images.

(114) FIG. **5D** illustrates a resulting image **542** generated from source images **522** and a selection depth map, in accordance with one embodiment. The source images **522** comprising an image set **520** are conceptually stacked in increasing depth, where depth corresponds to strobe intensity for a given source image **522**. Increasing depth therefore corresponds to increasing (or decreasing) strobe intensity. The selection depth map includes depth samples organized as a two-dimensional array that corresponds to pixels or regions comprising resulting image **542**. A depth value in this context acts similarly to selection parameter **518**, but just for a corresponding pixel or region. In certain embodiments, the source images **522** are aligned within the stack.

(115) As shown, selection region **560** encompasses a portion of a foreground subject. Outside the selection region **560**, pixel data may be taken from source image **522(0)** and represented in the resulting image **542**, where source image **522(0)** corresponds to a minimum depth value. Inside the selection region **560**, pixel data may be taken from source images **522(1)** through **522(N-1)**, based on depth values for a given pixel or region in a selection depth map corresponding to the resulting image **542**. Depth information comprising the selection depth map may be generated using any technically feasible technique. One technique is illustrated below in FIGS. **5E** and **5F**, where swiping over a region multiple times, using an input device such as a mouse or stylus or touch input (such as with a touch-sensitive display), increases depth values associated with the region. In one embodiment, UI control tools **544** include a UI control that sets a minimum depth (minimum strobe intensity) for the selection depth map. UI control tools **544** may also include a UI control to clear the selection depth map.

(116) FIG. **5E** illustrates a selection depth map relative to a stack of source images **522**, in accordance with one embodiment. Depth values for the selection region **560** along an intersecting plane **566** are shown as a depth profile **562**. The depth profile **562** corresponds to sequentially organized source images **522(0)** through **522(7)** comprising a stack. A greater depth value along the depth profile **562** indicates a corresponding selection of a source image **522**. A fractional depth value may indicate selection of two source images **522** and a blend between two source images **522**.

(117) FIG. **5F** illustrates specifying a selection depth map, in accordance with one embodiment. As shown, a selection path **564** defines the selection region **560**. In one embodiment, a touch-input device is configured to track selection path **564**, which may be drawn by a user on the touch-input device. In one embodiment, a depth value for a given region is assigned a value that reflects an accumulation of selection path **564** intersections with the region. For example, a depth value for each pixel in the selection region **560** that intersects with the selection path **564** may be increased by one a specified increment each time the selection path **564** intersects that particular pixel. The specified increment may correspond to a fractional depth value (e.g., 0.25 of a distinct depth increment) separating discrete depths associated with distinct images. So, if the selection path **564** intersects a particular pixel in the selection region **560** three times, the depth value for that pixel may be increased by three specified increments. In one embodiment, the selection path **564** intersects a pixel if the selection path **564** crosses any edge of the pixel. In another embodiment, the selection path **564** intersects a pixel if the selection path crosses any edge of a pixel within n number of pixels from that pixel (i.e., the selection path may intersect with pixels within a certain distance from the selection path). Depth values may accumulate according to any technically feasible technique.

(118) In another embodiment, the selection region **560** is defined by the selection path **564**. For example, a

closed surface that includes all points in the selection path **564** may be selected as the selection region **560**. Further, a closed surface is determined based on the selection path **564** and a set of pre-determined edges in the resulting image **542** and selected as the selection region **560**. Once the selection region **560** has been defined, depth values for pixels in the selection region **560** may be incremented uniformly based on the selection path **564**. For example, a length of the selection path **564** may be determined by accumulating a distance between points in the selection path **564**. Then, all depth values for pixels in the selection region **560** may be incremented by a uniform value calculated as the length of the selection path **564** divided by a normalization factor. In other words, the longer the selection path **564**, the greater the increase in depth value for the selection region **560**. The normalization factor may be selected such that each incremental step in depth values requires a significant increase in the length of the selection path **564**. Such embodiments, enable a user to adjust the depth of a particular region uniformly such that the entire region comprises pixel data from a single image in the image stack.

(119) In one embodiment, depth values around the selection path **564** may accumulate according to a tapering region of influence about the selection path **564** to generate a field of depth samples resembling the effect of an air brush. For example, a window function may be specified that determines a value to increase the depth value corresponding to a pixel based on the distance of that pixel from the selection path **564**. For example, pixels intersected by the selection path **564** may be increased by three units of depth value, pixels within one pixel width from the selection path **564**, but not intersected by the selection path **564**, may be increased by two units of depth value, pixels within two pixel widths from the selection path **564** may be increased by one unit of depth value, and pixels greater than three units of depth value from the selection path **564** may not be increased at all. In another embodiment, the depth values may be fractional depth values. In these embodiments, the window function may return values to increase the depth value of between 0 and 1, where 1 is returned for pixels that are intersected by the selection path **564** and values between [0,1) being returned for pixels not intersected by the selection path **564**. The effect of the tapering window function using fractional depth values would be to blend one image associated with a lower depth value with another image associated with a higher depth value around the selection path **564** in order to have a soft transition between the two source images.

(120) One advantage of the present invention is that a user may photograph a scene using a single shutter release command, and subsequently select an image sampled according to a strobe intensity that best satisfies user aesthetic requirements for the photographic scene. The one shutter release command causes a digital photographic system to rapidly sample a sequence of images with a range of strobe intensity and/or color. For example, twenty or more full-resolution images may be sampled within one second, allowing a user to capture a potentially fleeting photographic moment with the advantage of strobe illumination. Embodiments of the present invention advantageously enable a given digital photographic system to capture a nearly optimal image, among images within an image set, given implementation-specific limitations and/or capabilities of the digital photographic system. Furthermore, a user may select an image from the image set according to their subjective aesthetic assessment. Another advantage of the present invention is that a user may easily specify spatially varying contributions of different images within the image set (e.g., the sequence of images) through a simple UI control.

(121) While various embodiments have been described above with respect to a digital camera **202** and a mobile device **204**, any device configured to perform the methods **1**, **100**, or **102** of FIG. **1A**, **1B**, or **1C** is within the scope and spirit of the present invention. In certain embodiments, two or more digital photographic systems implemented in respective devices are configured to sample corresponding image sets in mutual time synchronization. A single shutter release command may trigger the two or more digital photographic systems.

(122) While the foregoing is directed to embodiments of the present invention, other and further embodiments of the invention may be devised without departing from the basic scope thereof, and the scope thereof is determined by the claims that follow.

Claims

1. An apparatus, comprising: a camera; a strobe; a display; a touch interface; one or more non-transitory memories; and one or more processors in communication with the camera, the strobe, the display, the touch interface, and the one or more non-transitory memories, wherein the one or more processors execute instructions in the one or more non-transitory memories, to cause the apparatus to: emit, utilizing the strobe, illumination during a first time interval based on a first set of strobe parameters including a first strobe intensity and a first strobe color; sample, utilizing the camera, a first image of a photographic scene during the first time interval based on a first set of exposure parameters; emit, utilizing the strobe, illumination during a second time interval

based on a second set of strobe parameters including a second strobe intensity and a second strobe color; sample, utilizing the camera, a second image of the photographic scene during the second time interval based on a second set of exposure parameters; emit, utilizing the strobe, illumination during a third time interval based on a third set of strobe parameters including a third strobe intensity and a third strobe color; sample, utilizing the camera, a third image of the photographic scene during the third time interval based on a third set of exposure parameters; generate a resulting image by performing a white-balance correction; and store the resulting image.

2. The apparatus of claim 1, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters, each include an exposure time and an exposure sensitivity.

3. The apparatus of claim 1, wherein the apparatus is configured such that the second strobe intensity is the same as the third strobe intensity.

4. An apparatus, comprising: a camera; a strobe; a display; a touch interface; one or more non-transitory memories; and one or more processors in communication with the camera, the strobe, the display, the touch interface, and the one or more non-transitory memories, wherein the one or more processors execute instructions in the one or more non-transitory memories, to cause the apparatus to: emit, utilizing the strobe, illumination during a first time interval based on a first set of strobe parameters including a first strobe intensity and a first strobe color; sample, utilizing the camera, a first image of a photographic scene during at least a portion of the first time interval based on a first set of exposure parameters; emit, utilizing the strobe, illumination during a second time interval based on a second set of strobe parameters including a second strobe intensity and a second strobe color; sample, utilizing the camera, a second image of the photographic scene during at least a portion of the second time interval based on a second set of exposure parameters; emit, utilizing the strobe, illumination during a third time interval based on a third set of strobe parameters including a third strobe intensity and a third strobe color, such that the first time interval, the second time interval, and the third time interval are different; sample, utilizing the camera, a third image of the photographic scene during at least a portion of the third time interval based on a third set of exposure parameters; generate a resulting image by performing a white-balance correction, by combining at least portions of at least two of: the first image, the second image, and the third image; and store the resulting image.

5. The apparatus of claim 4, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal.

6. The apparatus of claim 4, wherein the apparatus is configured such that the measured ambient illumination color corresponds to color statistics accumulated while the one or more processors receive image data from the camera.

7. The apparatus of claim 1, wherein the apparatus is configured such that the first set of exposure parameters is determined based on an ambient illumination.

8. The apparatus of claim 7, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters are equal.

9. The apparatus of claim 1, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, on the display, the resulting image.

10. The apparatus of claim 9, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, utilizing the display, a user interface slider control; detect, by the touch interface, a slide gesture directed to the slider control; and in response to detecting the slide gesture, display, utilizing the display, the first image.

11. The apparatus of claim 1, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: select an image from an image set by evaluating exposure quality metric values for images in the image set and selecting the image with a best exposure quality metric value.

12. The apparatus of claim 11, wherein the apparatus is configured such that each of the exposure quality metric values comprises a cost function value, and the best exposure quality metric value corresponds to a lowest cost function value.

13. The apparatus of claim 12, wherein the apparatus is configured such that the cost function value reflects a cost penalty to over-exposed pixels.

14. The apparatus of claim 1, wherein the apparatus is configured such that the camera includes an image sensor that samples the photographic scene based on an exposure time and an exposure sensitivity.

15. An apparatus, comprising: a camera; a strobe; a display; a touch interface; one or more non-transitory memories; and one or more processors in communication with the camera, the strobe, the display, the touch interface, and the one or more non-transitory memories, wherein the one or more processors execute instructions in the one or more non-transitory memories, to cause the apparatus to: emit, utilizing the strobe, illumination

during a first time interval based on a first set of strobe parameters including a first strobe intensity and a first strobe color; sample, utilizing the camera, a first image of a photographic scene during at least a portion of the first time interval based on a first set of exposure parameters; emit, utilizing the strobe, illumination during a second time interval based on a second set of strobe parameters including a second strobe intensity and a second strobe color; sample, utilizing the camera, a second image of the photographic scene during at least a portion of the second time interval based on a second set of exposure parameters; emit, utilizing the strobe, illumination during a third time interval based on a third set of strobe parameters including a third strobe intensity and a third strobe color; sample, utilizing the camera, a third image of the photographic scene during at least a portion of the third time interval based on a third set of exposure parameters; sample, utilizing the camera, a fourth image of the photographic scene during at least a portion of a fourth time interval based on a fourth set of exposure parameters and without the strobe emitting illumination, such that the first time interval, the second time interval, the third time interval, and the fourth time interval are different; identify a flash image based on at least one of: the first image, the second image, or the third image; generate a white-balanced flash image by performing a white-balance correction on the flash image; generate a white-balanced ambient image by performing a white-balance correction on the fourth image; generate a resulting image by combining at least portions of the white-balanced flash image and the white-balanced ambient image; and store the resulting image.

16. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal to a measured ambient illumination color, and wherein the first set of exposure parameters and the fourth set of exposure parameters are determined based on an ambient illumination.

17. The apparatus of claim 15, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, utilizing the display, the resulting image; display, utilizing the display, a user interface slider control; detect, utilizing the touch interface, a slide gesture directed to the slider control; and in response to detecting the slide gesture, display, utilizing the display, the first image.

18. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal to a measured ambient illumination color.

19. The apparatus of claim 18, wherein the apparatus is configured such that the first set of exposure parameters and the fourth set of exposure parameters are determined based on an ambient illumination.

20. The apparatus of claim 15, wherein the apparatus is configured such that the camera includes an image sensor that samples the photographic scene based on an exposure time and an exposure sensitivity.

21. The apparatus of claim 15, wherein the apparatus is configured such that the first image, the second image, and the third image are stored in an image set.

22. The apparatus of claim 15, wherein the apparatus is configured such that the first image, the second image, and the third image are stored in an image set from which the flash image is identified.

23. The apparatus of claim 15, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, utilizing the display, a user interface control; detecting, utilizing the touch interface, a gesture directed to the user interface control; and in response to detecting the gesture, alter a viewing parameter.

24. The apparatus of claim 15, wherein the apparatus is configured such that the second strobe intensity is different than the first strobe intensity.

25. The apparatus of claim 15, wherein the apparatus is configured such that the third strobe intensity is different than the first strobe intensity.

26. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe intensity, the second strobe intensity, and the third strobe intensity, are not equal.

27. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal.

28. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are not equal.

29. The apparatus of claim 15, wherein the apparatus is configured such that at least two of: the first strobe color, the second strobe color, and the third strobe color, are not equal.

30. The apparatus of claim 15, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters, each include an exposure time and an exposure sensitivity.

31. The apparatus of claim 15, wherein the apparatus is configured such that the second strobe intensity is the same as the third strobe intensity.

32. The apparatus of claim 15, wherein the apparatus is configured such that the first strobe color is equal to a

measured ambient illumination color.

33. The apparatus of claim 32, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal.

34. The apparatus of claim 32, wherein the apparatus is configured such that the measured ambient illumination color corresponds to color statistics accumulated while the one or more processors receive image data from the camera.

35. The apparatus of claim 15, wherein the apparatus is configured such that the first set of exposure parameters is determined based on an ambient illumination.

36. The apparatus of claim 35, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters are equal.

37. The apparatus of claim 15, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: select an image from an image set by evaluating exposure quality metric values for images in the image set and selecting the image based on an exposure quality metric value thereof.

38. The apparatus of claim 37, wherein the apparatus is configured such that the exposure quality metric values each includes a cost function value, and the exposure quality metric value of the selected image includes to a lowest cost function value.

39. The apparatus of claim 38, wherein the apparatus is configured such that the cost function value reflects a cost penalty to over-exposed pixels.

40. The apparatus of claim 15, wherein the apparatus is configured such that the flash image is identified based on at least two of: the first image, the second image, and the third image.

41. The apparatus of claim 1, wherein the apparatus is configured such that the at least two of: the first image, the second image, and the third image, includes the first image, the second image, and the third image.

42. The apparatus of claim 1, wherein the apparatus is configured such that white-balance correction is performed before the at least portions of the at least two of: the first image, the second image, and the third image, are combined.

43. The apparatus of claim 1, wherein the apparatus is configured such that white-balance correction is performed after the at least portions of the at least two of: the first image, the second image, and the third image, are combined.

44. An apparatus, comprising: a camera; a strobe; a display; a touch interface; one or more non-transitory memories; and one or more processors in communication with the camera, the strobe, the display, the touch interface, and the one or more non-transitory memories, wherein the one or more processors execute instructions in the one or more non-transitory memories, to cause the apparatus to: emit, utilizing the strobe, illumination during a first time interval based on a first set of strobe parameters including a first strobe intensity and a first strobe color; sample, utilizing the camera, a first image of a photographic scene during at least a portion of the first time interval based on a first set of exposure parameters; emit, utilizing the strobe, illumination during a second time interval based on a second set of strobe parameters including a second strobe intensity and a second strobe color; sample, utilizing the camera, a second image of the photographic scene during at least a portion of the second time interval based on a second set of exposure parameters; emit, utilizing the strobe, illumination during a third time interval based on a third set of strobe parameters including a third strobe intensity and a third strobe color; sample, utilizing the camera, a third image of the photographic scene during at least a portion of the third time interval based on a third set of exposure parameters; sample, utilizing the camera, a fourth image of the photographic scene during at least a portion of a fourth time interval based on a fourth set of exposure parameters and without the strobe emitting illumination, such that the first time interval, the second time interval, the third time interval, and the fourth time interval are different; identify a flash image based on at least one of: the first image, the second image, or the third image; generate a combined image by combining at least portions of the flash image and the fourth image; generate a resulting image by performing a white-balance correction on the combined image; and store the resulting image.

45. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal to a measured ambient illumination color, and wherein the first set of exposure parameters and the fourth set of exposure parameters are determined based on an ambient illumination.

46. The apparatus of claim 44, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, utilizing the display, the resulting image; display, utilizing the display, a user interface slider control; detect, utilizing the touch interface, a slide gesture directed to the slider control; and in response to detecting the slide gesture, display, utilizing the display, the first image.

47. The apparatus of claim 44, wherein the apparatus is configured such that the camera includes an image sensor that samples the photographic scene based on an exposure time and an exposure sensitivity.
48. The apparatus of claim 44, wherein the apparatus is configured such that the first image, the second image, and the third image are stored in an image set.
49. The apparatus of claim 44, wherein the apparatus is configured such that the first image, the second image, and the third image are stored in an image set from which the flash image is identified.
50. The apparatus of claim 44, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: display, utilizing the display, a user interface control; detecting, utilizing the touch interface, a gesture directed to the user interface control; and in response to detecting the gesture, alter an exposure parameter.
51. The apparatus of claim 44, wherein the apparatus is configured such that the second strobe intensity is different than the first strobe intensity.
52. The apparatus of claim 44, wherein the apparatus is configured such that the third strobe intensity is different than the first strobe intensity.
53. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe intensity, the second strobe intensity, and the third strobe intensity, are not equal.
54. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal.
55. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are not equal.
56. The apparatus of claim 44, wherein the apparatus is configured such that at least two of: the first strobe color, the second strobe color, and the third strobe color, are not equal.
57. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal to a measured ambient illumination color.
58. The apparatus of claim 57, wherein the apparatus is configured such that the first set of exposure parameters and the fourth set of exposure parameters are determined based on an ambient illumination.
59. The apparatus of claim 44, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters, each include an exposure time and an exposure sensitivity.
60. The apparatus of claim 44, wherein the apparatus is configured such that the second strobe intensity is the same as the third strobe intensity.
61. The apparatus of claim 44, wherein the apparatus is configured such that the first strobe color is equal to a measured ambient illumination color.
62. The apparatus of claim 61, wherein the apparatus is configured such that the first strobe color, the second strobe color, and the third strobe color are equal.
63. The apparatus of claim 61, wherein the apparatus is configured such that the measured ambient illumination color corresponds to color statistics accumulated while the one or more processors receive image data from the camera.
64. The apparatus of claim 44, wherein the apparatus is configured such that the first set of exposure parameters is determined based on an ambient illumination.
65. The apparatus of claim 64, wherein the apparatus is configured such that the first set of exposure parameters, the second set of exposure parameters, and the third set of exposure parameters are equal.
66. The apparatus of claim 44, wherein the one or more processors execute the instructions in the one or more non-transitory memories, to further cause the apparatus to: select an image from an image set by evaluating exposure quality metric values for images in the image set and selecting the image based on an exposure quality metric value thereof.
67. The apparatus of claim 66, wherein the apparatus is configured such that the exposure quality metric values each includes a cost function value, and the exposure quality metric value of the selected image includes to a lowest cost function value.
68. The apparatus of claim 67, wherein the apparatus is configured such that the cost function value reflects a cost penalty to over-exposed pixels.
69. The apparatus of claim 44, wherein the apparatus is configured such that the flash image is identified based on at least two of: the first image, the second image, and the third image.
-