

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12417340
Kind Code	B2
Date of Patent	September 16, 2025
Inventor(s)	Gildwel; Heath et al.

Template driven architecture

Abstract

Aspects of the disclosure relate to a template driven interface system having a parsing engine that may dynamically render web forms given a specification document. In some instances, the architecture may leverage the specification document and enable creation, management, and eventual decommissioning actions. The architecture may be framework-agnostic, allowing for adaptive and agile development of end user interfaces for services developed by different entities or product providers. The different entities may be external entities having control over their assets and related asset schemas. The architecture may allow for real-time updates as compared to scheduled release cycles.

Inventors: Gildwel; Heath (McKinney, TX), Christian; Martin (Barnegat, NJ), Lias; Joseph (Sanford, FL), Wilson; Tanya (Newark, DE), Lowes; Dennis B. (Rock Hill, SC), Chintalapati; Venkata (Prosper, TX), Marakkanam; Singaravelu (Frisco, TX), Mudadla; Adi Lakshmi (Dallas, TX)

Applicant: Bank of America Corporation (Charlotte, NC)

Family ID: 1000008820773

Assignee: Bank of America Corporation (Charlotte, NC)

Appl. No.: 18/158158

Filed: January 23, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240249067 A1	Jul. 25, 2024

Publication Classification

Int. Cl.: G06F40/12 (20200101); G06Q10/087 (20230101)

U.S. Cl.:

CPC **G06F40/12** (20200101); **G06Q10/087** (20130101);

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
9851968	12/2016	Straub	N/A	N/A
10855537	12/2019	Tembey et al.	N/A	N/A
2016/0092179	12/2015	Straub	717/107	G06F 8/71
2021/0349927	12/2020	Freundlich	N/A	H04N 1/4446

Primary Examiner: Wang; Yi

Attorney, Agent or Firm: Banner & Witcoff, Ltd.

Background/Summary

BACKGROUND

(1) Aspects of the disclosure relate to electrical computers and digital processing systems, data transferring, and enhanced template processing systems for web page modification at front end client devices. In particular, one or more aspects of the disclosure relate to computing devices that leverage JSON schemas.

(2) Many large enterprise organizations deploy user-facing portals to provide access to user resources. In many cases, these portals are deployed as a collection of authenticated web pages. It is desirable to quickly and efficiently perform dynamic validation for any changes to content on such pages. In large enterprises it may be difficult to make changes which are validated against their schema in a timely manner while also improving and optimizing the consumption of computing resources and network bandwidth for the enterprise server infrastructure that hosts such pages.

SUMMARY

(3) Aspects of the disclosure provide effective, efficient, scalable, and convenient technical solutions that address and overcome the technical problems associated with front end user interface generation and maintenance. For example, some aspects of the disclosure provide techniques that may enable computing devices to generate real-time templates using logical document object models. Accordingly, client devices may overcome deficiencies associated with conventional techniques for updating web pages. In doing so, the client device may provide real-time implementation of updates and conserve network bandwidth and client side processing resources.

(4) In one or more instances, a template driven interface system is provided having a parsing engine that may dynamically render web forms given a specification document. In some instances, the architecture may leverage the specification document and enable creation, management, and eventual decommissioning actions. The architecture may be framework-agnostic, allowing for

adaptive and agile development of end user interfaces for services developed by different entities or product providers. The different entities may be external entities having control over their assets and related asset schemas. The architecture may allow for real-time template updates out of regular release cycles.

(5) In accordance with one or more embodiments of the disclosure, a computing device comprising at least one processor, a communication interface, and memory storing computer-readable instructions may generate a product request. In some instances, the product request may include an SPK and a product identification. The computing device may determine a product provider for handling the product request, the determination of the product provider based in part on searching for the product provider based on the included SPK in the product request. The computing device may transmit a product schema request to the determined product provide. The computing device may receive from the determined product provider the requested product schema. The computing device may parse the product schema into a renderable format. The computing device may render an order form for submitting an order. The computing device may display an order form.

(6) These features, along with many others, are discussed in greater detail below.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The present disclosure is illustrated by way of example and not limited in the accompanying figures in which like reference numerals indicate similar elements and in which:

(2) FIGS. 1 and 2 depict an illustrative computing environment for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments;

(3) FIGS. 3-13 depict an illustrative event sequence diagrams for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments;

(4) FIG. 14 depicts an illustrative request, path resolver, and an provider entity for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments; and

(5) FIG. 15 depicts an illustrative method for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments.

DETAILED DESCRIPTION

(6) In the following description of various illustrative embodiments, reference is made to the accompanying drawings, which form a part hereof, and in which is shown, by way of illustration, various embodiments in which aspects of the disclosure may be practiced. In some instances, other embodiments may be utilized, and structural and functional modifications may be made, without departing from the scope of the present disclosure.

(7) It is noted that various connections between elements are discussed in the following description. It is noted that these connections are general and, unless specified otherwise, may be direct or indirect, wired or wireless, and that the specification is not intended to be limiting in this respect.

(8) In one or more instances, an architecture having a parsing engine dynamically renders web forms given a specification document. The document may include an extension of a JSON schema. In some instances the architecture may leverage the specification document and enable creation, management, and eventual decommissioning actions. The architecture may be framework-agnostic, allowing for adaptive and agile development of end user interfaces for services developed by different entities. The architecture may allow for real-time template updates out of regular release cycles. In an embodiment, a provider hosts the schema document and provides to a parsing engine the schema for a day one action.

(9) FIGS. 1 and 2 depict an illustrative computing environment for deploying a template driven interface system in accordance with one or more example embodiments. Referring to FIG. 1,

template driven interface system **100** may include one or more computer servers and devices. For example, template driven interface system **100** may include a client device/presenter **120**, a parsing engine server **110**, a provider server **130**, an arbitrator server **140**, and a fulfiller server **155**.

(10) As illustrated in greater detail below, client device/presenter **120** may include one or more computing devices and/or other computer components (e.g., processors, memories, communication interfaces). Client device/presenter **120** may cause display of and/or otherwise present one or more graphical user interfaces (e.g., browser interfaces based on HTML pages received). In some instances, the client device **120** may be a desktop computer, a laptop computer, a tablet, a mobile device, or the like. In one or more instances, the client device/presenter **120** may be configured to receive one or more revised web forms. Additionally, the client device/presenter **120** may be configured to include a presenter role which may display web forms and submit requests. In an embodiment, the presenter may include a web browser.

(11) In one or more instances, client device/presenter **120** may perform numerous roles according to various aspects of the disclosure. The roles may include listing products and rendering on a graphical user interface order forms, order form modals, read-only data modals, read-only tabular data modals, asset-entry lists, and action lists. The client device/presenter **120** may also receive data entry and submit order data.

(12) Provider server **130** may be a computer system that includes one or more computing devices (e.g., servers, server blades, or the like) and/or other computer components (e.g., processors, memories, communication interfaces). In one or more instances, provider server may be configured to provide and store SPKs.

(13) In one or more instances, provider server **130** may perform numerous roles according to various aspects of the disclosure. The roles may include listing asset endpoints, listing order endpoints, order submit endpoints, product listing endpoints, product by Id endpoints, and base URLs. In addition, the provider server **130** may also store, manage, and publish product schemas for assets under its control.

(14) Parsing engine server **110** may be a computer system that includes one or more computing devices (e.g., servers, server blades, or the like) and/or other computer components (e.g., processors, memories, communication interfaces) that may be used to request a product list from an arbitrator.

(15) In one or more instances, parsing engine server **110** may perform numerous roles according to various aspects of the disclosure. The roles may include parsing schemas and submitted proxy contracts, injecting default values, editing submitted orders, and converting asset data to entries.

(16) Arbitrator server **140** may be a computer system that includes one or more computing devices (e.g., servers, server blades, or the like) and/or other computer components (e.g., processors, memories, communication interfaces) that may be used to manage active providers. In one or more instances, arbitrator server **140** may perform numerous roles according to various aspects of the disclosure. The roles may include determining providers by SPK, providing a URL registry, onboarding endpoints, and querying for asset items. In addition, arbitrator server **140** may onboard and decommission endpoints in accordance with various embodiments of the disclosure.

(17) Fulfiller server **155** may be a computer system that includes one or more computing devices (e.g., servers, server blades, or the like) and/or other computer components (e.g., processors, memories, communication interfaces) that may be used to produce a given product. In some embodiments, the roles of the fulfiller server **155** may be combined with the roles of the provider server **130**.

(18) In one or more instances, fulfiller server **155** may perform numerous roles according to various aspects of the disclosure. The roles may include providing status of endpoints, managing asset groupings, decommissioning assets, storing primary asset data, and exposing asset management APIs.

(19) Template driven interface system **100** also may include one or more networks, which may

interconnect client device/presenter **120**, provider server **130**, parsing engine server **110**, arbitrator server **140**, and fulfiller server **155**. For example, computing environment **100** may include a network **150** which may interconnect the above listed client device and servers.

(20) In one or more arrangements, client device/presenter **120**, provider server **130**, parsing engine server **110**, arbitrator server **140**, and fulfiller server **155** may be any type of computing device capable of receiving a user interface, receiving input via the user interface, and communicating the received input to one or more other computing devices. For example, client device/presenter **120**, provider server **130**, parsing engine server **110**, arbitrator server **140**, and fulfiller server **155**, and/or the other systems included in template driven interface **100** may in some instances, be and/or include server computers, desktop computers, laptop computers, tablet computers, smart phones, or the like that may include one or more processors, memories, communication interfaces, storage devices, and/or other components. As noted above, and as illustrated in greater detail below, any and/or all of client device/presenter **120**, provider server **130**, parsing engine server **110**, arbitrator server **140**, and fulfiller server **155** may in some instances, be special-purpose computing devices configured to perform specific functions.

(21) Referring to FIG. 2 provider server **130** may include one or more processors **111**, memory **112**, and communication interface **113**. A data bus may interconnect processor **111**, memory **112**, and communication interface **113**. Communication interface **113** may be a network interface configured to support communication between provider server **130** and one or more networks (e.g., network **150**, or the like). Memory **112** may include one or more program modules having instructions that when executed by processor **111** cause provider server **130** to perform one or more functions described herein and/or one or more databases that may store and/or otherwise maintain information which may be used by such program modules and/or processor **111**. In some instances, the one or more program modules and/or databases may be stored by and/or maintained in different memory units of provider server **130** and/or by different computing devices that may form and/or otherwise make up provider server **130**. For example, memory **112** may have, host, store, and/or include a data transformation module **112a**, a template generation module **112b**, and a template generation database **112c**. Template generation module **112b** may have instructions that direct and/or cause provider server **130** to execute template generation techniques. Template generation database **112c** may store information used by template generation module **112b** and/or provider server **130** in executing efficient updates to stored schemas and/or in performing other functions. Additionally, client device/presenter **120**, parsing engine server **110**, arbitrator server **140**, and fulfiller server **155** may also include similar hardware and software as discussed above in relation to provider server **130**.

(22) FIGS. 3-6 depict illustrative event sequences for provisioning of a template driven interface system **100** in accordance with one or more exemplary embodiments. Referring to FIG. 3, at least five roles or services are illustrated for template driven interface system **100**. For instance, presenter **301** may include a web browser. The presenter **301** may display web forms and transmit-submit requests to other services associated with template driven interface system **100**. The presenter **301** may render on a user interface display a listing of products available to end users.

(23) A parsing engine **302** may process a schema into a renderable web form format for use by presenter **301**. In one or more instances, parsing engine **302** may receive form data and translate the received data into a format suitable for arbitrator **303**. In an embodiment, parsing engine **302** transmits the formatted data to arbitrator **303**.

(24) Arbitrator **303** may direct traffic to the correct provider **304** in accordance with one or more exemplary embodiments. In an embodiment, arbitrator **303** may manage each provider **304**. Arbitrator **303** may also provide security outside of template driven interface system **100** as some providers may be external entities.

(25) In an aspect of the disclosure, each provider **304** may control the schema for each asset under management. In an embodiment, provider **304** may also control any submitted form-data orders.

(26) A fulfiller **305** may produce a particular asset and is the primary holder of APIs that directly controls infrastructure, data, or other asset types. As shown in FIG. 3, fulfiller **305** may not have an active role in rendering a list of products requested by presenter **301**.

(27) FIG. 3 illustrates rendering a list of products in accordance with an embodiment of the disclosure. In FIG. 3 at step **306**, presenter **301** may request from parsing engine **302** a list of products. At step **307**, parsing engine **302** may request from arbitrator **303** the list of products. In an embodiment, arbitrator **303** may manage each provider **304** and maintain a list of all providers at step **308**. The list of providers being managed by arbitrator **303** may also include a list of products for each provider as illustrated in step **310**. In step **311**, arbitrator **303** may aggregate the list and return the aggregated list to parsing engine **302** in step **312**. The parsing engine **320** may execute some parsing before forwarding to presenter **302** so that it may be properly rendered. In step **313**, the aggregated list may be rendered on a display for an end user by presenter **301**.

(28) FIG. 4 illustrates rendering an order form in accordance with an embodiment of the disclosure. In FIG. 4 at step **406**, presenter **301** may request from parsing engine **302** a product. In an embodiment, the request may include SPK and an identification (“id”) for the requested product. In step **407**, parsing engine **302** may forward the SPK along with an identification request to arbitrator **303**. In an embodiment at step **408**, arbitrator **303** may determine the provider based on the SPK. In step **409**, arbitrator **303** may request the product schema by the identification. In an embodiment, provider **304** may transmit the product schema back to the arbitrator **303** in step **410**. In step **411**, the product schema may be transmitted from the arbitrator **303** to the parsing engine **302**. In one or more instances, parsing engine **302** may parse the product schema into a format renderable by the wizard. In an embodiment, parsing engine **302** may parse the product schema into an array format for use by the rendering wizard. In addition, a key may be utilized as part of the rendering function for security. In step **413**, presenter **301** may render the order form to an end user.

(29) FIGS. 5 and 6 illustrate submitting an order in accordance with an embodiment of the disclosure. In FIG. 5, a user may enter data into presenter **301** for processing by template driven interface **100**. In FIG. 5 at step **506**, presenter **301** may request from parsing engine **302** a product. In an embodiment, presenter **301** may submit an order having an SPK and data (which may include metadata) to parsing engine **302**. In one or more instances, parsing engine **302** at step **507** may parse and transform the received data in order to have the data conform to a format included in the specification. In an embodiment, flat data may be transformed into an order object. In step **508**, the SPK and the order object may be transmitted to arbitrator **303**. In step **509**, arbitrator **303** may determine the provider based on the SPK. In addition, in step **510**, the arbitrator **303** may do some remapping for particular providers, if required. In step **511**, the order object is transmitted to the provider **304**. The provider **304** may transmit the order object to the providers submit endpoint.

(30) In an embodiment, provider **304** may determine if the order object received is a valid order object or an order object including an error. If provider **304** determines that the order object meets requirements, provider **304** may transmit to arbitrator **303** in step **512** the requirements for what the asset should look like which may include information such as an asset identification. In step **513**, arbitrator **303** may deliver a successful delivery notification to parsing engine **302**. In step **514**, parsing engine **302** may provide presenter **301** with a successful delivery notification. In an embodiment, presenter **301** may notify a user of the successful submitted order. The notification may be visual or contain text as to status of the received order. If there was an error encountered as to the submitted order, presenter **301** may notify the user as to the problem with the potential order and provide recommended remedies.

(31) In an embodiment, after an amount of time, provider **304** may attempt to fulfill the order **606** using fulfiller **305**. In one instance, provider **304** and the fulfiller **305** may be the same entity. In step **607**, a call to a fulfillment endpoint may be initiated by provider **304**. After a successful fulfillment, an Id and groupId may be forwarded to provider **304** as shown in step **608**. An order fulfillment failure **620** may be handled as shown in steps **609** through **613**.

(32) FIGS. 7-11 depict illustrative event sequences for post provisioning of a template driven interface system **100** in accordance with one or more exemplary embodiments. FIG. 7 illustrates rendering a list of deployed assets in accordance with an embodiment of the disclosure. In FIG. 7, at step **707**, presenter **301** requests a list of deployed assets from parsing engine **302**. In one instance, presenter **301** transmits to parsing engine **302** a location of where the user is in the interface. In an embodiment, presenter **301** which may be in a deployment may need a listing of all assets to determine the status of order fulfillment.

(33) In an aspect of the disclosure, steps **708** through **712** regarding computes and load balancers are optional and may be needed in some system configurations between parsing engine **302** and arbitrator **303**. In step **713**, parsing engine **302** may covert the data to an entry. In step **714**, arbitrator **303** may receive the request for assets from parsing engine **302**. In an embodiment as shown in step **715**, arbitrator **303** may step through each provider **304** by SPK asking if they have anything based on a particular context as shown in step **716**. The identified assets may be transmitted to arbitrator **303** in step **717**. In step **718**, the identified assets may be transmitted to parsing engine **302**. Parsing engine **302** may convert the assets to an entry in step **719**. The lists may be combined by parsing engine **302** in step **720**. An aggregate filter in step **721** may be applied by parsing engine **302** to the combined list. Finally, the filtered list may be rendered to the presenter **302** in step **722**.

(34) FIG. 8 illustrates rendering a list of individual asset actions in accordance with an embodiment of the disclosure. In FIG. 8, at step **807**, presenter **301** may transmit a request with all data of the current object and also including pieces of context information to parsing engine **302**. In one or more instances, the context information may include three pieces of data such as a template ID, a user ID or standard ID, and information regarding the context of where we are in the post provisioning process (development environment, deployment environment etc. . . .). In an embodiment, these actions may be day two actions which are executed via the schema. The parsing engine **302** requests and receives the schema from arbitrator **303** and/or provider **304** via steps **808** to **811**. Parsing engine **302** may receive the schema for day two actions and test the received schema for the options that may be available. In an embodiment, the testing may be performed via a sub-schema as shown at step **812**. If testing is successful, the parsing engine **302** may append the list of options into an array at step **814**. The parsing engine **302** may sort the list in step **815** and forward the list in step **816** to presenter **301**. In an embodiment, presenter **301** may cache the list of received asset actions in step **817**.

(35) FIGS. 9 and 10 illustrate rendering an action order form in accordance with an embodiment of the disclosure. In FIG. 9 at step **907**, presenter **301** may request from parsing engine **302** an action order form with data of the current object and pieces of context information. In an embodiment, the request may include a target ID, a template ID, a SPK, and information regarding the context of where product is in the post provisioning process (development environment, deployment environment etc. . . .).

(36) In step **908**, parsing engine **302** may forward the request along with the SPK and template ID to arbitrator **303**. In an embodiment at step **909**, arbitrator **303** may determine the provider. Arbitrator **303** may in step **910** request the product schema by the template ID. In an embodiment, provider **304** may transmit the product schema back to the arbitrator **303** in step **911**. In step **912**, the product schema may be transmitted from the arbitrator **303** to the parsing engine **302**.

(37) In an embodiment, an optional request as shown in FIG. 9 may be handled by parsing engine **301** via steps **913** to **915**. In one or more instances, parsing engine **302** may parse the product schema into different sections as shown in steps **916** and **1007-1009** of FIGS. 9 and 10. In an embodiment, parsing engine **302** may parse the product schema into an array format for use by the rendering wizard in step **1010**. In addition, a key may be utilized as part of the rendering function for security. In step **1011**, presenter **301** may render the order form.

(38) FIG. 11 illustrates submitting an action order in accordance with an embodiment of the

disclosure. In FIG. 11, a user may enter data into presenter **301** for processing by template driven interface **100**. In FIG. 11 at step **1107**, presenter **301** may submit an action order having a target ID, template ID, action ID, a SPK, and data (which may include metadata) to parsing engine **302** in step **1107**.

(39) In one or more instances, the template ID is transmitted at step **1108** to arbitrator **303** by parsing engine **302**. In an embodiment at step **1109**, arbitrator **303** may provide the schema. In steps **1110-1111** parsing engine **302**, may parse the data and construct a request to determine the URL of the provider. In step **1112**, the request is submitted to arbitrator **303**. In step **1113**, arbitrator **303** may determine the provider URL. The provider **304** may return a receipt notification in step **1114** to arbitrator **303**. In step **1115**, arbitrator **303** may deliver a successful delivery receipt notification to parsing engine **302**. In step **1116**, parsing engine **302** may provide presenter **301** with a successful delivery notification. In an embodiment, presenter **301** may notify a user of the successful submitted action order. The notification may be visual or contain text as to status of the received order. If there was an error encountered as to the submitted action order, presenter **301** may notify the user as to the problem with the potential order and provide recommended remedies.

(40) FIGS. 12 and 13 illustrate a build flow in accordance an embodiment of the disclosure. In particular, FIG. 12 illustrates using a template that is verified to be in compliance with a schema (steps **1206** to **1212**) and rendering in step **1213** the template by the presenter **301**. In step **1214**, data is inputted into the template and forwarded to the fulfiller **305** for fulfillment in steps **1306** to **1311** of FIG. 13. In an embodiment, the generated provisional asset is received by presenter **301** via step **1312** to **1318**.

(41) FIG. 14 depicts an illustrative request, path resolver, and a provider entity for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments. For instance, FIG. 14 illustrates the structure of a request **1401** in an aspect of the disclosure. The request **1401** may include URL **1402** with may indicate the destination for the request. The request **1401** may be used for both requesting and submitting day two actions.

(42) FIG. 15 depicts an illustrative method for deploying an enhanced template based system for rendering web forms in accordance with one or more example embodiments. Referring to FIG. 15, at step **1502**, a computing device having at least one processor, a communication interface, and memory may generate a product request. In some instances, the product request may include an SPK and a product identification. At step **1504**, the computing device may determine a product provider for handling the product request, the determination of the product provider based in part on searching for the product provider based on the included SPK in the product request. At step **1506**, the computing device may transmit a product schema request to the determined product provide. At step **1508**, the computing device may receive from the determined product provider the requested product schema. At step **1510**, the computing device may parse the product schema into a renderable format. At step **1512**, the computing device may render an order form for submitting an order. At step **1514**, the computing device may display an order form.

(43) One or more aspects of the disclosure may be embodied in computer-usable data or computer-executable instructions, such as in one or more program modules, executed by one or more computers or other devices to perform the operations described herein. Generally, program modules include routines, programs, objects, components, data structures, and the like that perform particular tasks or implement particular abstract data types when executed by one or more processors in a computer or other data processing device. The computer-executable instructions may be stored as computer-readable instructions on a computer-readable medium such as a hard disk, optical disk, removable storage media, solid-state memory, RAM, and the like. The functionality of the program modules may be combined or distributed as desired in various embodiments. In addition, the functionality may be embodied in whole or in part in firmware or hardware equivalents, such as integrated circuits, application-specific integrated circuits (ASICs), field programmable gate arrays (FPGA), and the like. Particular data structures may be used to

more effectively implement one or more aspects of the disclosure, and such data structures are contemplated to be within the scope of computer executable instructions and computer-usable data described herein.

(44) Various aspects described herein may be embodied as a method, an apparatus, or as one or more computer-readable media storing computer-executable instructions. Accordingly, those aspects may take the form of an entirely hardware embodiment, an entirely software embodiment, an entirely firmware embodiment, or an embodiment combining software, hardware, and firmware aspects in any combination. In addition, various signals representing data or events as described herein may be transferred between a source and a destination in the form of light or electromagnetic waves traveling through signal-conducting media such as metal wires, optical fibers, or wireless transmission media (e.g., air or space). In general, the one or more computer-readable media may be and/or include one or more non-transitory computer-readable media.

(45) As described herein, the various methods and acts may be operative across one or more computing servers and one or more networks. The functionality may be distributed in any manner, or may be located in a single computing device (e.g., a server, a client computer, and the like). For example, in alternative embodiments, one or more of the computing platforms discussed above may be combined into a single computing platform, and the various functions of each computing platform may be performed by the single computing platform. In such arrangements, any and/or all of the above-discussed communications between computing platforms may correspond to data being accessed, moved, modified, updated, and/or otherwise used by the single computing platform. Additionally or alternatively, one or more of the computing platforms discussed above may be implemented in one or more virtual machines that are provided by one or more physical computing devices. In such arrangements, the various functions of each computing platform may be performed by the one or more virtual machines, and any and/or all of the above-discussed communications between computing platforms may correspond to data being accessed, moved, modified, updated, and/or otherwise used by the one or more virtual machines.

(46) Aspects of the disclosure have been described in terms of illustrative embodiments thereof. Numerous other embodiments, modifications, and variations within the scope and spirit of the appended claims will occur to persons of ordinary skill in the art from a review of this disclosure. For example, one or more of the steps depicted in the illustrative figures may be performed in other than the recited order, and one or more depicted steps may be optional in accordance with aspects of the disclosure.

Claims

1. A computing device comprising: at least one processor; a communication interface communicatively coupled to the at least one processor; and memory storing computer-readable instructions that, when executed by the processor, cause the computing device to: generate a product request, the product request including a service provider key (SPK) and a product identification; determine a product provider for handling the product request, the determination of the product provider based in part on searching for the product provider based on the included SPK in the product request; transmit a product schema request to the determined product provider, the product schema comprising a JSON document; receive from the determined product provider the requested product schema; parse the product schema into a renderable format using a framework-agnostic parsing engine to enable real-time template updates outside regular release cycles for rendering web forms supporting day one and day two actions; render an order form for submitting an order based on the parsed product schema using a rendering wizard; and display the order form on a user interface.

2. The computing device of claim 1, wherein parsing the product schema comprises parsing the product schema into an array format for use by the rendering wizard.

3. The computing device of claim 2, wherein generating the product request comprises using a product request template stored in a template generation database to ensure compliance with the product schema.
4. The computing device of claim 3, wherein the memory stores additional computer-readable instructions that, when executed by the at least one processor, further cause the computing device to generate a key for use by the rendering wizard when rendering the order form to secure the rendering process for the day one and the day two actions.
5. The computing device of claim 4, wherein the memory stores additional computer-readable instructions that, when executed by the at least one processor, further cause the computing device to: receive order information from a user, the order information requesting an update to a webform; and generate an order, the order including the SPK of a product.
6. The computing device of claim 5, wherein the memory stores additional computer-readable instructions that, when executed by the at least one processor, further cause the computing device to: parse the order into a format in compliance with the product schema; and transmit the order to the determined product provider.
7. The computing device of claim 6, wherein the memory stores additional computer-readable instructions that, when executed by the at least one processor, further cause the computing device to receive a notification from the provider of a successful delivery of the order.
8. The computing device of claim 7, wherein the notification is a visual notification displayed on the user interface.
9. A method comprising: at a computing device comprising at least one processor, a communication interface, and memory: generating a product request, the product request including a service provider key (SPK) and a product identification; determining a product provider for handling the product request, the determination of the product provider based in part on searching for the product provider based on the included SPK in the product request; transmitting a product schema request to the determined product provider, the product schema comprising a JSON document; receiving from the determined product provider the requested product schema; parsing the product schema into a renderable format using a framework-agnostic parsing engine to enable real-time template updates outside regular release cycles for rendering web forms supporting day one and day two actions; rendering an order form for submitting an order based on the parsed product schema using a rendering wizard; and display the order form on a user interface.
10. The method of claim 9, further comprising generating the product request with a product request template stored in a template generation database to ensure compliance with the product schema.
11. The method of claim 10, further comprising parsing the product schema into an array format for use by the rendering wizard.
12. The method of claim 11, further comprising generating a key for use by the rendering wizard when rendering the order form to secure the rendering process for day one and day two actions.
13. The method of claim 12, further comprising: receiving order information from a user, the order information requesting an update to a webform; and generating an order, the order including the SPK of a product.
14. The method of claim 13, further comprising: parsing the order into a format in compliance with the product schema; and transmitting the order to the determined product provider.
15. The method of claim 14, further comprising receiving a notification from the provider of a successful delivery of the order.
16. The method of claim 15, wherein the notification is a visual notification displayed on the user interface.
17. One or more non-transitory computer-readable media storing instructions that, when executed by a computing device comprising at least one processor, a communication interface, and memory, cause the computing device to: generate a product request, the product request including a service

provider key (SPK) and a product identification; determine a product provider for handling the product request, the determination of the product provider based in part on searching for the product provider based on the included SPK in the product request; transmit a product schema request to the determined product provider, the product schema comprising a JSON document; receive from the determined product provider the requested product schema; parse the product schema into a renderable format using a framework-agnostic parsing engine to enable real-time template updates outside regular release cycles for rendering web forms supporting day one and day two actions; render an order form for submitting an order based on the parsed product schema using a rendering wizard; and display the order form on a user interface.

18. The one or more non-transitory computer-readable media storing instructions of claim 17, further causing the computer device to: receive order information from a user, the order information requesting an update to a webform; and generate an order, the order including the SPK of a product.

19. The one or more non-transitory computer-readable media storing instructions of claim 18, further causing the computer device to: parse the order into a format in compliance with the product schema; and transmit the order to the determined product provider.

20. The one or more non-transitory computer-readable media storing instructions of claim 19, further causing the computer device to generate a key for use by the rendering wizard when rendering the order form.
