

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250276541

Kind Code

A1

Publication Date

September 04, 2025

Inventor(s)

Nguyen Nhat; Trung et al.

POP-UP PAGE MARKING TOOL

Abstract

Implementations described and claimed herein provide a pop-up page marking tool. In one implementation, the pop-up page marking tool includes a body configured to be disposed in a print media and a decorative portion coupled to the body. The body is configured to change the pop-up page marking tool between a folded configuration and a pop-up configuration in response to movement of the body.

Inventors: Nguyen Nhat; Trung (Buon Ma Thuoc, VN), Duong Thao; Uyen (Trieu Phong, VN), Nguyen Trung; Tin (Phu Ninh, VN), Vo Trieu Tuyet; Nhi (Hai Lang, VN)

Applicant: LOVEPOP, INC. (Boston, MA)

Family ID: 96881750

Appl. No.: 19/069842

Filed: March 04, 2025

Related U.S. Application Data

us-provisional-application US 63560954 20240304

Publication Classification

Int. Cl.: B42D9/00 (20060101)

U.S. Cl.:

CPC B42D9/007 (20130101);

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] The present application claims priority to U.S. Provisional Patent Application No. 63/560,954 filed on Mar. 4, 2024, which is incorporated by reference in its entirety herein.

FIELD

[0002] The present application relates generally to marking tools and, more particularly, to a marking tool used for indicating a reader's progress in a printed media.

BACKGROUND

[0003] Marking tools, such as, for example, bookmarks, typically include a single, flat body with a message and/or illustrations disposed thereon. However, the single, flat body may not provide enough space to fully convey the message that the giver intends to send to the recipient of the card. Moreover, the single, flat body may easily fall out of the printed media, thereby losing the reader's progress. It is with these observations in mind, among others, that various aspects of the present disclosure were conceived and developed.

SUMMARY

[0004] Implementations described and claimed herein address the foregoing problems by providing a pop-up page marking tool that includes a three-dimensional pop-up structure, while maintaining a compact profile to fit in, for example, between sheets of a printed media, such as, for example, a book. In one implementation, the page marking tool includes a body including a fold line allowing the ends of the body to be positioned relative to each other to selectively put the page marking tool in a pop-up configuration or a folded configuration. The folded configuration allows the page marking tool to have a compact profile to fit in, for example, between sheets of a printed media, such as, for example, a book. In the pop-up configuration, the three dimensional pop-up structure is in an erected state.

[0005] In an implementation, a pop-up page marking tool comprises a body moveable along one or more fold lines between a first position and a second position, and a decorative portion coupled to the body. The decorative portion is in a flattened state when the body is in the first position, and the decorative portion is in an erected three dimensional state when the body is in the second position.

[0006] In another implementation, a method for operating a pop-up page marking tool includes moving a body of the pop-up page marking tool from a first position to a second position, the body including one or more fold lines, transitioning a decorative portion coupled to the body to an erected three dimensional state when the body is in the second position, moving the body from the second position to the first position, and transitioning the decorative portion from the erected three dimensional state to a flattened state.

[0007] Other implementations are also described and recited herein. Further, while multiple implementations are disclosed, still other implementations of the presently disclosed technology will become apparent to those skilled in the art from the following detailed description, which shows and describes illustrative implementations of the presently disclosed technology. As will be realized, the presently disclosed technology is capable of modifications in various aspects, all without departing from the spirit and scope of the presently disclosed technology. Accordingly, the drawings and detailed description are to be regarded as illustrative in nature and not limiting.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0008] FIG. 1 shows a perspective view of an example pop-up page marking tool in a pop-up configuration.

[0009] FIG. 2 shows a perspective view the pop-up page marking tool of FIG. 1 in a folded configuration.

[0010] FIG. 3 shows a perspective view of the pop-up page marking tool of FIG. 1 disposed in an example printed media.

[0011] FIG. 4 shows a top view of the pop-up page marking tool of FIG. 1 disposed in an example printed media.

[0012] FIG. 5 shows a perspective view of another example pop-up page marking tool in a pop-up configuration.

[0013] FIG. 6 shows a perspective view of another example pop-up page marking tool in a pop-up configuration.

[0014] FIG. 7 shows a perspective view of the pop-up page marking tool of FIG. 6 disposed in an example printed media.

[0015] FIG. 8 shows a top view of the pop-up page marking tool of FIG. 6 disposed in an example printed media.

[0016] FIG. 9 shows a perspective view the pop-up page marking tool of FIG. 6 in a folded configuration.

[0017] FIG. 10 shows a perspective view of an example pop-up page marking tool in a pop-up configuration disposed in an example printed media.

[0018] FIG. 11 shows another perspective view of the pop-up page marking tool of FIG. 10.

[0019] FIG. 12 shows a first side view of the pop-up page marking tool of FIG. 10 in a folded configuration.

[0020] FIG. 13 shows a second side view of the pop-up page marking tool of FIG. 10 in a folded configuration.

[0021] FIG. 14 shows a top view of the pop-up page marking tool of FIG. 10 disposed in an example printed media in the folded configuration.

[0022] FIG. 15 shows a top view of the pop-up page marking tool of FIG. 10 disposed in an example printed media in a pop-up configuration.

[0023] FIG. 16 shows a perspective view of an example pop-up page marking tool in a pop-up configuration.

[0024] FIG. 17 shows a perspective view the pop-up page marking tool of FIG. 16 in a folded configuration.

[0025] FIG. 18 shows a top view of the pop-up page marking tool of FIG. 16.

[0026] FIG. 19 shows a bottom view of the pop-up page marking tool of FIG. 16.

[0027] FIG. 20 shows a top view of the pop-up page marking tool of FIG. 16 disposed in an example printed media in the folded configuration.

DETAILED DESCRIPTION

[0028] Aspects of the presently disclosed technology relate to a page marking tool. In one implementation, the page marking tool includes a body having a fold line that allows respective ends of the body to be positioned relative to each other to selectively put the page marking tool in a pop-up configuration or a folded configuration. The page marking tool allows for various pop-up messages and illustrations, such as, for example, three-dimensional pop-up structure, to be displayed while still having a compact profile to fit in, for example, between sheets of a printed media, such as, for example, a book, when disposed in the folded configuration. As illustrated in the Figures, the page marking tool may further include various ornamental features.

[0029] The technology disclosed herein generally provides for marking tools. The example implementations discussed and illustrated herein reference a page marking tool. However, it will be appreciated by those skilled in the art that the presently disclosed technology is applicable to other types of structures, including, but not limited to, posters, books, holiday cards, greeting cards, and/or the like. It will be appreciated that various configurations are contemplated.

[0030] To begin a detailed description of a pop-up page marking tool **100**, reference is made to FIGS. 1-4. In one implementation, the pop-up page marking tool **100** includes a body **102**. The body **102** is divided into a first body portion **104** and a second body portion **106** by a fold line **108**.

The fold line **108** allows the first body portion **104** to rotate relative to the second body portion **106**. The body **102** further includes a first end **110** disposed on the first body portion **104** and a second end **112** disposed on the second body portion **106**. Although only one fold line **108** is illustrated, the present disclosure is not limited to one fold line and any number of fold lines can be used.

[0031] In an implementation, the pop-up page marking tool **100** includes a decorative portion **114**. The decorative portion **114** is mounted to the first body portion **104** and the second body portion **106**. In an implementation, the decorative portion **114** is an erectable pop-up display structure comprising a plurality of intersecting slice-form elements. In this implementation, when the pop-up page marking tool **100** is in a folded configuration, the decorative portion **114** is in a flattened state and the first end **110**, the first body portion **104**, the second body portion **106** and the second end **112** are in a same plane (FIG. 2). When the pop-up page marking tool **100** is in a pop-up configuration, the decorative portion **114** is in an erected three dimensional state (FIGS. 1, 3, and 4). The pop-up page marking tool **100** is converted between the folded configuration and the pop-up configuration by rotating the first body portion **104** and the first end **110** about the fold line **108** relative to the second body portion **106** and the second end **112**.

[0032] When in the pop-up configuration, the first body portion **104** and the second body portion **106** can be positioned between pages of a printed media **116**, such as, for example, a book, thereby saving progress of a reader. In this configuration, the decorative portion **114** can restrict the pop-up page marking tool **100** from moving relative to the printed media **116** when the printed media **116** is in an upright orientation, such as when placed on a shelf.

[0033] Although the decorative portion **114** is illustrated as a flower, the disclosure is not limited as such, and the decorative portion **114** can include various decorative features, such as, for example, imitation flowers, imitation leaves, imitation trees, imitation plants, characters, animals, insects, objects, and/or the like. Referring to FIG. 5, another implementation of a pop-up page marking tool **200** is shown. The pop-up page marking tool **200** is substantially the same as the pop-up page marking tool **100**, except the decorative portion **214** being a floral feature.

[0034] Referring to FIGS. 6-9, another implementation of a pop-up page marking tool **300** is shown. In one implementation, the pop-up page marking tool **300** includes a body **302**. The body **302** is divided into a first body portion **304** and a second body portion **306** by a fold line **308**. The fold line **308** allows the first body portion **304** to rotate relative to the second body portion **306**. The body **302** further includes a first end **310** disposed on the first body portion **304** and a second end **312** disposed on the second body portion **306**. Although only one fold line **308** is illustrated, the present disclosure is not limited to one fold line and any number of fold lines can be used.

[0035] In an implementation, the pop-up page marking tool **300** includes a decorative portion **314**. The decorative portion **314** is mounted to the body **302** at the fold line **308** via a base **318**. In an implementation, the decorative portion **314** is an erectable pop-up display structure comprising a plurality of intersecting slice-form elements. In this implementation, when the pop-up page marking tool **300** is in a folded configuration, the decorative portion **314** is in a flattened state and the first end **310** and the second end **312** are adjacent to one another (FIG. 9). When the pop-up page marking tool **300** is in a pop-up configuration, the decorative portion **314** is in an erected three dimensional state and the first end **310** and the second end **312** are adjacent to one another (FIGS. 6-8). The pop-up page marking tool **300** is converted between the folded configuration and the pop-up configuration by rotating the first body portion **304** and the first end **310** about the fold line **308** relative to the second body portion **306** and the second end **312**.

[0036] When in the pop-up configuration, the first body portion **304** and the second body portion **306** can be positioned between pages of a printed media **316**, such as, for example, a book, thereby saving progress of a reader. In this configuration, the decorative portion **314** can restrict the pop-up page marking tool **300** from moving relative to the printed media **316** when the printed media **316** is in an upright orientation, such as when placed on a shelf.

[0037] Although the decorative portion **314** is illustrated as a basket of flowers, the disclosure is not limited as such, and the decorative portion **314** can include various decorative features, such as, for example, imitation flowers, imitation leaves, imitation trees, imitation plants, characters, animals, insects, objects, and/or the like.

[0038] Referring to FIGS. **10-15**, another implementation of a pop-up page marking tool **400** is shown. In one implementation, the pop-up page marking tool **400** includes a body **402**. The body **402** is divided into a first body portion **404** and a second body portion **406** by a fold line **408**. The fold line **408** allows the first body portion **404** to rotate relative to the second body portion **406**. The body **402** further includes a first end **410** disposed on the first body portion **404** and a second end **412** disposed on the second body portion **406**. Although only one fold line **408** is illustrated, the present disclosure is not limited to one fold line and any number of fold lines can be used.

[0039] In an implementation, the pop-up page marking tool **400** includes a decorative portion **414**. The decorative portion **414** is mounted to the body **402** at the first body portion **404** and the second body portion **406**. In an implementation, the decorative portion **414** is an erectable pop-up display structure comprising a plurality of intersecting slice-form elements. In this implementation, when the pop-up page marking tool **400** is in a folded configuration, the decorative portion **414** is in a flattened state, the first end **410** and the second end **412** are adjacent to one another, and the first body portion **404** and the second body portion **406** are adjacent to one another (FIGS. **12, 13**, and **14**). When the pop-up page marking tool **400** is in a pop-up configuration, the decorative portion **414** is in an erected three dimensional state, the first end **410** and the second end **412** are spaced from each other, and the first body portion **404** and the second body portion **406** are spaced from each other (FIGS. **10, 11**, and **15**). The pop-up page marking tool **400** is converted between the folded configuration and the pop-up configuration by rotating the first body portion **404** and the first end **410** about the fold line **408** relative to the second body portion **406** and the second end **412**.

[0040] The first body portion **404** and the second body portion **406** can be positioned between pages of a printed media **416**, such as, for example, a book, thereby saving progress of a reader. In an implementation, a first engaging member **420** is coupled to the first body portion **404**, and a second engaging member **422** is coupled to the second body portion **406**. The first engaging member **420** and the second engaging member **422** are configured to engage one or more sheets of the printed media **416**, such as, for example, pages of a book. In this implementation, the first engaging member **420** and the second engaging member **422** can restrict the pop-up page marking tool **400** from moving relative to the printed media **416**. Additionally, when the printed media **416** is moved between opened and closed positions, the pop-up page marking tool **400** is cooperatively converted between the folded configuration and the pop-up configuration.

[0041] In an implementation, the first engaging member **420** and the second engaging member **422** are composed of a different material than the first body portion **404** and the second body portion **406**, such as for example, metal. In an implementation, the first engaging member **420** and the second engaging member **422** are respectively a metal paper clip, a hook, an arm, and/or the like.

[0042] Although the decorative portion **414** is illustrated as flowers, the disclosure is not limited as such, and the decorative portion **414** can include various decorative features, such as, for example, imitation flowers, imitation leaves, imitation trees, imitation plants, characters, animals, insects, objects, and/or the like.

[0043] Referring to FIGS. **16-20**, another implementation of a pop-up page marking tool **500** is shown. In one implementation, the pop-up page marking tool **500** includes a body **524**. The body **524** includes a first side **526**, a second side **528**, a third side **530**, and a fourth side **532**. The first side **526** extends between a first edge **534** and a second edge **536**. The second side **528** extends between the second edge **536** and a third edge **538**. The third side **530** extends between the third edge **538** and the fourth edge **540**. The fourth side **532** extends between the fourth edge **540** and the first edge **534**. Thus, the first edge **534** rotatably couples the first side **526** to the fourth side **532** to

allow the first side **526** and the fourth side **532** to rotate relative to one another. The second edge **536** rotatably couples the first side **526** to the second side **528** to allow the first side **526** and the second side **528** to rotate relative to one another. The third edge **538** rotatably couples the second side **528** to the third side **530** to allow the second side **528** and the third side **530** to rotate relative to one another. The fourth edge **540** rotatably couples the third side **530** to the fourth side **532** to allow the third side **530** and the fourth side **532** to rotate relative to one another. The body **524** further includes a first end **510** and a second end **512** disposed opposite the first end **510**. In an implementation, the first edge **534**, the second edge **536**, the third edge **538**, and the fourth edge **540** are fold lines. Although four sides and four edges are illustrated, the present disclosure is not limited as such and any suitable number of sides and edges can be used.

[0044] In an implementation, the pop-up page marking tool **500** includes a decorative portion **514**. The decorative portion **514** is mounted to the body **524** at the first end **510**. In an implementation, the decorative portion **514** is an erectable pop-up display structure comprising a plurality of intersecting slice-form elements. In this implementation, when the pop-up page marking tool **500** is in a folded configuration, the decorative portion **514** is in a flattened state, the first side **526** and the second side **528** are respectively adjacent to the third side **530** and the fourth side **532** (FIGS. **17** and **20**). When the pop-up page marking tool **500** is in a pop-up configuration, the decorative portion **514** is in an erected three dimensional state, the first side **526** is parallel to the third side **530** and the second side **528** is parallel to the fourth side **532** (FIGS. **16**, **18**, and **19**). The pop-up page marking tool **500** is converted from the pop-up configuration to the folded configuration by applying a force to at least one of the first side **526**, the second side **528**, the third side **530**, or the fourth side **532**.

[0045] In an implementation, the pop-up page marking tool **100** includes a biasing member **542** configured to bias the pop-up page marking tool **500** from the folded configuration to the pop-up configuration when the force is no longer applied to at least one of the first side **526**, the second side **528**, the third side **530**, or the fourth side **532**. In an implementation, the biasing member **542** is coupled to the first edge **534** and the third edge **538** and/or the second edge **536** and the fourth edge **540**. In this implementation, the biasing member **542** applies a biasing force to the first edge **534** and the third edge **538** and/or the second edge **536** and the fourth edge **540** to bias the pop-up page marking tool **500** in the pop-up configuration. To change the pop-up page marking tool **500** from the pop-up configuration to the folded configuration, the force applied to at least one of the first side **526**, the second side **528**, the third side **530**, or the fourth side **532** must overcome the biasing force of the biasing member **542**. In an implementation, the biasing member **542** is at least one of a spring, an elastic band, etc.

[0046] The body **524** can be positioned between pages of a printed media **516**, such as, for example, a book, thereby saving progress of a reader. In this implementation, the decorative portion **514** can restrict the pop-up page marking tool **500** from moving relative to the printed media **516** when the printed media **516** is in an upright orientation, such as when placed on a shelf.

Additionally, when the printed media **516** is moved between opened and closed positions, the pop-up page marking tool **500** is cooperatively converted between the folded configuration and the pop-up configuration. For example, when the printed media **516** is moved from the opened position to the closed position, the printed media **516** applies force to at least one of the first side **526**, the second side **528**, the third side **530**, or the fourth side **532** to overcome the biasing force of the biasing member **542** to change the pop-up page marking tool **500** from the pop-up configuration to the folded configuration. When the printed media **516** is moved from the closed position to the open position, the printed media **516** no longer applies force to at least one of the first side **526**, the second side **528**, the third side **530**, or the fourth side **532**, thereby allowing the biasing force of the biasing member **524** to return the pop-up page marking tool **500** from the folded configuration to the pop-up configuration.

[0047] Although the decorative portion **514** is illustrated as flowers, the disclosure is not limited as

such, and the decorative portion **514** can include various decorative features, such as, for example, imitation flowers, imitation leaves, imitation trees, imitation plants, characters, animals, insects, objects, and/or the like.

[0048] In an implementation, a method for operating the pop-up page marking tool **100-500** disclosed herein includes moving the body of the pop-up page marking tool **100-500** from a first position to a second position, transitioning a decorative portion coupled to the body to an erected three dimensional state when the body is in the second position, moving the body from the second position to the first position, and transitioning the decorative portion from the erected three dimensional state to a flattened state.

[0049] While the present disclosure has been described with reference to various implementations, it will be understood that these implementations are illustrative and that the scope of the present disclosure is not limited to them. Many variations, modifications, additions, and improvements are possible. More generally, embodiments in accordance with the present disclosure have been described in the context of particular implementations. Functionality may be separated or combined in blocks differently in various embodiments of the disclosure or described with different terminology. These and other variations, modifications, additions, and improvements may fall within the scope of the disclosure as defined in the claims that follow.

Claims

1. A pop-up page marking tool: a body including one or more fold lines, the body moveable along one or more fold lines between a first position and a second position; and a decorative portion coupled to the body, the decorative portion in a flattened state when the body is in the first position, and the decorative portion is an erected three dimensional state when the body is in the second position.
2. The tool of claim 1, wherein the body includes a first body portion and a second body portion, the first body portion rotatable relative to the second body portion to move the body between the first position and the second position.
3. The tool of claim 2, wherein the decorative portion is coupled to the first body portion and the second body portion.
4. The tool of claim 2, wherein the decorative portion is in the flattened state when the first body portion and the second body portion are in a same plane.
5. The tool of claim 2, wherein the decorative portion is in the flattened state when a first end disposed on the first body portion and a second end disposed on the second body portion are adjacent to one another.
6. The tool of claim 5, wherein the decorative portion is in the erected three dimensional state when the first end and the second end are spaced from each other.
7. The tool of claim 2, further comprising: a first engaging member coupled to the first body portion; and a second engaging member coupled to the second body portion.
8. The tool of claim 7, wherein the first engaging member and the second engaging member are composed of a different material than the first body portion and the second body portion.
9. The tool of claim 7, wherein the first engaging member and the second engaging member are at least one of a clip, a hook, or an arm configured to engage one or more sheets of printed media.
10. The tool of claim 1, wherein the one or more fold lines include a first edge, a second edge, a third edge, and a fourth edge, and wherein the body includes a first side extending between the first edge and the second edge, a second side extending between the second edge and the third edge, a third side extending between the third edge and the fourth edge, and fourth side extending between the fourth edge and the first edge.
11. The tool of claim 10, wherein when the decorative portion is in the flattened state, the first side is adjacent to the fourth side and the second side is adjacent to the third side, and when the

decorative portion is in the erected three dimensional state, the first side is substantially parallel to the third side and the second side is substantially parallel to the fourth side.

12. The tool of claim 10, wherein the body is moved between the first position and the second position by applying a force to at least one of the first side, the second side, the third side, or the fourth side.

13. The tool of claim 10 further comprising: a biasing member coupled to at least one of the first edge, the second edge, the third edge, or the fourth edge, the biasing member applying a bias force to bias the body in the second position.

14. The tool of claim 13, wherein the biasing member is a spring or an elastic band.

15. The tool of claim 1, wherein the decorative portion is an erectable pop-up display structure comprising a plurality of intersecting slice-form elements.

16. The tool of claim 1, wherein the decorative portion includes one or more decorative features.

17. The tool of claim 16, wherein the one or more decorative features include at least one of one or more imitation flowers, one or more imitation leaves, one or more imitation trees, one or more imitation plants, one or more characters, one or more animals, one or more insects, or one or more objects.

18. The tool of claim 1, wherein the decorative portion is a floral feature.

19. The tool of claim 1, wherein the decorative portion is a basket of one or more flowers.

20. A method for operating a pop-up page marking tool, the method comprising: moving a body of the pop-up page marking tool from a first position to a second position, the body including one or more fold lines; transitioning a decorative portion coupled to the body to an erected three dimensional state when the body is in the second position; moving the body from the second position to the first position; and transitioning the decorative portion from the erected three dimensional state to a flattened state.
