



US 20250275574A1

(19) **United States**

(12) **Patent Application Publication**
Wasowicz et al.

(10) **Pub. No.: US 2025/0275574 A1**

(43) **Pub. Date: Sep. 4, 2025**

(54) **VAPORIZER ATTACHMENT DEVICE**

(52) **U.S. Cl.**

CPC **A24F 40/40** (2020.01); **A45F 5/02**
(2013.01)

(71) Applicants: **Aaron Wasowicz**, Las Vegas, NV (US);
Ron Gardner, Las Vegas, NV (US)

(72) Inventors: **Aaron Wasowicz**, Las Vegas, NV (US);
Ron Gardner, Las Vegas, NV (US)

(21) Appl. No.: **18/648,621**

(22) Filed: **Apr. 29, 2024**

Related U.S. Application Data

(60) Provisional application No. 63/559,501, filed on Feb.
29, 2024.

Publication Classification


(51) **Int. Cl.**

A24F 40/40 (2020.01)
A45F 5/02 (2006.01)

(57)

ABSTRACT

A vaporizer attachment device is provided. The device is used for attaching a vaporizer to various surfaces, objects, or items, such as garments worn by a user. The device comprises a first fastener that attaches to the vaporizer. This first fastener is designed to attach to at least one second fastener, which allows the vaporizer to be secured to a desired location. The second fastener is preferably a clip or a clamp. The first fastener can be either fixedly or removably attached to the second fastener, with the removable attachment facilitated by at least one attachment fastener that can be a magnet, a snap button, a hook and loop fastener, etc. In some embodiments, the second fastener includes an attachment fastener that mates with the attachment fastener of the first fastener.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

VAPORIZER ATTACHMENT DEVICE

CROSS-REFERENCE TO RELATED APPLICATION

[0001] The present application claims priority to, and the benefit of, U.S. Provisional Application No. 63/559, 501, which was filed on Feb. 29, 2024, and is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

[0002] The present invention relates generally to the field of electronic vaporizers. More specifically, the present invention relates to a vaporizer attachment device that allows a vaporizer to be removably attached to a vaporizer and a garment of a user. Accordingly, the present disclosure makes specific reference thereto. Nonetheless, it is to be appreciated that aspects of the present invention are also equally applicable to other like applications, devices, and methods of manufacture.

BACKGROUND

[0003] Vaping has become a widespread habit for many individuals, offering an alternative to traditional smoking. However, one of the challenges that vaporizer users often encounter is finding a suitable and convenient place to store and access their vape. The compact and sleek design of vapes, while aesthetically pleasing and portable, also makes them quite easy to misplace. This issue is compounded by the fact that vapes can effortlessly slip out of pockets or bags, leading to situations where they may be accidentally dropped or lost without the owner even realizing it until much later.

[0004] Therefore, there exists a long-felt need in the art for a device for securing a vaporizer. There also exists a long-felt need in the art for a vaporizer attachment device. More specifically, there exists a long-felt need in the art for a vaporizer attachment device that minimizes the chance of losing or misplacing a vaporizer. Furthermore, there exists a long-felt need in the art for a vaporizer attachment device that minimizes the chance of losing or misplacing a vaporizer by allowing the vaporizer to be easily attached to a user's person.

[0005] The subject matter disclosed and claimed herein, in one embodiment thereof, comprises a vaporizer attachment device for attaching a vaporizer to various surfaces, objects, or items, such as garments worn by a user. The device comprises a first fastener that attaches to the vaporizer. This first fastener is designed to attach to at least one second fastener, which allows the vaporizer to be secured to a desired location. The second fastener is preferably a clip or a clamp. The first fastener can be either fixedly or removably attached to the second fastener, with the removable attachment facilitated by at least one attachment fastener that can be a magnet, a snap button, a hook and loop fastener, etc. In some embodiments, the second fastener includes an attachment fastener that mates with the attachment fastener of the first fastener.

[0006] In this manner, the vaporizer attachment device of the present invention accomplishes all the foregoing objectives and provides a device for securing a vaporizer. More specifically, when used the device minimizes the chance of

losing or misplacing a vaporizer. The device does so by allowing the vaporizer to be easily attached to a user's person.

SUMMARY

[0007] The following presents a simplified summary to provide a basic understanding of some aspects of the disclosed innovation. This summary is not an extensive overview, and it is not intended to identify key/critical elements or to delineate the scope thereof. Its sole purpose is to present some general concepts in a simplified form as a prelude to the more detailed description that is presented later.

[0008] The subject matter disclosed and claimed herein, in one embodiment thereof, comprises a vaporizer attachment device. The device is comprised of a first fastener that attaches to a vaporizer. The first fastener attaches to at least one second fastener. The second fastener allows the vaporizer to be secured to a surface, object, or item, such as, but not limited to, a garment a user is wearing. The second fastener is preferably comprised of a clip or a clamp. The second fastener may also be a magnet in one embodiment. In one embodiment, the first fastener is fixedly attached to the second fastener. In another embodiment, the first fastener is removably attached to the second fastener.

[0009] The present invention is also comprised of a method of using the device. First, a device is provided comprised of a first fastener fixedly attached to a second fastener. Then, the first fastener can be secured to/around a vaporizer. Then, the second fastener can be secured to a garment, an item, or a surface when the vaporizer is not in use. When the vaporizer is used, the second fastener can be removed from the garment, item, or surface and the vaporizer can be used.

[0010] The present invention is also comprised of a method of using the device. First, a device is provided comprised of a first fastener removably attached to a second fastener. Then, the first fastener can be secured to/around a vaporizer. Then, the second fastener can be secured to a garment, an item, or a surface when the vaporizer is not in use. Next, the first fastener can be removably attached to the second fastener. When the vaporizer is used, the first fastener can be removed from the second fastener to allow the vaporizer to be held. Once a user is finished using the vaporizer, the first fastener can be reattached to the second fastener.

[0011] Accordingly, the vaporizer attachment device of the present invention is particularly advantageous as it provides a device for securing a vaporizer. More specifically, when used the device minimizes the chance of losing or misplacing a vaporizer. The device does so by allowing the vaporizer to be easily attached to a user's person. In this manner, the vaporizer attachment device provides a solution to losing or misplacing vaporizers.

[0012] To the accomplishment of the foregoing and related ends, certain illustrative aspects of the disclosed innovation are described herein in connection with the following description and the annexed drawings. These aspects are indicative, however, of but a few of the various ways in which the principles disclosed herein can be employed and are intended to include all such aspects and their equivalents. Other advantages and novel features will become apparent from the following detailed description when considered in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] The description refers to provided drawings in which similar reference characters refer to similar parts throughout the different views, and in which:

[0014] FIG. 1 illustrates a perspective view of one potential embodiment of a vaporizer attachment device of the present invention in accordance with the disclosed architecture;

[0015] FIG. 2 illustrates a perspective view of one potential embodiment of a vaporizer attachment device of the present invention in accordance with the disclosed architecture;

[0016] FIG. 3 illustrates a flowchart of a method of using one potential embodiment of a vaporizer attachment device of the present invention in accordance with the disclosed architecture

[0017] FIG. 4 illustrates a flowchart of a method of using one potential embodiment of a vaporizer attachment device of the present invention in accordance with the disclosed architecture.

DETAILED DESCRIPTION

[0018] The innovation is now described with reference to the drawings, wherein like reference numerals are used to refer to like elements throughout. In the following description, for purposes of explanation, numerous specific details are set forth to provide a thorough understanding thereof. It may be evident, however, that the innovation can be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form to facilitate a description thereof. Various embodiments are discussed hereinafter. It should be noted that the figures are described only to facilitate the description of the embodiments. They are not intended as an exhaustive description of the invention and do not limit the scope of the invention. Additionally, an illustrated embodiment need not have all the aspects or advantages shown. Thus, in other embodiments, any of the features described herein from different embodiments may be combined.

[0019] As noted above, there exists a long-felt need in the art for a device for securing a vaporizer. There also exists a long-felt need in the art for a vaporizer attachment device. More specifically, there exists a long-felt need in the art for a vaporizer attachment device that minimizes the chance of losing or misplacing a vaporizer. Furthermore, there exists a long-felt need in the art for a vaporizer attachment device that minimizes the chance of losing or misplacing a vaporizer by allowing the vaporizer to be easily attached to a user's person.

[0020] The present invention, in one exemplary embodiment, is comprised of a vaporizer attachment device. The device is comprised of a first fastener that attaches to a vaporizer and that attaches to at least one second fastener. The second fastener allows the vaporizer to be secured to a surface, object, or item, such as, but not limited to, a garment a user is wearing. The second fastener is preferably comprised of a clip or a clamp. The second fastener may also be a magnet in one embodiment. In one embodiment, the first fastener is fixedly attached to the second fastener. In another embodiment, the first fastener is removably attached to the second fastener.

[0021] The present invention is also comprised of a method of using the device. First, a device is provided

comprised of a first fastener fixedly attached to a second fastener. Then, the first fastener can be secured to/around a vaporizer. Then, the second fastener can be secured to a garment, an item, or a surface when the vaporizer is not in use. When the vaporizer is used, the second fastener can be removed from the garment, item, or surface and the vaporizer can be used.

[0022] The present invention is also comprised of a method of using the device. First, a device is provided comprised of a first fastener removably attached to a second fastener. Then, the first fastener can be secured to/around a vaporizer. Then, the second fastener can be secured to a garment, an item, or a surface when the vaporizer is not in use. Next, the first fastener can be removably attached to the second fastener. When the vaporizer is used, the first fastener can be removed from the second fastener to allow the vaporizer to be held. Once a user is finished using the vaporizer, the first fastener can be reattached to the second fastener.

[0023] Accordingly, the vaporizer attachment device of the present invention is particularly advantageous as it provides a device for securing a vaporizer. More specifically, when used the device minimizes the chance of losing or misplacing a vaporizer. The device does so by allowing the vaporizer to be easily attached to a user's person. In this manner, the vaporizer attachment device provides a solution to losing or misplacing vaporizers.

[0024] Referring initially to the drawings, FIG. 1 illustrates a perspective view of one potential embodiment of a vaporizer attachment device 100 of the present invention in accordance with the disclosed architecture. The device 100 is comprised of a first fastener 110. The first fastener 110 attaches to a vaporizer 10. In one embodiment, the fastener 110 is comprised of an elastic loop. In a second embodiment, the fastener 110 is comprised of a magnet. In another embodiment, the fastener 110 is comprised of a rigid, semi-rigid, or flexible sleeve. In a further embodiment, the fastener 110 may be comprised of a clip or a clamp. In an additional embodiment, the fastener 110 may be comprised of a snap button loop or a hook and loop fastener.

[0025] The first fastener 110 attaches to at least one second fastener 120. The second fastener 120 allows the vaporizer 10 to be secured to a surface, object, or item, such as, but not limited to, a garment a user is wearing. The second fastener 120 is preferably comprised of a clip or a clamp. The second fastener 120 may also be a magnet in one embodiment.

[0026] In one embodiment, the first fastener 110 is fixedly attached to the second fastener 120. In another embodiment, the first fastener 110 is removably attached to the second fastener 120. In this embodiment, the first fastener 110 is comprised of at least one attachment fastener 112 that allows the first fastener 110 to removably attach to the second fastener 120, as seen in FIG. 2. Said fastener 112 may include, but is not limited to, a magnet, a snap button, a hook and loop fastener, etc. In a further embodiment, the second fastener 120 is comprised of at least one attachment fastener 122 that receives the attachment fastener 112 of the first fastener 110. Said fasteners 112, 122 may be any type of reciprocating fasteners known in the art such as, but not limited to, a hook and loop fastener, a snap button, a magnet, etc.

[0027] The present invention is also comprised of a method of using 200 the device 100, as seen in FIG. 3. First, a device 100 is provided comprised of a first fastener 110

fixedly attached to a second fastener **120** [Step **202**]. Then, the first fastener **110** can be secured to/around a vaporizer **10** [Step **202**]. Then, the second fastener **120** can be secured to a garment, an item, or a surface when the vaporizer **10** is not in use [Step **204**]. When the vaporizer **10** is used, the second fastener **120** can be removed from the garment, item, or surface and the vaporizer **10** can be used and can then be reattached to the garment, item, or surface after use [Step **206**].

[**0028**] The present invention is also comprised of a method of using **300** the device **100**, as seen in FIG. **4**. First, a device **100** is provided comprised of a first fastener **110** removably attached to a second fastener **120** [Step **202**]. Then, the first fastener **110** can be secured to/around a vaporizer **10** [Step **302**]. Then, the second fastener **120** can be secured to a garment, an item, or a surface when the vaporizer **10** is not in use [Step **304**]. Next, the first fastener **110** can be removably attached to the second fastener **120** [Step **306**]. When the vaporizer **10** is used, the first fastener **110** can be removed from the second fastener **120** to allow the vaporizer **10** to be held [Step **308**]. Once a user is finished using the vaporizer **10**, the first fastener **110** can be reattached to the second fastener **120** [Step **310**].

[**0029**] Certain terms are used throughout the following description and claims to refer to particular features or components. As one skilled in the art will appreciate, different persons may refer to the same feature or component by different names. This document does not intend to distinguish between components or features that differ in name but not structure or function. As used herein “vaporizer attachment device” and “device” are interchangeable and refer to the vaporizer attachment device **100** of the present invention.

[**0030**] Notwithstanding the foregoing, the vaporizer attachment device **100** of the present invention and its various components can be of any suitable size and configuration as is known in the art without affecting the overall concept of the invention, provided that they accomplish the above-stated objectives. One of ordinary skill in the art will appreciate that the size, configuration, and material of the vaporizer attachment device **100** as shown in the FIGS. are for illustrative purposes only, and that many other sizes and shapes of the vaporizer attachment device **100** are well within the scope of the present disclosure. Although the dimensions of the vaporizer attachment device **100** are important design parameters for user convenience, the vaporizer attachment device **100** may be of any size, shape, and/or configuration that ensures optimal performance during use and/or that suits the user’s needs and/or preferences.

[**0031**] Various modifications and additions can be made to the exemplary embodiments discussed without departing from the scope of the present invention. While the embodiments described above refer to particular features, the scope of this invention also includes embodiments having different combinations of features and embodiments that do not include all the described features. Accordingly, the scope of the present invention is intended to embrace all such alternatives, modifications, and variations as fall within the scope of the claims, together with all equivalents thereof.

[**0032**] What has been described above includes examples of the claimed subject matter. It is, of course, not possible to describe every conceivable combination of components or methodologies for purposes of describing the claimed subject matter, but one of ordinary skill in the art may recognize

that many further combinations and permutations of the claimed subject matter are possible. Accordingly, the claimed subject matter is intended to embrace all such alterations, modifications, and variations that fall within the spirit and scope of the appended claims. Furthermore, to the extent that the term “includes” is used in either the detailed description or the claims, such term is intended to be inclusive in a manner similar to the term “comprising” as “comprising” is interpreted when employed as a transitional word in a claim.

What is claimed is:

1. A vaporizer attachment device comprising:
 - a first fastener; and
 - a second fastener fixedly attached to the first fastener.
2. The vaporizer attachment device of claim 1, wherein the first fastener is comprised of an elastic loop.
3. The vaporizer attachment device of claim 1, wherein the first fastener is comprised of a magnet.
4. The vaporizer attachment device of claim 1, wherein the first fastener is comprised of a sleeve.
5. The vaporizer attachment device of claim 1, wherein the first fastener is comprised of a clip or a clamp.
6. The vaporizer attachment device of claim 1, wherein the first fastener is comprised of a snap button loop or a hook and loop fastener.
7. The vaporizer attachment device of claim 1, wherein the second fastener is comprised of a clip or a clamp.
8. The vaporizer attachment device of claim 1, wherein the second fastener is comprised of a magnet.
9. A vaporizer attachment device comprising:
 - a first fastener comprised of a first attachment fastener; and
 - a second fastener comprised of a second attachment fastener that is removably attached to the first attachment fastener.
10. The vaporizer attachment device of claim 9, wherein the first fastener is comprised of an elastic loop.
11. The vaporizer attachment device of claim 9, wherein the first fastener is comprised of a magnet.
12. The vaporizer attachment device of claim 9, wherein the first fastener is comprised of a sleeve.
13. The vaporizer attachment device of claim 9, wherein the first fastener is comprised of a clip or a clamp.
14. The vaporizer attachment device of claim 9, wherein the first fastener is comprised of a snap button loop or a hook and loop fastener.
15. The vaporizer attachment device of claim 9, wherein the second fastener is comprised of a clip or a clamp.
16. The vaporizer attachment device of claim 9, wherein the second fastener is comprised of a magnet.
17. The vaporizer attachment device of claim 9, wherein the first attachment fastener is comprised of a magnet, a snap button fastener, a hook fastener, or a loop fastener.
18. The vaporizer attachment device of claim 9, wherein the second attachment fastener is comprised of a magnet, a snap button fastener, a hook fastener, or a loop fastener.
19. A method of using a vaporizer attachment device, the method comprising the following steps:
 - providing a vaporizer attachment device comprised of a first fastener attached to a second fastener;
 - securing the first fastener to a vaporizer;
 - securing the second fastener to a garment, an item, or a surface;

removing the second fastener from the garment, the item,
or the surface;
using the vaporizer; and
resecuring the second fastener to the garment, the item, or
the surface.

20. The method of using a vaporizer attachment device of
claim **19**, wherein first fastener removably attaches to the
second fastener.

* * * * *