

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent Application Publication

20250275653

Kind Code

A1

Publication Date

September 04, 2025

Inventor(s)

Steinke; Theodore R.

---

### PAPER HOLDER ACCESSORY SYSTEMS AND METHODS

---

#### Abstract

Accessories for toilet paper holder and dispenser systems and methods of their use are disclosed herein. Exemplary accessories include shelf mechanisms, superior disposable sanitary wipes packet holder boxes, inferior disposable sanitary wipes packet holder boxes, and extra toilet paper roll holders.

---

**Inventors:** Steinke; Theodore R. (Golden, CO)

**Applicant:** Steinke; Theodore R. (Golden, CO)

**Family ID:** 96881358

**Appl. No.:** 19/069985

**Filed:** March 04, 2025

#### Related U.S. Application Data

us-provisional-application US 63561139 20240304

---

#### Publication Classification

**Int. Cl.:** A47K10/22 (20060101); A47K10/38 (20060101); A47K10/42 (20060101)

**U.S. Cl.:**

**CPC** A47K10/22 (20130101); A47K10/38 (20130101); A47K10/426 (20130101);  
A47K2010/389 (20130101); A47K2201/02 (20130101)

---

#### Background/Summary

CROSS-REFERENCES TO RELATED APPLICATIONS [0001] This application claims the benefit of U.S. Provisional Patent Application No. 63/561,139 filed Mar. 4, 2024, the disclosure of which is incorporated herein by reference.

## BACKGROUND OF THE INVENTION

[0002] Embodiments of the present invention relate to the field of accessories for paper roll holders and dispensers, and in particular embodiments, to accessories for adjustable toilet paper roll holders and dispensers.

[0003] Toilet paper holders and dispensers can be mounted on a wall or other supporting structure, in the vicinity of a toilet, so that the toilet paper roll can be reached by a person who is using the toilet. Accessories can be implemented with holders and dispensers for improved performance and functionality. Although such accessories are useful in many situations, still further improvements are desired. Embodiments of the present invention provide solutions to at least some of these outstanding needs.

## BRIEF SUMMARY OF THE INVENTION

[0004] Embodiments of the present invention include accessories for toilet paper holder and dispenser systems and methods that can be used in any of a variety of bathroom situations. For example, accessory embodiments may encompass shelf or holder components for cell phones and/or other portable media devices, one or more extra toilet paper roll holders, storage drawer box and shelf assemblies, back-mount mounting system, bottom-mount mounting systems, superior disposable sanitary wipes packet holder boxes, inferior disposable sanitary wipes packet holder boxes, and the like.

[0005] In one aspect, embodiments of the present invention can include a toilet paper holder system for holding a roll of toilet paper. Exemplary systems can include a first arm coupled with a wall mount via a first bearing mechanism, a second arm coupled with the first arm via a second bearing mechanism, a third arm coupled with the second arm via a third bearing mechanism, a holder arm coupled with the third arm via a fourth bearing mechanism, and a shelf mechanism. The holder arm can be coupled with the third arm via a fourth bearing mechanism. The holder arm can include a proximal section and a distal section, and the distal section can be configured to hold a roll of toilet paper. The first bearing mechanism can enable the first arm to pivot about a first axis relative to the wall mount. The second bearing mechanism can enable the second arm to pivot about a second axis relative to the first arm. The third bearing mechanism can enable the third arm to pivot about a third axis relative to the third bearing mechanism. In some cases, the shelf mechanism includes a backing plate. In some cases, the backing plate is inclined relative to a horizontal plane at an angle of about 60 degrees. In some cases, the shelf mechanism comprises a cradle. In some cases, the cradle is inclined relative to a horizontal plane at an angle of about 30 degrees. In some cases, the shelf mechanism is attached with the third bearing mechanism. In some cases, the shelf mechanism is attached with the third bearing mechanism via an attachment arm. In some cases, the shelf mechanism is attached with the third bearing mechanism via a snap rivet. In some cases, the shelf mechanism is attached with the third bearing mechanism via an attachment arm and a snap rivet. In some cases, the shelf mechanism is configured to rotate relative to the third axis. In some cases, the shelf mechanism includes a window cutout configured to receive at least a portion of the first bearing mechanism. In some cases, the shelf mechanism includes an outer drawer cabinet box and a drawer unit. In some cases, the outer drawer cabinet box includes a cabinet box top surface shelf. In some cases, the outer drawer cabinet box comprises one or more drawer guide slots. In some cases, the outer drawer cabinet box is attached with the wall mount via a “Z” bend mounting structure. In some cases, the outer drawer cabinet box is attached with the wall via a mounting hardware mechanism. In some cases, the drawer unit includes a friction control pad. In some cases, the drawer unit comprises a drawer pull. In some cases, the drawer unit includes one or more wipes packet retention slots. In some cases, a toilet paper holder system can include a sanitary wipe

packet secured within the drawer unit via one or more elastic bands.

[0006] In another aspect, embodiments of the present invention encompass a cell phone/media device holder/shelf mechanism that attaches to and works in conjunction with a toilet paper holder system. While in use, a user may place a portable media device such as a cell phone in an inclined position, for example approximately 60 degrees from horizontal, optimal, ideal, or otherwise as desired to view the video screen while sitting on the toilet. Depending on the mounting location of paper holder system being sufficiently close and at the correct or desired height, and while in use, the user can place a portable media device such as a cell phone in the optimal or desired position both horizontally and vertically and relative to the user's body (e.g. directly above the user's feet and at a height just above the user's knees) while sitting on the toilet for viewing the video screen and using the media device in a hands-free manner. In some embodiments, a shelf mechanism can be configured for easy attachment to and/or detachment from the paper holder system. In some embodiments, a shelf mechanism can include window cutouts in a backing plate that allow portions of a first bearing mechanism (e.g. upper mounting knuckle) to partially pass through backing plate while in the process of retracting and stowing the paper holder system against a mounting wall when not in use, allowing the combined unit of the shelf mechanism and paper holder system to fold more tightly and completely against the mounting wall. In some cases, a shelf mechanism can be configured so that when it is attached with a paper holder system, the shelf mechanism can rotate as desired (e.g. 360 degrees) about a vertically oriented third axis independent of any movement of any parts of paper holder system about a first axis, second axis, or third axis. In some cases, the toilet paper holder system includes the shelf mechanism.

[0007] In another aspect, embodiments of the present invention encompass a shelf mechanism provided as a storage drawer box with a shelf, that attaches to and works in conjunction with a toilet paper holder system. A shelf mechanism can include a "Z" bend mounting structure and a mounting hole to mount (e.g. superior to) on and work with a toilet paper holder system. In some cases, while in use and attached to a toilet paper holder system, a shelf mechanism can provide both a conveniently located storage shelf and a storage drawer to store items within reach while sitting on the toilet. In some cases, a shelf mechanism can be configured so that it can be easily attached to and/or detached from a toilet paper holder system. In some cases, a shelf mechanism can include one or more wipes packet retention structure/slots to be used in conjunction with one or more elastic band loops or rubber bands to use the elastic forces of the elastic band loops and/or rubber bands to retain a packet of disposable sanitary wipes in the drawer unit while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, slots in the side walls of a drawer can be configured to use the elastic forces of a continuous elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the drawer while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, the toilet paper holder system includes the shelf mechanism.

[0008] In still another aspect, embodiments of the present invention encompass an extra toilet paper roll holder that attaches to and works in conjunction with a toilet paper holder system. In some cases, an extra toilet paper roll holder includes a "Z" bend mounting structure and a mounting hole to mount on and work with a toilet paper holder system. While in use and attached to a toilet paper holder system, an extra toilet paper roll holder can operate to hold one or more extra toilet paper rolls as spares in a convenient location until they are needed to replace the primary roll while sitting on the toilet. In some cases, an extra toilet paper roll holder can be configured so that it can be easily attached to and/or detached from a toilet paper holder system. In some cases, the toilet paper holder system includes the extra toilet paper roll holder.

[0009] In another aspect, embodiments of the present invention encompass a back-mount mounting system for use as a mounting system for a toilet paper holder system. In some cases, a back-mount mounting system can operate to allow a paper holder system to be mounted to a back side of a cabinet face rail of an open design vanity or similar structural element. In some cases, a back-mount mounting system can allow a toilet paper holder system to position the toilet paper roll in a variety of positions relative to the user sitting on the toilet and also allow for the entire combined unit of the back-mount mounting system and the toilet paper holder system (with the exception in some cases of a front mounting plate and front portions of mounting bolts) to be stowed within the interior of the vanity cabinet box when not in use. In some cases, a back-mount mounting system can allow a toilet paper holder system to rotate as desired (e.g. 360 degrees) around a first axis while attached to a typical vanity cabinet face rail. In some cases, the toilet paper holder system includes the back-mount mounting system.

[0010] In yet another aspect, embodiments of the present invention encompass a bottom-mount mounting system for use with a toilet paper holder system. In some cases, a bottom-mount mounting system can allow a toilet paper holder system to be mounted to the base of vanity cabinet horizontal structural element or similar structural element. In some cases, a bottom-mount mounting system can allow a toilet paper holder system to position the toilet paper roll in a variety of positions relative to the user sitting on the toilet and also allows for the entire combined unit of the bottom-mount mounting system and the toilet paper holder system to be stowed within the interior of the vanity cabinet box when not in use. In some cases, a bottom-mount mounting system can allow a toilet paper holder system to rotate as desired (e.g. 360 degrees) around first axis while attached to a typical vanity cabinet horizontal structural element. In some cases, the toilet paper holder system includes the back-mount mounting system.

[0011] In another aspect, embodiments of the present invention encompass a superior disposable sanitary wipes packet holder box, which can attach to and work in conjunction with a toilet paper holder system. In some cases, a superior disposable sanitary wipes packet holder box can be configured to operate as a storage container for a disposable sanitary wipes packet and take advantage of the maneuverability and versatility of a toilet paper holder system to position a disposable sanitary wipes packet in a convenient location within reach for people to use while seated on the toilet. In some cases, a superior disposable sanitary wipes packet holder box and a disposable sanitary wipes packet can also be moved and stowed out of the way against the mounting wall when not in use. In some cases, a superior disposable sanitary wipes packet holder box can be configured so that it can be easily attached to and/or detached from a toilet paper holder system. In some cases, a superior disposable sanitary wipes packet holder box can be configured so that when it is attached to a toilet paper holder system, it can rotate as desired (e.g. 360 degrees) about a vertically oriented third axis independent of any movement of any parts of a toilet paper holder system about a first axis, second axis, or third axis. In some cases, a superior disposable sanitary wipes packet holder box can include one or more wipes packet retention structure/slots to be used in conjunction with one or more elastic band loops or rubber bands to use the elastic forces of the elastic band loops or rubber bands to retain a packet of disposable sanitary wipes in the main box body while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, slots in the side walls of a drawer can be configured to use the elastic forces of a continuous elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the drawer while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, a superior disposable sanitary wipes packet holder box can include or be attached with a superior cell phone/media device holder/shelf or shelf mechanism that places a portable media

device such as a cell phone in an inclined position (e.g. approximately 60 degrees from horizontal) optimal, ideal, or otherwise as desired to view the video screen while sitting on the toilet. Depending on mounting location of a toilet paper holder system being sufficiently close and at the correct or desired height, and while in use, they system can include an attached superior cell phone/media device holder/shelf or shelf mechanism that can place a portable media device such as a cell phone in the optimal or desired position both horizontally and vertically and relative to the users body (e.g. directly above the user's feet and at a height just above the user's knees) while sitting on the toilet for viewing the video screen and using the media device in a hands-free manner. In some cases, the toilet paper holder system includes the superior disposable sanitary wipes packet holder box.

[0012] In another aspect, embodiments of the present invention encompass an inferior disposable sanitary wipes packet holder box, that attaches to and works in conjunction with a toilet paper holder system. In some cases, an inferior disposable sanitary wipes packet holder box can be configured to operate as a storage container for a disposable sanitary wipes packet and take advantage of the maneuverability and versatility of a toilet paper holder system to position a disposable sanitary wipes packet in a convenient location within reach for people to use while seated on the toilet. In some cases, an inferior disposable sanitary wipes packet holder box and a disposable sanitary wipes packet can then also be moved and stowed out of the way against the mounting wall when not in use. In some cases, an inferior disposable sanitary wipes packet holder box can be configured so that it can be easily attached to and/or detached from a toilet paper holder system. In some cases, an inferior disposable sanitary wipes packet holder box can be configured so that when it is attached to a toilet paper holder system, it can rotate as desired (e.g. 360 degrees) about a vertically oriented third axis independent of any movement of any parts of a toilet paper holder system about a first axis, a second axis, or third axis (**1137**). In some cases, an inferior disposable sanitary wipes packet holder box can be configured with one or more wipes packet retention structure/slots to be used in conjunction with one or more elastic band loops or rubber bands to use the elastic forces of the elastic band loops or rubber bands to retain a packet of disposable sanitary wipes in the main box body while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, slots in the side walls of a drawer can be configured to use the elastic forces of a continuous elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the drawer while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary while also allowing the lid of the wipes packet to be easily opened or closed to maintain moisture in the unused wipes between uses. In some cases, the toilet paper holder system includes the superior disposable sanitary wipes packet holder box,

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

[0013] The novel features of the invention are set forth with particularity in the appended claims. A better understanding of the features and advantages of the provided system and methods will be obtained by reference to the following detailed description that sets forth illustrative embodiments, in which the principles of the invention are utilized, and the accompanying drawings of which:

[0014] FIG. 1 depicts aspects of a shelf mechanism and toilet paper holder system, according to embodiments of the present invention.

[0015] FIGS. 2A to 2D depict aspects of a shelf mechanism for a toilet paper holder system, according to embodiments of the present invention.

[0016] FIGS. 3 and 4 depict aspects of a shelf mechanism and toilet paper holder system, according to embodiments of the present invention.

[0017] FIGS. 5A to 5E depict aspects of an extra toilet paper roll holder for a toilet paper holder system, according to embodiments of the present invention.

[0018] FIGS. 6A to 6E depict aspects of an extra toilet paper roll holder for a toilet paper holder system, according to embodiments of the present invention.

[0019] FIGS. 7 to 9 depict aspects of an extra toilet paper roll holder and toilet paper holder system, according to embodiments of the present invention.

[0020] FIGS. 10A and 10B depict aspects of an extra toilet paper roll holder for a toilet paper holder system, according to embodiments of the present invention.

[0021] FIGS. 11A and 11B depict aspects of a multiple extra toilet paper roll holder for a toilet paper holder system, according to embodiments of the present invention.

[0022] FIGS. 12A to 12E depict aspects of a shelf mechanism for a toilet paper holder system, according to embodiments of the present invention.

[0023] FIGS. 13A to 13E depict aspects of a shelf mechanism for a toilet paper holder system, according to embodiments of the present invention.

[0024] FIGS. 14 and 15 depict aspects of a shelf mechanism and toilet paper holder system, according to embodiments of the present invention.

[0025] FIG. 16 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0026] FIG. 17 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0027] FIG. 18 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0028] FIG. 19 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0029] FIG. 20 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0030] FIG. 21 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0031] FIG. 22 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0032] FIG. 23 depicts aspects of a back-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0033] FIG. 24 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0034] FIG. 25 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0035] FIG. 26 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0036] FIG. 27 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0037] FIG. 28 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0038] FIG. 29 depicts aspects of a bottom-mount mounting system and toilet paper holding system, according to embodiments of the present invention.

[0039] FIG. 30 depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0040] FIG. 31 depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0041] FIG. **32** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0042] FIG. **33** depicts aspects of a superior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0043] FIG. **34** depicts aspects of a superior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0044] FIG. **35** depicts aspects of a superior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0045] FIG. **36** depicts aspects of an inferior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0046] FIG. **37** depicts aspects of an inferior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0047] FIG. **38** depicts aspects of an inferior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0048] FIG. **39** depicts aspects of an inferior disposable sanitary wipes packet holder box for a toilet paper holding system, according to embodiments of the present invention.

[0049] FIG. **40** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0050] FIG. **41** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0051] FIG. **42** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0052] FIG. **43** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0053] FIG. **44** depicts aspects of a superior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

[0054] FIG. **45** depicts aspects of a superior disposable sanitary wipes packet holder box, extra toilet paper roll holder, and toilet paper holding system, according to embodiments of the present invention.

[0055] FIG. **46** depicts aspects of multiple shelf mechanisms, an extra toilet paper roll holder, and a toilet paper holding system, according to embodiments of the present invention.

[0056] FIG. **47** depicts aspects of multiple shelf mechanisms, an extra toilet paper roll holder, and a toilet paper holding system, according to embodiments of the present invention.

[0057] FIG. **48** depicts aspects of multiple shelf mechanisms, an extra toilet paper roll holder, and a toilet paper holding system, according to embodiments of the present invention.

[0058] FIG. **49** depicts aspects of an inferior disposable sanitary wipes packet holder box, shelf mechanism, and toilet paper holding system, according to embodiments of the present invention.

[0059] FIG. **50** depicts aspects of an inferior disposable sanitary wipes packet holder box, shelf mechanism, and toilet paper holding system, according to embodiments of the present invention.

[0060] FIG. **51** depicts aspects of an inferior disposable sanitary wipes packet holder box and toilet paper holding system, according to embodiments of the present invention.

#### DETAILED DESCRIPTION OF THE INVENTION

[0061] All illustrations of the drawings are to be describing selected embodiments of the present invention and are not intended to limit the scope of the present invention. All references of user or users pertain to either individual or individuals who would utilize embodiments of the present invention.

[0062] Many people bring their cell phones and other media devices into the bathroom while using the toilet. Cell phones located in pant or skirt pockets have a tendency to fall out either on the floor or potentially in the toilet while garments are being removed for toilet use. Advantageously, embodiments of the present invention provide a convenient, stable, and safe place to set down their

media devices while using the toilet, which can benefit many people. A certain portion of the population has the desire to view the video screen of their cell phone or other similar portable media device in a hands-free manner while sitting on the toilet. A desired position for the cell phone to be in for this purpose can be directly above the user's feet at a height just above the top of the users knees allowing an unobstructed view of the video screen. This is a position that mimics the position that most people view and use their phone in while they are sitting down.

[0063] Embodiments of the present invention may include or be used in conjunction with various paper holder systems or components thereof, including paper holder systems such as those disclosed in U.S. Pat. Nos. 11,529,027 and 11,793,367, the contents of which are incorporated herein by reference.

#### Shelf System

[0064] Turning now to the drawings, FIGS. **1** to **4** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. As shown here, accessories can include holders or shelves for cell phones and/or other portable media devices. FIG. **1** depicts aspects of an exemplary toilet paper holder system **1100** in operative association with a shelf mechanism **2100**. In some embodiments, system **1100** can include one or more components of holder systems such as those disclosed in U.S. Patent Publication No. 2021/0307568, the content of which is incorporated herein by reference. In some embodiments, shelf mechanism **2100** can be provided as a cell phone/other portable media device holder/shelf. As shown here, shelf mechanism **2100** can include a backing plate **2105** that is inclined to horizontal at an angle A, for example at approximately 60 degrees (i.e. approximately 30 degrees from vertical). In some embodiments, angle A may be greater than 60 degrees. In some embodiments, angle A may be less than 60 degrees. Shelf mechanism **2100** can also include a channel-bend cradle **2110**, which may be oriented at an angle relative to the backing plate **2105**. In some cases, cradle **2110** is oriented at an angle that is approximately 90 degrees to backing plate **2105**. Shelf mechanism **2100** can also include an attachment arm **2120**, such as a horizontal attachment/mounting arm.

[0065] As shown here, toilet paper holder system **1100** can include a first arm **1120**, a second arm **1130**, a third arm **1140**, and a holder arm **1150**. The first arm **1120** is coupled with a first bearing mechanism **1115**. The second arm **1130** is coupled with the first arm **1120** via a second bearing mechanism **1125**. The third arm **1140** is coupled with the second arm **1130** via a third bearing mechanism **1135**. The holder arm **1150** is coupled with the third arm **1140** via a fourth bearing mechanism **1145**. The holder arm **1150** has a proximal section **1152** and a distal section **1154**. The distal section **1154** of the holder arm **1150** is configured to support a roll of toilet paper (not shown). In some cases, distal section **1154** includes a hook **1155**.

[0066] A mount **1110** can include an inner nesting wall mount plate **1110A** and an outer nesting wall mount plate **1110B**. Wall mount **1100** can be secured to a wall **200** via one or more screw anchors **230**.

[0067] As shown here, the first bearing mechanism **1115** enables the first arm **1120** to pivot about a first axis **1117** throughout a range of motion. The second bearing mechanism **1125** enables the second arm **1130** to pivot about a second axis **1127**, throughout a range of motion, relative to the first arm **1120**. As shown here, the first bearing mechanism **1115** includes an upper mount knuckle **1115A** and a lower mount knuckle **1115B**. The first bearing mechanism **1115** also includes a proximal first arm knuckle **1123**, disposed between the upper mount knuckle **1115A** and the lower mount knuckle **1115B**. In operation, the proximal first arm knuckle **1123** can rotate relative to the upper mount knuckle **1115A** and the lower mount knuckle **1115B**. In some cases, the upper mount knuckle **1115A** and the lower mount knuckle **1115B** remain fixed, while the proximal first arm knuckle **1123** swings or pivots. The first bearing mechanism **1115** enables the first arm **1120** to pivot about a first axis **1117** throughout a range of motion.

[0068] As shown here, the second bearing mechanism **1125** includes a distal first arm knuckle



**1125A** and a proximal second arm knuckle **1125B**. In operation, the distal first arm knuckle **1125A** and the proximal second arm knuckle **1125B** can rotate relative to one another. The second bearing mechanism **1125** enables the second arm **1130** to pivot about a second axis **1127**, throughout a range of motion, relative to the first arm **1120**. According to some embodiments, the second bearing mechanism **1125** can be provided as a hinge. In some cases, second bearing mechanism **1125** also includes a snap top **1126**.

[0069] The toilet paper holder system **1100** includes a third arm **1140** pivotably coupled with the second arm **1130** via a third bearing mechanism **1135**. The third bearing mechanism **1135** can include a distal second arm knuckle **1135A**. In some cases, a distal portion of the second arm **1130** can be pivotably attached with a proximal portion of the third arm **1140** via the third bearing mechanism **1135**. The third bearing mechanism **1135** can enable the third arm **1140** to pivot about a third axis **1137**, throughout a range of motion, relative to the second arm **1130**. The third axis **1137** can also be parallel with the first axis **1117** and/or the second axis **1127**. According to some embodiments, the third bearing mechanism **1135** can be provided as a hinge.

[0070] The toilet paper holder system **1100** can include a third arm **1140** pivotably coupled with a second arm **1130** via a third bearing mechanism **1135**, and a holder arm **1150** coupled with the third arm **1140** via a fourth bearing mechanism **1145**. In some cases, a portion of the third arm **1140** can be pivotably attached with a proximal portion **1152** of the holder arm **1150** via the fourth bearing mechanism **1145**. According to some embodiments, the fourth bearing mechanism **1145** can be provided as a hinge.

[0071] As shown in FIGS. 2A, 2B, and 2D, attachment arm **2120** can include an attachment hole **2125**. In some cases, attachment arm **2120** can be created via a window bend of backing plate **2105**. In some cases, attachment hole **2125** can be provided as a cut into attachment arm **2120**. As shown in FIGS. 2B, 2C, and 3, in some cases backing plate **2105** can include one or more window cutouts **2130**.

[0072] As shown in FIG. 4, in some embodiments, shelf mechanism **2100** can be provided as an optional accessory add-on to a paper holder system **1100**, such as those disclosed in U.S. Patent Publication No. 2021/0307568, the content of which is incorporated herein by reference.

[0073] In some embodiments, shelf mechanism **2100** can be configured to be used in conjunction with to a paper holder system **1100**, such as those disclosed in U.S. Patent Publication No. 2021/0307568, the content of which is incorporated herein by reference, to hold a portable media device such as a cell phone (e.g. phone **2200** depicted in FIGS. 40-48 and 50) in a conveniently-usable, stable, and hands-free position placing the device in an optimal position to view the video screen while sitting on the toilet. In some embodiments, shelf mechanism **2100** can be configured for easy attachment to and/or detachment from a distal end of holder system **1100**.

[0074] With continuing reference to FIG. 4, backing plate **2105** in conjunction with channel-bend cradle **2110** can form a stable shelf or support that holds a portable media device such as a cell phone (e.g. phone **2200** depicted in FIGS. 40-48 and 50) in an orientation that is desired for viewing the video screen. In some cases, shelf mechanism **2100** can be attached with holder system **1100** via attachment arm **2120** and the attachment hole (e.g. attachment hole **2125** shown in FIGS. 2A, 2B, and 2D). The snap rivet **1136** passes through the attachment hole, snaps into arm **1140**, and secures shelf mechanism **2100** to third bearing mechanism **1135** of paper holder system **1100**. In some cases, a shaft of snap rivet **1136** passes through the attachment hole and snaps into arm **1140**, and a wider head of snap rivet **1136** secures shelf mechanism **2100** to third bearing mechanism **1135** of paper holder system **1100** while still allowing shelf mechanism **2100** to independently rotate any desired amount (e.g. 360 degrees) about the vertically oriented third axis **1137**.

[0075] Shelf mechanism **2100** can rotate (e.g. 360 degrees) about third axis **1137** and this movement is independent of any movement of any parts of paper holder system **1100** about first axis (e.g. first axis **1117**, second axis **1127**, or third axis **1137** depicted in FIG. 1). Window cutouts (e.g. cutouts **2130** depicted in FIGS. 2B and 2C) in the backing plate **2105** allow portions of first

bearing mechanism **1115**, for example upper mounting knuckle **1115A** to partially pass through backing plate **2105** while in the process of retracting and stowing paper holder system **1100** against a typical American mounting wall **200** when not in use. The partial passing of first bearing mechanism **1115** through backing plate **2105** allows for the combined unit of shelf mechanism **2100** attached to paper holder system **1100** to fold more tightly and completely against the mounting wall **200**.

[0076] The shelf mechanism (e.g. cell phone/media device holder/shelf) **2100** can be made out of any suitable material including metal, plastic, resin, and wood and its individual elements can vary in size depending upon the size of the portable media device that the shelf system **2100** is designed to hold. Style and finish can be made to match existing bath hardware.

#### Extra Paper Roll Holder

[0077] FIGS. **5A** to **10B** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of exemplary extra toilet paper roll holder **3100** are illustrated. The images include one or more isometric perspective drawings of an extra toilet paper roll holder **3100**, an optional accessory add-on to a paper holder system, such as the paper hold system **1100** described herein, or a paper holder system as disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568. As can be understood with reference to FIGS. **5A** to **5E** (assembled configurations) and FIGS. **6A** to **6E** (unassembled configurations) in combination, vertical arm **3110A** is joined with a horizontal arm **3110B** forming an “L” shaped apparatus **3110**. The upper part of the vertical arm **3110A** includes a “Z” bend mounting structure **3110C** and an attachment hole **3110D** through arm **3110A**. Also shown is the roll holding rod or spindle **3120** attached via attachment hardware **3120B** to the distal section of horizontal arm **3110B** through roll holding rod or spindle attachment hole **3110F**. The distal end, or end opposite the attachment point to horizontal arm **3110B**, of roll holding rod or spindle **3120** includes a wider or flared roll retaining section **3120A**. Also shown is mounting hardware **3130** that includes mounting screw **3130A**, mounting washer **3130B**, and mounting pad nut **3130C**.

[0078] Many people can benefit from having extra or spare rolls of toilet paper within easy/convenient reach of their toilet in the event that their primary roll runs out while sitting on the toilet.

[0079] Extra toilet paper roll holder **3100** is designed to be used in conjunction with a paper holder system, such as paper holder system **1100** disclosed herein, or a paper holder system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, to hold one or more extra toilet paper roll(s) (e.g. roll **500** shown in FIG. **10A**) in a convenient location as one or more spares in the event that the primary roll of toilet paper runs out during the process of using the bathroom. The exemplified embodiment is designed to hold a single extra toilet paper roll (e.g. **500**). Other embodiments can hold one or more rolls in a horizontal orientation (e.g. see multiple extra toilet paper roll holder embodiments, disclosed elsewhere herein).

[0080] The combination of vertical arm **3110A** joined with a horizontal arm **3110B** form an “L” shaped apparatus **3110** that is designed as a shelf to hold a roll of toilet paper (e.g. roll **500** shown in FIG. **10A**) in a vertical orientation. The roll holding rod or spindle **3120** is designed to retain the roll in place until it is needed to replace the primary roll of toilet paper. The vertical arm **3110A** is designed to be sufficiently long as to allow a paper holder system (e.g. system **1100** shown in FIG. **4**) to operate in an unobstructed manner while extra toilet paper rolls are being stored on extra toilet paper roll holder **3100**. Extra toilet paper roll holder **3100** includes a “Z” bend mounting structure **3110C** that in some embodiments is specifically designed to fit the bottom end of an outer nesting wall mount plate (e.g. **1110B** outer nesting wall mount plate shown in FIG. **4**) of a paper holder system (e.g. paper holder system **1100** shown in FIG. **4**) and can be secured to an outer nesting wall mount plate via mounting hardware (e.g. mounting hardware **1160** shown in FIG. **1**) through an attachment hole **3110D**. Extra toilet paper roll holder **3100** is in some embodiments designed to be

further secured to a typical American wall (e.g. wall **200** depicted in FIG. **1**) via mounting hardware **3130**, and as depicted in FIGS. **6D** and **6E**, the holder may be secured in this way through via mounting hole **3110E**.

[0081] Extra toilet paper roll holder **3100** can be made out of any suitable material including metal, sheet metal, plastic, resin, and wood and its individual elements can vary in size depending upon the size and number of the extra rolls that a paper holder system (e.g. holder system **1100** shown in FIG. **4**) is designed to hold. Style and finish can be made to match existing bath hardware.

#### Multiple Extra Paper Roll Holder

[0082] FIGS. **11A** and **11B** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of exemplary multiple extra toilet paper roll holder **3100H2** are illustrated. Shown here, the multiple extra toilet paper roll holder **3100H2** includes a vertical arm **3110H2A** joined with a horizontal arm **3110H2B** forming an “L” shaped apparatus **3110H2**. The upper part of the vertical arm **3110H2A** consists of a “Z” bend mounting structure **3110H2C** and a mounting hole **3110H2D** through arm **3110H2A**. Also shown is the roll holding rod or spindle **3120H2** attached to the distal section of horizontal arm **3110H2B**. The distal ends of roll holding rod or spindle **3120H2** include a wider or flared roll retaining sections **3120H2A**.

[0083] While in use and attached to a paper holder system (e.g. paper holder system **1100** shown in FIG. **4**), multiple extra toilet paper roll holder **3100H2** is designed to hold two toilet paper rolls **500** as spares in a horizontal orientation in a convenient location until they are needed to replace the primary roll while sitting on the toilet.

#### Storage Drawer Box Shelf Mechanism

[0084] FIGS. **12A** to **15** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of a storage drawer box with shelf mechanism or assembly **4100** are illustrated. The images include exploded, isometric, perspective drawings in various orientations of storage drawer box with shelf mechanism or assembly **4100**, an optional accessory add-on to a toilet paper holder system, such as a toilet paper holder system embodiment disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, or a paper holder system as described herein. An outer drawer cabinet box **4110** of the shelf mechanism includes a cabinet box top surface shelf **4110A**, drawer guide slots or slits **4110B**, a “Z” bend mounting structure **4110C**, an attachment hole **4110D**, and a mounting hole **4110E**. A drawer unit **4120** includes wipes packet retention structures/slots **4120A**, drawer guide hardware holes **4120B**, and a drawer pull attachment hole **4120C**. Also shown here is a mounting hardware mechanism **4130** that includes mounting screw **4130A**, a mounting washer **4130B**, and a mounting pad nut **4130C**. Also shown is drawer guide hardware **4140** that includes drawer guide screw **4140A**, a drawer guide washer **4140B**, and a drawer guide nut **4140C**. Also shown is a drawer pull **4150** and drawer pull attachment hardware **4160** that includes a drawer pull attachment screw **4160A** and a drawer pull attachment washer **4160B**. Also shown are friction control pads **4170** of various sizes and shapes attached to drawer cabinet box **4110** and drawer unit **4120**.

[0085] Many people can benefit from having a conveniently located storage shelf and/or drawer to store items within reach while sitting on the toilet. For certain items such as medicines and feminine hygiene products some people desire to store these items in a discrete manner hidden from view. The use of disposable sanitary wipes in conjunction with or as a replacement for toilet paper is growing in popularity. These wipes are commonly dispensed out of a commercially available portable, disposable packet. These disposable wipes packets commonly have a small flip up lid that can be opened when one desires to retrieve a wipe from the packet but can also be flipped down and snapped closed in between uses to maintain moisture in the remaining unused wipes. As disposable sanitary wipes have gained in popularity, many people can benefit from having a convenient place to store and dispense these wipes while sitting on the toilet. A problem

often arises when one uses the packet of disposable sanitary wipes, especially as the packet becomes lighter as the wipes are being used up and the packet becomes emptier. At some point the packet of wipes becomes so light that the amount of gravitational force holding it in place becomes less than the frictional force of pulling a wipe out of the packet for use and the packet instead is lifted up with the wipe being pulled. This can be an annoying problem and necessitate additional downward force on the packet such as from a second hand to hold the packet down while a wipe is being withdrawn from the packet. There are many different versions of wall mounted flip lid boxes and drawer boxes that can hold these items and sanitary wipes packets. Many commercially available boxes have wipes packet retention structures to mitigate the wipes packet lifting problem but they require that the wipes packet remain open between uses. This leads to the unused wipes eventually drying out which negates part of their intended purpose. None of the existing embodiments of wall mounted flip lid boxes and drawer boxes are designed specifically to attach to and be used in conjunction with and take advantage of the articulation and versatility of the double swing arm function of toilet paper holder system **1100**. And none are designed with disposable sanitary wipes packet retention structures to mitigate the wipes packet lifting problem yet allow continuous one-handed retrieval of wipes from the packet and also allow for easy closing of the lid of the wipes packet to maintain moisture in the remaining unused wipes between uses.

[0086] A storage drawer box with shelf mechanism **4100** can be designed to be used in conjunction with, and attached to, a toilet paper holder system, such as paper holder system **1100** disclosed herein. While in use and attached with paper holder system **1100**, a storage drawer box with shelf mechanism **4100** can be configured to function as a storage shelf and storage drawer conveniently located within reach for people while seated on the toilet. Items such as cell phones, keys, decorative items, and deodorizers can be stored on the cabinet box top surface shelf **4110A** that can be indented as shown or flat. Items such as medicines and feminine hygiene products can be stored discretely out of site in the drawer unit **4120** closed within the outer drawer cabinet box **4110** and accessed by opening the drawer unit **4120** by pulling on drawer pull **4150** attached to drawer unit **4120** by drawer pull attachment hardware **4160** that includes drawer pull attachment screw **4160A** and a drawer pull attachment washer **4160B**, through drawer pull attachment hole **4120C**. Drawer guide hardware **4140** attaches to drawer unit **4120** and guides the drawer unit's path while being opened by sliding along the drawer guide slots **4110B** and limits the extent to which the drawer can be opened thus preventing the drawer unit **4120** from falling out of the drawer cabinet box **4110** while being used. Wipes packet retention structure/slots **4120A** can be designed to be used in conjunction with an elastic band loop or rubber band (e.g. loop or band **7180** depicted in FIGS. **40**, **41**, **44**, **45**, **49**, **50** and **51**) and use the clastic forces of the elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the drawer unit **4120** while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes when necessary and also allowing the lid of the wipes packet to be open and closed easily.

[0087] A storage drawer box with shelf **4100** can be made out of any suitable material including metal, sheet metal, plastic, resin, and wood and its individual elements can vary in size depending upon the size and number of items to be stored on the shelf or in the drawer. Style and finish can be made to match existing bath hardware.

#### Back-Mount Mounting System

[0088] FIGS. **16** to **23** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of an exemplary back-mount mounting system **5100** are illustrated. The images include exploded, isometric, perspective drawings of a back-mount mounting system **5100**, an optional mounting system for use with a toilet paper holder system, such as a paper holder system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, or a paper holder system **1100** as described herein. Shown here is a rear mounting plate **5110A**, a front mounting plate **5110B**, a shoulder nut or barrel nut **5115A**, a shoulder bolt **5115B**, a spacer sleeve **5120**, mounting hardware

**5130** including mounting bolts **5130A** and mounting nuts **5130B**, double-sided shoulder washers **5140A**, and single-sided shoulder washers **5140B**. Also shown is a representative section of a support structure **5160** with a front and a back, such as a typical vanity cabinet face rail with the front vertically-oriented lateral face of cabinet face rail **5160F** and back vertically-oriented lateral face of cabinet face rail **5160B**. Also shown here is an embodiment of a toilet paper holder system **1100**. In this embodiment, paper holder system **1100** is not mounted to a typical American wall, but instead can be mounted to the back vertically-oriented lateral face of cabinet face rail **5160B** or similar structural element.

[0089] In many situations, the desired place to mount a toilet paper holder/dispenser is not on a wall or floor but on a vanity. Open design vanities are growing in popularity in residential settings but most especially in commercial hospitality settings such as chain hotels. Open design vanities have exterior cabinet boxes but instead of having drawers or cabinet doors they have open-front box cavities or shelves where things like towels, small bath appliances, extra toilet paper rolls and the like can be stored. Certain open design vanities have cabinet face rails. Cabinet face rails are horizontal structural and design elements or boards that are typically shaped like right rectangular prisms and run the full length of the front of the vanity and sit just below the countertop slab. Typically they are made of similar materials to the main cabinet boxes which are commonly made of wood, plywood, melamine, particle board, MDF or plastic. Many of these cabinet face rails are substantial enough to mount toilet paper holders thereto. Sometimes mounting a toilet paper holder on a vanity becomes more desirable if the toilet paper holder has the ability to move and articulate in a manner that allows the toilet paper holder to position the toilet paper roll in a variety of positions relative to the user sitting on the toilet and if the toilet paper holder can be moved and stowed out of the way when not in use.

[0090] According to some embodiments, a back-mount mounting system **5100**, which can be provided as an optional mounting system for a toilet paper holder system such as paper holder system **1100** disclosed herein, or as described in previously incorporated U.S. Patent Publication No. 2021/0307568, can be designed to mount the paper holder system to the back lateral face of a cabinet face rail of an open design vanity or similar structural element. Rear mounting plate **5110A** attaches to the back vertically-oriented lateral face of cabinet face rail **5160B** and front mounting plate **5110B** attaches to the front vertically-oriented lateral face of cabinet face rail **5160F** via mounting bolts **5130A** which pass through holes in rear mounting plate **5110A**, front mounting plate **5110B**, and drilled holes in vanity cabinet face rail **5160** and are secured to the cabinet face rail **5160** by mounting nuts **5130B** in a vice or clamp like manner. Shoulder nut or barrel nut **5115A** and shoulder bolt **5115B** screw together and along with spacer sleeve **5120**, double-sided shoulder washers **5140A**, and single-sided shoulder washers **5140B** form bearing mechanism **5115** that secures the paper holder system (e.g. paper holder system **1100**) to rear mounting plate **5110A** via the proximal first arm knuckle **1123**. If the layout of the vanity cabinet allows, bearing mechanism **5115** enables the paper holder system (e.g. paper holder system **1100**) to rotate 360 degrees around first axis **1117** while attached to typical vanity cabinet face rail **5160**. Such embodiments can also allow for the entire combined unit of back-mount mounting system **5100** and paper holder system (e.g. paper holder system **1100**) with the exception of front mounting plate **5110B** and front portions of mounting bolts **5130A** to be stowed within the interior of the vanity cabinet box when not in use.

[0091] Back-mount mounting system **5100** can be made out of any suitable material including metal, plastic, or resin. Style and finish can be made to match existing bath hardware.

#### Bottom-Mount Mounting System

[0092] FIGS. **24** to **29** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of an exemplary bottom-mount mounting system **6100** are illustrated. The images include exploded, isometric, perspective drawings of a bottom-mount mounting system **6100**, a mounting system for

a toilet paper holder system, such as paper holder system **1100** disclosed herein or a paper holder system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568. Shown here is the bottom mounting plate **6110**, a shoulder nut or barrel nut **6115A**, a shoulder bolt **6115B**, mounting screws **6130**, a double-sided shoulder washer **6140A**, and single-sided shoulder washers **6140B**. Also shown is a representative section of a typical vanity cabinet horizontal structural element **6160** with base of vanity cabinet horizontal structural element **6160B**. Also shown here is an embodiment of a toilet paper holder system **1100**. As shown here, instead of being mounted to a typical American wall, paper holder system **1100** can be mounted with bottom-mount mounting system **6100** to the base of vanity cabinet horizontal structural element **6160B** or similar structural element. In some cases, nut **6115A** and bolt **6115B** in combination can be referred to as a shoulder assembly **6115**.

[0093] In many situations, the desired place to mount a toilet paper holder/dispenser is not on a wall or floor but on a vanity. Open design vanities are growing in popularity in residential settings but most especially in commercial hospitality settings such as chain hotels. Open design vanities have exterior cabinet boxes but instead of having drawers or cabinet doors they have open-front box cavities or shelves where things like towels, small bath appliances, extra toilet paper rolls and the like can be stored. Certain open design vanities have horizontal oriented structural elements. Typically they are made of similar materials to the main cabinet boxes which are commonly made of wood, plywood, melamine, particle board, MDF or plastic. Horizontal oriented structural elements are substantial enough to mount toilet paper holders thereto. Sometimes mounting a toilet paper holder on a vanity becomes more desirable if the toilet paper holder has the ability to move and articulate in a manner that allows the toilet paper holder to position the toilet paper roll in a variety of positions relative to the user sitting on the toilet and if the toilet paper holder can be moved and stowed out of the way when not in use.

[0094] Bottom-mount mounting system **6100**, which may be used as a mounting system for a toilet paper holder system, such as a paper holder system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, or a paper holder system as disclosed herein, can be configured to mount a paper holder system **1100** to the base of a vanity cabinet horizontal structural element **6160B** or similar structural element. Bottom mounting plate **6110** attaches to the base of a vanity cabinet horizontal structural element **6160B** via mounting screws **6130**. Shoulder nut or barrel nut **6115A** and shoulder bolt **6115B** screw together and along with double-sided shoulder washer **6140A**, and single-sided shoulder washers **6140B** form bearing mechanism **6115** that secures paper holder system **1100** to bottom mounting plate **6110A** via the proximal first arm knuckle **1123**. If the layout of the vanity cabinet allows, bearing mechanism **6115** enables the paper holder system **1100** to rotate 360 degrees around first axis **1117** while attached to typical vanity cabinet horizontal structural element **6160**. This embodiment also allows for the entire combined unit of bottom-mount mounting system **6100** and paper holder system **1100** to be stowed within the interior of the vanity cabinet box when not in use.

[0095] Bottom-mount mounting system **6100** can be made out of any suitable material including metal, plastic, or resin. Style and finish can be made to match existing bath hardware.

Superior Disposable Sanitary Wipes Packet Holder Box

[0096] FIGS. **30-35** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of an exemplary superior disposable sanitary wipes packet holder box **7100S** are illustrated. The images include exploded, isometric, perspective drawings of superior disposable sanitary wipes packet holder box **7100S**, which can be used with a toilet paper holder system, such as a toilet paper holder system disclosed in previously incorporated U.S. Patent Publication No.

2021/0307568, or a paper holder system as disclosed herein. Shown here, the main box body **7110** includes wipes packet retention structures/slots **7110A** and a superior box attachment hole **7110S**. Also shown here is a flip down lid **7120**, a lid hinge assembly **7130**, a lid hinge pivot axis **7137**, a

magnetic latch assembly **7140**, and a lid latch piece **7140B**. Also shown is superior cell phone/other portable media device holder/shelf **7160**.

[0097] The use of disposable sanitary wipes in conjunction with or as a replacement for toilet paper is growing in popularity. These wipes are commonly dispensed out of a commercially available portable, disposable packet. These disposable wipes packets commonly have a small flip-up lid that can be opened when one desires to retrieve a wipe from the packet but can also be flipped down and snapped closed in between uses to maintain moisture in the remaining unused wipes. As disposable sanitary wipes have gained in popularity, many people desire to have a convenient place to store and dispense these wipes packets while sitting on the toilet. A problem often arises when one uses the packet of disposable sanitary wipes especially as the packet becomes lighter as the wipes are being used up and the packet becomes more empty. At some point the packet of wipes becomes so light that the amount of gravitational force holding the packet in place becomes less than the frictional force of pulling a wipe out of the packet for use and the packet instead is lifted up with the wipe being pulled. This can be an annoying problem and necessitate additional downward force on the packet such as from a second hand to hold the packet down while a wipe is being withdrawn from the packet. There are many different commercially available versions of wall mounted flip lid boxes and drawer boxes that can hold these items and sanitary wipes packets. Many commercially available boxes have wipes packet retention structures to mitigate the wipes packet lifting problem but they require that the wipes packet remain open between uses. This leads to the unused wipes eventually drying out which negates part of their intended purpose. None of the existing embodiments of wall mounted flip lid boxes and drawer boxes are designed specifically to attach to and be used in conjunction with and take advantage of the articulation and versatility of the double swing arm function of a paper holder system disclosed herein, such as toilet paper holder system **1100**. And none are designed with a disposable sanitary wipes packet retention structures to mitigate the wipes packet lifting problem yet allow continuous one-handed retrieval of wipes from the packet and also allow for easy closing of the lid of the wipes packet to maintain moisture in the remaining unused wipes between uses. Many people bring their cell phones and other media devices into the bathroom while using the toilet. Cell phones located in pant or skirt pockets have a tendency to fall out either on the floor or potentially in the toilet while garments are being removed for toilet use. Therefore, many people look for a convenient, stable, and safe place to set down their media devices while using the toilet. A certain portion of the population has the desire to view the video screen of their cell phone or other similar portable media device in a hands-free manner while sitting on the toilet.

[0098] According to some embodiments, superior disposable sanitary wipes packet holder box **7100S** is designed to be used in conjunction with, and attached to, a toilet paper holder system, such as toilet paper holder system **1100**. Superior disposable sanitary wipes packet holder box **7100S** can be attached with toilet paper holder system **1100** at the distal end of and superior to second arm **1130** via the superior box attachment hole **7110S**. The shaft of snap rivet **1136** passes through the superior box attachment hole **7110S** and snaps into arm **1140**. The wider head of snap rivet **1136** secures superior disposable sanitary wipes packet holder box **7100S** to third bearing mechanism **1135** of paper holder system **1100** while still allowing superior disposable sanitary wipes packet holder box **7100S** to independently rotate 360 degrees about the vertically oriented third axis **1137**. Superior disposable sanitary wipes packet holder box **7100S** can rotate 360 degrees about third axis **1137** and this movement is independent of any movement of any parts of paper holder system **1100** about first axis **1117**, second axis **2117**, or third axis **1137**. While in use and attached to toilet paper holder system **1100**, superior disposable sanitary wipes packet holder box **7100S** can be designed to act as a storage container for a disposable sanitary wipes packet and take advantage of the maneuverability and versatility of the paper holder system **1100** to position a disposable sanitary wipes packet in a convenient location within reach for people to use while seated on the toilet. The superior disposable sanitary wipes packet holder box **7100S** and the

disposable sanitary wipes packet can then also be moved and stowed out of the way against the mounting wall when not in use. The flip down lid **7120** can be flipped down by rotating the flip down lid **7120** via lid hinge assembly **7130** about lid hinge pivot axis **7137** when the user requires access to the disposable sanitary wipes packet and then be flipped up and closed to conceal the disposable sanitary wipes packet from view when not in use. The flip down lid **7120** is then held in a closed position with the magnetic latch assembly **7140**, and lid latch piece **7140B**. The magnetically susceptible lid latch piece **7140B** that is attached to the flip down lid **7120** is magnetically attracted to magnetic elements in the magnetic latch assembly **7140** that are attached to the main box body **7110**.

[0099] The wipes packet retention structure/slots **7110A** are designed to be used in conjunction with an elastic band loop or rubber band (e.g. loop or band **7180** depicted in FIGS. **40**, **41**, **44**, **45**, **49**, **50** and **51**) and use the elastic forces of the elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the main box body **7110** while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes from the packet and also allowing for easy closing of the lid of the wipes packet to maintain moisture in the remaining unused wipes between uses. Superior cell phone/other portable media device holder/shelf **7160** can be designed to be used in conjunction with a toilet paper holder system, such as a toilet paper system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, or a paper holder system as disclosed herein. In some embodiments, shelf **7160** can be part of superior disposable sanitary wipes packet holder box **7100S**, to hold a portable media device such as a cell phone (e.g. phone **2200** depicted in FIGS. **40-48** and **50**) in a conveniently-usable, stable, and hands-free position placing the device in a desired position to view the video screen while sitting on the toilet.

[0100] Superior disposable sanitary wipes packet holder box **7100S** can be made out of any suitable material including metal, sheet metal, plastic, resin, and wood and its individual elements can vary in size depending upon the size of the disposable sanitary wipes packet to be used and stored. Style and finish can be made to match existing bath hardware. Embodiments of the superior disposable sanitary wipes packet holder box **7100S** can include those that come with the superior cell phone/other portable media device holder/shelf **7160** like the one shown here or without. For circumstances where the disposable sanitary wipes are meant as a complete substitute for toilet paper, embodiments of superior disposable sanitary wipes packet holder box **7100S** can attach to a paper holder system that lacks elements **1140** and **1150**, used to accommodate a toilet paper roll **500**.

[0101] Although the embodiment of superior disposable sanitary wipes packet holder box **7100S** that is shown is designed to store the disposable wipes packet in a vertical position that dispenses out of the front side of the box, other embodiments are contemplated and encompassed herein which are configured to enable the superior disposable sanitary wipes packet holder box **7100S** to be rotated 90 degrees from the embodiment shown so that the disposable wipes packet in a horizontal position that dispenses out of the top of the box. A multitude of existing latch and lid systems could be used in place of those shown.

#### Inferior Disposable Sanitary Wipes Packet Holder Box

[0102] FIGS. **36-39** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. Here, aspects of an exemplary inferior disposable sanitary wipes packet holder box **7100I** are illustrated. The images include isometric, perspective drawings of inferior disposable sanitary wipes packet holder box **7100I**, which may be used as accessory with a toilet paper holder system, such as a toilet paper holder system disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568, or a paper holder system as disclosed herein. Shown here, the main box body **7110** includes wipes packet retention structures/slots **7110A** and inferior box attachment hole **7110I**. Also shown here is a flip down lid **7120**, a lid hinge assembly **7130**, a lid hinge pivot axis **7137**, a magnetic latch



assembly **7140**) and a lid latch piece **7140B**. Also shown here is an embodiment of a toilet paper holder system **1100**. In this embodiment, the toilet paper holder system **1100** does not include elements **1140** and **1150**, used to accommodate a toilet paper roll **500**.

[0103] The use of disposable sanitary wipes in conjunction with or as a replacement for toilet paper is growing in popularity. These wipes are commonly dispensed out of a commercially available portable, disposable packet. These disposable wipes packets commonly have a small flip-up lid that can be opened when one desires to retrieve a wipe from the packet but can also be flipped down and snapped closed in between uses to maintain moisture in the remaining unused wipes. As disposable sanitary wipes have gained in popularity, many people desire to have a convenient place to store and dispense these wipes packets while sitting on the toilet. A problem often arises when one uses the packet of disposable sanitary wipes especially as the packet becomes lighter as the wipes are being used up and the packet becomes more empty. At some point the packet of wipes becomes so light that the amount of gravitational force holding the packet in place becomes less than the frictional force of pulling a wipe out of the packet for use and the packet instead is lifted up with the wipe being pulled. This can be an annoying problem and necessitate additional downward force on the packet such as from a second hand to hold the packet down while a wipe is being withdrawn from the packet. There are many different commercially available versions of wall mounted flip lid boxes and drawer boxes that can hold these items and sanitary wipes packets. Many commercially available boxes have wipes packet retention structures to mitigate the wipes packet lifting problem but they require that the wipes packet remain open between uses. This leads to the unused wipes eventually drying out which negates part of their intended purpose. None of the existing embodiments of wall mounted flip lid boxes and drawer boxes are designed specifically to attach to and be used in conjunction with and take advantage of the articulation and versatility of the double swing arm function of a toilet paper holder system, such as toilet paper holder system **1100**. And none are designed with a disposable sanitary wipes packet retention structures to mitigate the wipes packet lifting problem yet allow continuous one-handed retrieval of wipes from the packet and also allow for easy closing of the lid of the wipes packet to maintain moisture in the remaining unused wipes between uses.

[0104] According to some embodiments, inferior disposable sanitary wipes packet holder box **7100I** can be designed to be used in conjunction with, and attached to, a toilet paper holder system, such as toilet paper holder system **1100**. Exemplary embodiments of an inferior disposable sanitary wipes packet holder box **7100I** can be designed for circumstances in which the disposable sanitary wipes are meant as a complete substitute for toilet paper. In some cases, inferior disposable sanitary wipes packet holder box **7100I** can be attached with toilet paper holder system **1100** at the distal end of an inferior to second arm **1130** via the inferior box attachment hole **7110I**. The shaft of snap rivet **1136** passes through the inferior box attachment hole **7110I** and snaps into arm **1140**) The wider head of snap rivet **1136** secures inferior disposable sanitary wipes packet holder box **7100I** to third bearing mechanism **1135** of toilet paper holder system **1100** while still allowing inferior disposable sanitary wipes packet holder box **7100I** to independently rotate 360 degrees about the vertically oriented third axis **1137**. Inferior disposable sanitary wipes packet holder box **7100I** can rotate 360 degrees about third axis **1137** and this movement is independent of any movement of any parts of toilet paper holder system about first axis **1117**, second axis **2117**, or third axis **1137**. While in use and attached to toilet paper holder system **1100**, inferior disposable sanitary wipes packet holder box **7100I** is designed to act as a storage container for a disposable sanitary wipes packet and take advantage of the maneuverability and versatility of the toilet paper holder system **1100** to position a disposable sanitary wipes packet in a convenient location within reach for people to use while seated on the toilet. The inferior disposable sanitary wipes packet holder box **7100I** and the disposable sanitary wipes packet can then also be moved and stowed out of the way against the mounting wall when not in use. The flip down lid **7120** can be flipped down by rotating the flip down lid **7120** via lid hinge assembly **7130** about lid hinge pivot axis **7137** when the user requires

access to the disposable sanitary wipes packet and then be flipped up and closed to conceal the disposable sanitary wipes packet from view when not in use. The flip down lid **7120** is then held in a closed position with the magnetic latch assembly **7140**, and lid latch piece **7140B**. The magnetically susceptible lid latch piece **7140B** that is attached to the flip down lid **7120** is magnetically attracted to magnetic elements in the magnetic latch assembly **7140** that are attached to the main box body **7110**. The wipes packet retention structure/slots **7110A** are designed to be used in conjunction with an elastic band loop or rubber band (e.g. loop or band **7180** depicted in FIGS. **40**, **41**, **44**, **45**, **49**, **50** and **51**) and use the elastic forces of the elastic band loop or rubber band to retain a packet of disposable sanitary wipes in the main box body **7110** while the sanitary wipes are being used by someone sitting on the toilet thus allowing continuous one-handed retrieval of wipes from the packet and also allowing for easy closing of the lid of the wipes packet to maintain moisture in the remaining unused wipes between uses.

[0105] For circumstances where the disposable sanitary wipes are meant as a complete substitute for toilet paper, embodiments of inferior disposable sanitary wipes packet holder box **7100I** can attach to embodiments of a toilet paper holder system that lacks elements **1140** and **1150**, used to accommodate a toilet paper roll **500**. Inferior disposable sanitary wipes packet holder box **7100I** can be made out of any suitable material including metal, sheet metal, plastic, resin, and wood and its individual elements can vary in size depending upon the size of the disposable sanitary wipes packet to be used and stored. Style and finish can be made to match existing bath hardware. A multitude of existing latch and lid systems could be used in place of those shown.

#### ADDITIONAL CONFIGURATIONS

[0106] FIGS. **40-51** depict aspects of one or more accessory assemblies or components for paper holder and dispenser systems, according to embodiments of the present invention. For example, these images illustrate various views of different configurations of a paper holder system **1100**, which may be in combination with a superior disposable sanitary wipes packet holder box **7100S** and a sanitary wipe packet **7170** held by an elastic band loop or rubber band **7180**, or with an inferior disposable sanitary wipes packet holder box **7100I** and a sanitary wipe packet **7170** held by an elastic band loop or rubber band **7180**, or supporting a cell phone or other device **2200**, or holding one or more toilet paper rolls **500**, or attached with a storage drawer box with shelf **4100**, or attached with a shelf mechanism **2100**, or various combinations of the above. Any of these configuration or embodiments can also be used with a toilet paper holder system as disclosed in previously incorporated U.S. Patent Publication No. 2021/0307568.

[0107] Although embodiments of the present invention have been explained in relation to one or more preferred embodiments, it is to be understood that many other possible modifications and variations can be made without departing from the spirit and scope of the invention.

[0108] All features of the described systems and devices are applicable to the described methods *mutatis mutandis*, and vice versa. Embodiments of the present invention encompass kits having systems for holding and toilet paper roll as disclosed herein. In some embodiments, the kit includes one or more systems for holding and dispensing a toilet paper roll, along with instructions for using the system for example according to any of the methods disclosed herein.

[0109] Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, one of skill in the art will appreciate that certain changes, modifications, alternate constructions, and/or equivalents may be practiced or employed as desired, and within the scope of the appended claims. In addition, each reference provided herein is incorporated by reference in its entirety to the same extent as if each reference was individually incorporated by reference. Relatedly, all publications, patents, patent applications, journal articles, books, technical references, and the like mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication, patent, patent application, journal article, book, technical reference, or the like was specifically and individually indicated to be incorporated by reference.

## Claims

1. A toilet paper holder system for holding a roll of toilet paper, the system comprising: a first arm coupled with a wall mount via a first bearing mechanism; a second arm coupled with the first arm via a second bearing mechanism; a third arm coupled with the second arm via a third bearing mechanism; a holder arm coupled with the third arm via a fourth bearing mechanism, the holder arm having a proximal section and a distal section, wherein the distal section is configured to hold a roll of toilet paper; and a shelf mechanism, wherein the first bearing mechanism enables the first arm to pivot about a first axis relative to the wall mount, wherein the second bearing mechanism enables the second arm to pivot about a second axis relative to the first arm, wherein the third bearing mechanism enables the third arm to pivot about a third axis relative to the third bearing mechanism.
2. A toilet paper holder system according to claim 1, wherein the shelf mechanism comprises a backing plate.
3. A toilet paper holder system according to claim 2, wherein the backing plate is inclined relative to a horizontal plane at an angle of about 60 degrees.
4. A toilet paper holder system according to claim 1, wherein the shelf mechanism comprises a cradle.
5. A toilet paper holder system according to claim 4, wherein the cradle is inclined relative to a horizontal plane at an angle of about 30 degrees.
6. A toilet paper holder system according to claim 1, wherein the shelf mechanism is attached with the third bearing mechanism.
7. A toilet paper holder system according to claim 6, wherein the shelf mechanism is attached with the third bearing mechanism via an attachment arm.
8. A toilet paper holder system according to claim 6, wherein the shelf mechanism is attached with the third bearing mechanism via a snap rivet.
9. A toilet paper holder system according to claim 6, wherein the shelf mechanism is attached with the third bearing mechanism via an attachment arm and a snap rivet.
10. A toilet paper holder system according to claim 1, wherein the shelf mechanism is configured to rotate relative to the third axis.
11. A toilet paper holder system according to claim 1, wherein the shelf mechanism comprises a window cutout configured to receive at least a portion of the first bearing mechanism.
12. A toilet paper holder system according to claim 1, wherein the shelf mechanism comprises an outer drawer cabinet box and a drawer unit.
13. A toilet paper holder system according to claim 12, wherein the outer drawer cabinet box comprises a cabinet box top surface shelf.
14. A toilet paper holder system according to claim 12, wherein the outer drawer cabinet box comprises one or more drawer guide slots.
15. A toilet paper holder system according to claim 12, wherein the outer drawer cabinet box is attached with the wall mount via a “Z” bend mounting structure.
16. A toilet paper holder system according to claim 12, wherein the outer drawer cabinet box is attached with the wall via a mounting hardware mechanism.
17. A toilet paper holder system according to claim 12, wherein the drawer unit comprises a friction control pad.
18. A toilet paper holder system according to claim 12, wherein the drawer unit comprises a drawer pull.
19. A toilet paper holder system according to claim 12, wherein the drawer unit comprises one or more wipes packet retention slots.

**20.** A toilet paper holder system according to claim 12, further comprising a sanitary wipe packet secured within the drawer unit via one or more elastic bands.

---