



US0D1087625S

(12) **United States Design Patent**  
**MacAllen et al.**

(10) **Patent No.:** **US D1,087,625 S**

(45) **Date of Patent:** **\*\* \*Aug. 12, 2025**

- (54) **ADJUSTABLE PARTITION**
- (71) Applicant: **MOLO DESIGN, LTD.**, Vancouver (CA)
- (72) Inventors: **Todd P. MacAllen**, Vancouver (CA);  
**Stephanie J. Forsythe**, Vancouver (CA)
- (73) Assignee: **MOLO DESIGN, LTD.**, Vancouver (CA)
- (\*) Notice: This patent is subject to a terminal disclaimer.
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/856,957**
- (22) Filed: **Oct. 18, 2022**
- (51) **LOC (15) Cl.** ..... **06-06**
- (52) **U.S. Cl.**  
USPC ..... **D6/332**
- (58) **Field of Classification Search**  
USPC .. D6/332, 575, 577, 702, 703, 703.2-703.5;  
D25/58  
CPC ..... E06B 2009/2625; E06B 2009/2627; E06B  
9/262; Y10T 428/24149; Y10T  
428/24661; Y10T 428/24744; B31D 3/02;  
B31D 3/0207; E04B 2/7405; E04B 2/74  
See application file for complete search history.
- (56) **References Cited**


|              |      |         |                 |       |             |           |
|--------------|------|---------|-----------------|-------|-------------|-----------|
| 6,052,966    | A *  | 4/2000  | Colson          | ..... | B31D 3/0207 | 428/188   |
| 6,103,336    | A *  | 8/2000  | Swiszc          | ..... | B31D 3/0207 | 428/116   |
| D504,180     | S *  | 4/2005  | Griffith        | ..... | D25/100     |           |
| D507,059     | S *  | 7/2005  | Griffith        | ..... | D25/100     |           |
| D514,859     | S *  | 2/2006  | Herhold         | ..... | D6/575      |           |
| D515,345     | S *  | 2/2006  | Herhold         | ..... | D6/575      |           |
| 7,273,529    | B2 * | 9/2007  | Judkins         | ..... | E06B 9/262  | 156/266   |
| D605,885     | S *  | 12/2009 | Judkins         | ..... | D6/575      |           |
| 7,866,366    | B2 * | 1/2011  | MacAllen        | ..... | A47C 5/005  | 160/84.05 |
| D668,461     | S *  | 10/2012 | Kinder          | ..... | D6/332      |           |
| D691,392     | S *  | 10/2013 | Earl            | ..... | D6/575      |           |
| D691,393     | S *  | 10/2013 | Earl            | ..... | D6/575      |           |
| D691,394     | S *  | 10/2013 | Earl            | ..... | D6/575      |           |
| D734,061     | S *  | 7/2015  | Colson          | ..... | D6/580      |           |
| D764,836     | S *  | 8/2016  | Rupel           | ..... | D6/575      |           |
| D944,020     | S *  | 2/2022  | MacAllen        | ..... | D6/332      |           |
| D951,662     | S *  | 5/2022  | MacAllen        | ..... | D6/332      |           |
| D1,010,356   | S *  | 1/2024  | Huang           | ..... | D6/580      |           |
| 12,134,253   | B2 * | 11/2024 | MacAllen        | ..... | B32B 21/10  |           |
| 2002/0043346 | A1 * | 4/2002  | Zorbas          | ..... | E06B 9/262  | 160/84.05 |
| 2006/0260231 | A1   | 11/2006 | MacAllen et al. |       |             |           |
| 2007/0096609 | A1   | 5/2007  | Chiu            |       |             |           |
| 2008/0120820 | A1 * | 5/2008  | Liang           | ..... | E06B 9/266  | 29/24.5   |
| 2009/0025888 | A1 * | 1/2009  | Brace           | ..... | E06B 9/388  | 160/84.05 |
| 2009/0078838 | A1   | 3/2009  | Chang           |       |             |           |
| 2011/0064527 | A1 * | 3/2011  | Nottingham      | ..... | E02D 5/02   | 405/274   |
| 2013/0220557 | A1 * | 8/2013  | MacAllen        | ..... | E04B 2/74   | 160/84.01 |
| 2021/0308981 | A1 * | 10/2021 | MacAllen        | ..... | B32B 21/10  |           |
| 2022/0001643 | A1 * | 1/2022  | Zhu             | ..... | B32B 3/12   |           |

U.S. PATENT DOCUMENTS

|           |     |         |          |       |             |         |
|-----------|-----|---------|----------|-------|-------------|---------|
| 2,324,398 | A * | 7/1943  | Kahr     | ..... | A47G 5/00   | 160/403 |
| 3,841,738 | A * | 10/1974 | Caplan   | ..... | B32B 37/146 | 428/116 |
| 4,631,217 | A * | 12/1986 | Anderson | ..... | B31D 3/0215 | D6/575  |
| 4,647,488 | A * | 3/1987  | Schnebly | ..... | E06B 9/262  | 428/116 |
| 5,691,031 | A * | 11/1997 | Swiszc   | ..... | D06M 23/16  | 428/218 |
| D398,710  | S * | 9/1998  | Gonzalez | ..... | D25/138     |         |

FOREIGN PATENT DOCUMENTS

|    |                |    |        |
|----|----------------|----|--------|
| CN | 201115537      | Y  | 9/2008 |
| CN | 201393769      | Y  | 2/2010 |
| CN | 201700767      | U  | 1/2011 |
| CN | 202130184863.X | *  | 7/2021 |
| CN | 202230038679.9 | *  | 5/2022 |
| EP | 1336471        | A1 | 8/2003 |
| WO | 2011058348     | A1 | 5/2011 |
| WO | D230503-001    | *  | 8/2023 |
| WO | D230503-002    | *  | 8/2023 |
| WO | D230503-003    | *  | 8/2023 |
| WO | D230503-004    | *  | 8/2023 |



## OTHER PUBLICATIONS

The intimate and sculptural spaces designed by molo [article], Archiproducts, posted May 16, 2018 [online], [retrieved Nov. 14, 2024]. Retrieved from internet, [https://www.archiproducts.com/en/news/the-intimate-and-sculptural-spaces-designed-by-molo\\_64044](https://www.archiproducts.com/en/news/the-intimate-and-sculptural-spaces-designed-by-molo_64044) (Year: 2018).\*

These flexible wooden room partitions expand [article], Yanko Design, posted Dec. 6, 2020 [online], [retrieved Nov. 14, 2024]. Retrieved from internet, <https://www.yankodesign.com/2020/12/06/these-flexible-wooden-room-partitions-expand-up-to-15-feet-while-folding-down-to-the-thickness-of-a-book/> (Year: 2020).\*

Wood softwall + softblock, Molo Design, earliest post date found Jan. 9, 2023 [online], [retrieved Nov. 14, 2024]. Retrieved from internet, <https://molodesign.com/collections/space-partitions/wooden-room-divider/> (Year: 2023).\*

Paper Foldable Indoor Partitions, TT-YEL/Amazon, date available Apr. 16, 2024 [online], [retrieved Nov. 14, 2024]. Retrieved from internet, <https://www.amazon.com/TT-YEL-Partitions-Expandable-Freestanding-Decoration/dp/B0D1VDDW1F> (Year: 2024).\*

Aug. 4, 2023—EP European Search Report and Supplemental Search Report—Application No. 20852823.2.

\* cited by examiner

*Primary Examiner* — Catherine Ho

*Assistant Examiner* — Tyenne A. Fulton-Crosson

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57)

**CLAIM**

The ornamental design for an adjustable partition as shown and described.

**DESCRIPTION**

FIG. 1 is a front top perspective view of the first embodiment of an adjustable partition showing our new design;  
 FIG. 2 is a rear bottom perspective view thereof;  
 FIG. 3 is a right side view thereof;  
 FIG. 4 is a left side view thereof;  
 FIG. 5 is a front view thereof;  
 FIG. 6 is a rear view thereof;  
 FIG. 7 is a top view thereof;  
 FIG. 8 is a bottom view thereof;  
 FIG. 9 is a front top perspective view of the adjustable partition of FIGS. 1-8 shown in a closed state;  
 FIG. 10 is a rear bottom perspective view thereof;  
 FIG. 11 is a right side view thereof;  
 FIG. 12 is a left side view thereof;  
 FIG. 13 is a front view thereof;  
 FIG. 14 is a rear view thereof;  
 FIG. 15 is a top view thereof;  
 FIG. 16 is a bottom view thereof;  
 FIG. 17 is a front top perspective view of the adjustable partition of FIGS. 1-8 shown in an environment of use;  
 FIG. 18 is a rear bottom perspective view thereof;  
 FIG. 19 is a right side view thereof;  
 FIG. 20 is a left side view thereof;  
 FIG. 21 is a front view thereof;  
 FIG. 22 is a rear view thereof;

FIG. 23 is a top view thereof;

FIG. 24 is a bottom view thereof;

FIG. 25 is a front top perspective view of the adjustable partition of FIGS. 9-16 shown in an environment of use;

FIG. 26 is a rear bottom perspective view thereof;

FIG. 27 is a right side view thereof;

FIG. 28 is a left side view thereof;

FIG. 29 is a front view thereof;

FIG. 30 is a rear view thereof;

FIG. 31 is a top view thereof;

FIG. 32 is a bottom view thereof;

FIG. 33 is a front top perspective view of the second embodiment of an adjustable partition;

FIG. 34 is a rear bottom perspective view thereof;

FIG. 35 is a right side view thereof;

FIG. 36 is a left side view thereof;

FIG. 37 is a front view thereof;

FIG. 38 is a rear view thereof;

FIG. 39 is a top view thereof;

FIG. 40 is a bottom view thereof;

FIG. 41 is a front top perspective view of the adjustable partition of FIGS. 33-40 shown in a closed state;

FIG. 42 is a rear bottom perspective view thereof;

FIG. 43 is a right side view thereof;

FIG. 44 is a left side view thereof;

FIG. 45 is a front view thereof;

FIG. 46 is a rear view thereof;

FIG. 47 is a top view thereof;

FIG. 48 is a bottom view thereof;

FIG. 49 is a front top perspective of the adjustable partition of FIGS. 33-40 shown in an environment of use;

FIG. 50 is a rear bottom perspective view thereof;

FIG. 51 is a right side view thereof;

FIG. 52 is a left side view thereof;

FIG. 53 is a front view thereof;

FIG. 54 is a rear view thereof;

FIG. 55 is a top view thereof;

FIG. 56 is a bottom view thereof;

FIG. 57 is a front top perspective of the adjustable partition of FIGS. 41-48 shown in an environment of use;

FIG. 58 is a rear bottom perspective view thereof;

FIG. 59 is a right side view thereof;

FIG. 60 is a left side view thereof;

FIG. 61 is a front view thereof;


FIG. 62 is a rear view thereof;

FIG. 63 is a top view thereof; and,


FIG. 64 is a bottom view thereof.

The dot-dash broken lines represent the bounds of the claimed design and form no part thereof. The irregular fragmentary shading on the adjustable partition indicates a wood grain pattern that is continuous throughout the surfaces on which it is shown. The specific wood grain pattern shown in the drawings is for illustrative purposes only. The unshaded interior regions of the adjustable partition form no part of the claimed design. The evenly dashed broken lines depict environment that forms no part of the claimed design.


**1 Claim, 64 Drawing Sheets**




**FIG. 1**




**FIG. 2**




***FIG. 3***



***FIG. 4***




***FIG. 5***




***FIG. 6***







***FIG. 7***




***FIG. 8***




**FIG. 9**




**FIG. 10**




***FIG. 11***



***FIG. 12***




**FIG. 13**




***FIG. 14***







**FIG. 15**




***FIG. 16***







**FIG. 18**



**FIG. 19**



***FIG. 20***



**FIG. 21**






FIG. 22







**FIG. 23**




**FIG. 24**






**FIG. 26**




**FIG. 27**



**FIG. 28**




**FIG. 29**




**FIG. 30**









**FIG. 32**




**FIG. 33**




**FIG. 34**




**FIG. 35**



***FIG. 36***




**FIG. 37**




**FIG. 38**







***FIG. 39***




***FIG. 40***




**FIG. 41**




**FIG. 42**




**FIG. 43**



***FIG. 44***




***FIG. 45***




**FIG. 46**







***FIG. 47***




***FIG. 48***




**FIG. 49**



**FIG. 50**



**FIG. 51**



***FIG. 52***






FIG. 53




**FIG. 54**







**FIG. 55**




**FIG. 56**






**FIG. 58**




**FIG. 59**



**FIG. 60**




**FIG. 61**




**FIG. 62**





**FIG. 63**



**FIG. 64**