



US0D1087908S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,087,908 S**
Liu et al. (45) **Date of Patent:** **** Aug. 12, 2025**

(54) **POWER SUPPLY UNIT**

(71) Applicant: **Shenzhen Grepow Battery Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Bing Liu**, Shenzhen (CN); **Miao Liu**,
Shenzhen (CN); **Jiayi Yu**, Shenzhen
(CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/861,112**

(22) Filed: **Nov. 28, 2022**

(30) **Foreign Application Priority Data**

Aug. 10, 2022 (CN) 202230519627.3

(51) **LOC (15) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**
USPC D13/101–108, 110, 112, 118, 119, 184,
D13/199

CPC H02J 7/00; H02J 7/02; H02J 7/0042; H02J
7/0044; H02J 7/0045; H02J 7/0013;

H01R 25/00; H01R 25/003; H01R 27/00;

H04B 1/3877; H01M 10/44; H01M 10/46

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,648,712 A * 7/1997 Hahn H02J 7/0044
320/113
D694,180 S * 11/2013 Inskeep D13/107
D701,490 S * 3/2014 Inskeep D13/110
D743,332 S * 11/2015 Ju D13/103
D786,192 S * 5/2017 Liu D13/107
D803,151 S * 11/2017 Zhou D13/107
D845,229 S * 4/2019 Chen D13/103
D851,586 S * 6/2019 Liu D13/103

D874,396 S * 2/2020 Rao D13/107
D892,727 S * 8/2020 Gan D13/103
D896,749 S * 9/2020 Wu D13/107
D919,572 S * 5/2021 Lei D13/110
D930,578 S * 9/2021 Zheng D13/110
D934,793 S * 11/2021 Shu D13/107
D942,931 S * 2/2022 Fang D13/110
D944,191 S * 2/2022 Wang D13/107
D944,725 S * 3/2022 Zeng D13/103
D953,258 S * 5/2022 Ye D13/103
D954,641 S * 6/2022 Zeng D13/103
D958,064 S * 7/2022 Finocchiaro D13/107
D981,953 S * 3/2023 Underhill D13/103
D1,002,525 S * 10/2023 Lou D13/107
D1,010,573 S * 1/2024 Zeng D13/108
D1,011,279 S * 1/2024 Zeng D13/108
D1,016,007 S * 2/2024 Zeng D13/108
D1,025,891 S * 5/2024 Hua D13/184
D1,032,519 S * 6/2024 Huang D13/110
D1,043,556 S * 9/2024 Lei D13/107

(Continued)

Primary Examiner — Lilyana Bekic

Assistant Examiner — Robin L Hammonds

(57) **CLAIM**

The ornamental design for a power supply unit as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a power supply unit showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof;



FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof; and,

FIG. 8 is another perspective view thereof.

The broken lines illustrate portions of the power supply unit that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,047,892	S	*	10/2024	Zhao		D13/103
D1,051,040	S	*	11/2024	Liu		D13/107
D1,051,828	S	*	11/2024	Shum		D13/107
D1,052,520	S	*	11/2024	Lei		D13/107
D1,053,799	S	*	12/2024	Mathers		D13/110
D1,053,809	S	*	12/2024	Xu		D13/110
D1,058,505	S	*	1/2025	Xu		D13/110
D1,058,508	S	*	1/2025	Li		D13/110
D1,061,440	S	*	2/2025	Li		D13/110
D1,062,612	S	*	2/2025	Zhang		D13/110
2016/0111692	A1	*	4/2016	Morita		H01M 50/209 429/96

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8